

Contents

1. Effective (Isotropic) Radiated Power Output Data for SA.....	2
2. Peak-to-Average Ratio for SA	11
3. 26dB Bandwidth and Occupied Bandwidth for SA	13
4. Band Edge for SA	22
5. Conducted Spurious Emission for SA.....	29
6. Frequency Stability for SA.....	33
7. Field Strength of Spurious Radiation	35

1. Effective (Isotropic) Radiated Power Output Data for SA

Test Result Ant0

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	ERP (dBm)	Limit (dBm)	Verdict
N26-824-849	15	5	DFT-PI2BPSK	L	Inner_1RB_Left	23.37	23.22	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Inner_1RB_Right	23.58	23.43	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Outer_Full	23.49	23.34	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Inner_1RB_Left	23.22	23.07	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Inner_1RB_Right	23.44	23.29	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Outer_Full	23.4	23.25	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Inner_1RB_Left	23.34	23.19	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Inner_1RB_Right	23.59	23.44	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Outer_Full	22.39	22.24	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Inner_1RB_Left	21.99	21.84	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Inner_1RB_Right	22.09	21.94	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Outer_Full	21.91	21.76	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	Inner_1RB_Left	19.8	19.65	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	Inner_1RB_Right	19.97	19.82	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	Outer_Full	19.92	19.77	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Inner_1RB_Left	23.97	23.82	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Inner_1RB_Right	23.85	23.70	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Outer_Full	23.93	23.78	38.45	PASS
N26-824	15	5	DFT-QPSK	M	Inner_1RB_Left	23.78	23.63	38.45	PASS

-849									
N26-824 -849	15	5	DFT-QPSK	M	Inner_1RB_Right	23.8	23.65	38.45	PASS
N26-824 -849	15	5	DFT-QPSK	M	Outer_Full	23.84	23.69	38.45	PASS
N26-824 -849	15	5	DFT-16QAM	M	Inner_1RB_Left	23.91	23.76	38.45	PASS
N26-824 -849	15	5	DFT-16QAM	M	Inner_1RB_Right	23.83	23.68	38.45	PASS
N26-824 -849	15	5	DFT-16QAM	M	Outer_Full	22.86	22.71	38.45	PASS
N26-824 -849	15	5	DFT-64QAM	M	Inner_1RB_Left	22.45	22.30	38.45	PASS
N26-824 -849	15	5	DFT-64QAM	M	Inner_1RB_Right	22.29	22.14	38.45	PASS
N26-824 -849	15	5	DFT-64QAM	M	Outer_Full	22.41	22.26	38.45	PASS
N26-824 -849	15	5	DFT-256QAM	M	Inner_1RB_Left	20.32	20.17	38.45	PASS
N26-824 -849	15	5	DFT-256QAM	M	Inner_1RB_Right	20.38	20.23	38.45	PASS
N26-824 -849	15	5	DFT-256QAM	M	Outer_Full	20.44	20.29	38.45	PASS
N26-824 -849	15	5	DFT-PI2BPSK	H	Inner_1RB_Left	23.48	23.33	38.45	PASS
N26-824 -849	15	5	DFT-PI2BPSK	H	Inner_1RB_Right	23.39	23.24	38.45	PASS
N26-824 -849	15	5	DFT-PI2BPSK	H	Outer_Full	23.5	23.35	38.45	PASS
N26-824 -849	15	5	DFT-QPSK	H	Inner_1RB_Left	23.43	23.28	38.45	PASS
N26-824 -849	15	5	DFT-QPSK	H	Inner_1RB_Right	23.28	23.13	38.45	PASS
N26-824 -849	15	5	DFT-QPSK	H	Outer_Full	23.46	23.31	38.45	PASS
N26-824 -849	15	5	DFT-16QAM	H	Inner_1RB_Left	23.42	23.27	38.45	PASS
N26-824 -849	15	5	DFT-16QAM	H	Inner_1RB_Right	23.35	23.20	38.45	PASS
N26-824 -849	15	5	DFT-16QAM	H	Outer_Full	22.46	22.31	38.45	PASS
N26-824 -849	15	5	DFT-64QAM	H	Inner_1RB_Left	22.05	21.90	38.45	PASS
N26-824 -849	15	5	DFT-64QAM	H	Inner_1RB_Right	21.99	21.84	38.45	PASS

N26-824 -849	15	5	DFT-64QAM	H	Outer_Full	22.02	21.87	38.45	PASS
N26-824 -849	15	5	DFT-256QAM	H	Inner_1RB_Left	20.1	19.95	38.45	PASS
N26-824 -849	15	5	DFT-256QAM	H	Inner_1RB_Right	20	19.85	38.45	PASS
N26-824 -849	15	5	DFT-256QAM	H	Outer_Full	20.04	19.89	38.45	PASS
N26-824 -849	15	10	DFT-PI2BPSK	L	Inner_1RB_Left	23.39	23.24	38.45	PASS
N26-824 -849	15	10	DFT-PI2BPSK	L	Inner_1RB_Right	23.95	23.80	38.45	PASS
N26-824 -849	15	10	DFT-PI2BPSK	L	Outer_Full	23.6	23.45	38.45	PASS
N26-824 -849	15	10	DFT-QPSK	L	Inner_1RB_Left	23.22	23.07	38.45	PASS
N26-824 -849	15	10	DFT-QPSK	L	Inner_1RB_Right	23.92	23.77	38.45	PASS
N26-824 -849	15	10	DFT-QPSK	L	Outer_Full	23.53	23.38	38.45	PASS
N26-824 -849	15	10	DFT-16QAM	L	Inner_1RB_Left	23.24	23.09	38.45	PASS
N26-824 -849	15	10	DFT-16QAM	L	Inner_1RB_Right	23.98	23.83	38.45	PASS
N26-824 -849	15	10	DFT-16QAM	L	Outer_Full	22.55	22.40	38.45	PASS
N26-824 -849	15	10	DFT-64QAM	L	Inner_1RB_Left	21.81	21.66	38.45	PASS
N26-824 -849	15	10	DFT-64QAM	L	Inner_1RB_Right	22.25	22.10	38.45	PASS
N26-824 -849	15	10	DFT-64QAM	L	Outer_Full	22.1	21.95	38.45	PASS
N26-824 -849	15	10	DFT-256QAM	L	Inner_1RB_Left	19.72	19.57	38.45	PASS
N26-824 -849	15	10	DFT-256QAM	L	Inner_1RB_Right	20.42	20.27	38.45	PASS
N26-824 -849	15	10	DFT-256QAM	L	Outer_Full	20.13	19.98	38.45	PASS
N26-824 -849	15	10	DFT-PI2BPSK	M	Inner_1RB_Left	23.77	23.62	38.45	PASS
N26-824 -849	15	10	DFT-PI2BPSK	M	Inner_1RB_Right	23.75	23.60	38.45	PASS
N26-824 -849	15	10	DFT-PI2BPSK	M	Outer_Full	23.79	23.64	38.45	PASS
N26-824	15	10	DFT-QPSK	M	Inner_1RB_Left	23.75	23.60	38.45	PASS

-849									
N26-824 -849	15	10	DFT-QPSK	M	Inner_1RB_Right	23.63	23.48	38.45	PASS
N26-824 -849	15	10	DFT-QPSK	M	Outer_Full	23.8	23.65	38.45	PASS
N26-824 -849	15	10	DFT-16QAM	M	Inner_1RB_Left	23.66	23.51	38.45	PASS
N26-824 -849	15	10	DFT-16QAM	M	Inner_1RB_Right	23.57	23.42	38.45	PASS
N26-824 -849	15	10	DFT-16QAM	M	Outer_Full	22.81	22.66	38.45	PASS
N26-824 -849	15	10	DFT-64QAM	M	Inner_1RB_Left	22.15	22.00	38.45	PASS
N26-824 -849	15	10	DFT-64QAM	M	Inner_1RB_Right	22.16	22.01	38.45	PASS
N26-824 -849	15	10	DFT-64QAM	M	Outer_Full	22.34	22.19	38.45	PASS
N26-824 -849	15	10	DFT-256QAM	M	Inner_1RB_Left	20.27	20.12	38.45	PASS
N26-824 -849	15	10	DFT-256QAM	M	Inner_1RB_Right	20.26	20.11	38.45	PASS
N26-824 -849	15	10	DFT-256QAM	M	Outer_Full	20.35	20.20	38.45	PASS
N26-824 -849	15	10	DFT-PI2BPSK	H	Inner_1RB_Left	23.83	23.68	38.45	PASS
N26-824 -849	15	10	DFT-PI2BPSK	H	Inner_1RB_Right	23.42	23.27	38.45	PASS
N26-824 -849	15	10	DFT-PI2BPSK	H	Outer_Full	23.56	23.41	38.45	PASS
N26-824 -849	15	10	DFT-QPSK	H	Inner_1RB_Left	23.67	23.52	38.45	PASS
N26-824 -849	15	10	DFT-QPSK	H	Inner_1RB_Right	23.32	23.17	38.45	PASS
N26-824 -849	15	10	DFT-QPSK	H	Outer_Full	23.55	23.40	38.45	PASS
N26-824 -849	15	10	DFT-16QAM	H	Inner_1RB_Left	23.58	23.43	38.45	PASS
N26-824 -849	15	10	DFT-16QAM	H	Inner_1RB_Right	23.34	23.19	38.45	PASS
N26-824 -849	15	10	DFT-16QAM	H	Outer_Full	22.57	22.42	38.45	PASS
N26-824 -849	15	10	DFT-64QAM	H	Inner_1RB_Left	22.18	22.03	38.45	PASS
N26-824 -849	15	10	DFT-64QAM	H	Inner_1RB_Right	21.74	21.59	38.45	PASS

N26-824 -849	15	10	DFT-64QAM	H	Outer_Full	22.12	21.97	38.45	PASS
N26-824 -849	15	10	DFT-256QAM	H	Inner_1RB_Left	20.25	20.10	38.45	PASS
N26-824 -849	15	10	DFT-256QAM	H	Inner_1RB_Right	19.89	19.74	38.45	PASS
N26-824 -849	15	10	DFT-256QAM	H	Outer_Full	20.11	19.96	38.45	PASS
N26-824 -849	15	15	DFT-PI2BPSK	L	Inner_1RB_Left	23.89	23.74	38.45	PASS
N26-824 -849	15	15	DFT-PI2BPSK	L	Inner_1RB_Right	23.87	23.72	38.45	PASS
N26-824 -849	15	15	DFT-PI2BPSK	L	Outer_Full	23.58	23.43	38.45	PASS
N26-824 -849	15	15	DFT-QPSK	L	Inner_1RB_Left	23.2	23.05	38.45	PASS
N26-824 -849	15	15	DFT-QPSK	L	Inner_1RB_Right	23.78	23.63	38.45	PASS
N26-824 -849	15	15	DFT-QPSK	L	Outer_Full	23.59	23.44	38.45	PASS
N26-824 -849	15	15	DFT-16QAM	L	Inner_1RB_Left	23.2	23.05	38.45	PASS
N26-824 -849	15	15	DFT-16QAM	L	Inner_1RB_Right	23.79	23.64	38.45	PASS
N26-824 -849	15	15	DFT-16QAM	L	Outer_Full	22.55	22.40	38.45	PASS
N26-824 -849	15	15	DFT-64QAM	L	Inner_1RB_Left	21.73	21.58	38.45	PASS
N26-824 -849	15	15	DFT-64QAM	L	Inner_1RB_Right	22.37	22.22	38.45	PASS
N26-824 -849	15	15	DFT-64QAM	L	Outer_Full	22.15	22.00	38.45	PASS
N26-824 -849	15	15	DFT-256QAM	L	Inner_1RB_Left	19.94	19.79	38.45	PASS
N26-824 -849	15	15	DFT-256QAM	L	Inner_1RB_Right	20.48	20.33	38.45	PASS
N26-824 -849	15	15	DFT-256QAM	L	Outer_Full	20.14	19.99	38.45	PASS
N26-824 -849	15	15	DFT-PI2BPSK	M	Inner_1RB_Left	23.53	23.38	38.45	PASS
N26-824 -849	15	15	DFT-PI2BPSK	M	Inner_1RB_Right	23.54	23.39	38.45	PASS
N26-824 -849	15	15	DFT-PI2BPSK	M	Outer_Full	23.71	23.56	38.45	PASS
N26-824	15	15	DFT-QPSK	M	Inner_1RB_Left	23.56	23.41	38.45	PASS

-849									
N26-824 -849	15	15	DFT-QPSK	M	Inner_1RB_Right	23.41	23.26	38.45	PASS
N26-824 -849	15	15	DFT-QPSK	M	Outer_Full	23.68	23.53	38.45	PASS
N26-824 -849	15	15	DFT-16QAM	M	Inner_1RB_Left	23.54	23.39	38.45	PASS
N26-824 -849	15	15	DFT-16QAM	M	Inner_1RB_Right	23.38	23.23	38.45	PASS
N26-824 -849	15	15	DFT-16QAM	M	Outer_Full	22.72	22.57	38.45	PASS
N26-824 -849	15	15	DFT-64QAM	M	Inner_1RB_Left	21.99	21.84	38.45	PASS
N26-824 -849	15	15	DFT-64QAM	M	Inner_1RB_Right	22.04	21.89	38.45	PASS
N26-824 -849	15	15	DFT-64QAM	M	Outer_Full	22.25	22.10	38.45	PASS
N26-824 -849	15	15	DFT-256QAM	M	Inner_1RB_Left	20.22	20.07	38.45	PASS
N26-824 -849	15	15	DFT-256QAM	M	Inner_1RB_Right	20.06	19.91	38.45	PASS
N26-824 -849	15	15	DFT-256QAM	M	Outer_Full	20.29	20.14	38.45	PASS
N26-824 -849	15	15	DFT-PI2BPSK	H	Inner_1RB_Left	23.9	23.75	38.45	PASS
N26-824 -849	15	15	DFT-PI2BPSK	H	Inner_1RB_Right	23.39	23.24	38.45	PASS
N26-824 -849	15	15	DFT-PI2BPSK	H	Outer_Full	23.64	23.49	38.45	PASS
N26-824 -849	15	15	DFT-QPSK	H	Inner_1RB_Left	23.72	23.57	38.45	PASS
N26-824 -849	15	15	DFT-QPSK	H	Inner_1RB_Right	23.31	23.16	38.45	PASS
N26-824 -849	15	15	DFT-QPSK	H	Outer_Full	23.66	23.51	38.45	PASS
N26-824 -849	15	15	DFT-16QAM	H	Inner_1RB_Left	23.88	23.73	38.45	PASS
N26-824 -849	15	15	DFT-16QAM	H	Inner_1RB_Right	23.31	23.16	38.45	PASS
N26-824 -849	15	15	DFT-16QAM	H	Outer_Full	22.63	22.48	38.45	PASS
N26-824 -849	15	15	DFT-64QAM	H	Inner_1RB_Left	22.36	22.21	38.45	PASS
N26-824 -849	15	15	DFT-64QAM	H	Inner_1RB_Right	21.92	21.77	38.45	PASS

N26-824 -849	15	15	DFT-64QAM	H	Outer_Full	22.18	22.03	38.45	PASS
N26-824 -849	15	15	DFT-256QAM	H	Inner_1RB_Left	20.54	20.39	38.45	PASS
N26-824 -849	15	15	DFT-256QAM	H	Inner_1RB_Right	20.05	19.90	38.45	PASS
N26-824 -849	15	15	DFT-256QAM	H	Outer_Full	20.26	20.11	38.45	PASS
N26-824 -849	15	20	DFT-PI2BPSK	L	Inner_1RB_Left	23.29	23.14	38.45	PASS
N26-824 -849	15	20	DFT-PI2BPSK	L	Inner_1RB_Right	23.53	23.38	38.45	PASS
N26-824 -849	15	20	DFT-PI2BPSK	L	Outer_Full	23.1	22.95	38.45	PASS
N26-824 -849	15	20	DFT-QPSK	L	Inner_1RB_Left	23.24	23.09	38.45	PASS
N26-824 -849	15	20	DFT-QPSK	L	Inner_1RB_Right	23.45	23.30	38.45	PASS
N26-824 -849	15	20	DFT-QPSK	L	Outer_Full	23.74	23.59	38.45	PASS
N26-824 -849	15	20	DFT-16QAM	L	Inner_1RB_Left	23.22	23.07	38.45	PASS
N26-824 -849	15	20	DFT-16QAM	L	Inner_1RB_Right	23.52	23.37	38.45	PASS
N26-824 -849	15	20	DFT-16QAM	L	Outer_Full	22.67	22.52	38.45	PASS
N26-824 -849	15	20	DFT-64QAM	L	Inner_1RB_Left	21.75	21.60	38.45	PASS
N26-824 -849	15	20	DFT-64QAM	L	Inner_1RB_Right	21.97	21.82	38.45	PASS
N26-824 -849	15	20	DFT-64QAM	L	Outer_Full	22.18	22.03	38.45	PASS
N26-824 -849	15	20	DFT-256QAM	L	Inner_1RB_Left	19.81	19.66	38.45	PASS
N26-824 -849	15	20	DFT-256QAM	L	Inner_1RB_Right	20.05	19.90	38.45	PASS
N26-824 -849	15	20	DFT-256QAM	L	Outer_Full	20.18	20.03	38.45	PASS
N26-824 -849	15	20	DFT-PI2BPSK	M	Inner_1RB_Left	23.36	23.21	38.45	PASS
N26-824 -849	15	20	DFT-PI2BPSK	M	Inner_1RB_Right	23.48	23.33	38.45	PASS
N26-824 -849	15	20	DFT-PI2BPSK	M	Outer_Full	23.78	23.63	38.45	PASS
N26-824	15	20	DFT-QPSK	M	Inner_1RB_Left	23.27	23.12	38.45	PASS

-849									
N26-824 -849	15	20	DFT-QPSK	M	Inner_1RB_Right	23.36	23.21	38.45	PASS
N26-824 -849	15	20	DFT-QPSK	M	Outer_Full	23.77	23.62	38.45	PASS
N26-824 -849	15	20	DFT-16QAM	M	Inner_1RB_Left	23.41	23.26	38.45	PASS
N26-824 -849	15	20	DFT-16QAM	M	Inner_1RB_Right	23.43	23.28	38.45	PASS
N26-824 -849	15	20	DFT-16QAM	M	Outer_Full	22.7	22.55	38.45	PASS
N26-824 -849	15	20	DFT-64QAM	M	Inner_1RB_Left	21.93	21.78	38.45	PASS
N26-824 -849	15	20	DFT-64QAM	M	Inner_1RB_Right	21.93	21.78	38.45	PASS
N26-824 -849	15	20	DFT-64QAM	M	Outer_Full	22.16	22.01	38.45	PASS
N26-824 -849	15	20	DFT-256QAM	M	Inner_1RB_Left	19.87	19.72	38.45	PASS
N26-824 -849	15	20	DFT-256QAM	M	Inner_1RB_Right	20.11	19.96	38.45	PASS
N26-824 -849	15	20	DFT-256QAM	M	Outer_Full	20.21	20.06	38.45	PASS
N26-824 -849	15	20	DFT-PI2BPSK	H	Inner_1RB_Left	23.63	23.48	38.45	PASS
N26-824 -849	15	20	DFT-PI2BPSK	H	Inner_1RB_Right	23.39	23.24	38.45	PASS
N26-824 -849	15	20	DFT-PI2BPSK	H	Outer_Full	24.02	23.87	38.45	PASS
N26-824 -849	15	20	DFT-QPSK	H	Inner_1RB_Left	23.5	23.35	38.45	PASS
N26-824 -849	15	20	DFT-QPSK	H	Inner_1RB_Right	23.29	23.14	38.45	PASS
N26-824 -849	15	20	DFT-QPSK	H	Outer_Full	23.91	23.76	38.45	PASS
N26-824 -849	15	20	DFT-16QAM	H	Inner_1RB_Left	23.33	23.18	38.45	PASS
N26-824 -849	15	20	DFT-16QAM	H	Inner_1RB_Right	23.39	23.24	38.45	PASS
N26-824 -849	15	20	DFT-16QAM	H	Outer_Full	22.75	22.60	38.45	PASS
N26-824 -849	15	20	DFT-64QAM	H	Inner_1RB_Left	21.93	21.78	38.45	PASS
N26-824 -849	15	20	DFT-64QAM	H	Inner_1RB_Right	21.94	21.79	38.45	PASS

N26-824 -849	15	20	DFT-64QAM	H	Outer_Full	22.26	22.11	38.45	PASS
N26-824 -849	15	20	DFT-256QAM	H	Inner_1RB_Left	20.23	20.08	38.45	PASS
N26-824 -849	15	20	DFT-256QAM	H	Inner_1RB_Right	20.03	19.88	38.45	PASS
N26-824 -849	15	20	DFT-256QAM	H	Outer_Full	20.31	20.16	38.45	PASS

2. Peak-to-Average Ratio for SA

Peak-to-Average Ratio(CCDF)

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N26-824-849	15	20	DFT-256QAM	L	Outer_Full	6.32	13	PASS
N26-824-849	15	20	CP-256QAM	L	Outer_Full	8.16	13	PASS
N26-824-849	15	20	DFT-256QAM	M	Outer_Full	6.31	13	PASS
N26-824-849	15	20	CP-256QAM	M	Outer_Full	8.45	13	PASS
N26-824-849	15	20	DFT-256QAM	H	Outer_Full	6.36	13	PASS
N26-824-849	15	20	CP-256QAM	H	Outer_Full	8.29	13	PASS

Test Graphs





1-N26-824-849-15-20-M-1-DFT-256QAM-Out
er_Full-100@0-19.10-19.10-19~27.5-PASS



1-N26-824-849-15-20-M-2-CP-256QAM-Out
er_Full-106@0-17.11-17.11-19~27.5-PASS



1-N26-824-849-15-20-H-1-DFT-256QAM-Out
er_Full-100@0-18.95-18.95-19~27.5-PASS



1-N26-824-849-15-20-H-2-CP-256QAM-Out
er_Full-106@0-16.97-16.97-19~27.5-PASS


3. 26dB Bandwidth and Occupied Bandwidth for SA

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N26-824-849	15	5	DFT-QPSK	M	Outer_Full	4.526	5.300	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Outer_Full	4.526	5.220	PASS
N26-824-849	15	5	DFT-16QAM	M	Outer_Full	4.531	5.260	PASS
N26-824-849	15	5	DFT-64QAM	M	Outer_Full	4.522	5.290	PASS
N26-824-849	15	5	DFT-256QAM	M	Outer_Full	4.524	5.340	PASS
N26-824-849	15	5	CP-QPSK	M	Outer_Full	4.531	5.430	PASS
N26-824-849	15	5	CP-16QAM	M	Outer_Full	4.521	5.320	PASS
N26-824-849	15	5	CP-64QAM	M	Outer_Full	4.532	5.330	PASS
N26-824-849	15	5	CP-256QAM	M	Outer_Full	4.532	5.290	PASS
N26-824-849	15	10	DFT-QPSK	M	Outer_Full	8.954	9.760	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	Outer_Full	8.961	9.740	PASS
N26-824-849	15	10	DFT-16QAM	M	Outer_Full	8.962	9.840	PASS
N26-824-849	15	10	DFT-64QAM	M	Outer_Full	8.968	9.820	PASS
N26-824-849	15	10	DFT-256QAM	M	Outer_Full	8.963	9.680	PASS
N26-824-849	15	10	CP-QPSK	M	Outer_Full	9.322	10.200	PASS
N26-824-849	15	10	CP-16QAM	M	Outer_Full	9.33	10.240	PASS
N26-824-849	15	10	CP-64QAM	M	Outer_Full	9.324	10.240	PASS
N26-824-849	15	10	CP-256QAM	M	Outer_Full	9.317	10.220	PASS

N26-824 -849	15	15	DFT-QPSK	M	Outer_Full	13.549	14.700	PASS
N26-824 -849	15	15	DFT-PI2BPSK	M	Outer_Full	13.549	14.550	PASS
N26-824 -849	15	15	DFT-16QAM	M	Outer_Full	13.54	14.700	PASS
N26-824 -849	15	15	DFT-64QAM	M	Outer_Full	13.548	14.700	PASS
N26-824 -849	15	15	DFT-256QAM	M	Outer_Full	13.57	14.700	PASS
N26-824 -849	15	15	CP-QPSK	M	Outer_Full	14.254	15.480	PASS
N26-824 -849	15	15	CP-16QAM	M	Outer_Full	14.271	15.420	PASS
N26-824 -849	15	15	CP-64QAM	M	Outer_Full	14.256	15.450	PASS
N26-824 -849	15	15	CP-256QAM	M	Outer_Full	14.258	15.450	PASS
N26-824 -849	15	20	DFT-QPSK	M	Outer_Full	17.967	19.200	PASS
N26-824 -849	15	20	DFT-PI2BPSK	M	Outer_Full	17.966	19.160	PASS
N26-824 -849	15	20	DFT-16QAM	M	Outer_Full	17.952	19.200	PASS
N26-824 -849	15	20	DFT-64QAM	M	Outer_Full	17.968	19.160	PASS
N26-824 -849	15	20	DFT-256QAM	M	Outer_Full	17.96	19.200	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	18.99	20.160	PASS
N26-824 -849	15	20	CP-16QAM	M	Outer_Full	19.002	20.280	PASS
N26-824 -849	15	20	CP-64QAM	M	Outer_Full	18.988	20.200	PASS
N26-824 -849	15	20	CP-256QAM	M	Outer_Full	18.998	20.240	PASS


Test Graphs




1-N26-824-849-15-5-M-1-DFT-QPSK-Out_Full-25@0-Ant1-4.526-5.300-≤5-PASS




1-N26-824-849-15-5-M-2-DFT-PI2BPSK-Out_Full-25@0-Ant1-4.526-5.220-≤5-PASS




1-N26-824-849-15-5-M-3-DFT-16QAM-Out_Full-25@0-Ant1-4.531-5.260-≤5-PASS




1-N26-824-849-15-5-M-4-DFT-64QAM-Out_Full-25@0-Ant1-4.522-5.290-≤5-PASS




1-N26-824-849-15-5-M-5-DFT-256QAM-Outer_Full-25@0-Ant1-4.524-5.340-≤5-PASS




1-N26-824-849-15-5-M-6-CP-QPSK-Outer_Full-25@0-Ant1-4.531-5.430-≤5-PASS




1-N26-824-849-15-5-M-7-CP-16QAM-Outer_Full-25@0-Ant1-4.521-5.320-≤5-PASS




1-N26-824-849-15-5-M-8-CP-64QAM-Outer_Full-25@0-Ant1-4.532-5.330-≤5-PASS




1-N26-824-849-15-5-M-9-CP-256QAM-Outer_Full-25@0-Ant1-4.532-5.290-≤5-PASS




1-N26-824-849-15-10-M-1-DFT-QPSK-Outer_Full-50@0-Ant1-8.954-9.760-≤10-PASS




1-N26-824-849-15-10-M-2-DFT-PI2BPSK-Out
r_Full-50@0-Ant1-8.961-9.740-≤10-PASS




1-N26-824-849-15-10-M-3-DFT-16QAM-Out
r_Full-50@0-Ant1-8.962-9.840-≤10-PASS




1-N26-824-849-15-10-M-4-DFT-64QAM-Out
r_Full-50@0-Ant1-8.968-9.820-≤10-PASS




1-N26-824-849-15-10-M-5-DFT-256QAM-Out
r_Full-50@0-Ant1-8.963-9.680-≤10-PASS




1-N26-824-849-15-10-M-6-CP-QPSK-Out
Full-52@0-Ant1-9.322-10.200-≤10-PASS




1-N26-824-849-15-10-M-7-CP-16QAM-Out
Full-52@0-Ant1-9.33-10.240-≤10-PASS




1-N26-824-849-15-10-M-8-CP-64QAM-Outer_Full-52@0-Ant1-9.324-10.240-≤10-PASS




1-N26-824-849-15-10-M-9-CP-256QAM-Outer_Full-52@0-Ant1-9.317-10.220-≤10-PASS




1-N26-824-849-15-15-M-1-DFT-QPSK-Outer_Full-75@0-Ant1-13.549-14.700-≤15-PASS



1-N26-824-849-15-15-M-2-DFT-PI2BPSK-Outer_Full-75@0-Ant1-13.549-14.550-≤15-PASS



1-N26-824-849-15-15-M-3-DFT-16QAM-Outer_Full-75@0-Ant1-13.549-14.700-≤15-PASS





1-N26-824-849-15-15-M-4-DFT-64QAM-Outer_Full-75@0-Ant1-13.549-14.550-≤15-PASS

r_Full-75@0-Ant1-13.54-14.700-≤15-PASS




r_Full-75@0-Ant1-13.548-14.700-≤15-PASS

1-N26-824-849-15-15-M-5-DFT-256QAM-Out
er_Full-75@0-Ant1-13.57-14.700-≤15-PASS1-N26-824-849-15-15-M-6-CP-QPSK-Out
Full-79@0-Ant1-14.254-15.480-≤15-PASS1-N26-824-849-15-15-M-7-CP-16QAM-Out
_Full-79@0-Ant1-14.271-15.420-≤15-PASS1-N26-824-849-15-15-M-8-CP-64QAM-Out
_Full-79@0-Ant1-14.256-15.450-≤15-PASS






1-N26-824-849-15-15-M-9-CP-256QAM-Oute

1-N26-824-849-15-20-M-1-DFT-QPSK-Oute


r_Full-79@0-Ant1-14.258-15.450-≤15-PASS




_Full-100@0-Ant1-17.967-19.200-≤20-PASS

1-N26-824-849-15-20-M-2-DFT-PI2BPSK-Out
ter_Full-100@0-Ant1-17.966-19.160-≤20-PA
SS1-N26-824-849-15-20-M-3-DFT-16QAM-Oute
r_Full-100@0-Ant1-17.952-19.200-≤20-PASS1-N26-824-849-15-20-M-4-DFT-64QAM-Oute
r_Full-100@0-Ant1-17.968-19.160-≤20-PASS1-N26-824-849-15-20-M-5-DFT-256QAM-Out
er_Full-100@0-Ant1-17.96-19.200-≤20-PASS

1-N26-824-849-15-20-M-6-CP-QPSK-Outer_Full-106@0-Ant1-18.99-20.160-≤20-PASS



1-N26-824-849-15-20-M-7-CP-16QAM-Outer_Full-106@0-Ant1-19.002-20.280-≤20-PASS





1-N26-824-849-15-20-M-8-CP-64QAM-Outer_Full-106@0-Ant1-18.988-20.200-≤20-PASS

1-N26-824-849-15-20-M-9-CP-256QAM-Outer_Full-106@0-Ant1-18.998-20.240-≤20-PASS


4. Band Edge for SA

Test Graphs







1-N26-824-849-15-5-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@24-Ant1-1-seegraph-PASS-see graph





1-N26-824-849-15-5-H-3-DFT-PI2BPSK-Out er_Full-25@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-5-H-5-CP-QPSK-Edge_1RB_Right-1@24-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-5-H-6-CP-QPSK-Out er_Full-25@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-10-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-10-L-3-DFT-PI2BPSK-Out er_Full-50@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-10-L-4-CP-QPSK-Edge_1 RB_Left-1@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-10-L-6-CP-QPSK-Outer_Full-52@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-10-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@51-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-10-H-3-DFT-PI2BPSK-Outer_Full-50@0-Ant1-1-seegraph-PASS-see graph







1-N26-824-849-15-10-H-5-CP-QPSK-Edge_1 RB_Right-1@51-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-10-H-6-CP-QPSK-Outer_Full-52@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-15-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant1-1-seegraph-PASS-see graph



1-N26-824-849-15-15-L-3-DFT-PI2BPSK-Outer_Full-75@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-15-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-15-L-3-DFT-PI2BPSK-Outer_Full-75@0-Ant1-1-seegraph-PASS-see graph


1-N26-824-849-15-15-L-4-CP-QPSK-Edge_1
RB_Left-1@0-Ant1-1-seegraph-PASS-see
graph




1-N26-824-849-15-15-L-6-CP-QPSK-Outer_
Full-79@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-15-H-2-DFT-PI2BPSK-Ed
ge_1RB_Right-1@78-Ant1-1-seegraph-PAS
S-see graph




1-N26-824-849-15-15-H-3-DFT-PI2BPSK-Outer_
Full-75@0-Ant1-1-seegraph-PASS-see
graph




1-N26-824-849-15-15-H-5-CP-QPSK-Edge_1
RB_Right-1@78-Ant1-1-seegraph-PASS-see
graph




1-N26-824-849-15-15-H-6-CP-QPSK-Outer_
Full-79@0-Ant1-1-seegraph-PASS-see graph






1-N26-824-849-15-20-L-1-DFT-PI2BPSK-Edge_1RB_Left-1@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-20-L-3-DFT-PI2BPSK-Out er_Full-100@0-Ant1-1-seegraph-PASS-see graph



1-N26-824-849-15-20-L-4-CP-QPSK-Edge_1 RB_Left-1@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-20-L-6-CP-QPSK-Out er_Full-106@0-Ant1-1-seegraph-PASS-see graph




1-N26-824-849-15-20-L-6-CP-QPSK-Out er_Full-106@0-Ant1-1-seegraph-PASS-see graph

1-N26-824-849-15-20-H-2-DFT-PI2BPSK-Edge_1RB_Right-1@105-Ant1-1-seegraph-PASS-S-see graph



1-N26-824-849-15-20-H-3-DFT-PI2BPSK-Ou ter_Full-100@0-Ant1-1-seegraph-PASS-see graph





1-N26-824-849-15-20-H-5-CP-QPSK-Edge_1 RB_Right-1@105-Ant1-1-seegraph-PASS-se e graph

1-N26-824-849-15-20-H-6-CP-QPSK-Outer_Full-106@0-Ant1-1-seegraph-PASS-see graph


5. Conducted Spurious Emission for SA

Test Graphs







1-N26-824-849-15-20-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-3000-12000-Ant1-7388.40--36.14--13-PASS





1-N26-824-849-15-20-L-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-12000-20000-Ant1-17263.20--30.20--13-PASS




1-N26-824-849-15-20-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.009-0.15-Ant1-0.02--96.25--33-PASS




1-N26-824-849-15-20-M-1-DFT-PI2BPSK-Inner_1RB_Left-1@1-0.15-30-Ant1-26.45--91.00--23-PASS




1-N26-824-849-15-20-M-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-30-1000-Ant1-32.43--55.0
4--13-PASS




1-N26-824-849-15-20-M-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-1000-3000-Ant1-2982.00--
38.60--13-PASS



1-N26-824-849-15-20-M-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-3000-12000-Ant1-7475.25
--36.59--13-PASS




1-N26-824-849-15-20-M-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-12000-20000-Ant1-19779.
60--31.01--13-PASS




1-N26-824-849-15-20-H-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-0.009-0.15-Ant1-0.02--91.
97--33-PASS


1-N26-824-849-15-20-H-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-0.15-30-Ant1-27.88--91.74
--23-PASS




1-N26-824-849-15-20-H-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-30-1000-Ant1-31.94--54.3
4--13-PASS



1-N26-824-849-15-20-H-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-1000-3000-Ant1-2715.50--
38.95--13-PASS



1-N26-824-849-15-20-H-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-3000-12000-Ant1-7480.65
--36.01--13-PASS



1-N26-824-849-15-20-H-1-DFT-PI2BPSK-Inn
er_1RB_Left-1@1-12000-20000-Ant1-17040.
40--30.79--13-PASS

6. Frequency Stability for SA

Test Result

Frequency Error VS. Voltage

Voltage											
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Limit	Verdict
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	VH	NT	-6.900000	-0.008249	± 2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	VN	NT	-7.500000	-0.008966	± 2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	VL	NT	-7.200000	-0.008607	± 2.5	PASS
N26-824-849	15	20	CP-QPSK	M	Outer_Full	VH	NT	-4.300000	-0.005140	± 2.5	PASS
N26-824-849	15	20	CP-QPSK	M	Outer_Full	VN	NT	-1.300000	-0.001554	± 2.5	PASS
N26-824-849	15	20	CP-QPSK	M	Outer_Full	VL	NT	-1.200000	-0.001435	± 2.5	PASS

Frequency Error VS. Temperature

Voltage											
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation(Hz)	Deviation (ppm)	Limit (ppm)	Verdict
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	NV	-30	-8.900000	-0.010640	± 2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	NV	-20	-8.400000	-0.010042	± 2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	NV	-10	-7.200000	-0.008607	± 2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	NV	0	-9.800000	-0.011715	± 2.5	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	NV	10	-4.900000	-0.0058	± 2.5	PASS

									58		
N26-824 -849	15	20	DFT-PI2BPSK	M	Outer_Full	NV	20	-8.300000	-0.0 099 22	$\pm$ 2.5	PASS
N26-824 -849	15	20	DFT-PI2BPSK	M	Outer_Full	NV	30	-8.500000	-0.0 101 61	$\pm$ 2.5	PASS
N26-824 -849	15	20	DFT-PI2BPSK	M	Outer_Full	NV	40	-8.000000	-0.0 095 64	$\pm$ 2.5	PASS
N26-824 -849	15	20	DFT-PI2BPSK	M	Outer_Full	NV	50	-9.700000	-0.0 115 96	$\pm$ 2.5	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	NV	-30	-2.800000	-0.0 033 47	$\pm$ 2.5	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	NV	-20	-1.100000	-0.0 013 15	$\pm$ 2.5	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	NV	-10	-4.400000	-0.0 052 60	$\pm$ 2.5	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	NV	0	-4.600000	-0.0 054 99	$\pm$ 2.5	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	NV	10	-2.000000	-0.0 023 91	$\pm$ 2.5	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	NV	20	-2.100000	-0.0 025 10	$\pm$ 2.5	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	NV	30	-2.800000	-0.0 033 47	$\pm$ 2.5	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	NV	40	-0.500000	-0.0 005 98	$\pm$ 2.5	PASS
N26-824 -849	15	20	CP-QPSK	M	Outer_Full	NV	50	-3.500000	-0.0 041 84	$\pm$ 2.5	PASS

7. Field Strength of Spurious Radiation

For Sample #1:

Test Band = SA Band26-22H_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1393.7143	46.88	-48.01	25.20	-71.19	-13.00	58.19	Horizontal
2	1917.7143	46.74	-48.02	25.95	-70.59	-13.00	57.59	Horizontal
3	2698.8571	46.43	-47.05	27.56	-68.32	-13.00	55.32	Horizontal
4	3662.2857	44.52	-46.22	28.86	-68.10	-13.00	55.10	Horizontal
5	4422.8571	44.81	-45.82	30.41	-65.86	-13.00	52.86	Horizontal
6	6644	44.32	-44.30	34.36	-60.88	-13.00	47.88	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1317.7143	46.87	-48.11	25.16	-71.34	-13.00	58.34	Vertical
2	1975.4286	46.20	-47.94	26.13	-70.87	-13.00	57.87	Vertical
3	2652	46.36	-46.99	27.47	-68.42	-13.00	55.42	Vertical
4	3853.7143	45.12	-46.20	29.17	-67.17	-13.00	54.17	Vertical
5	4856	44.96	-45.61	31.17	-64.74	-13.00	51.74	Vertical
6	6162.2857	45.07	-44.81	32.95	-62.05	-13.00	49.05	Vertical

Test Band = SA Band26-22H_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1481.7143	46.72	-48.26	25.28	-71.52	-13.00	58.52	Horizontal
2	2037.1429	46.46	-47.83	26.27	-70.36	-13.00	57.36	Horizontal
3	2936.5714	45.74	-46.55	27.99	-68.09	-13.00	55.09	Horizontal
4	3934.8571	45.08	-46.22	29.30	-67.10	-13.00	54.10	Horizontal
5	4593.7143	44.61	-45.78	30.75	-65.68	-13.00	52.68	Horizontal
6	6507.4286	44.05	-44.64	34.11	-61.73	-13.00	48.73	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1345.1429	46.87	-48.07	25.17	-71.29	-13.00	58.29	Vertical
2	1837.7143	46.37	-47.99	25.71	-71.16	-13.00	58.16	Vertical
3	2217.1429	46.86	-47.65	26.63	-69.41	-13.00	56.41	Vertical
4	3262.2857	45.48	-46.53	28.36	-67.95	-13.00	54.95	Vertical
5	4449.1429	45.43	-45.75	30.48	-65.10	-13.00	52.10	Vertical
6	5029.1429	44.82	-45.68	31.45	-64.67	-13.00	51.67	Vertical

Test Band = SA Band26-22H_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1550.2857	46.54	-48.30	25.35	-71.67	-13.00	58.67	Horizontal
2	2064.5714	46.50	-47.78	26.33	-70.21	-13.00	57.21	Horizontal
3	2759.4286	45.68	-46.97	27.67	-68.89	-13.00	55.89	Horizontal
4	3541.7143	45.46	-46.46	28.67	-67.59	-13.00	54.59	Horizontal
5	4226.8571	43.95	-45.91	29.94	-67.28	-13.00	54.28	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1304	46.44	-48.12	25.15	-71.79	-13.00	58.79	Vertical
2	1886.2857	46.70	-48.04	25.86	-70.74	-13.00	57.74	Vertical
3	2796.5714	45.89	-46.92	27.73	-68.56	-13.00	55.56	Vertical
4	3597.7143	45.80	-46.34	28.76	-67.05	-13.00	54.05	Vertical
5	4390.8571	44.75	-45.88	30.34	-66.05	-13.00	53.05	Vertical
6	5503.4286	44.84	-45.14	32.30	-63.26	-13.00	50.26	Vertical

For Sample #2:

Test Band = SA Band26-22H_ TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1448.5714	46.33	-48.16	25.25	-71.84	-13.00	58.84	Horizontal
2	1982.2857	45.30	-47.93	26.15	-71.74	-13.00	58.74	Horizontal
3	2886.8571	43.60	-46.62	27.90	-70.38	-13.00	57.38	Horizontal
4	3751.4286	43.75	-46.16	29.00	-68.66	-13.00	55.66	Horizontal
5	4749.1429	42.92	-45.72	31.00	-67.06	-13.00	54.06	Horizontal
6	5974.8571	42.96	-44.57	32.39	-64.47	-13.00	51.47	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1322.2857	45.86	-48.10	25.16	-72.34	-13.00	59.34	Vertical
2	1676.5714	45.33	-48.19	25.48	-72.64	-13.00	59.64	Vertical
3	2386.2857	46.51	-47.46	26.97	-69.23	-13.00	56.23	Vertical
4	3137.1429	45.07	-46.58	28.24	-68.53	-13.00	55.53	Vertical
5	4189.1429	42.43	-45.95	29.85	-68.93	-13.00	55.93	Vertical
6	6162.8571	43.15	-44.82	32.95	-63.97	-13.00	50.97	Vertical

Test Band = SA Band26-22H_ TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1305.7143	45.29	-48.12	25.15	-72.94	-13.00	59.94	Horizontal
2	1843.4286	45.22	-47.99	25.73	-72.30	-13.00	59.30	Horizontal
3	2921.1429	43.96	-46.56	27.96	-69.90	-13.00	56.90	Horizontal
4	3872	43.98	-46.21	29.20	-68.30	-13.00	55.30	Horizontal
5	5199.4286	42.89	-44.99	31.76	-65.60	-13.00	52.60	Horizontal
6	6941.7143	41.68	-43.92	34.90	-62.60	-13.00	49.60	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1313.7143	45.50	-48.11	25.16	-72.72	-13.00	59.72	Vertical
2	1823.4286	45.47	-47.97	25.67	-72.09	-13.00	59.09	Vertical
3	2615.4286	44.39	-46.95	27.41	-70.41	-13.00	57.41	Vertical
4	3517.7143	43.66	-46.50	28.63	-69.48	-13.00	56.48	Vertical
5	4567.4286	43.95	-45.73	30.71	-66.33	-13.00	53.33	Vertical
6	6657.7143	41.54	-44.24	34.38	-63.58	-13.00	50.58	Vertical

Test Band = SA Band26-22H_ TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1281.1429	46.12	-48.21	25.14	-72.21	-13.00	59.21	Horizontal
2	1589.1429	45.41	-48.28	25.39	-72.75	-13.00	59.75	Horizontal
3	2648	43.96	-46.99	27.47	-70.82	-13.00	57.82	Horizontal
4	3596.5714	44.47	-46.35	28.75	-68.38	-13.00	55.38	Horizontal
5	4765.7143	43.15	-45.69	31.03	-66.78	-13.00	53.78	Horizontal
6	7297.1429	41.61	-43.48	35.83	-61.30	-13.00	48.30	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1347.4286	45.52	-48.07	25.17	-72.63	-13.00	59.63	Vertical
2	1783.4286	45.19	-47.98	25.58	-72.47	-13.00	59.47	Vertical
3	2714.8571	44.56	-47.03	27.59	-70.14	-13.00	57.14	Vertical
4	3599.4286	43.80	-46.34	28.76	-69.04	-13.00	56.04	Vertical
5	4414.8571	44.16	-45.85	30.40	-66.55	-13.00	53.55	Vertical
6	6808	42.40	-44.12	34.65	-62.33	-13.00	49.33	Vertical