

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	EIRP (dBm)	Limit	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	22.91	24.38	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#2	23.00	24.47	30	PASS
Band66	1.4MHz	QPSK	131979	1RB#5	22.96	24.43	30	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	22.03	23.5	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	23.07	24.54	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#2	23.07	24.54	30	PASS
Band66	1.4MHz	QPSK	132322	1RB#5	23.01	24.48	30	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	22.08	23.55	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	23.07	24.54	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#2	23.14	24.61	30	PASS
Band66	1.4MHz	QPSK	132665	1RB#5	23.13	24.6	30	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	22.17	23.64	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#0	21.26	22.73	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#2	21.32	22.79	30	PASS
Band66	1.4MHz	64QAM	131979	1RB#5	21.26	22.73	30	PASS
Band66	1.4MHz	64QAM	131979	6RB#0	19.88	21.35	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#0	20.80	22.27	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#2	20.89	22.36	30	PASS
Band66	1.4MHz	64QAM	132322	1RB#5	20.82	22.29	30	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	19.91	21.38	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#0	21.38	22.85	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#2	21.49	22.96	30	PASS
Band66	1.4MHz	64QAM	132665	1RB#5	21.41	22.88	30	PASS
Band66	1.4MHz	64QAM	132665	6RB#0	19.95	21.42	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#0	17.90	19.37	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#2	18.03	19.5	30	PASS
Band66	1.4MHz	256QAM	131979	1RB#5	17.91	19.38	30	PASS
Band66	1.4MHz	256QAM	131979	6RB#0	17.94	19.41	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#0	18.07	19.54	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#2	18.12	19.59	30	PASS
Band66	1.4MHz	256QAM	132322	1RB#5	18.08	19.55	30	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	18.09	19.56	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#0	18.06	19.53	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#2	18.18	19.65	30	PASS
Band66	1.4MHz	256QAM	132665	1RB#5	18.07	19.54	30	PASS

Band66	1.4MHz	256QAM	132665	6RB#0	18.05	19.52	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	21.92	23.39	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#2	22.04	23.51	30	PASS
Band66	1.4MHz	16QAM	131979	1RB#5	21.89	23.36	30	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	21.02	22.49	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	21.95	23.42	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#2	22.02	23.49	30	PASS
Band66	1.4MHz	16QAM	132322	1RB#5	21.96	23.43	30	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	20.91	22.38	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	22.05	23.52	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#2	22.17	23.64	30	PASS
Band66	1.4MHz	16QAM	132665	1RB#5	22.09	23.56	30	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	21.16	22.63	30	PASS
Band66	3MHz	QPSK	131987	1RB#0	22.98	24.45	30	PASS
Band66	3MHz	QPSK	131987	1RB#8	23.11	24.58	30	PASS
Band66	3MHz	QPSK	131987	1RB#14	23.04	24.51	30	PASS
Band66	3MHz	QPSK	131987	15RB#0	22.18	23.65	30	PASS
Band66	3MHz	QPSK	132322	1RB#0	23.00	24.47	30	PASS
Band66	3MHz	QPSK	132322	1RB#8	23.18	24.65	30	PASS
Band66	3MHz	QPSK	132322	1RB#14	23.12	24.59	30	PASS
Band66	3MHz	QPSK	132322	15RB#0	22.20	23.67	30	PASS
Band66	3MHz	QPSK	132657	1RB#0	23.18	24.65	30	PASS
Band66	3MHz	QPSK	132657	1RB#8	23.30	24.77	30	PASS
Band66	3MHz	QPSK	132657	1RB#14	23.18	24.65	30	PASS
Band66	3MHz	QPSK	132657	15RB#0	22.22	23.69	30	PASS
Band66	3MHz	64QAM	131987	1RB#0	20.94	22.41	30	PASS
Band66	3MHz	64QAM	131987	1RB#8	21.09	22.56	30	PASS
Band66	3MHz	64QAM	131987	1RB#14	21.03	22.5	30	PASS
Band66	3MHz	64QAM	131987	15RB#0	20.28	21.75	30	PASS
Band66	3MHz	64QAM	132322	1RB#0	20.95	22.42	30	PASS
Band66	3MHz	64QAM	132322	1RB#8	21.12	22.59	30	PASS
Band66	3MHz	64QAM	132322	1RB#14	21.05	22.52	30	PASS
Band66	3MHz	64QAM	132322	15RB#0	20.22	21.69	30	PASS
Band66	3MHz	64QAM	132657	1RB#0	21.14	22.61	30	PASS
Band66	3MHz	64QAM	132657	1RB#8	21.20	22.67	30	PASS
Band66	3MHz	64QAM	132657	1RB#14	21.20	22.67	30	PASS
Band66	3MHz	64QAM	132657	15RB#0	20.34	21.81	30	PASS
Band66	3MHz	256QAM	131987	1RB#0	18.24	19.71	30	PASS
Band66	3MHz	256QAM	131987	1RB#8	18.29	19.76	30	PASS
Band66	3MHz	256QAM	131987	1RB#14	18.25	19.72	30	PASS
Band66	3MHz	256QAM	131987	15RB#0	18.16	19.63	30	PASS

Band66	3MHz	256QAM	132322	1RB#0	18.23	19.7	30	PASS
Band66	3MHz	256QAM	132322	1RB#8	18.36	19.83	30	PASS
Band66	3MHz	256QAM	132322	1RB#14	18.28	19.75	30	PASS
Band66	3MHz	256QAM	132322	15RB#0	18.22	19.69	30	PASS
Band66	3MHz	256QAM	132657	1RB#0	18.37	19.84	30	PASS
Band66	3MHz	256QAM	132657	1RB#8	18.42	19.89	30	PASS
Band66	3MHz	256QAM	132657	1RB#14	18.35	19.82	30	PASS
Band66	3MHz	256QAM	132657	15RB#0	18.28	19.75	30	PASS
Band66	3MHz	16QAM	131987	1RB#0	22.09	23.56	30	PASS
Band66	3MHz	16QAM	131987	1RB#8	22.21	23.68	30	PASS
Band66	3MHz	16QAM	131987	1RB#14	22.13	23.6	30	PASS
Band66	3MHz	16QAM	131987	15RB#0	21.22	22.69	30	PASS
Band66	3MHz	16QAM	132322	1RB#0	22.14	23.61	30	PASS
Band66	3MHz	16QAM	132322	1RB#8	22.23	23.7	30	PASS
Band66	3MHz	16QAM	132322	1RB#14	22.20	23.67	30	PASS
Band66	3MHz	16QAM	132322	15RB#0	21.22	22.69	30	PASS
Band66	3MHz	16QAM	132657	1RB#0	22.22	23.69	30	PASS
Band66	3MHz	16QAM	132657	1RB#8	22.34	23.81	30	PASS
Band66	3MHz	16QAM	132657	1RB#14	22.25	23.72	30	PASS
Band66	3MHz	16QAM	132657	15RB#0	21.26	22.73	30	PASS
Band66	5MHz	QPSK	131997	1RB#0	23.09	24.56	30	PASS
Band66	5MHz	QPSK	131997	1RB#12	23.16	24.63	30	PASS
Band66	5MHz	QPSK	131997	1RB#24	23.12	24.59	30	PASS
Band66	5MHz	QPSK	131997	25RB#0	22.23	23.7	30	PASS
Band66	5MHz	QPSK	132322	1RB#0	23.13	24.6	30	PASS
Band66	5MHz	QPSK	132322	1RB#12	23.20	24.67	30	PASS
Band66	5MHz	QPSK	132322	1RB#24	23.14	24.61	30	PASS
Band66	5MHz	QPSK	132322	25RB#0	22.13	23.6	30	PASS
Band66	5MHz	QPSK	132647	1RB#0	23.20	24.67	30	PASS
Band66	5MHz	QPSK	132647	1RB#12	23.35	24.82	30	PASS
Band66	5MHz	QPSK	132647	1RB#24	23.28	24.75	30	PASS
Band66	5MHz	QPSK	132647	25RB#0	22.28	23.75	30	PASS
Band66	5MHz	64QAM	131997	1RB#0	21.01	22.48	30	PASS
Band66	5MHz	64QAM	131997	1RB#12	21.11	22.58	30	PASS
Band66	5MHz	64QAM	131997	1RB#24	20.96	22.43	30	PASS
Band66	5MHz	64QAM	131997	25RB#0	20.16	21.63	30	PASS
Band66	5MHz	64QAM	132322	1RB#0	20.92	22.39	30	PASS
Band66	5MHz	64QAM	132322	1RB#12	21.12	22.59	30	PASS
Band66	5MHz	64QAM	132322	1RB#24	20.91	22.38	30	PASS
Band66	5MHz	64QAM	132322	25RB#0	20.14	21.61	30	PASS
Band66	5MHz	64QAM	132647	1RB#0	21.19	22.66	30	PASS

Band66	5MHz	64QAM	132647	1RB#12	21.22	22.69	30	PASS
Band66	5MHz	64QAM	132647	1RB#24	21.12	22.59	30	PASS
Band66	5MHz	64QAM	132647	25RB#0	20.29	21.76	30	PASS
Band66	5MHz	256QAM	131997	1RB#0	18.42	19.89	30	PASS
Band66	5MHz	256QAM	131997	1RB#12	18.48	19.95	30	PASS
Band66	5MHz	256QAM	131997	1RB#24	18.41	19.88	30	PASS
Band66	5MHz	256QAM	131997	25RB#0	18.17	19.64	30	PASS
Band66	5MHz	256QAM	132322	1RB#0	18.41	19.88	30	PASS
Band66	5MHz	256QAM	132322	1RB#12	18.50	19.97	30	PASS
Band66	5MHz	256QAM	132322	1RB#24	18.45	19.92	30	PASS
Band66	5MHz	256QAM	132322	25RB#0	18.13	19.6	30	PASS
Band66	5MHz	256QAM	132647	1RB#0	18.45	19.92	30	PASS
Band66	5MHz	256QAM	132647	1RB#12	18.62	20.09	30	PASS
Band66	5MHz	256QAM	132647	1RB#24	18.54	20.01	30	PASS
Band66	5MHz	256QAM	132647	25RB#0	18.27	19.74	30	PASS
Band66	5MHz	16QAM	131997	1RB#0	22.11	23.58	30	PASS
Band66	5MHz	16QAM	131997	1RB#12	22.20	23.67	30	PASS
Band66	5MHz	16QAM	131997	1RB#24	22.14	23.61	30	PASS
Band66	5MHz	16QAM	131997	25RB#0	21.17	22.64	30	PASS
Band66	5MHz	16QAM	132322	1RB#0	22.12	23.59	30	PASS
Band66	5MHz	16QAM	132322	1RB#12	22.23	23.7	30	PASS
Band66	5MHz	16QAM	132322	1RB#24	22.15	23.62	30	PASS
Band66	5MHz	16QAM	132322	25RB#0	21.16	22.63	30	PASS
Band66	5MHz	16QAM	132647	1RB#0	22.17	23.64	30	PASS
Band66	5MHz	16QAM	132647	1RB#12	22.31	23.78	30	PASS
Band66	5MHz	16QAM	132647	1RB#24	22.26	23.73	30	PASS
Band66	5MHz	16QAM	132647	25RB#0	21.29	22.76	30	PASS
Band66	10MHz	QPSK	132022	1RB#0	23.08	24.55	30	PASS
Band66	10MHz	QPSK	132022	1RB#24	22.97	24.44	30	PASS
Band66	10MHz	QPSK	132022	1RB#49	22.94	24.41	30	PASS
Band66	10MHz	QPSK	132022	50RB#0	22.18	23.65	30	PASS
Band66	10MHz	QPSK	132322	1RB#0	23.09	24.56	30	PASS
Band66	10MHz	QPSK	132322	1RB#24	23.09	24.56	30	PASS
Band66	10MHz	QPSK	132322	1RB#49	23.01	24.48	30	PASS
Band66	10MHz	QPSK	132322	50RB#0	22.16	23.63	30	PASS
Band66	10MHz	QPSK	132622	1RB#0	23.18	24.65	30	PASS
Band66	10MHz	QPSK	132622	1RB#24	23.14	24.61	30	PASS
Band66	10MHz	QPSK	132622	1RB#49	23.19	24.66	30	PASS
Band66	10MHz	QPSK	132622	50RB#0	22.31	23.78	30	PASS
Band66	10MHz	64QAM	132022	1RB#0	20.95	22.42	30	PASS
Band66	10MHz	64QAM	132022	1RB#24	21.04	22.51	30	PASS

Band66	10MHz	64QAM	132022	1RB#49	21.03	22.5	30	PASS
Band66	10MHz	64QAM	132022	50RB#0	20.17	21.64	30	PASS
Band66	10MHz	64QAM	132322	1RB#0	21.13	22.6	30	PASS
Band66	10MHz	64QAM	132322	1RB#24	21.04	22.51	30	PASS
Band66	10MHz	64QAM	132322	1RB#49	21.07	22.54	30	PASS
Band66	10MHz	64QAM	132322	50RB#0	20.07	21.54	30	PASS
Band66	10MHz	64QAM	132622	1RB#0	21.14	22.61	30	PASS
Band66	10MHz	64QAM	132622	1RB#24	21.09	22.56	30	PASS
Band66	10MHz	64QAM	132622	1RB#49	21.04	22.51	30	PASS
Band66	10MHz	64QAM	132622	50RB#0	20.25	21.72	30	PASS
Band66	10MHz	256QAM	132022	1RB#0	18.22	19.69	30	PASS
Band66	10MHz	256QAM	132022	1RB#24	18.20	19.67	30	PASS
Band66	10MHz	256QAM	132022	1RB#49	18.23	19.7	30	PASS
Band66	10MHz	256QAM	132022	50RB#0	18.21	19.68	30	PASS
Band66	10MHz	256QAM	132322	1RB#0	18.15	19.62	30	PASS
Band66	10MHz	256QAM	132322	1RB#24	18.18	19.65	30	PASS
Band66	10MHz	256QAM	132322	1RB#49	18.10	19.57	30	PASS
Band66	10MHz	256QAM	132322	50RB#0	18.18	19.65	30	PASS
Band66	10MHz	256QAM	132622	1RB#0	18.22	19.69	30	PASS
Band66	10MHz	256QAM	132622	1RB#24	18.28	19.75	30	PASS
Band66	10MHz	256QAM	132622	1RB#49	18.23	19.7	30	PASS
Band66	10MHz	256QAM	132622	50RB#0	18.34	19.81	30	PASS
Band66	10MHz	16QAM	132022	1RB#0	22.11	23.58	30	PASS
Band66	10MHz	16QAM	132022	1RB#24	22.06	23.53	30	PASS
Band66	10MHz	16QAM	132022	1RB#49	22.09	23.56	30	PASS
Band66	10MHz	16QAM	132022	50RB#0	21.21	22.68	30	PASS
Band66	10MHz	16QAM	132322	1RB#0	22.19	23.66	30	PASS
Band66	10MHz	16QAM	132322	1RB#24	22.16	23.63	30	PASS
Band66	10MHz	16QAM	132322	1RB#49	22.15	23.62	30	PASS
Band66	10MHz	16QAM	132322	50RB#0	21.11	22.58	30	PASS
Band66	10MHz	16QAM	132622	1RB#0	22.23	23.7	30	PASS
Band66	10MHz	16QAM	132622	1RB#24	22.16	23.63	30	PASS
Band66	10MHz	16QAM	132622	1RB#49	22.23	23.7	30	PASS
Band66	10MHz	16QAM	132622	50RB#0	21.29	22.76	30	PASS
Band66	15MHz	QPSK	132047	1RB#0	23.01	24.48	30	PASS
Band66	15MHz	QPSK	132047	1RB#38	23.09	24.56	30	PASS
Band66	15MHz	QPSK	132047	1RB#74	23.09	24.56	30	PASS
Band66	15MHz	QPSK	132047	75RB#0	22.18	23.65	30	PASS
Band66	15MHz	QPSK	132322	1RB#0	23.12	24.59	30	PASS
Band66	15MHz	QPSK	132322	1RB#38	23.10	24.57	30	PASS
Band66	15MHz	QPSK	132322	1RB#74	23.07	24.54	30	PASS

Band66	15MHz	QPSK	132322	75RB#0	22.07	23.54	30	PASS
Band66	15MHz	QPSK	132597	1RB#0	23.16	24.63	30	PASS
Band66	15MHz	QPSK	132597	1RB#38	23.14	24.61	30	PASS
Band66	15MHz	QPSK	132597	1RB#74	23.15	24.62	30	PASS
Band66	15MHz	QPSK	132597	75RB#0	22.25	23.72	30	PASS
Band66	15MHz	64QAM	132047	1RB#0	20.93	22.4	30	PASS
Band66	15MHz	64QAM	132047	1RB#38	21.02	22.49	30	PASS
Band66	15MHz	64QAM	132047	1RB#74	21.00	22.47	30	PASS
Band66	15MHz	64QAM	132047	75RB#0	20.17	21.64	30	PASS
Band66	15MHz	64QAM	132322	1RB#0	20.99	22.46	30	PASS
Band66	15MHz	64QAM	132322	1RB#38	21.07	22.54	30	PASS
Band66	15MHz	64QAM	132322	1RB#74	20.98	22.45	30	PASS
Band66	15MHz	64QAM	132322	75RB#0	20.13	21.6	30	PASS
Band66	15MHz	64QAM	132597	1RB#0	21.11	22.58	30	PASS
Band66	15MHz	64QAM	132597	1RB#38	21.16	22.63	30	PASS
Band66	15MHz	64QAM	132597	1RB#74	21.10	22.57	30	PASS
Band66	15MHz	64QAM	132597	75RB#0	20.27	21.74	30	PASS
Band66	15MHz	256QAM	132047	1RB#0	18.13	19.6	30	PASS
Band66	15MHz	256QAM	132047	1RB#38	18.20	19.67	30	PASS
Band66	15MHz	256QAM	132047	1RB#74	18.21	19.68	30	PASS
Band66	15MHz	256QAM	132047	75RB#0	18.20	19.67	30	PASS
Band66	15MHz	256QAM	132322	1RB#0	18.15	19.62	30	PASS
Band66	15MHz	256QAM	132322	1RB#38	18.25	19.72	30	PASS
Band66	15MHz	256QAM	132322	1RB#74	18.27	19.74	30	PASS
Band66	15MHz	256QAM	132322	75RB#0	18.13	19.6	30	PASS
Band66	15MHz	256QAM	132597	1RB#0	18.26	19.73	30	PASS
Band66	15MHz	256QAM	132597	1RB#38	18.23	19.7	30	PASS
Band66	15MHz	256QAM	132597	1RB#74	18.35	19.82	30	PASS
Band66	15MHz	256QAM	132597	75RB#0	18.27	19.74	30	PASS
Band66	15MHz	16QAM	132047	1RB#0	22.11	23.58	30	PASS
Band66	15MHz	16QAM	132047	1RB#38	22.20	23.67	30	PASS
Band66	15MHz	16QAM	132047	1RB#74	22.12	23.59	30	PASS
Band66	15MHz	16QAM	132047	75RB#0	21.16	22.63	30	PASS
Band66	15MHz	16QAM	132322	1RB#0	22.19	23.66	30	PASS
Band66	15MHz	16QAM	132322	1RB#38	22.25	23.72	30	PASS
Band66	15MHz	16QAM	132322	1RB#74	22.18	23.65	30	PASS
Band66	15MHz	16QAM	132322	75RB#0	21.08	22.55	30	PASS
Band66	15MHz	16QAM	132597	1RB#0	22.27	23.74	30	PASS
Band66	15MHz	16QAM	132597	1RB#38	22.30	23.77	30	PASS
Band66	15MHz	16QAM	132597	1RB#74	22.29	23.76	30	PASS
Band66	15MHz	16QAM	132597	75RB#0	21.22	22.69	30	PASS

Band66	20MHz	QPSK	132072	1RB#0	23.13	24.6	30	PASS
Band66	20MHz	QPSK	132072	1RB#49	23.08	24.55	30	PASS
Band66	20MHz	QPSK	132072	1RB#99	23.14	24.61	30	PASS
Band66	20MHz	QPSK	132072	100RB#0	22.21	23.68	30	PASS
Band66	20MHz	QPSK	132322	1RB#0	23.19	24.66	30	PASS
Band66	20MHz	QPSK	132322	1RB#49	23.14	24.61	30	PASS
Band66	20MHz	QPSK	132322	1RB#99	23.11	24.58	30	PASS
Band66	20MHz	QPSK	132322	100RB#0	22.13	23.6	30	PASS
Band66	20MHz	QPSK	132572	1RB#0	23.32	24.79	30	PASS
Band66	20MHz	QPSK	132572	1RB#49	23.13	24.6	30	PASS
Band66	20MHz	QPSK	132572	1RB#99	23.15	24.62	30	PASS
Band66	20MHz	QPSK	132572	100RB#0	22.26	23.73	30	PASS
Band66	20MHz	64QAM	132072	1RB#0	21.33	22.8	30	PASS
Band66	20MHz	64QAM	132072	1RB#49	21.36	22.83	30	PASS
Band66	20MHz	64QAM	132072	1RB#99	21.31	22.78	30	PASS
Band66	20MHz	64QAM	132072	100RB#0	20.17	21.64	30	PASS
Band66	20MHz	64QAM	132322	1RB#0	21.35	22.82	30	PASS
Band66	20MHz	64QAM	132322	1RB#49	21.29	22.76	30	PASS
Band66	20MHz	64QAM	132322	1RB#99	21.29	22.76	30	PASS
Band66	20MHz	64QAM	132322	100RB#0	20.11	21.58	30	PASS
Band66	20MHz	64QAM	132572	1RB#0	21.37	22.84	30	PASS
Band66	20MHz	64QAM	132572	1RB#49	21.39	22.86	30	PASS
Band66	20MHz	64QAM	132572	1RB#99	21.38	22.85	30	PASS
Band66	20MHz	64QAM	132572	100RB#0	20.24	21.71	30	PASS
Band66	20MHz	256QAM	132072	1RB#0	18.30	19.77	30	PASS
Band66	20MHz	256QAM	132072	1RB#49	18.23	19.7	30	PASS
Band66	20MHz	256QAM	132072	1RB#99	18.26	19.73	30	PASS
Band66	20MHz	256QAM	132072	100RB#0	18.24	19.71	30	PASS
Band66	20MHz	256QAM	132322	1RB#0	18.28	19.75	30	PASS
Band66	20MHz	256QAM	132322	1RB#49	18.25	19.72	30	PASS
Band66	20MHz	256QAM	132322	1RB#99	18.25	19.72	30	PASS
Band66	20MHz	256QAM	132322	100RB#0	18.15	19.62	30	PASS
Band66	20MHz	256QAM	132572	1RB#0	18.36	19.83	30	PASS
Band66	20MHz	256QAM	132572	1RB#49	18.17	19.64	30	PASS
Band66	20MHz	256QAM	132572	1RB#99	18.25	19.72	30	PASS
Band66	20MHz	256QAM	132572	100RB#0	18.27	19.74	30	PASS
Band66	20MHz	16QAM	132072	1RB#0	22.17	23.64	30	PASS
Band66	20MHz	16QAM	132072	1RB#49	22.09	23.56	30	PASS
Band66	20MHz	16QAM	132072	1RB#99	22.10	23.57	30	PASS
Band66	20MHz	16QAM	132072	100RB#0	21.22	22.69	30	PASS
Band66	20MHz	16QAM	132322	1RB#0	22.23	23.7	30	PASS


Band66	20MHz	16QAM	132322	1RB#49	22.16	23.63	30	PASS
Band66	20MHz	16QAM	132322	1RB#99	22.09	23.56	30	PASS
Band66	20MHz	16QAM	132322	100RB#0	21.16	22.63	30	PASS
Band66	20MHz	16QAM	132572	1RB#0	22.29	23.76	30	PASS
Band66	20MHz	16QAM	132572	1RB#49	22.19	23.66	30	PASS
Band66	20MHz	16QAM	132572	1RB#99	22.11	23.58	30	PASS
Band66	20MHz	16QAM	132572	100RB#0	21.24	22.71	30	PASS


Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band66	1.4MHz	QPSK	132322	6RB#0	5.32	13	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	6.73	13	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	6.79	13	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	6.10	13	PASS
Band66	3MHz	QPSK	132322	15RB#0	5.21	13	PASS
Band66	3MHz	64QAM	132322	15RB#0	6.65	13	PASS
Band66	3MHz	256QAM	132322	15RB#0	6.74	13	PASS
Band66	3MHz	16QAM	132322	15RB#0	6.07	13	PASS
Band66	5MHz	QPSK	132322	25RB#0	5.19	13	PASS
Band66	5MHz	64QAM	132322	25RB#0	6.58	13	PASS
Band66	5MHz	256QAM	132322	25RB#0	6.69	13	PASS
Band66	5MHz	16QAM	132322	25RB#0	6.05	13	PASS
Band66	10MHz	QPSK	132322	50RB#0	5.15	13	PASS
Band66	10MHz	64QAM	132322	50RB#0	6.56	13	PASS
Band66	10MHz	256QAM	132322	50RB#0	6.64	13	PASS
Band66	10MHz	16QAM	132322	50RB#0	6.01	13	PASS
Band66	15MHz	QPSK	132322	75RB#0	5.29	13	PASS
Band66	15MHz	64QAM	132322	75RB#0	6.58	13	PASS
Band66	15MHz	256QAM	132322	75RB#0	6.70	13	PASS
Band66	15MHz	16QAM	132322	75RB#0	6.09	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	5.02	13	PASS
Band66	20MHz	64QAM	132322	100RB#0	6.60	13	PASS
Band66	20MHz	256QAM	132322	100RB#0	6.75	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.96	13	PASS

Test Graphs







Band66-3MHz-QPSK-132322-15RB#0-PASS




Band66-3MHz-64QAM-132322-15RB#0-PASS




Band66-3MHz-256QAM-132322-15RB#0-PASS




Band66-3MHz-16QAM-132322-15RB#0-PASS




Band66-5MHz-QPSK-132322-25RB#0-PASS




Band66-5MHz-64QAM-132322-25RB#0-PASS



Band66-5MHz-256QAM-132322-25RB#0-PASS




Band66-5MHz-16QAM-132322-25RB#0-PASS




Band66-10MHz-QPSK-132322-50RB#0-PASS






Band66-10MHz-64QAM-132322-50RB#0-PASS




Band66-10MHz-256QAM-132322-50RB#0-PASS



Band66-10MHz-16QAM-132322-50RB#0-PASS







Band66-20MHz-QPSK-132322-100RB#0-PASS



Band66-20MHz-64QAM-132322-100RB#0-PASS



Band66-20MHz-256QAM-132322-100RB#0-PASS




Band66-20MHz-16QAM-132322-100RB#0-PASS


26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band66	1.4MHz	QPSK	132322	6RB#0	1.0914	1.239	PASS
Band66	1.4MHz	64QAM	132322	6RB#0	1.0857	1.226	PASS
Band66	1.4MHz	256QAM	132322	6RB#0	1.0874	1.231	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.0946	1.239	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.6993	2.970	PASS
Band66	3MHz	64QAM	132322	15RB#0	2.7078	2.975	PASS
Band66	3MHz	256QAM	132322	15RB#0	2.6738	2.965	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6936	2.972	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.5116	5.000	PASS
Band66	5MHz	64QAM	132322	25RB#0	4.5035	4.971	PASS
Band66	5MHz	256QAM	132322	25RB#0	4.5070	4.961	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5026	4.944	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9803	9.857	PASS
Band66	10MHz	64QAM	132322	50RB#0	8.9831	9.782	PASS
Band66	10MHz	256QAM	132322	50RB#0	9.0122	9.852	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9769	9.832	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.508	14.79	PASS
Band66	15MHz	64QAM	132322	75RB#0	13.462	14.70	PASS
Band66	15MHz	256QAM	132322	75RB#0	13.464	14.68	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.480	14.64	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.990	19.72	PASS
Band66	20MHz	64QAM	132322	100RB#0	17.951	19.48	PASS
Band66	20MHz	256QAM	132322	100RB#0	17.970	19.46	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.954	19.55	PASS

Test Graphs






Band66-3MHz-QPSK-132322-15RB#0-PASS




Band66-3MHz-64QAM-132322-15RB#0-PASS



Band66-3MHz-256QAM-132322-15RB#0-PASS



Band66-3MHz-16QAM-132322-15RB#0-PASS



Band66-5MHz-QPSK-132322-25RB#0-PASS




Band66-5MHz-64QAM-132322-25RB#0-PASS



Band66-5MHz-256QAM-132322-25RB#0-PASS



Band66-5MHz-16QAM-132322-25RB#0-PASS



Band66-10MHz-QPSK-132322-50RB#0-PASS



Band66-10MHz-64QAM-132322-50RB#0-PASS



Band66-10MHz-256QAM-132322-50RB#0-PASS



Band66-10MHz-16QAM-132322-50RB#0-PASS