

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N26-824-849	15	5	DFT-PI2BPSK	L	Outer_Full	22.94	23.66	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Inner_Full	23.44	24.16	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	23.04	23.76	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	22.99	23.71	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Outer_Full	22.44	23.16	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Inner_Full	23.53	24.25	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Left	22.67	23.39	38.45	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Right	22.48	23.2	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Outer_Full	21.41	22.13	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Inner_Full	22.37	23.09	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Edge_1RB_Left	21.43	22.15	38.45	PASS
N26-824-849	15	5	DFT-16QAM	L	Edge_1RB_Right	21.53	22.25	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Outer_Full	21.04	21.76	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Inner_Full	20.97	21.69	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Edge_1RB_Left	21.49	22.21	38.45	PASS
N26-824-849	15	5	DFT-64QAM	L	Edge_1RB_Right	20.98	21.7	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	Outer_Full	18.95	19.67	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	Inner_Full	19.07	19.79	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	Edge_1RB_Left	18.31	19.03	38.45	PASS
N26-824-849	15	5	DFT-256QAM	L	Edge_1RB_Right	19.21	19.93	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Outer_Full	22.98	23.7	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Inner_Full	23.64	24.36	38.45	PASS

N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	23.22	23.94	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	23.2	23.92	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	Outer_Full	22.49	23.21	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	Inner_Full	23.6	24.32	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	Edge_1RB_Left	22.46	23.18	38.45	PASS
N26-824-849	15	5	DFT-QPSK	M	Edge_1RB_Right	22.27	22.99	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	Outer_Full	21.56	22.28	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	Inner_Full	22.59	23.31	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	Edge_1RB_Left	21.36	22.08	38.45	PASS
N26-824-849	15	5	DFT-16QAM	M	Edge_1RB_Right	21.1	21.82	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	Outer_Full	21	21.72	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	Inner_Full	20.97	21.69	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	Edge_1RB_Left	21.16	21.88	38.45	PASS
N26-824-849	15	5	DFT-64QAM	M	Edge_1RB_Right	20.94	21.66	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	Outer_Full	19.02	19.74	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	Inner_Full	19.01	19.73	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	Edge_1RB_Left	19.11	19.83	38.45	PASS
N26-824-849	15	5	DFT-256QAM	M	Edge_1RB_Right	18.92	19.64	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	Outer_Full	22.98	23.7	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	Inner_Full	23.45	24.17	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	22.78	23.5	38.45	PASS
N26-824-849	15	5	DFT-PI2BPSK	H	Edge_1RB_Right	22.61	23.33	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	Outer_Full	22.35	23.07	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	Inner_Full	23.35	24.07	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	Edge_1RB_Left	22.69	23.41	38.45	PASS
N26-824-849	15	5	DFT-QPSK	H	Edge_1RB_Right	22.45	23.17	38.45	PASS

N26-824-849	15	5	DFT-16QAM	H	Outer_Full	21.47	22.19	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	Inner_Full	22.47	23.19	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	Edge_1RB_Left	22.02	22.74	38.45	PASS
N26-824-849	15	5	DFT-16QAM	H	Edge_1RB_Right	21.55	22.27	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	Outer_Full	20.82	21.54	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	Inner_Full	20.87	21.59	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	Edge_1RB_Left	21.01	21.73	38.45	PASS
N26-824-849	15	5	DFT-64QAM	H	Edge_1RB_Right	21.05	21.77	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	Outer_Full	18.91	19.63	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	Inner_Full	18.92	19.64	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	Edge_1RB_Left	19.66	20.38	38.45	PASS
N26-824-849	15	5	DFT-256QAM	H	Edge_1RB_Right	18.18	18.9	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	Outer_Full	23.08	23.8	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	Inner_Full	23.61	24.33	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	22.96	23.68	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	L	Edge_1RB_Right	22.92	23.64	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	Outer_Full	22.46	23.18	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	Inner_Full	23.56	24.28	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	Edge_1RB_Left	22.47	23.19	38.45	PASS
N26-824-849	15	10	DFT-QPSK	L	Edge_1RB_Right	22.28	23	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	Outer_Full	21.39	22.11	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	Inner_Full	22.57	23.29	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	Edge_1RB_Left	21.37	22.09	38.45	PASS
N26-824-849	15	10	DFT-16QAM	L	Edge_1RB_Right	21.55	22.27	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	Outer_Full	21	21.72	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	Inner_Full	20.93	21.65	38.45	PASS

N26-824-849	15	10	DFT-64QAM	L	Edge_1RB_Left	21.05	21.77	38.45	PASS
N26-824-849	15	10	DFT-64QAM	L	Edge_1RB_Right	20.67	21.39	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	Outer_Full	19.02	19.74	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	Inner_Full	19.04	19.76	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	Edge_1RB_Left	18.9	19.62	38.45	PASS
N26-824-849	15	10	DFT-256QAM	L	Edge_1RB_Right	18.94	19.66	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	Outer_Full	23.02	23.74	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	Inner_Full	23.45	24.17	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	22.9	23.62	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	Edge_1RB_Right	22.77	23.49	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	Outer_Full	22.53	23.25	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	Inner_Full	23.5	24.22	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	Edge_1RB_Left	22.4	23.12	38.45	PASS
N26-824-849	15	10	DFT-QPSK	M	Edge_1RB_Right	22.31	23.03	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	Outer_Full	21.49	22.21	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	Inner_Full	22.52	23.24	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	Edge_1RB_Left	21.24	21.96	38.45	PASS
N26-824-849	15	10	DFT-16QAM	M	Edge_1RB_Right	21.14	21.86	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	Outer_Full	21.04	21.76	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	Inner_Full	20.87	21.59	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	Edge_1RB_Left	20.75	21.47	38.45	PASS
N26-824-849	15	10	DFT-64QAM	M	Edge_1RB_Right	20.65	21.37	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	Outer_Full	18.99	19.71	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	Inner_Full	18.97	19.69	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	Edge_1RB_Left	18.31	19.03	38.45	PASS
N26-824-849	15	10	DFT-256QAM	M	Edge_1RB_Right	19.3	20.02	38.45	PASS

N26-824-849	15	10	DFT-PI2BPSK	H	Outer_Full	22.9	23.62	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	Inner_Full	23.46	24.18	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	22.82	23.54	38.45	PASS
N26-824-849	15	10	DFT-PI2BPSK	H	Edge_1RB_Right	22.67	23.39	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	Outer_Full	22.49	23.21	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	Inner_Full	23.38	24.1	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	Edge_1RB_Left	22.5	23.22	38.45	PASS
N26-824-849	15	10	DFT-QPSK	H	Edge_1RB_Right	22.32	23.04	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	Outer_Full	21.7	22.42	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	Inner_Full	22.5	23.22	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	Edge_1RB_Left	22.12	22.84	38.45	PASS
N26-824-849	15	10	DFT-16QAM	H	Edge_1RB_Right	21.28	22	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	Outer_Full	20.88	21.6	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	Inner_Full	21.07	21.79	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	Edge_1RB_Left	21.2	21.92	38.45	PASS
N26-824-849	15	10	DFT-64QAM	H	Edge_1RB_Right	21	21.72	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	Outer_Full	18.93	19.65	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	Inner_Full	18.96	19.68	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	Edge_1RB_Left	18.45	19.17	38.45	PASS
N26-824-849	15	10	DFT-256QAM	H	Edge_1RB_Right	18.71	19.43	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	Outer_Full	22.94	23.66	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	Inner_Full	23.51	24.23	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	22.85	23.57	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	L	Edge_1RB_Right	22.76	23.48	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	Outer_Full	22.48	23.2	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	Inner_Full	23.5	24.22	38.45	PASS

N26-824-849	15	15	DFT-QPSK	L	Edge_1RB_Left	22.36	23.08	38.45	PASS
N26-824-849	15	15	DFT-QPSK	L	Edge_1RB_Right	22.55	23.27	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	Outer_Full	21.5	22.22	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	Inner_Full	22.47	23.19	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	Edge_1RB_Left	21.36	22.08	38.45	PASS
N26-824-849	15	15	DFT-16QAM	L	Edge_1RB_Right	21.63	22.35	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	Outer_Full	21.06	21.78	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	Inner_Full	21	21.72	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	Edge_1RB_Left	21.31	22.03	38.45	PASS
N26-824-849	15	15	DFT-64QAM	L	Edge_1RB_Right	20.84	21.56	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	Outer_Full	19.07	19.79	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	Inner_Full	18.95	19.67	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	Edge_1RB_Left	18.99	19.71	38.45	PASS
N26-824-849	15	15	DFT-256QAM	L	Edge_1RB_Right	19.52	20.24	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	Outer_Full	22.83	23.55	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	Inner_Full	23.36	24.08	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	22.97	23.69	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	Edge_1RB_Right	22.73	23.45	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	Outer_Full	22.35	23.07	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	Inner_Full	23.41	24.13	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	Edge_1RB_Left	22.5	23.22	38.45	PASS
N26-824-849	15	15	DFT-QPSK	M	Edge_1RB_Right	22.52	23.24	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	Outer_Full	21.37	22.09	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	Inner_Full	22.28	23	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	Edge_1RB_Left	21.33	22.05	38.45	PASS
N26-824-849	15	15	DFT-16QAM	M	Edge_1RB_Right	21.39	22.11	38.45	PASS

N26-824-849	15	15	DFT-64QAM	M	Outer_Full	20.9	21.62	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	Inner_Full	20.76	21.48	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	Edge_1RB_Left	21.19	21.91	38.45	PASS
N26-824-849	15	15	DFT-64QAM	M	Edge_1RB_Right	20.68	21.4	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	Outer_Full	18.86	19.58	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	Inner_Full	18.86	19.58	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	Edge_1RB_Left	18.98	19.7	38.45	PASS
N26-824-849	15	15	DFT-256QAM	M	Edge_1RB_Right	19.23	19.95	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	Outer_Full	22.88	23.6	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	Inner_Full	23.34	24.06	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	22.9	23.62	38.45	PASS
N26-824-849	15	15	DFT-PI2BPSK	H	Edge_1RB_Right	22.64	23.36	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	Outer_Full	22.31	23.03	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	Inner_Full	23.35	24.07	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	Edge_1RB_Left	22.32	23.04	38.45	PASS
N26-824-849	15	15	DFT-QPSK	H	Edge_1RB_Right	22.24	22.96	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	Outer_Full	21.39	22.11	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	Inner_Full	22.25	22.97	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	Edge_1RB_Left	21.73	22.45	38.45	PASS
N26-824-849	15	15	DFT-16QAM	H	Edge_1RB_Right	21.52	22.24	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	Outer_Full	20.89	21.61	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	Inner_Full	20.7	21.42	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	Edge_1RB_Left	21.3	22.02	38.45	PASS
N26-824-849	15	15	DFT-64QAM	H	Edge_1RB_Right	20.61	21.33	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	Outer_Full	18.87	19.59	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	Inner_Full	18.86	19.58	38.45	PASS

N26-824-849	15	15	DFT-256QAM	H	Edge_1RB_Left	18.67	19.39	38.45	PASS
N26-824-849	15	15	DFT-256QAM	H	Edge_1RB_Right	18.9	19.62	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	Outer_Full	22.85	23.57	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	Inner_Full	23.38	24.1	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	22.91	23.63	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	L	Edge_1RB_Right	22.74	23.46	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	Outer_Full	22.47	23.19	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	Inner_Full	23.44	24.16	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	Edge_1RB_Left	22.47	23.19	38.45	PASS
N26-824-849	15	20	DFT-QPSK	L	Edge_1RB_Right	22.42	23.14	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	Outer_Full	21.33	22.05	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	Inner_Full	22.43	23.15	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	Edge_1RB_Left	21.56	22.28	38.45	PASS
N26-824-849	15	20	DFT-16QAM	L	Edge_1RB_Right	21.45	22.17	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	Outer_Full	20.96	21.68	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	Inner_Full	20.87	21.59	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	Edge_1RB_Left	21.07	21.79	38.45	PASS
N26-824-849	15	20	DFT-64QAM	L	Edge_1RB_Right	20.97	21.69	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	Outer_Full	18.87	19.59	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	Inner_Full	18.97	19.69	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	Edge_1RB_Left	19.01	19.73	38.45	PASS
N26-824-849	15	20	DFT-256QAM	L	Edge_1RB_Right	18.57	19.29	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	22.8	23.52	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Inner_Full	23.35	24.07	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	22.95	23.67	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Edge_1RB_Right	22.71	23.43	38.45	PASS

N26-824-849	15	20	DFT-QPSK	M	Outer_Full	22.39	23.11	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	Inner_Full	23.35	24.07	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	Edge_1RB_Left	22.52	23.24	38.45	PASS
N26-824-849	15	20	DFT-QPSK	M	Edge_1RB_Right	21.97	22.69	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	Outer_Full	21.32	22.04	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	Inner_Full	22.38	23.1	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	Edge_1RB_Left	21.7	22.42	38.45	PASS
N26-824-849	15	20	DFT-16QAM	M	Edge_1RB_Right	21.45	22.17	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	Outer_Full	20.79	21.51	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	Inner_Full	20.86	21.58	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	Edge_1RB_Left	21.3	22.02	38.45	PASS
N26-824-849	15	20	DFT-64QAM	M	Edge_1RB_Right	21.03	21.75	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	Outer_Full	18.8	19.52	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	Inner_Full	18.89	19.61	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	Edge_1RB_Left	18.91	19.63	38.45	PASS
N26-824-849	15	20	DFT-256QAM	M	Edge_1RB_Right	19.03	19.75	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	Outer_Full	22.88	23.6	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	Inner_Full	23.37	24.09	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	22.9	23.62	38.45	PASS
N26-824-849	15	20	DFT-PI2BPSK	H	Edge_1RB_Right	22.53	23.25	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	Outer_Full	22.38	23.1	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	Inner_Full	23.35	24.07	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	Edge_1RB_Left	22.34	23.06	38.45	PASS
N26-824-849	15	20	DFT-QPSK	H	Edge_1RB_Right	22.25	22.97	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	Outer_Full	21.38	22.1	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	Inner_Full	22.3	23.02	38.45	PASS

N26-824-849	15	20	DFT-16QAM	H	Edge_1RB_Left	21.75	22.47	38.45	PASS
N26-824-849	15	20	DFT-16QAM	H	Edge_1RB_Right	21.33	22.05	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	Outer_Full	20.99	21.71	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	Inner_Full	20.91	21.63	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	Edge_1RB_Left	20.91	21.63	38.45	PASS
N26-824-849	15	20	DFT-64QAM	H	Edge_1RB_Right	20.55	21.27	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	Outer_Full	18.9	19.62	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	Inner_Full	18.84	19.56	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	Edge_1RB_Left	19.28	20	38.45	PASS
N26-824-849	15	20	DFT-256QAM	H	Edge_1RB_Right	18.89	19.61	38.45	PASS


Peak-to-Average Ratio for SA


Peak-to-Average Ratio(CCDF)

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N26-824-849	15	5	DFT-PI2BPSK	M	Outer_Full	3.85	≤13	PASS
N26-824-849	15	5	DFT-QPSK	M	Outer_Full	4.41	≤13	PASS
N26-824-849	15	5	DFT-16QAM	M	Outer_Full	5.62	≤13	PASS
N26-824-849	15	5	DFT-64QAM	M	Outer_Full	6.03	≤13	PASS
N26-824-849	15	5	DFT-256QAM	M	Outer_Full	6.71	≤13	PASS
N26-824-849	15	10	DFT-PI2BPSK	M	Outer_Full	4.09	≤13	PASS
N26-824-849	15	10	DFT-QPSK	M	Outer_Full	4.64	≤13	PASS
N26-824-849	15	10	DFT-16QAM	M	Outer_Full	5.59	≤13	PASS
N26-824-849	15	10	DFT-64QAM	M	Outer_Full	6.07	≤13	PASS
N26-824-849	15	10	DFT-256QAM	M	Outer_Full	6.71	≤13	PASS
N26-824-849	15	15	DFT-PI2BPSK	M	Outer_Full	3.82	≤13	PASS
N26-824-849	15	15	DFT-QPSK	M	Outer_Full	4.55	≤13	PASS
N26-824-849	15	15	DFT-16QAM	M	Outer_Full	5.50	≤13	PASS
N26-824-849	15	15	DFT-64QAM	M	Outer_Full	5.94	≤13	PASS
N26-824-849	15	15	DFT-256QAM	M	Outer_Full	6.61	≤13	PASS
N26-824-849	15	20	DFT-PI2BPSK	M	Outer_Full	3.69	≤13	PASS
N26-824-849	15	20	DFT-QPSK	M	Outer_Full	4.62	≤13	PASS
N26-824-849	15	20	DFT-16QAM	M	Outer_Full	5.59	≤13	PASS
N26-824-849	15	20	DFT-64QAM	M	Outer_Full	5.93	≤13	PASS
N26-824-849	15	20	DFT-256QAM	M	Outer_Full	6.66	≤13	PASS

Test Graphs






NTNV_N26-824-849_PC3_15_5_M_TID5_#1




NTNV_N26-824-849_PC3_15_10_M_TID1_#1



NTNV_N26-824-849_PC3_15_10_M_TID2_#1




NTNV_N26-824-849_PC3_15_10_M_TID3_#1



NTNV_N26-824-849_PC3_15_10_M_TID4_#1




NTNV_N26-824-849_PC3_15_10_M_TID5_#1



NTNV N26-824-849 PC3 15 15 M TID1 #1




NTNV N26-824-849 PC3 15 15 M TID2 #1



NTNV_N26-824-849_PC3_15_15_M_TID3_#1




NTNV_N26-824-849_PC3_15_15_M_TID4_#1



NTNV_N26-824-849_PC3_15_15_M_TID5_#1




NTNV_N26-824-849_PC3_15_20_M_TID1_#1



NTNV_N26-824-849_PC3_15_20_M_TID2_#1



NTNV_N26-824-849_PC3_15_20_M_TID3_#1



NTNV_N26-824-849_PC3_15_20_M_TID4_#1




NTNV_N26-824-849_PC3_15_20_M_TID5_#1


26dB Bandwidth and Occupied Bandwidth for SA

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N26-824-849	15	5	CP-QPSK	M	Outer_Full	4.4762	4.983	PASS
N26-824-849	15	5	CP-16QAM	M	Outer_Full	4.4701	4.977	PASS
N26-824-849	15	5	CP-64QAM	M	Outer_Full	4.4822	5.006	PASS
N26-824-849	15	5	CP-256QAM	M	Outer_Full	4.4764	4.963	PASS
N26-824-849	15	10	CP-QPSK	M	Outer_Full	9.2814	9.998	PASS
N26-824-849	15	10	CP-16QAM	M	Outer_Full	9.2892	9.940	PASS
N26-824-849	15	10	CP-64QAM	M	Outer_Full	9.2791	9.936	PASS
N26-824-849	15	10	CP-256QAM	M	Outer_Full	9.2820	9.977	PASS
N26-824-849	15	15	CP-QPSK	M	Outer_Full	14.076	15.02	PASS
N26-824-849	15	15	CP-16QAM	M	Outer_Full	14.091	14.97	PASS
N26-824-849	15	15	CP-64QAM	M	Outer_Full	14.089	14.92	PASS
N26-824-849	15	15	CP-256QAM	M	Outer_Full	14.074	14.87	PASS
N26-824-849	15	20	CP-QPSK	M	Outer_Full	18.867	19.93	PASS
N26-824-849	15	20	CP-16QAM	M	Outer_Full	18.866	19.90	PASS
N26-824-849	15	20	CP-64QAM	M	Outer_Full	18.895	19.89	PASS
N26-824-849	15	20	CP-256QAM	M	Outer_Full	18.879	19.89	PASS

Test Graphs






NTNV_N26-824-849_PC3_15_10_M_TID6_Ant1#1




NTNV_N26-824-849_PC3_15_10_M_TID7_Ant1#1




NTNV_N26-824-849_PC3_15_10_M_TID8_Ant1#1



NTNV_N26-824-849_PC3_15_10_M_TID9_Ant1#1




NTNV_N26-824-849_PC3_15_15_M_TID6_Ant1#1




NTNV_N26-824-849_PC3_15_15_M_TID7_Ant1#1



NTNV_N26-824-849_PC3_15_15_M_TID8_Ant1#1





NTNV_N26-824-849_PC3_15_15_M_TID9_Ant1#1




Band Edge for SA

Test Graphs







NTNV-N26-824-849-PC3-15-5-H-DFT-PI2BPSK-Outer_Full-An t1-PASS




NTNV-N26-824-849-PC3-15-5-H-DFT-PI2BPSK-Edge_1RB_Right-A nt1-PASS



NTNV-N26-824-849-PC3-15-5-H-DFT-QPSK-Outer_Full-Ant1-PASS




NTNV-N26-824-849-PC3-15-5-H-DFT-QPSK-Edge_1RB_Right-Ant1-PASS




NTNV-N26-824-849-PC3-15-10-L-DFT-PI2BPSK-Outter_Full-A
nt1-PASS




NTNV-N26-824-849-PC3-15-10-L-DFT-PI2BPSK-Edge_1RB_Left-An
t1-PASS




NTNV-N26-824-849-PC3-15-10-L-DFT-QPSK-Outter_Full-Ant1-
PASS




NTNV-N26-824-849-PC3-15-10-L-DFT-QPSK-Edge_1RB_Left-Ant1-
PASS




NTNV-N26-824-849-PC3-15-10-H-DFT-PI2BPSK-Outter_Full-A
nt1-PASS




NTNV-N26-824-849-PC3-15-10-H-DFT-PI2BPSK-Edge_1RB_Right-Ant1-PASS




NTNV-N26-824-849-PC3-15-10-H-DFT-QPSK-Outter_Full-Ant1
-PASS




NTNV-N26-824-849-PC3-15-10-H-DFT-QPSK-Edge_1RB_Right-Ant1-PASS




NTNV-N26-824-849-PC3-15-15-L-DFT-PI2BPSK-Outter_Full-A
nt1-PASS




NTNV-N26-824-849-PC3-15-15-L-DFT-PI2BPSK-Edge_1RB_Left-An
t1-PASS




NTNV-N26-824-849-PC3-15-15-L-DFT-QPSK-Outter_Full-Ant1-
PASS




NTNV-N26-824-849-PC3-15-15-L-DFT-QPSK-Edge_1RB_Left-Ant1-
PASS




NTNV-N26-824-849-PC3-15-15-H-DFT-PI2BPSK-Outter_Full-A
nt1-PASS




NTNV-N26-824-849-PC3-15-15-H-DFT-PI2BPSK-Edge_1RB_Right-
Ant1-PASS




NTNV-N26-824-849-PC3-15-15-H-DFT-QPSK-Outter_Full-Ant1
-PASS




NTNV-N26-824-849-PC3-15-15-H-DFT-QPSK-Edge_1RB_Right-Ant
1-PASS




NTNV-N26-824-849-PC3-15-20-L-DFT-PI2BPSK-Outter_Full-A
nt1-PASS




NTNV-N26-824-849-PC3-15-20-L-DFT-PI2BPSK-Edge_1RB_Left-An
t1-PASS




NTNV-N26-824-849-PC3-15-20-L-DFT-QPSK-Outter_Full-Ant1-
PASS




NTNV-N26-824-849-PC3-15-20-L-DFT-QPSK-Edge_1RB_Left-Ant1-
PASS




NTNV-N26-824-849-PC3-15-20-H-DFT-PI2BPSK-Outter_Full-A
nt1-PASS



NTNV-N26-824-849-PC3-15-20-H-DFT-PI2BPSK-Edge_1RB_Right-
Ant1-PASS



NTNV-N26-824-849-PC3-15-20-H-DFT-QPSK-Outter_Full-Ant1
-PASS



NTNV-N26-824-849-PC3-15-20-H-DFT-QPSK-Edge_1RB_Right-Ant
1-PASS

Conducted Spurious Emission for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	StartFreq	StopFreq	Result	Limit	Verdict
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	0.009	0.15	-64.83	-33	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	0.15	30	-79.66	-23	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	30	1000	-61.20	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	1000	3000	-50.11	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	3000	12000	-59.96	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	12000	20000	-56.57	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	0.009	0.15	-65.85	-33	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	0.15	30	-79.39	-23	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	30	1000	-60.72	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	1000	3000	-50.14	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	3000	12000	-59.96	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	12000	20000	-56.74	-13	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-63.23	-33	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-80.84	-23	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Left	30	1000	-60.24	-13	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-50.19	-13	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Left	3000	12000	-59.91	-13	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Left	12000	20000	-56.62	-13	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Right	0.009	0.15	-63.50	-33	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Right	0.15	30	-79.39	-23	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Right	30	1000	-59.07	-13	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Right	1000	3000	-50.10	-13	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Right	3000	12000	-59.81	-13	PASS
N26-824-849	15	5	DFT-QPSK	L	Edge_1RB_Right	12000	20000	-56.70	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	0.009	0.15	-64.39	-33	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	0.15	30	-78.62	-23	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	30	1000	-59.80	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	1000	3000	-50.20	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	3000	12000	-59.93	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	12000	20000	-56.78	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	0.009	0.15	-63.57	-33	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	0.15	30	-79.00	-23	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	30	1000	-59.66	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	1000	3000	-50.22	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	3000	12000	-59.94	-13	PASS
N26-824-849	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	12000	20000	-56.66	-13	PASS
N26-824-849	15	5	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-61.95	-33	PASS
N26-824-849	15	5	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-78.66	-23	PASS