

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Limit (dBm)	Verdict
N66	15	5	DFT-PI2BPSK	L	Outer_Full	22.29	23.76	30	PASS
N66	15	5	DFT-PI2BPSK	L	Inner_Full	22.86	24.33	30	PASS
N66	15	5	DFT-PI2BPSK	L	Edge_1RB_Left	22.22	23.69	30	PASS
N66	15	5	DFT-PI2BPSK	L	Edge_1RB_Right	22.33	23.80	30	PASS
N66	15	5	DFT-QPSK	L	Outer_Full	21.85	23.32	30	PASS
N66	15	5	DFT-QPSK	L	Inner_Full	22.86	24.33	30	PASS
N66	15	5	DFT-QPSK	L	Edge_1RB_Left	21.65	23.12	30	PASS
N66	15	5	DFT-QPSK	L	Edge_1RB_Right	21.66	23.13	30	PASS
N66	15	5	DFT-16QAM	L	Outer_Full	20.78	22.25	30	PASS
N66	15	5	DFT-16QAM	L	Inner_Full	21.61	23.08	30	PASS
N66	15	5	DFT-16QAM	L	Edge_1RB_Left	20.85	22.32	30	PASS
N66	15	5	DFT-16QAM	L	Edge_1RB_Right	20.88	22.35	30	PASS
N66	15	5	DFT-64QAM	L	Outer_Full	20.37	21.84	30	PASS
N66	15	5	DFT-64QAM	L	Inner_Full	20.24	21.71	30	PASS
N66	15	5	DFT-64QAM	L	Edge_1RB_Left	19.83	21.30	30	PASS
N66	15	5	DFT-64QAM	L	Edge_1RB_Right	20.60	22.07	30	PASS
N66	15	5	DFT-256QAM	L	Outer_Full	18.43	19.90	30	PASS
N66	15	5	DFT-256QAM	L	Inner_Full	18.31	19.78	30	PASS
N66	15	5	DFT-256QAM	L	Edge_1RB_Left	17.62	19.09	30	PASS
N66	15	5	DFT-256QAM	L	Edge_1RB_Right	18.10	19.57	30	PASS
N66	15	5	DFT-PI2BPSK	M	Outer_Full	22.50	23.97	30	PASS
N66	15	5	DFT-PI2BPSK	M	Inner_Full	22.95	24.42	30	PASS
N66	15	5	DFT-PI2BPSK	M	Edge_1RB_Left	22.46	23.93	30	PASS
N66	15	5	DFT-PI2BPSK	M	Edge_1RB_Right	22.54	24.01	30	PASS
N66	15	5	DFT-QPSK	M	Outer_Full	22.02	23.49	30	PASS
N66	15	5	DFT-QPSK	M	Inner_Full	23.03	24.50	30	PASS
N66	15	5	DFT-QPSK	M	Edge_1RB_Left	21.89	23.36	30	PASS
N66	15	5	DFT-QPSK	M	Edge_1RB_Right	21.73	23.20	30	PASS
N66	15	5	DFT-16QAM	M	Outer_Full	21.04	22.51	30	PASS
N66	15	5	DFT-16QAM	M	Inner_Full	21.96	23.43	30	PASS
N66	15	5	DFT-16QAM	M	Edge_1RB_Left	20.95	22.42	30	PASS
N66	15	5	DFT-16QAM	M	Edge_1RB_Right	21.00	22.47	30	PASS
N66	15	5	DFT-64QAM	M	Outer_Full	20.49	21.96	30	PASS
N66	15	5	DFT-64QAM	M	Inner_Full	20.52	21.99	30	PASS
N66	15	5	DFT-64QAM	M	Edge_1RB_Left	20.59	22.06	30	PASS

N66	15	5	DFT-64QAM	M	Edge_1RB_Right	20.85	22.32	30	PASS
N66	15	5	DFT-256QAM	M	Outer_Full	18.71	20.18	30	PASS
N66	15	5	DFT-256QAM	M	Inner_Full	18.49	19.96	30	PASS
N66	15	5	DFT-256QAM	M	Edge_1RB_Left	18.81	20.28	30	PASS
N66	15	5	DFT-256QAM	M	Edge_1RB_Right	18.29	19.76	30	PASS
N66	15	5	DFT-PI2BPSK	H	Outer_Full	22.31	23.78	30	PASS
N66	15	5	DFT-PI2BPSK	H	Inner_Full	22.79	24.26	30	PASS
N66	15	5	DFT-PI2BPSK	H	Edge_1RB_Left	22.44	23.91	30	PASS
N66	15	5	DFT-PI2BPSK	H	Edge_1RB_Right	22.29	23.76	30	PASS
N66	15	5	DFT-QPSK	H	Outer_Full	21.77	23.24	30	PASS
N66	15	5	DFT-QPSK	H	Inner_Full	22.91	24.38	30	PASS
N66	15	5	DFT-QPSK	H	Edge_1RB_Left	21.59	23.06	30	PASS
N66	15	5	DFT-QPSK	H	Edge_1RB_Right	21.45	22.92	30	PASS
N66	15	5	DFT-16QAM	H	Outer_Full	20.86	22.33	30	PASS
N66	15	5	DFT-16QAM	H	Inner_Full	21.73	23.20	30	PASS
N66	15	5	DFT-16QAM	H	Edge_1RB_Left	20.87	22.34	30	PASS
N66	15	5	DFT-16QAM	H	Edge_1RB_Right	21.06	22.53	30	PASS
N66	15	5	DFT-64QAM	H	Outer_Full	20.26	21.73	30	PASS
N66	15	5	DFT-64QAM	H	Inner_Full	20.33	21.80	30	PASS
N66	15	5	DFT-64QAM	H	Edge_1RB_Left	19.92	21.39	30	PASS
N66	15	5	DFT-64QAM	H	Edge_1RB_Right	20.41	21.88	30	PASS
N66	15	5	DFT-256QAM	H	Outer_Full	18.37	19.84	30	PASS
N66	15	5	DFT-256QAM	H	Inner_Full	18.54	20.01	30	PASS
N66	15	5	DFT-256QAM	H	Edge_1RB_Left	18.38	19.85	30	PASS
N66	15	5	DFT-256QAM	H	Edge_1RB_Right	18.84	20.31	30	PASS
N66	15	10	DFT-PI2BPSK	L	Outer_Full	22.28	23.75	30	PASS
N66	15	10	DFT-PI2BPSK	L	Inner_Full	22.83	24.30	30	PASS
N66	15	10	DFT-PI2BPSK	L	Edge_1RB_Left	22.19	23.66	30	PASS
N66	15	10	DFT-PI2BPSK	L	Edge_1RB_Right	22.23	23.70	30	PASS
N66	15	10	DFT-QPSK	L	Outer_Full	21.70	23.17	30	PASS
N66	15	10	DFT-QPSK	L	Inner_Full	22.76	24.23	30	PASS
N66	15	10	DFT-QPSK	L	Edge_1RB_Left	21.80	23.27	30	PASS
N66	15	10	DFT-QPSK	L	Edge_1RB_Right	21.57	23.04	30	PASS
N66	15	10	DFT-16QAM	L	Outer_Full	20.78	22.25	30	PASS
N66	15	10	DFT-16QAM	L	Inner_Full	21.79	23.26	30	PASS
N66	15	10	DFT-16QAM	L	Edge_1RB_Left	20.78	22.25	30	PASS
N66	15	10	DFT-16QAM	L	Edge_1RB_Right	20.33	21.80	30	PASS
N66	15	10	DFT-64QAM	L	Outer_Full	20.24	21.71	30	PASS
N66	15	10	DFT-64QAM	L	Inner_Full	20.28	21.75	30	PASS
N66	15	10	DFT-64QAM	L	Edge_1RB_Left	20.12	21.59	30	PASS
N66	15	10	DFT-64QAM	L	Edge_1RB_Right	20.02	21.49	30	PASS
N66	15	10	DFT-256QAM	L	Outer_Full	18.23	19.70	30	PASS
N66	15	10	DFT-256QAM	L	Inner_Full	18.26	19.73	30	PASS

N66	15	10	DFT-256QAM	L	Edge_1RB_Left	18.50	19.97	30	PASS
N66	15	10	DFT-256QAM	L	Edge_1RB_Right	18.63	20.10	30	PASS
N66	15	10	DFT-PI2BPSK	M	Outer_Full	22.41	23.88	30	PASS
N66	15	10	DFT-PI2BPSK	M	Inner_Full	22.88	24.35	30	PASS
N66	15	10	DFT-PI2BPSK	M	Edge_1RB_Left	22.29	23.76	30	PASS
N66	15	10	DFT-PI2BPSK	M	Edge_1RB_Right	22.46	23.93	30	PASS
N66	15	10	DFT-QPSK	M	Outer_Full	21.96	23.43	30	PASS
N66	15	10	DFT-QPSK	M	Inner_Full	22.98	24.45	30	PASS
N66	15	10	DFT-QPSK	M	Edge_1RB_Left	21.63	23.10	30	PASS
N66	15	10	DFT-QPSK	M	Edge_1RB_Right	21.43	22.90	30	PASS
N66	15	10	DFT-16QAM	M	Outer_Full	21.01	22.48	30	PASS
N66	15	10	DFT-16QAM	M	Inner_Full	21.89	23.36	30	PASS
N66	15	10	DFT-16QAM	M	Edge_1RB_Left	21.24	22.71	30	PASS
N66	15	10	DFT-16QAM	M	Edge_1RB_Right	20.34	21.81	30	PASS
N66	15	10	DFT-64QAM	M	Outer_Full	20.28	21.75	30	PASS
N66	15	10	DFT-64QAM	M	Inner_Full	20.43	21.90	30	PASS
N66	15	10	DFT-64QAM	M	Edge_1RB_Left	20.89	22.36	30	PASS
N66	15	10	DFT-64QAM	M	Edge_1RB_Right	20.88	22.35	30	PASS
N66	15	10	DFT-256QAM	M	Outer_Full	18.41	19.88	30	PASS
N66	15	10	DFT-256QAM	M	Inner_Full	18.62	20.09	30	PASS
N66	15	10	DFT-256QAM	M	Edge_1RB_Left	18.48	19.95	30	PASS
N66	15	10	DFT-256QAM	M	Edge_1RB_Right	18.68	20.15	30	PASS
N66	15	10	DFT-PI2BPSK	H	Outer_Full	22.42	23.89	30	PASS
N66	15	10	DFT-PI2BPSK	H	Inner_Full	22.90	24.37	30	PASS
N66	15	10	DFT-PI2BPSK	H	Edge_1RB_Left	22.16	23.63	30	PASS
N66	15	10	DFT-PI2BPSK	H	Edge_1RB_Right	22.13	23.60	30	PASS
N66	15	10	DFT-QPSK	H	Outer_Full	21.81	23.28	30	PASS
N66	15	10	DFT-QPSK	H	Inner_Full	22.90	24.37	30	PASS
N66	15	10	DFT-QPSK	H	Edge_1RB_Left	21.79	23.26	30	PASS
N66	15	10	DFT-QPSK	H	Edge_1RB_Right	21.50	22.97	30	PASS
N66	15	10	DFT-16QAM	H	Outer_Full	20.84	22.31	30	PASS
N66	15	10	DFT-16QAM	H	Inner_Full	21.86	23.33	30	PASS
N66	15	10	DFT-16QAM	H	Edge_1RB_Left	20.76	22.23	30	PASS
N66	15	10	DFT-16QAM	H	Edge_1RB_Right	20.44	21.91	30	PASS
N66	15	10	DFT-64QAM	H	Outer_Full	20.29	21.76	30	PASS
N66	15	10	DFT-64QAM	H	Inner_Full	20.40	21.87	30	PASS
N66	15	10	DFT-64QAM	H	Edge_1RB_Left	20.18	21.65	30	PASS
N66	15	10	DFT-64QAM	H	Edge_1RB_Right	20.41	21.88	30	PASS
N66	15	10	DFT-256QAM	H	Outer_Full	18.26	19.73	30	PASS
N66	15	10	DFT-256QAM	H	Inner_Full	18.27	19.74	30	PASS
N66	15	10	DFT-256QAM	H	Edge_1RB_Left	18.12	19.59	30	PASS
N66	15	10	DFT-256QAM	H	Edge_1RB_Right	18.00	19.47	30	PASS
N66	15	15	DFT-PI2BPSK	L	Outer_Full	22.27	23.74	30	PASS

N66	15	15	DFT-PI2BPSK	L	Inner_Full	22.78	24.25	30	PASS
N66	15	15	DFT-PI2BPSK	L	Edge_1RB_Left	22.50	23.97	30	PASS
N66	15	15	DFT-PI2BPSK	L	Edge_1RB_Right	22.46	23.93	30	PASS
N66	15	15	DFT-QPSK	L	Outer_Full	21.77	23.24	30	PASS
N66	15	15	DFT-QPSK	L	Inner_Full	22.79	24.26	30	PASS
N66	15	15	DFT-QPSK	L	Edge_1RB_Left	21.90	23.37	30	PASS
N66	15	15	DFT-QPSK	L	Edge_1RB_Right	21.83	23.30	30	PASS
N66	15	15	DFT-16QAM	L	Outer_Full	20.75	22.22	30	PASS
N66	15	15	DFT-16QAM	L	Inner_Full	21.82	23.29	30	PASS
N66	15	15	DFT-16QAM	L	Edge_1RB_Left	20.90	22.37	30	PASS
N66	15	15	DFT-16QAM	L	Edge_1RB_Right	20.92	22.39	30	PASS
N66	15	15	DFT-64QAM	L	Outer_Full	20.33	21.80	30	PASS
N66	15	15	DFT-64QAM	L	Inner_Full	20.24	21.71	30	PASS
N66	15	15	DFT-64QAM	L	Edge_1RB_Left	20.50	21.97	30	PASS
N66	15	15	DFT-64QAM	L	Edge_1RB_Right	20.10	21.57	30	PASS
N66	15	15	DFT-256QAM	L	Outer_Full	18.31	19.78	30	PASS
N66	15	15	DFT-256QAM	L	Inner_Full	18.33	19.80	30	PASS
N66	15	15	DFT-256QAM	L	Edge_1RB_Left	18.29	19.76	30	PASS
N66	15	15	DFT-256QAM	L	Edge_1RB_Right	18.20	19.67	30	PASS
N66	15	15	DFT-PI2BPSK	M	Outer_Full	22.45	23.92	30	PASS
N66	15	15	DFT-PI2BPSK	M	Inner_Full	22.93	24.40	30	PASS
N66	15	15	DFT-PI2BPSK	M	Edge_1RB_Left	22.47	23.94	30	PASS
N66	15	15	DFT-PI2BPSK	M	Edge_1RB_Right	22.38	23.85	30	PASS
N66	15	15	DFT-QPSK	M	Outer_Full	21.88	23.35	30	PASS
N66	15	15	DFT-QPSK	M	Inner_Full	22.86	24.33	30	PASS
N66	15	15	DFT-QPSK	M	Edge_1RB_Left	21.80	23.27	30	PASS
N66	15	15	DFT-QPSK	M	Edge_1RB_Right	21.97	23.44	30	PASS
N66	15	15	DFT-16QAM	M	Outer_Full	20.86	22.33	30	PASS
N66	15	15	DFT-16QAM	M	Inner_Full	21.88	23.35	30	PASS
N66	15	15	DFT-16QAM	M	Edge_1RB_Left	20.79	22.26	30	PASS
N66	15	15	DFT-16QAM	M	Edge_1RB_Right	20.97	22.44	30	PASS
N66	15	15	DFT-64QAM	M	Outer_Full	20.38	21.85	30	PASS
N66	15	15	DFT-64QAM	M	Inner_Full	20.48	21.95	30	PASS
N66	15	15	DFT-64QAM	M	Edge_1RB_Left	20.40	21.87	30	PASS
N66	15	15	DFT-64QAM	M	Edge_1RB_Right	20.66	22.13	30	PASS
N66	15	15	DFT-256QAM	M	Outer_Full	18.39	19.86	30	PASS
N66	15	15	DFT-256QAM	M	Inner_Full	18.42	19.89	30	PASS
N66	15	15	DFT-256QAM	M	Edge_1RB_Left	18.46	19.93	30	PASS
N66	15	15	DFT-256QAM	M	Edge_1RB_Right	18.48	19.95	30	PASS
N66	15	15	DFT-PI2BPSK	H	Outer_Full	22.30	23.77	30	PASS
N66	15	15	DFT-PI2BPSK	H	Inner_Full	22.73	24.20	30	PASS
N66	15	15	DFT-PI2BPSK	H	Edge_1RB_Left	22.36	23.83	30	PASS
N66	15	15	DFT-PI2BPSK	H	Edge_1RB_Right	22.27	23.74	30	PASS

N66	15	15	DFT-QPSK	H	Outer_Full	21.79	23.26	30	PASS
N66	15	15	DFT-QPSK	H	Inner_Full	22.79	24.26	30	PASS
N66	15	15	DFT-QPSK	H	Edge_1RB_Left	22.15	23.62	30	PASS
N66	15	15	DFT-QPSK	H	Edge_1RB_Right	21.93	23.40	30	PASS
N66	15	15	DFT-16QAM	H	Outer_Full	20.83	22.30	30	PASS
N66	15	15	DFT-16QAM	H	Inner_Full	21.87	23.34	30	PASS
N66	15	15	DFT-16QAM	H	Edge_1RB_Left	21.30	22.77	30	PASS
N66	15	15	DFT-16QAM	H	Edge_1RB_Right	20.97	22.44	30	PASS
N66	15	15	DFT-64QAM	H	Outer_Full	20.26	21.73	30	PASS
N66	15	15	DFT-64QAM	H	Inner_Full	20.37	21.84	30	PASS
N66	15	15	DFT-64QAM	H	Edge_1RB_Left	20.46	21.93	30	PASS
N66	15	15	DFT-64QAM	H	Edge_1RB_Right	20.53	22.00	30	PASS
N66	15	15	DFT-256QAM	H	Outer_Full	18.35	19.82	30	PASS
N66	15	15	DFT-256QAM	H	Inner_Full	18.40	19.87	30	PASS
N66	15	15	DFT-256QAM	H	Edge_1RB_Left	18.69	20.16	30	PASS
N66	15	15	DFT-256QAM	H	Edge_1RB_Right	18.62	20.09	30	PASS
N66	15	20	DFT-PI2BPSK	L	Outer_Full	22.24	23.71	30	PASS
N66	15	20	DFT-PI2BPSK	L	Inner_Full	22.75	24.22	30	PASS
N66	15	20	DFT-PI2BPSK	L	Edge_1RB_Left	22.32	23.79	30	PASS
N66	15	20	DFT-PI2BPSK	L	Edge_1RB_Right	22.52	23.99	30	PASS
N66	15	20	DFT-QPSK	L	Outer_Full	21.79	23.26	30	PASS
N66	15	20	DFT-QPSK	L	Inner_Full	22.72	24.19	30	PASS
N66	15	20	DFT-QPSK	L	Edge_1RB_Left	21.70	23.17	30	PASS
N66	15	20	DFT-QPSK	L	Edge_1RB_Right	22.02	23.49	30	PASS
N66	15	20	DFT-16QAM	L	Outer_Full	20.75	22.22	30	PASS
N66	15	20	DFT-16QAM	L	Inner_Full	21.76	23.23	30	PASS
N66	15	20	DFT-16QAM	L	Edge_1RB_Left	21.01	22.48	30	PASS
N66	15	20	DFT-16QAM	L	Edge_1RB_Right	20.93	22.40	30	PASS
N66	15	20	DFT-64QAM	L	Outer_Full	20.23	21.70	30	PASS
N66	15	20	DFT-64QAM	L	Inner_Full	20.30	21.77	30	PASS
N66	15	20	DFT-64QAM	L	Edge_1RB_Left	20.59	22.06	30	PASS
N66	15	20	DFT-64QAM	L	Edge_1RB_Right	20.42	21.89	30	PASS
N66	15	20	DFT-256QAM	L	Outer_Full	18.19	19.66	30	PASS
N66	15	20	DFT-256QAM	L	Inner_Full	18.24	19.71	30	PASS
N66	15	20	DFT-256QAM	L	Edge_1RB_Left	18.74	20.21	30	PASS
N66	15	20	DFT-256QAM	L	Edge_1RB_Right	18.55	20.02	30	PASS
N66	15	20	DFT-PI2BPSK	M	Outer_Full	22.35	23.82	30	PASS
N66	15	20	DFT-PI2BPSK	M	Inner_Full	22.96	24.43	30	PASS
N66	15	20	DFT-PI2BPSK	M	Edge_1RB_Left	22.24	23.71	30	PASS
N66	15	20	DFT-PI2BPSK	M	Edge_1RB_Right	22.31	23.78	30	PASS
N66	15	20	DFT-QPSK	M	Outer_Full	21.83	23.30	30	PASS
N66	15	20	DFT-QPSK	M	Inner_Full	22.88	24.35	30	PASS
N66	15	20	DFT-QPSK	M	Edge_1RB_Left	22.00	23.47	30	PASS

N66	15	20	DFT-QPSK	M	Edge_1RB_Right	21.85	23.32	30	PASS
N66	15	20	DFT-16QAM	M	Outer_Full	20.89	22.36	30	PASS
N66	15	20	DFT-16QAM	M	Inner_Full	21.78	23.25	30	PASS
N66	15	20	DFT-16QAM	M	Edge_1RB_Left	20.65	22.12	30	PASS
N66	15	20	DFT-16QAM	M	Edge_1RB_Right	21.23	22.70	30	PASS
N66	15	20	DFT-64QAM	M	Outer_Full	20.39	21.86	30	PASS
N66	15	20	DFT-64QAM	M	Inner_Full	20.33	21.80	30	PASS
N66	15	20	DFT-64QAM	M	Edge_1RB_Left	20.29	21.76	30	PASS
N66	15	20	DFT-64QAM	M	Edge_1RB_Right	20.80	22.27	30	PASS
N66	15	20	DFT-256QAM	M	Outer_Full	18.43	19.90	30	PASS
N66	15	20	DFT-256QAM	M	Inner_Full	18.41	19.88	30	PASS
N66	15	20	DFT-256QAM	M	Edge_1RB_Left	18.61	20.08	30	PASS
N66	15	20	DFT-256QAM	M	Edge_1RB_Right	18.83	20.30	30	PASS
N66	15	20	DFT-PI2BPSK	H	Outer_Full	22.38	23.85	30	PASS
N66	15	20	DFT-PI2BPSK	H	Inner_Full	22.91	24.38	30	PASS
N66	15	20	DFT-PI2BPSK	H	Edge_1RB_Left	22.17	23.64	30	PASS
N66	15	20	DFT-PI2BPSK	H	Edge_1RB_Right	22.14	23.61	30	PASS
N66	15	20	DFT-QPSK	H	Outer_Full	21.78	23.25	30	PASS
N66	15	20	DFT-QPSK	H	Inner_Full	22.77	24.24	30	PASS
N66	15	20	DFT-QPSK	H	Edge_1RB_Left	21.98	23.45	30	PASS
N66	15	20	DFT-QPSK	H	Edge_1RB_Right	21.93	23.40	30	PASS
N66	15	20	DFT-16QAM	H	Outer_Full	20.74	22.21	30	PASS
N66	15	20	DFT-16QAM	H	Inner_Full	21.81	23.28	30	PASS
N66	15	20	DFT-16QAM	H	Edge_1RB_Left	20.50	21.97	30	PASS
N66	15	20	DFT-16QAM	H	Edge_1RB_Right	20.76	22.23	30	PASS
N66	15	20	DFT-64QAM	H	Outer_Full	20.37	21.84	30	PASS
N66	15	20	DFT-64QAM	H	Inner_Full	20.28	21.75	30	PASS
N66	15	20	DFT-64QAM	H	Edge_1RB_Left	20.27	21.74	30	PASS
N66	15	20	DFT-64QAM	H	Edge_1RB_Right	20.48	21.95	30	PASS
N66	15	20	DFT-256QAM	H	Outer_Full	18.25	19.72	30	PASS
N66	15	20	DFT-256QAM	H	Inner_Full	18.34	19.81	30	PASS
N66	15	20	DFT-256QAM	H	Edge_1RB_Left	18.55	20.02	30	PASS
N66	15	20	DFT-256QAM	H	Edge_1RB_Right	17.90	19.37	30	PASS
N66	15	40	DFT-PI2BPSK	L	Outer_Full	22.53	24.00	30	PASS
N66	15	40	DFT-PI2BPSK	L	Inner_Full	22.95	24.42	30	PASS
N66	15	40	DFT-PI2BPSK	L	Edge_1RB_Left	22.37	23.84	30	PASS
N66	15	40	DFT-PI2BPSK	L	Edge_1RB_Right	22.59	24.06	30	PASS
N66	15	40	DFT-QPSK	L	Outer_Full	21.92	23.39	30	PASS
N66	15	40	DFT-QPSK	L	Inner_Full	22.86	24.33	30	PASS
N66	15	40	DFT-QPSK	L	Edge_1RB_Left	21.78	23.25	30	PASS
N66	15	40	DFT-QPSK	L	Edge_1RB_Right	22.05	23.52	30	PASS
N66	15	40	DFT-16QAM	L	Outer_Full	20.85	22.32	30	PASS
N66	15	40	DFT-16QAM	L	Inner_Full	21.74	23.21	30	PASS

N66	15	40	DFT-16QAM	L	Edge_1RB_Left	20.87	22.34	30	PASS
N66	15	40	DFT-16QAM	L	Edge_1RB_Right	20.99	22.46	30	PASS
N66	15	40	DFT-64QAM	L	Outer_Full	20.34	21.81	30	PASS
N66	15	40	DFT-64QAM	L	Inner_Full	20.34	21.81	30	PASS
N66	15	40	DFT-64QAM	L	Edge_1RB_Left	20.63	22.10	30	PASS
N66	15	40	DFT-64QAM	L	Edge_1RB_Right	20.58	22.05	30	PASS
N66	15	40	DFT-256QAM	L	Outer_Full	18.41	19.88	30	PASS
N66	15	40	DFT-256QAM	L	Inner_Full	18.36	19.83	30	PASS
N66	15	40	DFT-256QAM	L	Edge_1RB_Left	18.57	20.04	30	PASS
N66	15	40	DFT-256QAM	L	Edge_1RB_Right	18.39	19.86	30	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	22.48	23.95	30	PASS
N66	15	40	DFT-PI2BPSK	M	Inner_Full	23.02	24.49	30	PASS
N66	15	40	DFT-PI2BPSK	M	Edge_1RB_Left	22.25	23.72	30	PASS
N66	15	40	DFT-PI2BPSK	M	Edge_1RB_Right	22.43	23.90	30	PASS
N66	15	40	DFT-QPSK	M	Outer_Full	22.03	23.50	30	PASS
N66	15	40	DFT-QPSK	M	Inner_Full	23.08	24.55	30	PASS
N66	15	40	DFT-QPSK	M	Edge_1RB_Left	21.73	23.20	30	PASS
N66	15	40	DFT-QPSK	M	Edge_1RB_Right	21.89	23.36	30	PASS
N66	15	40	DFT-16QAM	M	Outer_Full	21.01	22.48	30	PASS
N66	15	40	DFT-16QAM	M	Inner_Full	22.00	23.47	30	PASS
N66	15	40	DFT-16QAM	M	Edge_1RB_Left	20.85	22.32	30	PASS
N66	15	40	DFT-16QAM	M	Edge_1RB_Right	21.06	22.53	30	PASS
N66	15	40	DFT-64QAM	M	Outer_Full	20.53	22.00	30	PASS
N66	15	40	DFT-64QAM	M	Inner_Full	20.46	21.93	30	PASS
N66	15	40	DFT-64QAM	M	Edge_1RB_Left	20.61	22.08	30	PASS
N66	15	40	DFT-64QAM	M	Edge_1RB_Right	20.62	22.09	30	PASS
N66	15	40	DFT-256QAM	M	Outer_Full	18.52	19.99	30	PASS
N66	15	40	DFT-256QAM	M	Inner_Full	18.52	19.99	30	PASS
N66	15	40	DFT-256QAM	M	Edge_1RB_Left	18.64	20.11	30	PASS
N66	15	40	DFT-256QAM	M	Edge_1RB_Right	18.18	19.65	30	PASS
N66	15	40	DFT-PI2BPSK	H	Outer_Full	22.47	23.94	30	PASS
N66	15	40	DFT-PI2BPSK	H	Inner_Full	23.00	24.47	30	PASS
N66	15	40	DFT-PI2BPSK	H	Edge_1RB_Left	22.51	23.98	30	PASS
N66	15	40	DFT-PI2BPSK	H	Edge_1RB_Right	22.46	23.93	30	PASS
N66	15	40	DFT-QPSK	H	Outer_Full	21.91	23.38	30	PASS
N66	15	40	DFT-QPSK	H	Inner_Full	23.05	24.52	30	PASS
N66	15	40	DFT-QPSK	H	Edge_1RB_Left	22.11	23.58	30	PASS
N66	15	40	DFT-QPSK	H	Edge_1RB_Right	21.90	23.37	30	PASS
N66	15	40	DFT-16QAM	H	Outer_Full	20.97	22.44	30	PASS
N66	15	40	DFT-16QAM	H	Inner_Full	21.97	23.44	30	PASS
N66	15	40	DFT-16QAM	H	Edge_1RB_Left	21.13	22.60	30	PASS
N66	15	40	DFT-16QAM	H	Edge_1RB_Right	21.18	22.65	30	PASS
N66	15	40	DFT-64QAM	H	Outer_Full	20.41	21.88	30	PASS

N66	15	40	DFT-64QAM	H	Inner_Full	20.46	21.93	30	PASS
N66	15	40	DFT-64QAM	H	Edge_1RB_Left	21.00	22.47	30	PASS
N66	15	40	DFT-64QAM	H	Edge_1RB_Right	20.50	21.97	30	PASS
N66	15	40	DFT-256QAM	H	Outer_Full	18.44	19.91	30	PASS
N66	15	40	DFT-256QAM	H	Inner_Full	18.50	19.97	30	PASS
N66	15	40	DFT-256QAM	H	Edge_1RB_Left	18.68	20.15	30	PASS
N66	15	40	DFT-256QAM	H	Edge_1RB_Right	18.39	19.86	30	PASS


Peak-to-Average Ratio for SA



Peak-to-Average Ratio(CCDF)


Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N66	15	5	DFT-PI2BPSK	M	Outer_Full	3.96	≤13	PASS
N66	15	5	DFT-QPSK	M	Outer_Full	4.57	≤13	PASS
N66	15	5	DFT-16QAM	M	Outer_Full	5.58	≤13	PASS
N66	15	5	DFT-64QAM	M	Outer_Full	5.96	≤13	PASS
N66	15	5	DFT-256QAM	M	Outer_Full	6.56	≤13	PASS
N66	15	10	DFT-PI2BPSK	M	Outer_Full	3.93	≤13	PASS
N66	15	10	DFT-QPSK	M	Outer_Full	4.58	≤13	PASS
N66	15	10	DFT-16QAM	M	Outer_Full	5.58	≤13	PASS
N66	15	10	DFT-64QAM	M	Outer_Full	6.16	≤13	PASS
N66	15	10	DFT-256QAM	M	Outer_Full	6.63	≤13	PASS
N66	15	15	DFT-PI2BPSK	M	Outer_Full	4.06	≤13	PASS
N66	15	15	DFT-QPSK	M	Outer_Full	4.56	≤13	PASS
N66	15	15	DFT-16QAM	M	Outer_Full	5.53	≤13	PASS
N66	15	15	DFT-64QAM	M	Outer_Full	6.02	≤13	PASS
N66	15	15	DFT-256QAM	M	Outer_Full	6.73	≤13	PASS
N66	15	20	DFT-PI2BPSK	M	Outer_Full	4.09	≤13	PASS
N66	15	20	DFT-QPSK	M	Outer_Full	4.59	≤13	PASS
N66	15	20	DFT-16QAM	M	Outer_Full	5.54	≤13	PASS
N66	15	20	DFT-64QAM	M	Outer_Full	6.00	≤13	PASS
N66	15	20	DFT-256QAM	M	Outer_Full	6.68	≤13	PASS
N66	15	40	DFT-PI2BPSK	M	Outer_Full	3.87	≤13	PASS
N66	15	40	DFT-QPSK	M	Outer_Full	4.59	≤13	PASS
N66	15	40	DFT-16QAM	M	Outer_Full	5.53	≤13	PASS
N66	15	40	DFT-64QAM	M	Outer_Full	6.00	≤13	PASS
N66	15	40	DFT-256QAM	M	Outer_Full	6.70	≤13	PASS

Test Graphs








NTNV-N66-PC3-15-10-M-DFT-64QAM-Outer_Full-PASS




NTNV-N66-PC3-15-10-M-DFT-256QAM-Outer_Full-PASS



NTNV-N66-PC3-15-15-M-DFT-PI2BPSK-Outer_Full-PASS




NTNV-N66-PC3-15-15-M-DFT-QPSK-Outer_Full-PASS



NTNV-N66-PC3-15-15-M-DFT-16QAM-Outer_Full-PASS




NTNV-N66-PC3-15-15-M-DFT-64QAM-Outer_Full-PASS



NTNV-N66-PC3-15-15-M-DFT-256QAM-Outer_Full-PASS



NTNV-N66-PC3-15-20-M-DFT-PI2BPSK-Outer_Full-PASS



NTNV-N66-PC3-15-20-M-DFT-QPSK-Outter_Full-PASS




NTNV-N66-PC3-15-20-M-DFT-16QAM-Outter_Full-PASS




NTNV-N66-PC3-15-20-M-DFT-64QAM-Outter_Full-PASS




NTNV-N66-PC3-15-20-M-DFT-256QAM-Outter_Full-PASS



NTNV-N66-PC3-15-40-M-DFT-PI2BPSK-Outter_Full-PASS




NTNV-N66-PC3-15-40-M-DFT-QPSK-Outter_Full-PASS



NTNV-N66-PC3-15-40-M-DFT-16QAM-Outter_Full-PASS



NTNV-N66-PC3-15-40-M-DFT-64QAM-Outter_Full-PASS





26dB Bandwidth and Occupied Bandwidth for SA

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N66	15	5	CP-QPSK	M	Outer_Full	4.4794	4.935	PASS
N66	15	5	CP-16QAM	M	Outer_Full	4.4726	4.957	PASS
N66	15	5	CP-64QAM	M	Outer_Full	4.4752	4.983	PASS
N66	15	5	CP-256QAM	M	Outer_Full	4.4692	4.896	PASS
N66	15	10	CP-QPSK	M	Outer_Full	9.2761	9.973	PASS
N66	15	10	CP-16QAM	M	Outer_Full	9.2698	9.622	PASS
N66	15	10	CP-64QAM	M	Outer_Full	9.2914	9.954	PASS
N66	15	10	CP-256QAM	M	Outer_Full	9.2750	9.939	PASS
N66	15	15	CP-QPSK	M	Outer_Full	14.093	14.93	PASS
N66	15	15	CP-16QAM	M	Outer_Full	14.111	14.94	PASS
N66	15	15	CP-64QAM	M	Outer_Full	14.099	14.92	PASS
N66	15	15	CP-256QAM	M	Outer_Full	14.098	14.87	PASS
N66	15	20	CP-QPSK	M	Outer_Full	18.916	19.85	PASS
N66	15	20	CP-16QAM	M	Outer_Full	18.914	19.85	PASS
N66	15	20	CP-64QAM	M	Outer_Full	18.907	20.23	PASS
N66	15	20	CP-256QAM	M	Outer_Full	18.907	19.88	PASS
N66	15	40	CP-QPSK	M	Outer_Full	38.542	40.28	PASS
N66	15	40	CP-16QAM	M	Outer_Full	38.513	40.28	PASS
N66	15	40	CP-64QAM	M	Outer_Full	38.531	59.68	PASS
N66	15	40	CP-256QAM	M	Outer_Full	38.484	40.40	PASS

Test Graphs





NTNV-N66-PC3-15-10-M-CP-QPSK-Outer_Full-Ant1-PASS




NTNV-N66-PC3-15-10-M-CP-16QAM-Outer_Full-Ant1-PASS



NTNV-N66-PC3-15-10-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-N66-PC3-15-10-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-N66-PC3-15-15-M-CP-QPSK-Outer_Full-Ant1-PASS



NTNV-N66-PC3-15-15-M-CP-16QAM-Outer_Full-Ant1-PASS



NTNV-N66-PC3-15-15-M-CP-64QAM-Outer_Full-Ant1-PASS



NTNV-N66-PC3-15-15-M-CP-256QAM-Outer_Full-Ant1-PASS