




B66_N41(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B66_N41(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B66_N41(10M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




B66_N41(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




B66_N41(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




B66_N41(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




B66_N41(10M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




B66_N41(10M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




B66_N41(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B66_N41(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B66_N41(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH



B66_N41(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




B66_N41(20M)_DFT-s- OFDM_BPSK_Edge_1RB_Right_High_CH



B66_N41(20M)_DFT-s- OFDM_BPSK_Edge_1RB_Right_High_CH_ch P_PASS




B66_N41(20M)_DFT-s- OFDM_QPSK_Edge_1RB_Right_High_CH




B66_N41(20M)_DFT-s- OFDM_QPSK_Edge_1RB_Right_High_CH_ch P_PASS




B66_N41(20M)_DFT-s- OFDM_BPSK_Outer_Full_High_CH




B66_N41(20M)_DFT-s- OFDM_QPSK_Outer_Full_High_CH




B66_N41(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




B66_N41(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH_chp_ PASS




B66_N41(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




B66_N41(50M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




B66_N41(50M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




B66_N41(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH



B66_N41(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CH




B66_N41(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH




B66_N41(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



B66_N41(50M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH



B66_N41(50M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



FR1 N41 (ANT2) for SCS 15KHz

LTE Band: 66(ANT1), LTE BW: 10M, LTE ARFCN: Mid

Transmitter Conducted Output Power And ERP, (G_T-L_C)=-1.44dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@1	24.09	22.65	0.1841
41	30	10	500202	2501.01	DFT-s-OFDM 16 QAM	1@1	23.18	21.74	0.1493
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.02	22.58	0.1811
41	30	10	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.07	21.63	0.1455
41	30	10	537000	2685	DFT-s-OFDM QPSK	1@1	24.04	22.6	0.1820
41	30	10	537000	2685	DFT-s-OFDM 16 QAM	1@1	23.09	21.65	0.1462
41	30	15	500700	2503.5	DFT-s-OFDM QPSK	1@1	24.11	22.67	0.1849
41	30	15	500700	2503.5	DFT-s-OFDM 16 QAM	1@1	23.2	21.76	0.1500
41	30	15	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.03	22.59	0.1816
41	30	15	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.12	21.68	0.1472
41	30	15	536496	2682.48	DFT-s-OFDM QPSK	1@1	23.96	22.52	0.1786
41	30	15	536496	2682.48	DFT-s-OFDM 16 QAM	1@1	23.03	21.59	0.1442
41	30	20	501204	2506.02	DFT-s-OFDM QPSK	1@1	24.13	22.69	0.1858
41	30	20	501204	2506.02	DFT-s-OFDM 16 QAM	1@1	23.19	21.75	0.1496
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	1@1	24	22.56	0.1803
41	30	20	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.06	21.62	0.1452
41	30	20	535998	2679.99	DFT-s-OFDM QPSK	1@1	23.98	22.54	0.1795
41	30	20	535998	2679.99	DFT-s-OFDM 16 QAM	1@1	23.03	21.59	0.1442
41	30	30	502200	2511	DFT-s-OFDM QPSK	1@1	24.09	22.65	0.1841
41	30	30	502200	2511	DFT-s-OFDM 16 QAM	1@1	23.17	21.73	0.1489
41	30	30	518598	2592.99	DFT-s-OFDM QPSK	1@1	23.98	22.54	0.1795
41	30	30	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.09	21.65	0.1462
41	30	30	534996	2674.98	DFT-s-OFDM QPSK	1@1	23.89	22.45	0.1758
41	30	30	534996	2674.98	DFT-s-OFDM 16 QAM	1@1	22.96	21.52	0.1419
41	30	40	503202	2516.01	DFT-s-OFDM QPSK	1@1	24.08	22.64	0.1837
41	30	40	503202	2516.01	DFT-s-OFDM 16 QAM	1@1	23.14	21.7	0.1479
41	30	40	518598	2592.99	DFT-s-OFDM QPSK	1@1	24	22.56	0.1803

41	30	40	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.08	21.64	0.1459
41	30	40	534000	2670	DFT-s-OFDM QPSK	1@1	23.87	22.43	0.1750
41	30	40	534000	2670	DFT-s-OFDM 16 QAM	1@1	22.9	21.46	0.1400
41	30	50	504204	2521.02	DFT-s-OFDM QPSK	1@1	24.08	22.64	0.1837
41	30	50	504204	2521.02	DFT-s-OFDM 16 QAM	1@1	23.17	21.73	0.1489
41	30	50	518598	2592.99	DFT-s-OFDM QPSK	1@1	24.01	22.57	0.1807
41	30	50	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	23.04	21.6	0.1445
41	30	50	532998	2664.99	DFT-s-OFDM QPSK	1@1	23.86	22.42	0.1746
41	30	50	532998	2664.99	DFT-s-OFDM 16 QAM	1@1	22.92	21.48	0.1406
41	30	60	505200	2526	DFT-s-OFDM QPSK	1@1	24.08	22.64	0.1837
41	30	60	505200	2526	DFT-s-OFDM 16 QAM	1@1	23.14	21.7	0.1479
41	30	60	518598	2592.99	DFT-s-OFDM QPSK	1@1	23.91	22.47	0.1766
41	30	60	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	22.97	21.53	0.1422
41	30	60	531996	2659.98	DFT-s-OFDM QPSK	1@1	23.87	22.43	0.1750
41	30	60	531996	2659.98	DFT-s-OFDM 16 QAM	1@1	22.9	21.46	0.1400
41	30	70	506202	2531.01	DFT-s-OFDM QPSK	1@1	24.05	22.61	0.1824
41	30	70	506202	2531.01	DFT-s-OFDM 16 QAM	1@1	23.13	21.69	0.1476
41	30	70	518598	2592.99	DFT-s-OFDM QPSK	1@1	23.88	22.44	0.1754
41	30	70	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	22.96	21.52	0.1419
41	30	70	531000	2655	DFT-s-OFDM QPSK	1@1	23.9	22.46	0.1762
41	30	70	531000	2655	DFT-s-OFDM 16 QAM	1@1	22.94	21.5	0.1413
41	30	80	507204	2536.02	DFT-s-OFDM QPSK	1@1	24.06	22.62	0.1828
41	30	80	507204	2536.02	DFT-s-OFDM 16 QAM	1@1	23.15	21.71	0.1483
41	30	80	518598	2592.99	DFT-s-OFDM QPSK	1@1	23.93	22.49	0.1774
41	30	80	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	22.92	21.48	0.1406
41	30	80	529998	2649.99	DFT-s-OFDM QPSK	1@1	23.8	22.36	0.1722
41	30	80	529998	2649.99	DFT-s-OFDM 16 QAM	1@1	22.86	21.42	0.1387
41	30	90	508200	2541	DFT-s-OFDM QPSK	1@1	24.08	22.64	0.1837
41	30	90	508200	2541	DFT-s-OFDM 16 QAM	1@1	23.14	21.7	0.1479
41	30	90	518598	2592.99	DFT-s-OFDM QPSK	1@1	23.86	22.42	0.1746
41	30	90	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	22.94	21.5	0.1413
41	30	90	528996	2644.98	DFT-s-OFDM QPSK	1@1	23.79	22.35	0.1718
41	30	90	528996	2644.98	DFT-s-OFDM 16 QAM	1@1	22.86	21.42	0.1387
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	135@67	24.21	22.77	0.1892

41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@1	24.16	22.72	0.1871
41	30	100	509202	2546.01	DFT-s-OFDM PI/2 BPSK	1@271	24.31	22.87	0.1936
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	135@67	24.24	22.8	0.1905
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@1	24.2	22.76	0.1888
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@271	24.35	22.91	0.1954
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	135@67	23.31	21.87	0.1538
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@1	23.18	21.74	0.1493
41	30	100	509202	2546.01	DFT-s-OFDM 16 QAM	1@271	23.27	21.83	0.1524
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	135@67	21.8	20.36	0.1086
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@1	21.72	20.28	0.1067
41	30	100	509202	2546.01	DFT-s-OFDM 64 QAM	1@271	21.82	20.38	0.1091
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	135@67	19.81	18.37	0.0687
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@1	19.92	18.48	0.0705
41	30	100	509202	2546.01	DFT-s-OFDM 256 QAM	1@271	20.13	18.69	0.0740
41	30	100	509202	2546.01	CP-OFDM QPSK	137@68	22.75	21.31	0.1352
41	30	100	509202	2546.01	CP-OFDM QPSK	1@1	22.69	21.25	0.1334
41	30	100	509202	2546.01	CP-OFDM QPSK	1@271	22.83	21.39	0.1377
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	135@67	24.18	22.74	0.1879
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@1	23.92	22.48	0.1770
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@271	24.4	22.96	0.1977
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	135@67	24.22	22.78	0.1897
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@1	23.93	22.49	0.1774
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@271	24.42	22.98	0.1986
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	135@67	23.26	21.82	0.1521
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@1	22.9	21.46	0.1400
41	30	100	518598	2592.99	DFT-s-OFDM 16 QAM	1@271	23.37	21.93	0.1560
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	135@67	21.74	20.3	0.1072
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@1	21.4	19.96	0.0991
41	30	100	518598	2592.99	DFT-s-OFDM 64 QAM	1@271	21.91	20.47	0.1114
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	135@67	19.77	18.33	0.0681
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@1	19.67	18.23	0.0665
41	30	100	518598	2592.99	DFT-s-OFDM 256 QAM	1@271	20.13	18.69	0.0740
41	30	100	518598	2592.99	CP-OFDM QPSK	137@68	22.7	21.26	0.1337
41	30	100	518598	2592.99	CP-OFDM QPSK	1@1	22.44	21	0.1259

41	30	100	518598	2592.99	CP-OFDM QPSK	1@271	22.95	21.51	0.1416
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	135@67	24.22	22.78	0.1897
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@1	23.88	22.44	0.1754
41	30	100	528000	2640	DFT-s-OFDM PI/2 BPSK	1@271	24.42	22.98	0.1986
41	30	100	528000	2640	DFT-s-OFDM QPSK	135@67	24.23	22.79	0.1901
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@1	23.84	22.4	0.1738
41	30	100	528000	2640	DFT-s-OFDM QPSK	1@271	24.42	22.98	0.1986
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	135@67	23.29	21.85	0.1531
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@1	22.89	21.45	0.1396
41	30	100	528000	2640	DFT-s-OFDM 16 QAM	1@271	23.4	21.96	0.1570
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	135@67	21.78	20.34	0.1081
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@1	21.45	20.01	0.1002
41	30	100	528000	2640	DFT-s-OFDM 64 QAM	1@271	21.88	20.44	0.1107
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	135@67	19.8	18.36	0.0685
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@1	19.57	18.13	0.0650
41	30	100	528000	2640	DFT-s-OFDM 256 QAM	1@271	20.11	18.67	0.0736
41	30	100	528000	2640	CP-OFDM QPSK	137@68	22.73	21.29	0.1346
41	30	100	528000	2640	CP-OFDM QPSK	1@1	22.35	20.91	0.1233
41	30	100	528000	2640	CP-OFDM QPSK	1@271	22.95	21.51	0.1416


Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00696	PASS	NV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00329	PASS	LV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00307	PASS	HV
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00202	PASS	-30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00005	PASS	-20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00458	PASS	-10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00369	PASS	0°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00483	PASS	10°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00316	PASS	20°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00036	PASS	30°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00651	PASS	40°C
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	0.00526	PASS	50°C


Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
41	30	20	501204	2506.02	DFT-s-OFDM PI/2 BPSK	50@0	7.0	13	PASS
41	30	20	501204	2506.02	DFT-s-OFDM PI/2 BPSK	1@0	6.25	13	PASS
41	30	20	501204	2506.02	DFT-s-OFDM QPSK	50@0	8.11	13	PASS
41	30	20	501204	2506.02	DFT-s-OFDM QPSK	1@0	8.17	13	PASS
41	30	20	518598	2592.99	DFT-s-OFDM PI/2 BPSK	50@0	6.93	13	PASS
41	30	20	518598	2592.99	DFT-s-OFDM PI/2 BPSK	1@0	6.25	13	PASS
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	8.03	13	PASS
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	1@0	7.66	13	PASS
41	30	20	535998	2679.99	DFT-s-OFDM PI/2 BPSK	50@0	6.94	13	PASS
41	30	20	535998	2679.99	DFT-s-OFDM PI/2 BPSK	1@0	6.72	13	PASS
41	30	20	535998	2679.99	DFT-s-OFDM QPSK	50@0	8.08	13	PASS
41	30	20	535998	2679.99	DFT-s-OFDM QPSK	1@0	8.49	13	PASS

B66_N41(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH




B66_N41(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



B66_N41(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B66_N41(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B66_N41(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




B66_N41(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH




B66_N41(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B66_N41(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH




B66_N41(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



B66_N41(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B66_N41(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
41	30	10	518598	2592.99	DFT-s-OFDM PI/2 BPSK	24@0	8.5958	9.174
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	24@0	8.5618	9.172
41	30	10	518598	2592.99	CP-OFDM QPSK	24@0	8.568	9.544
41	30	10	518598	2592.99	CP-OFDM 16 QAM	24@0	8.5736	9.725
41	30	10	518598	2592.99	CP-OFDM 64 QAM	24@0	8.5861	9.181
41	30	10	518598	2592.99	CP-OFDM 256 QAM	24@0	8.5757	9.25
41	30	15	518598	2592.99	DFT-s-OFDM PI/2 BPSK	36@0	12.859	13.64
41	30	15	518598	2592.99	DFT-s-OFDM QPSK	36@0	12.805	13.63
41	30	15	518598	2592.99	CP-OFDM QPSK	38@0	13.563	14.54
41	30	15	518598	2592.99	CP-OFDM 16 QAM	38@0	13.578	14.38
41	30	15	518598	2592.99	CP-OFDM 64 QAM	38@0	13.569	14.94
41	30	15	518598	2592.99	CP-OFDM 256 QAM	38@0	13.565	14.73
41	30	20	518598	2592.99	DFT-s-OFDM PI/2 BPSK	50@0	17.827	19.04
41	30	20	518598	2592.99	DFT-s-OFDM QPSK	50@0	17.823	19.2
41	30	20	518598	2592.99	CP-OFDM QPSK	51@0	18.197	19.24
41	30	20	518598	2592.99	CP-OFDM 16 QAM	51@0	18.2	19.15
41	30	20	518598	2592.99	CP-OFDM 64 QAM	51@0	18.174	19.07
41	30	20	518598	2592.99	CP-OFDM 256 QAM	51@0	18.191	19.03
41	30	30	518598	2592.99	DFT-s-OFDM PI/2 BPSK	75@0	26.741	28.06
41	30	30	518598	2592.99	DFT-s-OFDM QPSK	75@0	26.72	28.04
41	30	30	518598	2592.99	CP-OFDM QPSK	78@0	27.81	29.39
41	30	30	518598	2592.99	CP-OFDM 16 QAM	78@0	27.845	29.27
41	30	30	518598	2592.99	CP-OFDM 64 QAM	78@0	27.855	29.16
41	30	30	518598	2592.99	CP-OFDM 256 QAM	78@0	27.83	29.03


41	30	40	518598	2592.99	DFT-s-OFDM PI/2 BPSK	100@0	35.737	38.0
41	30	40	518598	2592.99	DFT-s-OFDM QPSK	100@0	35.69	37.36
41	30	40	518598	2592.99	CP-OFDM QPSK	106@0	37.798	39.55
41	30	40	518598	2592.99	CP-OFDM 16 QAM	106@0	37.786	40.32
41	30	40	518598	2592.99	CP-OFDM 64 QAM	106@0	37.787	39.21
41	30	40	518598	2592.99	CP-OFDM 256 QAM	106@0	37.777	39.37
41	30	50	518598	2592.99	DFT-s-OFDM PI/2 BPSK	128@0	45.692	47.31
41	30	50	518598	2592.99	DFT-s-OFDM QPSK	128@0	45.739	47.3
41	30	50	518598	2592.99	CP-OFDM QPSK	133@0	47.567	50.28
41	30	50	518598	2592.99	CP-OFDM 16 QAM	133@0	47.52	49.28
41	30	50	518598	2592.99	CP-OFDM 64 QAM	133@0	47.479	48.96
41	30	50	518598	2592.99	CP-OFDM 256 QAM	133@0	47.44	49.26
41	30	60	518598	2592.99	DFT-s-OFDM PI/2 BPSK	162@0	57.798	59.73
41	30	60	518598	2592.99	DFT-s-OFDM QPSK	162@0	57.823	59.75
41	30	60	518598	2592.99	CP-OFDM QPSK	162@0	57.777	59.73
41	30	60	518598	2592.99	CP-OFDM 16 QAM	162@0	57.725	59.82
41	30	60	518598	2592.99	CP-OFDM 64 QAM	162@0	57.8	59.79
41	30	60	518598	2592.99	CP-OFDM 256 QAM	162@0	57.821	59.76
41	30	70	518598	2592.99	DFT-s-OFDM PI/2 BPSK	180@0	64.52	66.49
41	30	70	518598	2592.99	DFT-s-OFDM QPSK	180@0	64.349	66.42
41	30	70	518598	2592.99	CP-OFDM QPSK	189@0	67.425	70.97
41	30	70	518598	2592.99	CP-OFDM 16 QAM	189@0	67.568	69.59
41	30	70	518598	2592.99	CP-OFDM 64 QAM	189@0	67.466	69.73
41	30	70	518598	2592.99	CP-OFDM 256 QAM	189@0	67.425	69.67
41	30	80	518598	2592.99	DFT-s-OFDM PI/2 BPSK	216@0	77.287	79.64
41	30	80	518598	2592.99	DFT-s-OFDM	216@0	77.129	79.71

QPSK								
41	30	80	518598	2592.99	CP-OFDM QPSK	217@0	77.573	79.93
41	30	80	518598	2592.99	CP-OFDM 16 QAM	217@0	77.581	79.96
41	30	80	518598	2592.99	CP-OFDM 64 QAM	217@0	77.531	79.93
41	30	80	518598	2592.99	CP-OFDM 256 QAM	217@0	77.541	80.01
41	30	90	518598	2592.99	DFT-s-OFDM PI/2 BPSK	240@0	85.851	88.63
41	30	90	518598	2592.99	DFT-s-OFDM QPSK	240@0	85.807	89.26
41	30	90	518598	2592.99	CP-OFDM QPSK	245@0	87.649	90.19
41	30	90	518598	2592.99	CP-OFDM 16 QAM	245@0	87.51	91.76
41	30	90	518598	2592.99	CP-OFDM 64 QAM	245@0	87.572	90.34
41	30	90	518598	2592.99	CP-OFDM 256 QAM	245@0	87.537	90.28
41	30	100	518598	2592.99	DFT-s-OFDM PI/2 BPSK	270@0	96.667	99.56
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	270@0	96.471	99.54
41	30	100	518598	2592.99	CP-OFDM QPSK	273@0	97.509	100.6
41	30	100	518598	2592.99	CP-OFDM 16 QAM	273@0	97.632	101.8
41	30	100	518598	2592.99	CP-OFDM 64 QAM	273@0	97.618	100.8
41	30	100	518598	2592.99	CP-OFDM 256 QAM	273@0	97.523	100.7

B66_N41(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(30M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(30M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(40M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(40M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(40M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(50M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(50M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(50M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(50M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(50M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(50M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(60M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(60M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(60M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(60M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(60M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(60M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(70M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(70M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(70M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(70M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(70M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(70M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(80M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(80M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(80M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(80M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(80M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(80M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(90M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(90M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(90M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(90M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




B66_N41(90M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




B66_N41(90M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




B66_N41(100M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




B66_N41(100M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(100M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




B66_N41(100M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



B66_N41(100M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



B66_N41(100M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	500202	2501.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	500202	2501.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	10	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	10	537000	2685.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	50	504204	2521.02	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	50	504204	2521.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	50	504204	2521.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	50	504204	2521.02	DFT-s-OFDM QPSK	1@0	see graph	---

41	30	50	504204	2521.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	50	504204	2521.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	50	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	50	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	50	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	50	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	50	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	50	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	50	532998	2664.99	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	50	532998	2664.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	50	532998	2664.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	50	532998	2664.99	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	50	532998	2664.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	50	532998	2664.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	509202	2546.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	100	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	518598	2592.99	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	---

41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	518598	2592.99	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM BPSK	1@0	see graph	---
41	30	100	528000	2640.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	1@0	see graph	---
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
41	30	100	528000	2640.0	DFT-s-OFDM QPSK	1@0	see graph	PASS