


Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-57.82	-13	Pass	401
0.15	30	0.01	Peak	0.16	-52.37	-13	Pass	2985
30	500	0.1	Peak	356.67	-42.95	-13	Pass	4700
500	1000	0.1	Peak	824.165	32.85	-13	N/A	5000
1000	10000	1	Peak	8265.887	-21.73	-13	Pass	9000




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-52.61	-13	Pass	2985
30	500	0.1	Peak	491.498	-42.81	-13	Pass	4700
500	1000	0.1	Peak	836.667	33.18	-13	N/A	5000
1000	10000	1	Peak	9362.211	-21.5	-13	Pass	9000



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-58.27	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.51	-13	Pass	2985
30	500	0.1	Peak	481.096	-42.49	-13	Pass	4700
500	1000	0.1	Peak	848.87	33.25	-13	N/A	5000
1000	10000	1	Peak	7743.823	-21.48	-13	Pass	9000



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.38	-13	Pass	401
0.15	30	0.01	Peak	0.24	-59.44	-13	Pass	2985
30	1000	0.1	Peak	964.653	-47.1	-13	Pass	9699
1000	3000	1	Peak	1850.425	29.77	-13	N/A	2000
3000	20000	1	Peak	19880.807	-44.96	-13	Pass	17000




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.66	-13	Pass	401
0.15	30	0.01	Peak	0.16	-57.98	-13	Pass	2985
30	1000	0.1	Peak	986.883	-48.14	-13	Pass	9699
1000	3000	1	Peak	1879.44	29.29	-13	N/A	2000
3000	20000	1	Peak	7520.552	-42.95	-13	Pass	17000



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-62.73	-13	Pass	401
0.15	30	0.01	Peak	0.17	-58.84	-13	Pass	2985
30	1000	0.1	Peak	453.852	-47.93	-13	Pass	9699
1000	3000	1	Peak	1910.455	28.23	-13	N/A	2000
3000	20000	1	Peak	7638.566	-41.77	-13	Pass	17000




EGPRS

3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-56.67	-13	Pass	401
0.15	30	0.01	Peak	0.26	-53.36	-13	Pass	2985
30	500	0.1	Peak	362.671	-42.71	-13	Pass	4700
500	1000	0.1	Peak	824.165	29.09	-13	N/A	5000
1000	10000	1	Peak	6949.726	-21.22	-13	Pass	9000




3.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.018	-57.63	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.12	-13	Pass	2985
30	500	0.1	Peak	449.889	-43.05	-13	Pass	4700
500	1000	0.1	Peak	836.667	24.87	-13	N/A	5000
1000	10000	1	Peak	7824.833	-21.51	-13	Pass	9000



3.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.48	-13	Pass	401
0.15	30	0.01	Peak	0.3	-53.54	-13	Pass	2985
30	500	0.1	Peak	453.99	-42.69	-13	Pass	4700
500	1000	0.1	Peak	848.87	26.73	-13	N/A	5000
1000	10000	1	Peak	7985.853	-21.79	-13	Pass	9000



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-63.05	-13	Pass	401
0.15	30	0.01	Peak	0.18	-58.67	-13	Pass	2985
30	1000	0.1	Peak	571.766	-48.51	-13	Pass	9699
1000	3000	1	Peak	1850.425	27.46	-13	N/A	2000
3000	20000	1	Peak	19599.35	-45.24	-13	Pass	17000




4.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-62.36	-13	Pass	401
0.15	30	0.01	Peak	0.29	-59.19	-13	Pass	2985
30	1000	0.1	Peak	793.393	-48.27	-13	Pass	9699
1000	3000	1	Peak	1880.44	28.88	-13	N/A	2000
3000	20000	1	Peak	19403.031	-45.71	-13	Pass	17000



4.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-63.96	-13	Pass	401
0.15	30	0.01	Peak	0.33	-59.16	-13	Pass	2985
30	1000	0.1	Peak	817.596	-47.71	-13	Pass	9699
1000	3000	1	Peak	1909.455	28.49	-13	N/A	2000
3000	20000	1	Peak	19366.998	-45.33	-13	Pass	17000




WCDMA

5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.11	-13	Pass	401
0.15	30	0.01	Peak	0.26	-62.87	-13	Pass	2985
30	1000	0.1	Peak	887.851	-52.26	-13	Pass	9699
1000	3000	1	Peak	1853.427	24.77	-13	N/A	2000
3000	20000	1	Peak	19764.618	-24.43	-13	Pass	17000




5.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.49	-13	Pass	401
0.15	30	0.01	Peak	0.24	-62.94	-13	Pass	2985
30	1000	0.1	Peak	901.569	-51.32	-13	Pass	9699
1000	3000	1	Peak	1881.441	24.22	-13	N/A	2000
3000	20000	1	Peak	19786.654	-25.03	-13	Pass	17000



5.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-67.79	-13	Pass	401
0.15	30	0.01	Peak	0.73	-63.85	-13	Pass	2985
30	1000	0.1	Peak	750.688	-52.73	-13	Pass	9699
1000	3000	1	Peak	1906.453	24.01	-13	N/A	2000
3000	20000	1	Peak	19759.61	-25.33	-13	Pass	17000



26. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-66.75	-13	Pass	401
0.15	30	0.01	Peak	0.38	-62.87	-13	Pass	2985
30	1000	0.1	Peak	996.696	-51.62	-13	Pass	9699
1000	3000	1	Peak	1713.357	24.68	-13	N/A	2000
3000	20000	1	Peak	19834.732	-24.95	-13	Pass	17000




6.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-68.26	-13	Pass	401
0.15	30	0.01	Peak	0.2	-62.44	-13	Pass	2985
30	1000	0.1	Peak	819.196	-52.28	-13	Pass	9699
1000	3000	1	Peak	1733.367	24.35	-13	N/A	2000
3000	20000	1	Peak	19377.999	-24.98	-13	Pass	17000



6.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-67.09	-13	Pass	401
0.15	30	0.01	Peak	0.29	-63.65	-13	Pass	2985
30	1000	0.1	Peak	897.564	-52.31	-13	Pass	9699
1000	3000	1	Peak	1751.376	24.67	-13	N/A	2000
3000	20000	1	Peak	19142.971	-25.16	-13	Pass	17000



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-68.32	-13	Pass	401
0.15	30	0.01	Peak	0.26	-63.69	-13	Pass	2985
30	500	0.1	Peak	342.867	-52.89	-13	Pass	4700
500	1000	0.1	Peak	825.565	19.4	-13	N/A	5000
1000	10000	1	Peak	8548.921	-32.09	-13	Pass	9000




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.41	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.58	-13	Pass	2985
30	500	0.1	Peak	369.872	-52.79	-13	Pass	4700
500	1000	0.1	Peak	837.968	18.1	-13	N/A	5000
1000	10000	1	Peak	8794.952	-32.52	-13	Pass	9000



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-66.67	-13	Pass	401
0.15	30	0.01	Peak	0.29	-62.94	-13	Pass	2985
30	500	0.1	Peak	456.691	-53.07	-13	Pass	4700
500	1000	0.1	Peak	847.169	19.53	-13	N/A	5000
1000	10000	1	Peak	7018.735	-31.68	-13	Pass	9000




LTE

18. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.54	-13	Pass	2985
30	1000	0.1	RMS	875.034	-63.82	-13	Pass	9699
1000	1840	1	RMS	1840	-51.18	-13	Pass	840
1840	1920	1	RMS	1850.2	23.88	60	Pass	401
1920	3000	1	RMS	2943.948	-49.97	-13	Pass	1080
3000	12000	1	RMS	7043.494	-40.99	-13	Pass	9000
12000	20000	1	RMS	19573.947	-34.62	-13	Pass	8000




**8.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	1000	0.1	RMS	892.658	-63.75	-13	Pass	9699
1000	1840	1	RMS	1840	-51.48	-13	Pass	840
1840	1920	1	RMS	1850.2	22.94	60	Pass	401
1920	3000	1	RMS	2951.956	-50.03	-13	Pass	1080
3000	12000	1	RMS	11932.917	-44.04	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.7	-13	Pass	8000




8.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2985
30	1000	0.1	RMS	845.5	-63.75	-13	Pass	9699
1000	1840	1	RMS	1830.989	-52.82	-13	Pass	840
1840	1920	1	RMS	1879.4	23.79	60	Pass	401
1920	3000	1	RMS	2948.953	-50.01	-13	Pass	1080
3000	12000	1	RMS	11877.849	-44.09	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.73	-13	Pass	8000




**8.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.59	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	Pass	2985
30	1000	0.1	RMS	867.825	-63.83	-13	Pass	9699
1000	1840	1	RMS	1795.948	-52.83	-13	Pass	840
1840	1920	1	RMS	1879.4	22.8	60	Pass	401
1920	3000	1	RMS	2946.951	-49.98	-13	Pass	1080
3000	12000	1	RMS	11940.927	-44.01	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.8	-13	Pass	8000




8.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2985
30	1000	0.1	RMS	913.585	-63.83	-13	Pass	9699
1000	1840	1	RMS	1800.954	-52.85	-13	Pass	840
1840	1920	1	RMS	1908.8	23.49	60	Pass	401
1920	3000	1	RMS	2950.955	-49.94	-13	Pass	1080
3000	12000	1	RMS	11884.857	-44.15	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.79	-13	Pass	8000




**8.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2985
30	1000	0.1	RMS	870.328	-63.75	-13	Pass	9699
1000	1840	1	RMS	1791.943	-52.83	-13	Pass	840
1840	1920	1	RMS	1908.8	22.61	60	Pass	401
1920	3000	1	RMS	2949.954	-50.05	-13	Pass	1080
3000	12000	1	RMS	11632.545	-39.54	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.8	-13	Pass	8000




**8.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.23	-13	Pass	2985
30	1000	0.1	RMS	848.2	-63.83	-13	Pass	9699
1000	1840	1	RMS	1840	-50.79	-13	Pass	840
1840	1920	1	RMS	1850.2	23.72	60	Pass	401
1920	3000	1	RMS	2936.942	-50.04	-13	Pass	1080
3000	12000	1	RMS	11603.509	-44.05	-13	Pass	9000
12000	20000	1	RMS	19584.948	-34.86	-13	Pass	8000




**8.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.86	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.57	-13	Pass	2985
30	1000	0.1	RMS	877.838	-63.79	-13	Pass	9699
1000	1840	1	RMS	1840	-51.09	-13	Pass	840
1840	1920	1	RMS	1850.2	22.9	60	Pass	401
1920	3000	1	RMS	2949.954	-49.98	-13	Pass	1080
3000	12000	1	RMS	11869.839	-44.08	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.7	-13	Pass	8000




**8.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.99	-13	Pass	401
0.15	30	0.01	RMS	0.36	-71.23	-13	Pass	2985
30	1000	0.1	RMS	822.397	-63.81	-13	Pass	9699
1000	1840	1	RMS	1804.958	-52.73	-13	Pass	840
1840	1920	1	RMS	1878.6	23.64	60	Pass	401
1920	3000	1	RMS	2948.953	-50	-13	Pass	1080
3000	12000	1	RMS	11886.86	-44	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.78	-13	Pass	8000




**8.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.27	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.12	-13	Pass	2985
30	1000	0.1	RMS	869.427	-63.82	-13	Pass	9699
1000	1840	1	RMS	1797.95	-52.76	-13	Pass	840
1840	1920	1	RMS	1878.6	22.67	60	Pass	401
1920	3000	1	RMS	2945.95	-50.01	-13	Pass	1080
3000	12000	1	RMS	11886.86	-44.01	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.74	-13	Pass	8000




**8.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	Pass	2985
30	1000	0.1	RMS	899.166	-63.81	-13	Pass	9699
1000	1840	1	RMS	1788.939	-52.74	-13	Pass	840
1840	1920	1	RMS	1907.2	23.22	60	Pass	401
1920	3000	1	RMS	2951.956	-49.98	-13	Pass	1080
3000	12000	1	RMS	11636.55	-39.45	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.65	-13	Pass	8000




**8.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	Pass	2985
30	1000	0.1	RMS	901.87	-63.61	-13	Pass	9699
1000	1840	1	RMS	1793.945	-52.77	-13	Pass	840
1840	1920	1	RMS	1907.2	22.36	60	Pass	401
1920	3000	1	RMS	2949.954	-49.88	-13	Pass	1080
3000	12000	1	RMS	11615.524	-43.88	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.74	-13	Pass	8000




**8.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2985
30	1000	0.1	RMS	852.504	-63.74	-13	Pass	9699
1000	1840	1	RMS	1840	-50.87	-13	Pass	840
1840	1920	1	RMS	1850.2	23.97	60	Pass	401
1920	3000	1	RMS	2942.947	-49.91	-13	Pass	1080
3000	12000	1	RMS	11893.869	-43.84	-13	Pass	9000
12000	20000	1	RMS	19588.949	-34.87	-13	Pass	8000




**8.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2985
30	1000	0.1	RMS	846.8	-63.79	-13	Pass	9699
1000	1840	1	RMS	1840	-51.17	-13	Pass	840
1840	1920	1	RMS	1850.2	23.02	60	Pass	401
1920	3000	1	RMS	2957.961	-49.83	-13	Pass	1080
3000	12000	1	RMS	11618.528	-44.12	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.74	-13	Pass	8000




**8.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2985
30	1000	0.1	RMS	884.847	-63.77	-13	Pass	9699
1000	1840	1	RMS	1809.964	-52.66	-13	Pass	840
1840	1920	1	RMS	1877.8	23.85	60	Pass	401
1920	3000	1	RMS	2941.946	-49.95	-13	Pass	1080
3000	12000	1	RMS	11921.903	-44.05	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.74	-13	Pass	8000




**8.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2985
30	1000	0.1	RMS	888.853	-63.8	-13	Pass	9699
1000	1840	1	RMS	1793.945	-52.69	-13	Pass	840
1840	1920	1	RMS	1877.8	23.03	60	Pass	401
1920	3000	1	RMS	2947.952	-49.92	-13	Pass	1080
3000	12000	1	RMS	11637.551	-39.55	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.64	-13	Pass	8000




**8.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.99	-13	Pass	2985
30	1000	0.1	RMS	869.927	-63.72	-13	Pass	9699
1000	1840	1	RMS	1814.97	-52.69	-13	Pass	840
1840	1920	1	RMS	1905.2	23.44	60	Pass	401
1920	3000	1	RMS	2954.958	-50	-13	Pass	1080
3000	12000	1	RMS	11948.937	-44.05	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.7	-13	Pass	8000




**8.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2985
30	1000	0.1	RMS	870.028	-63.84	-13	Pass	9699
1000	1840	1	RMS	1802.956	-52.81	-13	Pass	840
1840	1920	1	RMS	1905.2	22.79	60	Pass	401
1920	3000	1	RMS	2946.951	-50	-13	Pass	1080
3000	12000	1	RMS	11608.515	-44.05	-13	Pass	9000
12000	20000	1	RMS	19808.976	-36.71	-13	Pass	8000




8.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.67	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.36	-13	Pass	2985
30	1000	0.1	RMS	879.04	-63.91	-13	Pass	9699
1000	1840	1	RMS	1840	-46.49	-13	Pass	840
1840	1920	1	RMS	1850.4	23.96	60	Pass	401
1920	3000	1	RMS	2941.946	-49.99	-13	Pass	1080
3000	12000	1	RMS	11887.861	-44.1	-13	Pass	9000
12000	20000	1	RMS	19584.948	-34.55	-13	Pass	8000




**8.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	Pass	2985
30	1000	0.1	RMS	836.598	-63.84	-13	Pass	9699
1000	1840	1	RMS	1840	-47	-13	Pass	840
1840	1920	1	RMS	1850.4	23.19	60	Pass	401
1920	3000	1	RMS	2943.948	-50.02	-13	Pass	1080
3000	12000	1	RMS	11872.843	-44.09	-13	Pass	9000
12000	20000	1	RMS	19787.973	-36.72	-13	Pass	8000




8.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.21	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.45	-13	Pass	2985
30	1000	0.1	RMS	870.628	-63.89	-13	Pass	9699
1000	1840	1	RMS	1840	-52.7	-13	Pass	840
1840	1920	1	RMS	1875.4	23.9	60	Pass	401
1920	3000	1	RMS	2951.956	-49.98	-13	Pass	1080
3000	12000	1	RMS	11636.55	-39.7	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.65	-13	Pass	8000




**8.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	Pass	2985
30	1000	0.1	RMS	979.373	-63.91	-13	Pass	9699
1000	1840	1	RMS	1840	-52.77	-13	Pass	840
1840	1920	1	RMS	1875.4	22.97	60	Pass	401
1920	3000	1	RMS	2948.953	-49.88	-13	Pass	1080
3000	12000	1	RMS	11597.502	-43.96	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.74	-13	Pass	8000




8.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2985
30	1000	0.1	RMS	865.922	-63.71	-13	Pass	9699
1000	1840	1	RMS	1791.943	-52.71	-13	Pass	840
1840	1920	1	RMS	1900.4	23.51	60	Pass	401
1920	3000	1	RMS	2960.964	-49.89	-13	Pass	1080
3000	12000	1	RMS	11884.857	-43.86	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.61	-13	Pass	8000




**8.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.26	-13	Pass	401
0.15	30	0.01	RMS	0.35	-71.89	-13	Pass	2985
30	1000	0.1	RMS	874.534	-63.76	-13	Pass	9699
1000	1840	1	RMS	1836.996	-52.68	-13	Pass	840
1840	1920	1	RMS	1900.4	22.68	60	Pass	401
1920	3000	1	RMS	2945.95	-49.87	-13	Pass	1080
3000	12000	1	RMS	11890.865	-43.94	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.64	-13	Pass	8000




8.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.88	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.54	-13	Pass	2985
30	1000	0.1	RMS	850.602	-63.76	-13	Pass	9699
1000	1840	1	RMS	1840	-39.71	-13	Pass	840
1840	1920	1	RMS	1850.8	23.96	60	Pass	401
1920	3000	1	RMS	2950.955	-49.85	-13	Pass	1080
3000	12000	1	RMS	11934.919	-43.87	-13	Pass	9000
12000	20000	1	RMS	19587.948	-34.28	-13	Pass	8000




**8.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.74	-13	Pass	401
0.15	30	0.01	RMS	0.45	-72.05	-13	Pass	2985
30	1000	0.1	RMS	863.92	-63.75	-13	Pass	9699
1000	1840	1	RMS	1840	-41.16	-13	Pass	840
1840	1920	1	RMS	1850.8	23.16	60	Pass	401
1920	3000	1	RMS	2951.956	-49.89	-13	Pass	1080
3000	12000	1	RMS	11636.55	-39.63	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.76	-13	Pass	8000




8.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.81	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.59	-13	Pass	2985
30	1000	0.1	RMS	858.512	-63.87	-13	Pass	9699
1000	1840	1	RMS	1802.956	-52.81	-13	Pass	840
1840	1920	1	RMS	1873.2	23.96	60	Pass	401
1920	3000	1	RMS	2943.948	-49.99	-13	Pass	1080
3000	12000	1	RMS	11882.855	-44.1	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.81	-13	Pass	8000




**8.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	Pass	2985
30	1000	0.1	RMS	882.044	-63.8	-13	Pass	9699
1000	1840	1	RMS	1827.986	-52.84	-13	Pass	840
1840	1920	1	RMS	1873.2	22.98	60	Pass	401
1920	3000	1	RMS	2951.956	-50.02	-13	Pass	1080
3000	12000	1	RMS	11872.843	-44.12	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.77	-13	Pass	8000




8.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.44	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.82	-13	Pass	2985
30	1000	0.1	RMS	876.536	-63.83	-13	Pass	9699
1000	1840	1	RMS	1804.958	-52.84	-13	Pass	840
1840	1920	1	RMS	1895.8	23.56	60	Pass	401
1920	3000	1	RMS	1922.002	-44.88	-13	Pass	1080
3000	12000	1	RMS	11890.865	-44.14	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.72	-13	Pass	8000




**8.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2985
30	1000	0.1	RMS	862.618	-63.9	-13	Pass	9699
1000	1840	1	RMS	1799.952	-52.86	-13	Pass	840
1840	1920	1	RMS	1895.8	22.8	60	Pass	401
1920	3000	1	RMS	1922.002	-44.93	-13	Pass	1080
3000	12000	1	RMS	11876.848	-44.05	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.82	-13	Pass	8000




8.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2985
30	1000	0.1	RMS	907.678	-63.87	-13	Pass	9699
1000	1840	1	RMS	1840	-41.02	-13	Pass	840
1840	1920	1	RMS	1851	23.94	60	Pass	401
1920	3000	1	RMS	2953.957	-50.02	-13	Pass	1080
3000	12000	1	RMS	11633.546	-40.24	-13	Pass	9000
12000	20000	1	RMS	19582.948	-34.57	-13	Pass	8000




8.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.98	-13	Pass	2985
30	1000	0.1	RMS	877.938	-63.81	-13	Pass	9699
1000	1840	1	RMS	1840	-42.46	-13	Pass	840
1840	1920	1	RMS	1851	23.07	60	Pass	401
1920	3000	1	RMS	2948.953	-50	-13	Pass	1080
3000	12000	1	RMS	11602.508	-44.12	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.71	-13	Pass	8000




8.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.33	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.35	-13	Pass	2985
30	1000	0.1	RMS	881.443	-63.83	-13	Pass	9699
1000	1840	1	RMS	1834.994	-47.55	-13	Pass	840
1840	1920	1	RMS	1871	23.93	60	Pass	401
1920	3000	1	RMS	2963.967	-50.06	-13	Pass	1080
3000	12000	1	RMS	11886.86	-44.03	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.71	-13	Pass	8000




8.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	Pass	2985
30	1000	0.1	RMS	876.937	-63.77	-13	Pass	9699
1000	1840	1	RMS	1834.994	-48.89	-13	Pass	840
1840	1920	1	RMS	1871	22.97	60	Pass	401
1920	3000	1	RMS	2951.956	-49.97	-13	Pass	1080
3000	12000	1	RMS	11923.906	-44.09	-13	Pass	9000
12000	20000	1	RMS	19785.973	-36.72	-13	Pass	8000




8.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2985
30	1000	0.1	RMS	905.074	-63.79	-13	Pass	9699
1000	1840	1	RMS	1790.942	-52.76	-13	Pass	840
1840	1920	1	RMS	1891	23.6	60	Pass	401
1920	3000	1	RMS	1922.002	-45.28	-13	Pass	1080
3000	12000	1	RMS	11895.871	-44.08	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.75	-13	Pass	8000



**8.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	Pass	2985
30	1000	0.1	RMS	875.535	-63.82	-13	Pass	9699
1000	1840	1	RMS	1792.944	-52.73	-13	Pass	840
1840	1920	1	RMS	1891	22.72	60	Pass	401
1920	3000	1	RMS	1922.002	-45.91	-13	Pass	1080
3000	12000	1	RMS	11637.551	-39.67	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.71	-13	Pass	8000



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.03	-13	Pass	2985
30	1000	0.1	RMS	893.058	-63.76	-13	Pass	9699
1000	1700	1	RMS	1700	-51.45	-13	Pass	700
1700	1765	1	RMS	1710.238	23.73	60	Pass	401
1765	3000	1	RMS	2953.963	-49.88	-13	Pass	1235
3000	12000	1	RMS	11915.896	-43.98	-13	Pass	9000
12000	20000	1	RMS	19582.948	-34.65	-13	Pass	8000




**9.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.34	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.35	-13	Pass	2985
30	1000	0.1	RMS	887.25	-63.82	-13	Pass	9699
1000	1700	1	RMS	1700	-51.73	-13	Pass	700
1700	1765	1	RMS	1710.238	22.75	60	Pass	401
1765	3000	1	RMS	2952.962	-49.91	-13	Pass	1235
3000	12000	1	RMS	11888.862	-43.95	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.68	-13	Pass	8000




9.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	Pass	2985
30	1000	0.1	RMS	977.971	-61.74	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.92	-13	Pass	700
1700	1765	1	RMS	1732.013	23.59	60	Pass	401
1765	3000	1	RMS	2947.958	-49.78	-13	Pass	1235
3000	12000	1	RMS	11901.879	-43.93	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.64	-13	Pass	8000




**9.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2985
30	1000	0.1	RMS	873.232	-63.81	-13	Pass	9699
1000	1700	1	RMS	1700	-52.94	-13	Pass	700
1700	1765	1	RMS	1732.013	22.64	60	Pass	401
1765	3000	1	RMS	2959.968	-49.87	-13	Pass	1235
3000	12000	1	RMS	11884.857	-43.89	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.71	-13	Pass	8000




9.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2985
30	1000	0.1	RMS	861.016	-63.69	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.96	-13	Pass	700
1700	1765	1	RMS	1753.788	23.63	60	Pass	401
1765	3000	1	RMS	2952.962	-49.96	-13	Pass	1235
3000	12000	1	RMS	11637.551	-39.18	-13	Pass	9000
12000	20000	1	RMS	19786.973	-36.72	-13	Pass	8000




**9.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.72	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.18	-13	Pass	2985
30	1000	0.1	RMS	885.548	-63.83	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.05	-13	Pass	700
1700	1765	1	RMS	1753.788	22.73	60	Pass	401
1765	3000	1	RMS	2945.956	-50.01	-13	Pass	1235
3000	12000	1	RMS	11895.871	-44.02	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.74	-13	Pass	8000




**9.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.63	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.95	-13	Pass	2985
30	1000	0.1	RMS	876.536	-63.77	-13	Pass	9699
1000	1700	1	RMS	1700	-51.23	-13	Pass	700
1700	1765	1	RMS	1710.238	23.6	60	Pass	401
1765	3000	1	RMS	2943.955	-50	-13	Pass	1235
3000	12000	1	RMS	11606.513	-44.13	-13	Pass	9000
12000	20000	1	RMS	19570.946	-35.48	-13	Pass	8000




**9.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2985
30	1000	0.1	RMS	894.16	-63.79	-13	Pass	9699
1000	1700	1	RMS	1700	-51.58	-13	Pass	700
1700	1765	1	RMS	1710.075	22.73	60	Pass	401
1765	3000	1	RMS	2953.963	-49.96	-13	Pass	1235
3000	12000	1	RMS	11624.535	-44.13	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.84	-13	Pass	8000




**9.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.51	-13	Pass	2985
30	1000	0.1	RMS	864.52	-63.65	-13	Pass	9699
1000	1700	1	RMS	1700	-53.1	-13	Pass	700
1700	1765	1	RMS	1731.2	23.49	60	Pass	401
1765	3000	1	RMS	2959.968	-49.93	-13	Pass	1235
3000	12000	1	RMS	11888.862	-44.11	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.77	-13	Pass	8000




**9.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.52	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.41	-13	Pass	2985
30	1000	0.1	RMS	851.103	-63.72	-13	Pass	9699
1000	1700	1	RMS	1700	-53.05	-13	Pass	700
1700	1765	1	RMS	1731.2	22.51	60	Pass	401
1765	3000	1	RMS	2947.958	-49.96	-13	Pass	1235
3000	12000	1	RMS	11629.542	-40.78	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.79	-13	Pass	8000




9.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	1000	0.1	RMS	860.916	-63.88	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.12	-13	Pass	700
1700	1765	1	RMS	1752.163	23.54	60	Pass	401
1765	3000	1	RMS	2943.955	-49.97	-13	Pass	1235
3000	12000	1	RMS	11887.861	-44.13	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.77	-13	Pass	8000




**9.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.79	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.36	-13	Pass	2985
30	1000	0.1	RMS	868.826	-63.77	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.13	-13	Pass	700
1700	1765	1	RMS	1752.163	22.64	60	Pass	401
1765	3000	1	RMS	2949.959	-50.03	-13	Pass	1235
3000	12000	1	RMS	11614.523	-44.12	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.81	-13	Pass	8000




**9.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.51	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.59	-13	Pass	2985
30	1000	0.1	RMS	879.44	-63.68	-13	Pass	9699
1000	1700	1	RMS	1700	-51.23	-13	Pass	700
1700	1765	1	RMS	1710.238	23.86	60	Pass	401
1765	3000	1	RMS	2953.963	-49.94	-13	Pass	1235
3000	12000	1	RMS	11886.86	-44.06	-13	Pass	9000
12000	20000	1	RMS	19580.948	-34.46	-13	Pass	8000




**9.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.61	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.6	-13	Pass	2985
30	1000	0.1	RMS	884.747	-63.68	-13	Pass	9699
1000	1700	1	RMS	1700	-51.69	-13	Pass	700
1700	1765	1	RMS	1710.238	22.95	60	Pass	401
1765	3000	1	RMS	2959.968	-49.99	-13	Pass	1235
3000	12000	1	RMS	11879.851	-44.08	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.78	-13	Pass	8000




**9.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.02	-13	Pass	2985
30	1000	0.1	RMS	894.861	-63.75	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.09	-13	Pass	700
1700	1765	1	RMS	1730.225	23.74	60	Pass	401
1765	3000	1	RMS	2944.955	-50	-13	Pass	1235
3000	12000	1	RMS	11632.545	-39.71	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.69	-13	Pass	8000




**9.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	Pass	2985
30	1000	0.1	RMS	870.528	-63.84	-13	Pass	9699
1000	1700	1	RMS	1700	-53.08	-13	Pass	700
1700	1765	1	RMS	1730.225	22.89	60	Pass	401
1765	3000	1	RMS	2954.964	-49.96	-13	Pass	1235
3000	12000	1	RMS	11909.888	-44.08	-13	Pass	9000
12000	20000	1	RMS	19809.976	-36.75	-13	Pass	8000




**9.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2985
30	1000	0.1	RMS	886.149	-63.84	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.03	-13	Pass	700
1700	1765	1	RMS	1750.213	23.71	60	Pass	401
1765	3000	1	RMS	2947.958	-49.89	-13	Pass	1235
3000	12000	1	RMS	11917.898	-44.07	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.67	-13	Pass	8000




**9.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.8	-13	Pass	2985
30	1000	0.1	RMS	899.967	-63.78	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.07	-13	Pass	700
1700	1765	1	RMS	1750.213	22.92	60	Pass	401
1765	3000	1	RMS	2953.963	-49.92	-13	Pass	1235
3000	12000	1	RMS	11921.903	-43.92	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.72	-13	Pass	8000




9.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2985
30	1000	0.1	RMS	880.241	-63.69	-13	Pass	9699
1000	1700	1	RMS	1692.99	-47.39	-13	Pass	700
1700	1765	1	RMS	1710.563	23.95	60	Pass	401
1765	3000	1	RMS	2950.96	-49.86	-13	Pass	1235
3000	12000	1	RMS	11877.849	-44.05	-13	Pass	9000
12000	20000	1	RMS	19585.948	-34.8	-13	Pass	8000




9.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.4	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.58	-13	Pass	2985
30	1000	0.1	RMS	891.957	-63.71	-13	Pass	9699
1000	1700	1	RMS	1692.99	-48.31	-13	Pass	700
1700	1765	1	RMS	1710.563	23.1	60	Pass	401
1765	3000	1	RMS	2942.954	-49.95	-13	Pass	1235
3000	12000	1	RMS	11636.55	-40.06	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.75	-13	Pass	8000




9.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	Pass	2985
30	1000	0.1	RMS	888.953	-63.66	-13	Pass	9699
1000	1700	1	RMS	1692.99	-53.06	-13	Pass	700
1700	1765	1	RMS	1727.95	23.77	60	Pass	401
1765	3000	1	RMS	2946.957	-50.03	-13	Pass	1235
3000	12000	1	RMS	11948.937	-44.09	-13	Pass	9000
12000	20000	1	RMS	19791.974	-36.74	-13	Pass	8000




9.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	Pass	2985
30	1000	0.1	RMS	979.273	-63.9	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.05	-13	Pass	700
1700	1765	1	RMS	1727.95	22.79	60	Pass	401
1765	3000	1	RMS	2948.959	-49.95	-13	Pass	1235
3000	12000	1	RMS	11600.506	-44.07	-13	Pass	9000
12000	20000	1	RMS	19807.976	-36.68	-13	Pass	8000




9.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	Pass	2985
30	1000	0.1	RMS	869.927	-63.69	-13	Pass	9699
1000	1700	1	RMS	1700	-53.07	-13	Pass	700
1700	1765	1	RMS	1745.5	23.84	60	Pass	401
1765	3000	1	RMS	1765	-49.36	-13	Pass	1235
3000	12000	1	RMS	11893.869	-44.12	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.74	-13	Pass	8000




9.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.36	-13	Pass	401
0.15	30	0.01	RMS	0.32	-71.44	-13	Pass	2985
30	1000	0.1	RMS	993.191	-63.75	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.11	-13	Pass	700
1700	1765	1	RMS	1745.5	22.94	60	Pass	401
1765	3000	1	RMS	1765	-49.64	-13	Pass	1235
3000	12000	1	RMS	11643.559	-44.11	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.65	-13	Pass	8000




9.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2985
30	1000	0.1	RMS	881.343	-63.79	-13	Pass	9699
1000	1700	1	RMS	1700	-39.64	-13	Pass	700
1700	1765	1	RMS	1710.725	23.88	60	Pass	401
1765	3000	1	RMS	2942.954	-49.94	-13	Pass	1235
3000	12000	1	RMS	11633.546	-38.84	-13	Pass	9000
12000	20000	1	RMS	19584.948	-34.44	-13	Pass	8000




**9.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.3	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.83	-13	Pass	2985
30	1000	0.1	RMS	887.351	-63.86	-13	Pass	9699
1000	1700	1	RMS	1700	-41.63	-13	Pass	700
1700	1765	1	RMS	1710.725	23.04	60	Pass	401
1765	3000	1	RMS	2959.968	-49.98	-13	Pass	1235
3000	12000	1	RMS	11940.927	-44.09	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.68	-13	Pass	8000




9.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.07	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.47	-13	Pass	2985
30	1000	0.1	RMS	879.64	-63.76	-13	Pass	9699
1000	1700	1	RMS	1698.999	-43.22	-13	Pass	700
1700	1765	1	RMS	1725.838	23.64	60	Pass	401
1765	3000	1	RMS	2946.957	-49.99	-13	Pass	1235
3000	12000	1	RMS	11896.872	-44.06	-13	Pass	9000
12000	20000	1	RMS	19805.976	-36.69	-13	Pass	8000




9.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	Pass	2985
30	1000	0.1	RMS	969.159	-63.81	-13	Pass	9699
1000	1700	1	RMS	1698.999	-44.86	-13	Pass	700
1700	1765	1	RMS	1725.838	22.69	60	Pass	401
1765	3000	1	RMS	2954.964	-49.87	-13	Pass	1235
3000	12000	1	RMS	11952.942	-44.02	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.73	-13	Pass	8000




9.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2985
30	1000	0.1	RMS	872.431	-63.84	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.95	-13	Pass	700
1700	1765	1	RMS	1740.788	23.78	60	Pass	401
1765	3000	1	RMS	1767.002	-32.62	-13	Pass	1235
3000	12000	1	RMS	11891.866	-43.84	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.71	-13	Pass	8000




9.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.36	-13	Pass	2985
30	1000	0.1	RMS	852.805	-62.05	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.94	-13	Pass	700
1700	1765	1	RMS	1740.788	22.93	60	Pass	401
1765	3000	1	RMS	1767.002	-33.41	-13	Pass	1235
3000	12000	1	RMS	11640.555	-39.89	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.66	-13	Pass	8000




9.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.28	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.47	-13	Pass	2985
30	1000	0.1	RMS	598.269	-62.45	-13	Pass	9699
1000	1700	1	RMS	1700	-40.95	-13	Pass	700
1700	1765	1	RMS	1711.05	23.79	60	Pass	401
1765	3000	1	RMS	1782.014	-49.65	-13	Pass	1235
3000	12000	1	RMS	11634.548	-43.9	-13	Pass	9000
12000	20000	1	RMS	19589.949	-34.24	-13	Pass	8000




9.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2985
30	1000	0.1	RMS	866.423	-63.69	-13	Pass	9699
1000	1700	1	RMS	1700	-42.89	-13	Pass	700
1700	1765	1	RMS	1711.05	22.97	60	Pass	401
1765	3000	1	RMS	2949.959	-49.82	-13	Pass	1235
3000	12000	1	RMS	11606.513	-43.99	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.59	-13	Pass	8000




9.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.01	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.96	-13	Pass	2985
30	1000	0.1	RMS	863.519	-63.81	-13	Pass	9699
1000	1700	1	RMS	1687.983	-46	-13	Pass	700
1700	1765	1	RMS	1723.563	23.59	60	Pass	401
1765	3000	1	RMS	2955.964	-49.87	-13	Pass	1235
3000	12000	1	RMS	11620.53	-43.94	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.65	-13	Pass	8000




9.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.61	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.77	-13	Pass	2985
30	1000	0.1	RMS	869.627	-63.93	-13	Pass	9699
1000	1700	1	RMS	1687.983	-47.19	-13	Pass	700
1700	1765	1	RMS	1723.563	22.64	60	Pass	401
1765	3000	1	RMS	2958.967	-49.97	-13	Pass	1235
3000	12000	1	RMS	11903.881	-44.03	-13	Pass	9000
12000	20000	1	RMS	19793.974	-36.74	-13	Pass	8000




9.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	Pass	2985
30	1000	0.1	RMS	898.565	-63.42	-13	Pass	9699
1000	1700	1	RMS	1700	-43.97	-13	Pass	700
1700	1765	1	RMS	1736.075	23.61	60	Pass	401
1765	3000	1	RMS	1772.006	-29.42	-13	Pass	1235
3000	12000	1	RMS	11632.545	-39.42	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.76	-13	Pass	8000



**9.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.59	-13	Pass	2985
30	1000	0.1	RMS	891.156	-63.61	-13	Pass	9699
1000	1700	1	RMS	1700	-45.11	-13	Pass	700
1700	1765	1	RMS	1736.075	22.68	60	Pass	401
1765	3000	1	RMS	1772.006	-30.75	-13	Pass	1235
3000	12000	1	RMS	11902.88	-44.09	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.77	-13	Pass	8000



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.02	-13	Pass	401
0.15	30	0.01	RMS	0.26	-71.81	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.05	-13	Pass	7840
814	860	0.1	RMS	824.222	21.49	60	Pass	460
860	1000	0.1	RMS	865.104	-63.98	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.79	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.74	-13	Pass	7000




**10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.87	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.66	-13	Pass	7840
814	860	0.1	RMS	824.222	20.21	60	Pass	460
860	1000	0.1	RMS	866.405	-63.95	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.67	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.77	-13	Pass	7000




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2985
30	814	0.1	RMS	488.458	-64.21	-13	Pass	7840
814	860	0.1	RMS	836.048	21.66	60	Pass	460
860	1000	0.1	RMS	908.335	-63.85	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.01	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.78	-13	Pass	7000




**10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2985
30	814	0.1	RMS	713.187	-64.19	-13	Pass	7840
814	860	0.1	RMS	836.048	20.71	60	Pass	460
860	1000	0.1	RMS	872.809	-63.82	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.9	-13	Pass	2000
3000	10000	1	RMS	3356.051	-42.89	-13	Pass	7000




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.08	-13	Pass	2985
30	814	0.1	RMS	728.489	-63.98	-13	Pass	7840
814	860	0.1	RMS	847.874	21.52	60	Pass	460
860	1000	0.1	RMS	872.909	-63.91	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.64	-13	Pass	2000
3000	10000	1	RMS	6953.565	-40.83	-13	Pass	7000




**10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.54	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.29	-13	Pass	2985
30	814	0.1	RMS	809.399	-64.2	-13	Pass	7840
814	860	0.1	RMS	847.874	20.58	60	Pass	460
860	1000	0.1	RMS	976.783	-63.94	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.63	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.75	-13	Pass	7000




**10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.81	-13	Pass	2985
30	814	0.1	RMS	813.5	-61.64	-13	Pass	7840
814	860	0.1	RMS	824.222	21.4	60	Pass	460
860	1000	0.1	RMS	900.829	-63.78	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.89	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.83	-13	Pass	7000




**10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.1	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.18	-13	Pass	7840
814	860	0.1	RMS	824.222	20.47	60	Pass	460
860	1000	0.1	RMS	870.307	-63.81	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.75	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.76	-13	Pass	7000




**10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2985
30	814	0.1	RMS	725.189	-64.21	-13	Pass	7840
814	860	0.1	RMS	835.246	21.58	60	Pass	460
860	1000	0.1	RMS	887.72	-63.88	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.36	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.78	-13	Pass	7000




**10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.55	-13	Pass	2985
30	814	0.1	RMS	468.856	-64.24	-13	Pass	7840
814	860	0.1	RMS	835.246	20.53	60	Pass	460
860	1000	0.1	RMS	861.301	-63.93	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.36	-13	Pass	2000
3000	10000	1	RMS	3359.051	-43.14	-13	Pass	7000




**10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.65	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.82	-13	Pass	2985
30	814	0.1	RMS	813.2	-64.01	-13	Pass	7840
814	860	0.1	RMS	846.27	21.4	60	Pass	460
860	1000	0.1	RMS	879.314	-63.73	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.6	-13	Pass	2000
3000	10000	1	RMS	6956.565	-41.33	-13	Pass	7000




**10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-13	Pass	2985
30	814	0.1	RMS	725.089	-64.13	-13	Pass	7840
814	860	0.1	RMS	846.27	20.43	60	Pass	460
860	1000	0.1	RMS	882.416	-63.96	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.37	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.63	-13	Pass	7000




**10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.15	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.96	-13	Pass	2985
30	814	0.1	RMS	813.6	-61.86	-13	Pass	7840
814	860	0.1	RMS	824.322	21.63	60	Pass	460
860	1000	0.1	RMS	881.515	-63.89	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.16	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.52	-13	Pass	7000




**10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.32	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.91	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.12	-13	Pass	7840
814	860	0.1	RMS	824.322	20.67	60	Pass	460
860	1000	0.1	RMS	891.022	-63.87	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.08	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.67	-13	Pass	7000




**10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.82	-13	Pass	2985
30	814	0.1	RMS	436.452	-63.09	-13	Pass	7840
814	860	0.1	RMS	834.344	21.71	60	Pass	460
860	1000	0.1	RMS	879.614	-63.88	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.68	-13	Pass	2000
3000	10000	1	RMS	7996.714	-44.59	-13	Pass	7000




**10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2985
30	814	0.1	RMS	811.9	-64.13	-13	Pass	7840
814	860	0.1	RMS	834.344	20.83	60	Pass	460
860	1000	0.1	RMS	907.134	-63.89	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.52	-13	Pass	2000
3000	10000	1	RMS	3358.051	-43.27	-13	Pass	7000




**10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.04	-13	Pass	2985
30	814	0.1	RMS	723.989	-64.11	-13	Pass	7840
814	860	0.1	RMS	844.366	21.28	60	Pass	460
860	1000	0.1	RMS	867.005	-63.9	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.97	-13	Pass	2000
3000	10000	1	RMS	6956.565	-41.61	-13	Pass	7000




**10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.14	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.3	-13	Pass	2985
30	814	0.1	RMS	475.757	-64.21	-13	Pass	7840
814	860	0.1	RMS	844.366	20.72	60	Pass	460
860	1000	0.1	RMS	887.019	-63.9	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.87	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.76	-13	Pass	7000




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.5	-13	Pass	2985
30	814	0.1	RMS	814	-50.92	-13	Pass	7840
814	860	0.1	RMS	824.623	21.47	60	Pass	460
860	1000	0.1	RMS	892.123	-63.86	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.66	-13	Pass	2000
3000	10000	1	RMS	7996.714	-44.8	-13	Pass	7000




**10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2985
30	814	0.1	RMS	814	-51.8	-13	Pass	7840
814	860	0.1	RMS	824.623	20.67	60	Pass	460
860	1000	0.1	RMS	862.502	-63.9	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.42	-13	Pass	2000
3000	10000	1	RMS	7997.714	-44.74	-13	Pass	7000




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.79	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.74	-13	Pass	2985
30	814	0.1	RMS	814	-63.12	-13	Pass	7840
814	860	0.1	RMS	832.139	21.14	60	Pass	460
860	1000	0.1	RMS	878.813	-63.84	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.37	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.77	-13	Pass	7000




**10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.45	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.93	-13	Pass	2985
30	814	0.1	RMS	814	-63.68	-13	Pass	7840
814	860	0.1	RMS	832.139	20.09	60	Pass	460
860	1000	0.1	RMS	873.81	-63.76	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.32	-13	Pass	2000
3000	10000	1	RMS	3355.051	-43.32	-13	Pass	7000




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2985
30	814	0.1	RMS	745.091	-63.87	-13	Pass	7840
814	860	0.1	RMS	839.556	21.53	60	Pass	460
860	1000	0.1	RMS	865.404	-63.71	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.99	-13	Pass	2000
3000	10000	1	RMS	6953.565	-41.09	-13	Pass	7000



**10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.15	-13	Pass	2985
30	814	0.1	RMS	808.299	-64.14	-13	Pass	7840
814	860	0.1	RMS	839.556	20.46	60	Pass	460
860	1000	0.1	RMS	865.704	-63.9	-13	Pass	1400
1000	3000	1	RMS	1678.339	-49.06	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.8	-13	Pass	7000



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.76	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.73	-25	Pass	2985
30	1000	0.1	RMS	539.662	-63.42	-25	Pass	9699
1000	2490	1	RMS	2490	-50.54	-25	Pass	1490
2490	2580	1	RMS	2500.125	22.08	60	Pass	401
2580	3000	1	RMS	2944.869	-50	-25	Pass	420
3000	12000	1	RMS	7010.49	-50.1	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.33	-25	Pass	14000




**11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-25	Pass	2985
30	1000	0.1	RMS	905.475	-63.79	-25	Pass	9699
1000	2490	1	RMS	2490	-50.63	-25	Pass	1490
2490	2580	1	RMS	2500.125	21.6	60	Pass	401
2580	3000	1	RMS	2949.881	-50.04	-25	Pass	420
3000	12000	1	RMS	11601.507	-53.54	-25	Pass	9000
12000	26000	1	RMS	25872.978	-40.32	-25	Pass	14000




**11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.25	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.07	-25	Pass	2985
30	1000	0.1	RMS	866.423	-63.92	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.42	-25	Pass	1490
2490	2580	1	RMS	2532.75	22.54	60	Pass	401
2580	3000	1	RMS	2953.89	-50.04	-25	Pass	420
3000	12000	1	RMS	11600.506	-53.48	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.3	-25	Pass	14000




**11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.46	-25	Pass	2985
30	1000	0.1	RMS	871.429	-63.91	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.38	-25	Pass	1490
2490	2580	1	RMS	2532.75	21.8	60	Pass	401
2580	3000	1	RMS	2953.89	-50.03	-25	Pass	420
3000	12000	1	RMS	11604.511	-53.51	-25	Pass	9000
12000	26000	1	RMS	25888.981	-40.32	-25	Pass	14000




**11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.17	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.62	-25	Pass	2985
30	1000	0.1	RMS	870.929	-63.81	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.31	-25	Pass	1490
2490	2580	1	RMS	2565.15	22.38	60	Pass	401
2580	3000	1	RMS	2951.885	-50.04	-25	Pass	420
3000	12000	1	RMS	11600.506	-53.5	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.32	-25	Pass	14000




**11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.83	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.38	-25	Pass	2985
30	1000	0.1	RMS	906.276	-63.76	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.33	-25	Pass	1490
2490	2580	1	RMS	2565.15	21.56	60	Pass	401
2580	3000	1	RMS	2952.888	-50.04	-25	Pass	420
3000	12000	1	RMS	7028.492	-49.85	-25	Pass	9000
12000	26000	1	RMS	25887.981	-40.3	-25	Pass	14000




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.4	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.52	-25	Pass	2985
30	1000	0.1	RMS	539.862	-63.59	-25	Pass	9699
1000	2490	1	RMS	2490	-45.36	-25	Pass	1490
2490	2580	1	RMS	2500.575	22.44	60	Pass	401
2580	3000	1	RMS	2946.874	-50.02	-25	Pass	420
3000	12000	1	RMS	11602.508	-53.44	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.28	-25	Pass	14000



**11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-25	Pass	2985
30	1000	0.1	RMS	893.859	-63.9	-25	Pass	9699
1000	2490	1	RMS	2490	-45.81	-25	Pass	1490
2490	2580	1	RMS	2500.575	21.62	60	Pass	401
2580	3000	1	RMS	2949.881	-50.04	-25	Pass	420
3000	12000	1	RMS	11609.517	-53.52	-25	Pass	9000
12000	26000	1	RMS	25893.982	-40.38	-25	Pass	14000




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.94	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.62	-25	Pass	2985
30	1000	0.1	RMS	875.835	-63.9	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.42	-25	Pass	1490
2490	2580	1	RMS	2530.5	22.77	60	Pass	401
2580	3000	1	RMS	2951.885	-50	-25	Pass	420
3000	12000	1	RMS	11604.511	-53.46	-25	Pass	9000
12000	26000	1	RMS	25880.98	-40.33	-25	Pass	14000



**11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-25	Pass	2985
30	1000	0.1	RMS	992.29	-63.87	-25	Pass	9699
1000	2490	1	RMS	2490	-51.31	-25	Pass	1490
2490	2580	1	RMS	2530.5	21.8	60	Pass	401
2580	3000	1	RMS	2948.878	-50.04	-25	Pass	420
3000	12000	1	RMS	11603.509	-53.51	-25	Pass	9000
12000	26000	1	RMS	25904.984	-40.32	-25	Pass	14000




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.15	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.16	-25	Pass	2985
30	1000	0.1	RMS	978.271	-63.87	-25	Pass	9699
1000	2490	1	RMS	2486.998	-51.29	-25	Pass	1490
2490	2580	1	RMS	2560.425	22.47	60	Pass	401
2580	3000	1	RMS	2956.897	-50.05	-25	Pass	420
3000	12000	1	RMS	7017.49	-50.56	-25	Pass	9000
12000	26000	1	RMS	25879.979	-40.44	-25	Pass	14000




**11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.85	-25	Pass	401
0.15	30	0.01	RMS	0.26	-71.6	-25	Pass	2985
30	1000	0.1	RMS	877.738	-63.92	-25	Pass	9699
1000	2490	1	RMS	2484.997	-51.4	-25	Pass	1490
2490	2580	1	RMS	2560.425	21.52	60	Pass	401
2580	3000	1	RMS	2960.907	-50.03	-25	Pass	420
3000	12000	1	RMS	11599.504	-53.52	-25	Pass	9000
12000	26000	1	RMS	25862.976	-40.4	-25	Pass	14000



**11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-25	Pass	2985
30	1000	0.1	RMS	895.662	-63.93	-25	Pass	9699
1000	2490	1	RMS	2488.999	-39.83	-25	Pass	1490
2490	2580	1	RMS	2500.8	22.4	60	Pass	401
2580	3000	1	RMS	2948.878	-50.03	-25	Pass	420
3000	12000	1	RMS	11602.508	-53.48	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.33	-25	Pass	14000




**11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-25	Pass	2985
30	1000	0.1	RMS	853.506	-63.92	-25	Pass	9699
1000	2490	1	RMS	2490	-41.2	-25	Pass	1490
2490	2580	1	RMS	2500.8	21.61	60	Pass	401
2580	3000	1	RMS	2960.907	-50.04	-25	Pass	420
3000	12000	1	RMS	11597.502	-53.45	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.27	-25	Pass	14000




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.37	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.51	-25	Pass	2985
30	1000	0.1	RMS	856.209	-63.85	-25	Pass	9699
1000	2490	1	RMS	2490	-51.3	-25	Pass	1490
2490	2580	1	RMS	2528.25	22.66	60	Pass	401
2580	3000	1	RMS	2944.869	-50.03	-25	Pass	420
3000	12000	1	RMS	11600.506	-53.52	-25	Pass	9000
12000	26000	1	RMS	25907.984	-40.27	-25	Pass	14000




**11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.08	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.46	-25	Pass	2985
30	1000	0.1	RMS	889.654	-63.79	-25	Pass	9699
1000	2490	1	RMS	2485.997	-51.38	-25	Pass	1490
2490	2580	1	RMS	2528.25	21.71	60	Pass	401
2580	3000	1	RMS	2949.881	-50.01	-25	Pass	420
3000	12000	1	RMS	7020.491	-50.02	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.32	-25	Pass	14000




**11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.21	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.69	-25	Pass	2985
30	1000	0.1	RMS	874.033	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-51.38	-25	Pass	1490
2490	2580	1	RMS	2555.7	22.34	60	Pass	401
2580	3000	1	RMS	2582.005	-40.2	-25	Pass	420
3000	12000	1	RMS	11607.514	-53.51	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.19	-25	Pass	14000




**11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.64	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-25	Pass	2985
30	1000	0.1	RMS	881.943	-63.94	-25	Pass	9699
1000	2490	1	RMS	2483.996	-51.32	-25	Pass	1490
2490	2580	1	RMS	2555.7	21.57	60	Pass	401
2580	3000	1	RMS	2582.005	-40.84	-25	Pass	420
3000	12000	1	RMS	11607.514	-53.4	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.31	-25	Pass	14000




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.33	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-25	Pass	2985
30	1000	0.1	RMS	852.204	-63.97	-25	Pass	9699
1000	2490	1	RMS	2490	-41.01	-25	Pass	1490
2490	2580	1	RMS	2501.025	22.38	60	Pass	401
2580	3000	1	RMS	2958.902	-50.05	-25	Pass	420
3000	12000	1	RMS	11609.517	-53.45	-25	Pass	9000
12000	26000	1	RMS	25902.983	-40.3	-25	Pass	14000



**11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-25	Pass	2985
30	1000	0.1	RMS	898.666	-63.77	-25	Pass	9699
1000	2490	1	RMS	2490	-41.99	-25	Pass	1490
2490	2580	1	RMS	2501.025	21.6	60	Pass	401
2580	3000	1	RMS	2948.878	-50.01	-25	Pass	420
3000	12000	1	RMS	11605.512	-53.54	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.33	-25	Pass	14000



11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-25	Pass	2985
30	1000	0.1	RMS	903.372	-63.84	-25	Pass	9699
1000	2490	1	RMS	2490	-49.76	-25	Pass	1490
2490	2580	1	RMS	2526	22.64	60	Pass	401
2580	3000	1	RMS	2942.864	-50.03	-25	Pass	420
3000	12000	1	RMS	7027.492	-50.18	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.38	-25	Pass	14000




**11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-68.33	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.66	-25	Pass	2985
30	1000	0.1	RMS	901.97	-63.91	-25	Pass	9699
1000	2490	1	RMS	2490	-50.54	-25	Pass	1490
2490	2580	1	RMS	2526	21.63	60	Pass	401
2580	3000	1	RMS	2951.885	-50.03	-25	Pass	420
3000	12000	1	RMS	11602.508	-53.48	-25	Pass	9000
12000	26000	1	RMS	25903.983	-40.34	-25	Pass	14000



11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-25	Pass	2985
30	1000	0.1	RMS	990.988	-63.87	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.3	-25	Pass	1490
2490	2580	1	RMS	2550.975	22.41	60	Pass	401
2580	3000	1	RMS	2586.014	-40.59	-25	Pass	420
3000	12000	1	RMS	5102.257	-52.92	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.3	-25	Pass	14000



**11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.71	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.82	-25	Pass	2985
30	1000	0.1	RMS	890.254	-63.84	-25	Pass	9699
1000	2490	1	RMS	2487.999	-51.35	-25	Pass	1490
2490	2580	1	RMS	2550.975	21.48	60	Pass	401
2580	3000	1	RMS	2586.014	-40.91	-25	Pass	420
3000	12000	1	RMS	11610.518	-53.44	-25	Pass	9000
12000	26000	1	RMS	25899.983	-40.26	-25	Pass	14000



12. LTE_Band12


12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.14	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.43	-13	Pass	2985
30	689	0.1	RMS	688.5	-63.23	-13	Pass	6590
689	726	0.1	RMS	699.268	21.57	60	Pass	401
726	1000	0.1	RMS	839.842	-63.62	-13	Pass	2740
1000	3000	1	RMS	2947.974	-49.96	-13	Pass	2000
3000	10000	1	RMS	6930.562	-42.38	-13	Pass	7000




**12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	Pass	2985
30	689	0.1	RMS	688.6	-63.3	-13	Pass	6590
689	726	0.1	RMS	699.268	20.49	60	Pass	401
726	1000	0.1	RMS	992.197	-63.68	-13	Pass	2740
1000	3000	1	RMS	2950.975	-49.97	-13	Pass	2000
3000	10000	1	RMS	7993.713	-44.65	-13	Pass	7000




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.94	-13	Pass	401
0.15	30	0.01	RMS	0.3	-72.09	-13	Pass	2985
30	689	0.1	RMS	483.969	-64.24	-13	Pass	6590
689	726	0.1	RMS	707.038	21.71	60	Pass	401
726	1000	0.1	RMS	910.467	-63.68	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.03	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.83	-13	Pass	7000




**12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	Pass	2985
30	689	0.1	RMS	353.549	-63.56	-13	Pass	6590
689	726	0.1	RMS	707.038	20.64	60	Pass	401
726	1000	0.1	RMS	874.954	-63.55	-13	Pass	2740
1000	3000	1	RMS	2946.973	-49.98	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.73	-13	Pass	7000




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.49	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.57	-13	Pass	2985
30	689	0.1	RMS	478.768	-64.32	-13	Pass	6590
689	726	0.1	RMS	714.808	21.13	60	Pass	401
726	1000	0.1	RMS	904.865	-63.6	-13	Pass	2740
1000	3000	1	RMS	2954.977	-49.99	-13	Pass	2000
3000	10000	1	RMS	7997.714	-44.86	-13	Pass	7000




**12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.11	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.18	-13	Pass	2985
30	689	0.1	RMS	477.368	-64.21	-13	Pass	6590
689	726	0.1	RMS	714.808	20.2	60	Pass	401
726	1000	0.1	RMS	904.765	-63.59	-13	Pass	2740
1000	3000	1	RMS	2947.974	-49.97	-13	Pass	2000
3000	10000	1	RMS	7985.712	-44.8	-13	Pass	7000




**12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	Pass	2985
30	689	0.1	RMS	688.5	-63.04	-13	Pass	6590
689	726	0.1	RMS	699.268	21.35	60	Pass	401
726	1000	0.1	RMS	878.156	-63.7	-13	Pass	2740
1000	3000	1	RMS	2960.98	-49.99	-13	Pass	2000
3000	10000	1	RMS	6938.563	-41.67	-13	Pass	7000




**12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.58	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	Pass	2985
30	689	0.1	RMS	688.5	-62.93	-13	Pass	6590
689	726	0.1	RMS	699.268	20.46	60	Pass	401
726	1000	0.1	RMS	874.354	-63.69	-13	Pass	2740
1000	3000	1	RMS	2948.974	-50	-13	Pass	2000
3000	10000	1	RMS	7997.714	-44.73	-13	Pass	7000




**12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-68.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.3	-13	Pass	2985
30	689	0.1	RMS	353.149	-63.64	-13	Pass	6590
689	726	0.1	RMS	706.205	21.22	60	Pass	401
726	1000	0.1	RMS	861.049	-63.6	-13	Pass	2740
1000	3000	1	RMS	2955.978	-50.03	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.79	-13	Pass	7000




**12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.39	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.58	-13	Pass	2985
30	689	0.1	RMS	353.149	-62.96	-13	Pass	6590
689	726	0.1	RMS	706.205	20.2	60	Pass	401
726	1000	0.1	RMS	841.542	-63.74	-13	Pass	2740
1000	3000	1	RMS	1059.03	-48.22	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.8	-13	Pass	7000




**12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2985
30	689	0.1	RMS	479.968	-64.29	-13	Pass	6590
689	726	0.1	RMS	713.235	21.64	60	Pass	401
726	1000	0.1	RMS	890.16	-63.62	-13	Pass	2740
1000	3000	1	RMS	2957.979	-49.97	-13	Pass	2000
3000	10000	1	RMS	7997.714	-44.77	-13	Pass	7000




**12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.2	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.69	-13	Pass	2985
30	689	0.1	RMS	481.368	-64.35	-13	Pass	6590
689	726	0.1	RMS	713.235	20.64	60	Pass	401
726	1000	0.1	RMS	893.461	-63.62	-13	Pass	2740
1000	3000	1	RMS	2951.976	-49.99	-13	Pass	2000
3000	10000	1	RMS	7993.713	-44.77	-13	Pass	7000




**12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.24	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.38	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.55	-13	Pass	6590
689	726	0.1	RMS	699.36	21.46	60	Pass	401
726	1000	0.1	RMS	887.659	-63.61	-13	Pass	2740
1000	3000	1	RMS	2951.976	-50.01	-13	Pass	2000
3000	10000	1	RMS	6925.561	-41.4	-13	Pass	7000




**12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.21	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.91	-13	Pass	6590
689	726	0.1	RMS	699.36	20.69	60	Pass	401
726	1000	0.1	RMS	904.065	-63.54	-13	Pass	2740
1000	3000	1	RMS	2957.979	-50.03	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.82	-13	Pass	7000




**12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.19	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.18	-13	Pass	2985
30	689	0.1	RMS	352.649	-64.14	-13	Pass	6590
689	726	0.1	RMS	705.373	21.4	60	Pass	401
726	1000	0.1	RMS	870.853	-63.75	-13	Pass	2740
1000	3000	1	RMS	1410.205	-49.53	-13	Pass	2000
3000	10000	1	RMS	7993.713	-44.77	-13	Pass	7000




**12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	Pass	2985
30	689	0.1	RMS	352.749	-63.25	-13	Pass	6590
689	726	0.1	RMS	705.373	20.62	60	Pass	401
726	1000	0.1	RMS	894.161	-63.66	-13	Pass	2740
1000	3000	1	RMS	1057.029	-49.71	-13	Pass	2000
3000	10000	1	RMS	7711.673	-44.88	-13	Pass	7000




**12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	689	0.1	RMS	473.867	-64.19	-13	Pass	6590
689	726	0.1	RMS	711.293	21.24	60	Pass	401
726	1000	0.1	RMS	982.694	-63.45	-13	Pass	2740
1000	3000	1	RMS	1422.211	-49.92	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.77	-13	Pass	7000




**12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.44	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.85	-13	Pass	2985
30	689	0.1	RMS	487.269	-64.18	-13	Pass	6590
689	726	0.1	RMS	711.293	20.36	60	Pass	401
726	1000	0.1	RMS	995.098	-63.75	-13	Pass	2740
1000	3000	1	RMS	2959.98	-50.04	-13	Pass	2000
3000	10000	1	RMS	7994.714	-44.8	-13	Pass	7000




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.11	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.04	-13	Pass	2985
30	689	0.1	RMS	688.9	-61.9	-13	Pass	6590
689	726	0.1	RMS	699.545	21.22	60	Pass	401
726	1000	0.1	RMS	874.354	-63.72	-13	Pass	2740
1000	3000	1	RMS	2956.978	-49.99	-13	Pass	2000
3000	10000	1	RMS	6932.562	-41.13	-13	Pass	7000




**12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.73	-13	Pass	2985
30	689	0.1	RMS	688.9	-62.36	-13	Pass	6590
689	726	0.1	RMS	699.638	20.28	60	Pass	401
726	1000	0.1	RMS	983.494	-63.53	-13	Pass	2740
1000	3000	1	RMS	2955.978	-49.96	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.78	-13	Pass	7000




**12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.09	-13	Pass	401
0.15	30	0.01	RMS	0.36	-71.5	-13	Pass	2985
30	689	0.1	RMS	476.468	-64.26	-13	Pass	6590
689	726	0.1	RMS	703.06	21.57	60	Pass	401
726	1000	0.1	RMS	876.055	-63.71	-13	Pass	2740
1000	3000	1	RMS	2949.975	-49.95	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.8	-13	Pass	7000




**12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.61	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.73	-13	Pass	2985
30	689	0.1	RMS	481.669	-64.3	-13	Pass	6590
689	726	0.1	RMS	703.06	20.66	60	Pass	401
726	1000	0.1	RMS	894.862	-63.65	-13	Pass	2740
1000	3000	1	RMS	2952.976	-50.01	-13	Pass	2000
3000	10000	1	RMS	8004.715	-44.77	-13	Pass	7000




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.32	-13	Pass	2985
30	689	0.1	RMS	353.249	-63.97	-13	Pass	6590
689	726	0.1	RMS	706.575	21.86	60	Pass	401
726	1000	0.1	RMS	880.456	-63.72	-13	Pass	2740
1000	3000	1	RMS	2960.98	-50	-13	Pass	2000
3000	10000	1	RMS	8005.715	-44.77	-13	Pass	7000



**12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.81	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.48	-13	Pass	2985
30	689	0.1	RMS	353.249	-63.08	-13	Pass	6590
689	726	0.1	RMS	706.575	20.92	60	Pass	401
726	1000	0.1	RMS	882.657	-63.73	-13	Pass	2740
1000	3000	1	RMS	1059.03	-49.66	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.75	-13	Pass	7000



13. LTE_Band13


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.51	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.3	-13	Pass	2985
30	767	0.1	RMS	766.6	-62.45	-13	Pass	7370
767	797	0.1	RMS	777.35	21.74	60	Pass	401
797	1000	0.1	RMS	853.728	-63.83	-13	Pass	2030
1000	3000	1	RMS	1554.277	-48.04	-13	Pass	2000
3000	10000	1	RMS	6938.563	-41.48	-13	Pass	7000




**13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	767	0.1	RMS	766.6	-63.02	-13	Pass	7370
767	797	0.1	RMS	777.35	20.86	60	Pass	401
797	1000	0.1	RMS	892.247	-63.7	-13	Pass	2030
1000	3000	1	RMS	1554.277	-49.04	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.8	-13	Pass	7000




**13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.71	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.89	-13	Pass	2985
30	767	0.1	RMS	723.094	-64.34	-13	Pass	7370
767	797	0.1	RMS	779.825	21.85	60	Pass	401
797	1000	0.1	RMS	849.526	-63.59	-13	Pass	2030
1000	3000	1	RMS	1559.28	-48.16	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.7	-13	Pass	7000




**13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2985
30	767	0.1	RMS	748.798	-64.21	-13	Pass	7370
767	797	0.1	RMS	779.825	21.07	60	Pass	401
797	1000	0.1	RMS	870.236	-63.75	-13	Pass	2030
1000	3000	1	RMS	1559.28	-48.91	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.79	-13	Pass	7000




**13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2985
30	767	0.1	RMS	477.261	-64.26	-13	Pass	7370
767	797	0.1	RMS	782.3	21.51	60	Pass	401
797	1000	0.1	RMS	842.322	-63.77	-13	Pass	2030
1000	3000	1	RMS	1564.282	-48.45	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.72	-13	Pass	7000




**13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	Pass	2985
30	767	0.1	RMS	720.694	-64.23	-13	Pass	7370
767	797	0.1	RMS	782.375	20.68	60	Pass	401
797	1000	0.1	RMS	871.937	-63.85	-13	Pass	2030
1000	3000	1	RMS	1564.282	-49.19	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.68	-13	Pass	7000




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.69	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.71	-13	Pass	2985
30	767	0.1	RMS	766.9	-62.07	-13	Pass	7370
767	797	0.1	RMS	777.575	21.95	60	Pass	401
797	1000	0.1	RMS	797	-62.93	-13	Pass	2030
1000	3000	1	RMS	1554.277	-48.72	-13	Pass	2000
3000	10000	1	RMS	6936.562	-42.22	-13	Pass	7000



**13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.77	-13	Pass	2985
30	767	0.1	RMS	766.9	-62.47	-13	Pass	7370
767	797	0.1	RMS	777.575	20.99	60	Pass	401
797	1000	0.1	RMS	797	-62.7	-13	Pass	2030
1000	3000	1	RMS	1554.277	-49.63	-13	Pass	2000
3000	10000	1	RMS	7700.672	-44.78	-13	Pass	7000



14. LTE_Band17


14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.04	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.27	-13	Pass	2985
30	694	0.1	RMS	693.6	-62.41	-13	Pass	6640
694	726	0.1	RMS	704.32	21.62	60	Pass	401
726	1000	0.1	RMS	832.639	-63.69	-13	Pass	2740
1000	3000	1	RMS	1408.204	-49.35	-13	Pass	2000
3000	10000	1	RMS	6929.561	-41.29	-13	Pass	7000




**14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.58	-13	Pass	2985
30	694	0.1	RMS	693.6	-62.97	-13	Pass	6640
694	726	0.1	RMS	704.32	20.72	60	Pass	401
726	1000	0.1	RMS	878.856	-63.53	-13	Pass	2740
1000	3000	1	RMS	1056.028	-49.94	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.81	-13	Pass	7000




**14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.85	-13	Pass	401
0.15	30	0.01	RMS	0.26	-72.05	-13	Pass	2985
30	694	0.1	RMS	472.667	-64.27	-13	Pass	6640
694	726	0.1	RMS	707.84	21.82	60	Pass	401
726	1000	0.1	RMS	861.65	-63.59	-13	Pass	2740
1000	3000	1	RMS	1415.208	-49.21	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.78	-13	Pass	7000




**14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.91	-13	Pass	401
0.15	30	0.01	RMS	0.35	-71.92	-13	Pass	2985
30	694	0.1	RMS	481.168	-64.21	-13	Pass	6640
694	726	0.1	RMS	707.84	21	60	Pass	401
726	1000	0.1	RMS	810.631	-63.73	-13	Pass	2740
1000	3000	1	RMS	2948.974	-49.99	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.8	-13	Pass	7000




**14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.43	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.67	-13	Pass	2985
30	694	0.1	RMS	502.171	-64.45	-13	Pass	6640
694	726	0.1	RMS	711.36	21.44	60	Pass	401
726	1000	0.1	RMS	852.846	-63.61	-13	Pass	2740
1000	3000	1	RMS	1422.211	-49.87	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.7	-13	Pass	7000




**14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2985
30	694	0.1	RMS	491.269	-64.36	-13	Pass	6640
694	726	0.1	RMS	711.36	20.78	60	Pass	401
726	1000	0.1	RMS	868.952	-63.56	-13	Pass	2740
1000	3000	1	RMS	2952.976	-50.01	-13	Pass	2000
3000	10000	1	RMS	7986.712	-44.73	-13	Pass	7000




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.84	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.34	-13	Pass	2985
30	694	0.1	RMS	694	-53.35	-13	Pass	6640
694	726	0.1	RMS	704.56	21.66	60	Pass	401
726	1000	0.1	RMS	856.448	-63.73	-13	Pass	2740
1000	3000	1	RMS	2945.973	-50.01	-13	Pass	2000
3000	10000	1	RMS	6938.563	-41.23	-13	Pass	7000




**14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2985
30	694	0.1	RMS	694	-53.85	-13	Pass	6640
694	726	0.1	RMS	704.56	20.78	60	Pass	401
726	1000	0.1	RMS	864.05	-63.57	-13	Pass	2740
1000	3000	1	RMS	1056.028	-49.83	-13	Pass	2000
3000	10000	1	RMS	7992.713	-44.74	-13	Pass	7000




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	Pass	2985
30	694	0.1	RMS	693.8	-63.55	-13	Pass	6640
694	726	0.1	RMS	705.6	21.93	60	Pass	401
726	1000	0.1	RMS	977.892	-63.73	-13	Pass	2740
1000	3000	1	RMS	2950.975	-50.01	-13	Pass	2000
3000	10000	1	RMS	7993.713	-44.82	-13	Pass	7000




**14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.29	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	Pass	2985
30	694	0.1	RMS	352.749	-63.05	-13	Pass	6640
694	726	0.1	RMS	705.6	20.91	60	Pass	401
726	1000	0.1	RMS	895.162	-63.54	-13	Pass	2740
1000	3000	1	RMS	1058.029	-48.54	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.72	-13	Pass	7000




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.78	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.8	-13	Pass	2985
30	694	0.1	RMS	691.2	-63.65	-13	Pass	6640
694	726	0.1	RMS	706.56	21.68	60	Pass	401
726	1000	0.1	RMS	866.751	-63.67	-13	Pass	2740
1000	3000	1	RMS	2946.973	-49.99	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.81	-13	Pass	7000



**14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.27	-13	Pass	401
0.15	30	0.01	RMS	0.31	-71.67	-13	Pass	2985
30	694	0.1	RMS	353.249	-62.94	-13	Pass	6640
694	726	0.1	RMS	706.56	20.71	60	Pass	401
726	1000	0.1	RMS	880.556	-63.73	-13	Pass	2740
1000	3000	1	RMS	1059.03	-49.85	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.65	-13	Pass	7000



15. LTE_Band26(part22)


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.12	-13	Pass	7840
814	860	0.1	RMS	824.222	21.57	60	Pass	460
860	1000	0.1	RMS	992.795	-63.95	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.63	-13	Pass	2000
3000	10000	1	RMS	6933.562	-40.93	-13	Pass	7000




**15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.99	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.06	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.31	-13	Pass	7840
814	860	0.1	RMS	824.222	20.37	60	Pass	460
860	1000	0.1	RMS	902.13	-63.74	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.48	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.82	-13	Pass	7000




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.89	-13	Pass	2985
30	814	0.1	RMS	479.557	-64.18	-13	Pass	7840
814	860	0.1	RMS	836.048	21.73	60	Pass	460
860	1000	0.1	RMS	889.221	-63.79	-13	Pass	1400
1000	3000	1	RMS	1671.336	-47.83	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.78	-13	Pass	7000




**15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2985
30	814	0.1	RMS	489.459	-64.06	-13	Pass	7840
814	860	0.1	RMS	836.048	20.72	60	Pass	460
860	1000	0.1	RMS	971.98	-64.02	-13	Pass	1400
1000	3000	1	RMS	1671.336	-48.84	-13	Pass	2000
3000	10000	1	RMS	8003.715	-44.79	-13	Pass	7000




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	814	0.1	RMS	787.797	-64.11	-13	Pass	7840
814	860	0.1	RMS	847.874	21.53	60	Pass	460
860	1000	0.1	RMS	870.307	-63.96	-13	Pass	1400
1000	3000	1	RMS	1695.348	-47.58	-13	Pass	2000
3000	10000	1	RMS	8003.715	-44.78	-13	Pass	7000




**15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.6	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.88	-13	Pass	2985
30	814	0.1	RMS	476.157	-64.09	-13	Pass	7840
814	860	0.1	RMS	847.874	20.64	60	Pass	460
860	1000	0.1	RMS	989.593	-64	-13	Pass	1400
1000	3000	1	RMS	1695.348	-48.56	-13	Pass	2000
3000	10000	1	RMS	7992.713	-44.74	-13	Pass	7000




**15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2985
30	814	0.1	RMS	813.5	-61.49	-13	Pass	7840
814	860	0.1	RMS	824.222	21.6	60	Pass	460
860	1000	0.1	RMS	869.006	-64	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.83	-13	Pass	2000
3000	10000	1	RMS	6933.562	-41.56	-13	Pass	7000




**15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.02	-13	Pass	7840
814	860	0.1	RMS	824.222	20.6	60	Pass	460
860	1000	0.1	RMS	867.205	-63.86	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.63	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.81	-13	Pass	7000




**15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.06	-13	Pass	401
0.15	30	0.01	RMS	0.48	-71.92	-13	Pass	2985
30	814	0.1	RMS	744.191	-64.15	-13	Pass	7840
814	860	0.1	RMS	835.246	21.71	60	Pass	460
860	1000	0.1	RMS	872.409	-63.86	-13	Pass	1400
1000	3000	1	RMS	1670.335	-48.26	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.77	-13	Pass	7000




**15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.89	-13	Pass	401
0.15	30	0.01	RMS	0.28	-71.64	-13	Pass	2985
30	814	0.1	RMS	728.589	-64.19	-13	Pass	7840
814	860	0.1	RMS	835.246	20.56	60	Pass	460
860	1000	0.1	RMS	908.735	-63.93	-13	Pass	1400
1000	3000	1	RMS	1670.335	-49.17	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.79	-13	Pass	7000




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2985
30	814	0.1	RMS	746.391	-64.15	-13	Pass	7840
814	860	0.1	RMS	846.27	21.46	60	Pass	460
860	1000	0.1	RMS	868.506	-63.83	-13	Pass	1400
1000	3000	1	RMS	1692.346	-48.53	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.8	-13	Pass	7000




**15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2985
30	814	0.1	RMS	477.357	-64.08	-13	Pass	7840
814	860	0.1	RMS	846.27	20.47	60	Pass	460
860	1000	0.1	RMS	882.416	-63.91	-13	Pass	1400
1000	3000	1	RMS	1692.346	-49.33	-13	Pass	2000
3000	10000	1	RMS	8001.715	-44.8	-13	Pass	7000




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.28	-13	Pass	7840
814	860	0.1	RMS	824.322	21.68	60	Pass	460
860	1000	0.1	RMS	890.822	-63.98	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.12	-13	Pass	2000
3000	10000	1	RMS	6935.562	-41.34	-13	Pass	7000




**15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.19	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.46	-13	Pass	2985
30	814	0.1	RMS	813.6	-62.87	-13	Pass	7840
814	860	0.1	RMS	824.322	20.69	60	Pass	460
860	1000	0.1	RMS	892.823	-63.93	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.08	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.78	-13	Pass	7000




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.19	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.49	-13	Pass	2985
30	814	0.1	RMS	483.158	-64.25	-13	Pass	7840
814	860	0.1	RMS	834.344	21.86	60	Pass	460
860	1000	0.1	RMS	904.532	-63.92	-13	Pass	1400
1000	3000	1	RMS	1668.334	-47.6	-13	Pass	2000
3000	10000	1	RMS	8002.715	-44.76	-13	Pass	7000




**15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	Pass	2985
30	814	0.1	RMS	478.757	-64.16	-13	Pass	7840
814	860	0.1	RMS	834.344	20.93	60	Pass	460
860	1000	0.1	RMS	874.911	-63.95	-13	Pass	1400
1000	3000	1	RMS	1668.334	-48.48	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.8	-13	Pass	7000




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.07	-13	Pass	2985
30	814	0.1	RMS	811.7	-64.18	-13	Pass	7840
814	860	0.1	RMS	844.366	21.31	60	Pass	460
860	1000	0.1	RMS	879.614	-63.85	-13	Pass	1400
1000	3000	1	RMS	1688.344	-47.86	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.72	-13	Pass	7000




**15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.92	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.59	-13	Pass	2985
30	814	0.1	RMS	748.092	-64.1	-13	Pass	7840
814	860	0.1	RMS	844.366	20.68	60	Pass	460
860	1000	0.1	RMS	877.412	-63.82	-13	Pass	1400
1000	3000	1	RMS	1688.344	-48.66	-13	Pass	2000
3000	10000	1	RMS	7993.713	-44.74	-13	Pass	7000




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-66.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2985
30	814	0.1	RMS	814	-51.19	-13	Pass	7840
814	860	0.1	RMS	824.623	21.58	60	Pass	460
860	1000	0.1	RMS	895.826	-63.97	-13	Pass	1400
1000	3000	1	RMS	1648.324	-48.59	-13	Pass	2000
3000	10000	1	RMS	6939.563	-40.8	-13	Pass	7000




**15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-67.45	-13	Pass	401
0.15	30	0.01	RMS	0.33	-71.85	-13	Pass	2985
30	814	0.1	RMS	814	-51.56	-13	Pass	7840
814	860	0.1	RMS	824.623	20.71	60	Pass	460
860	1000	0.1	RMS	897.527	-63.94	-13	Pass	1400
1000	3000	1	RMS	1648.324	-49.35	-13	Pass	2000
3000	10000	1	RMS	8006.715	-44.81	-13	Pass	7000




15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2985
30	814	0.1	RMS	814	-63.74	-13	Pass	7840
814	860	0.1	RMS	832.139	20.99	60	Pass	460
860	1000	0.1	RMS	897.627	-63.86	-13	Pass	1400
1000	3000	1	RMS	1663.332	-48.55	-13	Pass	2000
3000	10000	1	RMS	6936.562	-41.13	-13	Pass	7000




**15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.31	-71.92	-13	Pass	2985
30	814	0.1	RMS	813.6	-64.07	-13	Pass	7840
814	860	0.1	RMS	832.139	20.23	60	Pass	460
860	1000	0.1	RMS	861.601	-63.89	-13	Pass	1400
1000	3000	1	RMS	1663.332	-49.26	-13	Pass	2000
3000	10000	1	RMS	7997.714	-44.77	-13	Pass	7000




**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-72.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.66	-13	Pass	2985
30	814	0.1	RMS	731.89	-64.21	-13	Pass	7840
814	860	0.1	RMS	839.556	21.52	60	Pass	460
860	1000	0.1	RMS	997.198	-63.8	-13	Pass	1400
1000	3000	1	RMS	1678.339	-47.78	-13	Pass	2000
3000	10000	1	RMS	8007.715	-44.81	-13	Pass	7000




**15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.5	-71.96	-13	Pass	2985
30	814	0.1	RMS	723.989	-64.18	-13	Pass	7840
814	860	0.1	RMS	839.556	20.4	60	Pass	460
860	1000	0.1	RMS	877.412	-63.89	-13	Pass	1400
1000	3000	1	RMS	1678.339	-48.87	-13	Pass	2000
3000	10000	1	RMS	7998.714	-44.75	-13	Pass	7000




15.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2985
30	814	0.1	RMS	811.4	-47.41	-13	Pass	7840
814	860	0.1	RMS	824.824	21.69	60	Pass	460
860	1000	0.1	RMS	875.811	-64	-13	Pass	1400
1000	3000	1	RMS	1649.325	-48.19	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.77	-13	Pass	7000




**15.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-72.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.85	-13	Pass	2985
30	814	0.1	RMS	811.6	-48.1	-13	Pass	7840
814	860	0.1	RMS	824.824	20.83	60	Pass	460
860	1000	0.1	RMS	873.81	-63.88	-13	Pass	1400
1000	3000	1	RMS	1649.325	-48.94	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.73	-13	Pass	7000




**15.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.55	-72.2	-13	Pass	2985
30	814	0.1	RMS	813.7	-57.86	-13	Pass	7840
814	860	0.1	RMS	829.834	21.85	60	Pass	460
860	1000	0.1	RMS	872.509	-63.83	-13	Pass	1400
1000	3000	1	RMS	1659.33	-48.05	-13	Pass	2000
3000	10000	1	RMS	6934.562	-41.07	-13	Pass	7000




**15.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.35	-72.05	-13	Pass	2985
30	814	0.1	RMS	813.9	-57.62	-13	Pass	7840
814	860	0.1	RMS	829.834	20.8	60	Pass	460
860	1000	0.1	RMS	886.719	-63.86	-13	Pass	1400
1000	3000	1	RMS	1659.33	-49.13	-13	Pass	2000
3000	10000	1	RMS	7999.714	-44.76	-13	Pass	7000




**15.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2985
30	814	0.1	RMS	811.8	-59.22	-13	Pass	7840
814	860	0.1	RMS	834.845	21.79	60	Pass	460
860	1000	0.1	RMS	996.397	-64.02	-13	Pass	1400
1000	3000	1	RMS	1669.335	-47.64	-13	Pass	2000
3000	10000	1	RMS	8012.716	-44.79	-13	Pass	7000



**15.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.29	-13	Pass	2985
30	814	0.1	RMS	811.8	-60.05	-13	Pass	7840
814	860	0.1	RMS	834.845	20.98	60	Pass	460
860	1000	0.1	RMS	885.218	-63.98	-13	Pass	1400
1000	3000	1	RMS	1669.335	-48.45	-13	Pass	2000
3000	10000	1	RMS	8000.714	-44.72	-13	Pass	7000



16. LTE_Band26(part90)


16.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68	-13	Pass	401
0.15	30	0.01	Peak	0.19	-62.49	-13	Pass	2985
30	809	0.1	Peak	808.7	-50.61	-13	Pass	7790
809	829	0.1	Peak	814.25	26.49	60	Pass	401
829	1000	0.1	Peak	883.832	-52.19	-13	Pass	1710
1000	3000	1	Peak	2824.912	-38.02	-13	Pass	2000
3000	10000	1	Peak	6925.561	-32.27	-13	Pass	7000




**16.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-65.51	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.73	-13	Pass	2985
30	809	0.1	Peak	809	-49.94	-13	Pass	7790
809	829	0.1	Peak	814.3	26.68	60	Pass	401
829	1000	0.1	Peak	978.988	-52.6	-13	Pass	1710
1000	3000	1	Peak	2784.892	-37.85	-13	Pass	2000
3000	10000	1	Peak	7094.585	-32.08	-13	Pass	7000




16.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.5	-13	Pass	401
0.15	30	0.01	Peak	0.47	-64.14	-13	Pass	2985
30	809	0.1	Peak	761.494	-52.11	-13	Pass	7790
809	829	0.1	Peak	818.55	26.49	60	Pass	401
829	1000	0.1	Peak	866.322	-52.18	-13	Pass	1710
1000	3000	1	Peak	2857.929	-36.95	-13	Pass	2000
3000	10000	1	Peak	9608.944	-32.35	-13	Pass	7000




**16.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.32	-13	Pass	401
0.15	30	0.01	Peak	0.44	-62.64	-13	Pass	2985
30	809	0.1	Peak	771.995	-52.19	-13	Pass	7790
809	829	0.1	Peak	818.6	26.3	60	Pass	401
829	1000	0.1	Peak	829.6	-52.82	-13	Pass	1710
1000	3000	1	Peak	2934.967	-37.9	-13	Pass	2000
3000	10000	1	Peak	9541.935	-32.73	-13	Pass	7000




16.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.27	-13	Pass	2985
30	809	0.1	Peak	593.672	-52.76	-13	Pass	7790
809	829	0.1	Peak	822.85	26.43	60	Pass	401
829	1000	0.1	Peak	829	-47.31	-13	Pass	1710
1000	3000	1	Peak	2964.982	-37.66	-13	Pass	2000
3000	10000	1	Peak	9967.995	-32.24	-13	Pass	7000




**16.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.042	-66.45	-13	Pass	401
0.15	30	0.01	Peak	0.18	-64.11	-13	Pass	2985
30	809	0.1	Peak	503.061	-52.74	-13	Pass	7790
809	829	0.1	Peak	822.85	26.64	60	Pass	401
829	1000	0.1	Peak	829.1	-48.34	-13	Pass	1710
1000	3000	1	Peak	2922.961	-37.22	-13	Pass	2000
3000	10000	1	Peak	7981.712	-31.66	-13	Pass	7000




**16.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.35	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.38	-13	Pass	2985
30	809	0.1	Peak	808.9	-41.71	-13	Pass	7790
809	829	0.1	Peak	814.25	26.24	60	Pass	401
829	1000	0.1	Peak	830.701	-52.11	-13	Pass	1710
1000	3000	1	Peak	2479.74	-38.23	-13	Pass	2000
3000	10000	1	Peak	9806.972	-31.63	-13	Pass	7000




**16.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.32	-13	Pass	401
0.15	30	0.01	Peak	0.44	-63.72	-13	Pass	2985
30	809	0.1	Peak	809	-41.41	-13	Pass	7790
809	829	0.1	Peak	814.2	26.61	60	Pass	401
829	1000	0.1	Peak	901.042	-52.14	-13	Pass	1710
1000	3000	1	Peak	2943.972	-36.5	-13	Pass	2000
3000	10000	1	Peak	7795.685	-31.93	-13	Pass	7000




**16.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.048	-66.69	-13	Pass	401
0.15	30	0.01	Peak	0.33	-63.76	-13	Pass	2985
30	809	0.1	Peak	495.56	-52.55	-13	Pass	7790
809	829	0.1	Peak	817.7	26.35	60	Pass	401
829	1000	0.1	Peak	830.701	-47.23	-13	Pass	1710
1000	3000	1	Peak	2946.973	-37.36	-13	Pass	2000
3000	10000	1	Peak	7015.574	-32.11	-13	Pass	7000




**16.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.042	-66.11	-13	Pass	401
0.15	30	0.01	Peak	0.38	-62.66	-13	Pass	2985
30	809	0.1	Peak	807.1	-52.87	-13	Pass	7790
809	829	0.1	Peak	817.8	26.23	60	Pass	401
829	1000	0.1	Peak	830.701	-47.04	-13	Pass	1710
1000	3000	1	Peak	2898.949	-37.47	-13	Pass	2000
3000	10000	1	Peak	7086.584	-31.53	-13	Pass	7000




**16.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.048	-65.66	-13	Pass	401
0.15	30	0.01	Peak	0.19	-64.09	-13	Pass	2985
30	809	0.1	Peak	780.096	-52.37	-13	Pass	7790
809	829	0.1	Peak	821.25	26.65	60	Pass	401
829	1000	0.1	Peak	829	-44.28	-13	Pass	1710
1000	3000	1	Peak	2827.914	-37.41	-13	Pass	2000
3000	10000	1	Peak	8206.744	-31.81	-13	Pass	7000




**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.8	-13	Pass	401
0.15	30	0.01	Peak	0.2	-62.25	-13	Pass	2985
30	809	0.1	Peak	665.982	-52.83	-13	Pass	7790
809	829	0.1	Peak	821.25	26.66	60	Pass	401
829	1000	0.1	Peak	829	-45.23	-13	Pass	1710
1000	3000	1	Peak	2960.98	-38.18	-13	Pass	2000
3000	10000	1	Peak	7994.714	-32.27	-13	Pass	7000




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.048	-66.41	-13	Pass	401
0.15	30	0.01	Peak	0.66	-64.16	-13	Pass	2985
30	809	0.1	Peak	809	-45.24	-13	Pass	7790
809	829	0.1	Peak	814.3	26.69	60	Pass	401
829	1000	0.1	Peak	866.122	-52.88	-13	Pass	1710
1000	3000	1	Peak	2844.922	-37.64	-13	Pass	2000
3000	10000	1	Peak	7979.711	-32.08	-13	Pass	7000




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.048	-67.65	-13	Pass	401
0.15	30	0.01	Peak	0.6	-61.12	-13	Pass	2985
30	809	0.1	Peak	809	-43.88	-13	Pass	7790
809	829	0.1	Peak	814.3	26.61	60	Pass	401
829	1000	0.1	Peak	974.685	-53.03	-13	Pass	1710
1000	3000	1	Peak	2957.979	-36.68	-13	Pass	2000
3000	10000	1	Peak	8243.749	-32.15	-13	Pass	7000




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-65.82	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.04	-13	Pass	2985
30	809	0.1	Peak	808.4	-48.99	-13	Pass	7790
809	829	0.1	Peak	816.85	26.69	60	Pass	401
829	1000	0.1	Peak	853.915	-51	-13	Pass	1710
1000	3000	1	Peak	2940.97	-38.1	-13	Pass	2000
3000	10000	1	Peak	6946.564	-31.54	-13	Pass	7000




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.048	-67.38	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.79	-13	Pass	2985
30	809	0.1	Peak	808.2	-49.1	-13	Pass	7790
809	829	0.1	Peak	816.8	26.71	60	Pass	401
829	1000	0.1	Peak	932.761	-52.27	-13	Pass	1710
1000	3000	1	Peak	2767.884	-37.34	-13	Pass	2000
3000	10000	1	Peak	9431.919	-31.97	-13	Pass	7000




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.048	-66.97	-13	Pass	401
0.15	30	0.01	Peak	0.71	-63.66	-13	Pass	2985
30	809	0.1	Peak	725.089	-51.79	-13	Pass	7790
809	829	0.1	Peak	819.3	26.48	60	Pass	401
829	1000	0.1	Peak	829	-48.1	-13	Pass	1710
1000	3000	1	Peak	2991.996	-37.76	-13	Pass	2000
3000	10000	1	Peak	9790.97	-32.71	-13	Pass	7000




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.049	-67.53	-13	Pass	401
0.15	30	0.01	Peak	0.28	-64.67	-13	Pass	2985
30	809	0.1	Peak	732.79	-52.43	-13	Pass	7790
809	829	0.1	Peak	819.3	26.6	60	Pass	401
829	1000	0.1	Peak	829	-46.34	-13	Pass	1710
1000	3000	1	Peak	2984.992	-37.27	-13	Pass	2000
3000	10000	1	Peak	7991.713	-31.78	-13	Pass	7000




16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.24	-13	Pass	401
0.15	30	0.01	Peak	0.47	-63.56	-13	Pass	2985
30	809	0.1	Peak	808.8	-34.99	-13	Pass	7790
809	829	0.1	Peak	814.6	26.84	60	Pass	401
829	1000	0.1	Peak	830.001	-31.1	-13	Pass	1710
1000	3000	1	Peak	2487.744	-37.94	-13	Pass	2000
3000	10000	1	Peak	7126.59	-32.44	-13	Pass	7000



**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-65.65	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.38	-13	Pass	2985
30	809	0.1	Peak	808	-37.67	-13	Pass	7790
809	829	0.1	Peak	814.55	26.61	60	Pass	401
829	1000	0.1	Peak	829.901	-31.42	-13	Pass	1710
1000	3000	1	Peak	2868.934	-37.77	-13	Pass	2000
3000	10000	1	Peak	7110.587	-31.8	-13	Pass	7000



17. LTE_Band38

17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.39	-25	Pass	2985
30	1000	0.1	RMS	997.296	-61.92	-25	Pass	9699
1000	2560	1	RMS	2558.999	-45.34	-25	Pass	1560
2560	2630	1	RMS	2570.15	21.04	60	Pass	401
2630	3000	1	RMS	2942.65	-48.02	-25	Pass	401
3000	12000	1	RMS	7028.492	-47.78	-25	Pass	9000
12000	26500	1	RMS	25890.903	-38.34	-25	Pass	14500




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.05	-25	Pass	2985
30	1000	0.1	RMS	860.315	-61.94	-25	Pass	9699
1000	2560	1	RMS	2558.999	-46.32	-25	Pass	1560
2560	2630	1	RMS	2570.325	20.51	60	Pass	401
2630	3000	1	RMS	2957.45	-48.02	-25	Pass	401
3000	12000	1	RMS	11611.519	-51.55	-25	Pass	9000
12000	26500	1	RMS	25888.903	-38.34	-25	Pass	14500




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.63	-25	Pass	2985
30	1000	0.1	RMS	880.341	-61.77	-25	Pass	9699
1000	2560	1	RMS	2514.971	-49.17	-25	Pass	1560
2560	2630	1	RMS	2592.725	21.43	60	Pass	401
2630	3000	1	RMS	2954.675	-48	-25	Pass	401
3000	12000	1	RMS	11608.515	-51.45	-25	Pass	9000
12000	26500	1	RMS	25900.905	-38.24	-25	Pass	14500




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.06	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.85	-25	Pass	2985
30	1000	0.1	RMS	888.452	-62.03	-25	Pass	9699
1000	2560	1	RMS	2524.978	-49.17	-25	Pass	1560
2560	2630	1	RMS	2592.9	20.5	60	Pass	401
2630	3000	1	RMS	2946.35	-48.05	-25	Pass	401
3000	12000	1	RMS	11601.507	-51.47	-25	Pass	9000
12000	26500	1	RMS	25893.904	-38.34	-25	Pass	14500




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.03	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.89	-25	Pass	2985
30	1000	0.1	RMS	882.244	-61.83	-25	Pass	9699
1000	2560	1	RMS	2500.962	-49.16	-25	Pass	1560
2560	2630	1	RMS	2615.3	22.12	60	Pass	401
2630	3000	1	RMS	2635.55	-47.7	-25	Pass	401
3000	12000	1	RMS	11586.488	-51.56	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38.31	-25	Pass	14500




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.67	-25	Pass	2985
30	1000	0.1	RMS	854.607	-61.98	-25	Pass	9699
1000	2560	1	RMS	2508.967	-49.16	-25	Pass	1560
2560	2630	1	RMS	2615.125	21.15	60	Pass	401
2630	3000	1	RMS	2635.55	-47.94	-25	Pass	401
3000	12000	1	RMS	7036.493	-48.25	-25	Pass	9000
12000	26500	1	RMS	25900.905	-38.24	-25	Pass	14500




17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.11	-25	Pass	2985
30	1000	0.1	RMS	865.021	-61.89	-25	Pass	9699
1000	2560	1	RMS	2558.999	-45.32	-25	Pass	1560
2560	2630	1	RMS	2570.325	21.29	60	Pass	401
2630	3000	1	RMS	2945.425	-48.02	-25	Pass	401
3000	12000	1	RMS	11608.515	-51.53	-25	Pass	9000
12000	26500	1	RMS	25897.905	-38.27	-25	Pass	14500



**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.43	-25	Pass	2985
30	1000	0.1	RMS	863.219	-61.87	-25	Pass	9699
1000	2560	1	RMS	2560	-44.89	-25	Pass	1560
2560	2630	1	RMS	2570.5	20.21	60	Pass	401
2630	3000	1	RMS	2951.9	-48.04	-25	Pass	401
3000	12000	1	RMS	11607.514	-51.45	-25	Pass	9000
12000	26500	1	RMS	25890.903	-38.33	-25	Pass	14500




17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.06	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.03	-25	Pass	2985
30	1000	0.1	RMS	629.973	-61.88	-25	Pass	9699
1000	2560	1	RMS	2509.968	-49.16	-25	Pass	1560
2560	2630	1	RMS	2590.625	21.99	60	Pass	401
2630	3000	1	RMS	2950.975	-48.02	-25	Pass	401
3000	12000	1	RMS	11605.512	-51.49	-25	Pass	9000
12000	26500	1	RMS	25899.905	-38.32	-25	Pass	14500




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.01	-25	Pass	2985
30	1000	0.1	RMS	997.597	-61.8	-25	Pass	9699
1000	2560	1	RMS	2508.967	-49.16	-25	Pass	1560
2560	2630	1	RMS	2590.45	20.33	60	Pass	401
2630	3000	1	RMS	2946.35	-47.99	-25	Pass	401
3000	12000	1	RMS	11613.522	-51.53	-25	Pass	9000
12000	26500	1	RMS	25904.906	-38.33	-25	Pass	14500




17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.78	-25	Pass	2985
30	1000	0.1	RMS	888.552	-61.81	-25	Pass	9699
1000	2560	1	RMS	2507.967	-49.14	-25	Pass	1560
2560	2630	1	RMS	2610.4	22.17	60	Pass	401
2630	3000	1	RMS	2630	-47.5	-25	Pass	401
3000	12000	1	RMS	7026.492	-48.7	-25	Pass	9000
12000	26500	1	RMS	25887.903	-38.32	-25	Pass	14500




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.98	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.04	-25	Pass	2985
30	1000	0.1	RMS	881.343	-61.65	-25	Pass	9699
1000	2560	1	RMS	2507.967	-49.2	-25	Pass	1560
2560	2630	1	RMS	2610.575	20.44	60	Pass	401
2630	3000	1	RMS	2630	-47.59	-25	Pass	401
3000	12000	1	RMS	11610.518	-51.56	-25	Pass	9000
12000	26500	1	RMS	25890.903	-38.27	-25	Pass	14500



**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.51	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.73	-25	Pass	2985
30	1000	0.1	RMS	884.246	-61.86	-25	Pass	9699
1000	2560	1	RMS	2560	-37.11	-25	Pass	1560
2560	2630	1	RMS	2570.675	21.91	60	Pass	401
2630	3000	1	RMS	2950.975	-48.05	-25	Pass	401
3000	12000	1	RMS	11608.515	-51.46	-25	Pass	9000
12000	26500	1	RMS	25899.905	-38.34	-25	Pass	14500




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.52	-25	Pass	2985
30	1000	0.1	RMS	854.707	-61.89	-25	Pass	9699
1000	2560	1	RMS	2560	-38.66	-25	Pass	1560
2560	2630	1	RMS	2570.85	20.21	60	Pass	401
2630	3000	1	RMS	2953.75	-48.03	-25	Pass	401
3000	12000	1	RMS	11604.511	-51.45	-25	Pass	9000
12000	26500	1	RMS	25901.905	-38.32	-25	Pass	14500




17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.19	-25	Pass	2985
30	1000	0.1	RMS	874.934	-61.8	-25	Pass	9699
1000	2560	1	RMS	2510.969	-49.14	-25	Pass	1560
2560	2630	1	RMS	2588.35	21.97	60	Pass	401
2630	3000	1	RMS	2956.525	-48.04	-25	Pass	401
3000	12000	1	RMS	11605.512	-51.48	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38.3	-25	Pass	14500




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-70.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.06	-25	Pass	2985
30	1000	0.1	RMS	882.144	-61.72	-25	Pass	9699
1000	2560	1	RMS	2513.97	-49.08	-25	Pass	1560
2560	2630	1	RMS	2588.175	20.94	60	Pass	401
2630	3000	1	RMS	2947.275	-48.02	-25	Pass	401
3000	12000	1	RMS	7033.492	-47.48	-25	Pass	9000
12000	26500	1	RMS	25905.906	-38.18	-25	Pass	14500




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.84	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.89	-25	Pass	2985
30	1000	0.1	RMS	873.532	-61.85	-25	Pass	9699
1000	2560	1	RMS	2510.969	-49.17	-25	Pass	1560
2560	2630	1	RMS	2605.85	22.1	60	Pass	401
2630	3000	1	RMS	2631.85	-42.81	-25	Pass	401
3000	12000	1	RMS	11609.517	-51.48	-25	Pass	9000
12000	26500	1	RMS	25899.905	-38.3	-25	Pass	14500




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-69.53	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.43	-25	Pass	2985
30	1000	0.1	RMS	645.175	-61.5	-25	Pass	9699
1000	2560	1	RMS	2508.967	-49.12	-25	Pass	1560
2560	2630	1	RMS	2605.85	21.18	60	Pass	401
2630	3000	1	RMS	2631.85	-41.31	-25	Pass	401
3000	12000	1	RMS	11609.517	-51.49	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38.23	-25	Pass	14500




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.16	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.98	-25	Pass	2985
30	1000	0.1	RMS	976.569	-61.71	-25	Pass	9699
1000	2560	1	RMS	2558.999	-38.14	-25	Pass	1560
2560	2630	1	RMS	2571.025	21.87	60	Pass	401
2630	3000	1	RMS	2951.9	-47.99	-25	Pass	401
3000	12000	1	RMS	11615.524	-51.54	-25	Pass	9000
12000	26500	1	RMS	25907.906	-38.26	-25	Pass	14500




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.95	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.77	-25	Pass	2985
30	1000	0.1	RMS	898.966	-61.91	-25	Pass	9699
1000	2560	1	RMS	2560	-40.49	-25	Pass	1560
2560	2630	1	RMS	2571.025	20.48	60	Pass	401
2630	3000	1	RMS	2944.5	-48	-25	Pass	401
3000	12000	1	RMS	11603.509	-51.48	-25	Pass	9000
12000	26500	1	RMS	25888.903	-38.32	-25	Pass	14500




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.75	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.96	-25	Pass	2985
30	1000	0.1	RMS	879.941	-61.91	-25	Pass	9699
1000	2560	1	RMS	2555.997	-48.92	-25	Pass	1560
2560	2630	1	RMS	2586.075	21.83	60	Pass	401
2630	3000	1	RMS	2952.825	-48.04	-25	Pass	401
3000	12000	1	RMS	7032.492	-48.55	-25	Pass	9000
12000	26500	1	RMS	25869.9	-38.39	-25	Pass	14500




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.61	-25	Pass	2985
30	1000	0.1	RMS	881.543	-61.76	-25	Pass	9699
1000	2560	1	RMS	2550.994	-49.04	-25	Pass	1560
2560	2630	1	RMS	2585.9	20.69	60	Pass	401
2630	3000	1	RMS	2947.275	-48.01	-25	Pass	401
3000	12000	1	RMS	11605.512	-51.5	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38.3	-25	Pass	14500



**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.08	-25	Pass	401
0.15	30	0.01	RMS	0.58	-69.52	-25	Pass	2985
30	1000	0.1	RMS	885.348	-61.97	-25	Pass	9699
1000	2560	1	RMS	2509.968	-49.1	-25	Pass	1560
2560	2630	1	RMS	2601.125	21.3	60	Pass	401
2630	3000	1	RMS	2630.925	-40.07	-25	Pass	401
3000	12000	1	RMS	11601.507	-51.51	-25	Pass	9000
12000	26500	1	RMS	25900.905	-38.33	-25	Pass	14500



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-69.19	-25	Pass	401
0.15	30	0.01	RMS	0.4	-70.01	-25	Pass	2985
30	1000	0.1	RMS	881.743	-61.98	-25	Pass	9699
1000	2560	1	RMS	2510.969	-49.16	-25	Pass	1560
2560	2630	1	RMS	2601.125	20.54	60	Pass	401
2630	3000	1	RMS	2630.925	-41.36	-25	Pass	401
3000	12000	1	RMS	11606.513	-51.51	-25	Pass	9000
12000	26500	1	RMS	25903.906	-38.31	-25	Pass	14500



18. LTE_Band41 full


18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.3	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.55	-25	Pass	2985
30	1000	0.1	RMS	882.945	-61.81	-25	Pass	9699
1000	2486	1	RMS	2484.999	-46.93	-25	Pass	1486
2486	2700	1	RMS	2496.165	20.98	60	Pass	401
2700	3000	1	RMS	2952	-48.07	-25	Pass	401
3000	12000	1	RMS	7154.507	-49.82	-25	Pass	9000
12000	27000	1	RMS	25897.838	-38.29	-25	Pass	15000




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.75	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.2	-25	Pass	2985
30	1000	0.1	RMS	855.608	-62	-25	Pass	9699
1000	2486	1	RMS	2484.999	-44.73	-25	Pass	1486
2486	2700	1	RMS	2496.165	18.87	60	Pass	401
2700	3000	1	RMS	2952	-47.93	-25	Pass	401
3000	12000	1	RMS	7183.511	-49.97	-25	Pass	9000
12000	27000	1	RMS	25891.837	-38.25	-25	Pass	15000




**18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.68	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.04	-25	Pass	2985
30	1000	0.1	RMS	872.03	-61.95	-25	Pass	9699
1000	2486	1	RMS	2483.999	-49.39	-25	Pass	1486
2486	2700	1	RMS	2590.325	20.66	60	Pass	401
2700	3000	1	RMS	2956.5	-47.88	-25	Pass	401
3000	12000	1	RMS	11601.507	-51.36	-25	Pass	9000
12000	27000	1	RMS	25895.838	-38.24	-25	Pass	15000




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.44	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.2	-25	Pass	2985
30	1000	0.1	RMS	905.775	-61.77	-25	Pass	9699
1000	2486	1	RMS	2484.999	-49.49	-25	Pass	1486
2486	2700	1	RMS	2590.325	19.41	60	Pass	401
2700	3000	1	RMS	2953.5	-48.06	-25	Pass	401
3000	12000	1	RMS	11595.499	-51.5	-25	Pass	9000
12000	27000	1	RMS	25897.838	-38.31	-25	Pass	15000




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.49	-25	Pass	2985
30	1000	0.1	RMS	896.763	-61.92	-25	Pass	9699
1000	2486	1	RMS	2477.995	-49.41	-25	Pass	1486
2486	2700	1	RMS	2685.02	20.54	60	Pass	401
2700	3000	1	RMS	2955.75	-48.03	-25	Pass	401
3000	12000	1	RMS	11597.502	-51.44	-25	Pass	9000
12000	27000	1	RMS	25898.838	-38.26	-25	Pass	15000




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-72.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.13	-25	Pass	2985
30	1000	0.1	RMS	873.733	-61.85	-25	Pass	9699
1000	2486	1	RMS	2476.994	-49.46	-25	Pass	1486
2486	2700	1	RMS	2685.02	19.19	60	Pass	401
2700	3000	1	RMS	2959.5	-47.99	-25	Pass	401
3000	12000	1	RMS	7160.508	-49.3	-25	Pass	9000
12000	27000	1	RMS	25894.838	-38.33	-25	Pass	15000




18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.45	-25	Pass	2985
30	1000	0.1	RMS	892.658	-61.95	-25	Pass	9699
1000	2486	1	RMS	2486	-43.01	-25	Pass	1486
2486	2700	1	RMS	2496.165	20.68	60	Pass	401
2700	3000	1	RMS	2943	-47.98	-25	Pass	401
3000	12000	1	RMS	11609.517	-51.47	-25	Pass	9000
12000	27000	1	RMS	25884.836	-38.38	-25	Pass	15000




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.65	-25	Pass	2985
30	1000	0.1	RMS	859.113	-61.71	-25	Pass	9699
1000	2486	1	RMS	2486	-45.26	-25	Pass	1486
2486	2700	1	RMS	2496.165	19.07	60	Pass	401
2700	3000	1	RMS	2949.75	-47.98	-25	Pass	401
3000	12000	1	RMS	11602.508	-51.31	-25	Pass	9000
12000	27000	1	RMS	25886.836	-38.27	-25	Pass	15000




18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.98	-25	Pass	2985
30	1000	0.1	RMS	999.7	-59.82	-25	Pass	9699
1000	2486	1	RMS	2484.999	-49.21	-25	Pass	1486
2486	2700	1	RMS	2588.185	20.54	60	Pass	401
2700	3000	1	RMS	2949.75	-47.84	-25	Pass	401
3000	12000	1	RMS	11605.512	-51.39	-25	Pass	9000
12000	27000	1	RMS	25901.839	-38.19	-25	Pass	15000




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.53	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.81	-25	Pass	2985
30	1000	0.1	RMS	927.404	-59.75	-25	Pass	9699
1000	2486	1	RMS	2484.999	-49.25	-25	Pass	1486
2486	2700	1	RMS	2588.185	19.43	60	Pass	401
2700	3000	1	RMS	2945.25	-47.85	-25	Pass	401
3000	12000	1	RMS	11745.685	-48.89	-25	Pass	9000
12000	27000	1	RMS	25898.838	-38.33	-25	Pass	15000




18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.81	-25	Pass	401
0.15	30	0.01	RMS	2.191	-68.02	-25	Pass	2985
30	1000	0.1	RMS	846.6	-59.45	-25	Pass	9699
1000	2486	1	RMS	2480.997	-49.3	-25	Pass	1486
2486	2700	1	RMS	2680.205	20.63	60	Pass	401
2700	3000	1	RMS	2700	-46.69	-25	Pass	401
3000	12000	1	RMS	3567.069	-51.26	-25	Pass	9000
12000	27000	1	RMS	25908.84	-38.29	-25	Pass	15000




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.72	-25	Pass	401
0.15	30	0.01	RMS	27.599	-68.24	-25	Pass	2985
30	1000	0.1	RMS	882.544	-59.61	-25	Pass	9699
1000	2486	1	RMS	2486	-49.27	-25	Pass	1486
2486	2700	1	RMS	2680.205	20.61	60	Pass	401
2700	3000	1	RMS	2700	-47.13	-25	Pass	401
3000	12000	1	RMS	11607.514	-51.29	-25	Pass	9000
12000	27000	1	RMS	25897.838	-38.23	-25	Pass	15000




18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-71.21	-25	Pass	401
0.15	30	0.01	RMS	26.589	-68.23	-25	Pass	2985
30	1000	0.1	RMS	834.498	-59.72	-25	Pass	9699
1000	2486	1	RMS	2484.999	-38.64	-25	Pass	1486
2486	2700	1	RMS	2496.7	20.75	60	Pass	401
2700	3000	1	RMS	2956.5	-47.89	-25	Pass	401
3000	12000	1	RMS	11598.503	-51.27	-25	Pass	9000
12000	27000	1	RMS	25902.839	-38.27	-25	Pass	15000




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.48	-25	Pass	401
0.15	30	0.01	RMS	10.023	-68.41	-25	Pass	2985
30	1000	0.1	RMS	189.519	-61.69	-25	Pass	9699
1000	2486	1	RMS	2484.999	-39.82	-25	Pass	1486
2486	2700	1	RMS	2496.7	20.08	60	Pass	401
2700	3000	1	RMS	2945.25	-47.88	-25	Pass	401
3000	12000	1	RMS	7167.509	-49.81	-25	Pass	9000
12000	27000	1	RMS	25900.839	-38.28	-25	Pass	15000




18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.7	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.87	-25	Pass	2985
30	1000	0.1	RMS	392.944	-60.29	-25	Pass	9699
1000	2486	1	RMS	2484.999	-49.26	-25	Pass	1486
2486	2700	1	RMS	2586.045	21.32	60	Pass	401
2700	3000	1	RMS	2958.75	-47.88	-25	Pass	401
3000	12000	1	RMS	3567.069	-50.87	-25	Pass	9000
12000	27000	1	RMS	25897.838	-38.18	-25	Pass	15000




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.76	-25	Pass	401
0.15	30	0.01	RMS	0.2	-69.45	-25	Pass	2985
30	1000	0.1	RMS	811.295	-59.94	-25	Pass	9699
1000	2486	1	RMS	2486	-49.26	-25	Pass	1486
2486	2700	1	RMS	2586.045	18.89	60	Pass	401
2700	3000	1	RMS	2942.25	-47.89	-25	Pass	401
3000	12000	1	RMS	11594.498	-51.38	-25	Pass	9000
12000	27000	1	RMS	25902.839	-38.21	-25	Pass	15000




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.68	-25	Pass	2985
30	1000	0.1	RMS	390.044	-60.25	-25	Pass	9699
1000	2486	1	RMS	2486	-49.26	-25	Pass	1486
2486	2700	1	RMS	2675.39	20.77	60	Pass	401
2700	3000	1	RMS	2702.25	-39.25	-25	Pass	401
3000	12000	1	RMS	11601.507	-51.25	-25	Pass	9000
12000	27000	1	RMS	25901.839	-38.24	-25	Pass	15000




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.62	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.57	-25	Pass	2985
30	1000	0.1	RMS	667.178	-60.19	-25	Pass	9699
1000	2486	1	RMS	2478.995	-49.34	-25	Pass	1486
2486	2700	1	RMS	2675.39	19.9	60	Pass	401
2700	3000	1	RMS	2702.25	-40.51	-25	Pass	401
3000	12000	1	RMS	7168.509	-49.31	-25	Pass	9000
12000	27000	1	RMS	25887.837	-38.24	-25	Pass	15000




18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.18	-25	Pass	2985
30	1000	0.1	RMS	477.855	-61.82	-25	Pass	9699
1000	2486	1	RMS	2486	-39.76	-25	Pass	1486
2486	2700	1	RMS	2496.7	21.08	60	Pass	401
2700	3000	1	RMS	2947.5	-47.91	-25	Pass	401
3000	12000	1	RMS	11593.497	-51.31	-25	Pass	9000
12000	27000	1	RMS	25889.837	-38.41	-25	Pass	15000




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.2	-25	Pass	2985
30	1000	0.1	RMS	501.158	-60.21	-25	Pass	9699
1000	2486	1	RMS	2486	-40.57	-25	Pass	1486
2486	2700	1	RMS	2496.7	20.28	60	Pass	401
2700	3000	1	RMS	2946	-47.88	-25	Pass	401
3000	12000	1	RMS	11603.509	-51.31	-25	Pass	9000
12000	27000	1	RMS	25898.838	-38.24	-25	Pass	15000




18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.38	-25	Pass	401
0.15	30	0.01	RMS	0.22	-69.48	-25	Pass	2985
30	1000	0.1	RMS	874.433	-59.45	-25	Pass	9699
1000	2486	1	RMS	2484.999	-49.22	-25	Pass	1486
2486	2700	1	RMS	2583.905	21.09	60	Pass	401
2700	3000	1	RMS	2946	-47.94	-25	Pass	401
3000	12000	1	RMS	11604.511	-51.31	-25	Pass	9000
12000	27000	1	RMS	25900.839	-38.25	-25	Pass	15000




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-72.02	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.21	-25	Pass	2985
30	1000	0.1	RMS	857.11	-61.85	-25	Pass	9699
1000	2486	1	RMS	2486	-49.52	-25	Pass	1486
2486	2700	1	RMS	2583.905	19.11	60	Pass	401
2700	3000	1	RMS	2950.5	-48.09	-25	Pass	401
3000	12000	1	RMS	7202.513	-49.49	-25	Pass	9000
12000	27000	1	RMS	25903.839	-38.49	-25	Pass	15000




18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.47	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.28	-25	Pass	2985
30	1000	0.1	RMS	856.109	-61.95	-25	Pass	9699
1000	2486	1	RMS	2486	-49.52	-25	Pass	1486
2486	2700	1	RMS	2671.11	20.63	60	Pass	401
2700	3000	1	RMS	2701.5	-38.96	-25	Pass	401
3000	12000	1	RMS	11607.514	-51.53	-25	Pass	9000
12000	27000	1	RMS	25902.839	-38.49	-25	Pass	15000



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.47	-25	Pass	2985
30	1000	0.1	RMS	884.347	-61.83	-25	Pass	9699
1000	2486	1	RMS	2482.998	-49.56	-25	Pass	1486
2486	2700	1	RMS	2670.575	19.43	60	Pass	401
2700	3000	1	RMS	2701.5	-38.55	-25	Pass	401
3000	12000	1	RMS	11599.504	-51.58	-25	Pass	9000
12000	27000	1	RMS	25885.836	-38.32	-25	Pass	15000



19. LTE_Band66


19.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-72.29	-13	Pass	401
0.15	30	0.01	RMS	0.27	-71.41	-13	Pass	2985
30	1000	0.1	RMS	862.418	-63.83	-13	Pass	9699
1000	1700	1	RMS	1700	-51.16	-13	Pass	700
1700	1790	1	RMS	1710.125	23.78	60	Pass	401
1790	3000	1	RMS	2949.959	-49.96	-13	Pass	1210
3000	12000	1	RMS	7043.494	-40.44	-13	Pass	9000
12000	20000	1	RMS	19569.946	-34.96	-13	Pass	8000




19.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.04	-13	Pass	2985
30	1000	0.1	RMS	883.746	-63.77	-13	Pass	9699
1000	1700	1	RMS	1700	-51.56	-13	Pass	700
1700	1790	1	RMS	1710.125	22.77	60	Pass	401
1790	3000	1	RMS	2944.955	-49.98	-13	Pass	1210
3000	12000	1	RMS	11881.854	-44.06	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.8	-13	Pass	8000




19.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.49	-13	Pass	2985
30	1000	0.1	RMS	854.006	-63.91	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.05	-13	Pass	700
1700	1790	1	RMS	1744.325	23.63	60	Pass	401
1790	3000	1	RMS	2943.954	-49.99	-13	Pass	1210
3000	12000	1	RMS	5233.273	-42.14	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.82	-13	Pass	8000




19.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2985
30	1000	0.1	RMS	868.225	-63.87	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.08	-13	Pass	700
1700	1790	1	RMS	1744.325	22.64	60	Pass	401
1790	3000	1	RMS	2952.961	-49.95	-13	Pass	1210
3000	12000	1	RMS	5233.273	-42.87	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.78	-13	Pass	8000




19.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.14	-13	Pass	2985
30	1000	0.1	RMS	872.03	-63.85	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.09	-13	Pass	700
1700	1790	1	RMS	1778.75	23.61	60	Pass	401
1790	3000	1	RMS	2954.963	-49.97	-13	Pass	1210
3000	12000	1	RMS	5336.285	-38.88	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.75	-13	Pass	8000




19.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	Pass	2985
30	1000	0.1	RMS	854.707	-63.79	-13	Pass	9699
1000	1700	1	RMS	1693.991	-53.13	-13	Pass	700
1700	1790	1	RMS	1778.75	22.75	60	Pass	401
1790	3000	1	RMS	2948.958	-49.95	-13	Pass	1210
3000	12000	1	RMS	5336.285	-39.28	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.7	-13	Pass	8000




19.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.68	-13	Pass	2985
30	1000	0.1	RMS	983.778	-63.73	-13	Pass	9699
1000	1700	1	RMS	1700	-50.81	-13	Pass	700
1700	1790	1	RMS	1710.125	23.64	60	Pass	401
1790	3000	1	RMS	2947.957	-49.95	-13	Pass	1210
3000	12000	1	RMS	11932.917	-44.11	-13	Pass	9000
12000	20000	1	RMS	19569.946	-34.92	-13	Pass	8000




**19.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2985
30	1000	0.1	RMS	878.839	-63.89	-13	Pass	9699
1000	1700	1	RMS	1700	-51.13	-13	Pass	700
1700	1790	1	RMS	1710.125	22.81	60	Pass	401
1790	3000	1	RMS	2952.961	-50	-13	Pass	1210
3000	12000	1	RMS	11876.848	-44.12	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.76	-13	Pass	8000




19.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2985
30	1000	0.1	RMS	877.938	-63.8	-13	Pass	9699
1000	1700	1	RMS	1700	-53.06	-13	Pass	700
1700	1790	1	RMS	1743.65	23.65	60	Pass	401
1790	3000	1	RMS	2949.959	-49.93	-13	Pass	1210
3000	12000	1	RMS	5231.272	-41.14	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.72	-13	Pass	8000




**19.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.39	-13	Pass	2985
30	1000	0.1	RMS	879.24	-63.71	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.05	-13	Pass	700
1700	1790	1	RMS	1743.65	22.65	60	Pass	401
1790	3000	1	RMS	2951.96	-49.98	-13	Pass	1210
3000	12000	1	RMS	5231.272	-42.78	-13	Pass	9000
12000	20000	1	RMS	19791.974	-36.77	-13	Pass	8000




19.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.88	-13	Pass	2985
30	1000	0.1	RMS	869.227	-63.94	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.09	-13	Pass	700
1700	1790	1	RMS	1777.175	23.49	60	Pass	401
1790	3000	1	RMS	1790	-49.5	-13	Pass	1210
3000	12000	1	RMS	5331.285	-39.64	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.71	-13	Pass	8000




**19.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.25	-71.73	-13	Pass	2985
30	1000	0.1	RMS	838.199	-63.91	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.09	-13	Pass	700
1700	1790	1	RMS	1777.175	22.6	60	Pass	401
1790	3000	1	RMS	1790	-49.8	-13	Pass	1210
3000	12000	1	RMS	5331.285	-40.7	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.77	-13	Pass	8000




19.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.07	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.39	-13	Pass	2985
30	1000	0.1	RMS	877.137	-63.78	-13	Pass	9699
1000	1700	1	RMS	1700	-51.09	-13	Pass	700
1700	1790	1	RMS	1710.125	23.73	60	Pass	401
1790	3000	1	RMS	2947.957	-50.01	-13	Pass	1210
3000	12000	1	RMS	5131.26	-42.99	-13	Pass	9000
12000	20000	1	RMS	19571.946	-34.62	-13	Pass	8000




**19.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.02	-13	Pass	2985
30	1000	0.1	RMS	865.321	-63.89	-13	Pass	9699
1000	1700	1	RMS	1700	-51.58	-13	Pass	700
1700	1790	1	RMS	1710.125	22.79	60	Pass	401
1790	3000	1	RMS	2962.969	-50.05	-13	Pass	1210
3000	12000	1	RMS	11905.884	-44.03	-13	Pass	9000
12000	20000	1	RMS	19795.974	-36.69	-13	Pass	8000




19.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-72.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2985
30	1000	0.1	RMS	883.946	-63.89	-13	Pass	9699
1000	1700	1	RMS	1696.996	-53.1	-13	Pass	700
1700	1790	1	RMS	1742.75	23.87	60	Pass	401
1790	3000	1	RMS	2942.953	-50.01	-13	Pass	1210
3000	12000	1	RMS	5228.272	-41.38	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.8	-13	Pass	8000




**19.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.09	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.61	-13	Pass	2985
30	1000	0.1	RMS	888.953	-63.86	-13	Pass	9699
1000	1700	1	RMS	1694.993	-53.08	-13	Pass	700
1700	1790	1	RMS	1742.75	23	60	Pass	401
1790	3000	1	RMS	2936.948	-49.99	-13	Pass	1210
3000	12000	1	RMS	11615.524	-39.05	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.67	-13	Pass	8000




**19.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	Pass	2985
30	1000	0.1	RMS	883.746	-63.77	-13	Pass	9699
1000	1700	1	RMS	1700	-53.01	-13	Pass	700
1700	1790	1	RMS	1775.15	23.63	60	Pass	401
1790	3000	1	RMS	2947.957	-49.99	-13	Pass	1210
3000	12000	1	RMS	5326.284	-39.39	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.76	-13	Pass	8000




**19.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2985
30	1000	0.1	RMS	871.229	-63.87	-13	Pass	9699
1000	1700	1	RMS	1688.984	-53.12	-13	Pass	700
1700	1790	1	RMS	1775.15	22.92	60	Pass	401
1790	3000	1	RMS	2950.959	-49.99	-13	Pass	1210
3000	12000	1	RMS	5326.284	-39.74	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.82	-13	Pass	8000




19.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	Pass	2985
30	1000	0.1	RMS	881.543	-63.82	-13	Pass	9699
1000	1700	1	RMS	1692.99	-45.37	-13	Pass	700
1700	1790	1	RMS	1710.575	23.83	60	Pass	401
1790	3000	1	RMS	2949.959	-49.97	-13	Pass	1210
3000	12000	1	RMS	5132.26	-43.41	-13	Pass	9000
12000	20000	1	RMS	19562.945	-34.71	-13	Pass	8000




**19.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.28	-13	Pass	2985
30	1000	0.1	RMS	863.018	-63.61	-13	Pass	9699
1000	1700	1	RMS	1692.99	-46.09	-13	Pass	700
1700	1790	1	RMS	1710.575	22.99	60	Pass	401
1790	3000	1	RMS	2948.958	-49.96	-13	Pass	1210
3000	12000	1	RMS	11604.511	-44.05	-13	Pass	9000
12000	20000	1	RMS	19790.974	-36.81	-13	Pass	8000




**19.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.53	-13	Pass	2985
30	1000	0.1	RMS	882.845	-63.86	-13	Pass	9699
1000	1700	1	RMS	1700	-53.06	-13	Pass	700
1700	1790	1	RMS	1740.5	23.92	60	Pass	401
1790	3000	1	RMS	2946.956	-49.99	-13	Pass	1210
3000	12000	1	RMS	11602.508	-39.03	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.79	-13	Pass	8000




**19.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2985
30	1000	0.1	RMS	857.511	-63.78	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.1	-13	Pass	700
1700	1790	1	RMS	1740.5	22.96	60	Pass	401
1790	3000	1	RMS	2945.955	-50	-13	Pass	1210
3000	12000	1	RMS	5222.271	-43.18	-13	Pass	9000
12000	20000	1	RMS	19789.974	-36.77	-13	Pass	8000




19.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.16	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.91	-13	Pass	2985
30	1000	0.1	RMS	868.325	-63.99	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.09	-13	Pass	700
1700	1790	1	RMS	1770.425	23.93	60	Pass	401
1790	3000	1	RMS	1790	-48.52	-13	Pass	1210
3000	12000	1	RMS	5311.282	-40.57	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.71	-13	Pass	8000




**19.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.13	-13	Pass	2985
30	1000	0.1	RMS	853.205	-63.96	-13	Pass	9699
1000	1700	1	RMS	1697.997	-53.06	-13	Pass	700
1700	1790	1	RMS	1770.425	23.03	60	Pass	401
1790	3000	1	RMS	1790	-48.52	-13	Pass	1210
3000	12000	1	RMS	5312.282	-41.59	-13	Pass	9000
12000	20000	1	RMS	19792.974	-36.77	-13	Pass	8000




19.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-13	Pass	2985
30	1000	0.1	RMS	877.037	-63.94	-13	Pass	9699
1000	1700	1	RMS	1700	-34.43	-13	Pass	700
1700	1790	1	RMS	1710.8	23.8	60	Pass	401
1790	3000	1	RMS	2947.957	-50	-13	Pass	1210
3000	12000	1	RMS	5132.26	-42.89	-13	Pass	9000
12000	20000	1	RMS	19568.946	-34.49	-13	Pass	8000




**19.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2985
30	1000	0.1	RMS	876.636	-63.72	-13	Pass	9699
1000	1700	1	RMS	1700	-37.25	-13	Pass	700
1700	1790	1	RMS	1710.8	22.97	60	Pass	401
1790	3000	1	RMS	2951.96	-49.94	-13	Pass	1210
3000	12000	1	RMS	11614.523	-39.63	-13	Pass	9000
12000	20000	1	RMS	19808.976	-36.71	-13	Pass	8000




**19.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.76	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.45	-13	Pass	2985
30	1000	0.1	RMS	842.899	-63.97	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.05	-13	Pass	700
1700	1790	1	RMS	1738.25	23.85	60	Pass	401
1790	3000	1	RMS	2950.959	-49.96	-13	Pass	1210
3000	12000	1	RMS	5215.27	-40.78	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.73	-13	Pass	8000




19.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.4	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.77	-13	Pass	2985
30	1000	0.1	RMS	865.021	-63.93	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.05	-13	Pass	700
1700	1790	1	RMS	1738.25	22.89	60	Pass	401
1790	3000	1	RMS	2953.962	-49.98	-13	Pass	1210
3000	12000	1	RMS	5215.27	-42.04	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.76	-13	Pass	8000




**19.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29,
Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.91	-13	Pass	2985
30	1000	0.1	RMS	867.825	-63.91	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.05	-13	Pass	700
1700	1790	1	RMS	1765.7	23.9	60	Pass	401
1790	3000	1	RMS	1792.002	-35.87	-13	Pass	1210
3000	12000	1	RMS	5297.28	-40.84	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.81	-13	Pass	8000




**19.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.04	-13	Pass	2985
30	1000	0.1	RMS	907.277	-63.84	-13	Pass	9699
1000	1700	1	RMS	1695.994	-53.1	-13	Pass	700
1700	1790	1	RMS	1765.7	23.08	60	Pass	401
1790	3000	1	RMS	1792.002	-36.29	-13	Pass	1210
3000	12000	1	RMS	5297.28	-41.32	-13	Pass	9000
12000	20000	1	RMS	19790.974	-36.8	-13	Pass	8000




19.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-72.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2985
30	1000	0.1	RMS	878.038	-64	-13	Pass	9699
1000	1700	1	RMS	1700	-35.55	-13	Pass	700
1700	1790	1	RMS	1711.025	23.75	60	Pass	401
1790	3000	1	RMS	2948.958	-49.99	-13	Pass	1210
3000	12000	1	RMS	11609.517	-39.67	-13	Pass	9000
12000	20000	1	RMS	19562.945	-34.83	-13	Pass	8000




19.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	Pass	2985
30	1000	0.1	RMS	893.859	-63.98	-13	Pass	9699
1000	1700	1	RMS	1700	-38.1	-13	Pass	700
1700	1790	1	RMS	1711.025	22.9	60	Pass	401
1790	3000	1	RMS	2940.951	-49.99	-13	Pass	1210
3000	12000	1	RMS	11939.926	-44.1	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.71	-13	Pass	8000




19.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.52	-13	Pass	2985
30	1000	0.1	RMS	885.448	-63.75	-13	Pass	9699
1000	1700	1	RMS	1700	-46.19	-13	Pass	700
1700	1790	1	RMS	1736	23.73	60	Pass	401
1790	3000	1	RMS	2959.967	-49.9	-13	Pass	1210
3000	12000	1	RMS	5208.27	-40.74	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.72	-13	Pass	8000




**19.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2985
30	1000	0.1	RMS	866.623	-63.91	-13	Pass	9699
1000	1700	1	RMS	1700	-47.07	-13	Pass	700
1700	1790	1	RMS	1736	22.78	60	Pass	401
1790	3000	1	RMS	2948.958	-49.9	-13	Pass	1210
3000	12000	1	RMS	5208.27	-41.79	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.71	-13	Pass	8000




19.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.06	-13	Pass	2985
30	1000	0.1	RMS	874.333	-63.84	-13	Pass	9699
1000	1700	1	RMS	1689.986	-53.01	-13	Pass	700
1700	1790	1	RMS	1760.975	23.78	60	Pass	401
1790	3000	1	RMS	1797.006	-36.48	-13	Pass	1210
3000	12000	1	RMS	5283.279	-42.16	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.73	-13	Pass	8000



19.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.38	-13	Pass	2985
30	1000	0.1	RMS	864.821	-63.79	-13	Pass	9699
1000	1700	1	RMS	1698.999	-53.06	-13	Pass	700
1700	1790	1	RMS	1760.975	22.8	60	Pass	401
1790	3000	1	RMS	1797.006	-37.32	-13	Pass	1210
3000	12000	1	RMS	11615.524	-39.99	-13	Pass	9000
12000	20000	1	RMS	19791.974	-36.8	-13	Pass	8000



20. CA_7C

20.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20850+20994, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-25	Pass	401
0.15	30	0.01	RMS	0.24	-71.8	-25	Pass	2985
30	1000	0.1	RMS	901.569	-63.9	-25	Pass	9699
1000	2490	1	RMS	2487.999	-39.2	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.77	60	Pass	401
2580	3000	1	RMS	2945.871	-50.11	-25	Pass	420
3000	12000	1	RMS	7121.503	-51.25	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.44	-25	Pass	14000




20.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20850+20994, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-25	Pass	401
0.15	30	0.01	RMS	0.19	-71.82	-25	Pass	2985
30	1000	0.1	RMS	987.584	-63.9	-25	Pass	9699
1000	2490	1	RMS	2487.999	-39.4	-25	Pass	1490
2490	2580	1	RMS	2518.8	20.08	60	Pass	401
2580	3000	1	RMS	2953.89	-50.06	-25	Pass	420
3000	12000	1	RMS	11606.513	-53.64	-25	Pass	9000
12000	26000	1	RMS	25881.98	-40.39	-25	Pass	14000




**20.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:21051+21195, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-74.09	-25	Pass	401
0.15	30	0.01	RMS	0.21	-71.3	-25	Pass	2985
30	1000	0.1	RMS	885.448	-63.94	-25	Pass	9699
1000	2490	1	RMS	2486.998	-43.22	-25	Pass	1490
2490	2580	1	RMS	2539.05	19.79	60	Pass	401
2580	3000	1	RMS	2950.883	-50.07	-25	Pass	420
3000	12000	1	RMS	11608.515	-53.56	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.37	-25	Pass	14000




20.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21051+21195, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-73.59	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.75	-25	Pass	2985
30	1000	0.1	RMS	858.112	-63.97	-25	Pass	9699
1000	2490	1	RMS	2486.998	-43.32	-25	Pass	1490
2490	2580	1	RMS	2539.05	19.71	60	Pass	401
2580	3000	1	RMS	2948.878	-50.12	-25	Pass	420
3000	12000	1	RMS	11607.514	-53.55	-25	Pass	9000
12000	26000	1	RMS	25900.983	-40.47	-25	Pass	14000




20.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21251+21395, Bandwidth:20+10, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-73.99	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.33	-25	Pass	2985
30	1000	0.1	RMS	996.195	-63.88	-25	Pass	9699
1000	2490	1	RMS	2488.999	-51.05	-25	Pass	1490
2490	2580	1	RMS	2558.85	20.72	60	Pass	401
2580	3000	1	RMS	2580	-48.42	-25	Pass	420
3000	12000	1	RMS	11599.504	-53.56	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.49	-25	Pass	14000




**20.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:21251+21395, Bandwidth:20+10, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.3	-25	Pass	401
0.15	30	0.01	RMS	0.28	-71.83	-25	Pass	2985
30	1000	0.1	RMS	883.145	-63.95	-25	Pass	9699
1000	2490	1	RMS	2490	-51.08	-25	Pass	1490
2490	2580	1	RMS	2559.075	19.67	60	Pass	401
2580	3000	1	RMS	2580	-48.48	-25	Pass	420
3000	12000	1	RMS	7138.505	-51.5	-25	Pass	9000
12000	26000	1	RMS	25898.983	-40.4	-25	Pass	14000




**20.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:20850+21048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-73.28	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-25	Pass	2985
30	1000	0.1	RMS	874.433	-63.81	-25	Pass	9699
1000	2490	1	RMS	2487.999	-38.74	-25	Pass	1490
2490	2580	1	RMS	2520.825	20.55	60	Pass	401
2580	3000	1	RMS	2950.883	-50.08	-25	Pass	420
3000	12000	1	RMS	11611.519	-53.54	-25	Pass	9000
12000	26000	1	RMS	25897.982	-40.33	-25	Pass	14000




20.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20850+21048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.41	-25	Pass	2985
30	1000	0.1	RMS	876.636	-63.67	-25	Pass	9699
1000	2490	1	RMS	2487.999	-39.02	-25	Pass	1490
2490	2580	1	RMS	2518.8	19.96	60	Pass	401
2580	3000	1	RMS	2952.888	-50.1	-25	Pass	420
3000	12000	1	RMS	11610.518	-53.53	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.42	-25	Pass	14000




**20.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:21001+21199, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.44	-25	Pass	401
0.15	30	0.01	RMS	0.85	-71.54	-25	Pass	2985
30	1000	0.1	RMS	893.459	-63.96	-25	Pass	9699
1000	2490	1	RMS	2481.995	-45.37	-25	Pass	1490
2490	2580	1	RMS	2533.875	19.9	60	Pass	401
2580	3000	1	RMS	2951.885	-50.09	-25	Pass	420
3000	12000	1	RMS	11588.491	-53.61	-25	Pass	9000
12000	26000	1	RMS	25892.982	-40.37	-25	Pass	14000




20.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21001+21199, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.05	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.23	-25	Pass	2985
30	1000	0.1	RMS	858.012	-63.9	-25	Pass	9699
1000	2490	1	RMS	2481.995	-45.39	-25	Pass	1490
2490	2580	1	RMS	2533.875	19.8	60	Pass	401
2580	3000	1	RMS	2948.878	-50.1	-25	Pass	420
3000	12000	1	RMS	11609.517	-53.47	-25	Pass	9000
12000	26000	1	RMS	25905.984	-40.43	-25	Pass	14000




**20.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:21152+21350, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-74.09	-25	Pass	401
0.15	30	0.01	RMS	0.37	-72.25	-25	Pass	2985
30	1000	0.1	RMS	887.851	-63.97	-25	Pass	9699
1000	2490	1	RMS	2490	-50.7	-25	Pass	1490
2490	2580	1	RMS	2550.975	19.71	60	Pass	401
2580	3000	1	RMS	2581.002	-44.83	-25	Pass	420
3000	12000	1	RMS	7137.505	-51.38	-25	Pass	9000
12000	26000	1	RMS	25905.984	-40.46	-25	Pass	14000



20.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21152+21350, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.73	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.68	-25	Pass	2985
30	1000	0.1	RMS	884.146	-63.81	-25	Pass	9699
1000	2490	1	RMS	2488.999	-50.75	-25	Pass	1490
2490	2580	1	RMS	2550.975	19.58	60	Pass	401
2580	3000	1	RMS	2581.002	-44.64	-25	Pass	420
3000	12000	1	RMS	11605.512	-53.53	-25	Pass	9000
12000	26000	1	RMS	25896.982	-40.4	-25	Pass	14000



21. CA_38C


21.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:37825+37975, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.6	-25	Pass	2985
30	1000	0.1	RMS	894.46	-59.95	-25	Pass	9699
1000	2560	1	RMS	2553.996	-39.38	-25	Pass	1560
2560	2630	1	RMS	2584.15	20.88	60	Pass	401
2630	3000	1	RMS	2637.4	-43.14	-25	Pass	401
3000	12000	1	RMS	7125.504	-51.25	-25	Pass	9000
12000	26500	1	RMS	25899.905	-40.04	-25	Pass	14500




21.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37825+37975, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.41	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.3	-25	Pass	2985
30	1000	0.1	RMS	856.309	-59.95	-25	Pass	9699
1000	2560	1	RMS	2555.997	-38.49	-25	Pass	1560
2560	2630	1	RMS	2584.15	20.22	60	Pass	401
2630	3000	1	RMS	2637.4	-43.61	-25	Pass	401
3000	12000	1	RMS	11600.506	-53.37	-25	Pass	9000
12000	26500	1	RMS	25905.906	-40.16	-25	Pass	14500




**21.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:37925+38075, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.9	-25	Pass	401
0.15	30	0.01	RMS	0.28	-67.51	-25	Pass	2985
30	1000	0.1	RMS	887.451	-59.92	-25	Pass	9699
1000	2560	1	RMS	2541.988	-41.71	-25	Pass	1560
2560	2630	1	RMS	2595.7	20.64	60	Pass	401
2630	3000	1	RMS	2647.575	-43.73	-25	Pass	401
3000	12000	1	RMS	10379.901	-53.39	-25	Pass	9000
12000	26500	1	RMS	25897.905	-40.09	-25	Pass	14500




21.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:37925+38075, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.62	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.24	-25	Pass	2985
30	1000	0.1	RMS	861.016	-60.02	-25	Pass	9699
1000	2560	1	RMS	2541.988	-41.99	-25	Pass	1560
2560	2630	1	RMS	2595.7	20.49	60	Pass	401
2630	3000	1	RMS	2647.575	-43.64	-25	Pass	401
3000	12000	1	RMS	11599.504	-53.52	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.06	-25	Pass	14500




21.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38025+38175, Bandwidth:15+15, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.84	-25	Pass	2985
30	1000	0.1	RMS	886.249	-59.85	-25	Pass	9699
1000	2560	1	RMS	2551.995	-40.83	-25	Pass	1560
2560	2630	1	RMS	2604.1	21.09	60	Pass	401
2630	3000	1	RMS	2633.7	-39.79	-25	Pass	401
3000	12000	1	RMS	10419.906	-53.36	-25	Pass	9000
12000	26500	1	RMS	25897.905	-40.1	-25	Pass	14500




**21.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38025+38175, Bandwidth:15+15, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.87	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.83	-25	Pass	2985
30	1000	0.1	RMS	884.146	-60.01	-25	Pass	9699
1000	2560	1	RMS	2551.995	-43.73	-25	Pass	1560
2560	2630	1	RMS	2605.675	20.45	60	Pass	401
2630	3000	1	RMS	2633.7	-40.81	-25	Pass	401
3000	12000	1	RMS	7122.503	-51.12	-25	Pass	9000
12000	26500	1	RMS	25896.904	-40.1	-25	Pass	14500




**21.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:37850+38048, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.071	-70.09	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.39	-25	Pass	2985
30	1000	0.1	RMS	629.173	-59.64	-25	Pass	9699
1000	2560	1	RMS	2550.994	-38.83	-25	Pass	1560
2560	2630	1	RMS	2588.875	20.84	60	Pass	401
2630	3000	1	RMS	2630	-42.99	-25	Pass	401
3000	12000	1	RMS	10359.898	-53.51	-25	Pass	9000
12000	26500	1	RMS	25879.902	-40.07	-25	Pass	14500




**21.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37850+38048, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.02	-25	Pass	401
0.15	30	0.01	RMS	0.27	-67.29	-25	Pass	2985
30	1000	0.1	RMS	864.02	-60.04	-25	Pass	9699
1000	2560	1	RMS	2557.999	-37.22	-25	Pass	1560
2560	2630	1	RMS	2588.875	20.07	60	Pass	401
2630	3000	1	RMS	2642.025	-43.7	-25	Pass	401
3000	12000	1	RMS	11601.507	-53.52	-25	Pass	9000
12000	26500	1	RMS	25903.906	-40	-25	Pass	14500




**21.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:37901+38099, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.22	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.28	-25	Pass	2985
30	1000	0.1	RMS	878.539	-59.99	-25	Pass	9699
1000	2560	1	RMS	2555.997	-39.33	-25	Pass	1560
2560	2630	1	RMS	2593.95	21.4	60	Pass	401
2630	3000	1	RMS	2632.775	-40.65	-25	Pass	401
3000	12000	1	RMS	11609.517	-53.52	-25	Pass	9000
12000	26500	1	RMS	25866.9	-40.09	-25	Pass	14500




21.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:37901+38099, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.36	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.09	-25	Pass	2985
30	1000	0.1	RMS	870.328	-59.71	-25	Pass	9699
1000	2560	1	RMS	2556.998	-40.16	-25	Pass	1560
2560	2630	1	RMS	2593.95	20.23	60	Pass	401
2630	3000	1	RMS	2632.775	-41.53	-25	Pass	401
3000	12000	1	RMS	11598.503	-53.49	-25	Pass	9000
12000	26500	1	RMS	25877.901	-40.05	-25	Pass	14500




**21.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:37952+38150, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.36	-25	Pass	401
0.15	30	0.01	RMS	0.21	-67.94	-25	Pass	2985
30	1000	0.1	RMS	881.643	-59.93	-25	Pass	9699
1000	2560	1	RMS	2546.992	-41.2	-25	Pass	1560
2560	2630	1	RMS	2599.025	21.17	60	Pass	401
2630	3000	1	RMS	2631.85	-39.94	-25	Pass	401
3000	12000	1	RMS	7122.503	-51.24	-25	Pass	9000
12000	26500	1	RMS	25874.901	-40.08	-25	Pass	14500



21.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:37952+38150, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.82	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.06	-25	Pass	2985
30	1000	0.1	RMS	851.103	-59.81	-25	Pass	9699
1000	2560	1	RMS	2546.992	-41.22	-25	Pass	1560
2560	2630	1	RMS	2599.025	20.23	60	Pass	401
2630	3000	1	RMS	2630.925	-39.67	-25	Pass	401
3000	12000	1	RMS	11608.515	-53.49	-25	Pass	9000
12000	26500	1	RMS	25893.904	-40.07	-25	Pass	14500



22. CA_41C_full


22.1. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39750+39867, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.48	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.56	-25	Pass	2985
30	1000	0.1	RMS	890.955	-59.99	-25	Pass	9699
1000	2486	1	RMS	2484.999	-39.44	-25	Pass	1486
2486	2700	1	RMS	2514.89	23.02	60	Pass	401
2700	3000	1	RMS	2952.75	-46.1	-25	Pass	401
3000	12000	1	RMS	7123.503	-50.89	-25	Pass	9000
12000	27000	1	RMS	25897.838	-40.05	-25	Pass	15000




**22.2. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:39750+39867, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.87	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.05	-25	Pass	2985
30	1000	0.1	RMS	899.266	-59.86	-25	Pass	9699
1000	2486	1	RMS	2483.999	-37.83	-25	Pass	1486
2486	2700	1	RMS	2514.89	21.21	60	Pass	401
2700	3000	1	RMS	2952.75	-46.1	-25	Pass	401
3000	12000	1	RMS	11603.509	-53.3	-25	Pass	9000
12000	27000	1	RMS	25897.838	-40.08	-25	Pass	15000




**22.3. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40595+40712, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.76	-25	Pass	401
0.15	30	0.01	RMS	0.24	-67.6	-25	Pass	2985
30	1000	0.1	RMS	898.065	-59.89	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.46	-25	Pass	1486
2486	2700	1	RMS	2599.42	21.49	60	Pass	401
2700	3000	1	RMS	2950.5	-46.11	-25	Pass	401
3000	12000	1	RMS	10398.903	-53.34	-25	Pass	9000
12000	27000	1	RMS	25899.838	-40.08	-25	Pass	15000




**22.4. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40595+40712, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.62	-25	Pass	2985
30	1000	0.1	RMS	883.846	-59.96	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.59	-25	Pass	1486
2486	2700	1	RMS	2599.42	21.85	60	Pass	401
2700	3000	1	RMS	2947.5	-46.1	-25	Pass	401
3000	12000	1	RMS	3530.065	-52.77	-25	Pass	9000
12000	27000	1	RMS	25907.84	-40.07	-25	Pass	15000




22.5. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41440+41557, Bandwidth:20+5, Modulation:QPSK, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.2	-25	Pass	2985
30	1000	0.1	RMS	895.461	-59.94	-25	Pass	9699
1000	2486	1	RMS	2480.997	-47.57	-25	Pass	1486
2486	2700	1	RMS	2683.95	23.31	60	Pass	401
2700	3000	1	RMS	2700	-35.67	-25	Pass	401
3000	12000	1	RMS	10736.944	-52.97	-25	Pass	9000
12000	27000	1	RMS	25901.839	-40.04	-25	Pass	15000




**22.6. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41440+41557, Bandwidth:20+5, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.94	-25	Pass	401
0.15	30	0.01	RMS	0.19	-67.74	-25	Pass	2985
30	1000	0.1	RMS	883.145	-59.85	-25	Pass	9699
1000	2486	1	RMS	2483.999	-47.52	-25	Pass	1486
2486	2700	1	RMS	2683.95	22.07	60	Pass	401
2700	3000	1	RMS	2700.75	-39.27	-25	Pass	401
3000	12000	1	RMS	7128.504	-51.51	-25	Pass	9000
12000	27000	1	RMS	25890.837	-40.04	-25	Pass	15000




**22.7. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:39750+39948, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.26	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.52	-25	Pass	2985
30	1000	0.1	RMS	977.67	-59.8	-25	Pass	9699
1000	2486	1	RMS	2483.999	-37.15	-25	Pass	1486
2486	2700	1	RMS	2516.495	20.85	60	Pass	401
2700	3000	1	RMS	2946	-46.1	-25	Pass	401
3000	12000	1	RMS	3527.064	-53.13	-25	Pass	9000
12000	27000	1	RMS	25890.837	-40.14	-25	Pass	15000




**22.8. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:39750+39948, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.85	-25	Pass	2985
30	1000	0.1	RMS	830.298	-59.99	-25	Pass	9699
1000	2486	1	RMS	2483.999	-39.27	-25	Pass	1486
2486	2700	1	RMS	2516.495	20.06	60	Pass	401
2700	3000	1	RMS	2955.75	-46.14	-25	Pass	401
3000	12000	1	RMS	11610.518	-53.5	-25	Pass	9000
12000	27000	1	RMS	25897.838	-39.96	-25	Pass	15000




**22.9. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40521+40719, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-69.5	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.03	-25	Pass	2985
30	1000	0.1	RMS	843.799	-59.84	-25	Pass	9699
1000	2486	1	RMS	2478.995	-47.51	-25	Pass	1486
2486	2700	1	RMS	2591.93	20.52	60	Pass	401
2700	3000	1	RMS	2950.5	-46.09	-25	Pass	401
3000	12000	1	RMS	11609.517	-53.52	-25	Pass	9000
12000	27000	1	RMS	25886.836	-40.07	-25	Pass	15000




22.10. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40521+40719, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.01	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.77	-25	Pass	2985
30	1000	0.1	RMS	879.44	-59.86	-25	Pass	9699
1000	2486	1	RMS	2459.982	-47.37	-25	Pass	1486
2486	2700	1	RMS	2591.93	19.05	60	Pass	401
2700	3000	1	RMS	2948.25	-46.12	-25	Pass	401
3000	12000	1	RMS	7123.503	-51.19	-25	Pass	9000
12000	27000	1	RMS	25872.834	-40.05	-25	Pass	15000




**22.11. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41292+41490, Bandwidth:20+20, Modulation:QPSK, RB Number:1+1, RB
Position:High+Low)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-68.78	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.33	-25	Pass	2985
30	1000	0.1	RMS	856.81	-59.77	-25	Pass	9699
1000	2486	1	RMS	2484.999	-47.58	-25	Pass	1486
2486	2700	1	RMS	2668.97	20.28	60	Pass	401
2700	3000	1	RMS	2701.5	-37.59	-25	Pass	401
3000	12000	1	RMS	3523.064	-52.88	-25	Pass	9000
12000	27000	1	RMS	25900.839	-40.06	-25	Pass	15000



22.12. CA Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41292+41490, Bandwidth:20+20, Modulation:16QAM, RB Number:1+1, RB Position:High+Low)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-70.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.51	-25	Pass	2985
30	1000	0.1	RMS	864.32	-59.89	-25	Pass	9699
1000	2486	1	RMS	2486	-47.6	-25	Pass	1486
2486	2700	1	RMS	2670.575	19.51	60	Pass	401
2700	3000	1	RMS	2701.5	-38.37	-25	Pass	401
3000	12000	1	RMS	11607.514	-53.41	-25	Pass	9000
12000	27000	1	RMS	25901.839	-40.03	-25	Pass	15000



END