

A.6 Band Edge

1. LTE_Band48


1.1. LTE Band Edge_Part96(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.775	-50.06	-40	10.06	Pass	401
3530	3540	1	RMS	3539.725	-45.92	-25	20.92	Pass	401
3540	3545	1	RMS	3544.988	-44.92	-25	19.92	Pass	401
3545	3549	1	RMS	3549	-31.33	-13	18.33	Pass	5
3549	3550	0.01	RMS	3549.998	-29.16	-13	16.16	Pass	401
3550	3555	0.1	RMS	3550.325	20.01	30	9.99	Pass	401




1.2. LTE Band Edge_Part96(Subtest:2, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.4	-50.43	-40	10.43	Pass	401
3530	3540	1	RMS	3539.975	-45.59	-25	20.59	Pass	401
3540	3545	1	RMS	3544.863	-35.45	-25	10.45	Pass	401
3545	3549	1	RMS	3549	-27.99	-13	14.99	Pass	5
3549	3550	0.051	RMS	3549.998	-26.27	-13	13.27	Pass	401
3550	3555	0.1	RMS	3554.025	5.85	30	24.15	Pass	401




1.3. LTE Band Edge_Part96(Subtest:3, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-50.08	-40	10.08	Pass	401
3530	3540	1	RMS	3539.6	-45.71	-25	20.71	Pass	401
3540	3545	1	RMS	3544.413	-44.01	-25	19.01	Pass	401
3545	3549	1	RMS	3549	-30.94	-13	17.94	Pass	5
3549	3550	0.01	RMS	3549.998	-29.03	-13	16.03	Pass	401
3550	3555	0.1	RMS	3550.363	20.04	30	9.96	Pass	401




1.4. LTE Band Edge_Part96(Subtest:4, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.625	-50.69	-40	10.69	Pass	401
3530	3540	1	RMS	3539.825	-47.43	-25	22.43	Pass	401
3540	3545	1	RMS	3544.963	-36.9	-25	11.9	Pass	401
3545	3549	1	RMS	3549	-29.42	-13	16.42	Pass	5
3549	3550	0.051	RMS	3549.998	-27.91	-13	14.91	Pass	401
3550	3555	0.1	RMS	3550.35	5.58	30	24.42	Pass	401




1.5. LTE Band Edge_Part96(Subtest:1, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.575	23.08	30	6.92	Pass	401
3700	3701	0.01	RMS	3700	-26.65	-13	13.65	Pass	401
3701	3705	1	RMS	3701	-31.08	-13	18.08	Pass	5
3705	3710	1	RMS	3705.1	-44.72	-25	19.72	Pass	401
3710	3720	1	RMS	3710.3	-47.97	-25	22.97	Pass	401
3720	3750	1	RMS	3720.075	-50.27	-40	10.27	Pass	401




1.6. LTE Band Edge_Part96(Subtest:2, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3698.188	15.66	30	14.34	Pass	401
3700	3701	0.051	RMS	3700	-26.52	-13	13.52	Pass	401
3701	3705	1	RMS	3701	-28.2	-13	15.2	Pass	5
3705	3710	1	RMS	3705.113	-35.39	-25	10.39	Pass	401
3710	3720	1	RMS	3710.025	-45.83	-25	20.83	Pass	401
3720	3750	1	RMS	3720.225	-50.49	-40	10.49	Pass	401




1.7. LTE Band Edge_Part96(Subtest:3, Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.575	21.81	30	8.19	Pass	401
3700	3701	0.01	RMS	3700	-27.69	-13	14.69	Pass	401
3701	3705	1	RMS	3701	-32.71	-13	19.71	Pass	5
3705	3710	1	RMS	3705.375	-44.1	-25	19.1	Pass	401
3710	3720	1	RMS	3710.075	-48.01	-25	23.01	Pass	401
3720	3750	1	RMS	3720.225	-50.24	-40	10.24	Pass	401




1.8. LTE Band Edge_Part96(Subtest:4, Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3696.7	14.46	30	15.54	Pass	401
3700	3701	0.051	RMS	3700.003	-27.05	-13	14.05	Pass	401
3701	3705	1	RMS	3701.01	-17.32	-13	4.32	Pass	401
3705	3710	1	RMS	3705.038	-37.07	-25	12.07	Pass	401
3710	3720	1	RMS	3710.075	-47.53	-25	22.53	Pass	401
3720	3750	1	RMS	3720.225	-50.9	-40	10.9	Pass	401




1.9. LTE Band Edge_Part96(Subtest:1, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3528.425	-50.09	-40	10.09	Pass	401
3530	3540	1	RMS	3539.925	-45.63	-25	20.63	Pass	401
3540	3549	1	RMS	3549	-33.68	-13	20.68	Pass	10
3549	3550	0.01	RMS	3549.998	-39.08	-13	26.08	Pass	401
3550	3560	0.1	RMS	3550.575	20.1	30	9.9	Pass	401




1.10. LTE Band Edge_Part96(Subtest:2, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-49.8	-40	9.8	Pass	401
3530	3540	1	RMS	3539.875	-36.83	-25	11.83	Pass	401
3540	3549	1	RMS	3548.978	-26.74	-13	13.74	Pass	401
3549	3550	0.1	RMS	3549.998	-31.47	-13	18.47	Pass	401
3550	3560	0.1	RMS	3552.75	3.54	30	26.46	Pass	401




1.11. LTE Band Edge_Part96(Subtest:3, Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-50.11	-40	10.11	Pass	401
3530	3540	1	RMS	3539.975	-45.72	-25	20.72	Pass	401
3540	3549	1	RMS	3549	-34.71	-13	21.71	Pass	10
3549	3550	0.01	RMS	3549.993	-39.18	-13	26.18	Pass	401
3550	3560	0.1	RMS	3550.575	19.88	30	10.12	Pass	401




1.12. LTE Band Edge_Part96(Subtest:4, Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-50.24	-40	10.24	Pass	401
3530	3540	1	RMS	3539.55	-40.17	-25	15.17	Pass	401
3540	3549	1	RMS	3548.978	-28.18	-13	15.18	Pass	401
3549	3550	0.1	RMS	3549.955	-31.93	-13	18.93	Pass	401
3550	3560	0.1	RMS	3551.25	2.6	30	27.4	Pass	401




1.13. LTE Band Edge_Part96(Subtest:1, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.35	22.26	30	7.74	Pass	401
3700	3701	0.01	RMS	3700.005	-37.12	-13	24.12	Pass	401
3701	3710	1	RMS	3701	-33.41	-13	20.41	Pass	10
3710	3720	1	RMS	3710.325	-48.03	-25	23.03	Pass	401
3720	3750	1	RMS	3720.15	-50.26	-40	10.26	Pass	401




1.14. LTE Band Edge_Part96(Subtest:2, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3691.275	12.1	30	17.9	Pass	401
3700	3701	0.1	RMS	3700.003	-31.21	-13	18.21	Pass	401
3701	3710	1	RMS	3701.023	-27.84	-13	14.84	Pass	401
3710	3720	1	RMS	3710.05	-37.43	-25	12.43	Pass	401
3720	3750	1	RMS	3720.15	-49.55	-40	9.55	Pass	401




1.15. LTE Band Edge_Part96(Subtest:3, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.425	22.35	30	7.65	Pass	401
3700	3701	0.01	RMS	3700.013	-39.69	-13	26.69	Pass	401
3701	3710	1	RMS	3701	-34.1	-13	21.1	Pass	10
3710	3720	1	RMS	3712.4	-47.36	-25	22.36	Pass	401
3720	3750	1	RMS	3720.3	-50.42	-40	10.42	Pass	401




1.16. LTE Band Edge_Part96(Subtest:4, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3698.125	11.75	30	18.25	Pass	401
3700	3701	0.1	RMS	3700.005	-32.97	-13	19.97	Pass	401
3701	3710	1	RMS	3701	-29.16	-13	16.16	Pass	401
3710	3720	1	RMS	3710.225	-40.34	-25	15.34	Pass	401
3720	3750	1	RMS	3720.225	-50.2	-40	10.2	Pass	401




1.17. LTE Band Edge_Part96(Subtest:1, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-50.11	-40	10.11	Pass	401
3530	3540	1	RMS	3539.975	-46.47	-25	21.47	Pass	401
3540	3549	1	RMS	3549	-25.74	-13	12.74	Pass	401
3549	3550	0.01	RMS	3549.993	-38.99	-13	25.99	Pass	401
3550	3565	0.1	RMS	3550.825	20.52	30	9.48	Pass	401




1.18. LTE Band Edge_Part96(Subtest:2, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-44.84	-40	4.84	Pass	31
3530	3540	1	RMS	3538	-37.98	-25	12.98	Pass	401
3540	3549	1	RMS	3549	-32.33	-13	19.33	Pass	401
3549	3550	0.15	RMS	3549.998	-33.65	-13	20.65	Pass	401
3550	3565	0.1	RMS	3562.675	1.53	30	28.47	Pass	401




1.19. LTE Band Edge_Part96(Subtest:3, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3523.925	-49.81	-40	9.81	Pass	401
3530	3540	1	RMS	3539.975	-46.72	-25	21.72	Pass	401
3540	3549	1	RMS	3549	-26.16	-13	13.16	Pass	401
3549	3550	0.01	RMS	3550	-38.93	-13	25.93	Pass	401
3550	3565	0.1	RMS	3550.863	19.59	30	10.41	Pass	401




1.20. LTE Band Edge_Part96(Subtest:4, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-46.64	-40	6.64	Pass	401
3530	3540	1	RMS	3539.9	-38.87	-25	13.87	Pass	401
3540	3549	1	RMS	3548.933	-33.61	-13	20.61	Pass	401
3549	3550	0.15	RMS	3549.998	-34.96	-13	21.96	Pass	401
3550	3565	0.1	RMS	3555.25	0.54	30	29.46	Pass	401




1.21. LTE Band Edge_Part96(Subtest:1, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.1	22.78	30	7.22	Pass	401
3700	3701	0.01	RMS	3700.003	-38.96	-13	25.96	Pass	401
3701	3710	1	RMS	3701	-28.13	-13	15.13	Pass	401
3710	3720	1	RMS	3710.175	-47.93	-25	22.93	Pass	401
3720	3750	1	RMS	3720.15	-50.44	-40	10.44	Pass	401




1.22. LTE Band Edge_Part96(Subtest:2, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3695.5	10.61	30	19.39	Pass	401
3700	3701	0.15	RMS	3700.005	-33.99	-13	20.99	Pass	401
3701	3710	1	RMS	3701.068	-31.45	-13	18.45	Pass	401
3710	3720	1	RMS	3710	-37.43	-25	12.43	Pass	401
3720	3750	1	RMS	3720	-44.56	-40	4.56	Pass	31




1.23. LTE Band Edge_Part96(Subtest:3, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.138	21.53	30	8.47	Pass	401
3700	3701	0.01	RMS	3700.003	-38.1	-13	25.1	Pass	401
3701	3710	1	RMS	3701.023	-28.66	-13	15.66	Pass	401
3710	3720	1	RMS	3710.3	-48.4	-25	23.4	Pass	401
3720	3750	1	RMS	3722.175	-49.81	-40	9.81	Pass	401




1.24. LTE Band Edge_Part96(Subtest:4, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3698.088	9.26	30	20.74	Pass	401
3700	3701	0.15	RMS	3700	-35.04	-13	22.04	Pass	401
3701	3710	1	RMS	3701.068	-33.05	-13	20.05	Pass	401
3710	3720	1	RMS	3710.05	-38.67	-25	13.67	Pass	401
3720	3750	1	RMS	3720.15	-47.02	-40	7.02	Pass	401




1.25. LTE Band Edge_Part96(Subtest:1, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.775	-50.13	-40	10.13	Pass	401
3530	3540	1	RMS	3539.975	-47.42	-25	22.42	Pass	401
3540	3549	1	RMS	3548.978	-32.37	-13	19.37	Pass	401
3549	3550	0.01	RMS	3549.993	-40.52	-13	27.52	Pass	401
3550	3570	0.1	RMS	3551.1	19.97	30	10.03	Pass	401




1.26. LTE Band Edge_Part96(Subtest:2, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-43.45	-40	3.45	Pass	31
3530	3540	1	RMS	3539.975	-39.35	-25	14.35	Pass	401
3540	3549	1	RMS	3549	-33.17	-13	20.17	Pass	401
3549	3550	0.2	RMS	3549.993	-35.32	-13	22.32	Pass	401
3550	3570	0.1	RMS	3564.05	-0.3	30	30.3	Pass	401




1.27. LTE Band Edge_Part96(Subtest:3, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3525.5	-49.48	-40	9.48	Pass	401
3530	3540	1	RMS	3539.9	-47.6	-25	22.6	Pass	401
3540	3549	1	RMS	3548.978	-31.72	-13	18.72	Pass	401
3549	3550	0.01	RMS	3549.988	-40.13	-13	27.13	Pass	401
3550	3570	0.1	RMS	3551.05	19.18	30	10.82	Pass	401




1.28. LTE Band Edge_Part96(Subtest:4, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.625	-44.37	-40	4.37	Pass	401
3530	3540	1	RMS	3539.9	-39.49	-25	14.49	Pass	401
3540	3549	1	RMS	3548.843	-34.06	-13	21.06	Pass	401
3549	3550	0.2	RMS	3549.995	-36.7	-13	23.7	Pass	401
3550	3570	0.1	RMS	3568.1	-1.05	30	31.05	Pass	401




1.29. LTE Band Edge_Part96(Subtest:1, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3698.85	22.76	30	7.24	Pass	401
3700	3701	0.01	RMS	3700.005	-40.45	-13	27.45	Pass	401
3701	3710	1	RMS	3701.023	-33.1	-13	20.1	Pass	401
3710	3720	1	RMS	3710.025	-47.64	-25	22.64	Pass	401
3720	3750	1	RMS	3720.15	-50.27	-40	10.27	Pass	401




1.30. LTE Band Edge_Part96(Subtest:2, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3695.55	9.83	30	20.17	Pass	401
3700	3701	0.2	RMS	3700.018	-35.86	-13	22.86	Pass	401
3701	3710	1	RMS	3701.18	-32.07	-13	19.07	Pass	401
3710	3720	1	RMS	3710.325	-37.75	-25	12.75	Pass	401
3720	3750	1	RMS	3720	-43.04	-40	3.04	Pass	31




1.31. LTE Band Edge_Part96(Subtest:3, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3698.95	22.14	30	7.86	Pass	401
3700	3701	0.01	RMS	3700.008	-40.78	-13	27.78	Pass	401
3701	3710	1	RMS	3701	-34	-13	21	Pass	401
3710	3720	1	RMS	3710.075	-46.91	-25	21.91	Pass	401
3720	3750	1	RMS	3724.8	-49.11	-40	9.11	Pass	401



1.32. LTE Band Edge_Part96(Subtest:4, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3685.85	8.84	30	21.16	Pass	401
3700	3701	0.2	RMS	3700.005	-36.97	-13	23.97	Pass	401
3701	3710	1	RMS	3701	-33.5	-13	20.5	Pass	401
3710	3720	1	RMS	3710	-38.62	-25	13.62	Pass	401
3720	3750	1	RMS	3720	-44.91	-40	4.91	Pass	31



1. n48 30kHz


1.3. Band Edge for SA_Part96(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.625	-49.56	-40	9.56	Pass	401
3530	3540	1	RMS	3539.55	-48.78	-25	23.78	Pass	401
3540	3549	1	RMS	3549	-27.17	-13	14.17	Pass	401
3549	3550	0.1	RMS	3549.988	-25.71	-13	12.71	Pass	401
3550	3560	1	RMS	3550.875	18.2	40	21.8	Pass	401




1.4. Band Edge for SA_Part96(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.25	-49.67	-40	9.67	Pass	401
3530	3540	1	RMS	3539.85	-47.3	-25	22.3	Pass	401
3540	3549	1	RMS	3549	-30.75	-13	17.75	Pass	401
3549	3550	0.1	RMS	3549.998	-32.66	-13	19.66	Pass	401
3550	3560	1	RMS	3551.75	9.39	40	30.61	Pass	401




1.5. Band Edge for SA_Part96(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.125	18.81	40	21.19	Pass	401
3700	3701	0.1	RMS	3700	-23.56	-13	10.56	Pass	401
3701	3710	1	RMS	3701	-26.99	-13	13.99	Pass	401
3710	3720	1	RMS	3710.275	-47.66	-25	22.66	Pass	401
3720	3750	1	RMS	3730.95	-48.21	-40	8.21	Pass	401




1.6. Band Edge for SA_Part96(Subtest:4, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3691.9	9.95	40	30.05	Pass	401
3700	3701	0.1	RMS	3700	-31.93	-13	18.93	Pass	401
3701	3710	1	RMS	3701	-29.95	-13	16.95	Pass	401
3710	3720	1	RMS	3710.1	-46.41	-25	21.41	Pass	401
3720	3750	1	RMS	3732.075	-48.24	-40	8.24	Pass	401




1.7. Band Edge for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3529.131	-49.55	-40	9.55	Pass	401
3530	3540	1	RMS	3533.1	-48.12	-25	23.12	Pass	401
3540	3549	1	RMS	3549	-30.05	-13	17.05	Pass	401
3549	3550	0.051	RMS	3550	-29.14	-13	16.14	Pass	401
3550	3570	1	RMS	3551	18.39	40	21.61	Pass	401




1.8. Band Edge for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3529.353	-48.47	-40	8.47	Pass	401
3530	3540	1	RMS	3539.875	-41.27	-25	16.27	Pass	401
3540	3549	1	RMS	3549	-34.25	-13	21.25	Pass	401
3549	3550	0.2	RMS	3550	-33.75	-13	20.75	Pass	401
3550	3570	1	RMS	3553.1	6.31	40	33.69	Pass	401




1.9. Band Edge for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699	19.11	40	20.89	Pass	401
3700	3701	0.051	RMS	3700	-27.08	-13	14.08	Pass	401
3701	3710	1	RMS	3701	-28.85	-13	15.85	Pass	401
3710	3720	1	RMS	3716.95	-47.11	-25	22.11	Pass	401
3720.5	3750	1	RMS	3731.931	-48.16	-40	8.16	Pass	401




1.10. Band Edge for SA_Part96(Subtest:4, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3694.8	6.93	40	33.07	Pass	401
3700	3701	0.2	RMS	3700.005	-34.16	-13	21.16	Pass	401
3701	3710	1	RMS	3701	-32.08	-13	19.08	Pass	401
3710	3720	1	RMS	3710.025	-37.96	-25	12.96	Pass	401
3720.5	3750	1	RMS	3720.574	-47.34	-40	7.34	Pass	401




1.11. Band Edge for SA_Part96(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3513.349	-48.7	-40	8.7	Pass	401
3530	3540	1	RMS	3532.1	-48.59	-25	23.59	Pass	401
3540	3549	1	RMS	3549	-32.91	-13	19.91	Pass	401
3549	3550	0.051	RMS	3549.998	-32.03	-13	19.03	Pass	401
3550	3590	1	RMS	3551.1	18.31	40	21.69	Pass	401




1.12. Band Edge for SA_Part96(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3528.517	-43.03	-40	3.03	Pass	31
3530	3540	1	RMS	3540	-39.7	-25	14.7	Pass	401
3540	3549	1	RMS	3549	-37.98	-13	24.98	Pass	401
3549	3550	0.39	RMS	3550	-35.96	-13	22.96	Pass	401
3550	3590	1	RMS	3562.2	3.31	40	36.69	Pass	401



1.13. Band Edge for SA_Part96(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3698.8	19.17	40	20.83	Pass	401
3700	3701	0.051	RMS	3700	-32.16	-13	19.16	Pass	401
3701	3710	1	RMS	3701	-32.69	-13	19.69	Pass	401
3710	3720	1	RMS	3717.8	-47.46	-25	22.46	Pass	401
3720.5	3750	1	RMS	3736.651	-47.74	-40	7.74	Pass	401



1.15. Band Edge for SA_Part96(Subtest:4, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3672.3	3.94	40	36.06	Pass	401
3700	3701	0.39	RMS	3700	-35.82	-13	22.82	Pass	401
3701	3710	1	RMS	3703.52	-36.31	-13	23.31	Pass	401
3710	3720	1	RMS	3710.425	-37.47	-25	12.47	Pass	401
3720.5	3750	1	RMS	3720.5	-40.71	-40	0.71	Pass	31



--BLANK BELOW--