


A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.54	-13	Pass	2986
30	500	0.1	Peak	493.4	-43.38	-13	Pass	4701
500	1000	0.1	Peak	824.2	31.78	-13	N/A	5001
1000	10000	1	Peak	6966	-19.9	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-56.45	-13	Pass	401
0.15	30	0.01	Peak	0.24	-53.39	-13	Pass	2986
30	500	0.1	Peak	446.9	-43.39	-13	Pass	4701
500	1000	0.1	Peak	836.7	31.62	-13	N/A	5001
1000	10000	1	Peak	6969	-19.88	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.76	-13	Pass	401
0.15	30	0.01	Peak	0.32	-54.44	-13	Pass	2986
30	500	0.1	Peak	347.3	-43.59	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.04	-13	N/A	5001
1000	10000	1	Peak	6690	-19.66	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.71	-13	Pass	401
0.15	30	0.01	Peak	0.26	-59.98	-13	Pass	2986
30	1000	0.1	Peak	825.9	-48.14	-13	Pass	9701
1000	3000	1	Peak	1850	29.56	-13	N/A	2001
3000	20000	1	Peak	19908	-39.31	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-61.72	-13	Pass	401
0.15	30	0.01	Peak	0.16	-59.46	-13	Pass	2986
30	1000	0.1	Peak	866.912	-48.45	-13	Pass	9701
1000	3000	1	Peak	1880	29.69	-13	N/A	2001
3000	20000	1	Peak	19179	-39.57	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-61.96	-13	Pass	401
0.15	30	0.01	Peak	0.18	-59.98	-13	Pass	2986
30	1000	0.1	Peak	847.3	-48.13	-13	Pass	9701
1000	3000	1	Peak	1910	29.5	-13	N/A	2001
3000	20000	1	Peak	19930	-39.82	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.12	-13	Pass	401
0.15	30	0.01	Peak	0.72	-54.6	-13	Pass	2986
30	500	0.1	Peak	492.9	-43.52	-13	Pass	4701
500	1000	0.1	Peak	824.3	27.36	-13	N/A	5001
1000	10000	1	Peak	7090	-19.84	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-55.42	-13	Pass	401
0.15	30	0.01	Peak	0.19	-54	-13	Pass	2986
30	500	0.1	Peak	462.7	-43.03	-13	Pass	4701
500	1000	0.1	Peak	836.7	28.42	-13	N/A	5001
1000	10000	1	Peak	7021	-20.02	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-55.66	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.51	-13	Pass	2986
30	500	0.1	Peak	491.7	-43.58	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.26	-13	N/A	5001
1000	10000	1	Peak	7394	-20.28	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-58.07	-13	Pass	401
0.15	30	0.01	Peak	0.15	-60.04	-13	Pass	2986
30	1000	0.1	Peak	849.6	-48.61	-13	Pass	9701
1000	3000	1	Peak	1850	28.38	-13	N/A	2001
3000	20000	1	Peak	19951	-39.88	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.81	-13	Pass	401
0.15	30	0.01	Peak	0.28	-60.54	-13	Pass	2986
30	1000	0.1	Peak	849.7	-48.34	-13	Pass	9701
1000	3000	1	Peak	1880	28.89	-13	N/A	2001
3000	20000	1	Peak	19725	-39.63	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-62.08	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.34	-13	Pass	2986
30	1000	0.1	Peak	831.9	-47.91	-13	Pass	9701
1000	3000	1	Peak	1910	28.24	-13	N/A	2001
3000	20000	1	Peak	19425	-40	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-48.92	-13	Pass	401
0.15	30	0.01	Peak	0.15	-51.46	-13	Pass	2986
30	1000	0.1	Peak	746.7	-51.35	-13	Pass	9701
1000	3000	1	Peak	1854	24.96	-13	N/A	2001
3000	20000	1	Peak	19755	-20.58	-13	Pass	17001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.77	-13	Pass	2986
30	1000	0.1	Peak	943.3	-50.64	-13	Pass	9701
1000	3000	1	Peak	1879	24.97	-13	N/A	2001
3000	20000	1	Peak	19793	-20.32	-13	Pass	17001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.12	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.84	-13	Pass	2986
30	1000	0.1	Peak	774	-51.2	-13	Pass	9701
1000	3000	1	Peak	1906	24.88	-13	N/A	2001
3000	20000	1	Peak	19794	-19.24	-13	Pass	17001



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.99	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.55	-13	Pass	2986
30	1000	0.1	Peak	903.4	-50.41	-13	Pass	9701
1000	3000	1	Peak	1714	24.87	-13	N/A	2001
3000	20000	1	Peak	19788	-20.4	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-49.71	-13	Pass	401
0.15	30	0.01	Peak	0.17	-50.96	-13	Pass	2986
30	1000	0.1	Peak	955.4	-50.5	-13	Pass	9701
1000	3000	1	Peak	1734	24.73	-13	N/A	2001
3000	20000	1	Peak	19781	-19.59	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-48.68	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.68	-13	Pass	2986
30	1000	0.1	Peak	985.1	-51.16	-13	Pass	9701
1000	3000	1	Peak	1754	24.72	-13	N/A	2001
3000	20000	1	Peak	19977	-19.65	-13	Pass	17001



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-50.57	-13	Pass	2986
30	500	0.1	Peak	486.6	-52.49	-13	Pass	4701
500	1000	0.1	Peak	825.5	20.52	-13	N/A	5001
1000	10000	1	Peak	7725	-29.36	-13	Pass	9001




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.78	-13	Pass	401
0.15	30	0.01	Peak	0.16	-50.16	-13	Pass	2986
30	500	0.1	Peak	495.5	-52.54	-13	Pass	4701
500	1000	0.1	Peak	835.5	19.7	-13	N/A	5001
1000	10000	1	Peak	9942	-29.53	-13	Pass	9001



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-48.9	-13	Pass	401
0.15	30	0.01	Peak	0.16	-49.14	-13	Pass	2986
30	500	0.1	Peak	439.5	-52.06	-13	Pass	4701
500	1000	0.1	Peak	847.3	19.41	-13	N/A	5001
1000	10000	1	Peak	9943	-29.29	-13	Pass	9001



1. LTE_Band42 3450-3550


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.12	-13	51.12	Pass	401
0.15	30	0.01	RMS	0.2	-68.08	-13	55.08	Pass	2986
30	1000	0.1	RMS	848	-59.58	-13	46.58	Pass	9701
1000	3000	1	RMS	2947	-44.81	-13	31.81	Pass	2001
3000	3430	1	RMS	3283	-42.58	-13	29.58	Pass	431
3430	3570	1	RMS	3449.95	22.1	60	37.9	Pass	401
3570	6500	1	RMS	6337	-41.66	-13	28.66	Pass	2931
6500	26500	1	RMS	26001	-40.14	-13	27.14	Pass	20003




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:2, Channel:42115, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64	-13	51	Pass	401
0.15	30	0.01	RMS	0.17	-68.4	-13	55.4	Pass	2986
30	1000	0.1	RMS	860.508	-59.51	-13	46.51	Pass	9701
1000	3000	1	RMS	2954	-44.77	-13	31.77	Pass	2001
3000	3430	1	RMS	3282	-42.59	-13	29.59	Pass	431
3430	3570	1	RMS	3450.3	21.9	60	38.1	Pass	401
3570	6500	1	RMS	6401	-41.7	-13	28.7	Pass	2931
6500	26500	1	RMS	26007	-40.13	-13	27.13	Pass	20003




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:3, Channel:42590, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.88	-13	49.88	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-13	55.02	Pass	2986
30	1000	0.1	RMS	865.811	-59.53	-13	46.53	Pass	9701
1000	3000	1	RMS	2961	-44.8	-13	31.8	Pass	2001
3000	3430	1	RMS	3285	-42.6	-13	29.6	Pass	431
3430	3570	1	RMS	3497.9	22.28	60	37.72	Pass	401
3570	6500	1	RMS	6393	-41.6	-13	28.6	Pass	2931
6500	26500	1	RMS	25998	-40.13	-13	27.13	Pass	20003




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:4, Channel:42590, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.54	-13	50.54	Pass	401
0.15	30	0.01	RMS	0.19	-67.68	-13	54.68	Pass	2986
30	1000	0.1	RMS	850.801	-59.58	-13	46.58	Pass	9701
1000	3000	1	RMS	2958	-44.76	-13	31.76	Pass	2001
3000	3430	1	RMS	3284	-42.58	-13	29.58	Pass	431
3430	3570	1	RMS	3497.9	21.57	60	38.43	Pass	401
3570	6500	1	RMS	6351	-41.56	-13	28.56	Pass	2931
6500	26500	1	RMS	26004	-40.12	-13	27.12	Pass	20003




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.46	-13	51.46	Pass	401
0.15	30	0.01	RMS	0.18	-68.31	-13	55.31	Pass	2986
30	1000	0.1	RMS	840.8	-59.72	-13	46.72	Pass	9701
1000	3000	1	RMS	2957	-44.74	-13	31.74	Pass	2001
3000	3430	1	RMS	3289	-42.61	-13	29.61	Pass	431
3430	3570	1	RMS	3544.8	21.69	60	38.31	Pass	401
3570	6500	1	RMS	6365	-41.61	-13	28.61	Pass	2931
6500	26500	1	RMS	26001	-40.11	-13	27.11	Pass	20003




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:6, Channel:43065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.44	-13	49.44	Pass	401
0.15	30	0.01	RMS	0.15	-67.82	-13	54.82	Pass	2986
30	1000	0.1	RMS	836.6	-59.58	-13	46.58	Pass	9701
1000	3000	1	RMS	2955	-44.8	-13	31.8	Pass	2001
3000	3430	1	RMS	3284	-42.62	-13	29.62	Pass	431
3430	3570	1	RMS	3545.15	21.31	60	38.69	Pass	401
3570	6500	1	RMS	6402	-41.7	-13	28.7	Pass	2931
6500	26500	1	RMS	25992	-40.2	-13	27.2	Pass	20003




**1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:7,
Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.19	-13	51.19	Pass	401
0.15	30	0.01	RMS	0.18	-68.14	-13	55.14	Pass	2986
30	1000	0.1	RMS	827.8	-59.61	-13	46.61	Pass	9701
1000	3000	1	RMS	2948	-44.7	-13	31.7	Pass	2001
3000	3430	1	RMS	3278	-42.6	-13	29.6	Pass	431
3430	3570	1	RMS	3450.3	22.01	60	37.99	Pass	401
3570	6500	1	RMS	6317	-41.67	-13	28.67	Pass	2931
6500	26500	1	RMS	26008	-40.09	-13	27.09	Pass	20003




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:8, Channel:42140, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.22	-13	51.22	Pass	401
0.15	30	0.01	RMS	0.27	-68.18	-13	55.18	Pass	2986
30	1000	0.1	RMS	839.2	-59.57	-13	46.57	Pass	9701
1000	3000	1	RMS	2944	-44.75	-13	31.75	Pass	2001
3000	3430	1	RMS	3286	-42.58	-13	29.58	Pass	431
3430	3570	1	RMS	3450.65	21.68	60	38.32	Pass	401
3570	6500	1	RMS	6431	-41.65	-13	28.65	Pass	2931
6500	26500	1	RMS	25998	-40.17	-13	27.17	Pass	20003




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:9, Channel:42590, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.56	-13	49.56	Pass	401
0.15	30	0.01	RMS	0.2	-68.62	-13	55.62	Pass	2986
30	1000	0.1	RMS	834.7	-59.6	-13	46.6	Pass	9701
1000	3000	1	RMS	2950	-44.78	-13	31.78	Pass	2001
3000	3430	1	RMS	3281	-42.61	-13	29.61	Pass	431
3430	3570	1	RMS	3495.45	23.13	60	36.87	Pass	401
3570	6500	1	RMS	6414	-41.69	-13	28.69	Pass	2931
6500	26500	1	RMS	26004	-40.22	-13	27.22	Pass	20003




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:10, Channel:42590, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.29	-13	50.29	Pass	401
0.15	30	0.01	RMS	0.28	-68.43	-13	55.43	Pass	2986
30	1000	0.1	RMS	850.301	-59.49	-13	46.49	Pass	9701
1000	3000	1	RMS	2951	-44.74	-13	31.74	Pass	2001
3000	3430	1	RMS	3284	-42.58	-13	29.58	Pass	431
3430	3570	1	RMS	3495.45	21.75	60	38.25	Pass	401
3570	6500	1	RMS	6436	-41.69	-13	28.69	Pass	2931
6500	26500	1	RMS	25987	-40.16	-13	27.16	Pass	20003




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:11, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-64.73	-13	51.73	Pass	401
0.15	30	0.01	RMS	0.18	-68.2	-13	55.2	Pass	2986
30	1000	0.1	RMS	845.7	-59.73	-13	46.73	Pass	9701
1000	3000	1	RMS	2960	-44.8	-13	31.8	Pass	2001
3000	3430	1	RMS	3282	-42.6	-13	29.6	Pass	431
3430	3570	1	RMS	3540.25	22.77	60	37.23	Pass	401
3570	6500	1	RMS	6484	-41.66	-13	28.66	Pass	2931
6500	26500	1	RMS	25998	-40.21	-13	27.21	Pass	20003




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:12, Channel:43040, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.53	-13	50.53	Pass	401
0.15	30	0.01	RMS	0.21	-68.46	-13	55.46	Pass	2986
30	1000	0.1	RMS	837.8	-59.57	-13	46.57	Pass	9701
1000	3000	1	RMS	2961	-44.78	-13	31.78	Pass	2001
3000	3430	1	RMS	3286	-42.6	-13	29.6	Pass	431
3430	3570	1	RMS	3540.6	21.83	60	38.17	Pass	401
3570	6500	1	RMS	6405	-41.67	-13	28.67	Pass	2931
6500	26500	1	RMS	26003	-40.15	-13	27.15	Pass	20003




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:13, Channel:42165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.14	-13	50.14	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-13	54.53	Pass	2986
30	1000	0.1	RMS	838.5	-59.61	-13	46.61	Pass	9701
1000	3000	1	RMS	2957	-44.7	-13	31.7	Pass	2001
3000	3430	1	RMS	3280	-42.61	-13	29.61	Pass	431
3430	3570	1	RMS	3450.3	21.4	60	38.6	Pass	401
3570	6500	1	RMS	6398	-41.63	-13	28.63	Pass	2931
6500	26500	1	RMS	26001	-40.02	-13	27.02	Pass	20003




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:14, Channel:42165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.51	-13	50.51	Pass	401
0.15	30	0.01	RMS	0.17	-68.49	-13	55.49	Pass	2986
30	1000	0.1	RMS	848.4	-59.71	-13	46.71	Pass	9701
1000	3000	1	RMS	2956	-44.75	-13	31.75	Pass	2001
3000	3430	1	RMS	3286	-42.6	-13	29.6	Pass	431
3430	3570	1	RMS	3450.65	21.7	60	38.3	Pass	401
3570	6500	1	RMS	6411	-41.63	-13	28.63	Pass	2931
6500	26500	1	RMS	25989	-40.17	-13	27.17	Pass	20003




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:15, Channel:42590, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.84	-13	49.84	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-13	54.75	Pass	2986
30	1000	0.1	RMS	840.7	-59.53	-13	46.53	Pass	9701
1000	3000	1	RMS	2949	-44.73	-13	31.73	Pass	2001
3000	3430	1	RMS	3283	-42.61	-13	29.61	Pass	431
3430	3570	1	RMS	3493	22.43	60	37.57	Pass	401
3570	6500	1	RMS	6478	-41.65	-13	28.65	Pass	2931
6500	26500	1	RMS	26001	-40.05	-13	27.05	Pass	20003




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:16, Channel:42590, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.95	-13	50.95	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-13	55.32	Pass	2986
30	1000	0.1	RMS	850.301	-59.61	-13	46.61	Pass	9701
1000	3000	1	RMS	2952	-44.78	-13	31.78	Pass	2001
3000	3430	1	RMS	3289	-42.61	-13	29.61	Pass	431
3430	3570	1	RMS	3493	21.37	60	38.63	Pass	401
3570	6500	1	RMS	6498	-41.66	-13	28.66	Pass	2931
6500	26500	1	RMS	26010	-40.15	-13	27.15	Pass	20003




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:17, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.92	-13	50.92	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-13	55.08	Pass	2986
30	1000	0.1	RMS	850.001	-59.55	-13	46.55	Pass	9701
1000	3000	1	RMS	2945	-44.8	-13	31.8	Pass	2001
3000	3430	1	RMS	3281	-42.59	-13	29.59	Pass	431
3430	3570	1	RMS	3535.7	21.83	60	38.17	Pass	401
3570	6500	1	RMS	6415	-41.63	-13	28.63	Pass	2931
6500	26500	1	RMS	25994	-40.15	-13	27.15	Pass	20003




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:18, Channel:43015, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.34	-13	49.34	Pass	401
0.15	30	0.01	RMS	0.29	-68.67	-13	55.67	Pass	2986
30	1000	0.1	RMS	851.602	-59.58	-13	46.58	Pass	9701
1000	3000	1	RMS	2955	-44.81	-13	31.81	Pass	2001
3000	3430	1	RMS	3284	-42.61	-13	29.61	Pass	431
3430	3570	1	RMS	3535.35	20.96	60	39.04	Pass	401
3570	6500	1	RMS	6400	-41.67	-13	28.67	Pass	2931
6500	26500	1	RMS	26012	-40.1	-13	27.1	Pass	20003




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:19, Channel:42190, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.23	-13	50.23	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-13	54.79	Pass	2986
30	1000	0.1	RMS	846	-59.62	-13	46.62	Pass	9701
1000	3000	1	RMS	2945	-44.73	-13	31.73	Pass	2001
3000	3430	1	RMS	3283	-42.61	-13	29.61	Pass	431
3430	3570	1	RMS	3451	22.65	60	37.35	Pass	401
3570	6500	1	RMS	6434	-41.67	-13	28.67	Pass	2931
6500	26500	1	RMS	25999	-40.17	-13	27.17	Pass	20003




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:20, Channel:42190, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.38	-13	50.38	Pass	401
0.15	30	0.01	RMS	0.15	-67.96	-13	54.96	Pass	2986
30	1000	0.1	RMS	824.4	-59.61	-13	46.61	Pass	9701
1000	3000	1	RMS	2955	-44.73	-13	31.73	Pass	2001
3000	3430	1	RMS	3280	-42.58	-13	29.58	Pass	431
3430	3570	1	RMS	3451	22.14	60	37.86	Pass	401
3570	6500	1	RMS	6400	-41.69	-13	28.69	Pass	2931
6500	26500	1	RMS	25988	-40.21	-13	27.21	Pass	20003




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:21, Channel:42590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.2	-13	50.2	Pass	401
0.15	30	0.01	RMS	0.21	-68.2	-13	55.2	Pass	2986
30	1000	0.1	RMS	829.6	-59.47	-13	46.47	Pass	9701
1000	3000	1	RMS	2950	-44.77	-13	31.77	Pass	2001
3000	3430	1	RMS	3282	-42.6	-13	29.6	Pass	431
3430	3570	1	RMS	3490.9	22.52	60	37.48	Pass	401
3570	6500	1	RMS	6320	-41.68	-13	28.68	Pass	2931
6500	26500	1	RMS	25995	-40.16	-13	27.16	Pass	20003




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:22, Channel:42590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.03	-13	50.03	Pass	401
0.15	30	0.01	RMS	0.21	-68.06	-13	55.06	Pass	2986
30	1000	0.1	RMS	833.5	-59.7	-13	46.7	Pass	9701
1000	3000	1	RMS	2957	-44.72	-13	31.72	Pass	2001
3000	3430	1	RMS	3282	-42.61	-13	29.61	Pass	431
3430	3570	1	RMS	3490.9	21.33	60	38.67	Pass	401
3570	6500	1	RMS	6321	-41.69	-13	28.69	Pass	2931
6500	26500	1	RMS	26002	-40.12	-13	27.12	Pass	20003




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:42990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-63.27	-13	50.27	Pass	401
0.15	30	0.01	RMS	0.2	-67.63	-13	54.63	Pass	2986
30	1000	0.1	RMS	831.5	-59.45	-13	46.45	Pass	9701
1000	3000	1	RMS	2948	-44.78	-13	31.78	Pass	2001
3000	3430	1	RMS	3285	-42.62	-13	29.62	Pass	431
3430	3570	1	RMS	3530.8	21.58	60	38.42	Pass	401
3570	6500	1	RMS	6336	-41.68	-13	28.68	Pass	2931
6500	26500	1	RMS	26009	-40.23	-13	27.23	Pass	20003



1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:42990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-64.28	-13	51.28	Pass	401
0.15	30	0.01	RMS	0.15	-68.2	-13	55.2	Pass	2986
30	1000	0.1	RMS	829.9	-59.7	-13	46.7	Pass	9701
1000	3000	1	RMS	2943	-44.78	-13	31.78	Pass	2001
3000	3430	1	RMS	3287	-42.6	-13	29.6	Pass	431
3430	3570	1	RMS	3530.8	21.85	60	38.15	Pass	401
3570	6500	1	RMS	6449	-41.64	-13	28.64	Pass	2931
6500	26500	1	RMS	26006	-40.22	-13	27.22	Pass	20003



1. LTE_Band5


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.31	-13	Pass	401
0.15	30	0.01	RMS	0.65	-68.87	-13	Pass	2986
30	814	0.1	RMS	813.5	-59.68	-13	Pass	7841
814	860	0.1	RMS	824.2	20.42	60	Pass	461
860	1000	0.1	RMS	881	-59.45	-13	Pass	1401
1000	3000	1	RMS	1648	-45.19	-13	Pass	2001
3000	10000	1	RMS	6961	-27.98	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.19	-13	Pass	401
0.15	30	0.01	RMS	23.12	-68.69	-13	Pass	2986
30	814	0.1	RMS	479.8	-59.92	-13	Pass	7841
814	860	0.1	RMS	824.2	20.1	60	Pass	461
860	1000	0.1	RMS	985.3	-59.45	-13	Pass	1401
1000	3000	1	RMS	1648	-45.39	-13	Pass	2001
3000	10000	1	RMS	9959	-35.25	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-71.22	-13	Pass	401
0.15	30	0.01	RMS	1.13	-67.72	-13	Pass	2986
30	814	0.1	RMS	813.4	-59.71	-13	Pass	7841
814	860	0.1	RMS	836	20.46	60	Pass	461
860	1000	0.1	RMS	893.2	-59.54	-13	Pass	1401
1000	3000	1	RMS	2991	-45.7	-13	Pass	2001
3000	10000	1	RMS	9972	-35.16	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.42	-13	Pass	401
0.15	30	0.01	RMS	29.98	-68.67	-13	Pass	2986
30	814	0.1	RMS	793.8	-59.78	-13	Pass	7841
814	860	0.1	RMS	836.1	20.02	60	Pass	461
860	1000	0.1	RMS	902.9	-59.44	-13	Pass	1401
1000	3000	1	RMS	1672	-45.62	-13	Pass	2001
3000	10000	1	RMS	9940	-35.17	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.01	-13	Pass	401
0.15	30	0.01	RMS	13.49	-68.48	-13	Pass	2986
30	814	0.1	RMS	809.4	-59.21	-13	Pass	7841
814	860	0.1	RMS	847.8	20.42	60	Pass	461
860	1000	0.1	RMS	943.5	-58.91	-13	Pass	1401
1000	3000	1	RMS	1695	-44.97	-13	Pass	2001
3000	10000	1	RMS	9996	-35.13	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.2	-13	Pass	401
0.15	30	0.01	RMS	21.64	-68.12	-13	Pass	2986
30	814	0.1	RMS	809.4	-59.58	-13	Pass	7841
814	860	0.1	RMS	847.8	20.18	60	Pass	461
860	1000	0.1	RMS	909.2	-59.41	-13	Pass	1401
1000	3000	1	RMS	1695	-45.16	-13	Pass	2001
3000	10000	1	RMS	9987	-35.14	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.062	-70.06	-13	Pass	401
0.15	30	0.01	RMS	13.04	-68.41	-13	Pass	2986
30	814	0.1	RMS	814	-58.92	-13	Pass	7841
814	860	0.1	RMS	824.2	20.73	60	Pass	461
860	1000	0.1	RMS	879.1	-59.52	-13	Pass	1401
1000	3000	1	RMS	1648	-45.31	-13	Pass	2001
3000	10000	1	RMS	6969	-27.85	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.1	-13	Pass	401
0.15	30	0.01	RMS	29.22	-68.35	-13	Pass	2986
30	814	0.1	RMS	813.5	-59.58	-13	Pass	7841
814	860	0.1	RMS	824.2	20.1	60	Pass	461
860	1000	0.1	RMS	866.6	-59.23	-13	Pass	1401
1000	3000	1	RMS	1648	-45.48	-13	Pass	2001
3000	10000	1	RMS	9993	-34.96	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.99	-13	Pass	401
0.15	30	0.01	RMS	6.41	-67.26	-13	Pass	2986
30	814	0.1	RMS	471.2	-58.75	-13	Pass	7841
814	860	0.1	RMS	835.2	20.72	60	Pass	461
860	1000	0.1	RMS	999.4	-59.41	-13	Pass	1401
1000	3000	1	RMS	1670	-44.81	-13	Pass	2001
3000	10000	1	RMS	9953	-34.93	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.07	-13	Pass	401
0.15	30	0.01	RMS	18.35	-67.7	-13	Pass	2986
30	814	0.1	RMS	363.8	-59.36	-13	Pass	7841
814	860	0.1	RMS	835.2	20.09	60	Pass	461
860	1000	0.1	RMS	887.1	-59.4	-13	Pass	1401
1000	3000	1	RMS	1670	-44.99	-13	Pass	2001
3000	10000	1	RMS	9981	-35.08	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.34	-13	Pass	401
0.15	30	0.01	RMS	12.35	-68.68	-13	Pass	2986
30	814	0.1	RMS	807.8	-59.07	-13	Pass	7841
814	860	0.1	RMS	846.2	20.53	60	Pass	461
860	1000	0.1	RMS	973.9	-59.46	-13	Pass	1401
1000	3000	1	RMS	1692	-44.81	-13	Pass	2001
3000	10000	1	RMS	9981	-35.13	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.15	-13	Pass	401
0.15	30	0.01	RMS	29.7	-68.77	-13	Pass	2986
30	814	0.1	RMS	807.9	-59.76	-13	Pass	7841
814	860	0.1	RMS	846.2	20.32	60	Pass	461
860	1000	0.1	RMS	996.3	-59.39	-13	Pass	1401
1000	3000	1	RMS	1692	-45.06	-13	Pass	2001
3000	10000	1	RMS	9944	-35.22	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.5	-13	Pass	401
0.15	30	0.01	RMS	28.87	-68.42	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.35	-13	Pass	7841
814	860	0.1	RMS	824.3	21.04	60	Pass	461
860	1000	0.1	RMS	875.9	-59.33	-13	Pass	1401
1000	3000	1	RMS	1648	-44.75	-13	Pass	2001
3000	10000	1	RMS	6958	-29	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.99	-13	Pass	401
0.15	30	0.01	RMS	0.22	-68.39	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.56	-13	Pass	7841
814	860	0.1	RMS	824.3	20.23	60	Pass	461
860	1000	0.1	RMS	988.7	-59.33	-13	Pass	1401
1000	3000	1	RMS	1648	-45.44	-13	Pass	2001
3000	10000	1	RMS	9984	-35.37	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-70.98	-13	Pass	401
0.15	30	0.01	RMS	0.9	-68.36	-13	Pass	2986
30	814	0.1	RMS	495.1	-59.71	-13	Pass	7841
814	860	0.1	RMS	834.3	21.13	60	Pass	461
860	1000	0.1	RMS	946.3	-59.67	-13	Pass	1401
1000	3000	1	RMS	1668	-44.45	-13	Pass	2001
3000	10000	1	RMS	9983	-35.12	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.42	-13	Pass	401
0.15	30	0.01	RMS	0.52	-68.14	-13	Pass	2986
30	814	0.1	RMS	489.7	-59.52	-13	Pass	7841
814	860	0.1	RMS	834.3	20.41	60	Pass	461
860	1000	0.1	RMS	994.4	-59.6	-13	Pass	1401
1000	3000	1	RMS	1668	-45.23	-13	Pass	2001
3000	10000	1	RMS	9927	-35.37	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.27	-13	Pass	401
0.15	30	0.01	RMS	17.55	-68.17	-13	Pass	2986
30	814	0.1	RMS	478.7	-59.8	-13	Pass	7841
814	860	0.1	RMS	844.3	21.17	60	Pass	461
860	1000	0.1	RMS	882.6	-59.39	-13	Pass	1401
1000	3000	1	RMS	1688	-44.11	-13	Pass	2001
3000	10000	1	RMS	9962	-35.02	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.47	-13	Pass	401
0.15	30	0.01	RMS	11.5	-68.3	-13	Pass	2986
30	814	0.1	RMS	486	-59.8	-13	Pass	7841
814	860	0.1	RMS	844.3	20.37	60	Pass	461
860	1000	0.1	RMS	902.4	-59.56	-13	Pass	1401
1000	3000	1	RMS	1688	-45.05	-13	Pass	2001
3000	10000	1	RMS	9957	-35.16	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.8	-13	Pass	401
0.15	30	0.01	RMS	10.46	-68.25	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.03	-13	Pass	7841
814	860	0.1	RMS	824.6	21.45	60	Pass	461
860	1000	0.1	RMS	988.4	-59.53	-13	Pass	1401
1000	3000	1	RMS	1649	-45.03	-13	Pass	2001
3000	10000	1	RMS	6968	-28.1	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.097	-70.22	-13	Pass	401
0.15	30	0.01	RMS	8.03	-68.51	-13	Pass	2986
30	814	0.1	RMS	813.9	-59.31	-13	Pass	7841
814	860	0.1	RMS	824.6	20.66	60	Pass	461
860	1000	0.1	RMS	898.6	-59.3	-13	Pass	1401
1000	3000	1	RMS	2961	-45.69	-13	Pass	2001
3000	10000	1	RMS	9965	-35.46	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.67	-13	Pass	401
0.15	30	0.01	RMS	6.5	-68.48	-13	Pass	2986
30	814	0.1	RMS	677.9	-59.76	-13	Pass	7841
814	860	0.1	RMS	832.1	21.56	60	Pass	461
860	1000	0.1	RMS	902.9	-59.47	-13	Pass	1401
1000	3000	1	RMS	1664	-44.81	-13	Pass	2001
3000	10000	1	RMS	9998	-35.27	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.92	-13	Pass	401
0.15	30	0.01	RMS	5.87	-68.33	-13	Pass	2986
30	814	0.1	RMS	761	-59.97	-13	Pass	7841
814	860	0.1	RMS	832.1	20.81	60	Pass	461
860	1000	0.1	RMS	895.5	-59.78	-13	Pass	1401
1000	3000	1	RMS	1664	-45.56	-13	Pass	2001
3000	10000	1	RMS	9999	-35.36	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-13	Pass	2986
30	814	0.1	RMS	729.9	-59.77	-13	Pass	7841
814	860	0.1	RMS	839.6	21.58	60	Pass	461
860	1000	0.1	RMS	898.5	-59.41	-13	Pass	1401
1000	3000	1	RMS	1679	-44.77	-13	Pass	2001
3000	10000	1	RMS	9988	-35.08	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.034	-70.43	-13	Pass	401
0.15	30	0.01	RMS	16.25	-68.45	-13	Pass	2986
30	814	0.1	RMS	781.6	-59.87	-13	Pass	7841
814	860	0.1	RMS	839.6	20.83	60	Pass	461
860	1000	0.1	RMS	907.2	-59.2	-13	Pass	1401
1000	3000	1	RMS	1679	-45.47	-13	Pass	2001
3000	10000	1	RMS	9996	-35.12	-13	Pass	7001



2. LTE_Band12


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.52	-13	Pass	2986
30	689	0.1	RMS	489.1	-59.82	-13	Pass	6591
689	726	0.1	RMS	699.268	21.1	60	Pass	401
726	1000	0.1	RMS	898.6	-58.53	-13	Pass	2741
1000	3000	1	RMS	1398	-45.21	-13	Pass	2001
3000	10000	1	RMS	6956	-27.57	-13	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.11	-13	Pass	401
0.15	30	0.01	RMS	25.51	-68.01	-13	Pass	2986
30	689	0.1	RMS	484.9	-59.83	-13	Pass	6591
689	726	0.1	RMS	699.268	20.73	60	Pass	401
726	1000	0.1	RMS	890	-58.84	-13	Pass	2741
1000	3000	1	RMS	1398	-45.41	-13	Pass	2001
3000	10000	1	RMS	9940	-35.13	-13	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.07	-13	Pass	401
0.15	30	0.01	RMS	17.96	-68.45	-13	Pass	2986
30	689	0.1	RMS	492.3	-59.46	-13	Pass	6591
689	726	0.1	RMS	707.038	20.95	60	Pass	401
726	1000	0.1	RMS	977.2	-59.05	-13	Pass	2741
1000	3000	1	RMS	2968	-45.67	-13	Pass	2001
3000	10000	1	RMS	9975	-35.39	-13	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.98	-13	Pass	401
0.15	30	0.01	RMS	24.96	-68.05	-13	Pass	2986
30	689	0.1	RMS	484.9	-59.87	-13	Pass	6591
689	726	0.1	RMS	707.038	20.58	60	Pass	401
726	1000	0.1	RMS	903.9	-58.95	-13	Pass	2741
1000	3000	1	RMS	2959	-45.71	-13	Pass	2001
3000	10000	1	RMS	9975	-35.12	-13	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.44	-13	Pass	401
0.15	30	0.01	RMS	29.93	-68.18	-13	Pass	2986
30	689	0.1	RMS	634.2	-59.97	-13	Pass	6591
689	726	0.1	RMS	714.808	20.34	60	Pass	401
726	1000	0.1	RMS	849.6	-59.07	-13	Pass	2741
1000	3000	1	RMS	2951	-45.55	-13	Pass	2001
3000	10000	1	RMS	9937	-35.1	-13	Pass	7001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.38	-13	Pass	401
0.15	30	0.01	RMS	16.09	-68.88	-13	Pass	2986
30	689	0.1	RMS	481.7	-59.75	-13	Pass	6591
689	726	0.1	RMS	714.808	20.14	60	Pass	401
726	1000	0.1	RMS	908.3	-58.91	-13	Pass	2741
1000	3000	1	RMS	2949	-45.69	-13	Pass	2001
3000	10000	1	RMS	9985	-35.44	-13	Pass	7001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.46	-13	Pass	401
0.15	30	0.01	RMS	0.21	-67.9	-13	Pass	2986
30	689	0.1	RMS	494.6	-59.81	-13	Pass	6591
689	726	0.1	RMS	699.268	20.82	60	Pass	401
726	1000	0.1	RMS	906.7	-59.03	-13	Pass	2741
1000	3000	1	RMS	1398	-44.92	-13	Pass	2001
3000	10000	1	RMS	6953	-27.33	-13	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.36	-13	Pass	401
0.15	30	0.01	RMS	15.29	-67.8	-13	Pass	2986
30	689	0.1	RMS	484.9	-59.82	-13	Pass	6591
689	726	0.1	RMS	699.268	20.53	60	Pass	401
726	1000	0.1	RMS	932.7	-58.96	-13	Pass	2741
1000	3000	1	RMS	1398	-45.55	-13	Pass	2001
3000	10000	1	RMS	9951	-35.19	-13	Pass	7001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.54	-13	Pass	401
0.15	30	0.01	RMS	8.99	-68.3	-13	Pass	2986
30	689	0.1	RMS	471.3	-59.78	-13	Pass	6591
689	726	0.1	RMS	706.205	20.69	60	Pass	401
726	1000	0.1	RMS	990.3	-59.01	-13	Pass	2741
1000	3000	1	RMS	1412	-45.33	-13	Pass	2001
3000	10000	1	RMS	9934	-35.32	-13	Pass	7001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.14	-13	Pass	401
0.15	30	0.01	RMS	15.92	-68.04	-13	Pass	2986
30	689	0.1	RMS	372.3	-59.56	-13	Pass	6591
689	726	0.1	RMS	706.205	20.51	60	Pass	401
726	1000	0.1	RMS	896.7	-58.77	-13	Pass	2741
1000	3000	1	RMS	1412	-45.55	-13	Pass	2001
3000	10000	1	RMS	9998	-35.28	-13	Pass	7001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.99	-13	Pass	401
0.15	30	0.01	RMS	1.93	-68.04	-13	Pass	2986
30	689	0.1	RMS	369.2	-59.9	-13	Pass	6591
689	726	0.1	RMS	713.235	21.06	60	Pass	401
726	1000	0.1	RMS	893	-58.85	-13	Pass	2741
1000	3000	1	RMS	2970	-45.66	-13	Pass	2001
3000	10000	1	RMS	9955	-35.1	-13	Pass	7001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.12	-13	Pass	2986
30	689	0.1	RMS	495.9	-59.71	-13	Pass	6591
689	726	0.1	RMS	713.235	20.85	60	Pass	401
726	1000	0.1	RMS	999.7	-58.86	-13	Pass	2741
1000	3000	1	RMS	2949	-45.67	-13	Pass	2001
3000	10000	1	RMS	9943	-35.36	-13	Pass	7001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.8	-13	Pass	401
0.15	30	0.01	RMS	9.24	-68.14	-13	Pass	2986
30	689	0.1	RMS	688.6	-59.69	-13	Pass	6591
689	726	0.1	RMS	699.36	21.73	60	Pass	401
726	1000	0.1	RMS	913.1	-58.95	-13	Pass	2741
1000	3000	1	RMS	1398	-44.71	-13	Pass	2001
3000	10000	1	RMS	6947	-27.63	-13	Pass	7001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.88	-13	Pass	2986
30	689	0.1	RMS	497.7	-59.75	-13	Pass	6591
689	726	0.1	RMS	699.36	20.46	60	Pass	401
726	1000	0.1	RMS	916.1	-58.61	-13	Pass	2741
1000	3000	1	RMS	1398	-45.41	-13	Pass	2001
3000	10000	1	RMS	9998	-35	-13	Pass	7001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.25	-68.09	-13	Pass	2986
30	689	0.1	RMS	467.3	-59.79	-13	Pass	6591
689	726	0.1	RMS	705.373	21.27	60	Pass	401
726	1000	0.1	RMS	973.4	-58.93	-13	Pass	2741
1000	3000	1	RMS	1410	-44.89	-13	Pass	2001
3000	10000	1	RMS	9977	-35.22	-13	Pass	7001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.5	-13	Pass	401
0.15	30	0.01	RMS	29.45	-68.14	-13	Pass	2986
30	689	0.1	RMS	498.8	-59.75	-13	Pass	6591
689	726	0.1	RMS	705.373	20.37	60	Pass	401
726	1000	0.1	RMS	895	-58.65	-13	Pass	2741
1000	3000	1	RMS	1410	-45.64	-13	Pass	2001
3000	10000	1	RMS	9988	-35.02	-13	Pass	7001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.18	-13	Pass	401
0.15	30	0.01	RMS	25.22	-67.74	-13	Pass	2986
30	689	0.1	RMS	483.6	-59.51	-13	Pass	6591
689	726	0.1	RMS	711.293	20.99	60	Pass	401
726	1000	0.1	RMS	880.1	-58.69	-13	Pass	2741
1000	3000	1	RMS	1422	-45.29	-13	Pass	2001
3000	10000	1	RMS	9967	-35.05	-13	Pass	7001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.42	-13	Pass	401
0.15	30	0.01	RMS	0.85	-68.37	-13	Pass	2986
30	689	0.1	RMS	630.2	-59.77	-13	Pass	6591
689	726	0.1	RMS	711.293	20.13	60	Pass	401
726	1000	0.1	RMS	894.1	-58.68	-13	Pass	2741
1000	3000	1	RMS	2981	-45.69	-13	Pass	2001
3000	10000	1	RMS	9978	-35.09	-13	Pass	7001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.57	-13	Pass	401
0.15	30	0.01	RMS	27.85	-68.05	-13	Pass	2986
30	689	0.1	RMS	658.7	-59.72	-13	Pass	6591
689	726	0.1	RMS	699.545	21.27	60	Pass	401
726	1000	0.1	RMS	989.5	-58.84	-13	Pass	2741
1000	3000	1	RMS	1399	-45.23	-13	Pass	2001
3000	10000	1	RMS	6956	-27.25	-13	Pass	7001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.26	-13	Pass	401
0.15	30	0.01	RMS	11.95	-68.21	-13	Pass	2986
30	689	0.1	RMS	688.9	-59.42	-13	Pass	6591
689	726	0.1	RMS	699.545	20.31	60	Pass	401
726	1000	0.1	RMS	918.4	-58.76	-13	Pass	2741
1000	3000	1	RMS	2940	-45.72	-13	Pass	2001
3000	10000	1	RMS	9962	-35.22	-13	Pass	7001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.13	-13	Pass	401
0.15	30	0.01	RMS	28.09	-68.15	-13	Pass	2986
30	689	0.1	RMS	460.4	-59.79	-13	Pass	6591
689	726	0.1	RMS	703.06	21.45	60	Pass	401
726	1000	0.1	RMS	888.4	-58.9	-13	Pass	2741
1000	3000	1	RMS	1406	-45.07	-13	Pass	2001
3000	10000	1	RMS	9949	-35.18	-13	Pass	7001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-70.37	-13	Pass	401
0.15	30	0.01	RMS	15.89	-68.19	-13	Pass	2986
30	689	0.1	RMS	494.6	-59.67	-13	Pass	6591
689	726	0.1	RMS	703.06	20.64	60	Pass	401
726	1000	0.1	RMS	877.7	-58.69	-13	Pass	2741
1000	3000	1	RMS	2966	-45.7	-13	Pass	2001
3000	10000	1	RMS	9951	-35.18	-13	Pass	7001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.04	-13	Pass	401
0.15	30	0.01	RMS	28.19	-68.07	-13	Pass	2986
30	689	0.1	RMS	609.5	-59.7	-13	Pass	6591
689	726	0.1	RMS	706.575	21.54	60	Pass	401
726	1000	0.1	RMS	877.8	-58.93	-13	Pass	2741
1000	3000	1	RMS	1413	-45.49	-13	Pass	2001
3000	10000	1	RMS	9966	-35.43	-13	Pass	7001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.26	-67.87	-13	Pass	2986
30	689	0.1	RMS	468.1	-59.9	-13	Pass	6591
689	726	0.1	RMS	706.575	20.55	60	Pass	401
726	1000	0.1	RMS	904.4	-58.37	-13	Pass	2741
1000	3000	1	RMS	2947	-45.55	-13	Pass	2001
3000	10000	1	RMS	9990	-35.07	-13	Pass	7001



3. LTE_Band13


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-70.88	-13	Pass	401
0.15	30	0.01	RMS	22.21	-68.07	-13	Pass	2986
30	767	0.1	RMS	736.1	-59.68	-13	Pass	7371
767	797	0.1	RMS	777.35	21.14	60	Pass	401
797	1000	0.1	RMS	997.7	-59.2	-13	Pass	2031
1000	3000	1	RMS	1554	-44.99	-13	Pass	2001
3000	10000	1	RMS	6949	-29.06	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.3	-13	Pass	401
0.15	30	0.01	RMS	22.83	-68.16	-13	Pass	2986
30	767	0.1	RMS	731	-59.7	-13	Pass	7371
767	797	0.1	RMS	777.35	20.83	60	Pass	401
797	1000	0.1	RMS	884.7	-59.1	-13	Pass	2031
1000	3000	1	RMS	1554	-45.06	-13	Pass	2001
3000	10000	1	RMS	10000	-35.14	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-70.51	-13	Pass	401
0.15	30	0.01	RMS	28.63	-68.45	-13	Pass	2986
30	767	0.1	RMS	478.6	-59.86	-13	Pass	7371
767	797	0.1	RMS	779.825	21.24	60	Pass	401
797	1000	0.1	RMS	895	-59.17	-13	Pass	2031
1000	3000	1	RMS	1559	-44.98	-13	Pass	2001
3000	10000	1	RMS	9985	-35.06	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.86	-13	Pass	401
0.15	30	0.01	RMS	6.49	-68.54	-13	Pass	2986
30	767	0.1	RMS	720.3	-59.72	-13	Pass	7371
767	797	0.1	RMS	779.825	20.73	60	Pass	401
797	1000	0.1	RMS	904.7	-59.03	-13	Pass	2031
1000	3000	1	RMS	1559	-44.92	-13	Pass	2001
3000	10000	1	RMS	9976	-35.25	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-70.74	-13	Pass	401
0.15	30	0.01	RMS	0.3	-67.73	-13	Pass	2986
30	767	0.1	RMS	713.1	-59.7	-13	Pass	7371
767	797	0.1	RMS	782.375	20.91	60	Pass	401
797	1000	0.1	RMS	881.6	-58.97	-13	Pass	2031
1000	3000	1	RMS	1564	-44.95	-13	Pass	2001
3000	10000	1	RMS	9949	-35.47	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.077	-70.6	-13	Pass	401
0.15	30	0.01	RMS	10.82	-68.38	-13	Pass	2986
30	767	0.1	RMS	750.3	-59.9	-13	Pass	7371
767	797	0.1	RMS	782.375	20.41	60	Pass	401
797	1000	0.1	RMS	858.8	-59.15	-13	Pass	2031
1000	3000	1	RMS	1564	-45.2	-13	Pass	2001
3000	10000	1	RMS	9993	-35.12	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.95	-13	Pass	401
0.15	30	0.01	RMS	23.6	-68.14	-13	Pass	2986
30	767	0.1	RMS	637.6	-59.69	-13	Pass	7371
767	797	0.1	RMS	777.575	21.64	60	Pass	401
797	1000	0.1	RMS	881.2	-59.1	-13	Pass	2031
1000	3000	1	RMS	1555	-44.44	-13	Pass	2001
3000	10000	1	RMS	6950	-27.75	-13	Pass	7001



3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.79	-13	Pass	401
0.15	30	0.01	RMS	1.21	-67.86	-13	Pass	2986
30	767	0.1	RMS	463.8	-59.83	-13	Pass	7371
767	797	0.1	RMS	777.575	20.75	60	Pass	401
797	1000	0.1	RMS	866	-58.98	-13	Pass	2031
1000	3000	1	RMS	1555	-45.12	-13	Pass	2001
3000	10000	1	RMS	9951	-35.4	-13	Pass	7001



4. LTE_Band17


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.97	-13	Pass	401
0.15	30	0.01	RMS	28.83	-68.58	-13	Pass	2986
30	694	0.1	RMS	635.1	-59.82	-13	Pass	6641
694	726	0.1	RMS	704.32	21.04	60	Pass	401
726	1000	0.1	RMS	899.1	-58.7	-13	Pass	2741
1000	3000	1	RMS	1408	-45.24	-13	Pass	2001
3000	10000	1	RMS	9951	-35.09	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.3	-13	Pass	401
0.15	30	0.01	RMS	6.44	-68.09	-13	Pass	2986
30	694	0.1	RMS	480	-59.57	-13	Pass	6641
694	726	0.1	RMS	704.32	20.77	60	Pass	401
726	1000	0.1	RMS	898.6	-58.68	-13	Pass	2741
1000	3000	1	RMS	1408	-45.54	-13	Pass	2001
3000	10000	1	RMS	9964	-35.06	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.098	-70.79	-13	Pass	401
0.15	30	0.01	RMS	23.52	-67.75	-13	Pass	2986
30	694	0.1	RMS	485.1	-59.58	-13	Pass	6641
694	726	0.1	RMS	707.84	21.21	60	Pass	401
726	1000	0.1	RMS	853.7	-58.66	-13	Pass	2741
1000	3000	1	RMS	2968	-45.64	-13	Pass	2001
3000	10000	1	RMS	9927	-35.41	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.96	-13	Pass	401
0.15	30	0.01	RMS	15.04	-68.09	-13	Pass	2986
30	694	0.1	RMS	368.2	-59.75	-13	Pass	6641
694	726	0.1	RMS	707.84	20.68	60	Pass	401
726	1000	0.1	RMS	1000	-58.65	-13	Pass	2741
1000	3000	1	RMS	2947	-45.67	-13	Pass	2001
3000	10000	1	RMS	9995	-35.2	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.71	-13	Pass	2986
30	694	0.1	RMS	634.5	-59.75	-13	Pass	6641
694	726	0.1	RMS	711.36	20.99	60	Pass	401
726	1000	0.1	RMS	866.9	-58.63	-13	Pass	2741
1000	3000	1	RMS	2948	-45.59	-13	Pass	2001
3000	10000	1	RMS	6950	-28.55	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.65	-13	Pass	401
0.15	30	0.01	RMS	25.7	-68.13	-13	Pass	2986
30	694	0.1	RMS	624.1	-59.79	-13	Pass	6641
694	726	0.1	RMS	711.36	20.68	60	Pass	401
726	1000	0.1	RMS	728.1	-58.77	-13	Pass	2741
1000	3000	1	RMS	2991	-45.68	-13	Pass	2001
3000	10000	1	RMS	9998	-35.03	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.85	-13	Pass	401
0.15	30	0.01	RMS	28.86	-68.26	-13	Pass	2986
30	694	0.1	RMS	693.9	-59.6	-13	Pass	6641
694	726	0.1	RMS	704.56	21.47	60	Pass	401
726	1000	0.1	RMS	906.2	-58.69	-13	Pass	2741
1000	3000	1	RMS	1409	-45.12	-13	Pass	2001
3000	10000	1	RMS	10000	-35.42	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.31	-13	Pass	2986
30	694	0.1	RMS	493.6	-59.79	-13	Pass	6641
694	726	0.1	RMS	704.56	20.45	60	Pass	401
726	1000	0.1	RMS	864.1	-58.64	-13	Pass	2741
1000	3000	1	RMS	2939	-45.72	-13	Pass	2001
3000	10000	1	RMS	9958	-35.11	-13	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-70.68	-13	Pass	401
0.15	30	0.01	RMS	29.99	-67.91	-13	Pass	2986
30	694	0.1	RMS	497.2	-59.74	-13	Pass	6641
694	726	0.1	RMS	705.6	21.61	60	Pass	401
726	1000	0.1	RMS	999.1	-58.37	-13	Pass	2741
1000	3000	1	RMS	1411	-45.5	-13	Pass	2001
3000	10000	1	RMS	9991	-35.04	-13	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.28	-13	Pass	401
0.15	30	0.01	RMS	29.93	-68.23	-13	Pass	2986
30	694	0.1	RMS	478.9	-59.84	-13	Pass	6641
694	726	0.1	RMS	705.6	20.89	60	Pass	401
726	1000	0.1	RMS	864.6	-58.65	-13	Pass	2741
1000	3000	1	RMS	2977	-45.72	-13	Pass	2001
3000	10000	1	RMS	9954	-35.21	-13	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.4	-67.81	-13	Pass	2986
30	694	0.1	RMS	620.2	-59.67	-13	Pass	6641
694	726	0.1	RMS	706.56	21.56	60	Pass	401
726	1000	0.1	RMS	882.8	-58.52	-13	Pass	2741
1000	3000	1	RMS	1413	-45.52	-13	Pass	2001
3000	10000	1	RMS	6944	-28.72	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.25	-13	Pass	401
0.15	30	0.01	RMS	25.09	-67.38	-13	Pass	2986
30	694	0.1	RMS	472.5	-59.75	-13	Pass	6641
694	726	0.1	RMS	706.56	20.46	60	Pass	401
726	1000	0.1	RMS	888.9	-58.81	-13	Pass	2741
1000	3000	1	RMS	2950	-45.64	-13	Pass	2001
3000	10000	1	RMS	9989	-35.14	-13	Pass	7001



5. LTE_Band18(part22)


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-71.58	-13	Pass	401
0.15	30	0.01	RMS	23.06	-68.72	-13	Pass	2986
30	814	0.1	RMS	620.9	-59.56	-13	Pass	7841
814	841	0.1	RMS	824.328	21.67	60	Pass	401
841	1000	0.1	RMS	894	-59.17	-13	Pass	1591
1000	3000	1	RMS	1648	-44.78	-13	Pass	2001
3000	10000	1	RMS	9951	-35.13	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.4	-13	Pass	401
0.15	30	0.01	RMS	1.69	-68.59	-13	Pass	2986
30	814	0.1	RMS	813.6	-59.58	-13	Pass	7841
814	841	0.1	RMS	824.328	20.81	60	Pass	401
841	1000	0.1	RMS	889.6	-58.88	-13	Pass	1591
1000	3000	1	RMS	1648	-45.43	-13	Pass	2001
3000	10000	1	RMS	9963	-35.22	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.37	-13	Pass	401
0.15	30	0.01	RMS	4.85	-68.79	-13	Pass	2986
30	814	0.1	RMS	812	-59.42	-13	Pass	7841
814	841	0.1	RMS	824.868	21.64	60	Pass	401
841	1000	0.1	RMS	842	-58.9	-13	Pass	1591
1000	3000	1	RMS	1649	-44.74	-13	Pass	2001
3000	10000	1	RMS	10000	-35	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.58	-13	Pass	401
0.15	30	0.01	RMS	14.12	-68.3	-13	Pass	2986
30	814	0.1	RMS	812.1	-59.5	-13	Pass	7841
814	841	0.1	RMS	824.868	20.56	60	Pass	401
841	1000	0.1	RMS	890.3	-59.28	-13	Pass	1591
1000	3000	1	RMS	1649	-45.55	-13	Pass	2001
3000	10000	1	RMS	9970	-35.1	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-67.81	-13	Pass	401
0.15	30	0.01	RMS	14.88	-67.88	-13	Pass	2986
30	814	0.1	RMS	810.7	-59.68	-13	Pass	7841
814	841	0.1	RMS	825.34	21.91	60	Pass	401
841	1000	0.1	RMS	842.5	-59.08	-13	Pass	1591
1000	3000	1	RMS	1650	-44.7	-13	Pass	2001
3000	10000	1	RMS	6959	-27.27	-13	Pass	7001



5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.9	-13	Pass	401
0.15	30	0.01	RMS	29.4	-68.4	-13	Pass	2986
30	814	0.1	RMS	751.1	-59.72	-13	Pass	7841
814	841	0.1	RMS	825.34	20.87	60	Pass	401
841	1000	0.1	RMS	895.8	-59.28	-13	Pass	1591
1000	3000	1	RMS	1650	-45.19	-13	Pass	2001
3000	10000	1	RMS	9965	-35.2	-13	Pass	7001



6. LTE_Band19


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.61	-13	Pass	401
0.15	30	0.01	RMS	26.29	-68.41	-13	Pass	2986
30	820	0.1	RMS	817.8	-59.73	-13	Pass	7901
820	856	0.1	RMS	830.35	21.54	60	Pass	401
856	1000	0.1	RMS	881.2	-59.01	-13	Pass	1441
1000	3000	1	RMS	1660	-44.35	-13	Pass	2001
3000	10000	1	RMS	9960	-35.24	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.46	-13	Pass	401
0.15	30	0.01	RMS	13.02	-67.88	-13	Pass	2986
30	820	0.1	RMS	810.4	-59.62	-13	Pass	7901
820	856	0.1	RMS	830.35	20.91	60	Pass	401
856	1000	0.1	RMS	912.7	-58.96	-13	Pass	1441
1000	3000	1	RMS	1660	-45.42	-13	Pass	2001
3000	10000	1	RMS	9925	-35.29	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.49	-13	Pass	401
0.15	30	0.01	RMS	24.32	-67.96	-13	Pass	2986
30	820	0.1	RMS	471.3	-59.55	-13	Pass	7901
820	856	0.1	RMS	835.3	21.21	60	Pass	401
856	1000	0.1	RMS	902.5	-59.08	-13	Pass	1441
1000	3000	1	RMS	1670	-44.59	-13	Pass	2001
3000	10000	1	RMS	9999	-35.32	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-70.94	-13	Pass	401
0.15	30	0.01	RMS	29.88	-68.73	-13	Pass	2986
30	820	0.1	RMS	608.7	-59.75	-13	Pass	7901
820	856	0.1	RMS	835.3	20.57	60	Pass	401
856	1000	0.1	RMS	872.1	-59.29	-13	Pass	1441
1000	3000	1	RMS	1670	-45.3	-13	Pass	2001
3000	10000	1	RMS	10000	-34.97	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.24	-67.2	-13	Pass	2986
30	820	0.1	RMS	484.9	-59.71	-13	Pass	7901
820	856	0.1	RMS	840.34	21.52	60	Pass	401
856	1000	0.1	RMS	900.6	-58.92	-13	Pass	1441
1000	3000	1	RMS	1680	-44.33	-13	Pass	2001
3000	10000	1	RMS	9999	-35.19	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.74	-13	Pass	401
0.15	30	0.01	RMS	3.07	-67.93	-13	Pass	2986
30	820	0.1	RMS	727.5	-59.74	-13	Pass	7901
820	856	0.1	RMS	840.34	20.78	60	Pass	401
856	1000	0.1	RMS	903.1	-59.28	-13	Pass	1441
1000	3000	1	RMS	1680	-45.06	-13	Pass	2001
3000	10000	1	RMS	6971	-27.11	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.45	-13	Pass	401
0.15	30	0.01	RMS	11.16	-68.09	-13	Pass	2986
30	820	0.1	RMS	819.9	-58.95	-13	Pass	7901
820	856	0.1	RMS	830.62	21.44	60	Pass	401
856	1000	0.1	RMS	981	-58.6	-13	Pass	1441
1000	3000	1	RMS	1661	-44.64	-13	Pass	2001
3000	10000	1	RMS	9910	-35.34	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-69.62	-13	Pass	401
0.15	30	0.01	RMS	28.53	-67.42	-13	Pass	2986
30	820	0.1	RMS	358.5	-58.9	-13	Pass	7901
820	856	0.1	RMS	830.62	20.89	60	Pass	401
856	1000	0.1	RMS	929	-58.99	-13	Pass	1441
1000	3000	1	RMS	1661	-45.59	-13	Pass	2001
3000	10000	1	RMS	9979	-35.15	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-70.92	-13	Pass	401
0.15	30	0.01	RMS	1.7	-67.19	-13	Pass	2986
30	820	0.1	RMS	493.3	-59.1	-13	Pass	7901
820	856	0.1	RMS	833.05	21.29	60	Pass	401
856	1000	0.1	RMS	907.3	-58.3	-13	Pass	1441
1000	3000	1	RMS	1666	-44.57	-13	Pass	2001
3000	10000	1	RMS	9948	-35.03	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.55	-13	Pass	401
0.15	30	0.01	RMS	17.59	-67.71	-13	Pass	2986
30	820	0.1	RMS	688.3	-59	-13	Pass	7901
820	856	0.1	RMS	833.05	20.4	60	Pass	401
856	1000	0.1	RMS	926.6	-58.8	-13	Pass	1441
1000	3000	1	RMS	2952	-45.64	-13	Pass	2001
3000	10000	1	RMS	9977	-35.07	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.061	-68.05	-13	Pass	401
0.15	30	0.01	RMS	19.13	-68.16	-13	Pass	2986
30	820	0.1	RMS	666.2	-59.67	-13	Pass	7901
820	856	0.1	RMS	835.57	21.65	60	Pass	401
856	1000	0.1	RMS	996.7	-59.13	-13	Pass	1441
1000	3000	1	RMS	1671	-44.72	-13	Pass	2001
3000	10000	1	RMS	9991	-35.01	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.19	-13	Pass	2986
30	820	0.1	RMS	819.6	-63.68	-13	Pass	7901
820	856	0.1	RMS	835.57	21.1	60	Pass	401
856	1000	0.1	RMS	885.1	-63.79	-13	Pass	1441
1000	3000	1	RMS	1671	-47.07	-13	Pass	2001
3000	10000	1	RMS	6960	-41.59	-13	Pass	7001



6.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	58.33	Pass	2986
30	820	0.1	RMS	818.7	-61.99	-13	48.99	Pass	7901
820	856	0.1	RMS	830.8	21.47	60	38.53	Pass	401
856	1000	0.1	RMS	981.2	-63.78	-13	50.78	Pass	1441
1000	3000	1	RMS	1661	-46.56	-13	33.56	Pass	2001
3000	10000	1	RMS	6959	-42.02	-13	29.02	Pass	7001



6.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	58.82	Pass	2986
30	820	0.1	RMS	815.8	-61.99	-13	48.99	Pass	7901
820	856	0.1	RMS	830.8	20.73	60	39.27	Pass	401
856	1000	0.1	RMS	868.5	-63.83	-13	50.83	Pass	1441
1000	3000	1	RMS	1661	-47.29	-13	34.29	Pass	2001
3000	10000	1	RMS	6959	-42.06	-13	29.06	Pass	7001



6.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.2	-71.81	-13	58.81	Pass	2986
30	820	0.1	RMS	819.8	-61.91	-13	48.91	Pass	7901
820	856	0.1	RMS	830.8	21.32	60	38.68	Pass	401
856	1000	0.1	RMS	858.9	-63.81	-13	50.81	Pass	1441
1000	3000	1	RMS	1661	-46.17	-13	33.17	Pass	2001
3000	10000	1	RMS	7198	-42.05	-13	29.05	Pass	7001



6.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:24075, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.08	-13	58.08	Pass	2986
30	820	0.1	RMS	819	-60.98	-13	47.98	Pass	7901
820	856	0.1	RMS	830.8	20.8	60	39.2	Pass	401
856	1000	0.1	RMS	857.9	-63.86	-13	50.86	Pass	1441
1000	3000	1	RMS	1661	-46.83	-13	33.83	Pass	2001
3000	10000	1	RMS	6960	-42.06	-13	29.06	Pass	7001

