



**6.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-38.64	-25	Pass	401
2490	2496	1	RMS	2496	-29.78	-13	Pass	401
2496	2499	1	RMS	2499	-27.36	-10	Pass	4
2499	2500	0.2	RMS	2499.993	-30.71	-10	Pass	401
2500	2510	0.1	RMS	2508.4	3.23	30	Pass	401



**11.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	21.03	30	Pass	401
2570	2571	0.2	RMS	2570.003	-17.63	-10	Pass	401
2571	2575	1	RMS	2571	-36.83	-10	Pass	5
2575	2580	1	RMS	2575.188	-45.43	-13	Pass	401
2580	2595	1	RMS	2580.075	-47.66	-25	Pass	401




**11.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2562.05	4.32	30	Pass	401
2570	2571	0.2	RMS	2570.008	-27.06	-10	Pass	401
2571	2575	1	RMS	2571	-22.12	-10	Pass	5
2575	2580	1	RMS	2575	-25.97	-13	Pass	401
2580	2595	1	RMS	2580	-36.16	-25	Pass	401



**11.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.23	30	Pass	401
2570	2571	0.2	RMS	2570	-18.4	-10	Pass	401
2571	2575	1	RMS	2571	-36.66	-10	Pass	5
2575	2580	1	RMS	2575.075	-45.8	-13	Pass	401
2580	2595	1	RMS	2580	-47.55	-25	Pass	401




**11.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561.75	3.38	30	Pass	401
2570	2571	0.2	RMS	2570	-29.94	-10	Pass	401
2571	2575	1	RMS	2571	-25.51	-10	Pass	5
2575	2580	1	RMS	2575	-29.24	-13	Pass	401
2580	2595	1	RMS	2580	-37.76	-25	Pass	401




**11.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.288	-46.43	-25	Pass	401
2490	2496	1	RMS	2494.785	-41.06	-13	Pass	401
2496	2499	1	RMS	2499	-37.41	-10	Pass	4
2499	2500	0.3	RMS	2500	-18.49	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.97	30	Pass	401




**11.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.25	-30.73	-25	Pass	401
2490	2496	1	RMS	2496	-25.87	-13	Pass	401
2496	2499	1	RMS	2499	-23.74	-10	Pass	4
2499	2500	0.3	RMS	2500	-27.57	-10	Pass	401
2500	2515	0.1	RMS	2513.388	2.33	30	Pass	401




**11.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.875	-46.69	-25	Pass	401
2490	2496	1	RMS	2494.695	-42.1	-13	Pass	401
2496	2499	1	RMS	2499	-37.75	-10	Pass	4
2499	2500	0.3	RMS	2500	-18.87	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.07	30	Pass	401




**11.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.213	-34.13	-25	Pass	401
2490	2496	1	RMS	2495.97	-29.95	-13	Pass	401
2496	2499	1	RMS	2499	-28.14	-10	Pass	4
2499	2500	0.3	RMS	2500	-31.35	-10	Pass	401
2500	2515	0.1	RMS	2511.775	1.35	30	Pass	401




**11.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	21.06	30	Pass	401
2570	2571	0.3	RMS	2570.003	-18.97	-10	Pass	401
2571	2575	1	RMS	2571	-37.5	-10	Pass	5
2575	2585	1	RMS	2575.625	-41.78	-13	Pass	401
2585	2595	1	RMS	2585.1	-47.79	-25	Pass	401




**11.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2555.863	2.71	30	Pass	401
2570	2571	0.3	RMS	2570.38	-26.54	-10	Pass	401
2571	2575	1	RMS	2571	-22.24	-10	Pass	5
2575	2585	1	RMS	2575.025	-25.07	-13	Pass	401
2585	2595	1	RMS	2585	-38.55	-25	Pass	401




**11.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20.19	30	Pass	401
2570	2571	0.3	RMS	2570	-19.15	-10	Pass	401
2571	2575	1	RMS	2571	-37.77	-10	Pass	5
2575	2585	1	RMS	2575.1	-41.52	-13	Pass	401
2585	2595	1	RMS	2585.325	-47.78	-25	Pass	401




**11.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2557.625	1.77	30	Pass	401
2570	2571	0.3	RMS	2570	-29.99	-10	Pass	401
2571	2575	1	RMS	2571	-26.54	-10	Pass	5
2575	2585	1	RMS	2575.05	-28.59	-13	Pass	401
2585	2595	1	RMS	2585	-39.52	-25	Pass	401




**11.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-46.86	-25	Pass	401
2490	2496	1	RMS	2492.295	-44.13	-13	Pass	401
2496	2499	1	RMS	2499	-37.21	-10	Pass	4
2499	2500	0.51	RMS	2500	-18.81	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.85	30	Pass	401




**11.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.18	-25	Pass	16
2490	2496	1	RMS	2495.97	-28.96	-13	Pass	401
2496	2499	1	RMS	2499	-27.71	-10	Pass	4
2499	2500	0.51	RMS	2499.998	-28.79	-10	Pass	401
2500	2520	0.1	RMS	2516.05	1.18	30	Pass	401




**11.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.775	-47.13	-25	Pass	401
2490	2496	1	RMS	2495.82	-43.65	-13	Pass	401
2496	2499	1	RMS	2499	-38.5	-10	Pass	4
2499	2500	0.51	RMS	2499.995	-18.97	-10	Pass	401
2500	2520	0.1	RMS	2501.1	20.12	30	Pass	401




**11.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-34.6	-25	Pass	401
2490	2496	1	RMS	2495.895	-31.47	-13	Pass	401
2496	2499	1	RMS	2499	-30.56	-10	Pass	4
2499	2500	0.51	RMS	2500	-31.42	-10	Pass	401
2500	2520	0.1	RMS	2513	0.12	30	Pass	401




**11.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.86	30	Pass	401
2570	2571	0.51	RMS	2570.008	-18.99	-10	Pass	401
2571	2575	1	RMS	2571	-38.19	-10	Pass	5
2575	2590	1	RMS	2577.888	-42.66	-13	Pass	401
2590	2595	1	RMS	2592.038	-47.88	-25	Pass	401




**11.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2556.3	1.46	30	Pass	401
2570	2571	0.51	RMS	2570	-26.64	-10	Pass	401
2571	2575	1	RMS	2571	-25	-10	Pass	5
2575	2590	1	RMS	2575	-26.72	-13	Pass	401
2590	2595	1	RMS	2590	-42.36	-25	Pass	401




**11.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.08	30	Pass	401
2570	2571	0.51	RMS	2570.003	-18.88	-10	Pass	401
2571	2575	1	RMS	2571	-38.51	-10	Pass	5
2575	2590	1	RMS	2577.7	-44.08	-13	Pass	401
2590	2595	1	RMS	2594.888	-47.87	-25	Pass	401



**11.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2554.65	0.45	30	Pass	401
2570	2571	0.51	RMS	2570.008	-29.87	-10	Pass	401
2571	2575	1	RMS	2571	-28.2	-10	Pass	5
2575	2590	1	RMS	2575.038	-29.78	-13	Pass	401
2590	2595	1	RMS	2590	-43.15	-25	Pass	401



## 12. LTE\_Band12


### 12.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.99	-13	Pass	401
698.9	699	0.03	RMS	698.999	-19.37	-13	Pass	401
699	701	0.1	RMS	699.245	21.18	30	Pass	401




**12.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.12	-13	Pass	401
698.9	699	0.03	RMS	699	-25.01	-13	Pass	401
699	701	0.1	RMS	700.11	13.34	30	Pass	401




**12.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.72	-13	Pass	401
698.9	699	0.03	RMS	699	-20.35	-13	Pass	401
699	701	0.1	RMS	699.25	20.1	30	Pass	401




**12.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.49	-13	Pass	401
698.9	699	0.03	RMS	699	-25.91	-13	Pass	401
699	701	0.1	RMS	700.125	12.39	30	Pass	401




**12.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.78	21.38	30	Pass	401
716	716.1	0.03	RMS	716	-18.41	-13	Pass	401
716.1	725	0.1	RMS	716.1	-22.87	-13	Pass	401




**12.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.91	13.44	30	Pass	401
716	716.1	0.03	RMS	716.001	-26.25	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.55	-13	Pass	401




**12.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.755	20.27	30	Pass	401
716	716.1	0.03	RMS	716.001	-20.46	-13	Pass	401
716.1	725	0.1	RMS	716.1	-24.87	-13	Pass	401




**12.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.975	12.5	30	Pass	401
716	716.1	0.03	RMS	716	-27.14	-13	Pass	401
716.1	725	0.1	RMS	716.122	-25.35	-13	Pass	401




**12.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.04	-13	Pass	401
698.9	699	0.03	RMS	698.999	-19.47	-13	Pass	401
699	702	0.1	RMS	699.24	21.24	30	Pass	401



**12.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.92	-13	Pass	401
698.9	699	0.03	RMS	699	-28.78	-13	Pass	401
699	702	0.1	RMS	701.708	9.52	30	Pass	401




**12.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.72	-13	Pass	401
698.9	699	0.03	RMS	698.999	-19.68	-13	Pass	401
699	702	0.1	RMS	699.285	20.37	30	Pass	401




**12.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.16	-13	Pass	401
698.9	699	0.03	RMS	699	-30.61	-13	Pass	401
699	702	0.1	RMS	701.423	8.62	30	Pass	401




**12.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.768	21.3	30	Pass	401
716	716.1	0.03	RMS	716	-18.28	-13	Pass	401
716.1	725	0.1	RMS	716.1	-22.49	-13	Pass	401




**12.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.263	9.71	30	Pass	401
716	716.1	0.03	RMS	716	-30.03	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.82	-13	Pass	401




**12.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.768	20.28	30	Pass	401
716	716.1	0.03	RMS	716	-20.57	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.08	-13	Pass	401




**12.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.465	8.67	30	Pass	401
716	716.1	0.03	RMS	716	-30.48	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.06	-13	Pass	401




**12.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-20.42	-13	Pass	401
698.9	699	0.03	RMS	698.994	-20.21	-13	Pass	401
699	704	0.1	RMS	699.338	21.12	30	Pass	401




**12.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-28.8	-13	Pass	401
698.9	699	0.03	RMS	699	-31.59	-13	Pass	401
699	704	0.1	RMS	700.65	7.32	30	Pass	401




**12.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-21.04	-13	Pass	401
698.9	699	0.03	RMS	698.998	-20.5	-13	Pass	401
699	704	0.1	RMS	699.363	20.7	30	Pass	401




**12.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.22	-13	Pass	401
698.9	699	0.03	RMS	698.999	-32.38	-13	Pass	401
699	704	0.1	RMS	700.713	6.29	30	Pass	401



**12.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	21.49	30	Pass	401
716	716.1	0.03	RMS	716.004	-20.56	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.45	-13	Pass	401




**12.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.85	7.47	30	Pass	401
716	716.1	0.03	RMS	716.004	-31.77	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.54	-13	Pass	401




**12.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	20.31	30	Pass	401
716	716.1	0.03	RMS	716.001	-20.58	-13	Pass	401
716.1	725	0.1	RMS	716.1	-21.42	-13	Pass	401




**12.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.15	6.38	30	Pass	401
716	716.1	0.03	RMS	716.002	-32.23	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.05	-13	Pass	401




**12.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.94	-13	Pass	401
698.9	699	0.03	RMS	699	-26.67	-13	Pass	401
699	709	0.1	RMS	699.575	21.64	30	Pass	401




**12.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-32.21	-13	Pass	401
698.9	699	0.03	RMS	699	-36.35	-13	Pass	401
699	709	0.1	RMS	700.925	4.61	30	Pass	401




**12.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.21	-13	Pass	401
698.9	699	0.03	RMS	698.999	-27.58	-13	Pass	401
699	709	0.1	RMS	699.6	20.63	30	Pass	401




**12.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-33.95	-13	Pass	401
698.9	699	0.03	RMS	698.965	-38.2	-13	Pass	401
699	709	0.1	RMS	701.075	3.4	30	Pass	401




**12.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.7	30	Pass	401
716	716.1	0.03	RMS	716.005	-26.66	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.85	-13	Pass	401




**12.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	713.525	4.38	30	Pass	401
716	716.1	0.03	RMS	716.015	-37.58	-13	Pass	401
716.1	725	0.1	RMS	716.1	-33.04	-13	Pass	401




**12.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.17	30	Pass	401
716	716.1	0.03	RMS	716.001	-28.11	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.84	-13	Pass	401



**12.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	713	3.29	30	Pass	401
716	716.1	0.03	RMS	716.001	-38.8	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.36	-13	Pass	401



### 13. LTE\_Band13


#### 13.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.69	-58.2	-35	Pass	1201
775	775.9	0.1	RMS	775.115	-46.73	-13	Pass	401
775.9	776	0.03	RMS	775.989	-54.36	-13	Pass	401
776	788	0.1	RMS	777.35	21.75	30	Pass	401




**13.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.84	-44.07	-35	Pass	1201
775	775.9	0.1	RMS	775.853	-33.26	-13	Pass	401
775.9	776	0.03	RMS	775.9	-38.25	-13	Pass	401
776	788	0.1	RMS	778.64	7.51	30	Pass	401




**13.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.7	-58.26	-35	Pass	1201
775	775.9	0.1	RMS	775.11	-49.17	-13	Pass	401
775.9	776	0.03	RMS	775.982	-55.35	-13	Pass	401
776	788	0.1	RMS	777.35	20.86	30	Pass	401




**13.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.9	-45.69	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-34.8	-13	Pass	401
775.9	776	0.03	RMS	775.938	-39.68	-13	Pass	401
776	788	0.1	RMS	778.67	6.45	30	Pass	401




**13.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	21.9	30	Pass	401
788	788.1	0.03	RMS	788.064	-50.48	-13	Pass	401
788.1	793	0.1	RMS	789.386	-47.02	-13	Pass	401
793	805	0.01	RMS	795.35	-69.77	-35	Pass	1201




**13.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	783.86	7.4	30	Pass	401
788	788.1	0.03	RMS	788.071	-37.63	-13	Pass	401
788.1	793	0.1	RMS	788.21	-32.81	-13	Pass	401
793	805	0.01	RMS	793.08	-56.44	-35	Pass	1201




**13.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	20.92	30	Pass	401
788	788.1	0.03	RMS	788.004	-54.24	-13	Pass	401
788.1	793	0.1	RMS	789.386	-48.07	-13	Pass	401
793	805	0.01	RMS	795.28	-70.55	-35	Pass	1201




**13.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.25	6.34	30	Pass	401
788	788.1	0.03	RMS	788.054	-39.39	-13	Pass	401
788.1	793	0.1	RMS	788.112	-34.3	-13	Pass	401
793	805	0.01	RMS	793.09	-57.5	-35	Pass	1201




**13.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.81	-58.71	-35	Pass	1201
775	775.9	0.1	RMS	775.797	-51.35	-13	Pass	401
775.9	776	0.03	RMS	776	-56	-13	Pass	401
776	788	0.1	RMS	777.59	21.85	30	Pass	401




**13.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-45.69	-35	Pass	1201
775	775.9	0.1	RMS	775.776	-35.18	-13	Pass	401
775.9	776	0.03	RMS	775.965	-40.44	-13	Pass	401
776	788	0.1	RMS	785	4.63	30	Pass	401




**13.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.94	-59.45	-35	Pass	1201
775	775.9	0.1	RMS	775.873	-51.93	-13	Pass	401
775.9	776	0.03	RMS	775.989	-56.58	-13	Pass	401
776	788	0.1	RMS	777.59	20.95	30	Pass	401




**13.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-47.28	-35	Pass	1201
775	775.9	0.1	RMS	775.898	-37.18	-13	Pass	401
775.9	776	0.03	RMS	775.963	-41.92	-13	Pass	401
776	788	0.1	RMS	785.39	3.5	30	Pass	401




**13.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	21.83	30	Pass	401
788	788.1	0.03	RMS	788.043	-55.87	-13	Pass	401
788.1	793	0.1	RMS	789.117	-47.12	-13	Pass	401
793	805	0.01	RMS	794.03	-66.02	-35	Pass	1201




**13.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.55	4.63	30	Pass	401
788	788.1	0.03	RMS	788.018	-37.58	-13	Pass	401
788.1	793	0.1	RMS	788.112	-32.9	-13	Pass	401
793	805	0.01	RMS	793.47	-48.63	-35	Pass	1201




**13.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	20.98	30	Pass	401
788	788.1	0.03	RMS	788.004	-56.55	-13	Pass	401
788.1	793	0.1	RMS	789.117	-48.07	-13	Pass	401
793	805	0.01	RMS	794.05	-67.84	-35	Pass	1201



**13.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	785.84	3.51	30	Pass	401
788	788.1	0.03	RMS	788.069	-41.21	-13	Pass	401
788.1	793	0.1	RMS	788.137	-36.23	-13	Pass	401
793	805	0.01	RMS	793.13	-51.15	-35	Pass	1201



## 14. LTE\_Band17


### 14.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-20.02	-13	Pass	401
703.9	704	0.03	RMS	703.999	-19.35	-13	Pass	401
704	709	0.1	RMS	704.338	21.75	30	Pass	401




**14.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-27.61	-13	Pass	401
703.9	704	0.03	RMS	703.999	-30.71	-13	Pass	401
704	709	0.1	RMS	705.663	7.48	30	Pass	401




**14.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-20.84	-13	Pass	401
703.9	704	0.03	RMS	704	-20.25	-13	Pass	401
704	709	0.1	RMS	704.338	20.87	30	Pass	401




**14.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-28.98	-13	Pass	401
703.9	704	0.03	RMS	703.999	-31.4	-13	Pass	401
704	709	0.1	RMS	705.688	6.5	30	Pass	401



**14.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	21.73	30	Pass	401
716	716.1	0.03	RMS	716	-20.07	-13	Pass	401
716.1	725	0.1	RMS	716.1	-20.77	-13	Pass	401




**14.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.85	7.49	30	Pass	401
716	716.1	0.03	RMS	716.001	-31.19	-13	Pass	401
716.1	725	0.1	RMS	716.1	-27.74	-13	Pass	401



**14.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	20.84	30	Pass	401
716	716.1	0.03	RMS	716.001	-19.73	-13	Pass	401
716.1	725	0.1	RMS	716.1	-20.97	-13	Pass	401




**14.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	713.263	6.38	30	Pass	401
716	716.1	0.03	RMS	716.001	-32.04	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.35	-13	Pass	401




**14.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-24.92	-13	Pass	401
703.9	704	0.03	RMS	703.999	-26.38	-13	Pass	401
704	714	0.1	RMS	704.6	21.82	30	Pass	401




**14.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.14	-13	Pass	401
703.9	704	0.03	RMS	704	-34.36	-13	Pass	401
704	714	0.1	RMS	705.95	4.54	30	Pass	401




**14.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-26.07	-13	Pass	401
703.9	704	0.03	RMS	703.999	-27.45	-13	Pass	401
704	714	0.1	RMS	704.6	20.89	30	Pass	401




**14.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.11	-13	Pass	401
703.9	704	0.03	RMS	703.946	-36.54	-13	Pass	401
704	714	0.1	RMS	705.375	3.39	30	Pass	401




**14.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	21.74	30	Pass	401
716	716.1	0.03	RMS	716	-26.42	-13	Pass	401
716.1	725	0.1	RMS	716.1	-25.19	-13	Pass	401




**14.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	713.55	4.4	30	Pass	401
716	716.1	0.03	RMS	716.013	-36.81	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.15	-13	Pass	401




**14.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	20.69	30	Pass	401
716	716.1	0.03	RMS	716	-27.67	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.39	-13	Pass	401



**14.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	713	3.29	30	Pass	401
716	716.1	0.03	RMS	716.002	-38.28	-13	Pass	401
716.1	725	0.1	RMS	716.122	-33.83	-13	Pass	401



## 15. LTE\_Band26(part22)

15.1. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.82	-48.76	-13	Pass	401
823	824	0.02	RMS	824	-20.75	-13	Pass	401
824	826	0.1	RMS	824.255	21.48	30	Pass	401




**15.2. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.17	-13	Pass	401
823	824	0.02	RMS	824	-29.45	-13	Pass	401
824	826	0.1	RMS	824.29	13	30	Pass	401




**15.3. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-49.18	-13	Pass	401
823	824	0.02	RMS	824	-22.43	-13	Pass	401
824	826	0.1	RMS	824.245	20.35	30	Pass	401




**15.4. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.07	-13	Pass	401
823	824	0.02	RMS	824	-29.24	-13	Pass	401
824	826	0.1	RMS	825.12	12.02	30	Pass	401




**15.5. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	21.53	30	Pass	401
849	850	0.02	RMS	849	-20.7	-13	Pass	401
850	860	0.1	RMS	850.025	-49.54	-13	Pass	401




**15.6. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.895	13.16	30	Pass	401
849	850	0.02	RMS	849	-29.87	-13	Pass	401
850	860	0.1	RMS	850	-38.33	-13	Pass	401




**15.7. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.56	30	Pass	401
849	850	0.02	RMS	849	-22.44	-13	Pass	401
850	860	0.1	RMS	850.075	-49.66	-13	Pass	401




**15.8. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.975	12.19	30	Pass	401
849	850	0.02	RMS	849.003	-30.9	-13	Pass	401
850	860	0.1	RMS	850	-39.79	-13	Pass	401




**15.9. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-47.79	-13	Pass	401
823	824	0.03	RMS	824	-19.69	-13	Pass	401
824	827	0.1	RMS	824.24	21.44	30	Pass	401




**15.10. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.58	-34.46	-13	Pass	401
823	824	0.03	RMS	824	-31.27	-13	Pass	401
824	827	0.1	RMS	826.685	9.22	30	Pass	401




**15.11. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-48.25	-13	Pass	401
823	824	0.03	RMS	824	-20.44	-13	Pass	401
824	827	0.1	RMS	824.233	20.55	30	Pass	401




**15.12. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.85	-13	Pass	401
823	824	0.03	RMS	824	-32.1	-13	Pass	401
824	827	0.1	RMS	826.423	8.18	30	Pass	401




**15.13. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.55	30	Pass	401
849	850	0.03	RMS	849	-19.41	-13	Pass	401
850	860	0.1	RMS	850	-47.81	-13	Pass	401




**15.14. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.263	9.56	30	Pass	401
849	850	0.03	RMS	849	-33.58	-13	Pass	401
850	860	0.1	RMS	850.075	-36.75	-13	Pass	401




**15.15. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.54	30	Pass	401
849	850	0.03	RMS	849	-20.66	-13	Pass	401
850	860	0.1	RMS	850	-48.76	-13	Pass	401




**15.16. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.465	8.48	30	Pass	401
849	850	0.03	RMS	849	-33.57	-13	Pass	401
850	860	0.1	RMS	850	-37.24	-13	Pass	401




**15.17. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.1	-48.73	-13	Pass	401
823	824	0.051	RMS	824	-17.69	-13	Pass	401
824	829	0.1	RMS	824.338	21.3	30	Pass	401




**15.18. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	819.92	-36.92	-13	Pass	401
823	824	0.051	RMS	824	-30.7	-13	Pass	401
824	829	0.1	RMS	828.55	6.99	30	Pass	401




**15.19. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.14	-49.68	-13	Pass	401
823	824	0.051	RMS	824	-18.38	-13	Pass	401
824	829	0.1	RMS	824.35	20.46	30	Pass	401




**15.20. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-36.05	-13	Pass	401
823	824	0.051	RMS	823.998	-31.3	-13	Pass	401
824	829	0.1	RMS	827.338	5.95	30	Pass	401



**15.21. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.52	30	Pass	401
849	850	0.051	RMS	849	-18.12	-13	Pass	401
850	860	0.1	RMS	850.875	-49.41	-13	Pass	401




**15.22. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.875	7.16	30	Pass	401
849	850	0.051	RMS	849.008	-32.1	-13	Pass	401
850	860	0.1	RMS	850.4	-38.41	-13	Pass	401




**15.23. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.58	30	Pass	401
849	850	0.051	RMS	849	-17.83	-13	Pass	401
850	860	0.1	RMS	850.85	-50.36	-13	Pass	401




**15.24. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.6	6.2	30	Pass	401
849	850	0.051	RMS	849.003	-32.82	-13	Pass	401
850	860	0.1	RMS	850.125	-39.03	-13	Pass	401




**15.25. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	820.22	-47.05	-13	Pass	401
823	824	0.1	RMS	824	-21.8	-13	Pass	401
824	834	0.1	RMS	824.6	21.36	30	Pass	401




**15.26. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-37.85	-13	Pass	401
823	824	0.1	RMS	823.993	-33.61	-13	Pass	401
824	834	0.1	RMS	832	4.43	30	Pass	401




**15.27. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-46.76	-13	Pass	401
823	824	0.1	RMS	824	-22.53	-13	Pass	401
824	834	0.1	RMS	824.6	20.52	30	Pass	401




**15.28. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-38.93	-13	Pass	401
823	824	0.1	RMS	824	-34.74	-13	Pass	401
824	834	0.1	RMS	833.05	3.48	30	Pass	401




**15.29. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	21.48	30	Pass	401
849	850	0.1	RMS	849	-21.46	-13	Pass	401
850	860	0.1	RMS	851.25	-51.84	-13	Pass	401




**15.30. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	844.35	3.99	30	Pass	401
849	850	0.1	RMS	849	-36.53	-13	Pass	401
850	860	0.1	RMS	850.05	-40.43	-13	Pass	401




**15.31. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.45	30	Pass	401
849	850	0.1	RMS	849	-22.48	-13	Pass	401
850	860	0.1	RMS	850	-52.48	-13	Pass	401




**15.32. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	840.275	2.96	30	Pass	401
849	850	0.1	RMS	849	-36.29	-13	Pass	401
850	860	0.1	RMS	850.15	-39.85	-13	Pass	401




**15.33. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.9	-45.41	-13	Pass	401
823	824	0.15	RMS	824	-22.49	-13	Pass	401
824	839	0.1	RMS	824.825	21.2	30	Pass	401




**15.34. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-34.93	-13	Pass	401
823	824	0.15	RMS	823.003	-33.36	-13	Pass	401
824	839	0.1	RMS	834.725	2.47	30	Pass	401




**10.35. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	818.92	-45.8	-13	Pass	401
823	824	0.15	RMS	824	-22.82	-13	Pass	401
824	839	0.1	RMS	824.825	20.39	30	Pass	401




**15.36. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-36.31	-13	Pass	401
823	824	0.15	RMS	823.998	-34.66	-13	Pass	401
824	839	0.1	RMS	835.775	1.43	30	Pass	401



**15.37. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.4	30	Pass	401
849	850	0.15	RMS	849	-22.97	-13	Pass	401
850	860	0.1	RMS	850.1	-52.65	-13	Pass	401




**15.38. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.863	2.95	30	Pass	401
849	850	0.15	RMS	849	-35.73	-13	Pass	401
850	860	0.1	RMS	850.675	-39.26	-13	Pass	401



**15.39. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.34	30	Pass	401
849	850	0.15	RMS	849	-23.11	-13	Pass	401
850	860	0.1	RMS	850.2	-47.45	-13	Pass	401



**15.40. LTE Band Edge\_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.938	1.93	30	Pass	401
849	850	0.15	RMS	849	-37.14	-13	Pass	401
850	860	0.1	RMS	850.65	-41	-13	Pass	401



## 16. LTE\_Band26(part90)


### 16.1. LTE Band Edge\_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.64	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-29.31	-20	Pass	401
814	819	0.1	RMS	814.263	21.33	30	Pass	401




**16.2. LTE Band Edge\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.17	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.5	-20	Pass	401
814	819	0.1	RMS	815.138	12.99	30	Pass	401




**16.3. LTE Band Edge\_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.16	-13	Pass	51
813.9625	814	0.002	RMS	813.994	-29.9	-20	Pass	401
814	819	0.1	RMS	814.25	20.28	30	Pass	401




**16.4. LTE Band Edge\_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.47	-13	Pass	401
813.9625	814	0.02	RMS	814	-29.79	-20	Pass	401
814	819	0.1	RMS	815.113	12.04	30	Pass	401




**16.5. LTE Band Edge\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	21.37	30	Pass	401
824	824.0375	0.002	RMS	824.006	-30.47	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-18.73	-13	Pass	51




**16.6. LTE Band Edge\_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.913	12.92	30	Pass	401
824	824.0375	0.02	RMS	824	-29.57	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.93	-13	Pass	401




**16.7. LTE Band Edge\_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.713	19.98	30	Pass	401
824	824.0375	0.002	RMS	824.008	-30.98	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-17.63	-13	Pass	401




**16.8. LTE Band Edge\_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.325	11.96	30	Pass	401
824	824.0375	0.02	RMS	824	-30.23	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-24.42	-13	Pass	401




**16.9. LTE Band Edge\_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.1	-13	Pass	51
813.9625	814	0.002	RMS	814	-30.22	-20	Pass	20
814	819	0.1	RMS	814.238	21.4	30	Pass	401




**16.10. LTE Band Edge\_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.97	-13	Pass	401
813.9625	814	0.03	RMS	814	-31.69	-20	Pass	401
814	819	0.1	RMS	816.713	9.13	30	Pass	401




**16.11. LTE Band Edge\_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.91	-13	Pass	51
813.9625	814	0.002	RMS	813.986	-30.53	-20	Pass	20
814	819	0.1	RMS	814.238	20.47	30	Pass	401




**16.12. LTE Band Edge\_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.99	-13	Pass	401
813.9625	814	0.03	RMS	814	-33.03	-20	Pass	401
814	819	0.1	RMS	816.438	8.11	30	Pass	401




**16.13. LTE Band Edge\_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.8	20.44	30	Pass	51
824	824.0375	0.002	RMS	824	-31.83	-20	Pass	20
824.0375	829	0.1	RMS	824.038	-17.26	-13	Pass	401




**16.14. LTE Band Edge\_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.263	9.23	30	Pass	401
824	824.0375	0.03	RMS	824	-32.4	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-28.53	-13	Pass	401




**16.15. LTE Band Edge\_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	19.88	30	Pass	401
824	824.0375	0.002	RMS	824.002	-31.22	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-18.14	-13	Pass	401




**16.16. LTE Band Edge\_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.45	8.15	30	Pass	401
824	824.0375	0.03	RMS	824	-32.09	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-28.04	-13	Pass	401




**16.17. LTE Band Edge\_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.87	-13	Pass	51
813.9625	814	0.002	RMS	813.99	-31.62	-20	Pass	401
814	819	0.1	RMS	814.338	20.76	30	Pass	401




**16.18. LTE Band Edge\_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.98	-13	Pass	401
813.9625	814	0.051	RMS	814	-31.08	-20	Pass	401
814	819	0.1	RMS	815.688	6.93	30	Pass	401



**16.19. LTE Band Edge\_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.72	-13	Pass	51
813.9625	814	0.002	RMS	813.99	-31.67	-20	Pass	401
814	819	0.1	RMS	814.325	20.2	30	Pass	401



**16.20. LTE Band Edge\_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.28	-13	Pass	401
813.9625	814	0.051	RMS	814	-31.66	-20	Pass	401
814	819	0.1	RMS	815.675	5.88	30	Pass	401

