

APPENDIX A – TEST DATA OF CONDUCTED EMISSION

Duty Cycle

Test Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor(dB)	Plot
802.11a	5260	99.95%	0	Fig.1
802.11a	5260	99.92%	0	Fig.2
802.11n HT20	5260	99.97%	0	Fig.3
802.11n HT20	5260	99.97%	0	Fig.4
802.11ac VHT20	5260	99.97%	0	Fig.5
802.11ac VHT20	5260	99.96%	0	Fig.6
802.11ax HE20	5260	99.97%	0	Fig.7
802.11ax HE20	5260	99.96%	0	Fig.8
802.11be EHT20	5260	99.98%	0	Fig.9
802.11be EHT20	5260	99.96%	0	Fig.10
802.11n HT40	5270	99.96%	0	Fig.11
802.11n HT40	5270	99.95%	0	Fig.12
802.11ac VHT40	5270	99.98%	0	Fig.13
802.11ac VHT40	5270	99.97%	0	Fig.14
802.11ax HE40	5270	99.97%	0	Fig.15
802.11ax HE40	5270	99.97%	0	Fig.16
802.11be EHT40	5270	99.97%	0	Fig.17
802.11be EHT40	5270	99.97%	0	Fig.18
802.11ac VHT80	5290	99.96%	0	Fig.19
802.11ac VHT80	5290	99.99%	0	Fig.20
802.11ax HE80	5290	99.98%	0	Fig.21
802.11ax HE80	5290	99.99%	0	Fig.22
802.11be EHT80	5290	99.96%	0	Fig.23
802.11be EHT80	5290	99.96%	0	Fig.24

Note: Correction Factor=10*log (1/Duty Cycle)




Fig.1




Fig.2



BUREAU VERITAS




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8



BUREAU VERITAS




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20



BUREAU VERITAS




Fig.21




Fig.22




Fig.23




Fig.24



Output Power

Mode	Tones/ RUIndex	Frequency (MHz)	Antenna	gain	Conductedaverage power output(dBm)	EIRP (dBm)
802.11a	NA	5260	Chain0	-0.77	18.11	17.34
802.11a	NA	5260	Chain1	-1.33	17.72	16.39
802.11a	NA	5280	Chain0	-0.77	18.16	17.39
802.11a	NA	5280	Chain1	-1.33	17.63	16.3
802.11a	NA	5320	Chain0	-0.77	17.82	17.05
802.11a	NA	5320	Chain1	-1.33	17.68	16.35
802.11n HT20	NA	5260	Chain0	-0.77	18.23	17.46
802.11n HT20	NA	5260	Chain1	-1.33	17.58	16.25
802.11n HT20	NA	5260	MIMO	-3	20.93	17.93
802.11n HT20	NA	5280	Chain0	-0.77	18.17	17.4
802.11n HT20	NA	5280	Chain1	-1.33	17.18	15.85
802.11n HT20	NA	5280	MIMO	-3	20.71	17.71
802.11n HT20	NA	5320	Chain0	-0.77	18.04	17.27
802.11n HT20	NA	5320	Chain1	-1.33	17.15	15.82
802.11n HT20	NA	5320	MIMO	-3	20.63	17.63
802.11ac VHT20	NA	5260	Chain0	-0.77	18.03	17.26
802.11ac VHT20	NA	5260	Chain1	-1.33	17.14	15.81
802.11ac VHT20	NA	5260	MIMO	-3	20.62	17.62
802.11ac VHT20	NA	5280	Chain0	-0.77	18.01	17.24
802.11ac VHT20	NA	5280	Chain1	-1.33	17	15.67
802.11ac VHT20	NA	5280	MIMO	-3	20.54	17.54
802.11ac VHT20	NA	5320	Chain0	-0.77	17.6	16.83
802.11ac VHT20	NA	5320	Chain1	-1.33	17.24	15.91
802.11ac VHT20	NA	5320	MIMO	-3	20.43	17.43
802.11n HT40	NA	5270	Chain0	-0.77	17.56	16.79
802.11n HT40	NA	5270	Chain1	-1.33	16.53	15.2
802.11n HT40	NA	5270	MIMO	-3	20.09	17.09
802.11n HT40	NA	5310	Chain0	-0.77	17.7	16.93
802.11n HT40	NA	5310	Chain1	-1.33	16.94	15.61
802.11n HT40	NA	5310	MIMO	-3	20.35	17.35
802.11ac VHT40	NA	5270	Chain0	-0.77	17.62	16.85
802.11ac VHT40	NA	5270	Chain1	-1.33	17.13	15.8
802.11ac VHT40	NA	5270	MIMO	-3	20.39	17.39
802.11ac VHT40	NA	5310	Chain0	-0.77	17.36	16.59
802.11ac VHT40	NA	5310	Chain1	-1.33	17.21	15.88
802.11ac VHT40	NA	5310	MIMO	-3	20.3	17.3
802.11ac VHT80	NA	5290	Chain0	-0.77	16.2	15.43
802.11ac VHT80	NA	5290	Chain1	-1.33	16.16	14.83



BUREAU
VERITAS

802.11ac VHT80	NA	5290	MIMO	-3	19.19	16.19
----------------	----	------	------	----	-------	-------

Mode	Tones/ RUIndex	Frequency (MHz)	Antenna	gain	Conductedaverage power output(dBm)	EIRP (dBm)
802.11ax HE20	26T 0	5260	Chain0	-0.77	9.33	8.56
802.11ax HE20	26T 0	5260	Chain1	-1.33	9.07	7.74
802.11ax HE20	26T 0	5260	MIMO	-3	12.21	9.21
802.11ax HE20	26T 0	5280	Chain0	-0.77	9.59	8.82
802.11ax HE20	26T 0	5280	Chain1	-1.33	9.11	7.78
802.11ax HE20	26T 0	5280	MIMO	-3	12.37	9.37
802.11ax HE20	26T 0	5320	Chain0	-0.77	9.85	9.08
802.11ax HE20	26T 0	5320	Chain1	-1.33	9.43	8.10
802.11ax HE20	26T 0	5320	MIMO	-3	12.66	9.66
802.11ax HE20	26T 4	5260	Chain0	-0.77	9.21	8.44
802.11ax HE20	26T 4	5260	Chain1	-1.33	9.67	8.34
802.11ax HE20	26T 4	5260	MIMO	-3	12.46	9.46
802.11ax HE20	26T 4	5280	Chain0	-0.77	9.35	8.58
802.11ax HE20	26T 4	5280	Chain1	-1.33	9.78	8.45
802.11ax HE20	26T 4	5280	MIMO	-3	12.58	9.58
802.11ax HE20	26T 4	5320	Chain0	-0.77	9.83	9.06
802.11ax HE20	26T 4	5320	Chain1	-1.33	9.43	8.10
802.11ax HE20	26T 4	5320	MIMO	-3	12.64	9.64
802.11ax HE20	26T 8	5260	Chain0	-0.77	9.94	9.17
802.11ax HE20	26T 8	5260	Chain1	-1.33	9.45	8.12
802.11ax HE20	26T 8	5260	MIMO	-3	12.71	9.71
802.11ax HE20	26T 8	5280	Chain0	-0.77	9.63	8.86
802.11ax HE20	26T 8	5280	Chain1	-1.33	9.58	8.25
802.11ax HE20	26T 8	5280	MIMO	-3	12.62	9.62
802.11ax HE20	26T 8	5320	Chain0	-0.77	9.86	9.09
802.11ax HE20	26T 8	5320	Chain1	-1.33	9.44	8.11
802.11ax HE20	26T 8	5320	MIMO	-3	12.67	9.67
802.11ax HE20	52T 37	5260	Chain0	-0.77	16.94	16.17
802.11ax HE20	52T 37	5260	Chain1	-1.33	16.86	15.53
802.11ax HE20	52T 37	5260	MIMO	-3	19.91	16.91
802.11ax HE20	52T 37	5280	Chain0	-0.77	17.01	16.24
802.11ax HE20	52T 37	5280	Chain1	-1.33	17.00	15.67
802.11ax HE20	52T 37	5280	MIMO	-3	20.02	17.02
802.11ax HE20	52T 37	5320	Chain0	-0.77	16.51	15.74
802.11ax HE20	52T 37	5320	Chain1	-1.33	16.32	14.99
802.11ax HE20	52T 37	5320	MIMO	-3	19.43	16.43
802.11ax HE20	52T 39	5260	Chain0	-0.77	16.46	15.69

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



BUREAU
VERITAS

802.11ax HE20	52T 39	5260	Chain1	-1.33	16.91	15.58
802.11ax HE20	52T 39	5260	MIMO	-3	19.70	16.70
802.11ax HE20	52T 39	5280	Chain0	-0.77	16.47	15.70
802.11ax HE20	52T 39	5280	Chain1	-1.33	16.91	15.58
802.11ax HE20	52T 39	5280	MIMO	-3	19.71	16.71
802.11ax HE20	52T 39	5320	Chain0	-0.77	17.15	16.38
802.11ax HE20	52T 39	5320	Chain1	-1.33	16.42	15.09
802.11ax HE20	52T 39	5320	MIMO	-3	19.81	16.81
802.11ax HE20	52T 40	5260	Chain0	-0.77	17.20	16.43
802.11ax HE20	52T 40	5260	Chain1	-1.33	16.61	15.28
802.11ax HE20	52T 40	5260	MIMO	-3	19.93	16.93
802.11ax HE20	52T 40	5280	Chain0	-0.77	17.21	16.44
802.11ax HE20	52T 40	5280	Chain1	-1.33	16.75	15.42
802.11ax HE20	52T 40	5280	MIMO	-3	20.00	17.00
802.11ax HE20	52T 40	5320	Chain0	-0.77	17.73	16.96
802.11ax HE20	52T 40	5320	Chain1	-1.33	16.90	15.57
802.11ax HE20	52T 40	5320	MIMO	-3	20.35	17.35
802.11ax HE20	106T 53	5260	Chain0	-0.77	17.62	16.85
802.11ax HE20	106T 53	5260	Chain1	-1.33	17.83	16.50
802.11ax HE20	106T 53	5260	MIMO	-3	20.74	17.74
802.11ax HE20	106T 53	5280	Chain0	-0.77	17.66	16.89
802.11ax HE20	106T 53	5280	Chain1	-1.33	17.92	16.59
802.11ax HE20	106T 53	5280	MIMO	-3	20.80	17.80
802.11ax HE20	106T 53	5320	Chain0	-0.77	18.33	17.56
802.11ax HE20	106T 53	5320	Chain1	-1.33	18.26	16.93
802.11ax HE20	106T 53	5320	MIMO	-3	21.31	18.31
802.11ax HE20	106T 54	5260	Chain0	-0.77	17.94	17.17
802.11ax HE20	106T 54	5260	Chain1	-1.33	17.66	16.33
802.11ax HE20	106T 54	5260	MIMO	-3	20.81	17.81
802.11ax HE20	106T 54	5280	Chain0	-0.77	18.00	17.23
802.11ax HE20	106T 54	5280	Chain1	-1.33	17.69	16.36
802.11ax HE20	106T 54	5280	MIMO	-3	20.86	17.86
802.11ax HE20	106T 54	5320	Chain0	-0.77	18.22	17.45
802.11ax HE20	106T 54	5320	Chain1	-1.33	17.91	16.58
802.11ax HE20	106T 54	5320	MIMO	-3	21.08	18.08
802.11ax HE20	242T 61	5260	Chain0	-0.77	17.77	17.00
802.11ax HE20	242T 61	5260	Chain1	-1.33	17.72	16.39
802.11ax HE20	242T 61	5260	MIMO	-3	20.76	17.76
802.11ax HE20	242T 61	5280	Chain0	-0.77	17.89	17.12
802.11ax HE20	242T 61	5280	Chain1	-1.33	17.86	16.53
802.11ax HE20	242T 61	5280	MIMO	-3	20.89	17.89
802.11ax HE20	242T 61	5320	Chain0	-0.77	18.10	17.33
802.11ax HE20	242T 61	5320	Chain1	-1.33	18.11	16.78

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368

1008



BUREAU
VERITAS

802.11ax HE20	242T 61	5320	MIMO	-3	21.12	18.12
802.11be HE20	26T 0	5260	Chain0	-0.77	9.84	9.07
802.11be HE20	26T 0	5260	Chain1	-1.33	9.55	8.22
802.11be HE20	26T 0	5260	MIMO	-3	12.71	9.71
802.11be HE20	26T 0	5280	Chain0	-0.77	9.93	9.16
802.11be HE20	26T 0	5280	Chain1	-1.33	9.68	8.35
802.11be HE20	26T 0	5280	MIMO	-3	12.82	9.82
802.11be HE20	26T 0	5320	Chain0	-0.77	10.37	9.60
802.11be HE20	26T 0	5320	Chain1	-1.33	10.04	8.71
802.11be HE20	26T 0	5320	MIMO	-3	13.22	10.22
802.11be HE20	26T 4	5260	Chain0	-0.77	9.10	8.33
802.11be HE20	26T 4	5260	Chain1	-1.33	9.66	8.33
802.11be HE20	26T 4	5260	MIMO	-3	12.40	9.40
802.11be HE20	26T 4	5280	Chain0	-0.77	9.16	8.39
802.11be HE20	26T 4	5280	Chain1	-1.33	9.69	8.36
802.11be HE20	26T 4	5280	MIMO	-3	12.44	9.44
802.11be HE20	26T 4	5320	Chain0	-0.77	9.55	8.78
802.11be HE20	26T 4	5320	Chain1	-1.33	9.86	8.53
802.11be HE20	26T 4	5320	MIMO	-3	12.72	9.72
802.11be HE20	26T 8	5260	Chain0	-0.77	9.87	9.10
802.11be HE20	26T 8	5260	Chain1	-1.33	9.35	8.02
802.11be HE20	26T 8	5260	MIMO	-3	12.63	9.63
802.11be HE20	26T 8	5280	Chain0	-0.77	9.84	9.07
802.11be HE20	26T 8	5280	Chain1	-1.33	9.27	7.94
802.11be HE20	26T 8	5280	MIMO	-3	12.57	9.57
802.11be HE20	26T 8	5320	Chain0	-0.77	9.83	9.06
802.11be HE20	26T 8	5320	Chain1	-1.33	9.28	7.95
802.11be HE20	26T 8	5320	MIMO	-3	12.57	9.57
802.11be HE20	52T 37	5260	Chain0	-0.77	16.92	16.15
802.11be HE20	52T 37	5260	Chain1	-1.33	16.85	15.52
802.11be HE20	52T 37	5260	MIMO	-3	19.90	16.90
802.11be HE20	52T 37	5280	Chain0	-0.77	17.04	16.27
802.11be HE20	52T 37	5280	Chain1	-1.33	16.95	15.62
802.11be HE20	52T 37	5280	MIMO	-3	20.01	17.01
802.11be HE20	52T 37	5320	Chain0	-0.77	17.25	16.48
802.11be HE20	52T 37	5320	Chain1	-1.33	17.03	15.70
802.11be HE20	52T 37	5320	MIMO	-3	20.15	17.15
802.11be HE20	52T 39	5260	Chain0	-0.77	16.42	15.65
802.11be HE20	52T 39	5260	Chain1	-1.33	16.97	15.64
802.11be HE20	52T 39	5260	MIMO	-3	19.71	16.71
802.11be HE20	52T 39	5280	Chain0	-0.77	16.43	15.66
802.11be HE20	52T 39	5280	Chain1	-1.33	17.09	15.76
802.11be HE20	52T 39	5280	MIMO	-3	19.78	16.78

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368

1008



802.11be HE20	52T 39	5320	Chain0	-0.77	17.15	16.38
802.11be HE20	52T 39	5320	Chain1	-1.33	16.73	15.40
802.11be HE20	52T 39	5320	MIMO	-3	19.96	16.96
802.11be HE20	52T 40	5260	Chain0	-0.77	17.21	16.44
802.11be HE20	52T 40	5260	Chain1	-1.33	16.62	15.29
802.11be HE20	52T 40	5260	MIMO	-3	19.94	16.94
802.11be HE20	52T 40	5280	Chain0	-0.77	17.27	16.50
802.11be HE20	52T 40	5280	Chain1	-1.33	16.74	15.41
802.11be HE20	52T 40	5280	MIMO	-3	20.02	17.02
802.11be HE20	52T 40	5320	Chain0	-0.77	17.73	16.96
802.11be HE20	52T 40	5320	Chain1	-1.33	16.82	15.49
802.11be HE20	52T 40	5320	MIMO	-3	20.31	17.31
802.11be HE20	106T 53	5260	Chain0	-0.77	17.72	16.95
802.11be HE20	106T 53	5260	Chain1	-1.33	17.90	16.57
802.11be HE20	106T 53	5260	MIMO	-3	20.82	17.82
802.11be HE20	106T 53	5280	Chain0	-0.77	17.72	16.95
802.11be HE20	106T 53	5280	Chain1	-1.33	18.05	16.72
802.11be HE20	106T 53	5280	MIMO	-3	20.90	17.90
802.11be HE20	106T 53	5320	Chain0	-0.77	18.29	17.52
802.11be HE20	106T 53	5320	Chain1	-1.33	18.22	16.89
802.11be HE20	106T 53	5320	MIMO	-3	21.27	18.27
802.11be HE20	106T 54	5260	Chain0	-0.77	18.05	17.28
802.11be HE20	106T 54	5260	Chain1	-1.33	17.73	16.40
802.11be HE20	106T 54	5260	MIMO	-3	20.90	17.90
802.11be HE20	106T 54	5280	Chain0	-0.77	18.16	17.39
802.11be HE20	106T 54	5280	Chain1	-1.33	17.86	16.53
802.11be HE20	106T 54	5280	MIMO	-3	21.02	18.02
802.11be HE20	106T 54	5320	Chain0	-0.77	18.49	17.72
802.11be HE20	106T 54	5320	Chain1	-1.33	17.92	16.59
802.11be HE20	106T 54	5320	MIMO	-3	21.22	18.22
802.11be HE20	242T 61	5260	Chain0	-0.77	17.76	16.99
802.11be HE20	242T 61	5260	Chain1	-1.33	17.78	16.45
802.11be HE20	242T 61	5260	MIMO	-3	20.78	17.78
802.11be HE20	242T 61	5280	Chain0	-0.77	17.84	17.07
802.11be HE20	242T 61	5280	Chain1	-1.33	17.90	16.57
802.11be HE20	242T 61	5280	MIMO	-3	20.88	17.88
802.11be HE20	242T 61	5320	Chain0	-0.77	18.19	17.42
802.11be HE20	242T 61	5320	Chain1	-1.33	17.95	16.62
802.11be HE20	242T 61	5320	MIMO	-3	21.08	18.08
802.11ax HE40	26T 0	5270	Chain0	-0.77	13.41	12.64
802.11ax HE40	26T 0	5270	Chain1	-1.33	13.62	12.29
802.11ax HE40	26T 0	5270	MIMO	-3	16.53	13.53
802.11ax HE40	26T 0	5310	Chain0	-0.77	9.53	8.76



BUREAU
VERITAS

802.11ax HE40	26T 0	5310	Chain1	-1.33	9.38	8.05
802.11ax HE40	26T 0	5310	MIMO	-3	12.47	9.47
802.11ax HE40	26T 10	5270	Chain0	-0.77	13.54	12.77
802.11ax HE40	26T 10	5270	Chain1	-1.33	13.66	12.33
802.11ax HE40	26T 10	5270	MIMO	-3	16.61	13.61
802.11ax HE40	26T 10	5310	Chain0	-0.77	9.65	8.88
802.11ax HE40	26T 10	5310	Chain1	-1.33	9.36	8.03
802.11ax HE40	26T 10	5310	MIMO	-3	12.52	9.52
802.11ax HE40	26T 17	5270	Chain0	-0.77	13.21	12.44
802.11ax HE40	26T 17	5270	Chain1	-1.33	12.98	11.65
802.11ax HE40	26T 17	5270	MIMO	-3	16.11	13.11
802.11ax HE40	26T 17	5310	Chain0	-0.77	9.76	8.99
802.11ax HE40	26T 17	5310	Chain1	-1.33	9.51	8.18
802.11ax HE40	26T 17	5310	MIMO	-3	12.65	9.65
802.11ax HE40	52T 37	5270	Chain0	-0.77	16.18	15.41
802.11ax HE40	52T 37	5270	Chain1	-1.33	15.86	14.53
802.11ax HE40	52T 37	5270	MIMO	-3	19.03	16.03
802.11ax HE40	52T 37	5310	Chain0	-0.77	15.78	15.01
802.11ax HE40	52T 37	5310	Chain1	-1.33	15.91	14.58
802.11ax HE40	52T 37	5310	MIMO	-3	18.86	15.86
802.11ax HE40	52T 41	5270	Chain0	-0.77	16.53	15.76
802.11ax HE40	52T 41	5270	Chain1	-1.33	16.36	15.03
802.11ax HE40	52T 41	5270	MIMO	-3	19.46	16.46
802.11ax HE40	52T 41	5310	Chain0	-0.77	16.23	15.46
802.11ax HE40	52T 41	5310	Chain1	-1.33	16.24	14.91
802.11ax HE40	52T 41	5310	MIMO	-3	19.25	16.25
802.11ax HE40	52T 44	5270	Chain0	-0.77	15.62	14.85
802.11ax HE40	52T 44	5270	Chain1	-1.33	15.83	14.50
802.11ax HE40	52T 44	5270	MIMO	-3	18.74	15.74
802.11ax HE40	52T 44	5310	Chain0	-0.77	15.76	14.99
802.11ax HE40	52T 44	5310	Chain1	-1.33	15.97	14.64
802.11ax HE40	52T 44	5310	MIMO	-3	18.88	15.88
802.11ax HE40	106T 53	5270	Chain0	-0.77	17.73	16.96
802.11ax HE40	106T 53	5270	Chain1	-1.33	17.42	16.09
802.11ax HE40	106T 53	5270	MIMO	-3	20.59	17.59
802.11ax HE40	106T 53	5310	Chain0	-0.77	17.86	17.09
802.11ax HE40	106T 53	5310	Chain1	-1.33	17.27	15.94
802.11ax HE40	106T 53	5310	MIMO	-3	20.59	17.59
802.11ax HE40	106T 55	5270	Chain0	-0.77	17.77	17.00
802.11ax HE40	106T 55	5270	Chain1	-1.33	17.56	16.23
802.11ax HE40	106T 55	5270	MIMO	-3	20.68	17.68
802.11ax HE40	106T 55	5310	Chain0	-0.77	17.91	17.14
802.11ax HE40	106T 55	5310	Chain1	-1.33	17.65	16.32

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



BUREAU
VERITAS

802.11ax HE40	106T 55	5310	MIMO	-3	20.79	17.79
802.11ax HE40	106T 56	5270	Chain0	-0.77	17.85	17.08
802.11ax HE40	106T 56	5270	Chain1	-1.33	17.46	16.13
802.11ax HE40	106T 56	5270	MIMO	-3	20.67	17.67
802.11ax HE40	106T 56	5310	Chain0	-0.77	17.90	17.13
802.11ax HE40	106T 56	5310	Chain1	-1.33	17.60	16.27
802.11ax HE40	106T 56	5310	MIMO	-3	20.76	17.76
802.11ax HE40	242T 61	5270	Chain0	-0.77	16.35	15.58
802.11ax HE40	242T 61	5270	Chain1	-1.33	16.31	14.98
802.11ax HE40	242T 61	5270	MIMO	-3	19.34	16.34
802.11ax HE40	242T 61	5310	Chain0	-0.77	16.69	15.92
802.11ax HE40	242T 61	5310	Chain1	-1.33	16.28	14.95
802.11ax HE40	242T 61	5310	MIMO	-3	19.50	16.50
802.11ax HE40	242T 62	5270	Chain0	-0.77	16.75	15.98
802.11ax HE40	242T 62	5270	Chain1	-1.33	16.36	15.03
802.11ax HE40	242T 62	5270	MIMO	-3	19.57	16.57
802.11ax HE40	242T 62	5310	Chain0	-0.77	16.57	15.80
802.11ax HE40	242T 62	5310	Chain1	-1.33	15.96	14.63
802.11ax HE40	242T 62	5310	MIMO	-3	19.29	16.29
802.11ax HE40	484T 65	5270	Chain0	-0.77	16.63	15.86
802.11ax HE40	484T 65	5270	Chain1	-1.33	15.77	14.44
802.11ax HE40	484T 65	5270	MIMO	-3	19.23	16.23
802.11ax HE40	484T 65	5310	Chain0	-0.77	16.01	15.24
802.11ax HE40	484T 65	5310	Chain1	-1.33	15.53	14.20
802.11ax HE40	484T 65	5310	MIMO	-3	18.79	15.79
802.11be HE40	26T 0	5270	Chain0	-0.77	13.42	12.65
802.11be HE40	26T 0	5270	Chain1	-1.33	13.56	12.23
802.11be HE40	26T 0	5270	MIMO	-3	16.50	13.50
802.11be HE40	26T 0	5310	Chain0	-0.77	9.88	9.11
802.11be HE40	26T 0	5310	Chain1	-1.33	9.66	8.33
802.11be HE40	26T 0	5310	MIMO	-3	12.78	9.78
802.11be HE40	26T 10	5270	Chain0	-0.77	13.60	12.83
802.11be HE40	26T 10	5270	Chain1	-1.33	13.73	12.40
802.11be HE40	26T 10	5270	MIMO	-3	16.68	13.68
802.11be HE40	26T 10	5310	Chain0	-0.77	9.62	8.85
802.11be HE40	26T 10	5310	Chain1	-1.33	9.65	8.32
802.11be HE40	26T 10	5310	MIMO	-3	12.65	9.65
802.11be HE40	26T 4	5270	Chain0	-0.77	14.08	13.31
802.11be HE40	26T 4	5270	Chain1	-1.33	13.63	12.30
802.11be HE40	26T 4	5270	MIMO	-3	16.87	13.87
802.11be HE40	26T 4	5310	Chain0	-0.77	10.16	9.39
802.11be HE40	26T 4	5310	Chain1	-1.33	9.66	8.33
802.11be HE40	26T 4	5310	MIMO	-3	12.93	9.93

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368

1008



BUREAU
VERITAS

802.11be HE40	26T 17	5270	Chain0	-0.77	14.17	13.40
802.11be HE40	26T 17	5270	Chain1	-1.33	13.71	12.38
802.11be HE40	26T 17	5270	MIMO	-3	16.96	13.96
802.11be HE40	26T 17	5310	Chain0	-0.77	9.72	8.95
802.11be HE40	26T 17	5310	Chain1	-1.33	9.68	8.35
802.11be HE40	26T 17	5310	MIMO	-3	12.71	9.71
802.11be HE40	26T 8	5270	Chain0	-0.77	12.50	11.73
802.11be HE40	26T 8	5270	Chain1	-1.33	13.12	11.79
802.11be HE40	26T 8	5270	MIMO	-3	15.83	12.83
802.11be HE40	26T 8	5310	Chain0	-0.77	12.63	11.86
802.11be HE40	26T 8	5310	Chain1	-1.33	13.22	11.89
802.11be HE40	26T 8	5310	MIMO	-3	15.95	12.95
802.11be HE40	52T 37	5270	Chain0	-0.77	16.26	15.49
802.11be HE40	52T 37	5270	Chain1	-1.33	15.83	14.50
802.11be HE40	52T 37	5270	MIMO	-3	19.06	16.06
802.11be HE40	52T 37	5310	Chain0	-0.77	16.02	15.25
802.11be HE40	52T 37	5310	Chain1	-1.33	16.30	14.97
802.11be HE40	52T 37	5310	MIMO	-3	19.17	16.17
802.11be HE40	52T 39	5270	Chain0	-0.77	16.23	15.46
802.11be HE40	52T 39	5270	Chain1	-1.33	15.74	14.41
802.11be HE40	52T 39	5270	MIMO	-3	19.00	16.00
802.11be HE40	52T 39	5310	Chain0	-0.77	16.25	15.48
802.11be HE40	52T 39	5310	Chain1	-1.33	15.80	14.47
802.11be HE40	52T 39	5310	MIMO	-3	19.04	16.04
802.11be HE40	52T 41	5270	Chain0	-0.77	16.21	15.44
802.11be HE40	52T 41	5270	Chain1	-1.33	15.83	14.50
802.11be HE40	52T 41	5270	MIMO	-3	19.03	16.03
802.11be HE40	52T 41	5310	Chain0	-0.77	16.29	15.52
802.11be HE40	52T 41	5310	Chain1	-1.33	15.90	14.57
802.11be HE40	52T 41	5310	MIMO	-3	19.11	16.11
802.11be HE40	52T 40	5270	Chain0	-0.77	15.72	14.95
802.11be HE40	52T 40	5270	Chain1	-1.33	15.71	14.38
802.11be HE40	52T 40	5270	MIMO	-3	18.73	15.73
802.11be HE40	52T 40	5310	Chain0	-0.77	15.79	15.02
802.11be HE40	52T 40	5310	Chain1	-1.33	16.19	14.86
802.11be HE40	52T 40	5310	MIMO	-3	19.00	16.00
802.11be HE40	52T 44	5270	Chain0	-0.77	15.93	15.16
802.11be HE40	52T 44	5270	Chain1	-1.33	16.21	14.88
802.11be HE40	52T 44	5270	MIMO	-3	19.08	16.08
802.11be HE40	52T 44	5310	Chain0	-0.77	15.73	14.96
802.11be HE40	52T 44	5310	Chain1	-1.33	15.94	14.61
802.11be HE40	52T 44	5310	MIMO	-3	18.85	15.85
802.11be HE40	106T 53	5270	Chain0	-0.77	17.72	16.95

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



BUREAU
VERITAS

802.11be HE40	106T 53	5270	Chain1	-1.33	17.37	16.04
802.11be HE40	106T 53	5270	MIMO	-3	20.56	17.56
802.11be HE40	106T 53	5310	Chain0	-0.77	17.74	16.97
802.11be HE40	106T 53	5310	Chain1	-1.33	17.47	16.14
802.11be HE40	106T 53	5310	MIMO	-3	20.62	17.62
802.11be HE40	106T 54	5270	Chain0	-0.77	17.36	16.59
802.11be HE40	106T 54	5270	Chain1	-1.33	17.56	16.23
802.11be HE40	106T 54	5270	MIMO	-3	20.47	17.47
802.11be HE40	106T 54	5310	Chain0	-0.77	17.65	16.88
802.11be HE40	106T 54	5310	Chain1	-1.33	17.66	16.33
802.11be HE40	106T 54	5310	MIMO	-3	20.67	17.67
802.11be HE40	106T 55	5270	Chain0	-0.77	17.75	16.98
802.11be HE40	106T 55	5270	Chain1	-1.33	17.75	16.42
802.11be HE40	106T 55	5270	MIMO	-3	20.76	17.76
802.11be HE40	106T 55	5310	Chain0	-0.77	17.64	16.87
802.11be HE40	106T 55	5310	Chain1	-1.33	17.04	15.71
802.11be HE40	106T 55	5310	MIMO	-3	20.36	17.36
802.11be HE40	106T 56	5270	Chain0	-0.77	17.35	16.58
802.11be HE40	106T 56	5270	Chain1	-1.33	17.17	15.84
802.11be HE40	106T 56	5270	MIMO	-3	20.27	17.27
802.11be HE40	106T 56	5310	Chain0	-0.77	17.39	16.62
802.11be HE40	106T 56	5310	Chain1	-1.33	17.22	15.89
802.11be HE40	106T 56	5310	MIMO	-3	20.32	17.32
802.11be HE40	242T 61	5270	Chain0	-0.77	16.32	15.55
802.11be HE40	242T 61	5270	Chain1	-1.33	16.38	15.05
802.11be HE40	242T 61	5270	MIMO	-3	19.36	16.36
802.11be HE40	242T 61	5310	Chain0	-0.77	16.77	16.00
802.11be HE40	242T 61	5310	Chain1	-1.33	16.35	15.02
802.11be HE40	242T 61	5310	MIMO	-3	19.58	16.58
802.11be HE40	242T 62	5270	Chain0	-0.77	16.90	16.13
802.11be HE40	242T 62	5270	Chain1	-1.33	16.40	15.07
802.11be HE40	242T 62	5270	MIMO	-3	19.67	16.67
802.11be HE40	242T 62	5310	Chain0	-0.77	16.65	15.88
802.11be HE40	242T 62	5310	Chain1	-1.33	16.33	15.00
802.11be HE40	242T 62	5310	MIMO	-3	19.50	16.50
802.11be HE40	484T 65	5270	Chain0	-0.77	16.82	16.05
802.11be HE40	484T 65	5270	Chain1	-1.33	15.72	14.39
802.11be HE40	484T 65	5270	MIMO	-3	19.32	16.32
802.11be HE40	484T 65	5310	Chain0	-0.77	16.05	15.28
802.11be HE40	484T 65	5310	Chain1	-1.33	15.73	14.40
802.11be HE40	484T 65	5310	MIMO	-3	18.90	15.90
802.11ax HE80	26T 0	5290	Chain0	-0.77	9.62	8.85
802.11ax HE80	26T 0	5290	Chain1	-1.33	9.78	8.45

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368

1008



BUREAU
VERITAS

802.11ax HE80	26T 0	5290	MIMO	-3	12.71	9.71
802.11ax HE80	26T 18	5290	Chain0	-0.77	9.75	8.98
802.11ax HE80	26T 18	5290	Chain1	-1.33	9.87	8.54
802.11ax HE80	26T 18	5290	MIMO	-3	12.82	9.82
802.11ax HE80	26T 36	5290	Chain0	-0.77	9.83	9.06
802.11ax HE80	26T 36	5290	Chain1	-1.33	9.90	8.57
802.11ax HE80	26T 36	5290	MIMO	-3	12.88	9.88
802.11ax HE80	52T 37	5290	Chain0	-0.77	16.32	15.55
802.11ax HE80	52T 37	5290	Chain1	-1.33	16.21	14.88
802.11ax HE80	52T 37	5290	MIMO	-3	19.28	16.28
802.11ax HE80	52T 45	5290	Chain0	-0.77	16.32	15.55
802.11ax HE80	52T 45	5290	Chain1	-1.33	16.32	14.99
802.11ax HE80	52T 45	5290	MIMO	-3	19.33	16.33
802.11ax HE80	52T 52	5290	Chain0	-0.77	16.37	15.60
802.11ax HE80	52T 52	5290	Chain1	-1.33	16.41	15.08
802.11ax HE80	52T 52	5290	MIMO	-3	19.40	16.40
802.11ax HE80	106T 53	5290	Chain0	-0.77	17.57	16.80
802.11ax HE80	106T 53	5290	Chain1	-1.33	17.16	15.83
802.11ax HE80	106T 53	5290	MIMO	-3	20.38	17.38
802.11ax HE80	106T 57	5290	Chain0	-0.77	17.65	16.88
802.11ax HE80	106T 57	5290	Chain1	-1.33	17.21	15.88
802.11ax HE80	106T 57	5290	MIMO	-3	20.45	17.45
802.11ax HE80	106T 60	5290	Chain0	-0.77	17.48	16.71
802.11ax HE80	106T 60	5290	Chain1	-1.33	17.66	16.33
802.11ax HE80	106T 60	5290	MIMO	-3	20.58	17.58
802.11ax HE80	242T 61	5290	Chain0	-0.77	15.35	14.58
802.11ax HE80	242T 61	5290	Chain1	-1.33	15.24	13.91
802.11ax HE80	242T 61	5290	MIMO	-3	18.31	15.31
802.11ax HE80	242T 63	5290	Chain0	-0.77	16.32	15.55
802.11ax HE80	242T 63	5290	Chain1	-1.33	16.32	14.99
802.11ax HE80	242T 63	5290	MIMO	-3	19.33	16.33
802.11ax HE80	242T 64	5290	Chain0	-0.77	16.38	15.61
802.11ax HE80	242T 64	5290	Chain1	-1.33	16.39	15.06
802.11ax HE80	242T 64	5290	MIMO	-3	19.40	16.40
802.11ax HE80	484T 65	5290	Chain0	-0.77	15.33	14.56
802.11ax HE80	484T 65	5290	Chain1	-1.33	15.21	13.88
802.11ax HE80	484T 65	5290	MIMO	-3	18.28	15.28
802.11ax HE80	484T 66	5290	Chain0	-0.77	15.39	14.62
802.11ax HE80	484T 66	5290	Chain1	-1.33	15.21	13.88
802.11ax HE80	484T 66	5290	MIMO	-3	18.31	15.31
802.11ax HE80	996T 67	5290	Chain0	-0.77	15.31	14.54
802.11ax HE80	996T 67	5290	Chain1	-1.33	15.16	13.83
802.11ax HE80	996T 67	5290	MIMO	-3	18.25	15.25

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368

1008



BUREAU
VERITAS

802.11be HE80	26T 0	5290	Chain0	-0.77	9.15	8.38
802.11be HE80	26T 0	5290	Chain1	-1.33	9.26	7.93
802.11be HE80	26T 0	5290	MIMO	-3	12.22	9.22
802.11be HE80	26T 18	5290	Chain0	-0.77	9.20	8.43
802.11be HE80	26T 18	5290	Chain1	-1.33	9.35	8.02
802.11be HE80	26T 18	5290	MIMO	-3	12.29	9.29
802.11be HE80	26T 4	5290	Chain0	-0.77	9.84	9.07
802.11be HE80	26T 4	5290	Chain1	-1.33	9.36	8.03
802.11be HE80	26T 4	5290	MIMO	-3	12.62	9.62
802.11be HE80	26T 36	5290	Chain0	-0.77	9.35	8.58
802.11be HE80	26T 36	5290	Chain1	-1.33	9.03	7.70
802.11be HE80	26T 36	5290	MIMO	-3	12.20	9.20
802.11be HE80	26T 8	5290	Chain0	-0.77	9.19	8.42
802.11be HE80	26T 8	5290	Chain1	-1.33	9.69	8.36
802.11be HE80	26T 8	5290	MIMO	-3	12.46	9.46
802.11be HE80	52T 37	5290	Chain0	-0.77	16.27	15.50
802.11be HE80	52T 37	5290	Chain1	-1.33	16.22	14.89
802.11be HE80	52T 37	5290	MIMO	-3	19.26	16.26
802.11be HE80	52T 39	5290	Chain0	-0.77	16.33	15.56
802.11be HE80	52T 39	5290	Chain1	-1.33	16.24	14.91
802.11be HE80	52T 39	5290	MIMO	-3	19.30	16.30
802.11be HE80	52T 45	5290	Chain0	-0.77	16.43	15.66
802.11be HE80	52T 45	5290	Chain1	-1.33	16.31	14.98
802.11be HE80	52T 45	5290	MIMO	-3	19.38	16.38
802.11be HE80	52T 40	5290	Chain0	-0.77	16.42	15.65
802.11be HE80	52T 40	5290	Chain1	-1.33	16.89	15.56
802.11be HE80	52T 40	5290	MIMO	-3	19.67	16.67
802.11be HE80	52T 52	5290	Chain0	-0.77	16.43	15.66
802.11be HE80	52T 52	5290	Chain1	-1.33	16.95	15.62
802.11be HE80	52T 52	5290	MIMO	-3	19.71	16.71
802.11be HE80	106T 53	5290	Chain0	-0.77	17.52	16.75
802.11be HE80	106T 53	5290	Chain1	-1.33	17.11	15.78
802.11be HE80	106T 53	5290	MIMO	-3	20.33	17.33
802.11be HE80	106T 54	5290	Chain0	-0.77	17.37	16.60
802.11be HE80	106T 54	5290	Chain1	-1.33	17.58	16.25
802.11be HE80	106T 54	5290	MIMO	-3	20.49	17.49
802.11be HE80	106T 57	5290	Chain0	-0.77	17.39	16.62
802.11be HE80	106T 57	5290	Chain1	-1.33	17.65	16.32
802.11be HE80	106T 57	5290	MIMO	-3	20.53	17.53
802.11be HE80	106T 60	5290	Chain0	-0.77	17.56	16.79
802.11be HE80	106T 60	5290	Chain1	-1.33	17.24	15.91
802.11be HE80	106T 60	5290	MIMO	-3	20.41	17.41
802.11be HE80	242T 61	5290	Chain0	-0.77	15.34	14.57

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



BUREAU
VERITAS

802.11be HE80	242T 61	5290	Chain1	-1.33	15.25	13.92
802.11be HE80	242T 61	5290	MIMO	-3	18.31	15.31
802.11be HE80	242T 63	5290	Chain0	-0.77	15.36	14.59
802.11be HE80	242T 63	5290	Chain1	-1.33	15.27	13.94
802.11be HE80	242T 63	5290	MIMO	-3	18.33	15.33
802.11be HE80	242T 64	5290	Chain0	-0.77	15.37	14.60
802.11be HE80	242T 64	5290	Chain1	-1.33	15.15	13.82
802.11be HE80	242T 64	5290	MIMO	-3	18.27	15.27
802.11be HE80	484T 65	5290	Chain0	-0.77	15.42	14.65
802.11be HE80	484T 65	5290	Chain1	-1.33	15.16	13.83
802.11be HE80	484T 65	5290	MIMO	-3	18.30	15.30
802.11be HE80	484T 66	5290	Chain0	-0.77	15.33	14.56
802.11be HE80	484T 66	5290	Chain1	-1.33	15.21	13.88
802.11be HE80	484T 66	5290	MIMO	-3	18.28	15.28
802.11be HE80	996T 67	5290	Chain0	-0.77	15.30	14.53
802.11be HE80	996T 67	5290	Chain1	-1.33	15.18	13.85
802.11be HE80	996T 67	5290	MIMO	-3	18.25	15.25



Emission Bandwidth

Offset 11.71dB = Attenuator + Temporary antenna connector loss + Cable loss


Test Mode	Antenna	26dB Bandwidth (MHz)		
		5260MHz	5280MHz	5320MHz
802.11a	Chain0	21.42	21.76	21.96
802.11a	Chain1	22.22	23.17	22.65
802.11n HT20	Chain0	21.42	21.50	21.82
802.11n HT20	Chain1	21.20	21.13	21.27
802.11ac VHT20	Chain0	22.02	22.13	21.24
802.11ac VHT20	Chain1	22.25	21.36	21.49
802.11ax HE20	Chain0	22.77	21.85	21.84
802.11ax HE20	Chain1	21.84	22.13	22.19
802.11be EHT20	Chain0	22.47	22.76	21.39
802.11be EHT20	Chain1	22.89	21.75	22.05

Test Mode	Antenna	26dB Bandwidth (MHz)		
		5270MHz	---	5310MHz
802.11n HT40	Chain0	42.66	---	42.50
802.11n HT40	Chain1	41.74	---	43.09
802.11ac VHT40	Chain0	41.90	---	42.07
802.11ac VHT40	Chain1	41.40	---	41.72
802.11ax HE40	Chain0	40.85	---	41.16
802.11ax HE40	Chain1	42.05	---	42.70
802.11be EHT40	Chain0	43.42	---	42.92
802.11be EHT40	Chain1	41.85	---	44.01


Test Mode	Antenna	26dB Bandwidth (MHz)		
		5290MHz	---	---
802.11ac VHT80	Chain0	86.63	---	---
802.11ac VHT80	Chain1	87.69	---	---
802.11ax HE80	Chain0	84.39	---	---
802.11ax HE80	Chain1	85.37	---	---
802.11be EHT80	Chain0	87.86	---	---
802.11be EHT80	Chain1	84.67	---	---




Test Mode: 802.11a




Mode:802.11a Frequency:5260MHz Ant:Chain0




Mode:802.11a Frequency:5280MHz Ant:Chain0




Mode:802.11a Frequency:5320MHz Ant:Chain0



Mode:802.11a Frequency:5260MHz Ant:Chain1





Mode:802.11a Frequency:5280MHz Ant:Chain1



Mode:802.11a Frequency:5320MHz Ant:Chain1





Test Mode: 802.11n HT20





Mode:802.11n HT20 Frequency:5260MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5280MHz Ant:Chain0



Mode:802.11n HT20 Frequency:5320MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5260MHz Ant:Chain1



Mode:802.11n HT20 Frequency:5280MHz Ant:Chain1

Mode:802.11n HT20 Frequency:5320MHz Ant:Chain1


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province


Tel: +86 (0557) 368
1008




Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20 Frequency:5260MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5280MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5320MHz
Ant:Chain0



Mode:802.11ac VHT20 Frequency:5260MHz
Ant:Chain1




Mode:802.11ac VHT20 Frequency:5280MHz
Ant:Chain1




Mode:802.11ac VHT20 Frequency:5320MHz
Ant:Chain1


Test Mode: 802.11ax HE20




Mode:802.11 ax HE20 Frequency:5260MHz
Ant:Chain0




Mode:802.11 ax HE20 Frequency:5280MHz
Ant:Chain0




Mode:802.11 ax HE20 Frequency:5320MHz
Ant:Chain0



Mode:802.11 ax HE20 Frequency:5260MHz
Ant:Chain1




Mode:802.11 ax HE20 Frequency:5280MHz
Ant:Chain1




Mode:802.11 ax HE20 Frequency:5320MHz
Ant:Chain1


Test Mode: 802.11be EHT20




Mode:802.11be EHT20 Frequency:5260MHz
Ant:Chain0




Mode:802.11be EHT20 Frequency:5280MHz
Ant:Chain0




Mode:802.11be EHT20 Frequency:5320MHz
Ant:Chain0



Mode:802.11be EHT20 Frequency:5260MHz
Ant:Chain1





Mode:802.11be EHT20 Frequency:5280MHz
Ant:Chain1



Mode:802.11be EHT20 Frequency:5320MHz
Ant:Chain1





Test Mode: 802.11n HT40



Mode:802.11n HT40 Frequency:5270MHz Ant:Chain0

Mode:802.11n HT40 Frequency:5310MHz Ant:Chain0



Mode:802.11n HT40 Frequency:5270MHz Ant:Chain1

Mode:802.11n HT40 Frequency:5310MHz Ant:Chain1


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province


Tel: +86 (0557) 368
1008




Test Mode: 802.11ac VHT40




Mode:802.11ac VHT40 Frequency:5270MHz
Ant:Chain0



Mode:802.11ac VHT40 Frequency:5310MHz
Ant:Chain0




Mode:802.11ac VHT40 Frequency:5270MHz
Ant:Chain1




Mode:802.11ac VHT40 Frequency:5310MHz
Ant:Chain1




Test Mode: 802.11ax HE40




Mode:802.11 ax HE40 Frequency:5270MHz
Ant:Chain0



Mode:802.11 ax HE40 Frequency:5310MHz
Ant:Chain0




Mode:802.11 ax HE40 Frequency:5270MHz
Ant:Chain1




Mode:802.11 ax HE40 Frequency:5310MHz
Ant:Chain1




Test Mode: 802.11be EHT40




Mode:802.11be EHT40 Frequency:5270MHz
Ant:Chain0



Mode:802.11be EHT40 Frequency:5310MHz
Ant:Chain0



Mode:802.11be EHT40 Frequency:5270MHz
Ant:Chain1




Mode:802.11be EHT40 Frequency:5310MHz
Ant:Chain1




BUREAU VERITAS

Test Mode: 802.11ac VHT80



Mode:802.11ac VHT80 Frequency:5290MHz
Ant:Chain0




Mode:802.11ac VHT80 Frequency:5290MHz
Ant:Chain1




BUREAU
VERITAS

Test Mode: 802.11ax HE80



Mode:802.11 ax HE80 Frequency:5290MHz
Ant:Chain0




Mode:802.11 ax HE80 Frequency:5290MHz
Ant:Chain1



BUREAU
VERITAS

Test Mode: 802.11be EHT80



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008



Occupied Bandwidth

Offset 11.71dB = Attenuator + Temporary antenna connector loss + Cable loss


Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5260MHz	5280MHz	5320MHz
802.11a	Chain0	19.146	19.193	19.123
802.11a	Chain1	19.118	19.115	19.168
802.11n HT20	Chain0	19.182	19.179	19.192
802.11n HT20	Chain1	19.216	19.185	19.202
802.11ac VHT20	Chain0	19.189	19.189	19.186
802.11ac VHT20	Chain1	19.147	19.137	19.202
802.11ax HE20	Chain0	19.132	19.149	19.200
802.11ax HE20	Chain1	19.136	19.129	19.180
802.11be EHT20	Chain0	19.090	19.170	19.201
802.11be EHT20	Chain1	19.215	19.066	19.169

Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5270MHz	---	5310MHz
802.11n HT40	Chain0	38.209	---	38.206
802.11n HT40	Chain1	38.127	---	38.114
802.11ac VHT40	Chain0	38.053	---	38.097
802.11ac VHT40	Chain1	38.034	---	38.117
802.11ax HE40	Chain0	38.119	---	38.126
802.11ax HE40	Chain1	38.083	---	37.993
802.11be EHT40	Chain0	38.098	---	38.196
802.11be EHT40	Chain1	38.008	---	38.119


Test Mode	Antenna	Occupied Bandwidth (MHz)		
		5290MHz	---	---
802.11ac VHT80	Chain0	78.098	---	---
802.11ac VHT80	Chain1	78.285	---	---
802.11ax HE80	Chain0	78.151	---	---
802.11ax HE80	Chain1	78.235	---	---
802.11be EHT80	Chain0	78.270	---	---
802.11be EHT80	Chain1	78.157	---	---




Test Mode: 802.11a




Mode:802.11a Frequency:5260MHz Ant:Chain0




Mode:802.11a Frequency:5280MHz Ant:Chain0




Mode:802.11a Frequency:5320MHz Ant:Chain0



Mode:802.11a Frequency:5260MHz Ant:Chain1





Mode:802.11a Frequency:5280MHz Ant:Chain1



Mode:802.11a Frequency:5320MHz Ant:Chain1





Test Mode: 802.11n HT20





Mode:802.11n HT20 Frequency:5260MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5280MHz Ant:Chain0



Mode:802.11n HT20 Frequency:5320MHz Ant:Chain0

Mode:802.11n HT20 Frequency:5260MHz Ant:Chain1



Mode:802.11n HT20 Frequency:5280MHz Ant:Chain1


Mode:802.11n HT20 Frequency:5320MHz Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech District,
Suzhou City, Anhui Province

Tel: +86 (0557) 368
1008


Test Mode: 802.11ac VHT20




Mode:802.11ac VHT20 Frequency:5260MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5280MHz
Ant:Chain0




Mode:802.11ac VHT20 Frequency:5320MHz
Ant:Chain0



Mode:802.11ac VHT20 Frequency:5260MHz
Ant:Chain1



Mode:802.11ac VHT20 Frequency:5280MHz
Ant:Chain1



Mode:802.11ac VHT20 Frequency:5320MHz
Ant:Chain1