

		Edge_1RB_Right	21.82	/	/	21.82	/	/	<=30	Pass
		Outer_Full	22.17	/	/	22.17	/	/	<=30	Pass
		Inner_Full	23.63	/	/	23.63	/	/	<=30	Pass
		Inner_1RB_Left	23.51	/	/	23.51	/	/	<=30	Pass
		Inner_1RB_Right	23.93	/	/	23.93	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.30	/	/	21.30	/	/	<=30	Pass
		Edge_1RB_Right	21.87	/	/	21.87	/	/	<=30	Pass
		Outer_Full	22.33	/	/	22.33	/	/	<=30	Pass
		Inner_Full	23.83	/	/	23.83	/	/	<=30	Pass
		Inner_1RB_Left	23.29	/	/	23.29	/	/	<=30	Pass
	3519.99	Inner_1RB_Right	23.93	/	/	23.93	/	/	<=30	Pass
		Edge_1RB_Left	21.54	/	/	21.54	/	/	<=30	Pass
		Edge_1RB_Right	22.00	/	/	22.00	/	/	<=30	Pass
		Outer_Full	22.37	/	/	22.37	/	/	<=30	Pass
		Inner_Full	23.97	/	/	23.97	/	/	<=30	Pass
CP-OFDM 16 QAM	3480	Inner_1RB_Left	23.50	/	/	23.50	/	/	<=30	Pass
		Inner_1RB_Right	24.03	/	/	24.03	/	/	<=30	Pass
		Edge_1RB_Left	21.62	/	/	21.62	/	/	<=30	Pass
		Edge_1RB_Right	21.99	/	/	21.99	/	/	<=30	Pass
		Outer_Full	22.15	/	/	22.15	/	/	<=30	Pass
	3500.01	Inner_Full	23.15	/	/	23.15	/	/	<=30	Pass
		Inner_1RB_Left	23.06	/	/	23.06	/	/	<=30	Pass
		Inner_1RB_Right	23.34	/	/	23.34	/	/	<=30	Pass
		Edge_1RB_Left	21.38	/	/	21.38	/	/	<=30	Pass
		Edge_1RB_Right	21.96	/	/	21.96	/	/	<=30	Pass
	3519.99	Outer_Full	22.33	/	/	22.33	/	/	<=30	Pass
		Inner_Full	23.37	/	/	23.37	/	/	<=30	Pass
		Inner_1RB_Left	22.87	/	/	22.87	/	/	<=30	Pass
		Inner_1RB_Right	23.49	/	/	23.49	/	/	<=30	Pass
		Edge_1RB_Left	21.68	/	/	21.68	/	/	<=30	Pass
CP-OFDM 64 QAM	3480	Edge_1RB_Right	22.04	/	/	22.04	/	/	<=30	Pass
		Outer_Full	22.40	/	/	22.40	/	/	<=30	Pass
		Inner_Full	23.45	/	/	23.45	/	/	<=30	Pass
		Inner_1RB_Left	23.01	/	/	23.01	/	/	<=30	Pass
		Inner_1RB_Right	23.57	/	/	23.57	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.76	/	/	21.76	/	/	<=30	Pass
		Edge_1RB_Right	21.93	/	/	21.93	/	/	<=30	Pass
		Outer_Full	21.68	/	/	21.68	/	/	<=30	Pass
		Inner_Full	21.71	/	/	21.71	/	/	<=30	Pass
		Inner_1RB_Left	21.69	/	/	21.69	/	/	<=30	Pass
	3519.99	Inner_1RB_Right	21.98	/	/	21.98	/	/	<=30	Pass
		Edge_1RB_Left	21.45	/	/	21.45	/	/	<=30	Pass
		Edge_1RB_Right	22.07	/	/	22.07	/	/	<=30	Pass
		Outer_Full	21.85	/	/	21.85	/	/	<=30	Pass
		Inner_Full	21.94	/	/	21.94	/	/	<=30	Pass
CP-OFDM 256 QAM	3480	Inner_1RB_Left	21.47	/	/	21.47	/	/	<=30	Pass
		Inner_1RB_Right	22.01	/	/	22.01	/	/	<=30	Pass
		Edge_1RB_Left	21.64	/	/	21.64	/	/	<=30	Pass
		Edge_1RB_Right	22.13	/	/	22.13	/	/	<=30	Pass
		Outer_Full	21.88	/	/	21.88	/	/	<=30	Pass
		Inner_Full	22.05	/	/	22.05	/	/	<=30	Pass
		Inner_1RB_Left	21.71	/	/	21.71	/	/	<=30	Pass
		Inner_1RB_Right	22.15	/	/	22.15	/	/	<=30	Pass
		Edge_1RB_Left	18.75	/	/	18.75	/	/	<=30	Pass
		Edge_1RB_Right	18.93	/	/	18.93	/	/	<=30	Pass
		Outer_Full	18.71	/	/	18.71	/	/	<=30	Pass
		Inner_Full	18.70	/	/	18.70	/	/	<=30	Pass
		Inner_1RB_Left	18.71	/	/	18.71	/	/	<=30	Pass
		Inner_1RB_Right	18.99	/	/	18.99	/	/	<=30	Pass

	3500.01	Edge_1RB_Left	18.41	/	/	18.41	/	/	<=30	Pass
		Edge_1RB_Right	19.04	/	/	19.04	/	/	<=30	Pass
		Outer_Full	18.90	/	/	18.90	/	/	<=30	Pass
		Inner_Full	18.92	/	/	18.92	/	/	<=30	Pass
		Inner_1RB_Left	18.48	/	/	18.48	/	/	<=30	Pass
	Inner_1RB_Right	19.10	/	/	19.10	/	/	<=30	Pass	
	3519.99	Edge_1RB_Left	18.70	/	/	18.70	/	/	<=30	Pass
		Edge_1RB_Right	19.12	/	/	19.12	/	/	<=30	Pass
		Outer_Full	18.94	/	/	18.94	/	/	<=30	Pass
		Inner_Full	19.06	/	/	19.06	/	/	<=30	Pass
Inner_1RB_Left		18.70	/	/	18.70	/	/	<=30	Pass	
		Inner_1RB_Right	19.13	/	/	19.13	/	/	<=30	Pass
Note1: Antenna Gain: Ant6: 0.00dBi;										
Note2: EIRP=Conducted Power+Antenna Gain										

1.1.9 30k_SISO_70MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 70MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant6	Ant2	Sum	Ant6	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3485.01	Edge_1RB_Left	21.67	/	/	21.67	/	/	<=30	Pass
		Edge_1RB_Right	22.06	/	/	22.06	/	/	<=30	Pass
		Outer_Full	24.69	/	/	24.69	/	/	<=30	Pass
		Inner_Full	25.11	/	/	25.11	/	/	<=30	Pass
		Inner_1RB_Left	25.14	/	/	25.14	/	/	<=30	Pass
	Inner_1RB_Right	25.54	/	/	25.54	/	/	<=30	Pass	
	3500.01	Edge_1RB_Left	21.49	/	/	21.49	/	/	<=30	Pass
		Edge_1RB_Right	22.07	/	/	22.07	/	/	<=30	Pass
		Outer_Full	24.82	/	/	24.82	/	/	<=30	Pass
		Inner_Full	25.38	/	/	25.38	/	/	<=30	Pass
		Inner_1RB_Left	24.92	/	/	24.92	/	/	<=30	Pass
	Inner_1RB_Right	25.56	/	/	25.56	/	/	<=30	Pass	
	3514.98	Edge_1RB_Left	21.81	/	/	21.81	/	/	<=30	Pass
		Edge_1RB_Right	22.07	/	/	22.07	/	/	<=30	Pass
		Outer_Full	24.99	/	/	24.99	/	/	<=30	Pass
		Inner_Full	25.49	/	/	25.49	/	/	<=30	Pass
		Inner_1RB_Left	25.26	/	/	25.26	/	/	<=30	Pass
	Inner_1RB_Right	25.57	/	/	25.57	/	/	<=30	Pass	
DFT-s-OFDM QPSK	3485.01	Edge_1RB_Left	21.67	/	/	21.67	/	/	<=30	Pass
		Edge_1RB_Right	22.03	/	/	22.03	/	/	<=30	Pass
		Outer_Full	24.13	/	/	24.13	/	/	<=30	Pass
		Inner_Full	25.16	/	/	25.16	/	/	<=30	Pass
		Inner_1RB_Left	25.05	/	/	25.05	/	/	<=30	Pass
	Inner_1RB_Right	25.39	/	/	25.39	/	/	<=30	Pass	
	3500.01	Edge_1RB_Left	21.45	/	/	21.45	/	/	<=30	Pass
		Edge_1RB_Right	22.03	/	/	22.03	/	/	<=30	Pass
		Outer_Full	24.39	/	/	24.39	/	/	<=30	Pass
		Inner_Full	25.38	/	/	25.38	/	/	<=30	Pass
		Inner_1RB_Left	24.88	/	/	24.88	/	/	<=30	Pass
	Inner_1RB_Right	25.48	/	/	25.48	/	/	<=30	Pass	
	3514.98	Edge_1RB_Left	21.75	/	/	21.75	/	/	<=30	Pass
		Edge_1RB_Right	22.04	/	/	22.04	/	/	<=30	Pass
		Outer_Full	24.43	/	/	24.43	/	/	<=30	Pass
		Inner_Full	25.59	/	/	25.59	/	/	<=30	Pass
		Inner_1RB_Left	25.16	/	/	25.16	/	/	<=30	Pass
	Inner_1RB_Right	25.70	/	/	25.70	/	/	<=30	Pass	
DFT-s-OFDM 16 QAM	3485.01	Edge_1RB_Left	21.73	/	/	21.73	/	/	<=30	Pass
		Edge_1RB_Right	22.14	/	/	22.14	/	/	<=30	Pass

		Outer_Full	23.23	/	/	23.23	/	/	<=30	Pass
		Inner_Full	24.10	/	/	24.10	/	/	<=30	Pass
		Inner_1RB_Left	24.18	/	/	24.18	/	/	<=30	Pass
		Inner_1RB_Right	24.59	/	/	24.59	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.55	/	/	21.55	/	/	<=30	Pass
		Edge_1RB_Right	22.06	/	/	22.06	/	/	<=30	Pass
		Outer_Full	23.38	/	/	23.38	/	/	<=30	Pass
		Inner_Full	24.41	/	/	24.41	/	/	<=30	Pass
	3514.98	Inner_1RB_Left	23.92	/	/	23.92	/	/	<=30	Pass
		Inner_1RB_Right	24.65	/	/	24.65	/	/	<=30	Pass
		Edge_1RB_Left	21.86	/	/	21.86	/	/	<=30	Pass
		Edge_1RB_Right	22.14	/	/	22.14	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	3485.01	Outer_Full	23.52	/	/	23.52	/	/	<=30	Pass
		Inner_Full	24.53	/	/	24.53	/	/	<=30	Pass
		Inner_1RB_Left	24.29	/	/	24.29	/	/	<=30	Pass
		Inner_1RB_Right	24.57	/	/	24.57	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.83	/	/	21.83	/	/	<=30	Pass
		Edge_1RB_Right	22.02	/	/	22.02	/	/	<=30	Pass
		Outer_Full	22.71	/	/	22.71	/	/	<=30	Pass
		Inner_Full	22.65	/	/	22.65	/	/	<=30	Pass
	3514.98	Inner_1RB_Left	22.66	/	/	22.66	/	/	<=30	Pass
		Inner_1RB_Right	23.02	/	/	23.02	/	/	<=30	Pass
		Edge_1RB_Left	21.47	/	/	21.47	/	/	<=30	Pass
		Edge_1RB_Right	22.09	/	/	22.09	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3485.01	Outer_Full	22.87	/	/	22.87	/	/	<=30	Pass
		Inner_Full	22.94	/	/	22.94	/	/	<=30	Pass
		Inner_1RB_Left	22.52	/	/	22.52	/	/	<=30	Pass
		Inner_1RB_Right	23.01	/	/	23.01	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.77	/	/	21.77	/	/	<=30	Pass
		Edge_1RB_Right	22.11	/	/	22.11	/	/	<=30	Pass
		Outer_Full	23.02	/	/	23.02	/	/	<=30	Pass
		Inner_Full	23.09	/	/	23.09	/	/	<=30	Pass
	3514.98	Inner_1RB_Left	22.76	/	/	22.76	/	/	<=30	Pass
		Inner_1RB_Right	23.15	/	/	23.15	/	/	<=30	Pass
		Edge_1RB_Left	20.53	/	/	20.53	/	/	<=30	Pass
		Edge_1RB_Right	20.87	/	/	20.87	/	/	<=30	Pass
CP-OFDM QPSK	3485.01	Outer_Full	20.74	/	/	20.74	/	/	<=30	Pass
		Inner_Full	20.72	/	/	20.72	/	/	<=30	Pass
		Inner_1RB_Left	20.52	/	/	20.52	/	/	<=30	Pass
		Inner_1RB_Right	20.87	/	/	20.87	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	20.28	/	/	20.28	/	/	<=30	Pass
		Edge_1RB_Right	20.88	/	/	20.88	/	/	<=30	Pass
		Outer_Full	20.90	/	/	20.90	/	/	<=30	Pass
		Inner_Full	21.00	/	/	21.00	/	/	<=30	Pass
	3514.98	Inner_1RB_Left	20.32	/	/	20.32	/	/	<=30	Pass
		Inner_1RB_Right	20.89	/	/	20.89	/	/	<=30	Pass
		Edge_1RB_Left	20.65	/	/	20.65	/	/	<=30	Pass
		Edge_1RB_Right	20.90	/	/	20.90	/	/	<=30	Pass
3485.01	Outer_Full	21.14	/	/	21.14	/	/	<=30	Pass	
	Inner_Full	21.17	/	/	21.17	/	/	<=30	Pass	
	Inner_1RB_Left	20.65	/	/	20.65	/	/	<=30	Pass	
	Inner_1RB_Right	20.91	/	/	20.91	/	/	<=30	Pass	
3500.01	Edge_1RB_Left	21.56	/	/	21.56	/	/	<=30	Pass	
	Edge_1RB_Right	21.93	/	/	21.93	/	/	<=30	Pass	
	Outer_Full	22.22	/	/	22.22	/	/	<=30	Pass	
	Inner_Full	23.65	/	/	23.65	/	/	<=30	Pass	
3500.01	Inner_1RB_Left	23.49	/	/	23.49	/	/	<=30	Pass	
	Inner_1RB_Right	23.95	/	/	23.95	/	/	<=30	Pass	
	3500.01	Edge_1RB_Left	21.32	/	/	21.32	/	/	<=30	Pass

		Edge_1RB_Right	21.91	/	/	21.91	/	/	<=30	Pass
		Outer_Full	22.39	/	/	22.39	/	/	<=30	Pass
		Inner_Full	23.85	/	/	23.85	/	/	<=30	Pass
		Inner_1RB_Left	23.31	/	/	23.31	/	/	<=30	Pass
		Inner_1RB_Right	23.90	/	/	23.90	/	/	<=30	Pass
	3514.98	Edge_1RB_Left	21.65	/	/	21.65	/	/	<=30	Pass
		Edge_1RB_Right	21.99	/	/	21.99	/	/	<=30	Pass
		Outer_Full	22.58	/	/	22.58	/	/	<=30	Pass
		Inner_Full	24.04	/	/	24.04	/	/	<=30	Pass
		Inner_1RB_Left	23.62	/	/	23.62	/	/	<=30	Pass
CP-OFDM 16 QAM	3485.01	Inner_1RB_Right	24.01	/	/	24.01	/	/	<=30	Pass
		Edge_1RB_Left	21.62	/	/	21.62	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	22.12	/	/	<=30	Pass
		Outer_Full	22.23	/	/	22.23	/	/	<=30	Pass
		Inner_Full	23.13	/	/	23.13	/	/	<=30	Pass
	3500.01	Inner_1RB_Left	22.99	/	/	22.99	/	/	<=30	Pass
		Inner_1RB_Right	23.45	/	/	23.45	/	/	<=30	Pass
		Edge_1RB_Left	21.41	/	/	21.41	/	/	<=30	Pass
		Edge_1RB_Right	22.13	/	/	22.13	/	/	<=30	Pass
		Outer_Full	22.36	/	/	22.36	/	/	<=30	Pass
3514.98	Inner_Full	23.41	/	/	23.41	/	/	<=30	Pass	
	Inner_1RB_Left	22.89	/	/	22.89	/	/	<=30	Pass	
	Inner_1RB_Right	23.50	/	/	23.50	/	/	<=30	Pass	
	Edge_1RB_Left	21.74	/	/	21.74	/	/	<=30	Pass	
	Edge_1RB_Right	22.15	/	/	22.15	/	/	<=30	Pass	
CP-OFDM 64 QAM	3485.01	Outer_Full	22.50	/	/	22.50	/	/	<=30	Pass
		Inner_Full	23.56	/	/	23.56	/	/	<=30	Pass
		Inner_1RB_Left	23.21	/	/	23.21	/	/	<=30	Pass
		Inner_1RB_Right	23.51	/	/	23.51	/	/	<=30	Pass
		Edge_1RB_Left	21.69	/	/	21.69	/	/	<=30	Pass
	3500.01	Edge_1RB_Right	22.09	/	/	22.09	/	/	<=30	Pass
		Outer_Full	21.74	/	/	21.74	/	/	<=30	Pass
		Inner_Full	21.71	/	/	21.71	/	/	<=30	Pass
		Inner_1RB_Left	21.69	/	/	21.69	/	/	<=30	Pass
		Inner_1RB_Right	22.10	/	/	22.10	/	/	<=30	Pass
3514.98	Edge_1RB_Left	21.50	/	/	21.50	/	/	<=30	Pass	
	Edge_1RB_Right	22.09	/	/	22.09	/	/	<=30	Pass	
	Outer_Full	21.90	/	/	21.90	/	/	<=30	Pass	
	Inner_Full	21.95	/	/	21.95	/	/	<=30	Pass	
	Inner_1RB_Left	21.50	/	/	21.50	/	/	<=30	Pass	
CP-OFDM 256 QAM	3485.01	Inner_1RB_Right	22.17	/	/	22.17	/	/	<=30	Pass
		Edge_1RB_Left	21.81	/	/	21.81	/	/	<=30	Pass
		Edge_1RB_Right	22.13	/	/	22.13	/	/	<=30	Pass
		Outer_Full	22.05	/	/	22.05	/	/	<=30	Pass
		Inner_Full	22.10	/	/	22.10	/	/	<=30	Pass
3500.01	Inner_1RB_Left	21.86	/	/	21.86	/	/	<=30	Pass	
	Inner_1RB_Right	22.16	/	/	22.16	/	/	<=30	Pass	
	Edge_1RB_Left	18.69	/	/	18.69	/	/	<=30	Pass	
	Edge_1RB_Right	19.02	/	/	19.02	/	/	<=30	Pass	
	Outer_Full	18.80	/	/	18.80	/	/	<=30	Pass	
	Inner_Full	18.72	/	/	18.72	/	/	<=30	Pass	
	Inner_1RB_Left	18.76	/	/	18.76	/	/	<=30	Pass	
3500.01	Inner_1RB_Right	19.09	/	/	19.09	/	/	<=30	Pass	
	Edge_1RB_Left	18.53	/	/	18.53	/	/	<=30	Pass	
	Edge_1RB_Right	19.03	/	/	19.03	/	/	<=30	Pass	
	Outer_Full	18.90	/	/	18.90	/	/	<=30	Pass	
	Inner_Full	18.94	/	/	18.94	/	/	<=30	Pass	
	Inner_1RB_Left	18.47	/	/	18.47	/	/	<=30	Pass	
	Inner_1RB_Right	19.11	/	/	19.11	/	/	<=30	Pass	

	3514.98	Edge_1RB_Left	18.81	/	/	18.81	/	/	<=30	Pass
		Edge_1RB_Right	19.07	/	/	19.07	/	/	<=30	Pass
		Outer_Full	19.06	/	/	19.06	/	/	<=30	Pass
		Inner_Full	19.12	/	/	19.12	/	/	<=30	Pass
		Inner_1RB_Left	18.80	/	/	18.80	/	/	<=30	Pass
		Inner_1RB_Right	19.07	/	/	19.07	/	/	<=30	Pass

Note1: Antenna Gain: Ant6: 0.00dBi;

Note2: EIRP=Conducted Power+Antenna Gain

1.1.10 30k_SISO_80MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 80MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)			Limit	Verdict
			Ant6	Ant2	Sum	Ant6	Ant2	Sum		
DFT-s-OFDM PI/2 BPSK	3490.02	Edge_1RB_Left	21.82	/	/	21.82	/	/	<=30	Pass
		Edge_1RB_Right	22.11	/	/	22.11	/	/	<=30	Pass
		Outer_Full	24.83	/	/	24.83	/	/	<=30	Pass
		Inner_Full	25.33	/	/	25.33	/	/	<=30	Pass
		Inner_1RB_Left	25.30	/	/	25.30	/	/	<=30	Pass
		Inner_1RB_Right	25.60	/	/	25.60	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.58	/	/	21.58	/	/	<=30	Pass
		Edge_1RB_Right	22.10	/	/	22.10	/	/	<=30	Pass
		Outer_Full	24.89	/	/	24.89	/	/	<=30	Pass
		Inner_Full	25.48	/	/	25.48	/	/	<=30	Pass
		Inner_1RB_Left	25.03	/	/	25.03	/	/	<=30	Pass
		Inner_1RB_Right	25.67	/	/	25.67	/	/	<=30	Pass
	3510	Edge_1RB_Left	21.59	/	/	21.59	/	/	<=30	Pass
		Edge_1RB_Right	22.16	/	/	22.16	/	/	<=30	Pass
		Outer_Full	24.89	/	/	24.89	/	/	<=30	Pass
		Inner_Full	25.51	/	/	25.51	/	/	<=30	Pass
		Inner_1RB_Left	25.06	/	/	25.06	/	/	<=30	Pass
		Inner_1RB_Right	25.72	/	/	25.72	/	/	<=30	Pass
DFT-s-OFDM QPSK	3490.02	Edge_1RB_Left	21.81	/	/	21.81	/	/	<=30	Pass
		Edge_1RB_Right	22.07	/	/	22.07	/	/	<=30	Pass
		Outer_Full	24.39	/	/	24.39	/	/	<=30	Pass
		Inner_Full	25.35	/	/	25.35	/	/	<=30	Pass
		Inner_1RB_Left	25.16	/	/	25.16	/	/	<=30	Pass
		Inner_1RB_Right	25.63	/	/	25.63	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.56	/	/	21.56	/	/	<=30	Pass
		Edge_1RB_Right	22.10	/	/	22.10	/	/	<=30	Pass
		Outer_Full	24.39	/	/	24.39	/	/	<=30	Pass
		Inner_Full	25.41	/	/	25.41	/	/	<=30	Pass
		Inner_1RB_Left	24.99	/	/	24.99	/	/	<=30	Pass
		Inner_1RB_Right	25.77	/	/	25.77	/	/	<=30	Pass
	3510	Edge_1RB_Left	21.58	/	/	21.58	/	/	<=30	Pass
		Edge_1RB_Right	22.18	/	/	22.18	/	/	<=30	Pass
		Outer_Full	24.46	/	/	24.46	/	/	<=30	Pass
		Inner_Full	25.46	/	/	25.46	/	/	<=30	Pass
		Inner_1RB_Left	25.02	/	/	25.02	/	/	<=30	Pass
		Inner_1RB_Right	25.65	/	/	25.65	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3490.02	Edge_1RB_Left	21.94	/	/	21.94	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	22.12	/	/	<=30	Pass
		Outer_Full	23.34	/	/	23.34	/	/	<=30	Pass
		Inner_Full	24.36	/	/	24.36	/	/	<=30	Pass
		Inner_1RB_Left	24.28	/	/	24.28	/	/	<=30	Pass
		Inner_1RB_Right	24.63	/	/	24.63	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.71	/	/	21.71	/	/	<=30	Pass
		Edge_1RB_Right	22.18	/	/	22.18	/	/	<=30	Pass

		Outer_Full	23.36	/	/	23.36	/	/	<=30	Pass	
		Inner_Full	24.44	/	/	24.44	/	/	<=30	Pass	
		Inner_1RB_Left	24.01	/	/	24.01	/	/	<=30	Pass	
		Inner_1RB_Right	24.65	/	/	24.65	/	/	<=30	Pass	
	3510	Edge_1RB_Left	21.59	/	/	21.59	/	/	<=30	Pass	
		Edge_1RB_Right	22.23	/	/	22.23	/	/	<=30	Pass	
		Outer_Full	23.43	/	/	23.43	/	/	<=30	Pass	
		Inner_Full	24.47	/	/	24.47	/	/	<=30	Pass	
		Inner_1RB_Left	24.14	/	/	24.14	/	/	<=30	Pass	
		Inner_1RB_Right	24.67	/	/	24.67	/	/	<=30	Pass	
DFT-s-OFDM 64 QAM	3490.02	Edge_1RB_Left	21.94	/	/	21.94	/	/	<=30	Pass	
		Edge_1RB_Right	22.09	/	/	22.09	/	/	<=30	Pass	
		Outer_Full	22.90	/	/	22.90	/	/	<=30	Pass	
		Inner_Full	22.89	/	/	22.89	/	/	<=30	Pass	
		Inner_1RB_Left	22.93	/	/	22.93	/	/	<=30	Pass	
	3500.01	Inner_1RB_Right	23.13	/	/	23.13	/	/	<=30	Pass	
		Edge_1RB_Left	21.66	/	/	21.66	/	/	<=30	Pass	
		Edge_1RB_Right	22.08	/	/	22.08	/	/	<=30	Pass	
		Outer_Full	22.87	/	/	22.87	/	/	<=30	Pass	
		Inner_Full	22.95	/	/	22.95	/	/	<=30	Pass	
	3510	Inner_1RB_Left	22.51	/	/	22.51	/	/	<=30	Pass	
		Inner_1RB_Right	23.11	/	/	23.11	/	/	<=30	Pass	
		Edge_1RB_Left	21.56	/	/	21.56	/	/	<=30	Pass	
		Edge_1RB_Right	22.15	/	/	22.15	/	/	<=30	Pass	
		Outer_Full	22.96	/	/	22.96	/	/	<=30	Pass	
		Inner_Full	23.01	/	/	23.01	/	/	<=30	Pass	
	DFT-s-OFDM 256 QAM	3490.02	Inner_1RB_Left	22.52	/	/	22.52	/	/	<=30	Pass
			Inner_1RB_Right	23.26	/	/	23.26	/	/	<=30	Pass
			Edge_1RB_Left	20.64	/	/	20.64	/	/	<=30	Pass
			Edge_1RB_Right	20.92	/	/	20.92	/	/	<=30	Pass
Outer_Full			20.86	/	/	20.86	/	/	<=30	Pass	
Inner_Full			20.90	/	/	20.90	/	/	<=30	Pass	
3500.01		Inner_1RB_Left	20.60	/	/	20.60	/	/	<=30	Pass	
		Inner_1RB_Right	20.92	/	/	20.92	/	/	<=30	Pass	
		Edge_1RB_Left	20.34	/	/	20.34	/	/	<=30	Pass	
		Edge_1RB_Right	20.92	/	/	20.92	/	/	<=30	Pass	
		Outer_Full	20.91	/	/	20.91	/	/	<=30	Pass	
		Inner_Full	20.99	/	/	20.99	/	/	<=30	Pass	
3510		Inner_1RB_Left	20.37	/	/	20.37	/	/	<=30	Pass	
		Inner_1RB_Right	20.92	/	/	20.92	/	/	<=30	Pass	
		Edge_1RB_Left	20.43	/	/	20.43	/	/	<=30	Pass	
		Edge_1RB_Right	21.03	/	/	21.03	/	/	<=30	Pass	
		Outer_Full	20.97	/	/	20.97	/	/	<=30	Pass	
		Inner_Full	21.02	/	/	21.02	/	/	<=30	Pass	
CP-OFDM QPSK		3490.02	Inner_1RB_Left	20.38	/	/	20.38	/	/	<=30	Pass
			Inner_1RB_Right	21.01	/	/	21.01	/	/	<=30	Pass
	Edge_1RB_Left		21.63	/	/	21.63	/	/	<=30	Pass	
	Edge_1RB_Right		21.99	/	/	21.99	/	/	<=30	Pass	
	Outer_Full		22.31	/	/	22.31	/	/	<=30	Pass	
	Inner_Full		23.78	/	/	23.78	/	/	<=30	Pass	
	3500.01	Inner_1RB_Left	23.62	/	/	23.62	/	/	<=30	Pass	
		Inner_1RB_Right	24.01	/	/	24.01	/	/	<=30	Pass	
		Edge_1RB_Left	21.41	/	/	21.41	/	/	<=30	Pass	
		Edge_1RB_Right	21.98	/	/	21.98	/	/	<=30	Pass	
		Outer_Full	22.33	/	/	22.33	/	/	<=30	Pass	
		Inner_Full	23.87	/	/	23.87	/	/	<=30	Pass	
	3510	Inner_1RB_Left	23.39	/	/	23.39	/	/	<=30	Pass	
		Inner_1RB_Right	23.94	/	/	23.94	/	/	<=30	Pass	
		Edge_1RB_Left	21.39	/	/	21.39	/	/	<=30	Pass	

		Edge_1RB_Right	22.02	/	/	22.02	/	/	<=30	Pass
		Outer_Full	22.40	/	/	22.40	/	/	<=30	Pass
		Inner_Full	23.81	/	/	23.81	/	/	<=30	Pass
		Inner_1RB_Left	23.39	/	/	23.39	/	/	<=30	Pass
		Inner_1RB_Right	23.98	/	/	23.98	/	/	<=30	Pass
CP-OFDM 16 QAM	3490.02	Edge_1RB_Left	21.76	/	/	21.76	/	/	<=30	Pass
		Edge_1RB_Right	21.94	/	/	21.94	/	/	<=30	Pass
		Outer_Full	22.32	/	/	22.32	/	/	<=30	Pass
		Inner_Full	23.33	/	/	23.33	/	/	<=30	Pass
		Inner_1RB_Left	23.21	/	/	23.21	/	/	<=30	Pass
	Inner_1RB_Right	23.43	/	/	23.43	/	/	<=30	Pass	
	3500.01	Edge_1RB_Left	21.48	/	/	21.48	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	22.12	/	/	<=30	Pass
		Outer_Full	22.36	/	/	22.36	/	/	<=30	Pass
		Inner_Full	23.41	/	/	23.41	/	/	<=30	Pass
		Inner_1RB_Left	22.90	/	/	22.90	/	/	<=30	Pass
	Inner_1RB_Right	23.46	/	/	23.46	/	/	<=30	Pass	
	3510	Edge_1RB_Left	21.59	/	/	21.59	/	/	<=30	Pass
		Edge_1RB_Right	22.09	/	/	22.09	/	/	<=30	Pass
		Outer_Full	22.39	/	/	22.39	/	/	<=30	Pass
Inner_Full		23.44	/	/	23.44	/	/	<=30	Pass	
Inner_1RB_Left		22.94	/	/	22.94	/	/	<=30	Pass	
Inner_1RB_Right	23.65	/	/	23.65	/	/	<=30	Pass		
CP-OFDM 64 QAM	3490.02	Edge_1RB_Left	21.84	/	/	21.84	/	/	<=30	Pass
		Edge_1RB_Right	22.16	/	/	22.16	/	/	<=30	Pass
		Outer_Full	21.86	/	/	21.86	/	/	<=30	Pass
		Inner_Full	21.84	/	/	21.84	/	/	<=30	Pass
		Inner_1RB_Left	21.82	/	/	21.82	/	/	<=30	Pass
	Inner_1RB_Right	22.14	/	/	22.14	/	/	<=30	Pass	
	3500.01	Edge_1RB_Left	21.54	/	/	21.54	/	/	<=30	Pass
		Edge_1RB_Right	22.13	/	/	22.13	/	/	<=30	Pass
		Outer_Full	21.87	/	/	21.87	/	/	<=30	Pass
		Inner_Full	21.92	/	/	21.92	/	/	<=30	Pass
		Inner_1RB_Left	21.53	/	/	21.53	/	/	<=30	Pass
	Inner_1RB_Right	22.13	/	/	22.13	/	/	<=30	Pass	
	3510	Edge_1RB_Left	21.53	/	/	21.53	/	/	<=30	Pass
		Edge_1RB_Right	22.23	/	/	22.23	/	/	<=30	Pass
		Outer_Full	21.95	/	/	21.95	/	/	<=30	Pass
Inner_Full		21.95	/	/	21.95	/	/	<=30	Pass	
Inner_1RB_Left		21.55	/	/	21.55	/	/	<=30	Pass	
Inner_1RB_Right	22.26	/	/	22.26	/	/	<=30	Pass		
CP-OFDM 256 QAM	3490.02	Edge_1RB_Left	18.90	/	/	18.90	/	/	<=30	Pass
		Edge_1RB_Right	19.14	/	/	19.14	/	/	<=30	Pass
		Outer_Full	18.90	/	/	18.90	/	/	<=30	Pass
		Inner_Full	18.87	/	/	18.87	/	/	<=30	Pass
		Inner_1RB_Left	18.85	/	/	18.85	/	/	<=30	Pass
	Inner_1RB_Right	19.15	/	/	19.15	/	/	<=30	Pass	
	3500.01	Edge_1RB_Left	18.55	/	/	18.55	/	/	<=30	Pass
		Edge_1RB_Right	19.09	/	/	19.09	/	/	<=30	Pass
		Outer_Full	18.97	/	/	18.97	/	/	<=30	Pass
		Inner_Full	18.98	/	/	18.98	/	/	<=30	Pass
		Inner_1RB_Left	18.56	/	/	18.56	/	/	<=30	Pass
	Inner_1RB_Right	19.11	/	/	19.11	/	/	<=30	Pass	
	3510	Edge_1RB_Left	18.61	/	/	18.61	/	/	<=30	Pass
		Edge_1RB_Right	19.13	/	/	19.13	/	/	<=30	Pass
		Outer_Full	19.02	/	/	19.02	/	/	<=30	Pass
Inner_Full		19.00	/	/	19.00	/	/	<=30	Pass	
Inner_1RB_Left		18.54	/	/	18.54	/	/	<=30	Pass	
Inner_1RB_Right	19.23	/	/	19.23	/	/	<=30	Pass		

Note1: Antenna Gain: Ant6: 0.00dBi;
 Note2: EIRP=Conducted Power+Antenna Gain

1.1.11 30k_SISO_90MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 90MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant6	Ant2	Sum	Ant6	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3495	Edge_1RB_Left	21.74	/	/	21.74	/	/	<=30	Pass
		Edge_1RB_Right	22.22	/	/	22.22	/	/	<=30	Pass
		Outer_Full	24.74	/	/	24.74	/	/	<=30	Pass
		Inner_Full	25.25	/	/	25.25	/	/	<=30	Pass
		Inner_1RB_Left	25.28	/	/	25.28	/	/	<=30	Pass
		Inner_1RB_Right	25.70	/	/	25.70	/	/	<=30	Pass
	3500.01	Edge_1RB_Left	21.70	/	/	21.70	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	22.12	/	/	<=30	Pass
		Outer_Full	24.82	/	/	24.82	/	/	<=30	Pass
		Inner_Full	25.44	/	/	25.44	/	/	<=30	Pass
		Inner_1RB_Left	25.20	/	/	25.20	/	/	<=30	Pass
	3504.99	Inner_1RB_Right	25.71	/	/	25.71	/	/	<=30	Pass
		Edge_1RB_Left	21.64	/	/	21.64	/	/	<=30	Pass
		Edge_1RB_Right	22.02	/	/	22.02	/	/	<=30	Pass
		Outer_Full	24.85	/	/	24.85	/	/	<=30	Pass
Inner_Full		25.47	/	/	25.47	/	/	<=30	Pass	
Inner_1RB_Left		25.10	/	/	25.10	/	/	<=30	Pass	
DFT-s-OFDM QPSK	3495	Inner_1RB_Right	25.58	/	/	25.58	/	/	<=30	Pass
		Edge_1RB_Left	21.74	/	/	21.74	/	/	<=30	Pass
		Edge_1RB_Right	22.20	/	/	22.20	/	/	<=30	Pass
		Outer_Full	24.26	/	/	24.26	/	/	<=30	Pass
		Inner_Full	25.27	/	/	25.27	/	/	<=30	Pass
		Inner_1RB_Left	25.14	/	/	25.14	/	/	<=30	Pass
	3500.01	Inner_1RB_Right	25.78	/	/	25.78	/	/	<=30	Pass
		Edge_1RB_Left	21.64	/	/	21.64	/	/	<=30	Pass
		Edge_1RB_Right	22.08	/	/	22.08	/	/	<=30	Pass
		Outer_Full	24.38	/	/	24.38	/	/	<=30	Pass
		Inner_Full	25.38	/	/	25.38	/	/	<=30	Pass
	3504.99	Inner_1RB_Left	25.04	/	/	25.04	/	/	<=30	Pass
		Inner_1RB_Right	25.75	/	/	25.75	/	/	<=30	Pass
		Edge_1RB_Left	21.60	/	/	21.60	/	/	<=30	Pass
		Edge_1RB_Right	22.01	/	/	22.01	/	/	<=30	Pass
Outer_Full		24.43	/	/	24.43	/	/	<=30	Pass	
Inner_Full		25.48	/	/	25.48	/	/	<=30	Pass	
DFT-s-OFDM 16 QAM	3495	Inner_1RB_Left	25.07	/	/	25.07	/	/	<=30	Pass
		Inner_1RB_Right	25.60	/	/	25.60	/	/	<=30	Pass
		Edge_1RB_Left	21.75	/	/	21.75	/	/	<=30	Pass
		Edge_1RB_Right	22.28	/	/	22.28	/	/	<=30	Pass
		Outer_Full	23.28	/	/	23.28	/	/	<=30	Pass
		Inner_Full	24.19	/	/	24.19	/	/	<=30	Pass
	3500.01	Inner_1RB_Left	24.34	/	/	24.34	/	/	<=30	Pass
		Inner_1RB_Right	24.68	/	/	24.68	/	/	<=30	Pass
		Edge_1RB_Left	21.72	/	/	21.72	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	22.12	/	/	<=30	Pass
		Outer_Full	23.38	/	/	23.38	/	/	<=30	Pass
		Inner_Full	24.41	/	/	24.41	/	/	<=30	Pass
	3504.99	Inner_1RB_Left	24.28	/	/	24.28	/	/	<=30	Pass
		Inner_1RB_Right	24.67	/	/	24.67	/	/	<=30	Pass
		Edge_1RB_Left	21.74	/	/	21.74	/	/	<=30	Pass
		Edge_1RB_Right	22.04	/	/	22.04	/	/	<=30	Pass

		Outer_Full	23.40	/	/	23.40	/	/	<=30	Pass	
		Inner_Full	24.41	/	/	24.41	/	/	<=30	Pass	
		Inner_1RB_Left	24.13	/	/	24.13	/	/	<=30	Pass	
		Inner_1RB_Right	24.73	/	/	24.73	/	/	<=30	Pass	
DFT-s-OFDM 64 QAM	3495	Edge_1RB_Left	21.72	/	/	21.72	/	/	<=30	Pass	
		Edge_1RB_Right	22.20	/	/	22.20	/	/	<=30	Pass	
		Outer_Full	22.84	/	/	22.84	/	/	<=30	Pass	
		Inner_Full	22.77	/	/	22.77	/	/	<=30	Pass	
	3500.01	Inner_1RB_Left	22.83	/	/	22.83	/	/	<=30	Pass	
		Inner_1RB_Right	23.19	/	/	23.19	/	/	<=30	Pass	
		Edge_1RB_Left	21.66	/	/	21.66	/	/	<=30	Pass	
		Edge_1RB_Right	22.08	/	/	22.08	/	/	<=30	Pass	
	3504.99	Outer_Full	22.89	/	/	22.89	/	/	<=30	Pass	
		Inner_Full	22.96	/	/	22.96	/	/	<=30	Pass	
		Inner_1RB_Left	22.59	/	/	22.59	/	/	<=30	Pass	
		Inner_1RB_Right	23.10	/	/	23.10	/	/	<=30	Pass	
	DFT-s-OFDM 256 QAM	3495	Edge_1RB_Left	20.53	/	/	20.53	/	/	<=30	Pass
			Edge_1RB_Right	21.00	/	/	21.00	/	/	<=30	Pass
			Outer_Full	20.81	/	/	20.81	/	/	<=30	Pass
			Inner_Full	20.80	/	/	20.80	/	/	<=30	Pass
3500.01		Inner_1RB_Left	20.46	/	/	20.46	/	/	<=30	Pass	
		Inner_1RB_Right	21.03	/	/	21.03	/	/	<=30	Pass	
		Edge_1RB_Left	20.50	/	/	20.50	/	/	<=30	Pass	
		Edge_1RB_Right	20.88	/	/	20.88	/	/	<=30	Pass	
3504.99		Outer_Full	20.89	/	/	20.89	/	/	<=30	Pass	
		Inner_Full	21.00	/	/	21.00	/	/	<=30	Pass	
		Inner_1RB_Left	20.46	/	/	20.46	/	/	<=30	Pass	
		Inner_1RB_Right	20.87	/	/	20.87	/	/	<=30	Pass	
3504.99		Edge_1RB_Left	20.41	/	/	20.41	/	/	<=30	Pass	
		Edge_1RB_Right	20.84	/	/	20.84	/	/	<=30	Pass	
		Outer_Full	20.97	/	/	20.97	/	/	<=30	Pass	
		Inner_Full	21.05	/	/	21.05	/	/	<=30	Pass	
CP-OFDM QPSK	3495	Inner_1RB_Left	20.43	/	/	20.43	/	/	<=30	Pass	
		Inner_1RB_Right	20.83	/	/	20.83	/	/	<=30	Pass	
		Edge_1RB_Left	21.55	/	/	21.55	/	/	<=30	Pass	
		Edge_1RB_Right	22.08	/	/	22.08	/	/	<=30	Pass	
	3500.01	Outer_Full	22.27	/	/	22.27	/	/	<=30	Pass	
		Inner_Full	23.67	/	/	23.67	/	/	<=30	Pass	
		Inner_1RB_Left	23.55	/	/	23.55	/	/	<=30	Pass	
		Inner_1RB_Right	24.10	/	/	24.10	/	/	<=30	Pass	
	3504.99	Edge_1RB_Left	21.50	/	/	21.50	/	/	<=30	Pass	
		Edge_1RB_Right	22.03	/	/	22.03	/	/	<=30	Pass	
		Outer_Full	22.35	/	/	22.35	/	/	<=30	Pass	
		Inner_Full	23.82	/	/	23.82	/	/	<=30	Pass	
	3504.99	Inner_1RB_Left	23.50	/	/	23.50	/	/	<=30	Pass	
		Inner_1RB_Right	23.91	/	/	23.91	/	/	<=30	Pass	
		Edge_1RB_Left	21.48	/	/	21.48	/	/	<=30	Pass	
		Edge_1RB_Right	21.88	/	/	21.88	/	/	<=30	Pass	
CP-OFDM 16 QAM	3495	Outer_Full	22.39	/	/	22.39	/	/	<=30	Pass	
		Inner_Full	23.89	/	/	23.89	/	/	<=30	Pass	
		Inner_1RB_Left	23.40	/	/	23.40	/	/	<=30	Pass	
		Inner_1RB_Right	23.93	/	/	23.93	/	/	<=30	Pass	
		Edge_1RB_Left	21.67	/	/	21.67	/	/	<=30	Pass	

		Edge_1RB_Right	22.24	/	/	22.24	/	/	<=30	Pass	
		Outer_Full	22.23	/	/	22.23	/	/	<=30	Pass	
		Inner_Full	23.22	/	/	23.22	/	/	<=30	Pass	
		Inner_1RB_Left	23.11	/	/	23.11	/	/	<=30	Pass	
		Inner_1RB_Right	23.58	/	/	23.58	/	/	<=30	Pass	
	3500.01	Edge_1RB_Left	21.76	/	/	21.76	/	/	<=30	Pass	
		Edge_1RB_Right	22.10	/	/	22.10	/	/	<=30	Pass	
		Outer_Full	22.38	/	/	22.38	/	/	<=30	Pass	
		Inner_Full	23.37	/	/	23.37	/	/	<=30	Pass	
		Inner_1RB_Left	23.02	/	/	23.02	/	/	<=30	Pass	
	3504.99	Inner_1RB_Right	23.47	/	/	23.47	/	/	<=30	Pass	
		Edge_1RB_Left	21.54	/	/	21.54	/	/	<=30	Pass	
		Edge_1RB_Right	22.10	/	/	22.10	/	/	<=30	Pass	
		Outer_Full	22.37	/	/	22.37	/	/	<=30	Pass	
		Inner_Full	23.45	/	/	23.45	/	/	<=30	Pass	
CP-OFDM 64 QAM	3495	Inner_1RB_Left	22.98	/	/	22.98	/	/	<=30	Pass	
		Inner_1RB_Right	23.42	/	/	23.42	/	/	<=30	Pass	
		Edge_1RB_Left	21.76	/	/	21.76	/	/	<=30	Pass	
		Edge_1RB_Right	22.26	/	/	22.26	/	/	<=30	Pass	
		Outer_Full	21.79	/	/	21.79	/	/	<=30	Pass	
		Inner_Full	21.77	/	/	21.77	/	/	<=30	Pass	
	3500.01	Inner_1RB_Left	21.73	/	/	21.73	/	/	<=30	Pass	
		Inner_1RB_Right	22.31	/	/	22.31	/	/	<=30	Pass	
		Edge_1RB_Left	21.65	/	/	21.65	/	/	<=30	Pass	
		Edge_1RB_Right	22.13	/	/	22.13	/	/	<=30	Pass	
		Outer_Full	21.88	/	/	21.88	/	/	<=30	Pass	
		Inner_Full	21.92	/	/	21.92	/	/	<=30	Pass	
	3504.99	Inner_1RB_Left	21.65	/	/	21.65	/	/	<=30	Pass	
		Inner_1RB_Right	22.10	/	/	22.10	/	/	<=30	Pass	
		Edge_1RB_Left	21.64	/	/	21.64	/	/	<=30	Pass	
		Edge_1RB_Right	22.13	/	/	22.13	/	/	<=30	Pass	
		Outer_Full	21.94	/	/	21.94	/	/	<=30	Pass	
		Inner_Full	21.98	/	/	21.98	/	/	<=30	Pass	
	CP-OFDM 256 QAM	3495	Inner_1RB_Left	21.65	/	/	21.65	/	/	<=30	Pass
			Inner_1RB_Right	22.14	/	/	22.14	/	/	<=30	Pass
			Edge_1RB_Left	18.75	/	/	18.75	/	/	<=30	Pass
			Edge_1RB_Right	19.18	/	/	19.18	/	/	<=30	Pass
			Outer_Full	18.80	/	/	18.80	/	/	<=30	Pass
			Inner_Full	18.85	/	/	18.85	/	/	<=30	Pass
3500.01		Inner_1RB_Left	18.75	/	/	18.75	/	/	<=30	Pass	
		Inner_1RB_Right	19.20	/	/	19.20	/	/	<=30	Pass	
		Edge_1RB_Left	18.71	/	/	18.71	/	/	<=30	Pass	
		Edge_1RB_Right	19.09	/	/	19.09	/	/	<=30	Pass	
		Outer_Full	18.91	/	/	18.91	/	/	<=30	Pass	
		Inner_Full	18.99	/	/	18.99	/	/	<=30	Pass	
3504.99		Inner_1RB_Left	18.69	/	/	18.69	/	/	<=30	Pass	
		Inner_1RB_Right	19.13	/	/	19.13	/	/	<=30	Pass	
		Edge_1RB_Left	18.62	/	/	18.62	/	/	<=30	Pass	
		Edge_1RB_Right	19.02	/	/	19.02	/	/	<=30	Pass	
		Outer_Full	18.95	/	/	18.95	/	/	<=30	Pass	
		Inner_Full	19.06	/	/	19.06	/	/	<=30	Pass	
		Inner_1RB_Left	18.59	/	/	18.59	/	/	<=30	Pass	
		Inner_1RB_Right	19.03	/	/	19.03	/	/	<=30	Pass	
Note1: Antenna Gain: Ant6: 0.00dBi;											
Note2: EIRP=Conducted Power+Antenna Gain											

1.1.12 30k_SISO_100MHz_NTNV_EIRP

5G NR n78e SCS=30kHz SISO 100MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant6	Ant2	Sum	Ant6	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Edge_1RB_Left	21.77	/	/	21.77	/	/	<=30	Pass
		Edge_1RB_Right	22.13	/	/	22.13	/	/	<=30	Pass
		Outer_Full	24.79	/	/	24.79	/	/	<=30	Pass
		Inner_Full	25.39	/	/	25.39	/	/	<=30	Pass
		Inner_1RB_Left	25.41	/	/	25.41	/	/	<=30	Pass
		Inner_1RB_Right	25.70	/	/	25.70	/	/	<=30	Pass
DFT-s-OFDM QPSK	3500.01	Edge_1RB_Left	21.75	/	/	21.75	/	/	<=30	Pass
		Edge_1RB_Right	22.08	/	/	22.08	/	/	<=30	Pass
		Outer_Full	24.31	/	/	24.31	/	/	<=30	Pass
		Inner_Full	25.37	/	/	25.37	/	/	<=30	Pass
		Inner_1RB_Left	25.21	/	/	25.21	/	/	<=30	Pass
DFT-s-OFDM 16 QAM	3500.01	Inner_1RB_Right	25.62	/	/	25.62	/	/	<=30	Pass
		Edge_1RB_Left	21.91	/	/	21.91	/	/	<=30	Pass
		Edge_1RB_Right	22.18	/	/	22.18	/	/	<=30	Pass
		Outer_Full	23.39	/	/	23.39	/	/	<=30	Pass
		Inner_Full	24.45	/	/	24.45	/	/	<=30	Pass
		Inner_1RB_Left	24.38	/	/	24.38	/	/	<=30	Pass
DFT-s-OFDM 64 QAM	3500.01	Inner_1RB_Right	24.67	/	/	24.67	/	/	<=30	Pass
		Edge_1RB_Left	21.79	/	/	21.79	/	/	<=30	Pass
		Edge_1RB_Right	22.12	/	/	22.12	/	/	<=30	Pass
		Outer_Full	22.93	/	/	22.93	/	/	<=30	Pass
		Inner_Full	22.97	/	/	22.97	/	/	<=30	Pass
		Inner_1RB_Left	22.77	/	/	22.77	/	/	<=30	Pass
DFT-s-OFDM 256 QAM	3500.01	Inner_1RB_Right	23.13	/	/	23.13	/	/	<=30	Pass
		Edge_1RB_Left	20.57	/	/	20.57	/	/	<=30	Pass
		Edge_1RB_Right	20.93	/	/	20.93	/	/	<=30	Pass
		Outer_Full	20.90	/	/	20.90	/	/	<=30	Pass
		Inner_Full	20.98	/	/	20.98	/	/	<=30	Pass
		Inner_1RB_Left	20.59	/	/	20.59	/	/	<=30	Pass
CP-OFDM QPSK	3500.01	Inner_1RB_Right	20.97	/	/	20.97	/	/	<=30	Pass
		Edge_1RB_Left	21.63	/	/	21.63	/	/	<=30	Pass
		Edge_1RB_Right	21.98	/	/	21.98	/	/	<=30	Pass
		Outer_Full	22.34	/	/	22.34	/	/	<=30	Pass
		Inner_Full	23.82	/	/	23.82	/	/	<=30	Pass
		Inner_1RB_Left	23.59	/	/	23.59	/	/	<=30	Pass
CP-OFDM 16 QAM	3500.01	Inner_1RB_Right	23.99	/	/	23.99	/	/	<=30	Pass
		Edge_1RB_Left	21.71	/	/	21.71	/	/	<=30	Pass
		Edge_1RB_Right	22.17	/	/	22.17	/	/	<=30	Pass
		Outer_Full	22.37	/	/	22.37	/	/	<=30	Pass
		Inner_Full	23.43	/	/	23.43	/	/	<=30	Pass
		Inner_1RB_Left	23.14	/	/	23.14	/	/	<=30	Pass
CP-OFDM 64 QAM	3500.01	Inner_1RB_Right	23.51	/	/	23.51	/	/	<=30	Pass
		Edge_1RB_Left	21.78	/	/	21.78	/	/	<=30	Pass
		Edge_1RB_Right	22.24	/	/	22.24	/	/	<=30	Pass
		Outer_Full	21.87	/	/	21.87	/	/	<=30	Pass
		Inner_Full	21.92	/	/	21.92	/	/	<=30	Pass
		Inner_1RB_Left	21.81	/	/	21.81	/	/	<=30	Pass
CP-OFDM 256 QAM	3500.01	Inner_1RB_Right	22.18	/	/	22.18	/	/	<=30	Pass
		Edge_1RB_Left	18.79	/	/	18.79	/	/	<=30	Pass
		Edge_1RB_Right	19.12	/	/	19.12	/	/	<=30	Pass
		Outer_Full	18.92	/	/	18.92	/	/	<=30	Pass
		Inner_Full	18.95	/	/	18.95	/	/	<=30	Pass
		Inner_1RB_Left	18.74	/	/	18.74	/	/	<=30	Pass
		Inner_1RB_Right	19.18	/	/	19.18	/	/	<=30	Pass

Note1: Antenna Gain: Ant6: 0.00dBi;

Note2: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 30k_SISO_100MHz

5G NR n78e SCS=30kHz SISO 100MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	3500.01	Outer_Full	20	LV	-7.70	-0.0022	>=-2.5 & <=2.5	Pass
				HV	-9.70	-0.0028	>=-2.5 & <=2.5	Pass
			-30	NV	-6.50	-0.0019	>=-2.5 & <=2.5	Pass
			-20	NV	-7.00	-0.0020	>=-2.5 & <=2.5	Pass
			-10	NV	-9.10	-0.0026	>=-2.5 & <=2.5	Pass
			0	NV	-7.40	-0.0021	>=-2.5 & <=2.5	Pass
			10	NV	-9.50	-0.0027	>=-2.5 & <=2.5	Pass
			20	NV	-7.10	-0.0020	>=-2.5 & <=2.5	Pass
			30	NV	-6.10	-0.0017	>=-2.5 & <=2.5	Pass
			40	NV	-10.00	-0.0029	>=-2.5 & <=2.5	Pass
50	NV	-7.40	-0.0021	>=-2.5 & <=2.5	Pass			

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 30k_SISO_10MHz_NTNV

5G NR n78e SCS=30kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	8.73	9.53	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	8.71	9.50	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	8.68	9.58	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	8.69	9.53	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	8.66	9.48	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	8.71	10.81	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	8.70	9.53	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	8.70	9.65	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	8.72	9.55	/	Pass

3.1.2 30k_SISO_15MHz_NTNV

5G NR n78e SCS=30kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	13.05	14.10	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	13.05	14.13	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	13.04	14.12	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	13.13	14.20	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	13.00	14.15	/	Pass

CP-OFDM QPSK	3500.01	Outer_Full	13.71	14.90	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	13.73	14.93	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	13.84	14.98	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	13.76	14.89	/	Pass

3.1.3 30k_SISO_20MHz_NTNV

5G NR n78e SCS=30kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	18.15	19.46	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	18.09	19.51	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	18.15	19.50	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	18.12	19.47	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	18.02	19.39	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	18.35	19.74	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	18.50	19.87	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	18.42	19.77	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	18.40	19.80	/	Pass

3.1.4 30k_SISO_25MHz_NTNV

5G NR n78e SCS=30kHz SISO 25MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	23.14	24.74	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	23.06	24.75	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	23.05	24.70	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	23.16	24.73	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	23.04	24.67	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	23.40	25.07	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	23.43	25.01	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	23.54	25.07	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	23.40	25.04	/	Pass

3.1.5 30k_SISO_30MHz_NTNV

5G NR n78e SCS=30kHz SISO 30MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	27.08	29.03	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	27.06	28.99	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	27.09	29.22	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	27.08	29.12	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	27.09	29.12	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	28.07	30.02	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	28.07	30.18	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	28.09	30.11	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	28.07	30.27	/	Pass

3.1.6 30k_SISO_40MHz_NTNV

5G NR n78e SCS=30kHz SISO 40MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	36.15	38.69	/	Pass

DFT-s-OFDM QPSK	3500.01	Outer_Full	36.13	38.77	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	36.10	38.66	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	36.12	38.74	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	36.01	38.56	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	38.23	40.83	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	38.11	40.72	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	38.21	40.80	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	38.05	40.88	/	Pass

3.1.7 30k_SISO_50MHz_NTNV

5G NR n78e SCS=30kHz SISO 50MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	46.08	49.13	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	46.09	49.48	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	46.09	49.28	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	46.09	49.43	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	45.98	49.29	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	47.78	51.15	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	47.70	51.16	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	47.87	51.13	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	47.80	51.10	/	Pass

3.1.8 30k_SISO_60MHz_NTNV

5G NR n78e SCS=30kHz SISO 60MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	58.34	62.09	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	57.85	62.05	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	58.10	62.11	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	58.19	62.13	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	58.16	62.09	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	58.27	62.18	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	58.20	62.20	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	58.17	62.16	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	58.16	62.10	/	Pass

3.1.9 30k_SISO_70MHz_NTNV

5G NR n78e SCS=30kHz SISO 70MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	65.02	69.56	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	64.95	69.67	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	64.90	69.58	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	65.02	69.56	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	64.84	69.43	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	68.36	79.15	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	68.35	76.76	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	68.18	72.70	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	67.94	72.75	/	Pass

3.1.10 30k_SISO_80MHz_NTNV

5G NR n78e SCS=30kHz SISO 80MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	77.79	82.75	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	77.37	82.54	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	77.48	82.50	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	77.57	82.44	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	77.61	82.51	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	77.95	82.90	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	77.94	83.09	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	77.94	82.77	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	77.95	82.70	/	Pass

3.1.11 30k_SISO_90MHz_NTNV


5G NR n78e SCS=30kHz SISO 90MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	86.89	92.47	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	87.18	92.77	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	87.23	92.73	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	87.03	93.14	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	87.12	92.79	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	88.10	93.50	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	87.91	93.69	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	87.98	93.49	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	87.89	93.79	/	Pass

3.1.12 30k_SISO_100MHz_NTNV


5G NR n78e SCS=30kHz SISO 100MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	97.19	103.27	/	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	97.11	103.97	/	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	96.95	103.69	/	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	97.62	103.12	/	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	97.13	102.90	/	Pass
CP-OFDM QPSK	3500.01	Outer_Full	97.94	104.52	/	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	98.11	104.33	/	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	98.15	104.02	/	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	97.91	104.59	/	Pass

3.2 Test Graph


3.2.1 30k_SISO_10MHz_NTNV




n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM 256 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM_3500.01MHz_Outer_Full_Ant6



n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_10MHz_CP-OFDM 256 QAM_3500.01MHz_Outer_Full_Ant6




3.2.2 30k_SISO_15MHz_NTNV


n78e_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_15MHz_DFT-s-OFDM 256 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM_3500.01MHz_Outer_Full_Ant6



n78e_30kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_15MHz_CP-OFDM 256 QAM_3500.01MHz_Outer_Full_Ant6




3.2.3 30k_SISO_20MHz_NTNV


n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM_3500.01MHz_Outer_Full_Ant6



n78e_30kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTV_20MHz_CP-OFDM 256 QAM_3500.01MHz_Outer_Full_Ant6




3.2.4 30k_SISO_25MHz_NTNV


n78e_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM PI/2 BPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM QPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 16 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 64 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_25MHz_DFT-s-OFDM 256 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTNV_25MHz_CP-OFDM QPSK_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTV_25MHz_CP-OFDM 16 QAM_3500.01MHz_Outer_Full_Ant6



n78e_30kHz_SISO_NTV_25MHz_CP-OFDM 64 QAM_3500.01MHz_Outer_Full_Ant6




n78e_30kHz_SISO_NTV_25MHz_CP-OFDM 256 QAM_3500.01MHz_Outer_Full_Ant6




3.2.5 30k_SISO_30MHz_NTNV


n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_3500.01MHz_Outer_Full_Ant6



n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM QPSK_3500.01MHz_Outer_Full_Ant6



n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 16 QAM_3500.01MHz_Outer_Full_Ant6



n78e_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM 64 QAM_3500.01MHz_Outer_Full_Ant6

