

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 CA_7C_NTNV_EIRP

Band: CA_7C / NTNV										
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Conducted Power (dBm)			Gain (dBi)	EIRP (dBm)		Verdict
				CC1	CC2	Sum		Result	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	22.95	-17.27	22.95	-0.92	22.03	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	22.87	20.89	23.08	-0.92	22.16	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	19.33	6.40	19.54	-0.92	18.62	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	20.96	9.88	21.18	-0.92	20.26	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	20.89	8.92	21.10	-0.92	20.18	<=33.01	Pass
		CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	22.85	-16.61	22.85	-0.92	21.93	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	22.75	20.80	22.97	-0.92	22.05	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	17.59	14.80	19.42	-0.92	18.50	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	20.83	10.01	21.08	-0.92	20.16	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	20.76	9.37	21.01	-0.92	20.09	<=33.01	Pass
	CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	22.78	-17.61	22.78	-0.92	21.86	<=33.01	Pass	
		CC1: 1@49 CC2: 1@0	22.75	20.74	22.96	-0.92	22.04	<=33.01	Pass	
		CC1: 25@0 CC2: 50@50	19.22	5.87	19.42	-0.92	18.50	<=33.01	Pass	
		CC1: 25@25 CC2: 50@0	19.97	14.86	21.05	-0.92	20.13	<=33.01	Pass	
		CC1: 50@0 CC2: 100@0	20.77	8.47	20.97	-0.92	20.05	<=33.01	Pass	
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	22.28	-18.02	22.28	-0.92	21.36	<=33.01	Pass
			CC1: 1@49 CC2: 1@0	22.19	19.98	22.39	-0.92	21.47	<=33.01	Pass
			CC1: 25@0 CC2: 50@50	19.34	6.26	19.55	-0.92	18.63	<=33.01	Pass
			CC1: 25@25 CC2: 50@0	19.93	8.85	20.15	-0.92	19.23	<=33.01	Pass
			CC1: 50@0 CC2: 100@0	19.89	7.84	20.10	-0.92	19.18	<=33.01	Pass
CC1:2525.3 CC2:2539.7		CC1: 1@0 CC2: 0@0	22.24	-17.28	22.24	-0.92	21.32	<=33.01	Pass	
		CC1: 1@49 CC2: 1@0	22.36	20.27	22.56	-0.92	21.64	<=33.01	Pass	
		CC1: 25@0 CC2: 50@50	19.22	7.15	19.48	-0.92	18.56	<=33.01	Pass	
		CC1: 25@25 CC2: 50@0	18.93	14.20	20.11	-0.92	19.19	<=33.01	Pass	
		CC1: 50@0 CC2: 100@0	18.80	14.04	20.02	-0.92	19.10	<=33.01	Pass	

		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	21.35	-18.96	21.35	-0.92	20.43	<=33.01	Pass	
			CC1: 1@49 CC2: 1@0	22.36	20.24	22.55	-0.92	21.63	<=33.01	Pass	
			CC1: 25@0 CC2: 50@50	19.22	5.85	19.42	-0.92	18.50	<=33.01	Pass	
			CC1: 25@25 CC2: 50@0	18.99	13.90	20.08	-0.92	19.16	<=33.01	Pass	
			CC1: 50@0 CC2: 100@0	19.75	7.60	19.96	-0.92	19.04	<=33.01	Pass	
		CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 0@0	21.26	-18.89	21.26	-0.92	20.34	<=33.01	Pass	
			CC1: 1@49 CC2: 1@0	20.14	18.10	20.35	-0.92	19.43	<=33.01	Pass	
			CC1: 25@0 CC2: 50@50	19.35	6.37	19.56	-0.92	18.64	<=33.01	Pass	
			CC1: 25@25 CC2: 50@0	19.16	13.88	20.21	-0.92	19.29	<=33.01	Pass	
			CC1: 50@0 CC2: 100@0	19.91	7.98	20.12	-0.92	19.20	<=33.01	Pass	
	CC1:2525.3 CC2:2539.7	CC1: 1@0 CC2: 0@0	21.18	-18.13	21.18	-0.92	20.26	<=33.01	Pass		
		CC1: 1@49 CC2: 1@0	20.11	18.11	20.33	-0.92	19.41	<=33.01	Pass		
		CC1: 25@0 CC2: 50@50	19.24	7.22	19.50	-0.92	18.58	<=33.01	Pass		
		CC1: 25@25 CC2: 50@0	19.81	8.86	20.05	-0.92	19.13	<=33.01	Pass		
		CC1: 50@0 CC2: 100@0	19.77	8.39	20.02	-0.92	19.10	<=33.01	Pass		
	CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 0@0	21.17	-19.15	21.17	-0.92	20.25	<=33.01	Pass		
		CC1: 1@49 CC2: 1@0	20.04	18.01	20.25	-0.92	19.33	<=33.01	Pass		
		CC1: 25@0 CC2: 50@50	19.25	5.88	19.45	-0.92	18.53	<=33.01	Pass		
		CC1: 25@25 CC2: 50@0	19.83	8.65	20.06	-0.92	19.14	<=33.01	Pass		
		CC1: 50@0 CC2: 100@0	18.96	13.44	19.99	-0.92	19.07	<=33.01	Pass		
	CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	21.47	-19.90	21.47	-0.92	20.55	<=33.01	Pass
				CC1: 1@74 CC2: 1@0	22.48	15.13	23.19	-0.92	22.27	<=33.01	Pass
				CC1: 36@0 CC2: 25@25	19.37	6.19	19.57	-0.92	18.65	<=33.01	Pass
				CC1: 36@39 CC2: 25@0	21.00	7.95	21.21	-0.92	20.29	<=33.01	Pass
				CC1: 75@0 CC2: 50@0	20.17	14.21	21.15	-0.92	20.23	<=33.01	Pass
CC1:2530.3 CC2:2542.3		CC1: 1@0 CC2: 0@0	22.95	-17.75	22.95	-0.92	22.03	<=33.01	Pass		
		CC1: 1@74 CC2: 1@0	22.89	9.79	23.09	-0.92	22.17	<=33.01	Pass		
		CC1: 36@0 CC2: 25@25	19.22	7.10	19.48	-0.92	18.56	<=33.01	Pass		
		CC1: 36@39 CC2: 25@0	20.87	8.31	21.10	-0.92	20.18	<=33.01	Pass		
		CC1: 75@0 CC2: 50@0	20.85	8.43	21.09	-0.92	20.17	<=33.01	Pass		
CC1:2553	CC1: 1@0	22.93	-19.10	22.93	-0.92	22.01	<=33.01	Pass			

		CC2:2565	CC2: 0@0								
			CC1: 1@74 CC2: 1@0	21.17	18.62	23.03	-0.92	22.11	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	18.60	12.04	19.46	-0.92	18.54	<=33.01	Pass	
			CC1: 36@39 CC2: 25@0	20.88	7.53	21.07	-0.92	20.15	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	19.87	14.75	21.04	-0.92	20.12	<=33.01	Pass	
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	21.96	-19.53	21.96	-0.92	21.04	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	22.00	13.54	22.55	-0.92	21.63	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	19.40	6.17	19.60	-0.92	18.68	<=33.01	Pass	
			CC1: 36@39 CC2: 25@0	19.99	7.00	20.21	-0.92	19.29	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	19.22	12.93	20.13	-0.92	19.21	<=33.01	Pass	
		CC1:2530.3 CC2:2542.3	CC1: 1@0 CC2: 0@0	21.93	-18.76	21.94	-0.92	21.02	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	20.93	17.49	22.50	-0.92	21.58	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	19.27	7.14	19.53	-0.92	18.61	<=33.01	Pass	
			CC1: 36@39 CC2: 25@0	19.87	7.31	20.11	-0.92	19.19	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	19.83	7.43	20.07	-0.92	19.15	<=33.01	Pass	
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	22.26	-19.77	22.26	-0.92	21.34	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	21.08	16.82	22.41	-0.92	21.49	<=33.01	Pass	
			CC1: 36@0 CC2: 25@25	19.31	5.39	19.49	-0.92	18.57	<=33.01	Pass	
			CC1: 36@39 CC2: 25@0	19.05	13.15	20.04	-0.92	19.12	<=33.01	Pass	
			CC1: 75@0 CC2: 50@0	19.89	6.29	20.08	-0.92	19.16	<=33.01	Pass	
		CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 0@0	22.27	-19.32	22.27	-0.92	21.35	<=33.01	Pass
				CC1: 1@74 CC2: 1@0	20.27	7.39	20.48	-0.92	19.56	<=33.01	Pass
	CC1: 36@0 CC2: 25@25			19.41	6.21	19.62	-0.92	18.70	<=33.01	Pass	
	CC1: 36@39 CC2: 25@0			18.15	15.92	20.18	-0.92	19.26	<=33.01	Pass	
	CC1: 75@0 CC2: 50@0			19.97	6.87	20.17	-0.92	19.25	<=33.01	Pass	
	CC1:2530.3 CC2:2542.3		CC1: 1@0 CC2: 0@0	21.30	-19.34	21.30	-0.92	20.38	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	20.30	7.19	20.49	-0.92	19.57	<=33.01	Pass	
CC1: 36@0 CC2: 25@25			18.58	12.44	19.52	-0.92	18.60	<=33.01	Pass		
CC1: 36@39 CC2: 25@0			19.77	9.35	20.15	-0.92	19.23	<=33.01	Pass		
CC1: 75@0 CC2: 50@0			19.82	7.49	20.07	-0.92	19.15	<=33.01	Pass		
CC1:2553 CC2:2565	CC1: 1@0 CC2: 0@0	21.19	-20.76	21.20	-0.92	20.28	<=33.01	Pass			

			CC1: 1@74 CC2: 1@0	20.26	6.88	20.44	-0.92	19.52	<=33.01	Pass
			CC1: 36@0 CC2: 25@25	19.36	5.59	19.53	-0.92	18.61	<=33.01	Pass
			CC1: 36@39 CC2: 25@0	19.89	6.53	20.09	-0.92	19.17	<=33.01	Pass
			CC1: 75@0 CC2: 50@0	19.90	6.41	20.09	-0.92	19.17	<=33.01	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	22.57	-18.14	22.57	-0.92	21.65	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	21.60	17.95	23.16	-0.92	22.24	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	19.29	6.15	19.49	-0.92	18.57	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	21.99	8.89	22.19	-0.92	21.27	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	20.91	7.73	21.11	-0.92	20.19	<=33.01	Pass
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	22.90	-16.93	22.90	-0.92	21.98	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.85	9.87	23.07	-0.92	22.15	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	19.17	7.02	19.43	-0.92	18.51	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	19.83	18.22	22.11	-0.92	21.19	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	20.78	8.48	21.02	-0.92	20.10	<=33.01	Pass
	CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.85	-18.14	22.85	-0.92	21.93	<=33.01	Pass	
		CC1: 1@74 CC2: 1@0	22.83	9.66	23.04	-0.92	22.12	<=33.01	Pass	
		CC1: 36@0 CC2: 36@39	19.17	5.61	19.35	-0.92	18.43	<=33.01	Pass	
		CC1: 36@39 CC2: 36@0	20.24	17.43	22.07	-0.92	21.15	<=33.01	Pass	
		CC1: 75@0 CC2: 75@0	20.78	7.31	20.97	-0.92	20.05	<=33.01	Pass	
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	22.50	-18.25	22.50	-0.92	21.58	<=33.01	Pass
			CC1: 1@74 CC2: 1@0	22.35	9.03	22.55	-0.92	21.63	<=33.01	Pass
			CC1: 36@0 CC2: 36@39	18.92	10.60	19.51	-0.92	18.59	<=33.01	Pass
			CC1: 36@39 CC2: 36@0	20.99	7.90	21.20	-0.92	20.28	<=33.01	Pass
			CC1: 75@0 CC2: 75@0	19.91	6.77	20.12	-0.92	19.20	<=33.01	Pass
CC1:2527.5 CC2:2542.5		CC1: 1@0 CC2: 0@0	22.27	-17.52	22.27	-0.92	21.35	<=33.01	Pass	
		CC1: 1@74 CC2: 1@0	22.43	9.15	22.63	-0.92	21.71	<=33.01	Pass	
		CC1: 36@0 CC2: 36@39	19.17	7.05	19.43	-0.92	18.51	<=33.01	Pass	
		CC1: 36@39 CC2: 36@0	20.88	8.26	21.11	-0.92	20.19	<=33.01	Pass	
		CC1: 75@0 CC2: 75@0	19.75	7.48	20.00	-0.92	19.08	<=33.01	Pass	
CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	22.20	-18.73	22.20	-0.92	21.28	<=33.01	Pass		
	CC1: 1@74	22.05	13.12	22.58	-0.92	21.66	<=33.01	Pass		

			CC2: 1@0								
			CC1: 36@0 CC2: 36@39	19.21	5.71	19.40	-0.92	18.48	<=33.01	Pass	
			CC1: 36@39 CC2: 36@0	20.89	7.49	21.09	-0.92	20.17	<=33.01	Pass	
			CC1: 75@0 CC2: 75@0	19.78	6.31	19.97	-0.92	19.05	<=33.01	Pass	
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 0@0	22.10	-18.61	22.10	-0.92	21.18	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	20.23	6.74	20.42	-0.92	19.50	<=33.01	Pass	
			CC1: 36@0 CC2: 36@39	19.32	6.16	19.53	-0.92	18.61	<=33.01	Pass	
			CC1: 36@39 CC2: 36@0	19.07	13.67	20.17	-0.92	19.25	<=33.01	Pass	
			CC1: 75@0 CC2: 75@0	19.88	6.84	20.09	-0.92	19.17	<=33.01	Pass	
		CC1:2527.5 CC2:2542.5	CC1: 1@0 CC2: 0@0	21.12	-18.48	21.12	-0.92	20.20	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	20.23	7.18	20.44	-0.92	19.52	<=33.01	Pass	
			CC1: 36@0 CC2: 36@39	18.61	12.05	19.48	-0.92	18.56	<=33.01	Pass	
			CC1: 36@39 CC2: 36@0	19.89	7.36	20.13	-0.92	19.21	<=33.01	Pass	
			CC1: 75@0 CC2: 75@0	19.80	7.46	20.04	-0.92	19.12	<=33.01	Pass	
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 0@0	21.22	-19.53	21.22	-0.92	20.30	<=33.01	Pass	
			CC1: 1@74 CC2: 1@0	20.26	6.77	20.45	-0.92	19.53	<=33.01	Pass	
			CC1: 36@0 CC2: 36@39	19.26	5.64	19.44	-0.92	18.52	<=33.01	Pass	
			CC1: 36@39 CC2: 36@0	19.87	6.60	20.07	-0.92	19.15	<=33.01	Pass	
			CC1: 75@0 CC2: 75@0	18.23	14.95	19.90	-0.92	18.98	<=33.01	Pass	
		CC1:15 CC2:20	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	22.43	-16.82	22.43	-0.92	21.51	<=33.01	Pass
CC1: 1@74 CC2: 1@0	22.57			14.13	23.15	-0.92	22.23	<=33.01	Pass		
CC1: 36@0 CC2: 50@50	18.84			10.74	19.46	-0.92	18.54	<=33.01	Pass		
CC1: 36@39 CC2: 50@0	20.91			8.04	21.13	-0.92	20.21	<=33.01	Pass		
CC1: 75@0 CC2: 100@0	20.82			7.79	21.03	-0.92	20.11	<=33.01	Pass		
CC1:2525.2 CC2:2542.3	CC1: 1@0 CC2: 0@0		22.79	-15.76	22.79	-0.92	21.87	<=33.01	Pass		
	CC1: 1@74 CC2: 1@0		22.85	9.93	23.07	-0.92	22.15	<=33.01	Pass		
	CC1: 36@0 CC2: 50@50		19.12	7.15	19.39	-0.92	18.47	<=33.01	Pass		
	CC1: 36@39 CC2: 50@0		20.78	8.85	21.05	-0.92	20.13	<=33.01	Pass		
	CC1: 75@0 CC2: 100@0		19.83	14.70	20.99	-0.92	20.07	<=33.01	Pass		
CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 0@0	22.73	-16.45	22.73	-0.92	21.81	<=33.01	Pass			
	CC1: 1@74 CC2: 1@0	22.87	9.84	23.08	-0.92	22.16	<=33.01	Pass			

			CC1: 36@0 CC2: 50@50	19.08	5.95	19.29	-0.92	18.37	<=33.01	Pass
			CC1: 36@39 CC2: 50@0	20.84	7.94	21.06	-0.92	20.14	<=33.01	Pass
			CC1: 75@0 CC2: 100@0	20.69	7.66	20.90	-0.92	19.98	<=33.01	Pass
CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 0@0	22.31	-16.97	22.31	-0.92	21.39	<=33.01	Pass	
		CC1: 1@74 CC2: 1@0	21.96	13.26	22.51	-0.92	21.59	<=33.01	Pass	
		CC1: 36@0 CC2: 50@50	19.25	6.08	19.46	-0.92	18.54	<=33.01	Pass	
		CC1: 36@39 CC2: 50@0	19.91	7.07	20.13	-0.92	19.21	<=33.01	Pass	
		CC1: 75@0 CC2: 100@0	19.85	6.79	20.06	-0.92	19.14	<=33.01	Pass	
		CC1: 1@0 CC2: 0@0	22.11	-16.40	22.11	-0.92	21.19	<=33.01	Pass	
	CC1:2525.2 CC2:2542.3	CC1: 1@74 CC2: 1@0	21.79	14.26	22.50	-0.92	21.58	<=33.01	Pass	
		CC1: 36@0 CC2: 50@50	19.15	7.02	19.41	-0.92	18.49	<=33.01	Pass	
		CC1: 36@39 CC2: 50@0	19.79	7.40	20.03	-0.92	19.11	<=33.01	Pass	
		CC1: 75@0 CC2: 100@0	19.71	7.42	19.96	-0.92	19.04	<=33.01	Pass	
		CC1: 1@0 CC2: 0@0	22.27	-17.02	22.27	-0.92	21.35	<=33.01	Pass	
	CC1:2542.9 CC2:2560	CC1: 1@74 CC2: 1@0	22.16	8.92	22.36	-0.92	21.44	<=33.01	Pass	
		CC1: 36@0 CC2: 50@50	18.72	10.63	19.35	-0.92	18.43	<=33.01	Pass	
		CC1: 36@39 CC2: 50@0	19.84	6.88	20.05	-0.92	19.13	<=33.01	Pass	
		CC1: 75@0 CC2: 100@0	19.70	6.69	19.91	-0.92	18.99	<=33.01	Pass	
		CC1: 1@0 CC2: 0@0	22.04	-17.23	22.04	-0.92	21.12	<=33.01	Pass	
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 1@74 CC2: 1@0	18.79	15.21	20.37	-0.92	19.45	<=33.01	Pass
			CC1: 36@0 CC2: 50@50	19.23	6.21	19.44	-0.92	18.52	<=33.01	Pass
CC1: 36@39 CC2: 50@0			19.00	13.62	20.10	-0.92	19.18	<=33.01	Pass	
CC1: 75@0 CC2: 100@0			19.84	6.91	20.06	-0.92	19.14	<=33.01	Pass	
CC1: 1@0 CC2: 0@0			21.12	-17.23	21.12	-0.92	20.20	<=33.01	Pass	
CC1:2525.2 CC2:2542.3		CC1: 1@74 CC2: 1@0	19.54	12.50	20.32	-0.92	19.40	<=33.01	Pass	
		CC1: 36@0 CC2: 50@50	19.20	7.15	19.46	-0.92	18.54	<=33.01	Pass	
		CC1: 36@39 CC2: 50@0	19.84	7.47	20.08	-0.92	19.16	<=33.01	Pass	
		CC1: 75@0 CC2: 100@0	19.73	7.51	19.98	-0.92	19.06	<=33.01	Pass	
		CC1: 1@0 CC2: 0@0	21.15	-17.90	21.15	-0.92	20.23	<=33.01	Pass	
CC1:2542.9 CC2:2560		CC1: 1@74 CC2: 1@0	20.24	7.18	20.44	-0.92	19.52	<=33.01	Pass	
		CC1: 36@0	19.18	6.10	19.38	-0.92	18.46	<=33.01	Pass	

			CC2: 50@50								
			CC1: 36@39 CC2: 50@0	19.86	6.92	20.07	-0.92	19.15	<=33.01	Pass	
			CC1: 75@0 CC2: 100@0	19.69	6.69	19.90	-0.92	18.98	<=33.01	Pass	
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	22.97	-17.70	22.97	-0.92	22.05	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	22.99	9.72	23.08	-0.92	22.16	<=33.01	Pass	
			CC1: 50@0 CC2: 25@25	19.33	6.74	19.57	-0.92	18.65	<=33.01	Pass	
			CC1: 50@50 CC2: 25@0	20.54	12.70	21.18	-0.92	20.26	<=33.01	Pass	
			CC1: 100@0 CC2: 50@0	20.93	7.73	21.13	-0.92	20.21	<=33.01	Pass	
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	22.10	-17.38	22.10	-0.92	21.18	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	22.99	9.84	23.09	-0.92	22.17	<=33.01	Pass	
			CC1: 50@0 CC2: 25@25	19.29	7.08	19.54	-0.92	18.62	<=33.01	Pass	
			CC1: 50@50 CC2: 25@0	20.96	8.40	21.19	-0.92	20.27	<=33.01	Pass	
			CC1: 100@0 CC2: 50@0	18.94	16.98	21.06	-0.92	20.14	<=33.01	Pass	
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 0@0	22.87	-17.92	22.87	-0.92	21.95	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	22.92	9.65	23.01	-0.92	22.09	<=33.01	Pass	
	CC1: 50@0 CC2: 25@25		19.27	5.47	19.44	-0.92	18.52	<=33.01	Pass		
	CC1: 50@50 CC2: 25@0		20.42	12.67	21.08	-0.92	20.16	<=33.01	Pass		
	CC1: 100@0 CC2: 50@0		20.86	7.14	21.03	-0.92	20.11	<=33.01	Pass		
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 0@0	21.76	-18.77	21.76	-0.92	20.84	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	22.49	8.82	22.56	-0.92	21.64	<=33.01	Pass	
			CC1: 50@0 CC2: 25@25	19.37	6.07	19.57	-0.92	18.65	<=33.01	Pass	
			CC1: 50@50 CC2: 25@0	20.02	6.77	20.21	-0.92	19.29	<=33.01	Pass	
			CC1: 100@0 CC2: 50@0	19.91	6.68	20.11	-0.92	19.19	<=33.01	Pass	
		CC1:2530.3 CC2:2544.7	CC1: 1@0 CC2: 0@0	21.47	-18.05	21.47	-0.92	20.55	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	21.48	19.19	22.41	-0.92	21.49	<=33.01	Pass	
			CC1: 50@0 CC2: 25@25	18.84	11.50	19.58	-0.92	18.66	<=33.01	Pass	
			CC1: 50@50 CC2: 25@0	19.97	7.37	20.20	-0.92	19.28	<=33.01	Pass	
CC1: 100@0 CC2: 50@0			19.79	7.42	20.04	-0.92	19.12	<=33.01	Pass		
CC1:2550.6 CC2:2565		CC1: 1@0 CC2: 0@0	21.69	-19.09	21.69	-0.92	20.77	<=33.01	Pass		
		CC1: 1@99 CC2: 1@0	22.41	8.20	22.47	-0.92	21.55	<=33.01	Pass		
	CC1: 50@0 CC2: 25@25	19.30	5.50	19.47	-0.92	18.55	<=33.01	Pass			

	CC1: 64QAM CC2: 64QAM		CC1: 50@50 CC2: 25@0	19.95	6.29	20.13	-0.92	19.21	<=33.01	Pass			
			CC1: 100@0 CC2: 50@0	19.37	11.24	19.99	-0.92	19.07	<=33.01	Pass			
		CC1:2510 CC2:2524.4		CC1: 1@0 CC2: 0@0	21.25	-19.17	21.25	-0.92	20.33	<=33.01	Pass		
				CC1: 1@99 CC2: 1@0	20.42	7.00	20.50	-0.92	19.58	<=33.01	Pass		
				CC1: 50@0 CC2: 25@25	19.36	6.07	19.56	-0.92	18.64	<=33.01	Pass		
				CC1: 50@50 CC2: 25@0	20.02	6.83	20.22	-0.92	19.30	<=33.01	Pass		
				CC1: 100@0 CC2: 50@0	19.92	6.72	20.12	-0.92	19.20	<=33.01	Pass		
				CC1: 1@0 CC2: 0@0	21.27	-18.22	21.28	-0.92	20.36	<=33.01	Pass		
		CC1:2530.3 CC2:2544.7		CC1: 1@99 CC2: 1@0	19.95	13.99	20.39	-0.92	19.47	<=33.01	Pass		
				CC1: 50@0 CC2: 25@25	19.30	7.16	19.56	-0.92	18.64	<=33.01	Pass		
				CC1: 50@50 CC2: 25@0	20.00	7.45	20.23	-0.92	19.31	<=33.01	Pass		
				CC1: 100@0 CC2: 50@0	19.83	7.52	20.07	-0.92	19.15	<=33.01	Pass		
				CC1: 1@0 CC2: 0@0	21.16	-19.56	21.16	-0.92	20.24	<=33.01	Pass		
		CC1:2550.6 CC2:2565		CC1: 1@99 CC2: 1@0	20.37	6.79	20.45	-0.92	19.53	<=33.01	Pass		
				CC1: 50@0 CC2: 25@25	19.30	5.54	19.48	-0.92	18.56	<=33.01	Pass		
				CC1: 50@50 CC2: 25@0	19.43	11.92	20.12	-0.92	19.20	<=33.01	Pass		
				CC1: 100@0 CC2: 50@0	19.34	11.56	20.00	-0.92	19.08	<=33.01	Pass		
				CC1: 1@0 CC2: 0@0	22.87	-16.70	22.87	-0.92	21.95	<=33.01	Pass		
		CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1		CC1: 1@99 CC2: 1@0	22.89	9.80	23.09	-0.92	22.17	<=33.01	Pass
						CC1: 50@0 CC2: 36@39	19.29	5.71	19.48	-0.92	18.56	<=33.01	Pass
CC1: 50@50 CC2: 36@0	20.98					7.86	21.19	-0.92	20.27	<=33.01	Pass		
CC1: 100@0 CC2: 75@0	20.88					7.68	21.09	-0.92	20.17	<=33.01	Pass		
CC1: 1@0 CC2: 0@0	22.80					-15.95	22.80	-0.92	21.88	<=33.01	Pass		
CC1:2527.7 CC2:2544.8				CC1: 1@99 CC2: 1@0	22.89	9.89	23.10	-0.92	22.18	<=33.01	Pass		
				CC1: 50@0 CC2: 36@39	18.84	10.49	19.43	-0.92	18.51	<=33.01	Pass		
				CC1: 50@50 CC2: 36@0	20.89	8.33	21.12	-0.92	20.20	<=33.01	Pass		
				CC1: 100@0 CC2: 75@0	19.95	14.26	20.99	-0.92	20.07	<=33.01	Pass		
				CC1: 1@0 CC2: 0@0	22.73	-16.85	22.73	-0.92	21.81	<=33.01	Pass		
CC1:2545.4 CC2:2562.5				CC1: 1@99 CC2: 1@0	22.85	9.68	23.06	-0.92	22.14	<=33.01	Pass		
				CC1: 50@0 CC2: 36@39	19.18	5.64	19.37	-0.92	18.45	<=33.01	Pass		
				CC1: 50@50	20.94	7.41	21.13	-0.92	20.21	<=33.01	Pass		
				CC1: 50@50	20.94	7.41	21.13	-0.92	20.21	<=33.01	Pass		

			CC2: 36@0								
			CC1: 100@0 CC2: 75@0	20.77	7.37	20.96	-0.92	20.04	<=33.01	Pass	
CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1		CC1: 1@0 CC2: 0@0	21.80	-17.68	21.80	-0.92	20.88	<=33.01	Pass	
			CC1: 1@99 CC2: 1@0	20.10	18.73	22.48	-0.92	21.56	<=33.01	Pass	
			CC1: 50@0 CC2: 36@39	19.29	6.04	19.50	-0.92	18.58	<=33.01	Pass	
			CC1: 50@50 CC2: 36@0	19.45	12.02	20.17	-0.92	19.25	<=33.01	Pass	
			CC1: 100@0 CC2: 75@0	19.84	6.62	20.04	-0.92	19.12	<=33.01	Pass	
			CC1: 1@0 CC2: 0@0	21.66	-16.99	21.66	-0.92	20.74	<=33.01	Pass	
	CC1:2527.7 CC2:2544.8		CC1: 1@99 CC2: 1@0	22.32	8.94	22.51	-0.92	21.59	<=33.01	Pass	
			CC1: 50@0 CC2: 36@39	19.20	7.05	19.45	-0.92	18.53	<=33.01	Pass	
			CC1: 50@50 CC2: 36@0	19.89	7.37	20.13	-0.92	19.21	<=33.01	Pass	
			CC1: 100@0 CC2: 75@0	19.72	7.44	19.97	-0.92	19.05	<=33.01	Pass	
			CC1: 1@0 CC2: 0@0	22.18	-17.36	22.18	-0.92	21.26	<=33.01	Pass	
	CC1:2545.4 CC2:2562.5		CC1: 1@99 CC2: 1@0	20.88	17.08	22.39	-0.92	21.47	<=33.01	Pass	
			CC1: 50@0 CC2: 36@39	19.15	7.04	19.41	-0.92	18.49	<=33.01	Pass	
			CC1: 50@50 CC2: 36@0	19.94	6.43	20.13	-0.92	19.21	<=33.01	Pass	
			CC1: 100@0 CC2: 75@0	19.73	6.28	19.92	-0.92	19.00	<=33.01	Pass	
			CC1: 1@0 CC2: 0@0	21.17	-18.21	21.18	-0.92	20.26	<=33.01	Pass	
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1		CC1: 1@99 CC2: 1@0	20.25	7.04	20.45	-0.92	19.53	<=33.01	Pass
				CC1: 50@0 CC2: 36@39	19.33	5.99	19.53	-0.92	18.61	<=33.01	Pass
				CC1: 50@50 CC2: 36@0	19.98	6.79	20.19	-0.92	19.27	<=33.01	Pass
				CC1: 100@0 CC2: 75@0	19.85	6.67	20.05	-0.92	19.13	<=33.01	Pass
CC1: 1@0 CC2: 0@0				21.11	-17.50	21.11	-0.92	20.19	<=33.01	Pass	
CC1:2527.7 CC2:2544.8			CC1: 1@99 CC2: 1@0	20.26	7.17	20.47	-0.92	19.55	<=33.01	Pass	
			CC1: 50@0 CC2: 36@39	19.25	6.71	19.48	-0.92	18.56	<=33.01	Pass	
			CC1: 50@50 CC2: 36@0	19.90	7.35	20.13	-0.92	19.21	<=33.01	Pass	
			CC1: 100@0 CC2: 75@0	19.74	7.44	19.99	-0.92	19.07	<=33.01	Pass	
			CC1: 1@0 CC2: 0@0	20.99	-18.40	20.99	-0.92	20.07	<=33.01	Pass	
CC1:2545.4 CC2:2562.5			CC1: 1@99 CC2: 1@0	20.21	7.10	20.41	-0.92	19.49	<=33.01	Pass	
			CC1: 50@0 CC2: 36@39	19.21	5.74	19.41	-0.92	18.49	<=33.01	Pass	
			CC1: 50@50 CC2: 36@0	19.95	6.43	20.14	-0.92	19.22	<=33.01	Pass	
			CC1: 50@50 CC2: 36@0	19.95	6.43	20.14	-0.92	19.22	<=33.01	Pass	

			CC1: 100@0 CC2: 75@0	19.22	11.74	19.93	-0.92	19.01	<=33.01	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	22.25	-16.14	22.26	-0.92	21.34	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.90	9.78	23.10	-0.92	22.18	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.21	6.12	19.42	-0.92	18.50	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	21.97	8.82	22.18	-0.92	21.26	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	20.82	7.74	21.03	-0.92	20.11	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	22.69	-15.35	22.69	-0.92	21.77	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.16	15.91	23.09	-0.92	22.17	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.15	7.03	19.41	-0.92	18.49	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	20.02	17.97	22.12	-0.92	21.20	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	20.72	8.34	20.96	-0.92	20.04	<=33.01	Pass
	CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 0@0	22.64	-15.85	22.64	-0.92	21.72	<=33.01	Pass	
		CC1: 1@99 CC2: 1@0	22.87	9.72	23.07	-0.92	22.15	<=33.01	Pass	
		CC1: 50@0 CC2: 50@50	19.12	6.13	19.33	-0.92	18.41	<=33.01	Pass	
		CC1: 50@50 CC2: 50@0	21.94	8.83	22.14	-0.92	21.22	<=33.01	Pass	
		CC1: 100@0 CC2: 100@0	20.08	12.93	20.85	-0.92	19.93	<=33.01	Pass	
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	21.76	-16.69	21.76	-0.92	20.84	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.37	9.04	22.57	-0.92	21.65	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	19.23	6.06	19.43	-0.92	18.51	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	20.93	7.78	21.14	-0.92	20.22	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.79	6.69	20.00	-0.92	19.08	<=33.01	Pass
		CC1:2525.1 CC2:2544.9	CC1: 1@0 CC2: 0@0	22.16	-15.93	22.16	-0.92	21.24	<=33.01	Pass
			CC1: 1@99 CC2: 1@0	22.27	9.02	22.47	-0.92	21.55	<=33.01	Pass
			CC1: 50@0 CC2: 50@50	18.82	10.42	19.40	-0.92	18.48	<=33.01	Pass
			CC1: 50@50 CC2: 50@0	20.87	8.30	21.10	-0.92	20.18	<=33.01	Pass
			CC1: 100@0 CC2: 100@0	19.68	7.40	19.93	-0.92	19.01	<=33.01	Pass
CC1:2540.2 CC2:2560		CC1: 1@0 CC2: 0@0	21.51	-16.90	21.51	-0.92	20.59	<=33.01	Pass	
		CC1: 1@99 CC2: 1@0	21.86	14.53	22.60	-0.92	21.68	<=33.01	Pass	
		CC1: 50@0 CC2: 50@50	19.11	5.97	19.32	-0.92	18.40	<=33.01	Pass	
		CC1: 50@50 CC2: 50@0	20.25	13.54	21.09	-0.92	20.17	<=33.01	Pass	
		CC1: 100@0	19.63	6.37	19.83	-0.92	18.91	<=33.01	Pass	

			CC2: 100@0								
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 0@0	21.88	-16.58	21.88	-0.92	20.96	<=33.01	Pass	
CC1: 1@99 CC2: 1@0			20.19	7.16	20.40	-0.92	19.48	<=33.01	Pass		
CC1: 50@0 CC2: 50@50			19.24	6.15	19.45	-0.92	18.53	<=33.01	Pass		
CC1: 50@50 CC2: 50@0			19.95	6.89	20.16	-0.92	19.24	<=33.01	Pass		
CC1: 100@0 CC2: 100@0			19.79	6.74	20.00	-0.92	19.08	<=33.01	Pass		
CC1:2525.1 CC2:2544.9		CC1: 1@0 CC2: 0@0	20.98	-16.86	20.98	-0.92	20.06	<=33.01	Pass		
		CC1: 1@99 CC2: 1@0	19.45	13.35	20.40	-0.92	19.48	<=33.01	Pass		
		CC1: 50@0 CC2: 50@50	19.20	7.03	19.45	-0.92	18.53	<=33.01	Pass		
		CC1: 50@50 CC2: 50@0	19.89	7.46	20.13	-0.92	19.21	<=33.01	Pass		
		CC1: 100@0 CC2: 100@0	19.70	7.45	19.95	-0.92	19.03	<=33.01	Pass		
CC1:2540.2 CC2:2560		CC1: 1@0 CC2: 0@0	20.91	-17.38	20.91	-0.92	19.99	<=33.01	Pass		
		CC1: 1@99 CC2: 1@0	20.17	7.12	20.38	-0.92	19.46	<=33.01	Pass		
		CC1: 50@0 CC2: 50@50	19.13	6.15	19.34	-0.92	18.42	<=33.01	Pass		
		CC1: 50@50 CC2: 50@0	19.92	6.94	20.13	-0.92	19.21	<=33.01	Pass		
		CC1: 100@0 CC2: 100@0	19.62	6.61	19.83	-0.92	18.91	<=33.01	Pass		
Note1: EIRP=Conducted Power+Antenna Gain											

2. 99% & 26dB Bandwidth

2.1 Test Result

2.1.1 CA_7C_NTNV_OBW

Band: CA_7C / NTN						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	99% Occupied Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	27.99	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	27.97	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	27.95	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	27.89	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	27.94	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	27.95	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	27.80	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	27.87	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	27.79	/	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.21	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	23.25	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.29	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.16	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	23.25	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.30	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	23.23	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	23.17	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	23.21	/	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.67	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	28.51	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.58	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.55	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	28.54	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.52	/	Pass

	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	28.38	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	28.43	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	28.44	/	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	32.92	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	32.95	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.85	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	32.94	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	32.87	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.79	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	32.79	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	32.78	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	32.70	/	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	27.93	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	27.89	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	27.98	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	27.99	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	27.98	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	27.85	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	27.94	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	27.91	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	27.90	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	32.88	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	33.00	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	33.00	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	32.87	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	32.90	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.84	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	32.86	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	32.77	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	32.81	/	Pass
CC1:20	CC1:	CC1:2510	CC1: 100@0	37.88	/	Pass

CC2:20	QPSK CC2: QPSK	CC2:2529.8	CC2: 100@0			
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	37.88	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.85	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.91	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	37.84	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.80	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	37.82	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	37.67	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	37.57	/	Pass

2.1.2 CA_7C_NTNV_XDB

Band: CA_7C / NTNV						
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	26dB Bandwidth (MHz)		Verdict
				Sum	Limit	
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	29.80	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	29.88	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	29.85	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	29.75	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	29.84	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	29.74	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 50@0 CC2: 100@0	29.72	/	Pass
		CC1:2525.3 CC2:2539.7	CC1: 50@0 CC2: 100@0	29.75	/	Pass
		CC1:2545.6 CC2:2560	CC1: 50@0 CC2: 100@0	29.71	/	Pass
CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	24.96	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	24.95	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	25.10	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	24.85	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	24.95	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	24.95	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 75@0 CC2: 50@0	24.86	/	Pass
		CC1:2530.3 CC2:2542.3	CC1: 75@0 CC2: 50@0	24.88	/	Pass
		CC1:2553 CC2:2565	CC1: 75@0 CC2: 50@0	24.93	/	Pass


CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	30.61	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	30.48	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	30.62	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	30.47	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	30.45	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	30.40	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 75@0 CC2: 75@0	30.36	/	Pass
		CC1:2527.5 CC2:2542.5	CC1: 75@0 CC2: 75@0	30.42	/	Pass
		CC1:2547.5 CC2:2562.5	CC1: 75@0 CC2: 75@0	30.40	/	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.27	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	35.10	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.22	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.12	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	35.10	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.13	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 75@0 CC2: 100@0	35.12	/	Pass
		CC1:2525.2 CC2:2542.3	CC1: 75@0 CC2: 100@0	35.10	/	Pass
		CC1:2542.9 CC2:2560	CC1: 75@0 CC2: 100@0	35.12	/	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	30.02	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	30.03	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	30.06	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	29.89	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	29.95	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	29.93	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2524.4	CC1: 100@0 CC2: 50@0	29.98	/	Pass
		CC1:2530.3 CC2:2544.7	CC1: 100@0 CC2: 50@0	29.89	/	Pass
		CC1:2550.6 CC2:2565	CC1: 100@0 CC2: 50@0	29.91	/	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.28	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	35.33	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.34	/	Pass
	CC1:	CC1:2510	CC1: 100@0	35.26	/	Pass

	16QAM CC2: 16QAM	CC2:2527.1	CC2: 75@0			
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	35.24	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.25	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1	CC1: 100@0 CC2: 75@0	35.26	/	Pass
		CC1:2527.7 CC2:2544.8	CC1: 100@0 CC2: 75@0	35.13	/	Pass
		CC1:2545.4 CC2:2562.5	CC1: 100@0 CC2: 75@0	35.13	/	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.40	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	40.35	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.40	/	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.42	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	40.43	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.37	/	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	40.33	/	Pass
		CC1:2525.1 CC2:2544.9	CC1: 100@0 CC2: 100@0	40.37	/	Pass
		CC1:2540.2 CC2:2560	CC1: 100@0 CC2: 100@0	40.28	/	Pass


2.2 Test Graph

2.2.1 CA_7C_NTNV_OBW


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK CC1:2545.6 CC2:2560MHz CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2:
100@0




2.2.2 CA_7C_NTNV_XDB


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0

CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0 CC2:
100@0


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.3 CC2:2539.7MHz_CC1: 50@0
CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2519.5MHz_CC1: 75@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2530.3 CC2:2542.3MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2553 CC2:2565MHz_CC1: 75@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0



CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2522.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2527.5 CC2:2542.5MHz_CC1: 75@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0 CC2: 75@0

CA_7C_SISO_NTNV_CC1:15 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2547.5 CC2:2562.5MHz_CC1: 75@0
CC2: 75@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0


CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2507.5 CC2:2524.6MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.2 CC2:2542.3MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:15 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2542.9 CC2:2560MHz_CC1: 75@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:QPSK CC2:QPSK_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2:
50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:16QAM CC2:16QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2524.4MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2530.3 CC2:2544.7MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:10MHz_CC1:64QAM CC2:64QAM_CC1:2550.6 CC2:2565MHz_CC1: 100@0 CC2: 50@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:QPSK CC2:QPSK_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2: 75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:16QAM CC2:16QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2527.1MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2527.7 CC2:2544.8MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:15MHz_CC1:64QAM CC2:64QAM_CC1:2545.4 CC2:2562.5MHz_CC1: 100@0 CC2:
75@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2:
100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2510 CC2:2529.8MHz_CC1: 100@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2525.1 CC2:2544.9MHz_CC1: 100@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:20 CC2:20MHz_CC1:64QAM CC2:64QAM_CC1:2540.2 CC2:2560MHz_CC1: 100@0 CC2: 100@0



3. Spurious Emission

3.1 Test Result

3.1.1 CA_7C_NTNV

Band: CA_7C / NTNv									
BW (MHz)	Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict	
				CC1	CC2	Sum	Limit		
CC1:10 CC2:20	CC1: QPSK CC2: QPSK	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass	
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
			CC1: 1@49 CC2: 1@99	Refer To Test Graph				Pass	
	CC1: 16QAM CC2: 16QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass	
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
			CC1: 1@49 CC2: 1@99	Refer To Test Graph				Pass	
	CC1: 64QAM CC2: 64QAM	CC1:2505 CC2:2519.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
			CC1: 50@0 CC2: 100@0	Refer To Test Graph				Pass	
		CC1:2545.6 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
			CC1: 1@49 CC2: 1@99	Refer To Test Graph				Pass	
	CC1:15 CC2:10	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
				CC1: 75@0 CC2: 50@0	Refer To Test Graph				Pass
			CC1:2553 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass
				CC1: 1@74 CC2: 1@49	Refer To Test Graph				Pass
CC1: 16QAM CC2: 16QAM		CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
			CC1: 75@0 CC2: 50@0	Refer To Test Graph				Pass	
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph				Pass	
			CC1: 1@74 CC2: 1@49	Refer To Test Graph				Pass	


			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2519.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2553 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@49	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 50@0	Refer To Test Graph	Pass
CC1:15 CC2:15	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2522.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2547.5 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@74	Refer To Test Graph	Pass
CC1:15 CC2:20	CC1: QPSK CC2: QPSK	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@99	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 75@0	Refer To Test Graph	Pass

			CC2: 100@0		
	CC1: 64QAM CC2: 64QAM	CC1:2507.5 CC2:2524.6	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2542.9 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@74 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 75@0 CC2: 100@0	Refer To Test Graph	Pass
CC1:20 CC2:10	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@49	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@49	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2524.4	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 50@0	Refer To Test Graph	Pass
		CC1:2550.6 CC2:2565	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@49	Refer To Test Graph	Pass
CC1:20 CC2:15	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass


	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2527.1	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 75@0	Refer To Test Graph	Pass
		CC1:2545.4 CC2:2562.5	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@74	Refer To Test Graph	Pass
CC1:20 CC2:20	CC1: QPSK CC2: QPSK	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
	CC1: 16QAM CC2: 16QAM	CC1:2510 CC2:2529.8	CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
			CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
		CC1:2540.2 CC2:2560	CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
	CC1: 64QAM CC2: 64QAM	CC1:2510 CC2:2529.8	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass
		CC1:2540.2 CC2:2560	CC1: 1@0 CC2: 1@0	Refer To Test Graph	Pass
			CC1: 1@99 CC2: 1@99	Refer To Test Graph	Pass
			CC1: 100@0 CC2: 100@0	Refer To Test Graph	Pass

3.2 Test Graph


3.2.1 CA_7C_NTNV




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.453	-39.76	-25	Pass
2490.5	2496	1	CHP	2	2495.996	-35.59	-13	Pass
2496	2499	1	CHP	3	2498.499	-34.66	-10	Pass
2499	2500	0.596	CHP	4	2499.662	-36.70	-10	Pass
2500	2529.7	0.1	/	/	/	/	/	/


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2505 CC2:2519.4MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 1@0 CC2: 1@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 1@49 CC2: 1@99




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540.3	2570	0.02	CHP	/	/	/	/	/
2570	2571	0.02	CHP	1	2570.110	-53.54	-10	Pass
2571	2575	1	CHP	2	2571.530	-54.97	-10	Pass
2575	2600.062	1	CHP	3	2587.615	-44.67	-13	Pass
2600.062	2605	1	CHP	4	2600.985	-55.64	-25	Pass

CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2540.3	2570	0.1	/	/	/	/	/	/
2570	2571	0.597	CHP	1	2570.400	-44.51	-10	Pass
2571	2575	1	CHP	2	2573.000	-42.04	-10	Pass
2575	2599.85	1	CHP	3	2578.250	-42.00	-13	Pass
2599.85	2605	1	CHP	4	2600.900	-57.98	-25	Pass


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0




CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:QPSK CC2:QPSK_CC1:2545.6 CC2:2560MHz_CC1: 50@0 CC2: 100@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0


CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2485	2490.5	1	CHP	1	2490.500	-44.69	-25	Pass
2490.5	2496	1	CHP	2	2490.750	-44.37	-13	Pass
2496	2499	1	CHP	3	2498.500	-48.32	-10	Pass
2499	2500	0.02	CHP	4	2499.990	-44.69	-10	Pass
2500	2529.7	0.02	CHP	/	/	/	/	/

CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0

CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0



CA_7C_SISO_NTNV_CC1:10 CC2:20MHz_CC1:16QAM CC2:16QAM_CC1:2505 CC2:2519.4MHz_CC1: 1@0 CC2: 1@0

