


Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-54.73	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.43	-13	Pass	2986
30	500	0.1	Peak	383.4	-43.19	-13	Pass	4701
500	1000	0.1	Peak	824.3	30.06	-13	N/A	5001
1000	10000	1	Peak	6951	-19.77	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.97	-13	Pass	401
0.15	30	0.01	Peak	0.38	-54.04	-13	Pass	2986
30	500	0.1	Peak	230.7	-43.54	-13	Pass	4701
500	1000	0.1	Peak	836.5	31.9	-13	N/A	5001
1000	10000	1	Peak	7002	-20.2	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-54.74	-13	Pass	401
0.15	30	0.01	Peak	0.45	-54.1	-13	Pass	2986
30	500	0.1	Peak	439.5	-43.09	-13	Pass	4701
500	1000	0.1	Peak	848.7	31.93	-13	N/A	5001
1000	10000	1	Peak	6957	-20.15	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-56.77	-13	Pass	401
0.15	30	0.01	Peak	0.24	-60.02	-13	Pass	2986
30	1000	0.1	Peak	853.403	-48.83	-13	Pass	9701
1000	3000	1	Peak	1850	28.65	-13	N/A	2001
3000	20000	1	Peak	19811	-39.56	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-56.1	-13	Pass	401
0.15	30	0.01	Peak	0.16	-58.77	-13	Pass	2986
30	1000	0.1	Peak	935.958	-48.86	-13	Pass	9701
1000	3000	1	Peak	1880	27.77	-13	N/A	2001
3000	20000	1	Peak	19674	-39.44	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-55.41	-13	Pass	401
0.15	30	0.01	Peak	0.27	-59.81	-13	Pass	2986
30	1000	0.1	Peak	719.3	-48.72	-13	Pass	9701
1000	3000	1	Peak	1910	28.55	-13	N/A	2001
3000	20000	1	Peak	19407	-40.11	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-53.96	-13	Pass	401
0.15	30	0.01	Peak	0.16	-53.57	-13	Pass	2986
30	500	0.1	Peak	307	-42.66	-13	Pass	4701
500	1000	0.1	Peak	824.3	20.68	-13	N/A	5001
1000	10000	1	Peak	7255	-20.89	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-54.64	-13	Pass	401
0.15	30	0.01	Peak	0.36	-53.49	-13	Pass	2986
30	500	0.1	Peak	387.2	-43.36	-13	Pass	4701
500	1000	0.1	Peak	836.5	25.67	-13	N/A	5001
1000	10000	1	Peak	7672	-19.86	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-53.27	-13	Pass	401
0.15	30	0.01	Peak	0.21	-53.18	-13	Pass	2986
30	500	0.1	Peak	496.2	-43.35	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.65	-13	N/A	5001
1000	10000	1	Peak	7066	-19.88	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-55.47	-13	Pass	401
0.15	30	0.01	Peak	0.43	-60.02	-13	Pass	2986
30	1000	0.1	Peak	822.6	-48.72	-13	Pass	9701
1000	3000	1	Peak	1851	24.05	-13	N/A	2001
3000	20000	1	Peak	19749	-40.11	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-54.61	-13	Pass	401
0.15	30	0.01	Peak	0.17	-59.99	-13	Pass	2986
30	1000	0.1	Peak	856.605	-48.69	-13	Pass	9701
1000	3000	1	Peak	1880	28.69	-13	N/A	2001
3000	20000	1	Peak	19755	-40.28	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-57	-13	Pass	401
0.15	30	0.01	Peak	0.59	-60.55	-13	Pass	2986
30	1000	0.1	Peak	604.7	-48.41	-13	Pass	9701
1000	3000	1	Peak	1910	28.23	-13	N/A	2001
3000	20000	1	Peak	19348	-39.79	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-55.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.99	-13	Pass	2986
30	1000	0.1	Peak	779.3	-51.99	-13	Pass	9701
1000	3000	1	Peak	1854	24.7	-13	N/A	2001
3000	20000	1	Peak	19812	-20.91	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-55.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.92	-13	Pass	2986
30	1000	0.1	Peak	703.5	-52.51	-13	Pass	9701
1000	3000	1	Peak	1879	24.73	-13	N/A	2001
3000	20000	1	Peak	19738	-20.49	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-55.01	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.22	-13	Pass	2986
30	1000	0.1	Peak	720.4	-53.04	-13	Pass	9701
1000	3000	1	Peak	1906	25.05	-13	N/A	2001
3000	20000	1	Peak	19385	-21.45	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-56.19	-13	Pass	401
0.15	30	0.01	Peak	1.06	-64.73	-13	Pass	2986
30	1000	0.1	Peak	837.8	-52.3	-13	Pass	9701
1000	3000	1	Peak	1711	24.66	-13	N/A	2001
3000	20000	1	Peak	19400	-21.15	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-56.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.36	-13	Pass	2986
30	1000	0.1	Peak	798.6	-53.17	-13	Pass	9701
1000	3000	1	Peak	1734	24.68	-13	N/A	2001
3000	20000	1	Peak	19673	-21.42	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-55.93	-13	Pass	401
0.15	30	0.01	Peak	0.37	-63.8	-13	Pass	2986
30	1000	0.1	Peak	782	-52.56	-13	Pass	9701
1000	3000	1	Peak	1751	24.73	-13	N/A	2001
3000	20000	1	Peak	19444	-21.49	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-55.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.87	-13	Pass	2986
30	500	0.1	Peak	431.6	-53.91	-13	Pass	4701
500	1000	0.1	Peak	825.5	20.44	-13	N/A	5001
1000	10000	1	Peak	7673	-30.22	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.017	-54.77	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.63	-13	Pass	2986
30	500	0.1	Peak	491.2	-53.38	-13	Pass	4701
500	1000	0.1	Peak	837	19.88	-13	N/A	5001
1000	10000	1	Peak	7212	-30.41	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-55.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.14	-13	Pass	2986
30	500	0.1	Peak	231.2	-53.53	-13	Pass	4701
500	1000	0.1	Peak	847.8	18.72	-13	N/A	5001
1000	10000	1	Peak	7176	-30.45	-13	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.78	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.67	-13	Pass	9701
1000	1840	1	RMS	1840	-51.07	-13	Pass	841
1840	1920	1	RMS	1850.2	24.64	60	Pass	401
1920	3000	1	RMS	2952	-48.8	-13	Pass	1081
3000	12000	1	RMS	11850	-41.29	-13	Pass	9002
12000	20000	1	RMS	19408	-32.9	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	Pass	2986
30	1000	0.1	RMS	844.6	-63.79	-13	Pass	9701
1000	1840	1	RMS	1840	-51.35	-13	Pass	841
1840	1920	1	RMS	1850.2	23.73	60	Pass	401
1920	3000	1	RMS	2953	-48.81	-13	Pass	1081
3000	12000	1	RMS	11949	-41.35	-13	Pass	9002
12000	20000	1	RMS	19393	-32.92	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-63.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.14	-13	Pass	2986
30	1000	0.1	RMS	851.402	-63.8	-13	Pass	9701
1000	1840	1	RMS	1811	-52.23	-13	Pass	841
1840	1920	1	RMS	1879.4	24.66	60	Pass	401
1920	3000	1	RMS	2952	-48.79	-13	Pass	1081
3000	12000	1	RMS	11946	-41.31	-13	Pass	9002
12000	20000	1	RMS	19399	-32.89	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-63.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	853.503	-63.87	-13	Pass	9701
1000	1840	1	RMS	1807	-52.21	-13	Pass	841
1840	1920	1	RMS	1879.4	23.67	60	Pass	401
1920	3000	1	RMS	2962	-48.79	-13	Pass	1081
3000	12000	1	RMS	11951	-41.33	-13	Pass	9002
12000	20000	1	RMS	19405	-32.83	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	838.8	-63.77	-13	Pass	9701
1000	1840	1	RMS	1816	-52.22	-13	Pass	841
1840	1920	1	RMS	1908.8	24.07	60	Pass	401
1920	3000	1	RMS	2962	-48.82	-13	Pass	1081
3000	12000	1	RMS	11856	-41.36	-13	Pass	9002
12000	20000	1	RMS	19400	-32.81	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	Pass	2986
30	1000	0.1	RMS	840	-63.76	-13	Pass	9701
1000	1840	1	RMS	1813	-52.19	-13	Pass	841
1840	1920	1	RMS	1908.8	23.35	60	Pass	401
1920	3000	1	RMS	2954	-48.75	-13	Pass	1081
3000	12000	1	RMS	11946	-41.34	-13	Pass	9002
12000	20000	1	RMS	19401	-32.87	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	944.563	-63.83	-13	Pass	9701
1000	1840	1	RMS	1840	-51.03	-13	Pass	841
1840	1920	1	RMS	1850.2	24.61	60	Pass	401
1920	3000	1	RMS	2949	-48.79	-13	Pass	1081
3000	12000	1	RMS	11838	-41.39	-13	Pass	9002
12000	20000	1	RMS	19401	-32.88	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.21	-13	Pass	2986
30	1000	0.1	RMS	832.4	-63.81	-13	Pass	9701
1000	1840	1	RMS	1840	-51.32	-13	Pass	841
1840	1920	1	RMS	1850.2	23.95	60	Pass	401
1920	3000	1	RMS	2958	-48.82	-13	Pass	1081
3000	12000	1	RMS	11951	-41.36	-13	Pass	9002
12000	20000	1	RMS	19401	-32.86	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	1000	0.1	RMS	855.204	-63.64	-13	Pass	9701
1000	1840	1	RMS	1809	-52.26	-13	Pass	841
1840	1920	1	RMS	1878.6	24.69	60	Pass	401
1920	3000	1	RMS	2949	-48.82	-13	Pass	1081
3000	12000	1	RMS	11951	-41.33	-13	Pass	9002
12000	20000	1	RMS	19408	-32.89	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	Pass	2986
30	1000	0.1	RMS	850.001	-63.86	-13	Pass	9701
1000	1840	1	RMS	1805	-52.24	-13	Pass	841
1840	1920	1	RMS	1878.6	23.89	60	Pass	401
1920	3000	1	RMS	2960	-48.82	-13	Pass	1081
3000	12000	1	RMS	11853	-41.35	-13	Pass	9002
12000	20000	1	RMS	19404	-32.85	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2986
30	1000	0.1	RMS	844.2	-63.8	-13	Pass	9701
1000	1840	1	RMS	1811	-52.2	-13	Pass	841
1840	1920	1	RMS	1907.2	24.14	60	Pass	401
1920	3000	1	RMS	2946	-48.82	-13	Pass	1081
3000	12000	1	RMS	11851	-41.37	-13	Pass	9002
12000	20000	1	RMS	19401	-32.88	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.35	-13	Pass	2986
30	1000	0.1	RMS	851.101	-63.71	-13	Pass	9701
1000	1840	1	RMS	1803	-52.25	-13	Pass	841
1840	1920	1	RMS	1907.2	23.24	60	Pass	401
1920	3000	1	RMS	2955	-48.77	-13	Pass	1081
3000	12000	1	RMS	11945	-41.35	-13	Pass	9002
12000	20000	1	RMS	19706	-32.94	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.74	-13	Pass	9701
1000	1840	1	RMS	1840	-50.85	-13	Pass	841
1840	1920	1	RMS	1850.2	24.66	60	Pass	401
1920	3000	1	RMS	2945	-48.82	-13	Pass	1081
3000	12000	1	RMS	11956	-41.39	-13	Pass	9002
12000	20000	1	RMS	19407	-32.9	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-13	Pass	2986
30	1000	0.1	RMS	956.671	-63.87	-13	Pass	9701
1000	1840	1	RMS	1840	-51.24	-13	Pass	841
1840	1920	1	RMS	1850.2	23.59	60	Pass	401
1920	3000	1	RMS	2950	-48.77	-13	Pass	1081
3000	12000	1	RMS	11946	-41.36	-13	Pass	9002
12000	20000	1	RMS	19401	-32.83	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.73	-13	Pass	9701
1000	1840	1	RMS	1814	-52.24	-13	Pass	841
1840	1920	1	RMS	1877.8	24.65	60	Pass	401
1920	3000	1	RMS	2960	-48.81	-13	Pass	1081
3000	12000	1	RMS	11954	-41.35	-13	Pass	9002
12000	20000	1	RMS	19407	-32.87	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2986
30	1000	0.1	RMS	843.2	-63.79	-13	Pass	9701
1000	1840	1	RMS	1810	-52.22	-13	Pass	841
1840	1920	1	RMS	1877.8	24.01	60	Pass	401
1920	3000	1	RMS	2957	-48.75	-13	Pass	1081
3000	12000	1	RMS	11847	-41.37	-13	Pass	9002
12000	20000	1	RMS	19403	-32.89	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	Pass	2986
30	1000	0.1	RMS	851.902	-63.73	-13	Pass	9701
1000	1840	1	RMS	1792	-52.25	-13	Pass	841
1840	1920	1	RMS	1905.2	24.1	60	Pass	401
1920	3000	1	RMS	2957	-48.82	-13	Pass	1081
3000	12000	1	RMS	11846	-41.28	-13	Pass	9002
12000	20000	1	RMS	19401	-32.88	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	1000	0.1	RMS	827.3	-63.84	-13	Pass	9701
1000	1840	1	RMS	1808	-52.24	-13	Pass	841
1840	1920	1	RMS	1905.2	23.33	60	Pass	401
1920	3000	1	RMS	2957	-48.83	-13	Pass	1081
3000	12000	1	RMS	11949	-41.34	-13	Pass	9002
12000	20000	1	RMS	19406	-32.86	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.26	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.28	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.82	-13	Pass	9701
1000	1840	1	RMS	1840	-50.71	-13	Pass	841
1840	1920	1	RMS	1850.4	24.69	60	Pass	401
1920	3000	1	RMS	2953	-48.81	-13	Pass	1081
3000	12000	1	RMS	11962	-41.36	-13	Pass	9002
12000	20000	1	RMS	19400	-32.94	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-63.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.75	-13	Pass	9701
1000	1840	1	RMS	1840	-51.07	-13	Pass	841
1840	1920	1	RMS	1850.4	24.09	60	Pass	401
1920	3000	1	RMS	2958	-48.78	-13	Pass	1081
3000	12000	1	RMS	11957	-41.37	-13	Pass	9002
12000	20000	1	RMS	19403	-32.87	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.51	-13	Pass	2986
30	1000	0.1	RMS	842	-63.65	-13	Pass	9701
1000	1840	1	RMS	1811	-52.25	-13	Pass	841
1840	1920	1	RMS	1875.4	24.74	60	Pass	401
1920	3000	1	RMS	2951	-48.77	-13	Pass	1081
3000	12000	1	RMS	11833	-41.36	-13	Pass	9002
12000	20000	1	RMS	19411	-32.88	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-63.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	Pass	2986
30	1000	0.1	RMS	845	-63.85	-13	Pass	9701
1000	1840	1	RMS	1838	-52.22	-13	Pass	841
1840	1920	1	RMS	1875.4	23.95	60	Pass	401
1920	3000	1	RMS	2947	-48.77	-13	Pass	1081
3000	12000	1	RMS	11850	-41.32	-13	Pass	9002
12000	20000	1	RMS	19402	-32.9	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	863.209	-63.74	-13	Pass	9701
1000	1840	1	RMS	1811	-52.25	-13	Pass	841
1840	1920	1	RMS	1900.6	24.08	60	Pass	401
1920	3000	1	RMS	2951	-48.79	-13	Pass	1081
3000	12000	1	RMS	11849	-41.29	-13	Pass	9002
12000	20000	1	RMS	19397	-32.88	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-62.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	Pass	2986
30	1000	0.1	RMS	870.314	-63.82	-13	Pass	9701
1000	1840	1	RMS	1804	-52.25	-13	Pass	841
1840	1920	1	RMS	1900.6	23.27	60	Pass	401
1920	3000	1	RMS	2953	-48.82	-13	Pass	1081
3000	12000	1	RMS	11847	-41.38	-13	Pass	9002
12000	20000	1	RMS	19400	-32.9	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-62.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2986
30	1000	0.1	RMS	845	-63.73	-13	Pass	9701
1000	1840	1	RMS	1840	-50.77	-13	Pass	841
1840	1920	1	RMS	1850.8	24.52	60	Pass	401
1920	3000	1	RMS	2950	-48.75	-13	Pass	1081
3000	12000	1	RMS	11947	-41.35	-13	Pass	9002
12000	20000	1	RMS	19407	-32.86	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2986
30	1000	0.1	RMS	816.8	-63.83	-13	Pass	9701
1000	1840	1	RMS	1840	-51.09	-13	Pass	841
1840	1920	1	RMS	1850.8	23.89	60	Pass	401
1920	3000	1	RMS	2959	-48.75	-13	Pass	1081
3000	12000	1	RMS	11851	-41.39	-13	Pass	9002
12000	20000	1	RMS	19395	-32.86	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2986
30	1000	0.1	RMS	851.802	-63.88	-13	Pass	9701
1000	1840	1	RMS	1807	-52.25	-13	Pass	841
1840	1920	1	RMS	1873.2	24.58	60	Pass	401
1920	3000	1	RMS	2957	-48.76	-13	Pass	1081
3000	12000	1	RMS	11947	-41.34	-13	Pass	9002
12000	20000	1	RMS	19399	-32.91	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	847.8	-63.87	-13	Pass	9701
1000	1840	1	RMS	1802	-52.27	-13	Pass	841
1840	1920	1	RMS	1873.2	23.69	60	Pass	401
1920	3000	1	RMS	2955	-48.76	-13	Pass	1081
3000	12000	1	RMS	11959	-41.34	-13	Pass	9002
12000	20000	1	RMS	19401	-32.93	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-13	Pass	2986
30	1000	0.1	RMS	859.007	-63.87	-13	Pass	9701
1000	1840	1	RMS	1814	-52.23	-13	Pass	841
1840	1920	1	RMS	1895.8	23.94	60	Pass	401
1920	3000	1	RMS	2947	-48.78	-13	Pass	1081
3000	12000	1	RMS	11948	-41.33	-13	Pass	9002
12000	20000	1	RMS	19697	-32.94	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-61.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2986
30	1000	0.1	RMS	858.106	-63.71	-13	Pass	9701
1000	1840	1	RMS	1811	-52.23	-13	Pass	841
1840	1920	1	RMS	1895.8	23.23	60	Pass	401
1920	3000	1	RMS	2962	-48.78	-13	Pass	1081
3000	12000	1	RMS	11851	-41.37	-13	Pass	9002
12000	20000	1	RMS	19406	-32.86	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.05	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.85	-13	Pass	9701
1000	1840	1	RMS	1840	-49.53	-13	Pass	841
1840	1920	1	RMS	1851	24.58	60	Pass	401
1920	3000	1	RMS	2959	-48.8	-13	Pass	1081
3000	12000	1	RMS	11947	-41.25	-13	Pass	9002
12000	20000	1	RMS	19401	-32.84	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-65.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	Pass	2986
30	1000	0.1	RMS	864.71	-63.79	-13	Pass	9701
1000	1840	1	RMS	1840	-50.38	-13	Pass	841
1840	1920	1	RMS	1851	23.89	60	Pass	401
1920	3000	1	RMS	2962	-48.82	-13	Pass	1081
3000	12000	1	RMS	11843	-41.33	-13	Pass	9002
12000	20000	1	RMS	19397	-32.88	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.79	-13	Pass	9701
1000	1840	1	RMS	1812	-52.23	-13	Pass	841
1840	1920	1	RMS	1871	24.66	60	Pass	401
1920	3000	1	RMS	2949	-48.8	-13	Pass	1081
3000	12000	1	RMS	11851	-41.25	-13	Pass	9002
12000	20000	1	RMS	19408	-32.87	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.45	-13	Pass	2986
30	1000	0.1	RMS	835.5	-63.63	-13	Pass	9701
1000	1840	1	RMS	1811	-52.24	-13	Pass	841
1840	1920	1	RMS	1871	23.77	60	Pass	401
1920	3000	1	RMS	2945	-48.8	-13	Pass	1081
3000	12000	1	RMS	11862	-41.39	-13	Pass	9002
12000	20000	1	RMS	19397	-32.84	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	1000	0.1	RMS	851.502	-63.7	-13	Pass	9701
1000	1840	1	RMS	1809	-52.23	-13	Pass	841
1840	1920	1	RMS	1891	24.05	60	Pass	401
1920	3000	1	RMS	2955	-48.81	-13	Pass	1081
3000	12000	1	RMS	11846	-41.25	-13	Pass	9002
12000	20000	1	RMS	19402	-32.86	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	861.808	-63.64	-13	Pass	9701
1000	1840	1	RMS	1810	-52.24	-13	Pass	841
1840	1920	1	RMS	1891	23.28	60	Pass	401
1920	3000	1	RMS	2958	-48.78	-13	Pass	1081
3000	12000	1	RMS	11832	-41.31	-13	Pass	9002
12000	20000	1	RMS	19401	-32.9	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-65.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.17	-13	Pass	2986
30	1000	0.1	RMS	859.407	-63.66	-13	Pass	9701
1000	1700	1	RMS	1700	-51.16	-13	Pass	701
1700	1765	1	RMS	1710.238	24.76	60	Pass	401
1765	3000	1	RMS	2949	-48.79	-13	Pass	1236
3000	12000	1	RMS	11950	-41.31	-13	Pass	9002
12000	20000	1	RMS	19405	-32.87	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.54	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.81	-13	Pass	9701
1000	1700	1	RMS	1700	-51.43	-13	Pass	701
1700	1765	1	RMS	1710.238	23.63	60	Pass	401
1765	3000	1	RMS	2951	-48.78	-13	Pass	1236
3000	12000	1	RMS	11951	-41.42	-13	Pass	9002
12000	20000	1	RMS	19402	-32.9	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.79	-13	Pass	2986
30	1000	0.1	RMS	844.1	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-52.5	-13	Pass	701
1700	1765	1	RMS	1732.013	24.48	60	Pass	401
1765	3000	1	RMS	2958	-48.74	-13	Pass	1236
3000	12000	1	RMS	11852	-41.34	-13	Pass	9002
12000	20000	1	RMS	19407	-32.88	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2986
30	1000	0.1	RMS	851.702	-63.74	-13	Pass	9701
1000	1700	1	RMS	1699	-52.48	-13	Pass	701
1700	1765	1	RMS	1732.013	23.68	60	Pass	401
1765	3000	1	RMS	2954	-48.83	-13	Pass	1236
3000	12000	1	RMS	11853	-41.39	-13	Pass	9002
12000	20000	1	RMS	19399	-32.93	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.63	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-52.55	-13	Pass	701
1700	1765	1	RMS	1753.788	24.61	60	Pass	401
1765	3000	1	RMS	2950	-48.8	-13	Pass	1236
3000	12000	1	RMS	11951	-41.35	-13	Pass	9002
12000	20000	1	RMS	19404	-32.9	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.77	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.96	-13	Pass	2986
30	1000	0.1	RMS	857.105	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-52.55	-13	Pass	701
1700	1765	1	RMS	1753.788	23.91	60	Pass	401
1765	3000	1	RMS	2955	-48.73	-13	Pass	1236
3000	12000	1	RMS	11849	-41.33	-13	Pass	9002
12000	20000	1	RMS	19401	-32.9	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.81	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1765	1	RMS	1710.238	24.77	60	Pass	401
1765	3000	1	RMS	2951	-48.86	-13	Pass	1236
3000	12000	1	RMS	11861	-41.41	-13	Pass	9002
12000	20000	1	RMS	19725	-32.95	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.69	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.81	-13	Pass	9701
1000	1700	1	RMS	1700	-51.45	-13	Pass	701
1700	1765	1	RMS	1710.238	23.94	60	Pass	401
1765	3000	1	RMS	2951	-48.78	-13	Pass	1236
3000	12000	1	RMS	11846	-41.29	-13	Pass	9002
12000	20000	1	RMS	19401	-32.86	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.51	-13	Pass	2986
30	1000	0.1	RMS	842.5	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-52.51	-13	Pass	701
1700	1765	1	RMS	1731.2	24.73	60	Pass	401
1765	3000	1	RMS	2955	-48.71	-13	Pass	1236
3000	12000	1	RMS	11951	-41.36	-13	Pass	9002
12000	20000	1	RMS	19409	-32.9	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.46	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.93	-13	Pass	9701
1000	1700	1	RMS	1698	-52.54	-13	Pass	701
1700	1765	1	RMS	1731.2	23.68	60	Pass	401
1765	3000	1	RMS	2953	-48.65	-13	Pass	1236
3000	12000	1	RMS	11951	-41.34	-13	Pass	9002
12000	20000	1	RMS	19406	-32.86	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	Pass	2986
30	1000	0.1	RMS	836	-63.75	-13	Pass	9701
1000	1700	1	RMS	1695	-52.51	-13	Pass	701
1700	1765	1	RMS	1752.163	24.85	60	Pass	401
1765	3000	1	RMS	2955	-48.84	-13	Pass	1236
3000	12000	1	RMS	11950	-41.35	-13	Pass	9002
12000	20000	1	RMS	19704	-32.88	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2986
30	1000	0.1	RMS	854.103	-63.9	-13	Pass	9701
1000	1700	1	RMS	1699	-52.55	-13	Pass	701
1700	1765	1	RMS	1752.163	24.06	60	Pass	401
1765	3000	1	RMS	2951	-48.82	-13	Pass	1236
3000	12000	1	RMS	11954	-41.35	-13	Pass	9002
12000	20000	1	RMS	19400	-32.81	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.26	-13	Pass	2986
30	1000	0.1	RMS	857.606	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-50.88	-13	Pass	701
1700	1765	1	RMS	1710.238	24.82	60	Pass	401
1765	3000	1	RMS	2954	-48.79	-13	Pass	1236
3000	12000	1	RMS	11848	-41.37	-13	Pass	9002
12000	20000	1	RMS	19402	-32.84	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.91	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.31	-13	Pass	2986
30	1000	0.1	RMS	849	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	Pass	701
1700	1765	1	RMS	1710.238	23.86	60	Pass	401
1765	3000	1	RMS	2949	-48.82	-13	Pass	1236
3000	12000	1	RMS	11949	-41.39	-13	Pass	9002
12000	20000	1	RMS	19399	-32.92	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.53	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.95	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.85	-13	Pass	9701
1000	1700	1	RMS	1698	-52.53	-13	Pass	701
1700	1765	1	RMS	1730.225	24.59	60	Pass	401
1765	3000	1	RMS	2956	-48.79	-13	Pass	1236
3000	12000	1	RMS	11951	-41.37	-13	Pass	9002
12000	20000	1	RMS	19404	-32.86	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2986
30	1000	0.1	RMS	858.406	-63.81	-13	Pass	9701
1000	1700	1	RMS	1699	-52.46	-13	Pass	701
1700	1765	1	RMS	1730.225	24.03	60	Pass	401
1765	3000	1	RMS	2956	-48.74	-13	Pass	1236
3000	12000	1	RMS	11950	-41.31	-13	Pass	9002
12000	20000	1	RMS	19400	-32.9	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	Pass	2986
30	1000	0.1	RMS	849.5	-63.5	-13	Pass	9701
1000	1700	1	RMS	1697	-52.54	-13	Pass	701
1700	1765	1	RMS	1750.213	24.73	60	Pass	401
1765	3000	1	RMS	2954	-48.8	-13	Pass	1236
3000	12000	1	RMS	11844	-41.32	-13	Pass	9002
12000	20000	1	RMS	19402	-32.88	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	Pass	2986
30	1000	0.1	RMS	853.803	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-52.54	-13	Pass	701
1700	1765	1	RMS	1750.213	24.05	60	Pass	401
1765	3000	1	RMS	2954	-48.76	-13	Pass	1236
3000	12000	1	RMS	11953	-41.4	-13	Pass	9002
12000	20000	1	RMS	19394	-32.86	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.15	-13	Pass	2986
30	1000	0.1	RMS	859.907	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1765	1	RMS	1710.563	24.79	60	Pass	401
1765	3000	1	RMS	2951	-48.78	-13	Pass	1236
3000	12000	1	RMS	11842	-41.37	-13	Pass	9002
12000	20000	1	RMS	19409	-32.88	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-65.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2986
30	1000	0.1	RMS	835.7	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	Pass	701
1700	1765	1	RMS	1710.563	24.13	60	Pass	401
1765	3000	1	RMS	2950	-48.78	-13	Pass	1236
3000	12000	1	RMS	11849	-41.39	-13	Pass	9002
12000	20000	1	RMS	19402	-32.88	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.39	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.87	-13	Pass	2986
30	1000	0.1	RMS	860.407	-63.85	-13	Pass	9701
1000	1700	1	RMS	1700	-52.44	-13	Pass	701
1700	1765	1	RMS	1727.95	24.72	60	Pass	401
1765	3000	1	RMS	2956	-48.8	-13	Pass	1236
3000	12000	1	RMS	11850	-41.26	-13	Pass	9002
12000	20000	1	RMS	19401	-32.94	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	849.8	-63.9	-13	Pass	9701
1000	1700	1	RMS	1697	-52.49	-13	Pass	701
1700	1765	1	RMS	1727.95	23.66	60	Pass	401
1765	3000	1	RMS	2954	-48.79	-13	Pass	1236
3000	12000	1	RMS	11951	-41.24	-13	Pass	9002
12000	20000	1	RMS	19398	-32.87	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2986
30	1000	0.1	RMS	831.5	-63.87	-13	Pass	9701
1000	1700	1	RMS	1699	-52.56	-13	Pass	701
1700	1765	1	RMS	1745.5	24.84	60	Pass	401
1765	3000	1	RMS	2963	-48.81	-13	Pass	1236
3000	12000	1	RMS	11952	-41.32	-13	Pass	9002
12000	20000	1	RMS	19400	-32.88	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.65	-13	Pass	2986
30	1000	0.1	RMS	845.9	-63.79	-13	Pass	9701
1000	1700	1	RMS	1699	-52.51	-13	Pass	701
1700	1765	1	RMS	1745.5	23.88	60	Pass	401
1765	3000	1	RMS	2945	-48.74	-13	Pass	1236
3000	12000	1	RMS	11849	-41.4	-13	Pass	9002
12000	20000	1	RMS	19399	-32.9	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	Pass	2986
30	1000	0.1	RMS	845.3	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1765	1	RMS	1710.725	24.59	60	Pass	401
1765	3000	1	RMS	2950	-48.82	-13	Pass	1236
3000	12000	1	RMS	11947	-41.37	-13	Pass	9002
12000	20000	1	RMS	19398	-32.92	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.97	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.37	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.72	-13	Pass	9701
1000	1700	1	RMS	1700	-51.07	-13	Pass	701
1700	1765	1	RMS	1710.725	23.97	60	Pass	401
1765	3000	1	RMS	2960	-48.81	-13	Pass	1236
3000	12000	1	RMS	11946	-41.33	-13	Pass	9002
12000	20000	1	RMS	19401	-32.8	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	1000	0.1	RMS	846.8	-63.74	-13	Pass	9701
1000	1700	1	RMS	1699	-52.47	-13	Pass	701
1700	1765	1	RMS	1725.675	24.44	60	Pass	401
1765	3000	1	RMS	2951	-48.73	-13	Pass	1236
3000	12000	1	RMS	11853	-41.4	-13	Pass	9002
12000	20000	1	RMS	19402	-32.89	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2986
30	1000	0.1	RMS	861.408	-63.78	-13	Pass	9701
1000	1700	1	RMS	1699	-52.5	-13	Pass	701
1700	1765	1	RMS	1725.838	23.68	60	Pass	401
1765	3000	1	RMS	2955	-48.79	-13	Pass	1236
3000	12000	1	RMS	11951	-41.33	-13	Pass	9002
12000	20000	1	RMS	19398	-32.88	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.96	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.69	-13	Pass	9701
1000	1700	1	RMS	1697	-52.52	-13	Pass	701
1700	1765	1	RMS	1740.625	24.68	60	Pass	401
1765	3000	1	RMS	2956	-48.77	-13	Pass	1236
3000	12000	1	RMS	11949	-41.35	-13	Pass	9002
12000	20000	1	RMS	19402	-32.94	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	Pass	2986
30	1000	0.1	RMS	856.905	-63.82	-13	Pass	9701
1000	1700	1	RMS	1698	-52.53	-13	Pass	701
1700	1765	1	RMS	1740.788	24.24	60	Pass	401
1765	3000	1	RMS	2956	-48.84	-13	Pass	1236
3000	12000	1	RMS	11840	-41.32	-13	Pass	9002
12000	20000	1	RMS	19406	-32.84	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2986
30	1000	0.1	RMS	854.203	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-48.91	-13	Pass	701
1700	1765	1	RMS	1711.05	24.63	60	Pass	401
1765	3000	1	RMS	2954	-48.77	-13	Pass	1236
3000	12000	1	RMS	11850	-41.35	-13	Pass	9002
12000	20000	1	RMS	19402	-32.81	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.75	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.57	-13	Pass	9701
1000	1700	1	RMS	1700	-50.72	-13	Pass	701
1700	1765	1	RMS	1711.05	24.22	60	Pass	401
1765	3000	1	RMS	2954	-48.79	-13	Pass	1236
3000	12000	1	RMS	11847	-41.3	-13	Pass	9002
12000	20000	1	RMS	19403	-32.82	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2986
30	1000	0.1	RMS	843.7	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-52.41	-13	Pass	701
1700	1765	1	RMS	1723.563	24.62	60	Pass	401
1765	3000	1	RMS	2947	-48.72	-13	Pass	1236
3000	12000	1	RMS	11946	-41.29	-13	Pass	9002
12000	20000	1	RMS	19401	-32.88	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	Pass	2986
30	1000	0.1	RMS	859.107	-63.85	-13	Pass	9701
1000	1700	1	RMS	1699	-52.38	-13	Pass	701
1700	1765	1	RMS	1723.563	23.8	60	Pass	401
1765	3000	1	RMS	2960	-48.76	-13	Pass	1236
3000	12000	1	RMS	11949	-41.34	-13	Pass	9002
12000	20000	1	RMS	19403	-32.84	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	Pass	2986
30	1000	0.1	RMS	843.5	-63.74	-13	Pass	9701
1000	1700	1	RMS	1700	-52.45	-13	Pass	701
1700	1765	1	RMS	1736.075	24.73	60	Pass	401
1765	3000	1	RMS	2962	-48.84	-13	Pass	1236
3000	12000	1	RMS	11947	-41.27	-13	Pass	9002
12000	20000	1	RMS	19402	-32.93	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.57	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.25	-13	Pass	2986
30	1000	0.1	RMS	846	-63.81	-13	Pass	9701
1000	1700	1	RMS	1699	-52.52	-13	Pass	701
1700	1765	1	RMS	1735.913	23.65	60	Pass	401
1765	3000	1	RMS	2952	-48.73	-13	Pass	1236
3000	12000	1	RMS	11948	-41.37	-13	Pass	9002
12000	20000	1	RMS	19402	-32.87	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.88	-13	Pass	7841
814	860	0.1	RMS	824.2	21.04	60	Pass	461
860	1000	0.1	RMS	890.7	-63.99	-13	Pass	1401
1000	3000	1	RMS	1648	-46.74	-13	Pass	2001
3000	10000	1	RMS	6963	-41.61	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.59	-13	Pass	7841
814	860	0.1	RMS	824.2	20.04	60	Pass	461
860	1000	0.1	RMS	863.4	-64.03	-13	Pass	1401
1000	3000	1	RMS	1648	-47.44	-13	Pass	2001
3000	10000	1	RMS	6961	-41.7	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.3	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.44	-13	Pass	2986
30	814	0.1	RMS	808.6	-63.86	-13	Pass	7841
814	860	0.1	RMS	836.1	21.01	60	Pass	461
860	1000	0.1	RMS	861.3	-63.81	-13	Pass	1401
1000	3000	1	RMS	1672	-47.31	-13	Pass	2001
3000	10000	1	RMS	6960	-41.71	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	Pass	2986
30	814	0.1	RMS	813.3	-63.85	-13	Pass	7841
814	860	0.1	RMS	836.1	20.27	60	Pass	461
860	1000	0.1	RMS	936.7	-63.99	-13	Pass	1401
1000	3000	1	RMS	1672	-47.46	-13	Pass	2001
3000	10000	1	RMS	6960	-41.63	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-63.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.38	-13	Pass	2986
30	814	0.1	RMS	813.4	-64.02	-13	Pass	7841
814	860	0.1	RMS	847.8	21.18	60	Pass	461
860	1000	0.1	RMS	865.8	-63.8	-13	Pass	1401
1000	3000	1	RMS	1695	-46.41	-13	Pass	2001
3000	10000	1	RMS	6958	-41.72	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.22	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.41	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.92	-13	Pass	7841
814	860	0.1	RMS	847.8	20.31	60	Pass	461
860	1000	0.1	RMS	860	-64.01	-13	Pass	1401
1000	3000	1	RMS	1695	-46.96	-13	Pass	2001
3000	10000	1	RMS	6960	-41.63	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-64.49	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.19	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.96	-13	Pass	7841
814	860	0.1	RMS	824.2	21.4	60	Pass	461
860	1000	0.1	RMS	870.4	-63.89	-13	Pass	1401
1000	3000	1	RMS	1648	-46.31	-13	Pass	2001
3000	10000	1	RMS	6960	-41.74	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.12	-13	Pass	7841
814	860	0.1	RMS	824.2	20.58	60	Pass	461
860	1000	0.1	RMS	871.5	-63.93	-13	Pass	1401
1000	3000	1	RMS	1648	-47.4	-13	Pass	2001
3000	10000	1	RMS	6961	-41.64	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.82	-13	Pass	401
0.15	30	0.01	RMS	0.27	-72.23	-13	Pass	2986
30	814	0.1	RMS	809.6	-63.88	-13	Pass	7841
814	860	0.1	RMS	835.2	21.44	60	Pass	461
860	1000	0.1	RMS	996.5	-64.01	-13	Pass	1401
1000	3000	1	RMS	1670	-46.05	-13	Pass	2001
3000	10000	1	RMS	6963	-41.63	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.68	-13	Pass	2986
30	814	0.1	RMS	809.2	-63.92	-13	Pass	7841
814	860	0.1	RMS	835.2	20.39	60	Pass	461
860	1000	0.1	RMS	860.5	-64	-13	Pass	1401
1000	3000	1	RMS	1670	-46.97	-13	Pass	2001
3000	10000	1	RMS	6961	-41.7	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.16	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.62	-13	Pass	2986
30	814	0.1	RMS	809.8	-64.06	-13	Pass	7841
814	860	0.1	RMS	846.2	21.47	60	Pass	461
860	1000	0.1	RMS	863.7	-63.94	-13	Pass	1401
1000	3000	1	RMS	1692	-45.95	-13	Pass	2001
3000	10000	1	RMS	6961	-41.62	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.46	-13	Pass	2986
30	814	0.1	RMS	813.7	-64.02	-13	Pass	7841
814	860	0.1	RMS	846.2	20.5	60	Pass	461
860	1000	0.1	RMS	863.5	-63.8	-13	Pass	1401
1000	3000	1	RMS	1692	-46.83	-13	Pass	2001
3000	10000	1	RMS	6962	-41.65	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-61.74	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.9	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.78	-13	Pass	7841
814	860	0.1	RMS	824.3	21.34	60	Pass	461
860	1000	0.1	RMS	865.2	-63.97	-13	Pass	1401
1000	3000	1	RMS	1648	-46.52	-13	Pass	2001
3000	10000	1	RMS	6963	-41.64	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.08	-13	Pass	7841
814	860	0.1	RMS	824.3	20.44	60	Pass	461
860	1000	0.1	RMS	945.1	-63.97	-13	Pass	1401
1000	3000	1	RMS	1648	-47.47	-13	Pass	2001
3000	10000	1	RMS	6959	-41.64	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-63.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	Pass	2986
30	814	0.1	RMS	812	-63.95	-13	Pass	7841
814	860	0.1	RMS	834.3	21.5	60	Pass	461
860	1000	0.1	RMS	961.2	-64.06	-13	Pass	1401
1000	3000	1	RMS	1668	-46.35	-13	Pass	2001
3000	10000	1	RMS	6959	-41.7	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	814	0.1	RMS	812.2	-63.86	-13	Pass	7841
814	860	0.1	RMS	834.3	20.67	60	Pass	461
860	1000	0.1	RMS	862.6	-63.98	-13	Pass	1401
1000	3000	1	RMS	1668	-47.02	-13	Pass	2001
3000	10000	1	RMS	6960	-41.69	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.26	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.09	-13	Pass	2986
30	814	0.1	RMS	813.7	-64.08	-13	Pass	7841
814	860	0.1	RMS	844.3	21.67	60	Pass	461
860	1000	0.1	RMS	934.6	-63.84	-13	Pass	1401
1000	3000	1	RMS	1688	-46.2	-13	Pass	2001
3000	10000	1	RMS	6959	-41.73	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.3	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	Pass	2986
30	814	0.1	RMS	811.3	-64.12	-13	Pass	7841
814	860	0.1	RMS	844.3	20.6	60	Pass	461
860	1000	0.1	RMS	995	-63.84	-13	Pass	1401
1000	3000	1	RMS	1688	-46.66	-13	Pass	2001
3000	10000	1	RMS	6960	-41.64	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.18	-13	Pass	7841
814	860	0.1	RMS	824.6	21.86	60	Pass	461
860	1000	0.1	RMS	869.8	-63.72	-13	Pass	1401
1000	3000	1	RMS	1649	-47.09	-13	Pass	2001
3000	10000	1	RMS	6964	-41.67	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-65.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.5	-13	Pass	7841
814	860	0.1	RMS	824.6	21.28	60	Pass	461
860	1000	0.1	RMS	876.4	-63.87	-13	Pass	1401
1000	3000	1	RMS	1649	-47.41	-13	Pass	2001
3000	10000	1	RMS	6960	-41.63	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.54	-13	Pass	2986
30	814	0.1	RMS	812.2	-63.67	-13	Pass	7841
814	860	0.1	RMS	832.1	21.85	60	Pass	461
860	1000	0.1	RMS	878.1	-63.95	-13	Pass	1401
1000	3000	1	RMS	1664	-46.84	-13	Pass	2001
3000	10000	1	RMS	6963	-41.72	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.15	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.74	-13	Pass	7841
814	860	0.1	RMS	832.1	20.89	60	Pass	461
860	1000	0.1	RMS	961.4	-63.86	-13	Pass	1401
1000	3000	1	RMS	1664	-47.61	-13	Pass	2001
3000	10000	1	RMS	6962	-41.67	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	Pass	2986
30	814	0.1	RMS	812.1	-63.6	-13	Pass	7841
814	860	0.1	RMS	839.6	21.83	60	Pass	461
860	1000	0.1	RMS	938.2	-63.9	-13	Pass	1401
1000	3000	1	RMS	1679	-46.66	-13	Pass	2001
3000	10000	1	RMS	6960	-41.62	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2986
30	814	0.1	RMS	809.4	-63.9	-13	Pass	7841
814	860	0.1	RMS	839.6	21.01	60	Pass	461
860	1000	0.1	RMS	862.5	-63.97	-13	Pass	1401
1000	3000	1	RMS	1679	-47.53	-13	Pass	2001
3000	10000	1	RMS	6962	-41.67	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72	-25	Pass	2986
30	1000	0.1	RMS	864.11	-63.5	-25	Pass	9701
1000	2490	1	RMS	2490	-49.57	-25	Pass	1491
2490	2580	1	RMS	2500.125	24.12	60	Pass	401
2580	3000	1	RMS	2957	-48.8	-25	Pass	421
3000	12000	1	RMS	11851	-61.06	-25	Pass	9002
12000	26000	1	RMS	25998	-45.86	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.49	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.05	-25	Pass	2986
30	1000	0.1	RMS	845	-63.9	-25	Pass	9701
1000	2490	1	RMS	2490	-49.72	-25	Pass	1491
2490	2580	1	RMS	2500.125	23.16	60	Pass	401
2580	3000	1	RMS	2956	-48.83	-25	Pass	421
3000	12000	1	RMS	11851	-61.04	-25	Pass	9002
12000	26000	1	RMS	25996	-45.58	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.29	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-25	Pass	2986
30	1000	0.1	RMS	572.1	-62.89	-25	Pass	9701
1000	2490	1	RMS	2478	-50.54	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.13	60	Pass	401
2580	3000	1	RMS	2957	-48.83	-25	Pass	421
3000	12000	1	RMS	11852	-61.12	-25	Pass	9002
12000	26000	1	RMS	26000	-45.54	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-63.12	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.77	-25	Pass	2986
30	1000	0.1	RMS	572.1	-63.59	-25	Pass	9701
1000	2490	1	RMS	2482	-50.59	-25	Pass	1491
2490	2580	1	RMS	2532.75	23.3	60	Pass	401
2580	3000	1	RMS	2951	-48.81	-25	Pass	421
3000	12000	1	RMS	11848	-61.05	-25	Pass	9002
12000	26000	1	RMS	25997	-45.43	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	Pass	2986
30	1000	0.1	RMS	604.6	-62.67	-25	Pass	9701
1000	2490	1	RMS	2479	-50.55	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.92	60	Pass	401
2580	3000	1	RMS	2952	-48.85	-25	Pass	421
3000	12000	1	RMS	11857	-61.04	-25	Pass	9002
12000	26000	1	RMS	25999	-45.48	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-25	Pass	2986
30	1000	0.1	RMS	604.6	-63.23	-25	Pass	9701
1000	2490	1	RMS	2473	-50.55	-25	Pass	1491
2490	2580	1	RMS	2565.15	23.32	60	Pass	401
2580	3000	1	RMS	2959	-48.82	-25	Pass	421
3000	12000	1	RMS	11851	-61.07	-25	Pass	9002
12000	26000	1	RMS	25987	-45.47	-25	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.31	-25	Pass	2986
30	1000	0.1	RMS	843.9	-63.89	-25	Pass	9701
1000	2490	1	RMS	2490	-49.5	-25	Pass	1491
2490	2580	1	RMS	2500.35	24.04	60	Pass	401
2580	3000	1	RMS	2953	-48.82	-25	Pass	421
3000	12000	1	RMS	11841	-61.07	-25	Pass	9002
12000	26000	1	RMS	25991	-45.5	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.07	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.05	-25	Pass	2986
30	1000	0.1	RMS	836.8	-63.86	-25	Pass	9701
1000	2490	1	RMS	2490	-49.65	-25	Pass	1491
2490	2580	1	RMS	2500.35	23.42	60	Pass	401
2580	3000	1	RMS	2949	-48.86	-25	Pass	421
3000	12000	1	RMS	11849	-61	-25	Pass	9002
12000	26000	1	RMS	25989	-45.34	-25	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-25	Pass	2986
30	1000	0.1	RMS	569.9	-63.07	-25	Pass	9701
1000	2490	1	RMS	2484	-50.51	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.18	60	Pass	401
2580	3000	1	RMS	2956	-48.83	-25	Pass	421
3000	12000	1	RMS	11853	-61.01	-25	Pass	9002
12000	26000	1	RMS	25998	-45.47	-25	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-25	Pass	2986
30	1000	0.1	RMS	569.9	-63.33	-25	Pass	9701
1000	2490	1	RMS	2489	-50.53	-25	Pass	1491
2490	2580	1	RMS	2530.5	23.24	60	Pass	401
2580	3000	1	RMS	2953	-48.84	-25	Pass	421
3000	12000	1	RMS	11849	-61.03	-25	Pass	9002
12000	26000	1	RMS	25986	-45.39	-25	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.46	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.25	-25	Pass	2986
30	1000	0.1	RMS	599.9	-61.89	-25	Pass	9701
1000	2490	1	RMS	2481	-50.55	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.96	60	Pass	401
2580	3000	1	RMS	2956	-48.82	-25	Pass	421
3000	12000	1	RMS	11850	-61.04	-25	Pass	9002
12000	26000	1	RMS	25998	-45.34	-25	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-65.04	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.8	-25	Pass	2986
30	1000	0.1	RMS	599.9	-62.5	-25	Pass	9701
1000	2490	1	RMS	2485	-50.54	-25	Pass	1491
2490	2580	1	RMS	2560.425	23.08	60	Pass	401
2580	3000	1	RMS	2952	-48.8	-25	Pass	421
3000	12000	1	RMS	11849	-60.98	-25	Pass	9002
12000	26000	1	RMS	25991	-45.49	-25	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.56	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.59	-25	Pass	2986
30	1000	0.1	RMS	831.6	-63.58	-25	Pass	9701
1000	2490	1	RMS	2490	-49.46	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.02	60	Pass	401
2580	3000	1	RMS	2958	-48.85	-25	Pass	421
3000	12000	1	RMS	11850	-61.03	-25	Pass	9002
12000	26000	1	RMS	25996	-45.41	-25	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.48	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.83	-25	Pass	2986
30	1000	0.1	RMS	863.91	-63.68	-25	Pass	9701
1000	2490	1	RMS	2490	-49.6	-25	Pass	1491
2490	2580	1	RMS	2500.8	23.22	60	Pass	401
2580	3000	1	RMS	2956	-48.82	-25	Pass	421
3000	12000	1	RMS	11852	-61.07	-25	Pass	9002
12000	26000	1	RMS	25990	-45.42	-25	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-25	Pass	2986
30	1000	0.1	RMS	854.704	-63.89	-25	Pass	9701
1000	2490	1	RMS	2485	-50.53	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.93	60	Pass	401
2580	3000	1	RMS	2955	-48.84	-25	Pass	421
3000	12000	1	RMS	11844	-61.05	-25	Pass	9002
12000	26000	1	RMS	25998	-45.39	-25	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-25	Pass	2986
30	1000	0.1	RMS	833.8	-63.81	-25	Pass	9701
1000	2490	1	RMS	2487	-50.55	-25	Pass	1491
2490	2580	1	RMS	2528.25	23.26	60	Pass	401
2580	3000	1	RMS	2954	-48.87	-25	Pass	421
3000	12000	1	RMS	11847	-61.05	-25	Pass	9002
12000	26000	1	RMS	25986	-45.53	-25	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-25	Pass	2986
30	1000	0.1	RMS	595.1	-62.01	-25	Pass	9701
1000	2490	1	RMS	2481	-50.6	-25	Pass	1491
2490	2580	1	RMS	2555.7	23.82	60	Pass	401
2580	3000	1	RMS	2957	-48.76	-25	Pass	421
3000	12000	1	RMS	11845	-61.07	-25	Pass	9002
12000	26000	1	RMS	26000	-45.49	-25	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.35	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.12	-25	Pass	2986
30	1000	0.1	RMS	595.1	-62.77	-25	Pass	9701
1000	2490	1	RMS	2480	-50.58	-25	Pass	1491
2490	2580	1	RMS	2555.7	23.42	60	Pass	401
2580	3000	1	RMS	2954	-48.84	-25	Pass	421
3000	12000	1	RMS	11845	-60.99	-25	Pass	9002
12000	26000	1	RMS	25995	-45.42	-25	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-25	Pass	2986
30	1000	0.1	RMS	853.103	-63.8	-25	Pass	9701
1000	2490	1	RMS	2490	-46.86	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.02	60	Pass	401
2580	3000	1	RMS	2957	-48.84	-25	Pass	421
3000	12000	1	RMS	11855	-61.07	-25	Pass	9002
12000	26000	1	RMS	25995	-45.51	-25	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-63.3	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.34	-25	Pass	2986
30	1000	0.1	RMS	847.1	-63.86	-25	Pass	9701
1000	2490	1	RMS	2490	-47.99	-25	Pass	1491
2490	2580	1	RMS	2501.025	23.22	60	Pass	401
2580	3000	1	RMS	2950	-48.83	-25	Pass	421
3000	12000	1	RMS	11850	-61.09	-25	Pass	9002
12000	26000	1	RMS	25998	-45.52	-25	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.14	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-25	Pass	2986
30	1000	0.1	RMS	852.702	-63.75	-25	Pass	9701
1000	2490	1	RMS	2489	-50.53	-25	Pass	1491
2490	2580	1	RMS	2526	23.78	60	Pass	401
2580	3000	1	RMS	2953	-48.85	-25	Pass	421
3000	12000	1	RMS	11848	-61.03	-25	Pass	9002
12000	26000	1	RMS	25994	-45.42	-25	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-25	Pass	2986
30	1000	0.1	RMS	845.9	-63.74	-25	Pass	9701
1000	2490	1	RMS	2489	-50.03	-25	Pass	1491
2490	2580	1	RMS	2526	23.01	60	Pass	401
2580	3000	1	RMS	2954	-48.81	-25	Pass	421
3000	12000	1	RMS	11845	-61.06	-25	Pass	9002
12000	26000	1	RMS	26000	-45.46	-25	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-63.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-25	Pass	2986
30	1000	0.1	RMS	590.4	-61.44	-25	Pass	9701
1000	2490	1	RMS	2490	-50.55	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.87	60	Pass	401
2580	3000	1	RMS	2956	-48.82	-25	Pass	421
3000	12000	1	RMS	11850	-61.07	-25	Pass	9002
12000	26000	1	RMS	25994	-45.52	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.94	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-25	Pass	2986
30	1000	0.1	RMS	590.4	-61.99	-25	Pass	9701
1000	2490	1	RMS	2482	-50.59	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.95	60	Pass	401
2580	3000	1	RMS	2946	-48.8	-25	Pass	421
3000	12000	1	RMS	11846	-61.06	-25	Pass	9002
12000	26000	1	RMS	26000	-45.43	-25	Pass	14002



5. LTE_Band12


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.66	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.86	-13	Pass	6591
689	726	0.1	RMS	699.268	21.68	60	Pass	401
726	1000	0.1	RMS	846.2	-63.67	-13	Pass	2741
1000	3000	1	RMS	1398	-48.17	-13	Pass	2001
3000	10000	1	RMS	6960	-41.71	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-64.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.38	-13	Pass	6591
689	726	0.1	RMS	699.268	20.62	60	Pass	401
726	1000	0.1	RMS	828.2	-63.59	-13	Pass	2741
1000	3000	1	RMS	2955	-48.79	-13	Pass	2001
3000	10000	1	RMS	6961	-41.65	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2986
30	689	0.1	RMS	494.3	-64.57	-13	Pass	6591
689	726	0.1	RMS	707.038	21.74	60	Pass	401
726	1000	0.1	RMS	854.7	-63.63	-13	Pass	2741
1000	3000	1	RMS	1414	-48.43	-13	Pass	2001
3000	10000	1	RMS	6959	-41.67	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-65	-13	Pass	401
0.15	30	0.01	RMS	0.29	-72.37	-13	Pass	2986
30	689	0.1	RMS	611	-64.52	-13	Pass	6591
689	726	0.1	RMS	707.038	21.13	60	Pass	401
726	1000	0.1	RMS	867.9	-63.47	-13	Pass	2741
1000	3000	1	RMS	2948	-48.79	-13	Pass	2001
3000	10000	1	RMS	6961	-41.64	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	689	0.1	RMS	501.6	-64.65	-13	Pass	6591
689	726	0.1	RMS	714.808	21.25	60	Pass	401
726	1000	0.1	RMS	846.6	-63.69	-13	Pass	2741
1000	3000	1	RMS	1429	-47.41	-13	Pass	2001
3000	10000	1	RMS	6964	-41.72	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	Pass	2986
30	689	0.1	RMS	602.2	-64.56	-13	Pass	6591
689	726	0.1	RMS	714.808	20.48	60	Pass	401
726	1000	0.1	RMS	841.3	-63.58	-13	Pass	2741
1000	3000	1	RMS	1429	-48.19	-13	Pass	2001
3000	10000	1	RMS	6962	-41.69	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-65.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.63	-13	Pass	2986
30	689	0.1	RMS	688.5	-62.6	-13	Pass	6591
689	726	0.1	RMS	699.268	21.69	60	Pass	401
726	1000	0.1	RMS	848.8	-63.63	-13	Pass	2741
1000	3000	1	RMS	1398	-47.72	-13	Pass	2001
3000	10000	1	RMS	6959	-41.7	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.31	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.9	-13	Pass	2986
30	689	0.1	RMS	688.5	-63.04	-13	Pass	6591
689	726	0.1	RMS	699.268	20.96	60	Pass	401
726	1000	0.1	RMS	842.5	-63.65	-13	Pass	2741
1000	3000	1	RMS	1398	-48.34	-13	Pass	2001
3000	10000	1	RMS	6960	-41.7	-13	Pass	7001



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.54	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.31	-13	Pass	2986
30	689	0.1	RMS	474.7	-64.59	-13	Pass	6591
689	726	0.1	RMS	706.205	21.51	60	Pass	401
726	1000	0.1	RMS	837.9	-63.61	-13	Pass	2741
1000	3000	1	RMS	1412	-47.01	-13	Pass	2001
3000	10000	1	RMS	6961	-41.69	-13	Pass	7001



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.49	-13	Pass	2986
30	689	0.1	RMS	485.6	-64.59	-13	Pass	6591
689	726	0.1	RMS	706.205	20.64	60	Pass	401
726	1000	0.1	RMS	844.9	-63.51	-13	Pass	2741
1000	3000	1	RMS	1412	-48.06	-13	Pass	2001
3000	10000	1	RMS	6960	-41.73	-13	Pass	7001



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.71	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.02	-13	Pass	2986
30	689	0.1	RMS	481.4	-64.62	-13	Pass	6591
689	726	0.1	RMS	713.235	21.85	60	Pass	401
726	1000	0.1	RMS	837	-63.51	-13	Pass	2741
1000	3000	1	RMS	1426	-46.93	-13	Pass	2001
3000	10000	1	RMS	6962	-41.71	-13	Pass	7001



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.17	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.98	-13	Pass	2986
30	689	0.1	RMS	499.4	-64.64	-13	Pass	6591
689	726	0.1	RMS	713.235	20.95	60	Pass	401
726	1000	0.1	RMS	834.9	-63.63	-13	Pass	2741
1000	3000	1	RMS	1426	-48.02	-13	Pass	2001
3000	10000	1	RMS	6961	-41.71	-13	Pass	7001



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.4	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.24	-13	Pass	2986
30	689	0.1	RMS	688.6	-62.87	-13	Pass	6591
689	726	0.1	RMS	699.36	21.5	60	Pass	401
726	1000	0.1	RMS	852.5	-63.66	-13	Pass	2741
1000	3000	1	RMS	1398	-48.24	-13	Pass	2001
3000	10000	1	RMS	6964	-41.66	-13	Pass	7001



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.35	-13	Pass	2986
30	689	0.1	RMS	688.6	-63.28	-13	Pass	6591
689	726	0.1	RMS	699.36	20.74	60	Pass	401
726	1000	0.1	RMS	869.8	-63.55	-13	Pass	2741
1000	3000	1	RMS	1398	-48.82	-13	Pass	2001
3000	10000	1	RMS	6962	-41.77	-13	Pass	7001



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	Pass	2986
30	689	0.1	RMS	514.6	-64.54	-13	Pass	6591
689	726	0.1	RMS	705.373	21.45	60	Pass	401
726	1000	0.1	RMS	829.4	-63.65	-13	Pass	2741
1000	3000	1	RMS	1410	-47.56	-13	Pass	2001
3000	10000	1	RMS	6961	-41.71	-13	Pass	7001



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-63.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	Pass	2986
30	689	0.1	RMS	488	-64.62	-13	Pass	6591
689	726	0.1	RMS	705.373	20.91	60	Pass	401
726	1000	0.1	RMS	853.2	-63.59	-13	Pass	2741
1000	3000	1	RMS	1410	-48.12	-13	Pass	2001
3000	10000	1	RMS	6960	-41.68	-13	Pass	7001



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	Pass	2986
30	689	0.1	RMS	493.8	-64.53	-13	Pass	6591
689	726	0.1	RMS	711.293	21.29	60	Pass	401
726	1000	0.1	RMS	835.5	-63.65	-13	Pass	2741
1000	3000	1	RMS	1422	-47.08	-13	Pass	2001
3000	10000	1	RMS	6965	-41.72	-13	Pass	7001



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-63.68	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.08	-13	Pass	2986
30	689	0.1	RMS	492	-64.59	-13	Pass	6591
689	726	0.1	RMS	711.385	20.47	60	Pass	401
726	1000	0.1	RMS	857.9	-63.75	-13	Pass	2741
1000	3000	1	RMS	1422	-48.02	-13	Pass	2001
3000	10000	1	RMS	6963	-41.69	-13	Pass	7001



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.17	-13	Pass	6591
689	726	0.1	RMS	699.545	21.07	60	Pass	401
726	1000	0.1	RMS	858.3	-63.71	-13	Pass	2741
1000	3000	1	RMS	1399	-48.44	-13	Pass	2001
3000	10000	1	RMS	6960	-41.69	-13	Pass	7001



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.61	-13	Pass	6591
689	726	0.1	RMS	699.545	20.72	60	Pass	401
726	1000	0.1	RMS	984.9	-63.64	-13	Pass	2741
1000	3000	1	RMS	2958	-48.81	-13	Pass	2001
3000	10000	1	RMS	6964	-41.7	-13	Pass	7001



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.24	-13	Pass	2986
30	689	0.1	RMS	500.5	-64.47	-13	Pass	6591
689	726	0.1	RMS	703.06	21.55	60	Pass	401
726	1000	0.1	RMS	871.2	-63.62	-13	Pass	2741
1000	3000	1	RMS	1406	-48.02	-13	Pass	2001
3000	10000	1	RMS	6961	-41.71	-13	Pass	7001



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.57	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.27	-13	Pass	2986
30	689	0.1	RMS	499.4	-64.63	-13	Pass	6591
689	726	0.1	RMS	703.06	20.64	60	Pass	401
726	1000	0.1	RMS	847.2	-63.64	-13	Pass	2741
1000	3000	1	RMS	2961	-48.82	-13	Pass	2001
3000	10000	1	RMS	6960	-41.66	-13	Pass	7001



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	689	0.1	RMS	492.1	-64.58	-13	Pass	6591
689	726	0.1	RMS	706.575	21.8	60	Pass	401
726	1000	0.1	RMS	859.2	-63.62	-13	Pass	2741
1000	3000	1	RMS	1413	-48.14	-13	Pass	2001
3000	10000	1	RMS	6964	-41.63	-13	Pass	7001



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.34	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-13	Pass	2986
30	689	0.1	RMS	502.1	-64.58	-13	Pass	6591
689	726	0.1	RMS	706.575	21	60	Pass	401
726	1000	0.1	RMS	856.9	-63.66	-13	Pass	2741
1000	3000	1	RMS	2960	-48.77	-13	Pass	2001
3000	10000	1	RMS	6958	-41.7	-13	Pass	7001



6. LTE_Band13


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	767	0.1	RMS	766.6	-62.46	-13	Pass	7371
767	797	0.1	RMS	777.35	21.61	60	Pass	401
797	1000	0.1	RMS	855.3	-63.68	-13	Pass	2031
1000	3000	1	RMS	1554	-46.9	-13	Pass	2001
3000	10000	1	RMS	6961	-41.6	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	Pass	2986
30	767	0.1	RMS	766.6	-62.96	-13	Pass	7371
767	797	0.1	RMS	777.35	20.96	60	Pass	401
797	1000	0.1	RMS	851.1	-63.68	-13	Pass	2031
1000	3000	1	RMS	1554	-47.89	-13	Pass	2001
3000	10000	1	RMS	6960	-41.63	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	767	0.1	RMS	748	-64.17	-13	Pass	7371
767	797	0.1	RMS	779.825	21.8	60	Pass	401
797	1000	0.1	RMS	849.7	-63.68	-13	Pass	2031
1000	3000	1	RMS	1559	-46.9	-13	Pass	2001
3000	10000	1	RMS	6962	-41.76	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2986
30	767	0.1	RMS	736.8	-64.3	-13	Pass	7371
767	797	0.1	RMS	779.825	20.93	60	Pass	401
797	1000	0.1	RMS	854.3	-63.69	-13	Pass	2031
1000	3000	1	RMS	1559	-47.57	-13	Pass	2001
3000	10000	1	RMS	6960	-41.62	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.98	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-13	Pass	2986
30	767	0.1	RMS	757.6	-64.36	-13	Pass	7371
767	797	0.1	RMS	782.3	21.47	60	Pass	401
797	1000	0.1	RMS	860.9	-63.62	-13	Pass	2031
1000	3000	1	RMS	1564	-46.83	-13	Pass	2001
3000	10000	1	RMS	6962	-41.66	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-64.09	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.69	-13	Pass	2986
30	767	0.1	RMS	713.9	-64.43	-13	Pass	7371
767	797	0.1	RMS	782.3	20.68	60	Pass	401
797	1000	0.1	RMS	812.1	-63.74	-13	Pass	2031
1000	3000	1	RMS	1564	-47.3	-13	Pass	2001
3000	10000	1	RMS	6959	-41.74	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.1	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.07	-13	Pass	7371
767	797	0.1	RMS	777.575	21.54	60	Pass	401
797	1000	0.1	RMS	851.4	-63.61	-13	Pass	2031
1000	3000	1	RMS	1555	-47.48	-13	Pass	2001
3000	10000	1	RMS	6961	-41.67	-13	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.38	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.58	-13	Pass	2986
30	767	0.1	RMS	766.9	-62.29	-13	Pass	7371
767	797	0.1	RMS	777.575	20.95	60	Pass	401
797	1000	0.1	RMS	843.1	-63.68	-13	Pass	2031
1000	3000	1	RMS	1555	-48.2	-13	Pass	2001
3000	10000	1	RMS	6961	-41.66	-13	Pass	7001



7. LTE_Band17


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.27	-13	Pass	6641
694	726	0.1	RMS	704.32	21.84	60	Pass	401
726	1000	0.1	RMS	861	-63.69	-13	Pass	2741
1000	3000	1	RMS	1408	-47.58	-13	Pass	2001
3000	10000	1	RMS	6964	-41.7	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.69	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-13	Pass	2986
30	694	0.1	RMS	693.6	-62.64	-13	Pass	6641
694	726	0.1	RMS	704.32	20.9	60	Pass	401
726	1000	0.1	RMS	850.6	-63.44	-13	Pass	2741
1000	3000	1	RMS	1408	-48.36	-13	Pass	2001
3000	10000	1	RMS	6960	-41.7	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.89	-13	Pass	2986
30	694	0.1	RMS	694	-64.46	-13	Pass	6641
694	726	0.1	RMS	707.84	21.93	60	Pass	401
726	1000	0.1	RMS	845.1	-63.66	-13	Pass	2741
1000	3000	1	RMS	1415	-47.37	-13	Pass	2001
3000	10000	1	RMS	6961	-41.71	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-64.74	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.23	-13	Pass	2986
30	694	0.1	RMS	693.4	-64.52	-13	Pass	6641
694	726	0.1	RMS	707.84	21.28	60	Pass	401
726	1000	0.1	RMS	829.4	-63.59	-13	Pass	2741
1000	3000	1	RMS	1415	-48.01	-13	Pass	2001
3000	10000	1	RMS	6960	-41.68	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-64.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	Pass	2986
30	694	0.1	RMS	510.8	-64.56	-13	Pass	6641
694	726	0.1	RMS	711.36	21.7	60	Pass	401
726	1000	0.1	RMS	839.6	-63.64	-13	Pass	2741
1000	3000	1	RMS	1422	-46.94	-13	Pass	2001
3000	10000	1	RMS	6961	-41.68	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.41	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	Pass	2986
30	694	0.1	RMS	686.7	-64.56	-13	Pass	6641
694	726	0.1	RMS	711.36	21	60	Pass	401
726	1000	0.1	RMS	847.4	-63.55	-13	Pass	2741
1000	3000	1	RMS	1422	-47.82	-13	Pass	2001
3000	10000	1	RMS	6961	-41.75	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.16	-13	Pass	6641
694	726	0.1	RMS	704.56	21.57	60	Pass	401
726	1000	0.1	RMS	840.5	-63.62	-13	Pass	2741
1000	3000	1	RMS	1409	-47.92	-13	Pass	2001
3000	10000	1	RMS	6964	-41.78	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-62.65	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.37	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.58	-13	Pass	6641
694	726	0.1	RMS	704.56	20.78	60	Pass	401
726	1000	0.1	RMS	825.4	-63.52	-13	Pass	2741
1000	3000	1	RMS	1409	-48.75	-13	Pass	2001
3000	10000	1	RMS	6960	-41.68	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.35	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.04	-13	Pass	2986
30	694	0.1	RMS	500.7	-64.55	-13	Pass	6641
694	726	0.1	RMS	705.6	21.88	60	Pass	401
726	1000	0.1	RMS	865	-63.63	-13	Pass	2741
1000	3000	1	RMS	1411	-47.95	-13	Pass	2001
3000	10000	1	RMS	6963	-41.68	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	694	0.1	RMS	506.4	-64.59	-13	Pass	6641
694	726	0.1	RMS	705.6	21.01	60	Pass	401
726	1000	0.1	RMS	852.1	-63.65	-13	Pass	2741
1000	3000	1	RMS	1411	-48.48	-13	Pass	2001
3000	10000	1	RMS	6960	-41.68	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.63	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.73	-13	Pass	2986
30	694	0.1	RMS	693.6	-64.42	-13	Pass	6641
694	726	0.1	RMS	706.56	21.65	60	Pass	401
726	1000	0.1	RMS	844.9	-63.63	-13	Pass	2741
1000	3000	1	RMS	1413	-48.3	-13	Pass	2001
3000	10000	1	RMS	6961	-41.68	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-63.44	-13	Pass	401
0.15	30	0.01	RMS	0.28	-72.61	-13	Pass	2986
30	694	0.1	RMS	587.5	-64.55	-13	Pass	6641
694	726	0.1	RMS	706.56	20.79	60	Pass	401
726	1000	0.1	RMS	846.8	-63.37	-13	Pass	2741
1000	3000	1	RMS	2946	-48.83	-13	Pass	2001
3000	10000	1	RMS	6961	-41.67	-13	Pass	7001



1. LTE_Band26(part22)


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.04	-13	Pass	7841
814	860	0.1	RMS	824.3	20.99	60	Pass	461
860	1000	0.1	RMS	860.6	-63.94	-13	Pass	1401
1000	3000	1	RMS	1648	-46.57	-13	Pass	2001
3000	10000	1	RMS	6961	-41.24	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.74	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.53	-13	Pass	7841
814	860	0.1	RMS	824.2	20.48	60	Pass	461
860	1000	0.1	RMS	869.2	-63.93	-13	Pass	1401
1000	3000	1	RMS	1648	-47.37	-13	Pass	2001
3000	10000	1	RMS	6960	-41.33	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.56	-13	Pass	2986
30	814	0.1	RMS	812.6	-63.74	-13	Pass	7841
814	860	0.1	RMS	836.1	21.21	60	Pass	461
860	1000	0.1	RMS	877.6	-63.87	-13	Pass	1401
1000	3000	1	RMS	1672	-47.01	-13	Pass	2001
3000	10000	1	RMS	6960	-41.3	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.98	-13	Pass	401
0.15	30	0.01	RMS	0.23	-72.27	-13	Pass	2986
30	814	0.1	RMS	809.7	-63.71	-13	Pass	7841
814	860	0.1	RMS	836.1	20.32	60	Pass	461
860	1000	0.1	RMS	860.6	-63.79	-13	Pass	1401
1000	3000	1	RMS	1672	-47.76	-13	Pass	2001
3000	10000	1	RMS	6960	-41.26	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.8	-13	Pass	7841
814	860	0.1	RMS	847.8	21.03	60	Pass	461
860	1000	0.1	RMS	872.2	-63.77	-13	Pass	1401
1000	3000	1	RMS	1695	-46.35	-13	Pass	2001
3000	10000	1	RMS	6961	-41.36	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2986
30	814	0.1	RMS	810.4	-63.9	-13	Pass	7841
814	860	0.1	RMS	847.9	20.22	60	Pass	461
860	1000	0.1	RMS	863.5	-63.74	-13	Pass	1401
1000	3000	1	RMS	1695	-47.09	-13	Pass	2001
3000	10000	1	RMS	6961	-41.38	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.04	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.92	-13	Pass	7841
814	860	0.1	RMS	824.2	21.36	60	Pass	461
860	1000	0.1	RMS	870.3	-63.71	-13	Pass	1401
1000	3000	1	RMS	1648	-46.38	-13	Pass	2001
3000	10000	1	RMS	6960	-41.28	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.14	-13	Pass	7841
814	860	0.1	RMS	824.2	20.72	60	Pass	461
860	1000	0.1	RMS	871.6	-63.89	-13	Pass	1401
1000	3000	1	RMS	1648	-46.85	-13	Pass	2001
3000	10000	1	RMS	6961	-41.24	-13	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.66	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.75	-13	Pass	7841
814	860	0.1	RMS	835.2	21.45	60	Pass	461
860	1000	0.1	RMS	860.5	-63.71	-13	Pass	1401
1000	3000	1	RMS	1670	-46	-13	Pass	2001
3000	10000	1	RMS	6963	-41.33	-13	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2986
30	814	0.1	RMS	810	-63.77	-13	Pass	7841
814	860	0.1	RMS	835.2	20.44	60	Pass	461
860	1000	0.1	RMS	932.5	-63.88	-13	Pass	1401
1000	3000	1	RMS	1670	-46.77	-13	Pass	2001
3000	10000	1	RMS	6963	-41.38	-13	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.88	-13	Pass	7841
814	860	0.1	RMS	846.2	21.44	60	Pass	461
860	1000	0.1	RMS	966.4	-63.84	-13	Pass	1401
1000	3000	1	RMS	1692	-45.74	-13	Pass	2001
3000	10000	1	RMS	6962	-41.35	-13	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	814	0.1	RMS	812.2	-63.98	-13	Pass	7841
814	860	0.1	RMS	846.2	20.55	60	Pass	461
860	1000	0.1	RMS	863.9	-63.84	-13	Pass	1401
1000	3000	1	RMS	1692	-46.81	-13	Pass	2001
3000	10000	1	RMS	6962	-41.34	-13	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.56	-13	Pass	7841
814	860	0.1	RMS	824.3	21.33	60	Pass	461
860	1000	0.1	RMS	926.2	-63.86	-13	Pass	1401
1000	3000	1	RMS	1648	-46.51	-13	Pass	2001
3000	10000	1	RMS	6961	-41.28	-13	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.14	-13	Pass	7841
814	860	0.1	RMS	824.3	20.57	60	Pass	461
860	1000	0.1	RMS	866	-63.86	-13	Pass	1401
1000	3000	1	RMS	1648	-47.25	-13	Pass	2001
3000	10000	1	RMS	6960	-41.31	-13	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	Pass	2986
30	814	0.1	RMS	809.5	-63.7	-13	Pass	7841
814	860	0.1	RMS	834.3	21.25	60	Pass	461
860	1000	0.1	RMS	881.5	-63.81	-13	Pass	1401
1000	3000	1	RMS	1668	-46.23	-13	Pass	2001
3000	10000	1	RMS	6961	-41.34	-13	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2986
30	814	0.1	RMS	809.6	-63.66	-13	Pass	7841
814	860	0.1	RMS	834.3	20.71	60	Pass	461
860	1000	0.1	RMS	875	-63.84	-13	Pass	1401
1000	3000	1	RMS	1668	-46.87	-13	Pass	2001
3000	10000	1	RMS	6960	-41.28	-13	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	Pass	2986
30	814	0.1	RMS	811.4	-63.96	-13	Pass	7841
814	860	0.1	RMS	844.3	21.6	60	Pass	461
860	1000	0.1	RMS	860.4	-63.74	-13	Pass	1401
1000	3000	1	RMS	1688	-46.08	-13	Pass	2001
3000	10000	1	RMS	6962	-41.36	-13	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.82	-13	Pass	7841
814	860	0.1	RMS	844.3	20.97	60	Pass	461
860	1000	0.1	RMS	864.5	-63.76	-13	Pass	1401
1000	3000	1	RMS	1688	-46.92	-13	Pass	2001
3000	10000	1	RMS	6960	-41.21	-13	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.7	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.87	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.6	21.86	60	Pass	461
860	1000	0.1	RMS	863.5	-63.81	-13	Pass	1401
1000	3000	1	RMS	1649	-46.84	-13	Pass	2001
3000	10000	1	RMS	6963	-41.28	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.56	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.3	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.58	-13	Pass	7841
814	860	0.1	RMS	824.6	21.04	60	Pass	461
860	1000	0.1	RMS	872.1	-63.83	-13	Pass	1401
1000	3000	1	RMS	1649	-47.46	-13	Pass	2001
3000	10000	1	RMS	6961	-41.32	-13	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	Pass	2986
30	814	0.1	RMS	811.5	-63.73	-13	Pass	7841
814	860	0.1	RMS	832.1	21.85	60	Pass	461
860	1000	0.1	RMS	865.7	-63.76	-13	Pass	1401
1000	3000	1	RMS	1664	-46.65	-13	Pass	2001
3000	10000	1	RMS	6962	-41.32	-13	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2986
30	814	0.1	RMS	811.8	-63.72	-13	Pass	7841
814	860	0.1	RMS	832.1	20.84	60	Pass	461
860	1000	0.1	RMS	864.6	-63.83	-13	Pass	1401
1000	3000	1	RMS	1664	-47.64	-13	Pass	2001
3000	10000	1	RMS	6960	-41.38	-13	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.65	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.68	-13	Pass	2986
30	814	0.1	RMS	812.8	-63.72	-13	Pass	7841
814	860	0.1	RMS	839.6	22.01	60	Pass	461
860	1000	0.1	RMS	922.9	-63.9	-13	Pass	1401
1000	3000	1	RMS	1679	-46.32	-13	Pass	2001
3000	10000	1	RMS	6961	-41.38	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.96	-13	Pass	7841
814	860	0.1	RMS	839.6	21.04	60	Pass	461
860	1000	0.1	RMS	863	-63.88	-13	Pass	1401
1000	3000	1	RMS	1679	-47.26	-13	Pass	2001
3000	10000	1	RMS	6960	-41.28	-13	Pass	7001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	814	0.1	RMS	810.6	-62.35	-13	Pass	7841
814	860	0.1	RMS	824.8	21.13	60	Pass	461
860	1000	0.1	RMS	878.7	-63.81	-13	Pass	1401
1000	3000	1	RMS	1649	-46.87	-13	Pass	2001
3000	10000	1	RMS	6962	-41.4	-13	Pass	7001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	814	0.1	RMS	810.9	-62.22	-13	Pass	7841
814	860	0.1	RMS	824.8	20.44	60	Pass	461
860	1000	0.1	RMS	874.6	-63.84	-13	Pass	1401
1000	3000	1	RMS	1649	-47.26	-13	Pass	2001
3000	10000	1	RMS	6962	-41.34	-13	Pass	7001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.33	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.53	-13	Pass	7841
814	860	0.1	RMS	829.8	21.24	60	Pass	461
860	1000	0.1	RMS	878.3	-63.73	-13	Pass	1401
1000	3000	1	RMS	1659	-46.65	-13	Pass	2001
3000	10000	1	RMS	6960	-41.32	-13	Pass	7001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.84	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.54	-13	Pass	2986
30	814	0.1	RMS	810.3	-63.55	-13	Pass	7841
814	860	0.1	RMS	829.8	20.38	60	Pass	461
860	1000	0.1	RMS	867.1	-63.9	-13	Pass	1401
1000	3000	1	RMS	1659	-47.43	-13	Pass	2001
3000	10000	1	RMS	6960	-41.26	-13	Pass	7001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.33	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-13	Pass	2986
30	814	0.1	RMS	812.8	-63.77	-13	Pass	7841
814	860	0.1	RMS	834.8	21.08	60	Pass	461
860	1000	0.1	RMS	871.6	-63.88	-13	Pass	1401
1000	3000	1	RMS	1669	-46.42	-13	Pass	2001
3000	10000	1	RMS	6963	-41.32	-13	Pass	7001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.83	-13	Pass	7841
814	860	0.1	RMS	834.8	20.43	60	Pass	461
860	1000	0.1	RMS	947.7	-63.88	-13	Pass	1401
1000	3000	1	RMS	1669	-47.05	-13	Pass	2001
3000	10000	1	RMS	6962	-41.22	-13	Pass	7001




--BLANK BELOW--

2. LTE_Band66


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.81	-13	47.81	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	853.103	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1700	-51.39	-13	38.39	Pass	701
1700	1790	1	RMS	1710.125	24.41	60	35.59	Pass	401
1790	3000	1	RMS	2954	-48.95	-13	35.95	Pass	1211
3000	12000	1	RMS	11849	-41.09	-13	28.09	Pass	9002
12000	20000	1	RMS	19402	-32.14	-13	19.14	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.34	-13	48.34	Pass	401
0.15	30	0.01	RMS	0.15	-70.54	-13	57.54	Pass	2986
30	1000	0.1	RMS	841.3	-63.64	-13	50.64	Pass	9701
1000	1700	1	RMS	1700	-51.52	-13	38.52	Pass	701
1700	1790	1	RMS	1710.125	23.65	60	36.35	Pass	401
1790	3000	1	RMS	2952	-48.91	-13	35.91	Pass	1211
3000	12000	1	RMS	11854	-41.09	-13	28.09	Pass	9002
12000	20000	1	RMS	19399	-32.11	-13	19.11	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.97	-13	48.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	58.25	Pass	2986
30	1000	0.1	RMS	829.2	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1692	-52.56	-13	39.56	Pass	701
1700	1790	1	RMS	1744.325	24.12	60	35.88	Pass	401
1790	3000	1	RMS	2957	-48.93	-13	35.93	Pass	1211
3000	12000	1	RMS	11855	-41.13	-13	28.13	Pass	9002
12000	20000	1	RMS	19401	-32.07	-13	19.07	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.58	-13	48.58	Pass	401
0.15	30	0.01	RMS	0.18	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	861.308	-63.73	-13	50.73	Pass	9701
1000	1700	1	RMS	1696	-52.54	-13	39.54	Pass	701
1700	1790	1	RMS	1744.325	23.75	60	36.25	Pass	401
1790	3000	1	RMS	2952	-48.95	-13	35.95	Pass	1211
3000	12000	1	RMS	11843	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19404	-32.14	-13	19.14	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.67	-13	48.67	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	58.8	Pass	2986
30	1000	0.1	RMS	834.9	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1698	-52.5	-13	39.5	Pass	701
1700	1790	1	RMS	1778.75	24.22	60	35.78	Pass	401
1790	3000	1	RMS	2951	-49.01	-13	36.01	Pass	1211
3000	12000	1	RMS	11847	-41.09	-13	28.09	Pass	9002
12000	20000	1	RMS	19401	-32.14	-13	19.14	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-62.95	-13	49.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	58.35	Pass	2986
30	1000	0.1	RMS	854.704	-63.74	-13	50.74	Pass	9701
1000	1700	1	RMS	1693	-52.59	-13	39.59	Pass	701
1700	1790	1	RMS	1778.75	23.59	60	36.41	Pass	401
1790	3000	1	RMS	2959	-48.98	-13	35.98	Pass	1211
3000	12000	1	RMS	11854	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19401	-32.08	-13	19.08	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.94	-13	48.94	Pass	401
0.15	30	0.01	RMS	0.15	-70.1	-13	57.1	Pass	2986
30	1000	0.1	RMS	906.338	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1700	-51.38	-13	38.38	Pass	701
1700	1790	1	RMS	1710.125	24.38	60	35.62	Pass	401
1790	3000	1	RMS	2956	-48.92	-13	35.92	Pass	1211
3000	12000	1	RMS	11840	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19413	-32.15	-13	19.15	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.5	-13	48.5	Pass	401
0.15	30	0.01	RMS	0.15	-70.51	-13	57.51	Pass	2986
30	1000	0.1	RMS	836.7	-63.89	-13	50.89	Pass	9701
1000	1700	1	RMS	1700	-51.53	-13	38.53	Pass	701
1700	1790	1	RMS	1710.125	23.74	60	36.26	Pass	401
1790	3000	1	RMS	2942	-48.98	-13	35.98	Pass	1211
3000	12000	1	RMS	11849	-41.03	-13	28.03	Pass	9002
12000	20000	1	RMS	19403	-32.15	-13	19.15	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.46	-13	48.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	830.1	-63.68	-13	50.68	Pass	9701
1000	1700	1	RMS	1700	-52.57	-13	39.57	Pass	701
1700	1790	1	RMS	1743.65	24.51	60	35.49	Pass	401
1790	3000	1	RMS	2955	-48.91	-13	35.91	Pass	1211
3000	12000	1	RMS	11852	-41.09	-13	28.09	Pass	9002
12000	20000	1	RMS	19409	-32.18	-13	19.18	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.95	-13	47.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	851.702	-63.71	-13	50.71	Pass	9701
1000	1700	1	RMS	1696	-52.52	-13	39.52	Pass	701
1700	1790	1	RMS	1743.65	23.96	60	36.04	Pass	401
1790	3000	1	RMS	2959	-48.97	-13	35.97	Pass	1211
3000	12000	1	RMS	11849	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19402	-32.08	-13	19.08	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.12	-13	48.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	1000	0.1	RMS	847.4	-63.66	-13	50.66	Pass	9701
1000	1700	1	RMS	1696	-52.59	-13	39.59	Pass	701
1700	1790	1	RMS	1777.175	24.44	60	35.56	Pass	401
1790	3000	1	RMS	2942	-48.99	-13	35.99	Pass	1211
3000	12000	1	RMS	11841	-41.15	-13	28.15	Pass	9002
12000	20000	1	RMS	19415	-32.14	-13	19.14	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.73	-13	47.73	Pass	401
0.15	30	0.01	RMS	0.18	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	845.3	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1700	-52.6	-13	39.6	Pass	701
1700	1790	1	RMS	1777.175	23.58	60	36.42	Pass	401
1790	3000	1	RMS	2954	-48.94	-13	35.94	Pass	1211
3000	12000	1	RMS	11852	-41.13	-13	28.13	Pass	9002
12000	20000	1	RMS	19404	-32.2	-13	19.2	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.54	-13	47.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	847.3	-63.67	-13	50.67	Pass	9701
1000	1700	1	RMS	1700	-51.27	-13	38.27	Pass	701
1700	1790	1	RMS	1710.125	24.37	60	35.63	Pass	401
1790	3000	1	RMS	2947	-48.96	-13	35.96	Pass	1211
3000	12000	1	RMS	11850	-41.03	-13	28.03	Pass	9002
12000	20000	1	RMS	19403	-32.17	-13	19.17	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.64	-13	48.64	Pass	401
0.15	30	0.01	RMS	0.17	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	834.3	-63.7	-13	50.7	Pass	9701
1000	1700	1	RMS	1700	-51.44	-13	38.44	Pass	701
1700	1790	1	RMS	1710.125	23.73	60	36.27	Pass	401
1790	3000	1	RMS	2958	-48.9	-13	35.9	Pass	1211
3000	12000	1	RMS	11850	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19403	-32.14	-13	19.14	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.38	-13	48.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	849.1	-63.82	-13	50.82	Pass	9701
1000	1700	1	RMS	1694	-52.54	-13	39.54	Pass	701
1700	1790	1	RMS	1742.75	24.55	60	35.45	Pass	401
1790	3000	1	RMS	2960	-48.96	-13	35.96	Pass	1211
3000	12000	1	RMS	11849	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19400	-32.09	-13	19.09	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.31	-13	47.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	58.12	Pass	2986
30	1000	0.1	RMS	958.372	-63.88	-13	50.88	Pass	9701
1000	1700	1	RMS	1700	-52.53	-13	39.53	Pass	701
1700	1790	1	RMS	1742.75	23.85	60	36.15	Pass	401
1790	3000	1	RMS	2945	-48.96	-13	35.96	Pass	1211
3000	12000	1	RMS	11849	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19400	-32.1	-13	19.1	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.26	-13	47.26	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	57.85	Pass	2986
30	1000	0.1	RMS	834.8	-63.79	-13	50.79	Pass	9701
1000	1700	1	RMS	1700	-52.53	-13	39.53	Pass	701
1700	1790	1	RMS	1775.15	24.31	60	35.69	Pass	401
1790	3000	1	RMS	2956	-48.92	-13	35.92	Pass	1211
3000	12000	1	RMS	11851	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19406	-32.1	-13	19.1	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.7	-13	47.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.99	-13	58.99	Pass	2986
30	1000	0.1	RMS	845.8	-63.71	-13	50.71	Pass	9701
1000	1700	1	RMS	1696	-52.56	-13	39.56	Pass	701
1700	1790	1	RMS	1775.15	23.73	60	36.27	Pass	401
1790	3000	1	RMS	2959	-48.95	-13	35.95	Pass	1211
3000	12000	1	RMS	11837	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19400	-32.02	-13	19.02	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-62.11	-13	49.11	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	57.94	Pass	2986
30	1000	0.1	RMS	869.013	-63.85	-13	50.85	Pass	9701
1000	1700	1	RMS	1700	-51.2	-13	38.2	Pass	701
1700	1790	1	RMS	1710.35	24.19	60	35.81	Pass	401
1790	3000	1	RMS	2959	-48.93	-13	35.93	Pass	1211
3000	12000	1	RMS	11844	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19400	-32.17	-13	19.17	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.1	-13	47.1	Pass	401
0.15	30	0.01	RMS	0.15	-70.13	-13	57.13	Pass	2986
30	1000	0.1	RMS	860.407	-63.78	-13	50.78	Pass	9701
1000	1700	1	RMS	1700	-51.28	-13	38.28	Pass	701
1700	1790	1	RMS	1710.575	23.64	60	36.36	Pass	401
1790	3000	1	RMS	2960	-49	-13	36	Pass	1211
3000	12000	1	RMS	11832	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19403	-32.15	-13	19.15	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.59	-13	47.59	Pass	401
0.15	30	0.01	RMS	0.15	-70.18	-13	57.18	Pass	2986
30	1000	0.1	RMS	858.206	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1700	-52.55	-13	39.55	Pass	701
1700	1790	1	RMS	1740.5	24.42	60	35.58	Pass	401
1790	3000	1	RMS	2957	-48.99	-13	35.99	Pass	1211
3000	12000	1	RMS	11849	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19400	-32.05	-13	19.05	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.66	-13	48.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	840	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1700	-52.6	-13	39.6	Pass	701
1700	1790	1	RMS	1740.5	23.78	60	36.22	Pass	401
1790	3000	1	RMS	2949	-48.97	-13	35.97	Pass	1211
3000	12000	1	RMS	11849	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19407	-32.16	-13	19.16	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.58	-13	48.58	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	2986
30	1000	0.1	RMS	844.3	-63.78	-13	50.78	Pass	9701
1000	1700	1	RMS	1687	-52.6	-13	39.6	Pass	701
1700	1790	1	RMS	1770.425	24.35	60	35.65	Pass	401
1790	3000	1	RMS	2945	-48.96	-13	35.96	Pass	1211
3000	12000	1	RMS	11853	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19405	-32.15	-13	19.15	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-62.71	-13	49.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	879.82	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1694	-52.6	-13	39.6	Pass	701
1700	1790	1	RMS	1770.425	23.98	60	36.02	Pass	401
1790	3000	1	RMS	2956	-48.93	-13	35.93	Pass	1211
3000	12000	1	RMS	11848	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19408	-32.19	-13	19.19	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.96	-13	47.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	58.5	Pass	2986
30	1000	0.1	RMS	829	-63.79	-13	50.79	Pass	9701
1000	1700	1	RMS	1700	-51.15	-13	38.15	Pass	701
1700	1790	1	RMS	1710.8	24.17	60	35.83	Pass	401
1790	3000	1	RMS	2956	-48.97	-13	35.97	Pass	1211
3000	12000	1	RMS	11848	-41.11	-13	28.11	Pass	9002
12000	20000	1	RMS	19399	-32.1	-13	19.1	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.85	-13	47.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	840.5	-63.84	-13	50.84	Pass	9701
1000	1700	1	RMS	1700	-51.36	-13	38.36	Pass	701
1700	1790	1	RMS	1710.8	23.67	60	36.33	Pass	401
1790	3000	1	RMS	2955	-48.99	-13	35.99	Pass	1211
3000	12000	1	RMS	11843	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19404	-32.1	-13	19.1	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.87	-13	47.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	830.8	-63.8	-13	50.8	Pass	9701
1000	1700	1	RMS	1694	-52.57	-13	39.57	Pass	701
1700	1790	1	RMS	1738.25	24.43	60	35.57	Pass	401
1790	3000	1	RMS	2944	-48.94	-13	35.94	Pass	1211
3000	12000	1	RMS	11848	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19414	-32.2	-13	19.2	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.98	-13	48.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	837.5	-63.79	-13	50.79	Pass	9701
1000	1700	1	RMS	1700	-52.54	-13	39.54	Pass	701
1700	1790	1	RMS	1738.25	23.96	60	36.04	Pass	401
1790	3000	1	RMS	2958	-48.99	-13	35.99	Pass	1211
3000	12000	1	RMS	11859	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19401	-32.17	-13	19.17	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.34	-13	47.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	862.309	-63.84	-13	50.84	Pass	9701
1000	1700	1	RMS	1698	-52.59	-13	39.59	Pass	701
1700	1790	1	RMS	1765.7	24.31	60	35.69	Pass	401
1790	3000	1	RMS	2959	-48.96	-13	35.96	Pass	1211
3000	12000	1	RMS	11853	-41.08	-13	28.08	Pass	9002
12000	20000	1	RMS	19404	-32.09	-13	19.09	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.26	-13	48.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	853.103	-63.77	-13	50.77	Pass	9701
1000	1700	1	RMS	1697	-52.58	-13	39.58	Pass	701
1700	1790	1	RMS	1765.7	23.55	60	36.45	Pass	401
1790	3000	1	RMS	2945	-48.99	-13	35.99	Pass	1211
3000	12000	1	RMS	11851	-41.01	-13	28.01	Pass	9002
12000	20000	1	RMS	19402	-32.12	-13	19.12	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-62.3	-13	49.3	Pass	401
0.15	30	0.01	RMS	0.16	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	855.804	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1700	-49.1	-13	36.1	Pass	701
1700	1790	1	RMS	1711.025	24.38	60	35.62	Pass	401
1790	3000	1	RMS	2942	-48.93	-13	35.93	Pass	1211
3000	12000	1	RMS	11855	-41.06	-13	28.06	Pass	9002
12000	20000	1	RMS	19409	-32.18	-13	19.18	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.78	-13	47.78	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	842.2	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1700	-49.83	-13	36.83	Pass	701
1700	1790	1	RMS	1711.025	23.51	60	36.49	Pass	401
1790	3000	1	RMS	2947	-48.95	-13	35.95	Pass	1211
3000	12000	1	RMS	11851	-41.05	-13	28.05	Pass	9002
12000	20000	1	RMS	19396	-32.14	-13	19.14	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.55	-13	48.55	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-13	57.35	Pass	2986
30	1000	0.1	RMS	865.911	-63.85	-13	50.85	Pass	9701
1000	1700	1	RMS	1696	-52.53	-13	39.53	Pass	701
1700	1790	1	RMS	1736	24.53	60	35.47	Pass	401
1790	3000	1	RMS	2945	-48.97	-13	35.97	Pass	1211
3000	12000	1	RMS	11849	-41.12	-13	28.12	Pass	9002
12000	20000	1	RMS	19404	-32.11	-13	19.11	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.62	-13	48.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	845.9	-63.75	-13	50.75	Pass	9701
1000	1700	1	RMS	1700	-52.53	-13	39.53	Pass	701
1700	1790	1	RMS	1736	23.74	60	36.26	Pass	401
1790	3000	1	RMS	2959	-48.93	-13	35.93	Pass	1211
3000	12000	1	RMS	11844	-41	-13	28	Pass	9002
12000	20000	1	RMS	19399	-32.02	-13	19.02	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-60.33	-13	47.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	851.502	-63.85	-13	50.85	Pass	9701
1000	1700	1	RMS	1700	-52.55	-13	39.55	Pass	701
1700	1790	1	RMS	1760.975	24.43	60	35.57	Pass	401
1790	3000	1	RMS	2950	-48.98	-13	35.98	Pass	1211
3000	12000	1	RMS	11852	-41.07	-13	28.07	Pass	9002
12000	20000	1	RMS	19398	-32.14	-13	19.14	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-61.74	-13	48.74	Pass	401
0.15	30	0.01	RMS	0.17	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	851.301	-63.78	-13	50.78	Pass	9701
1000	1700	1	RMS	1697	-52.55	-13	39.55	Pass	701
1700	1790	1	RMS	1760.975	23.83	60	36.17	Pass	401
1790	3000	1	RMS	2956	-48.96	-13	35.96	Pass	1211
3000	12000	1	RMS	11849	-41.1	-13	28.1	Pass	9002
12000	20000	1	RMS	19401	-32.14	-13	19.14	Pass	8001




--BLANK BELOW--

1. LTE_Band71


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67	-13	54	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	653	0.1	RMS	652.6	-62.55	-13	49.55	Pass	6231
653	709	0.1	RMS	663.3	21.48	60	38.52	Pass	561
709	1000	0.1	RMS	843.9	-63.3	-13	50.3	Pass	2911
1000	3000	1	RMS	1326	-47.5	-13	34.5	Pass	2001
3000	10000	1	RMS	6961	-41.62	-13	28.62	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.07	-13	54.07	Pass	401
0.15	30	0.01	RMS	0.27	-72.56	-13	59.56	Pass	2986
30	653	0.1	RMS	652.6	-63.22	-13	50.22	Pass	6231
653	709	0.1	RMS	663.3	20.65	60	39.35	Pass	561
709	1000	0.1	RMS	853.1	-63.6	-13	50.6	Pass	2911
1000	3000	1	RMS	1326	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	7206	-41.71	-13	28.71	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.43	-13	54.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	653	0.1	RMS	495.5	-64.53	-13	51.53	Pass	6231
653	709	0.1	RMS	678.3	21.03	60	38.97	Pass	561
709	1000	0.1	RMS	862.2	-63.5	-13	50.5	Pass	2911
1000	3000	1	RMS	1356	-47.52	-13	34.52	Pass	2001
3000	10000	1	RMS	7197	-41.73	-13	28.73	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.43	-13	53.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	653	0.1	RMS	484.6	-64.51	-13	51.51	Pass	6231
653	709	0.1	RMS	678.3	20.63	60	39.37	Pass	561
709	1000	0.1	RMS	849.6	-63.49	-13	50.49	Pass	2911
1000	3000	1	RMS	1356	-47.56	-13	34.56	Pass	2001
3000	10000	1	RMS	7202	-41.66	-13	28.66	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.23	-13	54.23	Pass	401
0.15	30	0.01	RMS	0.18	-72.19	-13	59.19	Pass	2986
30	653	0.1	RMS	619.3	-64.38	-13	51.38	Pass	6231
653	709	0.1	RMS	693.3	20.89	60	39.11	Pass	561
709	1000	0.1	RMS	845	-63.51	-13	50.51	Pass	2911
1000	3000	1	RMS	1386	-48.35	-13	35.35	Pass	2001
3000	10000	1	RMS	6963	-41.71	-13	28.71	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.53	-13	53.53	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	653	0.1	RMS	504.9	-64.48	-13	51.48	Pass	6231
653	709	0.1	RMS	693.3	20.63	60	39.37	Pass	561
709	1000	0.1	RMS	840	-63.34	-13	50.34	Pass	2911
1000	3000	1	RMS	2959	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	6959	-41.65	-13	28.65	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.91	-13	53.91	Pass	401
0.15	30	0.01	RMS	0.19	-72.15	-13	59.15	Pass	2986
30	653	0.1	RMS	652.9	-62	-13	49	Pass	6231
653	709	0.1	RMS	663.6	21.61	60	38.39	Pass	561
709	1000	0.1	RMS	852.1	-63.33	-13	50.33	Pass	2911
1000	3000	1	RMS	1327	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	6961	-41.58	-13	28.58	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.33	-13	53.33	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	58.2	Pass	2986
30	653	0.1	RMS	652.9	-62.78	-13	49.78	Pass	6231
653	709	0.1	RMS	663.6	20.99	60	39.01	Pass	561
709	1000	0.1	RMS	843	-63.43	-13	50.43	Pass	2911
1000	3000	1	RMS	1327	-47.35	-13	34.35	Pass	2001
3000	10000	1	RMS	6964	-41.66	-13	28.66	Pass	7001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.33	-13	53.33	Pass	401
0.15	30	0.01	RMS	0.25	-71.83	-13	58.83	Pass	2986
30	653	0.1	RMS	487.2	-64.45	-13	51.45	Pass	6231
653	709	0.1	RMS	676.1	21.71	60	38.29	Pass	561
709	1000	0.1	RMS	824.6	-63.44	-13	50.44	Pass	2911
1000	3000	1	RMS	1352	-45.37	-13	32.37	Pass	2001
3000	10000	1	RMS	6957	-41.64	-13	28.64	Pass	7001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.55	-13	52.55	Pass	401
0.15	30	0.01	RMS	0.16	-70.87	-13	57.87	Pass	2986
30	653	0.1	RMS	505.3	-64.51	-13	51.51	Pass	6231
653	709	0.1	RMS	676.1	20.89	60	39.11	Pass	561
709	1000	0.1	RMS	841.1	-63.48	-13	50.48	Pass	2911
1000	3000	1	RMS	1352	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	6958	-41.61	-13	28.61	Pass	7001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.37	-13	54.37	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	653	0.1	RMS	492	-64.52	-13	51.52	Pass	6231
653	709	0.1	RMS	688.6	21.89	60	38.11	Pass	561
709	1000	0.1	RMS	847.5	-63.25	-13	50.25	Pass	2911
1000	3000	1	RMS	1377	-47.03	-13	34.03	Pass	2001
3000	10000	1	RMS	6958	-41.66	-13	28.66	Pass	7001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.58	-13	52.58	Pass	401
0.15	30	0.01	RMS	0.23	-72.38	-13	59.38	Pass	2986
30	653	0.1	RMS	637.4	-64.32	-13	51.32	Pass	6231
653	709	0.1	RMS	688.6	21.04	60	38.96	Pass	561
709	1000	0.1	RMS	832.9	-63.55	-13	50.55	Pass	2911
1000	3000	1	RMS	1377	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	6958	-41.63	-13	28.63	Pass	7001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.18	-13	54.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	653	0.1	RMS	489.5	-64.51	-13	51.51	Pass	6231
653	709	0.1	RMS	663.8	20.95	60	39.05	Pass	561
709	1000	0.1	RMS	856.6	-63.51	-13	50.51	Pass	2911
1000	3000	1	RMS	1327	-46.93	-13	33.93	Pass	2001
3000	10000	1	RMS	7199	-41.65	-13	28.65	Pass	7001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.4	-13	53.4	Pass	401
0.15	30	0.01	RMS	0.21	-72.42	-13	59.42	Pass	2986
30	653	0.1	RMS	488.2	-64.45	-13	51.45	Pass	6231
653	709	0.1	RMS	663.8	20.45	60	39.55	Pass	561
709	1000	0.1	RMS	850.2	-63.3	-13	50.3	Pass	2911
1000	3000	1	RMS	1327	-46.84	-13	33.84	Pass	2001
3000	10000	1	RMS	6958	-41.69	-13	28.69	Pass	7001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	653	0.1	RMS	615.1	-64.44	-13	51.44	Pass	6231
653	709	0.1	RMS	673.8	20.83	60	39.17	Pass	561
709	1000	0.1	RMS	833.6	-63.5	-13	50.5	Pass	2911
1000	3000	1	RMS	1347	-43.44	-13	30.44	Pass	2001
3000	10000	1	RMS	6960	-41.67	-13	28.67	Pass	7001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.57	-13	53.57	Pass	401
0.15	30	0.01	RMS	0.19	-71.99	-13	58.99	Pass	2986
30	653	0.1	RMS	616.5	-64.51	-13	51.51	Pass	6231
653	709	0.1	RMS	673.8	20.45	60	39.55	Pass	561
709	1000	0.1	RMS	832.9	-63.55	-13	50.55	Pass	2911
1000	3000	1	RMS	1347	-43.65	-13	30.65	Pass	2001
3000	10000	1	RMS	6958	-41.72	-13	28.72	Pass	7001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.24	-13	54.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	653	0.1	RMS	493.3	-64.51	-13	51.51	Pass	6231
653	709	0.1	RMS	683.8	21.13	60	38.87	Pass	561
709	1000	0.1	RMS	856	-63.52	-13	50.52	Pass	2911
1000	3000	1	RMS	1367	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	7201	-41.71	-13	28.71	Pass	7001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-64.72	-13	51.72	Pass	401
0.15	30	0.01	RMS	0.17	-72.42	-13	59.42	Pass	2986
30	653	0.1	RMS	497.8	-64.52	-13	51.52	Pass	6231
653	709	0.1	RMS	683.8	20.43	60	39.57	Pass	561
709	1000	0.1	RMS	860.8	-63.47	-13	50.47	Pass	2911
1000	3000	1	RMS	1367	-47.91	-13	34.91	Pass	2001
3000	10000	1	RMS	7206	-41.66	-13	28.66	Pass	7001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.63	-13	53.63	Pass	401
0.15	30	0.01	RMS	0.19	-72.76	-13	59.76	Pass	2986
30	653	0.1	RMS	485.8	-64.51	-13	51.51	Pass	6231
653	709	0.1	RMS	664.1	21.64	60	38.36	Pass	561
709	1000	0.1	RMS	835.4	-63.5	-13	50.5	Pass	2911
1000	3000	1	RMS	1328	-46.68	-13	33.68	Pass	2001
3000	10000	1	RMS	6960	-41.64	-13	28.64	Pass	7001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-65.29	-13	52.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-13	59.34	Pass	2986
30	653	0.1	RMS	487.5	-64.52	-13	51.52	Pass	6231
653	709	0.1	RMS	664.1	20.81	60	39.19	Pass	561
709	1000	0.1	RMS	837.4	-63.34	-13	50.34	Pass	2911
1000	3000	1	RMS	1328	-46.73	-13	33.73	Pass	2001
3000	10000	1	RMS	6961	-41.64	-13	28.64	Pass	7001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-66.41	-13	53.41	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	653	0.1	RMS	490.5	-64.41	-13	51.41	Pass	6231
653	709	0.1	RMS	674.1	21.49	60	38.51	Pass	561
709	1000	0.1	RMS	860	-63.39	-13	50.39	Pass	2911
1000	3000	1	RMS	1348	-44	-13	31	Pass	2001
3000	10000	1	RMS	6959	-41.71	-13	28.71	Pass	7001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.4	-13	54.4	Pass	401
0.15	30	0.01	RMS	0.23	-72.29	-13	59.29	Pass	2986
30	653	0.1	RMS	501.3	-64.45	-13	51.45	Pass	6231
653	709	0.1	RMS	674.1	20.65	60	39.35	Pass	561
709	1000	0.1	RMS	962.6	-63.46	-13	50.46	Pass	2911
1000	3000	1	RMS	1348	-44.51	-13	31.51	Pass	2001
3000	10000	1	RMS	7203	-41.64	-13	28.64	Pass	7001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.03	-13	55.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-13	58.97	Pass	2986
30	653	0.1	RMS	495.3	-64.39	-13	51.39	Pass	6231
653	709	0.1	RMS	679.1	21.56	60	38.44	Pass	561
709	1000	0.1	RMS	855.7	-63.42	-13	50.42	Pass	2911
1000	3000	1	RMS	1358	-48.7	-13	35.7	Pass	2001
3000	10000	1	RMS	6960	-41.6	-13	28.6	Pass	7001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.85	-13	54.85	Pass	401
0.15	30	0.01	RMS	0.17	-71.55	-13	58.55	Pass	2986
30	653	0.1	RMS	501.5	-64.49	-13	51.49	Pass	6231
653	709	0.1	RMS	679.1	20.92	60	39.08	Pass	561
709	1000	0.1	RMS	852.8	-63.36	-13	50.36	Pass	2911
1000	3000	1	RMS	1358	-48.47	-13	35.47	Pass	2001
3000	10000	1	RMS	6961	-41.7	-13	28.7	Pass	7001




--BLANK BELOW--

10. LTE_Band38


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.27	-25	Pass	2986
30	1000	0.1	RMS	852.903	-59.79	-25	Pass	9701
1000	2560	1	RMS	2560	-41.72	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.32	60	Pass	401
2630	3000	1	RMS	2954.675	-44.94	-25	Pass	401
3000	12000	1	RMS	11850	-47.14	-25	Pass	9002
12000	26500	1	RMS	25998	-41.78	-25	Pass	14502




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.31	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.45	-25	Pass	2986
30	1000	0.1	RMS	850.401	-59.89	-25	Pass	9701
1000	2560	1	RMS	2560	-41.25	-25	Pass	1561
2560	2630	1	RMS	2570.15	23.53	60	Pass	401
2630	3000	1	RMS	2955.6	-44.97	-25	Pass	401
3000	12000	1	RMS	11846	-47.07	-25	Pass	9002
12000	26500	1	RMS	26007	-41.75	-25	Pass	14502




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-64.18	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.49	-25	Pass	2986
30	1000	0.1	RMS	854.504	-59.8	-25	Pass	9701
1000	2560	1	RMS	2559	-45.59	-25	Pass	1561
2560	2630	1	RMS	2592.9	24.13	60	Pass	401
2630	3000	1	RMS	2950.975	-44.92	-25	Pass	401
3000	12000	1	RMS	11850	-47.15	-25	Pass	9002
12000	26500	1	RMS	26001	-41.88	-25	Pass	14502




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.36	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.9	-25	Pass	2986
30	1000	0.1	RMS	852.502	-59.84	-25	Pass	9701
1000	2560	1	RMS	2558	-45.68	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.15	60	Pass	401
2630	3000	1	RMS	2953.75	-44.94	-25	Pass	401
3000	12000	1	RMS	11852	-47.11	-25	Pass	9002
12000	26500	1	RMS	25999	-41.73	-25	Pass	14502




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.81	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.14	-25	Pass	2986
30	1000	0.1	RMS	841.2	-59.83	-25	Pass	9701
1000	2560	1	RMS	2555	-46.34	-25	Pass	1561
2560	2630	1	RMS	2615.125	23.96	60	Pass	401
2630	3000	1	RMS	2630	-44.23	-25	Pass	401
3000	12000	1	RMS	11851	-47.1	-25	Pass	9002
12000	26500	1	RMS	26004	-41.84	-25	Pass	14502




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.43	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.58	-25	Pass	2986
30	1000	0.1	RMS	844.2	-59.92	-25	Pass	9701
1000	2560	1	RMS	2556	-46.34	-25	Pass	1561
2560	2630	1	RMS	2615.125	23.37	60	Pass	401
2630	3000	1	RMS	2630	-44.37	-25	Pass	401
3000	12000	1	RMS	11850	-47.12	-25	Pass	9002
12000	26500	1	RMS	25996	-41.95	-25	Pass	14502




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.58	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.12	-25	Pass	2986
30	1000	0.1	RMS	609.9	-59.24	-25	Pass	9701
1000	2560	1	RMS	2560	-40.38	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.16	60	Pass	401
2630	3000	1	RMS	2956.525	-44.97	-25	Pass	401
3000	12000	1	RMS	11850	-47.17	-25	Pass	9002
12000	26500	1	RMS	26001	-41.82	-25	Pass	14502




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.98	-25	Pass	2986
30	1000	0.1	RMS	856.805	-59.86	-25	Pass	9701
1000	2560	1	RMS	2560	-40.32	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.87	60	Pass	401
2630	3000	1	RMS	2951.9	-44.98	-25	Pass	401
3000	12000	1	RMS	11850	-47.11	-25	Pass	9002
12000	26500	1	RMS	26003	-41.85	-25	Pass	14502



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.58	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.62	-25	Pass	2986
30	1000	0.1	RMS	848.1	-59.86	-25	Pass	9701
1000	2560	1	RMS	2555	-45.48	-25	Pass	1561
2560	2630	1	RMS	2590.45	24.9	60	Pass	401
2630	3000	1	RMS	2956.525	-44.95	-25	Pass	401
3000	12000	1	RMS	11855	-47.11	-25	Pass	9002
12000	26500	1	RMS	26000	-41.86	-25	Pass	14502



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.72	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.42	-25	Pass	2986
30	1000	0.1	RMS	859.807	-59.83	-25	Pass	9701
1000	2560	1	RMS	2559	-45.65	-25	Pass	1561
2560	2630	1	RMS	2590.45	23.59	60	Pass	401
2630	3000	1	RMS	2957.45	-44.97	-25	Pass	401
3000	12000	1	RMS	11842	-47.08	-25	Pass	9002
12000	26500	1	RMS	26004	-41.94	-25	Pass	14502



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.12	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.91	-25	Pass	2986
30	1000	0.1	RMS	840.5	-59.87	-25	Pass	9701
1000	2560	1	RMS	2556	-46.18	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.47	60	Pass	401
2630	3000	1	RMS	2630	-44.36	-25	Pass	401
3000	12000	1	RMS	11849	-47.11	-25	Pass	9002
12000	26500	1	RMS	26001	-41.88	-25	Pass	14502



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.37	-25	Pass	2986
30	1000	0.1	RMS	841.7	-59.89	-25	Pass	9701
1000	2560	1	RMS	2560	-46.15	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.37	60	Pass	401
2630	3000	1	RMS	2630.925	-44.56	-25	Pass	401
3000	12000	1	RMS	11851	-47.11	-25	Pass	9002
12000	26500	1	RMS	26005	-41.83	-25	Pass	14502



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.84	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.99	-25	Pass	2986
30	1000	0.1	RMS	610.1	-59.32	-25	Pass	9701
1000	2560	1	RMS	2559	-40.72	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.14	60	Pass	401
2630	3000	1	RMS	2950.975	-44.95	-25	Pass	401
3000	12000	1	RMS	11850	-47.07	-25	Pass	9002
12000	26500	1	RMS	26000	-41.82	-25	Pass	14502



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-25	Pass	2986
30	1000	0.1	RMS	852.302	-59.94	-25	Pass	9701
1000	2560	1	RMS	2560	-40.11	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.12	60	Pass	401
2630	3000	1	RMS	2952.825	-44.96	-25	Pass	401
3000	12000	1	RMS	11847	-47.09	-25	Pass	9002
12000	26500	1	RMS	25995	-41.84	-25	Pass	14502



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.31	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.55	-25	Pass	2986
30	1000	0.1	RMS	854.003	-59.87	-25	Pass	9701
1000	2560	1	RMS	2557	-44.91	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.94	60	Pass	401
2630	3000	1	RMS	2950.975	-44.97	-25	Pass	401
3000	12000	1	RMS	11851	-46.89	-25	Pass	9002
12000	26500	1	RMS	25999	-41.77	-25	Pass	14502



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.84	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.58	-25	Pass	2986
30	1000	0.1	RMS	839.9	-59.82	-25	Pass	9701
1000	2560	1	RMS	2552	-45.85	-25	Pass	1561
2560	2630	1	RMS	2588.175	23.4	60	Pass	401
2630	3000	1	RMS	2952.825	-44.92	-25	Pass	401
3000	12000	1	RMS	11848	-47.08	-25	Pass	9002
12000	26500	1	RMS	26001	-41.89	-25	Pass	14502



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.59	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.64	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.89	-25	Pass	9701
1000	2560	1	RMS	2560	-45.89	-25	Pass	1561
2560	2630	1	RMS	2605.675	23.81	60	Pass	401
2630	3000	1	RMS	2956.525	-44.94	-25	Pass	401
3000	12000	1	RMS	11853	-47.1	-25	Pass	9002
12000	26500	1	RMS	25992	-41.93	-25	Pass	14502



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.37	-25	Pass	2986
30	1000	0.1	RMS	800.5	-59.9	-25	Pass	9701
1000	2560	1	RMS	2558	-45.95	-25	Pass	1561
2560	2630	1	RMS	2605.85	23.51	60	Pass	401
2630	3000	1	RMS	2630.925	-44.61	-25	Pass	401
3000	12000	1	RMS	11851	-47.01	-25	Pass	9002
12000	26500	1	RMS	26000	-41.85	-25	Pass	14502



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.81	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.13	-25	Pass	2986
30	1000	0.1	RMS	869.914	-59.86	-25	Pass	9701
1000	2560	1	RMS	2559	-39.28	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.63	60	Pass	401
2630	3000	1	RMS	2955.6	-44.93	-25	Pass	401
3000	12000	1	RMS	11846	-47	-25	Pass	9002
12000	26500	1	RMS	26001	-41.84	-25	Pass	14502



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-25	Pass	2986
30	1000	0.1	RMS	610.4	-59.63	-25	Pass	9701
1000	2560	1	RMS	2560	-38.6	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.73	60	Pass	401
2630	3000	1	RMS	2952.825	-44.95	-25	Pass	401
3000	12000	1	RMS	11855	-47.14	-25	Pass	9002
12000	26500	1	RMS	26001	-41.77	-25	Pass	14502



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.49	-25	Pass	2986
30	1000	0.1	RMS	832.7	-59.92	-25	Pass	9701
1000	2560	1	RMS	2560	-45.11	-25	Pass	1561
2560	2630	1	RMS	2586.075	24.43	60	Pass	401
2630	3000	1	RMS	2945.425	-44.97	-25	Pass	401
3000	12000	1	RMS	11848	-47.12	-25	Pass	9002
12000	26500	1	RMS	26009	-41.91	-25	Pass	14502



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-64.02	-25	Pass	401
0.15	30	0.01	RMS	0.39	-68.71	-25	Pass	2986
30	1000	0.1	RMS	842.6	-59.82	-25	Pass	9701
1000	2560	1	RMS	2558	-44.45	-25	Pass	1561
2560	2630	1	RMS	2585.9	23.05	60	Pass	401
2630	3000	1	RMS	2956.525	-44.96	-25	Pass	401
3000	12000	1	RMS	11854	-47.1	-25	Pass	9002
12000	26500	1	RMS	26003	-41.86	-25	Pass	14502



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.68	-25	Pass	2986
30	1000	0.1	RMS	846.5	-59.96	-25	Pass	9701
1000	2560	1	RMS	2559	-45.73	-25	Pass	1561
2560	2630	1	RMS	2600.95	24.66	60	Pass	401
2630	3000	1	RMS	2955.6	-45	-25	Pass	401
3000	12000	1	RMS	11851	-47.04	-25	Pass	9002
12000	26500	1	RMS	26001	-41.81	-25	Pass	14502



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.64	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.16	-25	Pass	2986
30	1000	0.1	RMS	827.1	-59.8	-25	Pass	9701
1000	2560	1	RMS	2558	-45.74	-25	Pass	1561
2560	2630	1	RMS	2600.95	22.62	60	Pass	401
2630	3000	1	RMS	2953.75	-44.94	-25	Pass	401
3000	12000	1	RMS	11847	-47.05	-25	Pass	9002
12000	26500	1	RMS	25995	-41.85	-25	Pass	14502



11. LTE_Band41 full


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-25	Pass	2986
30	1000	0.1	RMS	857.706	-59.9	-25	Pass	9701
1000	2486	1	RMS	2486	-41.06	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.11	60	Pass	401
2700	3000	1	RMS	2953.5	-44.88	-25	Pass	401
3000	12000	1	RMS	4993	-55.75	-25	Pass	9002
12000	27000	1	RMS	25999	-41.55	-25	Pass	15002



11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.21	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.64	-25	Pass	2986
30	1000	0.1	RMS	830.5	-59.78	-25	Pass	9701
1000	2486	1	RMS	2484	-42.32	-25	Pass	1487
2486	2700	1	RMS	2496.165	23.59	60	Pass	401
2700	3000	1	RMS	2955.75	-44.87	-25	Pass	401
3000	12000	1	RMS	4993	-55.2	-25	Pass	9002
12000	27000	1	RMS	25991	-41.58	-25	Pass	15002



11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.96	-25	Pass	401
0.15	30	0.01	RMS	0.25	-68.69	-25	Pass	2986
30	1000	0.1	RMS	847.8	-59.81	-25	Pass	9701
1000	2486	1	RMS	2482	-46.59	-25	Pass	1487
2486	2700	1	RMS	2590.325	23.23	60	Pass	401
2700	3000	1	RMS	2952	-44.89	-25	Pass	401
3000	12000	1	RMS	5182	-55.68	-25	Pass	9002
12000	27000	1	RMS	25992	-41.59	-25	Pass	15002

