


Band Edge

1. GSM_GSM850


1.1. GSM Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.723	-43.26	-13	Pass	401
823	824	0.003	RMS	823.983	-19.45	-13	Pass	401
824	824.5	0.01	RMS	824.186	22.23	35	Pass	401



1.2. GSM Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.785	23.14	35	Pass	401
849	850	0.003	RMS	849.02	-18.37	-13	Pass	401
850	855	0.1	RMS	850.25	-43.03	-13	Pass	401



2. GSM_PCS


2.1. GSM Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.68	-13	Pass	41
1849	1850	0.003	RMS	1849.995	-22.48	-13	Pass	401
1850	1851	0.01	RMS	1850.228	18.68	35	Pass	401



2.2. GSM Band Edge_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.818	19.99	35	Pass	401
1910	1911	0.003	RMS	1910.028	-21.83	-13	Pass	401
1911	1915	1	RMS	1911	-32.15	-13	Pass	41



1. EGPRS_GSM850


1.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.948	-43.7	-13	Pass	401
823	824	0.003	RMS	823.995	-26.87	-13	Pass	401
824	824.5	0.01	RMS	824.204	16.71	35	Pass	401



1.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
848.5	849	0.01	RMS	848.82	16.32	35	Pass	401
849	850	0.003	RMS	849.018	-27.1	-13	Pass	401
850	855	0.1	RMS	850	-43.47	-13	Pass	401



2. EGPRS_PCS


2.1. EGPRS Band Edge_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-32.9	-13	Pass	41
1849	1850	0.003	RMS	1849.988	-27.61	-13	Pass	401
1850	1851	0.01	RMS	1850.203	15.78	35	Pass	401



2.2. EGPRS Band Edge_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1909	1910	0.01	RMS	1909.828	15.34	35	Pass	401
1910	1911	0.003	RMS	1910.038	-28.52	-13	Pass	401
1911	1915	1	RMS	1911	-32.66	-13	Pass	41



1. WCDMA_Band2


1.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1845	1849	1	RMS	1849	-23.61	-13	Pass	41
1849	1850	0.051	RMS	1850	-23.54	-13	Pass	401
1850	1855	0.1	RMS	1853.763	9.06	35	Pass	401



1.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1906.263	9.53	35	Pass	401
1910	1911	0.051	RMS	1910	-21.23	-13	Pass	401
1911	1915	1	RMS	1911	-21.91	-13	Pass	41



2. WCDMA_Band4


2.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1705	1709	1	RMS	1709	-24.18	-13	Pass	41
1709	1710	0.051	RMS	1710	-21.89	-13	Pass	401
1710	1715	0.1	RMS	1711.538	9.14	35	Pass	401



2.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.713	9.3	35	Pass	401
1755	1756	0.051	RMS	1755	-22.17	-13	Pass	401
1756	1760	1	RMS	1756	-25.18	-13	Pass	41



3. WCDMA_Band5


3.1. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
820	823	0.1	RMS	822.775	-34.4	-13	Pass	401
823	824	0.051	RMS	824	-24.43	-13	Pass	401
824	829	0.1	RMS	826.788	9.06	35	Pass	401



3.2. WCDMA Band Edge_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.713	9.52	35	Pass	401
849	850	0.051	RMS	849	-24.73	-13	Pass	401
850	855	0.1	RMS	850.038	-37.83	-13	Pass	401



1. LTE_Band2


1.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.29	-13	Pass	401
1848	1849	1	RMS	1849	-37.05	-13	Pass	2
1849	1850	0.02	RMS	1850	-30.87	-13	Pass	401
1850	1852	0.1	RMS	1850.245	22.36	30	Pass	401




1.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.81	-13	Pass	401
1848	1849	1	RMS	1849	-23.62	-13	Pass	2
1849	1850	0.02	RMS	1849.945	-32.32	-13	Pass	401
1850	1852	0.1	RMS	1850.47	14.13	30	Pass	401




1.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.66	-13	Pass	401
1848	1849	1	RMS	1849	-38.26	-13	Pass	2
1849	1850	0.02	RMS	1850	-29.46	-13	Pass	401
1850	1852	0.1	RMS	1850.255	21.19	30	Pass	401




1.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-33.95	-13	Pass	401
1848	1849	1	RMS	1849	-25.77	-13	Pass	2
1849	1850	0.02	RMS	1849.953	-34.47	-13	Pass	401
1850	1852	0.1	RMS	1850.955	13.43	30	Pass	401




1.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.755	21.49	30	Pass	401
1910	1911	0.02	RMS	1910.003	-28.66	-13	Pass	401
1911	1912	1	RMS	1911	-36.71	-13	Pass	2
1912	1920	1	RMS	1912.72	-43.84	-13	Pass	401




1.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1908.975	13.58	30	Pass	401
1910	1911	0.02	RMS	1910.053	-30.6	-13	Pass	401
1911	1912	1	RMS	1911	-22.47	-13	Pass	2
1912	1920	1	RMS	1912.02	-32.69	-13	Pass	401




1.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.725	20.66	30	Pass	401
1910	1911	0.02	RMS	1910	-27.63	-13	Pass	401
1911	1912	1	RMS	1911	-37.84	-13	Pass	2
1912	1920	1	RMS	1912.78	-43.1	-13	Pass	401




1.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1908	1910	0.1	RMS	1909.605	12.39	30	Pass	401
1910	1911	0.02	RMS	1910.08	-33.04	-13	Pass	401
1911	1912	1	RMS	1911	-25.09	-13	Pass	2
1912	1920	1	RMS	1912	-34.48	-13	Pass	401




1.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-43.29	-13	Pass	401
1848	1849	1	RMS	1849	-36.82	-13	Pass	2
1849	1850	0.03	RMS	1850	-17.87	-13	Pass	401
1850	1853	0.1	RMS	1850.24	22.51	30	Pass	401




1.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-25.24	-13	Pass	401
1848	1849	1	RMS	1849	-22.25	-13	Pass	2
1849	1850	0.03	RMS	1850	-25.01	-13	Pass	401
1850	1853	0.1	RMS	1852.708	10.2	30	Pass	401




1.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.8	-13	Pass	401
1848	1849	1	RMS	1849	-37.85	-13	Pass	2
1849	1850	0.002	RMS	1850	-30.36	-13	Pass	501
1850	1853	0.1	RMS	1850.24	21.55	30	Pass	401




1.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-27.82	-13	Pass	401
1848	1849	1	RMS	1849	-24.83	-13	Pass	2
1849	1850	0.03	RMS	1850	-27.39	-13	Pass	401
1850	1853	0.1	RMS	1852.393	9.3	30	Pass	401



1.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.76	21.71	30	Pass	401
1910	1911	0.03	RMS	1910	-16.36	-13	Pass	401
1911	1912	1	RMS	1911	-36.59	-13	Pass	2
1912	1920	1	RMS	1912	-43.19	-13	Pass	401




1.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.248	9.82	30	Pass	401
1910	1911	0.03	RMS	1910	-25.98	-13	Pass	401
1911	1912	1	RMS	1911	-22.59	-13	Pass	2
1912	1920	1	RMS	1912.04	-25.57	-13	Pass	401




1.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1909.753	20.73	30	Pass	401
1910	1911	0.03	RMS	1910	-18.6	-13	Pass	401
1911	1912	1	RMS	1911	-37.86	-13	Pass	2
1912	1920	1	RMS	1912.78	-42.27	-13	Pass	401




1.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1907	1910	0.1	RMS	1907.668	8.72	30	Pass	401
1910	1911	0.03	RMS	1910	-26.74	-13	Pass	401
1911	1912	1	RMS	1911	-25.45	-13	Pass	2
1912	1920	1	RMS	1912.04	-28.23	-13	Pass	401




1.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.4	-13	Pass	401
1848	1849	1	RMS	1849	-38.14	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.01	-13	Pass	401
1850	1855	0.1	RMS	1850.338	22.21	30	Pass	401




1.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-24.94	-13	Pass	401
1848	1849	1	RMS	1849	-23.53	-13	Pass	2
1849	1850	0.051	RMS	1850	-28.14	-13	Pass	401
1850	1855	0.1	RMS	1853.35	7.91	30	Pass	401




1.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.09	-13	Pass	401
1848	1849	1	RMS	1849	-39.3	-13	Pass	2
1849	1850	0.051	RMS	1850	-22.72	-13	Pass	401
1850	1855	0.1	RMS	1850.338	21.46	30	Pass	401




1.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.01	-13	Pass	401
1848	1849	1	RMS	1849	-26.8	-13	Pass	2
1849	1850	0.051	RMS	1850	-29.89	-13	Pass	401
1850	1855	0.1	RMS	1853.338	6.98	30	Pass	401




1.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.663	21.7	30	Pass	401
1910	1911	0.051	RMS	1910	-20.9	-13	Pass	401
1911	1912	1	RMS	1911	-37.61	-13	Pass	2
1912	1920	1	RMS	1912.7	-42.93	-13	Pass	401




1.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1905.513	7.81	30	Pass	401
1910	1911	0.051	RMS	1910	-28.61	-13	Pass	401
1911	1912	1	RMS	1911	-24.2	-13	Pass	2
1912	1920	1	RMS	1912.04	-25.69	-13	Pass	401




1.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1909.65	20.9	30	Pass	401
1910	1911	0.051	RMS	1910	-21.49	-13	Pass	401
1911	1912	1	RMS	1911	-38.43	-13	Pass	2
1912	1920	1	RMS	1912.7	-42.4	-13	Pass	401




1.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	0.1	RMS	1905.588	7.01	30	Pass	401
1910	1911	0.051	RMS	1910	-30.19	-13	Pass	401
1911	1912	1	RMS	1911	-26.97	-13	Pass	2
1912	1920	1	RMS	1912	-28.45	-13	Pass	401




1.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-44.98	-13	Pass	401
1848	1849	1	RMS	1849	-40.04	-13	Pass	2
1849	1850	0.1	RMS	1850	-31.74	-13	Pass	401
1850	1860	0.1	RMS	1850.6	22.35	30	Pass	401




1.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-26.6	-13	Pass	401
1848	1849	1	RMS	1849	-26.22	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-30.15	-13	Pass	401
1850	1860	0.1	RMS	1859.35	5.27	30	Pass	401




1.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-45.34	-13	Pass	401
1848	1849	1	RMS	1849	-40.59	-13	Pass	2
1849	1850	0.1	RMS	1850	-32.6	-13	Pass	401
1850	1860	0.1	RMS	1850.575	21.61	30	Pass	401




1.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-29.83	-13	Pass	401
1848	1849	1	RMS	1849	-29.37	-13	Pass	2
1849	1850	0.1	RMS	1849.998	-33.15	-13	Pass	401
1850	1860	0.1	RMS	1859.325	4.26	30	Pass	401




1.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.4	21.65	30	Pass	401
1910	1911	0.1	RMS	1910.003	-31.46	-13	Pass	401
1911	1912	1	RMS	1911	-38.91	-13	Pass	2
1912	1920	1	RMS	1912.44	-43.6	-13	Pass	401




1.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1901.375	4.94	30	Pass	401
1910	1911	0.1	RMS	1910	-31.05	-13	Pass	401
1911	1912	1	RMS	1911	-25.67	-13	Pass	2
1912	1920	1	RMS	1912.12	-26.31	-13	Pass	401



1.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1909.425	20.72	30	Pass	401
1910	1911	0.1	RMS	1910	-32.79	-13	Pass	401
1911	1912	1	RMS	1911	-40.16	-13	Pass	2
1912	1920	1	RMS	1912.42	-42.54	-13	Pass	401




1.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1900	1910	0.1	RMS	1901.225	4.01	30	Pass	401
1910	1911	0.1	RMS	1910.003	-33.47	-13	Pass	401
1911	1912	1	RMS	1911	-28.39	-13	Pass	2
1912	1920	1	RMS	1912.02	-28.95	-13	Pass	401




1.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-45.27	-13	Pass	401
1848	1849	1	RMS	1849	-41.99	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.25	-13	Pass	401
1850	1865	0.1	RMS	1850.825	22.07	30	Pass	401




1.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.78	-27.55	-13	Pass	401
1848	1849	1	RMS	1849	-27.63	-13	Pass	2
1849	1850	0.15	RMS	1849.995	-30.3	-13	Pass	401
1850	1865	0.1	RMS	1863.8	3.64	30	Pass	401




1.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-45.86	-13	Pass	401
1848	1849	1	RMS	1849	-41.95	-13	Pass	2
1849	1850	0.15	RMS	1850	-29.57	-13	Pass	401
1850	1865	0.1	RMS	1850.825	21.43	30	Pass	401




1.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.9	-30.63	-13	Pass	401
1848	1849	1	RMS	1849	-31.23	-13	Pass	2
1849	1850	0.15	RMS	1850	-33.83	-13	Pass	401
1850	1865	0.1	RMS	1864.1	2.75	30	Pass	401




1.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	21.55	30	Pass	401
1910	1911	0.15	RMS	1910.003	-29.6	-13	Pass	401
1911	1912	1	RMS	1911	-41.57	-13	Pass	2
1912	1920	1	RMS	1912.2	-43.93	-13	Pass	401




1.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1901.225	2.87	30	Pass	401
1910	1911	0.15	RMS	1910	-30.18	-13	Pass	401
1911	1912	1	RMS	1912	-26.93	-13	Pass	2
1912	1920	1	RMS	1912.02	-26.66	-13	Pass	401




1.49. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1909.175	20.7	30	Pass	401
1910	1911	0.15	RMS	1910.003	-30.25	-13	Pass	401
1911	1912	1	RMS	1911	-42.26	-13	Pass	2
1912	1920	1	RMS	1912.16	-42.43	-13	Pass	401




1.50. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	0.1	RMS	1900.438	1.88	30	Pass	401
1910	1911	0.15	RMS	1910.003	-33.7	-13	Pass	401
1911	1912	1	RMS	1912	-29.35	-13	Pass	2
1912	1920	1	RMS	1912.1	-29.08	-13	Pass	401




1.51. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-45.72	-13	Pass	401
1848	1849	1	RMS	1849	-43.68	-13	Pass	2
1849	1850	0.2	RMS	1850	-30.23	-13	Pass	401
1850	1870	0.1	RMS	1851.1	22.18	30	Pass	401




1.52. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-29.15	-13	Pass	401
1848	1849	1	RMS	1849	-29.09	-13	Pass	2
1849	1850	0.2	RMS	1850	-31.89	-13	Pass	401
1850	1870	0.1	RMS	1868.35	2.52	30	Pass	401




1.53. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-46.08	-13	Pass	401
1848	1849	1	RMS	1849	-43.72	-13	Pass	2
1849	1850	0.2	RMS	1850	-29.95	-13	Pass	401
1850	1870	0.1	RMS	1851.1	21.33	30	Pass	401




1.54. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-32.2	-13	Pass	401
1848	1849	1	RMS	1849	-32.15	-13	Pass	2
1849	1850	0.2	RMS	1849.995	-34.85	-13	Pass	401
1850	1870	0.1	RMS	1868.55	1.58	30	Pass	401




1.55. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	21.43	30	Pass	401
1910	1911	0.2	RMS	1910.003	-30.35	-13	Pass	401
1911	1912	1	RMS	1911	-43.29	-13	Pass	2
1912	1920	1	RMS	1912	-43.4	-13	Pass	401




1.56. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1901.05	1.67	30	Pass	401
1910	1911	0.2	RMS	1910.005	-31.54	-13	Pass	401
1911	1912	1	RMS	1911	-28.62	-13	Pass	2
1912	1920	1	RMS	1912	-29.1	-13	Pass	401




1.57. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1908.9	20.58	30	Pass	401
1910	1911	0.2	RMS	1910	-30.7	-13	Pass	401
1911	1912	1	RMS	1911	-43.98	-13	Pass	2
1912	1920	1	RMS	1912	-42.55	-13	Pass	401



1.58. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	0.1	RMS	1902.85	0.76	30	Pass	401
1910	1911	0.2	RMS	1910.003	-33.72	-13	Pass	401
1911	1912	1	RMS	1911	-30.72	-13	Pass	2
1912	1920	1	RMS	1912.16	-31.1	-13	Pass	401



2. LTE_Band4


2.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-44.37	-13	Pass	401
1708	1709	1	RMS	1709	-37.67	-13	Pass	2
1709	1710	0.02	RMS	1709.993	-28.36	-13	Pass	401
1710	1712	0.1	RMS	1710.25	22.39	30	Pass	401




2.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-32.75	-13	Pass	401
1708	1709	1	RMS	1709	-22.28	-13	Pass	2
1709	1710	0.02	RMS	1709.968	-29.41	-13	Pass	401
1710	1712	0.1	RMS	1710.935	14.6	30	Pass	401




2.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.45	-13	Pass	401
1708	1709	1	RMS	1709	-38.75	-13	Pass	2
1709	1710	0.02	RMS	1710	-28.11	-13	Pass	401
1710	1712	0.1	RMS	1710.25	21.5	30	Pass	401




2.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.7	-13	Pass	401
1708	1709	1	RMS	1709	-25.26	-13	Pass	2
1709	1710	0.02	RMS	1709.963	-32.01	-13	Pass	401
1710	1712	0.1	RMS	1710.98	13.8	30	Pass	401




2.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.74	22.38	30	Pass	401
1755	1756	0.002	RMS	1755	-41.12	-13	Pass	501
1756	1757	1	RMS	1756	-37.31	-13	Pass	2
1757	1765	1	RMS	1757.7	-42.93	-13	Pass	401




2.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.08	14.53	30	Pass	401
1755	1756	0.02	RMS	1755.095	-30.74	-13	Pass	401
1756	1757	1	RMS	1756	-24.11	-13	Pass	2
1757	1765	1	RMS	1757	-33.43	-13	Pass	401



2.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.75	21.31	30	Pass	401
1755	1756	0.02	RMS	1755.003	-29.63	-13	Pass	401
1756	1757	1	RMS	1756	-38.35	-13	Pass	2
1757	1765	1	RMS	1757.84	-44.39	-13	Pass	401




2.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1753	1755	0.1	RMS	1754.68	12.97	30	Pass	401
1755	1756	0.02	RMS	1755.075	-34.29	-13	Pass	401
1756	1757	1	RMS	1756	-26.95	-13	Pass	2
1757	1765	1	RMS	1757	-35.07	-13	Pass	401




2.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.94	-13	Pass	401
1708	1709	1	RMS	1709	-37.58	-13	Pass	2
1709	1710	0.03	RMS	1710	-16.09	-13	Pass	401
1710	1713	0.1	RMS	1710.248	22.46	30	Pass	401




2.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-23.56	-13	Pass	401
1708	1709	1	RMS	1709	-19.88	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-23.74	-13	Pass	401
1710	1713	0.1	RMS	1711.035	10.16	30	Pass	401




2.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.29	-13	Pass	401
1708	1709	1	RMS	1709	-38.83	-13	Pass	2
1709	1710	0.03	RMS	1710	-18.08	-13	Pass	401
1710	1713	0.1	RMS	1710.24	21.61	30	Pass	401




2.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-26.86	-13	Pass	401
1708	1709	1	RMS	1709	-22.94	-13	Pass	2
1709	1710	0.03	RMS	1710	-24.59	-13	Pass	401
1710	1713	0.1	RMS	1710.645	9.22	30	Pass	401




2.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.768	22.34	30	Pass	401
1755	1756	0.03	RMS	1755	-16.06	-13	Pass	401
1756	1757	1	RMS	1756	-36.94	-13	Pass	2
1757	1765	1	RMS	1757.7	-42.25	-13	Pass	401




2.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1752.653	10.25	30	Pass	401
1755	1756	0.03	RMS	1755	-24.79	-13	Pass	401
1756	1757	1	RMS	1756	-22.18	-13	Pass	2
1757	1765	1	RMS	1757	-25.33	-13	Pass	401




2.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1754.775	21.42	30	Pass	401
1755	1756	0.03	RMS	1755	-17.29	-13	Pass	401
1756	1757	1	RMS	1756	-37.83	-13	Pass	2
1757	1765	1	RMS	1757.88	-44.08	-13	Pass	401




2.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1752	1755	0.1	RMS	1753.17	9.36	30	Pass	401
1755	1756	0.03	RMS	1755.003	-26.43	-13	Pass	401
1756	1757	1	RMS	1756	-25.06	-13	Pass	2
1757	1765	1	RMS	1757	-28.57	-13	Pass	401




2.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.5	-44.13	-13	Pass	401
1708	1709	1	RMS	1709	-38.56	-13	Pass	2
1709	1710	0.051	RMS	1710	-19.66	-13	Pass	401
1710	1715	0.1	RMS	1710.338	22.34	30	Pass	401




2.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-22.71	-13	Pass	401
1708	1709	1	RMS	1709	-21.44	-13	Pass	2
1709	1710	0.051	RMS	1710	-26.89	-13	Pass	401
1710	1715	0.1	RMS	1711.688	7.98	30	Pass	401




2.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.57	-13	Pass	401
1708	1709	1	RMS	1709	-39.58	-13	Pass	2
1709	1710	0.051	RMS	1710	-21.61	-13	Pass	401
1710	1715	0.1	RMS	1710.35	21.85	30	Pass	401




2.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.32	-13	Pass	401
1708	1709	1	RMS	1709	-24.09	-13	Pass	2
1709	1710	0.051	RMS	1710	-28.69	-13	Pass	401
1710	1715	0.1	RMS	1710.625	7.08	30	Pass	401




2.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.65	22.23	30	Pass	401
1755	1756	0.051	RMS	1755	-19.73	-13	Pass	401
1756	1757	1	RMS	1756	-38.09	-13	Pass	2
1757	1765	1	RMS	1757.62	-42.44	-13	Pass	401




2.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.625	8.12	30	Pass	401
1755	1756	0.051	RMS	1755	-27.16	-13	Pass	401
1756	1757	1	RMS	1756	-23.17	-13	Pass	2
1757	1765	1	RMS	1757	-24.58	-13	Pass	401



2.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1754.675	21.69	30	Pass	401
1755	1756	0.051	RMS	1755	-21.71	-13	Pass	401
1756	1757	1	RMS	1756	-39.19	-13	Pass	2
1757	1765	1	RMS	1757.98	-44.07	-13	Pass	401




2.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1750	1755	0.1	RMS	1751.675	7.09	30	Pass	401
1755	1756	0.051	RMS	1755	-28.95	-13	Pass	401
1756	1757	1	RMS	1756	-26.16	-13	Pass	2
1757	1765	1	RMS	1757	-27.63	-13	Pass	401




2.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-44.91	-13	Pass	401
1708	1709	1	RMS	1709	-41.25	-13	Pass	2
1709	1710	0.1	RMS	1710	-30.63	-13	Pass	401
1710	1720	0.1	RMS	1710.575	22.26	30	Pass	401




2.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.5	-13	Pass	401
1708	1709	1	RMS	1709	-24.08	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-28.92	-13	Pass	401
1710	1720	0.1	RMS	1711.35	5.24	30	Pass	401




2.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-45.39	-13	Pass	401
1708	1709	1	RMS	1709	-41.9	-13	Pass	2
1709	1710	0.1	RMS	1709.993	-31.93	-13	Pass	401
1710	1720	0.1	RMS	1710.575	21.62	30	Pass	401




2.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-27.1	-13	Pass	401
1708	1709	1	RMS	1709	-26.63	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-31.35	-13	Pass	401
1710	1720	0.1	RMS	1711.3	4.27	30	Pass	401




2.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.4	22.42	30	Pass	401
1755	1756	0.1	RMS	1755	-30.21	-13	Pass	401
1756	1757	1	RMS	1756	-40.82	-13	Pass	2
1757	1765	1	RMS	1757.38	-42.71	-13	Pass	401




2.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.925	5.2	30	Pass	401
1755	1756	0.1	RMS	1755	-28.6	-13	Pass	401
1756	1757	1	RMS	1756	-23.36	-13	Pass	2
1757	1765	1	RMS	1757.02	-24	-13	Pass	401




2.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1754.375	21.58	30	Pass	401
1755	1756	0.1	RMS	1755	-30.45	-13	Pass	401
1756	1757	1	RMS	1756	-41.37	-13	Pass	2
1757	1765	1	RMS	1757.7	-44.51	-13	Pass	401




2.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1745	1755	0.1	RMS	1746.4	4.2	30	Pass	401
1755	1756	0.1	RMS	1755	-31.33	-13	Pass	401
1756	1757	1	RMS	1756	-26.53	-13	Pass	2
1757	1765	1	RMS	1757.3	-26.93	-13	Pass	401




2.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-45.19	-13	Pass	401
1708	1709	1	RMS	1709	-43.63	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-28.99	-13	Pass	401
1710	1725	0.1	RMS	1710.863	22.1	30	Pass	401




2.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.9	-24.86	-13	Pass	401
1708	1709	1	RMS	1708	-25.24	-13	Pass	2
1709	1710	0.15	RMS	1710	-28.46	-13	Pass	401
1710	1725	0.1	RMS	1711.875	3.57	30	Pass	401




2.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.92	-45.7	-13	Pass	401
1708	1709	1	RMS	1709	-43.55	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-29.37	-13	Pass	401
1710	1725	0.1	RMS	1710.863	21.47	30	Pass	401




2.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-28.12	-13	Pass	401
1708	1709	1	RMS	1708	-28.36	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-32.29	-13	Pass	401
1710	1725	0.1	RMS	1711.8	2.46	30	Pass	401



2.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	22.18	30	Pass	401
1755	1756	0.15	RMS	1755	-28.99	-13	Pass	401
1756	1757	1	RMS	1756	-43.15	-13	Pass	2
1757	1765	1	RMS	1757.14	-43.41	-13	Pass	401




2.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1743.563	3.27	30	Pass	401
1755	1756	0.15	RMS	1755	-27.15	-13	Pass	401
1756	1757	1	RMS	1757	-23.18	-13	Pass	2
1757	1765	1	RMS	1757.08	-22.88	-13	Pass	401




2.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1754.175	21.56	30	Pass	401
1755	1756	0.15	RMS	1755	-29.86	-13	Pass	401
1756	1757	1	RMS	1756	-43.41	-13	Pass	2
1757	1765	1	RMS	1757.44	-44.46	-13	Pass	401




2.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1755	0.1	RMS	1742.025	2.36	30	Pass	401
1755	1756	0.15	RMS	1755.005	-30.89	-13	Pass	401
1756	1757	1	RMS	1757	-26.41	-13	Pass	2
1757	1765	1	RMS	1757.12	-25.92	-13	Pass	401




2.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-45.79	-13	Pass	401
1708	1709	1	RMS	1709	-44.82	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.16	-13	Pass	401
1710	1730	0.1	RMS	1711.1	22.06	30	Pass	401




2.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.72	-24.02	-13	Pass	401
1708	1709	1	RMS	1708	-26.88	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.2	-13	Pass	401
1710	1730	0.1	RMS	1712.05	2.13	30	Pass	401




2.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-46.35	-13	Pass	401
1708	1709	1	RMS	1709	-45.22	-13	Pass	2
1709	1710	0.2	RMS	1710	-30.39	-13	Pass	401
1710	1730	0.1	RMS	1711.1	21.19	30	Pass	401




2.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.86	-29.45	-13	Pass	401
1708	1709	1	RMS	1708	-29.83	-13	Pass	2
1709	1710	0.2	RMS	1709.995	-33.01	-13	Pass	401
1710	1730	0.1	RMS	1712.85	1.27	30	Pass	401




2.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	22.12	30	Pass	401
1755	1756	0.2	RMS	1755.005	-29.83	-13	Pass	401
1756	1757	1	RMS	1756	-44.31	-13	Pass	2
1757	1765	1	RMS	1757	-43.79	-13	Pass	401




2.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1741.65	2.02	30	Pass	401
1755	1756	0.2	RMS	1755.01	-27.81	-13	Pass	401
1756	1757	1	RMS	1756	-23.58	-13	Pass	2
1757	1765	1	RMS	1757.02	-23.83	-13	Pass	401




2.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1753.9	21.56	30	Pass	401
1755	1756	0.2	RMS	1755.005	-29.71	-13	Pass	401
1756	1757	1	RMS	1756	-45.13	-13	Pass	2
1757	1765	1	RMS	1757.18	-44.44	-13	Pass	401



2.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1735	1755	0.1	RMS	1744.25	1.03	30	Pass	401
1755	1756	0.2	RMS	1755.018	-30.85	-13	Pass	401
1756	1757	1	RMS	1756	-26.81	-13	Pass	2
1757	1765	1	RMS	1757.06	-26.92	-13	Pass	401



3. LTE_Band5


3.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.68	-13	Pass	401
823	824	0.02	RMS	824	-29.3	-13	Pass	401
824	826	0.1	RMS	824.25	22.09	30	Pass	401




3.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.57	-13	Pass	401
823	824	0.02	RMS	823.93	-32.28	-13	Pass	401
824	826	0.1	RMS	824.295	13.69	30	Pass	401




3.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-50.63	-13	Pass	401
823	824	0.02	RMS	824	-29.48	-13	Pass	401
824	826	0.1	RMS	824.26	20.94	30	Pass	401




3.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.81	-13	Pass	401
823	824	0.02	RMS	823.93	-33.62	-13	Pass	401
824	826	0.1	RMS	825.115	12.66	30	Pass	401




3.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.735	22.04	30	Pass	401
849	850	0.02	RMS	849	-30.31	-13	Pass	401
850	860	0.1	RMS	850	-50.56	-13	Pass	401




3.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.875	13.75	30	Pass	401
849	850	0.02	RMS	849.063	-33.16	-13	Pass	401
850	860	0.1	RMS	850	-36.15	-13	Pass	401




3.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.735	21.29	30	Pass	401
849	850	0.02	RMS	849	-30.02	-13	Pass	401
850	860	0.1	RMS	850	-51.15	-13	Pass	401




3.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.95	13.01	30	Pass	401
849	850	0.02	RMS	849.068	-34.83	-13	Pass	401
850	860	0.1	RMS	850	-37.71	-13	Pass	401




3.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-42.21	-13	Pass	401
823	824	0.03	RMS	824	-18.1	-13	Pass	401
824	827	0.1	RMS	824.24	22.09	30	Pass	401




3.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-32.43	-13	Pass	401
823	824	0.03	RMS	824	-24.94	-13	Pass	401
824	827	0.1	RMS	824.63	10	30	Pass	401




3.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-43.15	-13	Pass	401
823	824	0.03	RMS	824	-19.43	-13	Pass	401
824	827	0.1	RMS	824.248	21.29	30	Pass	401




3.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-33.72	-13	Pass	401
823	824	0.03	RMS	824	-27.01	-13	Pass	401
824	827	0.1	RMS	825.2	8.96	30	Pass	401




3.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.775	22.19	30	Pass	401
849	850	0.03	RMS	849	-17.91	-13	Pass	401
850	860	0.1	RMS	850.05	-47.06	-13	Pass	401




3.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.27	10.24	30	Pass	401
849	850	0.03	RMS	849	-27.98	-13	Pass	401
850	860	0.1	RMS	850.15	-36.15	-13	Pass	401




3.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.768	21.2	30	Pass	401
849	850	0.03	RMS	849	-20.41	-13	Pass	401
850	860	0.1	RMS	850	-48.46	-13	Pass	401




3.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.653	9.23	30	Pass	401
849	850	0.03	RMS	849	-28.22	-13	Pass	401
850	860	0.1	RMS	850.2	-37.67	-13	Pass	401




3.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.2	-43.03	-13	Pass	401
823	824	0.051	RMS	824	-21.85	-13	Pass	401
824	829	0.1	RMS	824.35	21.95	30	Pass	401




3.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.86	-34.36	-13	Pass	401
823	824	0.051	RMS	824	-28.37	-13	Pass	401
824	829	0.1	RMS	824.713	7.75	30	Pass	401




3.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.16	-44.56	-13	Pass	401
823	824	0.051	RMS	824	-22.26	-13	Pass	401
824	829	0.1	RMS	824.35	21.25	30	Pass	401




3.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-35.33	-13	Pass	401
823	824	0.051	RMS	824	-29.85	-13	Pass	401
824	829	0.1	RMS	825.675	6.74	30	Pass	401



3.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	22.21	30	Pass	401
849	850	0.051	RMS	849	-22.35	-13	Pass	401
850	860	0.1	RMS	850	-50.43	-13	Pass	401




3.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.425	8.18	30	Pass	401
849	850	0.051	RMS	849	-30.28	-13	Pass	401
850	860	0.1	RMS	850.025	-36.84	-13	Pass	401



3.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.28	30	Pass	401
849	850	0.051	RMS	849	-22.72	-13	Pass	401
850	860	0.1	RMS	850	-51.12	-13	Pass	401




3.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.6	7.38	30	Pass	401
849	850	0.051	RMS	849	-31.22	-13	Pass	401
850	860	0.1	RMS	850.075	-38.33	-13	Pass	401




3.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.84	-50.95	-13	Pass	401
823	824	0.1	RMS	824	-32.35	-13	Pass	401
824	834	0.1	RMS	824.6	22.1	30	Pass	401




3.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.76	-37.16	-13	Pass	401
823	824	0.1	RMS	823.998	-31.16	-13	Pass	401
824	834	0.1	RMS	826.6	4.83	30	Pass	401




3.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.82	-51.17	-13	Pass	401
823	824	0.1	RMS	824	-32.71	-13	Pass	401
824	834	0.1	RMS	824.6	21.21	30	Pass	401




3.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-37.94	-13	Pass	401
823	824	0.1	RMS	823.998	-33.24	-13	Pass	401
824	834	0.1	RMS	827.325	3.77	30	Pass	401




3.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	22	30	Pass	401
849	850	0.1	RMS	849	-32.88	-13	Pass	401
850	860	0.1	RMS	850	-52.68	-13	Pass	401




3.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.475	5.4	30	Pass	401
849	850	0.1	RMS	849.013	-32.32	-13	Pass	401
850	860	0.1	RMS	850.025	-36.65	-13	Pass	401




3.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	21.01	30	Pass	401
849	850	0.1	RMS	849	-34.54	-13	Pass	401
850	860	0.1	RMS	850	-53.13	-13	Pass	401



3.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.525	4.37	30	Pass	401
849	850	0.1	RMS	849.008	-34.52	-13	Pass	401
850	860	0.1	RMS	850.05	-38.81	-13	Pass	401



4. LTE_Band7


4.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2489.678	-49.01	-25	Pass	401
2494	2496	1	RMS	2496	-44.26	-13	Pass	401
2496	2499	1	RMS	2499	-31.74	-10	Pass	4
2499	2500	0.1	RMS	2499.803	-15.36	-10	Pass	401
2500	2505	0.1	RMS	2500.338	21.75	30	Pass	401




4.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-39.12	-25	Pass	401
2494	2496	1	RMS	2495.995	-28.92	-13	Pass	401
2496	2499	1	RMS	2499	-19.22	-10	Pass	4
2499	2500	0.1	RMS	2499.998	-23	-10	Pass	401
2500	2505	0.1	RMS	2504.3	7.63	30	Pass	401




4.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-49.25	-25	Pass	401
2494	2496	1	RMS	2496	-46.65	-13	Pass	401
2496	2499	1	RMS	2499	-33.26	-10	Pass	4
2499	2500	0.1	RMS	2499.803	-16.54	-10	Pass	401
2500	2505	0.1	RMS	2500.338	21.03	30	Pass	401




4.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-40.63	-25	Pass	401
2494	2496	1	RMS	2495.935	-32.29	-13	Pass	401
2496	2499	1	RMS	2499	-22.44	-10	Pass	4
2499	2500	0.1	RMS	2500	-25.44	-10	Pass	401
2500	2505	0.1	RMS	2503.325	6.64	30	Pass	401




4.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.675	21.68	30	Pass	401
2570	2571	0.051	RMS	2570.245	-17.93	-10	Pass	401
2571	2575	1	RMS	2571	-30.81	-10	Pass	5
2575	2576	1	RMS	2575.015	-47.99	-13	Pass	401
2576	2595	1	RMS	2576	-48.79	-25	Pass	401




4.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2566.838	7.39	30	Pass	401
2570	2571	0.1	RMS	2570.008	-22.34	-10	Pass	401
2571	2575	1	RMS	2571	-17.43	-10	Pass	5
2575	2576	1	RMS	2575	-33.89	-13	Pass	401
2576	2595	1	RMS	2576	-38.06	-25	Pass	401




4.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2569.663	21.07	30	Pass	401
2570	2571	0.1	RMS	2570.195	-16.31	-10	Pass	401
2571	2575	1	RMS	2571	-31.54	-10	Pass	5
2575	2576	1	RMS	2575.003	-48.3	-13	Pass	401
2576	2595	1	RMS	2576	-48.94	-25	Pass	401




4.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	0.1	RMS	2565.613	6.4	30	Pass	401
2570	2571	0.1	RMS	2570	-24.4	-10	Pass	401
2571	2575	1	RMS	2571	-20.8	-10	Pass	5
2575	2576	1	RMS	2575	-35.32	-13	Pass	401
2576	2595	1	RMS	2576	-38.81	-25	Pass	401




4.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-49.03	-25	Pass	401
2490	2496	1	RMS	2494.26	-45.26	-13	Pass	401
2496	2499	1	RMS	2499	-36.21	-10	Pass	4
2499	2500	0.2	RMS	2500	-13.04	-10	Pass	401
2500	2510	0.1	RMS	2500.6	21.63	30	Pass	401




4.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.19	-25	Pass	401
2490	2496	1	RMS	2495.61	-24.32	-13	Pass	401
2496	2499	1	RMS	2499	-21.56	-10	Pass	4
2499	2500	0.2	RMS	2499.995	-24.53	-10	Pass	401
2500	2510	0.1	RMS	2508	4.74	30	Pass	401




4.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-49.18	-25	Pass	401
2490	2496	1	RMS	2494.245	-46.46	-13	Pass	401
2496	2499	1	RMS	2499	-36.72	-10	Pass	4
2499	2500	0.2	RMS	2499.978	-13.6	-10	Pass	401
2500	2510	0.1	RMS	2500.6	21.41	30	Pass	401




4.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-40.8	-25	Pass	401
2490	2496	1	RMS	2495.76	-27.2	-13	Pass	401
2496	2499	1	RMS	2499	-24.69	-10	Pass	4
2499	2500	0.2	RMS	2500	-27.35	-10	Pass	401
2500	2510	0.1	RMS	2508.375	3.83	30	Pass	401




4.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	21.73	30	Pass	401
2570	2571	0.2	RMS	2570	-14.19	-10	Pass	6
2571	2575	1	RMS	2571	-35.4	-10	Pass	5
2575	2580	1	RMS	2575.688	-43.56	-13	Pass	401
2580	2595	1	RMS	2580.075	-49.75	-25	Pass	401




4.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561.4	4.44	30	Pass	401
2570	2571	0.2	RMS	2570.003	-24.39	-10	Pass	401
2571	2575	1	RMS	2571	-21.37	-10	Pass	5
2575	2580	1	RMS	2575.088	-25.53	-13	Pass	401
2580	2595	1	RMS	2580	-37.7	-25	Pass	401




4.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2569.4	20.45	30	Pass	401
2570	2571	0.2	RMS	2570	-14.18	-10	Pass	401
2571	2575	1	RMS	2571	-36.44	-10	Pass	5
2575	2580	1	RMS	2575.625	-46.87	-13	Pass	401
2580	2595	1	RMS	2580.113	-49.83	-25	Pass	401




4.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2560	2570	0.1	RMS	2561.225	3.47	30	Pass	401
2570	2571	0.2	RMS	2570.008	-27.58	-10	Pass	401
2571	2575	1	RMS	2571	-24.81	-10	Pass	5
2575	2580	1	RMS	2575.038	-29	-13	Pass	401
2580	2595	1	RMS	2580.038	-39.05	-25	Pass	401



4.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-49.21	-25	Pass	401
2490	2496	1	RMS	2492.28	-46	-13	Pass	401
2496	2499	1	RMS	2499	-40.36	-10	Pass	4
2499	2500	0.3	RMS	2500	-17.84	-10	Pass	401
2500	2515	0.1	RMS	2500.825	21.62	30	Pass	401




4.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.26	-25	Pass	16
2490	2496	1	RMS	2495.97	-23.99	-13	Pass	401
2496	2499	1	RMS	2499	-22.23	-10	Pass	4
2499	2500	0.3	RMS	2499.958	-23.84	-10	Pass	401
2500	2515	0.1	RMS	2513.388	2.87	30	Pass	401




4.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-49.36	-25	Pass	401
2490	2496	1	RMS	2491.995	-47.22	-13	Pass	401
2496	2499	1	RMS	2499	-40.52	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-18.49	-10	Pass	401
2500	2515	0.1	RMS	2500.825	20.96	30	Pass	401




4.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-34.28	-25	Pass	401
2490	2496	1	RMS	2496	-27.59	-13	Pass	401
2496	2499	1	RMS	2499	-25.76	-10	Pass	4
2499	2500	0.3	RMS	2499.97	-27.62	-10	Pass	401
2500	2515	0.1	RMS	2512.375	1.88	30	Pass	401




4.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	21.44	30	Pass	401
2570	2571	0.3	RMS	2570	-18.17	-10	Pass	401
2571	2575	1	RMS	2571	-39.91	-10	Pass	5
2575	2585	1	RMS	2577.725	-45.46	-13	Pass	401
2585	2595	1	RMS	2585.15	-50.05	-25	Pass	401




4.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2555.863	2.7	30	Pass	401
2570	2571	0.3	RMS	2570	-24.55	-10	Pass	401
2571	2575	1	RMS	2571	-22.7	-10	Pass	5
2575	2585	1	RMS	2575.15	-25.65	-13	Pass	401
2585	2595	1	RMS	2585	-39.37	-25	Pass	401




4.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2569.175	20.48	30	Pass	401
2570	2571	0.3	RMS	2570	-19.02	-10	Pass	401
2571	2575	1	RMS	2571	-40.79	-10	Pass	5
2575	2585	1	RMS	2577.75	-47.66	-13	Pass	401
2585	2595	1	RMS	2585.175	-50.04	-25	Pass	401




4.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2555	2570	0.1	RMS	2557.25	1.71	30	Pass	401
2570	2571	0.3	RMS	2570.003	-28.11	-10	Pass	401
2571	2575	1	RMS	2571	-26.51	-10	Pass	5
2575	2585	1	RMS	2575	-29.56	-13	Pass	401
2585	2595	1	RMS	2585	-40.5	-25	Pass	401




4.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-46.29	-25	Pass	401
2490	2496	1	RMS	2490.075	-46.08	-13	Pass	401
2496	2499	1	RMS	2499	-42.16	-10	Pass	4
2499	2500	0.51	RMS	2500	-18.72	-10	Pass	401
2500	2520	0.1	RMS	2501.1	21.64	30	Pass	401




4.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-29.86	-25	Pass	16
2490	2496	1	RMS	2495.955	-25.7	-13	Pass	401
2496	2499	1	RMS	2499	-24.39	-10	Pass	4
2499	2500	0.51	RMS	2499.983	-24.17	-10	Pass	401
2500	2520	0.1	RMS	2517.55	1.53	30	Pass	401




4.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-48.22	-25	Pass	401
2490	2496	1	RMS	2490.3	-47.81	-13	Pass	401
2496	2499	1	RMS	2499	-42.35	-10	Pass	4
2499	2500	0.51	RMS	2500	-18.92	-10	Pass	401
2500	2520	0.1	RMS	2501.1	21.17	30	Pass	401




4.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.93	-25	Pass	401
2490	2496	1	RMS	2495.955	-28.97	-13	Pass	401
2496	2499	1	RMS	2499	-27.83	-10	Pass	4
2499	2500	0.51	RMS	2499.98	-27.42	-10	Pass	401
2500	2520	0.1	RMS	2512.95	0.65	30	Pass	401




4.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	21.54	30	Pass	401
2570	2571	0.51	RMS	2570	-19.07	-10	Pass	401
2571	2575	1	RMS	2571	-42	-10	Pass	5
2575	2590	1	RMS	2579.875	-45.94	-13	Pass	401
2590	2595	1	RMS	2590.688	-50.14	-25	Pass	401




4.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2555.35	1.38	30	Pass	401
2570	2571	0.51	RMS	2570	-25.08	-10	Pass	401
2571	2575	1	RMS	2571	-26.26	-10	Pass	5
2575	2590	1	RMS	2575.113	-28.08	-13	Pass	401
2590	2595	1	RMS	2590.038	-43.73	-25	Pass	401




4.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2568.9	20.62	30	Pass	401
2570	2571	0.51	RMS	2570	-19.49	-10	Pass	401
2571	2575	1	RMS	2571	-42.64	-10	Pass	5
2575	2590	1	RMS	2579.988	-48.34	-13	Pass	401
2590	2595	1	RMS	2593.163	-50.19	-25	Pass	401



4.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	0.1	RMS	2554.65	0.41	30	Pass	401
2570	2571	0.51	RMS	2570.005	-28.36	-10	Pass	401
2571	2575	1	RMS	2571	-29.44	-10	Pass	5
2575	2590	1	RMS	2575.075	-31.37	-13	Pass	401
2590	2595	1	RMS	2590.038	-44.36	-25	Pass	401



5. LTE_Band12


5.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.14	-13	Pass	401
698.9	699	0.03	RMS	699	-28.12	-13	Pass	5
699	701	0.1	RMS	699.245	22.06	30	Pass	401




5.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.68	-13	Pass	401
698.9	699	0.03	RMS	698.98	-27.48	-13	Pass	401
699	701	0.1	RMS	700.12	13.69	30	Pass	401




5.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.83	-13	Pass	401
698.9	699	0.03	RMS	698.999	-27.15	-13	Pass	401
699	701	0.1	RMS	699.235	21.05	30	Pass	401




5.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.878	-25.96	-13	Pass	401
698.9	699	0.03	RMS	698.943	-29.99	-13	Pass	401
699	701	0.1	RMS	700.105	12.8	30	Pass	401




5.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.765	21.92	30	Pass	401
716	716.1	0.03	RMS	716	-28.36	-13	Pass	5
716.1	725	0.1	RMS	716.1	-28.79	-13	Pass	401




5.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.935	13.82	30	Pass	401
716	716.1	0.03	RMS	716.041	-28.97	-13	Pass	401
716.1	725	0.1	RMS	716.256	-25.27	-13	Pass	401




5.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	715.73	21.21	30	Pass	401
716	716.1	0.03	RMS	716.005	-27.67	-13	Pass	401
716.1	725	0.1	RMS	716.1	-30.46	-13	Pass	401




5.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
714	716	0.1	RMS	714.925	12.75	30	Pass	401
716	716.1	0.03	RMS	716.023	-31.34	-13	Pass	401
716.1	725	0.1	RMS	716.122	-27.61	-13	Pass	401




5.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-23.55	-13	Pass	401
698.9	699	0.03	RMS	698.999	-17.92	-13	Pass	401
699	702	0.1	RMS	699.233	22.13	30	Pass	401




5.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-24.47	-13	Pass	401
698.9	699	0.03	RMS	698.998	-24.8	-13	Pass	401
699	702	0.1	RMS	700.793	9.94	30	Pass	401




5.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-25.47	-13	Pass	401
698.9	699	0.03	RMS	699	-19.52	-13	Pass	401
699	702	0.1	RMS	699.255	21.22	30	Pass	401




5.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-26.51	-13	Pass	401
698.9	699	0.03	RMS	699	-27.07	-13	Pass	401
699	702	0.1	RMS	701.385	8.98	30	Pass	401




5.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.76	22.16	30	Pass	401
716	716.1	0.03	RMS	716.001	-18.07	-13	Pass	401
716.1	725	0.1	RMS	716.1	-23.63	-13	Pass	401




5.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.27	9.98	30	Pass	401
716	716.1	0.03	RMS	716	-27.01	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.54	-13	Pass	401



5.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	715.768	21.05	30	Pass	401
716	716.1	0.03	RMS	716.002	-20.5	-13	Pass	401
716.1	725	0.1	RMS	716.1	-26.15	-13	Pass	401




5.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
713	716	0.1	RMS	713.638	8.97	30	Pass	401
716	716.1	0.03	RMS	716	-27.47	-13	Pass	401
716.1	725	0.1	RMS	716.1	-28.23	-13	Pass	401




5.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.16	-13	Pass	90
698.9	699	0.03	RMS	699	-25.44	-13	Pass	5
699	704	0.1	RMS	699.338	21.83	30	Pass	401




5.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-29.04	-13	Pass	401
698.9	699	0.03	RMS	698.999	-30.72	-13	Pass	401
699	704	0.1	RMS	700.663	7.79	30	Pass	401




5.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-30.67	-13	Pass	401
698.9	699	0.03	RMS	698.998	-25.85	-13	Pass	401
699	704	0.1	RMS	699.35	21.29	30	Pass	401




5.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.8	-13	Pass	401
698.9	699	0.03	RMS	699	-32.27	-13	Pass	401
699	704	0.1	RMS	700.725	6.78	30	Pass	401




5.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	22.11	30	Pass	401
716	716.1	0.03	RMS	716.001	-25.15	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.67	-13	Pass	90




5.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.713	7.81	30	Pass	401
716	716.1	0.03	RMS	716	-31.02	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.28	-13	Pass	401



5.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	21.27	30	Pass	401
716	716.1	0.03	RMS	716.001	-25.65	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.65	-13	Pass	90




5.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.613	6.93	30	Pass	401
716	716.1	0.03	RMS	716.001	-32.52	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.84	-13	Pass	401




5.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-40.68	-13	Pass	401
698.9	699	0.03	RMS	699	-39.35	-13	Pass	401
699	709	0.1	RMS	699.575	21.91	30	Pass	401




5.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-31.49	-13	Pass	401
698.9	699	0.03	RMS	699	-35.19	-13	Pass	401
699	709	0.1	RMS	701.625	5.06	30	Pass	401




5.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-40.4	-13	Pass	401
698.9	699	0.03	RMS	698.999	-38.75	-13	Pass	401
699	709	0.1	RMS	699.6	21.26	30	Pass	401




5.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	698.9	0.1	RMS	698.9	-34.07	-13	Pass	401
698.9	699	0.03	RMS	698.993	-37.92	-13	Pass	401
699	709	0.1	RMS	702.8	3.96	30	Pass	401




5.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	21.81	30	Pass	401
716	716.1	0.03	RMS	716	-39.06	-13	Pass	401
716.1	725	0.1	RMS	716.1	-40.64	-13	Pass	401




5.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.35	5.12	30	Pass	401
716	716.1	0.03	RMS	716.023	-36.45	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.64	-13	Pass	401




5.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.375	20.95	30	Pass	401
716	716.1	0.03	RMS	716.004	-40.99	-13	Pass	401
716.1	725	0.1	RMS	716.1	-42.64	-13	Pass	401



5.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.425	4.07	30	Pass	401
716	716.1	0.03	RMS	716.004	-38.03	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.68	-13	Pass	401



6. LTE_Band13


6.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.92	-59.96	-35	Pass	1201
775	775.9	0.1	RMS	775.889	-51.72	-13	Pass	401
775.9	776	0.03	RMS	775.998	-55.45	-13	Pass	401
776	788	0.1	RMS	777.32	21.78	30	Pass	401




6.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.98	-42.74	-35	Pass	1201
775	775.9	0.1	RMS	775.851	-30.67	-13	Pass	401
775.9	776	0.03	RMS	775.99	-35.87	-13	Pass	401
776	788	0.1	RMS	778.67	7.71	30	Pass	401




6.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.92	-61.08	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-52.52	-13	Pass	401
775.9	776	0.03	RMS	775.99	-55.81	-13	Pass	401
776	788	0.1	RMS	777.35	20.97	30	Pass	401




6.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.96	-44.7	-35	Pass	1201
775	775.9	0.1	RMS	775.9	-33.57	-13	Pass	401
775.9	776	0.03	RMS	775.998	-38.33	-13	Pass	401
776	788	0.1	RMS	778.67	6.75	30	Pass	401




6.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	21.87	30	Pass	401
788	788.1	0.03	RMS	788.014	-55.47	-13	Pass	401
788.1	793	0.1	RMS	789.068	-50.62	-13	Pass	401
793	806	0.01	RMS	793.38	-72.82	-35	Pass	1301




6.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	783.86	7.64	30	Pass	401
788	788.1	0.03	RMS	788.063	-36.36	-13	Pass	401
788.1	793	0.1	RMS	788.174	-31.39	-13	Pass	401
793	806	0.01	RMS	793.06	-59.14	-35	Pass	1301




6.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.65	21.37	30	Pass	401
788	788.1	0.03	RMS	788.001	-56.24	-13	Pass	401
788.1	793	0.1	RMS	789.043	-51.02	-13	Pass	401
793	806	0.01	RMS	794.47	-72	-35	Pass	1301




6.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	784.13	6.56	30	Pass	401
788	788.1	0.03	RMS	788.011	-38.72	-13	Pass	401
788.1	793	0.1	RMS	788.198	-33.87	-13	Pass	401
793	806	0.01	RMS	793	-61.51	-35	Pass	1301




6.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	775	-65.19	-35	Pass	1201
775	775.9	0.1	RMS	775.162	-50.88	-13	Pass	401
775.9	776	0.03	RMS	775.993	-57.78	-13	Pass	401
776	788	0.1	RMS	777.59	21.91	30	Pass	401




6.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.73	-43.76	-35	Pass	1201
775	775.9	0.1	RMS	775.803	-32.74	-13	Pass	401
775.9	776	0.03	RMS	775.979	-37.83	-13	Pass	401
776	788	0.1	RMS	781.25	4.61	30	Pass	401




6.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.97	-65.45	-35	Pass	1201
775	775.9	0.1	RMS	775.151	-50.97	-13	Pass	401
775.9	776	0.03	RMS	775.989	-57.8	-13	Pass	401
776	788	0.1	RMS	777.59	20.99	30	Pass	401




6.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
763	775	0.01	RMS	774.99	-45.82	-35	Pass	1201
775	775.9	0.1	RMS	775.898	-35.51	-13	Pass	401
775.9	776	0.03	RMS	775.942	-40.24	-13	Pass	401
776	788	0.1	RMS	780.32	3.56	30	Pass	401




6.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.41	21.91	30	Pass	401
788	788.1	0.03	RMS	788.005	-57.25	-13	Pass	401
788.1	793	0.1	RMS	788.823	-50.62	-13	Pass	401
793	806	0.01	RMS	795.59	-68.61	-35	Pass	1301




6.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	782.63	4.6	30	25.4	Pass	401
788	788.1	0.03	RMS	788.007	-37.73	-13	24.73	Pass	401
788.1	793	0.1	RMS	788.149	-33.3	-13	20.3	Pass	401
793	805	0.01	RMS	793.07	-50.16	-35	15.16	Pass	1201




6.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
776	788	0.1	RMS	786.38	21.09	30	Pass	401
788	788.1	0.03	RMS	788.031	-57.67	-13	Pass	401
788.1	793	0.1	RMS	788.847	-50.92	-13	Pass	401
793	806	0.01	RMS	795.67	-71.05	-35	Pass	1301



6.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23230, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
776	788	0.1	RMS	780.29	3.73	30	26.27	Pass	401
788	788.1	0.03	RMS	788.092	-40.94	-13	27.94	Pass	401
788.1	793	0.1	RMS	788.223	-36.1	-13	23.1	Pass	401
793	805	0.01	RMS	793.13	-53.57	-35	18.57	Pass	1201



7. LTE_Band17


7.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-29.07	-13	Pass	401
703.9	704	0.03	RMS	704	-24.96	-13	Pass	401
704	709	0.1	RMS	704.35	21.92	30	Pass	401




7.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-29.83	-13	Pass	401
703.9	704	0.03	RMS	704	-30.72	-13	Pass	401
704	709	0.1	RMS	705.663	7.73	30	Pass	401




7.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-30.99	-13	Pass	401
703.9	704	0.03	RMS	704	-25.82	-13	Pass	401
704	709	0.1	RMS	704.363	21.24	30	Pass	401




7.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-31.45	-13	Pass	401
703.9	704	0.03	RMS	703.999	-31.99	-13	Pass	401
704	709	0.1	RMS	705.713	6.67	30	Pass	401



7.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	22.11	30	Pass	401
716	716.1	0.03	RMS	716.001	-25.31	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.89	-13	Pass	401




7.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	712.063	7.84	30	Pass	401
716	716.1	0.03	RMS	716.001	-30.85	-13	Pass	401
716.1	725	0.1	RMS	716.1	-29.14	-13	Pass	401




7.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.663	21.28	30	Pass	401
716	716.1	0.03	RMS	716	-25.69	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.88	-13	Pass	90




7.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.6	6.9	30	Pass	401
716	716.1	0.03	RMS	716.002	-32.43	-13	Pass	401
716.1	725	0.1	RMS	716.1	-31.48	-13	Pass	401




7.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-40.34	-13	Pass	401
703.9	704	0.03	RMS	703.998	-39.29	-13	Pass	401
704	714	0.1	RMS	704.6	22.07	30	Pass	401




7.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-32.05	-13	Pass	401
703.9	704	0.03	RMS	703.998	-35.41	-13	Pass	401
704	714	0.1	RMS	711.3	4.87	30	Pass	401



7.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-40.74	-13	Pass	401
703.9	704	0.03	RMS	703.999	-39.73	-13	Pass	401
704	714	0.1	RMS	704.6	21.53	30	Pass	401




7.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
690	703.9	0.1	RMS	703.9	-34.21	-13	Pass	401
703.9	704	0.03	RMS	703.962	-38.28	-13	Pass	401
704	714	0.1	RMS	710.6	3.98	30	Pass	401




7.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.425	21.82	30	Pass	401
716	716.1	0.03	RMS	716.001	-39.1	-13	Pass	401
716.1	725	0.1	RMS	716.1	-40.81	-13	Pass	401




7.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.35	5.08	30	Pass	401
716	716.1	0.03	RMS	716.012	-36.83	-13	Pass	401
716.1	725	0.1	RMS	716.1	-32.75	-13	Pass	401




7.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	20.92	30	Pass	401
716	716.1	0.03	RMS	716.002	-40.41	-13	Pass	401
716.1	725	0.1	RMS	716.1	-42.45	-13	Pass	401



7.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	711.625	4.05	30	Pass	401
716	716.1	0.03	RMS	716.011	-38.08	-13	Pass	401
716.1	725	0.1	RMS	716.1	-34.95	-13	Pass	401



8. LTE_Band26(part22)


8.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.6	-13	Pass	401
823	824	0.02	RMS	823.998	-29.64	-13	Pass	401
824	826	0.1	RMS	824.24	22.08	30	Pass	401




8.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-34.77	-13	Pass	401
823	824	0.02	RMS	823.933	-32.09	-13	Pass	401
824	826	0.1	RMS	824.295	13.77	30	Pass	401




8.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-50.73	-13	Pass	401
823	824	0.02	RMS	824	-29.32	-13	Pass	401
824	826	0.1	RMS	824.27	21.08	30	Pass	401




8.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-37.01	-13	Pass	401
823	824	0.02	RMS	823.93	-33.44	-13	Pass	401
824	826	0.1	RMS	825.125	12.67	30	Pass	401




8.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.755	22.07	30	Pass	401
849	850	0.02	RMS	849.005	-30.47	-13	Pass	401
850	860	0.1	RMS	850	-50.47	-13	Pass	401




8.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.96	13.8	30	Pass	401
849	850	0.02	RMS	849.04	-33.65	-13	Pass	401
850	860	0.1	RMS	850	-36.2	-13	Pass	401




8.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	848.74	21.17	30	Pass	401
849	850	0.02	RMS	849.01	-29.82	-13	Pass	401
850	860	0.1	RMS	850.025	-51.16	-13	Pass	401




8.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
847	849	0.1	RMS	847.99	12.83	30	Pass	401
849	850	0.02	RMS	849.07	-35.5	-13	Pass	401
850	860	0.1	RMS	850	-37.56	-13	Pass	401




8.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.16	-13	Pass	401
823	824	0.03	RMS	824	-17.96	-13	Pass	401
824	827	0.1	RMS	824.24	22.06	30	Pass	401




8.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-32.4	-13	Pass	401
823	824	0.03	RMS	824	-25.1	-13	Pass	401
824	827	0.1	RMS	824.653	9.95	30	Pass	401




8.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-49.95	-13	Pass	401
823	824	0.03	RMS	824	-19.78	-13	Pass	401
824	827	0.1	RMS	824.24	21.28	30	Pass	401




8.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-33.9	-13	Pass	401
823	824	0.03	RMS	824	-27.13	-13	Pass	401
824	827	0.1	RMS	825.193	8.9	30	Pass	401



8.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.775	22.24	30	Pass	401
849	850	0.03	RMS	849	-18.09	-13	Pass	401
850	860	0.1	RMS	850	-48.99	-13	Pass	401




8.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.293	10.22	30	Pass	401
849	850	0.03	RMS	849	-28.25	-13	Pass	401
850	860	0.1	RMS	850.05	-37.02	-13	Pass	401



8.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.745	21.22	30	Pass	401
849	850	0.03	RMS	849	-20.91	-13	Pass	401
850	860	0.1	RMS	850	-50.25	-13	Pass	401




8.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.66	9.22	30	Pass	401
849	850	0.03	RMS	849	-28.06	-13	Pass	401
850	860	0.1	RMS	850.275	-37.72	-13	Pass	401




8.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.03	-13	Pass	401
823	824	0.051	RMS	824	-21.92	-13	Pass	401
824	829	0.1	RMS	824.325	22.02	30	Pass	401




8.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-34.2	-13	Pass	401
823	824	0.051	RMS	824	-28.37	-13	Pass	401
824	829	0.1	RMS	825.688	7.78	30	Pass	401




8.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.86	-13	Pass	401
823	824	0.051	RMS	824	-22.89	-13	Pass	401
824	829	0.1	RMS	824.338	21.3	30	Pass	401




8.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-35.14	-13	Pass	401
823	824	0.051	RMS	824	-29.84	-13	Pass	401
824	829	0.1	RMS	825.7	6.81	30	Pass	401



8.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	22.17	30	Pass	401
849	850	0.051	RMS	849	-22.17	-13	Pass	401
850	860	0.1	RMS	850	-50.13	-13	Pass	401




8.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.113	8.17	30	Pass	401
849	850	0.051	RMS	849	-30.34	-13	Pass	401
850	860	0.1	RMS	850	-37.15	-13	Pass	401




8.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.32	30	Pass	401
849	850	0.051	RMS	849	-23.2	-13	Pass	401
850	860	0.1	RMS	850	-51.17	-13	Pass	401




8.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	844.625	7.34	30	Pass	401
849	850	0.051	RMS	849	-31.68	-13	Pass	401
850	860	0.1	RMS	850.125	-38.62	-13	Pass	401




8.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.84	-51.21	-13	Pass	401
823	824	0.1	RMS	824	-32.35	-13	Pass	401
824	834	0.1	RMS	824.575	22.08	30	Pass	401




8.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.8	-37.21	-13	Pass	401
823	824	0.1	RMS	823.995	-31.31	-13	Pass	401
824	834	0.1	RMS	825.95	4.8	30	Pass	401




8.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.82	-50.98	-13	Pass	401
823	824	0.1	RMS	823.995	-32.71	-13	Pass	401
824	834	0.1	RMS	824.6	21.3	30	Pass	401




8.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-37.86	-13	Pass	401
823	824	0.1	RMS	824	-33.37	-13	Pass	401
824	834	0.1	RMS	828	3.75	30	Pass	401




8.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	22.04	30	Pass	401
849	850	0.1	RMS	849	-32.88	-13	Pass	401
850	860	0.1	RMS	850	-52.7	-13	Pass	401




8.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.5	5.36	30	Pass	401
849	850	0.1	RMS	849.005	-32.86	-13	Pass	401
850	860	0.1	RMS	850.025	-36.81	-13	Pass	401




8.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21	30	Pass	401
849	850	0.1	RMS	849.005	-34.63	-13	Pass	401
850	860	0.1	RMS	850.025	-53.34	-13	Pass	401




8.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.55	4.38	30	Pass	401
849	850	0.1	RMS	849.008	-34.77	-13	Pass	401
850	860	0.1	RMS	850	-39.2	-13	Pass	401




8.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.06	-51.34	-13	Pass	401
823	824	0.15	RMS	824	-29.34	-13	Pass	401
824	839	0.1	RMS	824.825	21.78	30	Pass	401




8.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	821.94	-36.86	-13	Pass	401
823	824	0.15	RMS	824	-31.68	-13	Pass	401
824	839	0.1	RMS	837.163	3.09	30	Pass	401




8.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.08	-51.37	-13	Pass	401
823	824	0.15	RMS	824	-29.72	-13	Pass	401
824	839	0.1	RMS	824.825	21.23	30	Pass	401




8.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.26	-39.1	-13	Pass	401
823	824	0.15	RMS	823.995	-34.38	-13	Pass	401
824	839	0.1	RMS	837.238	1.95	30	Pass	401




8.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.91	30	Pass	401
849	850	0.15	RMS	849	-30.69	-13	Pass	401
850	860	0.1	RMS	850	-53.68	-13	Pass	401




8.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	840.225	3.31	30	Pass	401
849	850	0.15	RMS	849.013	-31.91	-13	Pass	401
850	860	0.1	RMS	850.675	-38.27	-13	Pass	401




8.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.94	30	Pass	401
849	850	0.15	RMS	849	-31.11	-13	Pass	401
850	860	0.1	RMS	850	-54.11	-13	Pass	401



8.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	839.025	2.34	30	Pass	401
849	850	0.15	RMS	849.005	-34.97	-13	Pass	401
850	860	0.1	RMS	850.75	-40.62	-13	Pass	401



10. LTE_Band38


10.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.858	-39.52	-25	Pass	401
2564	2565	1	RMS	2564.978	-37.28	-13	Pass	401
2565	2569	1	RMS	2569	-26.16	-10	Pass	5
2569	2570	0.051	RMS	2570	-18.4	-10	Pass	401
2570	2575	0.1	RMS	2570.313	22.35	30	Pass	401




10.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-36.49	-25	Pass	20
2564	2565	1	RMS	2565	-34.2	-13	Pass	2
2565	2569	1	RMS	2569	-17.96	-10	Pass	5
2569	2570	0.1	RMS	2569.995	-21.45	-10	Pass	401
2570	2575	0.1	RMS	2574.238	8.29	30	Pass	401




10.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-39.76	-25	Pass	401
2564	2565	1	RMS	2564.978	-37.87	-13	Pass	401
2565	2569	1	RMS	2569	-26.6	-10	Pass	5
2569	2570	0.051	RMS	2569.998	-20.43	-10	Pass	401
2570	2575	0.1	RMS	2570.35	21.54	30	Pass	401




10.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-37.6	-25	Pass	20
2564	2565	1	RMS	2565	-35.33	-13	Pass	2
2565	2569	1	RMS	2569	-19.66	-10	Pass	5
2569	2570	0.1	RMS	2570	-23.78	-10	Pass	401
2570	2575	0.1	RMS	2572.213	6.54	30	Pass	401




10.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	22.12	30	Pass	401
2620	2621	0.051	RMS	2620.003	-18.43	-10	Pass	401
2621	2625	1	RMS	2621	-25.24	-10	Pass	5
2625	2626	1	RMS	2625.008	-38.11	-13	Pass	401
2626	2645	1	RMS	2626.048	-39.54	-25	Pass	401




10.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.275	8.01	30	Pass	401
2620	2621	0.1	RMS	2620.005	-20.21	-10	Pass	401
2621	2625	1	RMS	2621	-16.55	-10	Pass	5
2625	2626	1	RMS	2625.003	-31.76	-13	Pass	401
2626	2645	1	RMS	2626	-35.56	-25	Pass	20




10.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.675	20.73	30	Pass	401
2620	2621	0.051	RMS	2620.003	-19.17	-10	Pass	401
2621	2625	1	RMS	2621	-25.54	-10	Pass	5
2625	2626	1	RMS	2625.005	-37.84	-13	Pass	401
2626	2645	1	RMS	2626.048	-39.45	-25	Pass	401




10.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.663	7.24	30	Pass	401
2620	2621	0.1	RMS	2620.018	-23.15	-10	Pass	401
2621	2625	1	RMS	2621	-18.89	-10	Pass	5
2625	2626	1	RMS	2625.085	-32.05	-13	Pass	401
2626	2645	1	RMS	2626	-35.81	-25	Pass	20




10.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-41.25	-25	Pass	401
2560	2565	1	RMS	2561.825	-35.46	-13	Pass	401
2565	2569	1	RMS	2569	-25.99	-10	Pass	5
2569	2570	0.2	RMS	2570	-19.7	-10	Pass	401
2570	2580	0.1	RMS	2570.575	21.69	30	Pass	401




10.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.7	-37.22	-25	Pass	401
2560	2565	1	RMS	2564.963	-22.61	-13	Pass	401
2565	2569	1	RMS	2569	-19.45	-10	Pass	5
2569	2570	0.2	RMS	2569.99	-22.6	-10	Pass	401
2570	2580	0.1	RMS	2572.5	4.76	30	Pass	401




10.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-41.35	-25	Pass	401
2560	2565	1	RMS	2561.7	-35.97	-13	Pass	401
2565	2569	1	RMS	2569	-26.2	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-19.9	-10	Pass	401
2570	2580	0.1	RMS	2570.6	20.98	30	Pass	401




10.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.813	-37.65	-25	Pass	401
2560	2565	1	RMS	2564.9	-24.45	-13	Pass	401
2565	2569	1	RMS	2569	-21.5	-10	Pass	5
2569	2570	0.2	RMS	2570	-24.63	-10	Pass	401
2570	2580	0.1	RMS	2573.2	4.28	30	Pass	401




10.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	21.93	30	Pass	401
2620	2621	0.1	RMS	2620.005	-19.85	-10	Pass	401
2621	2625	1	RMS	2621	-26.69	-10	Pass	5
2625	2630	1	RMS	2625.038	-36.48	-13	Pass	401
2630	2645	1	RMS	2630.263	-41.29	-25	Pass	401




10.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.3	4.98	30	Pass	401
2620	2621	0.2	RMS	2620.008	-22.08	-10	Pass	401
2621	2625	1	RMS	2621	-19.36	-10	Pass	5
2625	2630	1	RMS	2625.038	-22.05	-13	Pass	401
2630	2645	1	RMS	2630.113	-35.28	-25	Pass	401




10.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	21.54	30	Pass	401
2620	2621	0.2	RMS	2620.008	-16.8	-10	Pass	401
2621	2625	1	RMS	2621	-26.83	-10	Pass	5
2625	2630	1	RMS	2625.088	-36.88	-13	Pass	401
2630	2645	1	RMS	2630.038	-41.49	-25	Pass	401




10.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2618.4	3.66	30	Pass	401
2620	2621	0.2	RMS	2620.003	-24.38	-10	Pass	401
2621	2625	1	RMS	2621	-21.76	-10	Pass	5
2625	2630	1	RMS	2625	-25.19	-13	Pass	401
2630	2645	1	RMS	2630.075	-35.65	-25	Pass	401




10.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-43.65	-25	Pass	401
2555	2565	1	RMS	2565	-37.66	-13	Pass	401
2565	2569	1	RMS	2569	-27.73	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-18.28	-10	Pass	401
2570	2585	0.1	RMS	2570.863	22.22	30	Pass	401




10.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.925	-38.76	-25	Pass	401
2555	2565	1	RMS	2564.725	-22.6	-13	Pass	401
2565	2569	1	RMS	2569	-20.62	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-22.3	-10	Pass	401
2570	2585	0.1	RMS	2574.95	3.3	30	Pass	401




10.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.675	-43.12	-25	Pass	401
2555	2565	1	RMS	2564.775	-36.53	-13	Pass	401
2565	2569	1	RMS	2569	-26.64	-10	Pass	5
2569	2570	0.3	RMS	2569.993	-18.26	-10	Pass	401
2570	2585	0.1	RMS	2570.825	21.39	30	Pass	401




10.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.825	-39.62	-25	Pass	401
2555	2565	1	RMS	2564.95	-25.08	-13	Pass	401
2565	2569	1	RMS	2569	-23.19	-10	Pass	5
2569	2570	0.3	RMS	2569.993	-25.38	-10	Pass	401
2570	2585	0.1	RMS	2584.025	2.42	30	Pass	401




10.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	22.08	30	Pass	401
2620	2621	0.3	RMS	2620.008	-19.19	-10	Pass	401
2621	2625	1	RMS	2621	-27.35	-10	Pass	5
2625	2635	1	RMS	2625.025	-36.5	-13	Pass	401
2635	2645	1	RMS	2635	-43.24	-25	Pass	401




10.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2611.413	2.4	30	Pass	401
2620	2621	0.3	RMS	2620	-22.23	-10	Pass	401
2621	2625	1	RMS	2621	-20.37	-10	Pass	5
2625	2635	1	RMS	2625.025	-22.05	-13	Pass	401
2635	2645	1	RMS	2635.05	-36.04	-25	Pass	401




10.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	20.85	30	Pass	401
2620	2621	0.3	RMS	2620	-19.67	-10	Pass	401
2621	2625	1	RMS	2621	-27.72	-10	Pass	5
2625	2635	1	RMS	2625.025	-36.64	-13	Pass	401
2635	2645	1	RMS	2635.1	-43.26	-25	Pass	401




10.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.238	1.94	30	Pass	401
2620	2621	0.3	RMS	2620.013	-25.45	-10	Pass	401
2621	2625	1	RMS	2621	-23.6	-10	Pass	5
2625	2635	1	RMS	2625	-25.12	-13	Pass	401
2635	2645	1	RMS	2635.025	-37.54	-25	Pass	401




10.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-44.36	-25	Pass	401
2550	2565	1	RMS	2565	-36.65	-13	Pass	401
2565	2569	1	RMS	2569	-27.64	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-17.16	-10	Pass	401
2570	2590	0.1	RMS	2571.1	22.36	30	Pass	401




10.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.925	-40.39	-25	Pass	401
2550	2565	1	RMS	2564.888	-23.57	-13	Pass	401
2565	2569	1	RMS	2569	-22.72	-10	Pass	5
2569	2570	0.51	RMS	2569.995	-22.14	-10	Pass	401
2570	2590	0.1	RMS	2574.1	1.52	30	Pass	401




10.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-44.67	-25	Pass	401
2550	2565	1	RMS	2564.963	-37.46	-13	Pass	401
2565	2569	1	RMS	2569	-28.55	-10	Pass	5
2569	2570	0.51	RMS	2570	-18.66	-10	Pass	401
2570	2590	0.1	RMS	2571.1	20.67	30	Pass	401




10.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.7	-41.44	-25	Pass	401
2550	2565	1	RMS	2565	-26.22	-13	Pass	401
2565	2569	1	RMS	2569	-25.28	-10	Pass	5
2569	2570	0.51	RMS	2570	-24.57	-10	Pass	401
2570	2590	0.1	RMS	2585.5	1.21	30	Pass	401




10.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	21.44	30	Pass	401
2620	2621	0.51	RMS	2620.008	-18	-10	Pass	401
2621	2625	1	RMS	2621	-26.79	-10	Pass	5
2625	2640	1	RMS	2625.038	-36.07	-13	Pass	401
2640	2645	1	RMS	2640.075	-43.95	-25	Pass	401




10.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2605.8	1.55	30	Pass	401
2620	2621	0.51	RMS	2620.013	-22.61	-10	Pass	401
2621	2625	1	RMS	2621	-22.43	-10	Pass	5
2625	2640	1	RMS	2625.075	-24.4	-13	Pass	401
2640	2645	1	RMS	2640	-38.89	-25	Pass	401




10.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.79	30	Pass	401
2620	2621	0.51	RMS	2620	-18.67	-10	Pass	401
2621	2625	1	RMS	2621	-27.14	-10	Pass	5
2625	2640	1	RMS	2625.038	-36.1	-13	Pass	401
2640	2645	1	RMS	2640.063	-44.02	-25	Pass	401



10.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2608.75	0.47	30	Pass	401
2620	2621	0.51	RMS	2620.01	-25.33	-10	Pass	401
2621	2625	1	RMS	2621	-25.23	-10	Pass	5
2625	2640	1	RMS	2625.3	-26.56	-13	Pass	401
2640	2645	1	RMS	2640.013	-39.42	-25	Pass	401



11. LTE_Band41 full


11.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-39.7	-25	Pass	401
2490	2495	1	RMS	2495	-25.45	-13	Pass	6
2495	2496	0.051	RMS	2495.79	-17.05	-13	Pass	401
2496	2501	0.1	RMS	2496.35	22.67	30	Pass	401




11.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-36.58	-25	Pass	16
2490	2495	1	RMS	2495	-23.56	-13	Pass	6
2495	2496	0.051	RMS	2495.993	-26.71	-13	Pass	401
2496	2501	0.1	RMS	2500.188	8.37	30	Pass	401




11.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.79	-25	Pass	401
2490	2495	1	RMS	2495	-26.01	-13	Pass	6
2495	2496	0.051	RMS	2495.808	-18.4	-13	Pass	401
2496	2501	0.1	RMS	2496.338	21.4	30	Pass	401




11.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-37.69	-25	Pass	401
2490	2495	1	RMS	2495	-26.45	-13	Pass	6
2495	2496	0.051	RMS	2495.995	-30.49	-13	Pass	401
2496	2501	0.1	RMS	2499.763	7.21	30	Pass	401




11.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	22.35	30	Pass	401
2690	2691	0.051	RMS	2690.003	-19	-10	Pass	401
2691	2695	1	RMS	2691	-23.79	-10	Pass	5
2695	2696	1	RMS	2695.003	-37.68	-13	Pass	401
2696	2715	1	RMS	2696	-39.34	-25	Pass	401




11.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.263	7.62	30	Pass	401
2690	2691	0.1	RMS	2690.003	-22.88	-10	Pass	401
2691	2695	1	RMS	2691	-21.64	-10	Pass	5
2695	2696	1	RMS	2695.01	-34.43	-13	Pass	401
2696	2715	1	RMS	2696.095	-35.86	-25	Pass	401




11.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.688	21.69	30	Pass	401
2690	2691	0.051	RMS	2690.003	-19.98	-10	Pass	401
2691	2695	1	RMS	2691	-24.2	-10	Pass	5
2695	2696	1	RMS	2695.01	-37.32	-13	Pass	401
2696	2715	1	RMS	2696	-39.23	-25	Pass	401




11.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.325	6.95	30	Pass	401
2690	2691	0.1	RMS	2690.008	-24.99	-10	Pass	401
2691	2695	1	RMS	2691	-23.87	-10	Pass	5
2695	2696	1	RMS	2695	-35.06	-13	Pass	401
2696	2715	1	RMS	2696.095	-36.78	-25	Pass	401




11.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-38.14	-25	Pass	401
2490	2495	1	RMS	2495	-26.51	-13	Pass	6
2495	2495.95	0.1	RMS	2495.95	-16.04	-13	Pass	11
2496	2506	0.1	RMS	2496.625	22.63	30	Pass	401




11.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.68	-25	Pass	16
2490	2495	1	RMS	2495	-23.72	-13	Pass	6
2495	2496	0.1	RMS	2495.995	-27.87	-13	Pass	401
2496	2506	0.1	RMS	2504.725	5.66	30	Pass	401




11.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-38.25	-25	Pass	401
2490	2495	1	RMS	2495	-26.83	-13	Pass	6
2495	2496	0.1	RMS	2496	-16.18	-13	Pass	11
2496	2506	0.1	RMS	2496.575	21.11	30	Pass	401




11.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-32.27	-25	Pass	16
2490	2495	1	RMS	2495	-26.71	-13	Pass	6
2495	2496	0.1	RMS	2495.98	-31.12	-13	Pass	401
2496	2506	0.1	RMS	2503	4.66	30	Pass	401




11.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	22.67	30	Pass	401
2690	2691	0.2	RMS	2690	-19.6	-10	Pass	401
2691	2695	1	RMS	2691	-22.81	-10	Pass	5
2695	2700	1	RMS	2695.088	-37.01	-13	Pass	401
2700	2715	1	RMS	2700	-41.71	-25	Pass	401




11.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2682.8	4.89	30	Pass	401
2690	2691	0.2	RMS	2690.005	-25.29	-10	Pass	401
2691	2695	1	RMS	2691	-24.59	-10	Pass	5
2695	2700	1	RMS	2695	-26.64	-13	Pass	401
2700	2715	1	RMS	2700.038	-36.24	-25	Pass	401




11.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	21.09	30	Pass	401
2690	2691	0.2	RMS	2690.005	-21.76	-10	Pass	401
2691	2695	1	RMS	2691	-24.45	-10	Pass	5
2695	2700	1	RMS	2695	-39.08	-13	Pass	401
2700	2715	1	RMS	2700.075	-43.21	-25	Pass	401




11.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.225	4.29	30	Pass	401
2690	2691	0.2	RMS	2690	-27.47	-10	Pass	401
2691	2695	1	RMS	2691	-27.23	-10	Pass	5
2695	2700	1	RMS	2695.038	-30.24	-13	Pass	401
2700	2715	1	RMS	2700.188	-38.34	-25	Pass	401




11.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-38.23	-25	Pass	401
2490	2495	1	RMS	2495	-27.29	-13	Pass	6
2495	2496	0.15	RMS	2496	-22.29	-13	Pass	401
2496	2511	0.1	RMS	2496.825	22.16	30	Pass	401




11.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.06	-25	Pass	16
2490	2495	1	RMS	2495	-25.53	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-28.67	-13	Pass	401
2496	2511	0.1	RMS	2509.8	3.94	30	Pass	401




11.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.888	-37.76	-25	Pass	401
2490	2495	1	RMS	2495	-27.57	-13	Pass	6
2495	2496	0.15	RMS	2495.995	-23.35	-13	Pass	401
2496	2511	0.1	RMS	2496.863	21.01	30	Pass	401




11.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-31.19	-25	Pass	16
2490	2495	1	RMS	2494	-28.44	-13	Pass	6
2495	2496	0.15	RMS	2496	-31.68	-13	Pass	401
2496	2511	0.1	RMS	2509.238	2.22	30	Pass	401



11.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	21.86	30	Pass	401
2690	2691	0.3	RMS	2690.323	-19.87	-10	Pass	401
2691	2695	1	RMS	2691	-27.46	-10	Pass	5
2695	2705	1	RMS	2695.05	-36.46	-13	Pass	401
2705	2715	1	RMS	2705.3	-43	-25	Pass	401



11.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2678.9	3.32	30	Pass	401
2690	2691	0.3	RMS	2690.008	-25.77	-10	Pass	401
2691	2695	1	RMS	2691	-26.56	-10	Pass	5
2695	2705	1	RMS	2695.675	-27	-13	Pass	401
2705	2715	1	RMS	2705.65	-38.05	-25	Pass	401

