



**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.63	-13	52.63	Pass	401
0.15	30	0.01	RMS	0.16	-70.17	-13	57.17	Pass	2986
30	653	0.1	RMS	474.1	-60.42	-13	47.42	Pass	6231
653	708	0.1	RMS	673.5	18.19	60	41.81	Pass	551
708	1000	0.1	RMS	792.4	-59.74	-13	46.74	Pass	2921
1000	3000	1	RMS	2971	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	9989	-56.13	-13	43.13	Pass	7001




**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-66.39	-13	53.39	Pass	401
0.15	30	0.01	RMS	0.33	-70.38	-13	57.38	Pass	2986
30	653	0.1	RMS	366.5	-60.69	-13	47.69	Pass	6231
653	708	0.1	RMS	687.5	18.43	60	41.57	Pass	551
708	1000	0.1	RMS	898	-59.64	-13	46.64	Pass	2921
1000	3000	1	RMS	2970	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	9993	-56.25	-13	43.25	Pass	7001




**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.67	-13	57.67	Pass	401
0.15	30	0.01	RMS	0.24	-70.41	-13	57.41	Pass	2986
30	653	0.1	RMS	622.8	-60.7	-13	47.7	Pass	6231
653	708	0.1	RMS	687.8	0.35	60	59.65	Pass	551
708	1000	0.1	RMS	708.5	-41.89	-13	28.89	Pass	2921
1000	3000	1	RMS	2969	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	9958	-56.07	-13	43.07	Pass	7001




**2.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.18	-13	54.18	Pass	401
0.15	30	0.01	RMS	0.17	-69.93	-13	56.93	Pass	2986
30	653	0.1	RMS	470.1	-60.73	-13	47.73	Pass	6231
653	708	0.1	RMS	683.5	18.15	60	41.85	Pass	551
708	1000	0.1	RMS	711.7	-56.86	-13	43.86	Pass	2921
1000	3000	1	RMS	2982	-46.02	-13	33.02	Pass	2001
3000	10000	1	RMS	9963	-56.14	-13	43.14	Pass	7001




**2.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.5	-13	54.5	Pass	401
0.15	30	0.01	RMS	23.28	-70.5	-13	57.5	Pass	2986
30	653	0.1	RMS	490.9	-60.74	-13	47.74	Pass	6231
653	708	0.1	RMS	697.5	18.49	60	41.51	Pass	551
708	1000	0.1	RMS	993.6	-59.54	-13	46.54	Pass	2921
1000	3000	1	RMS	2973	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	9932	-56.36	-13	43.36	Pass	7001




**2.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.96	-13	57.96	Pass	401
0.15	30	0.01	RMS	0.17	-70.59	-13	57.59	Pass	2986
30	653	0.1	RMS	494.6	-60.68	-13	47.68	Pass	6231
653	708	0.1	RMS	676	-0.72	60	60.72	Pass	551
708	1000	0.1	RMS	708.3	-49.83	-13	36.83	Pass	2921
1000	3000	1	RMS	2974	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	7183	-47.74	-13	34.74	Pass	7001




**2.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.29	-13	53.29	Pass	401
0.15	30	0.01	RMS	0.23	-70.18	-13	57.18	Pass	2986
30	653	0.1	RMS	644.6	-60.73	-13	47.73	Pass	6231
653	708	0.1	RMS	663.5	17.88	60	42.12	Pass	551
708	1000	0.1	RMS	857.3	-59.86	-13	46.86	Pass	2921
1000	3000	1	RMS	2965	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	9973	-56.17	-13	43.17	Pass	7001




**2.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.09	-13	54.09	Pass	401
0.15	30	0.01	RMS	0.21	-69.92	-13	56.92	Pass	2986
30	653	0.1	RMS	473.7	-60.57	-13	47.57	Pass	6231
653	708	0.1	RMS	682.4	17.92	60	42.08	Pass	551
708	1000	0.1	RMS	962.8	-59.73	-13	46.73	Pass	2921
1000	3000	1	RMS	2981	-45.99	-13	32.99	Pass	2001
3000	10000	1	RMS	9927	-56.22	-13	43.22	Pass	7001




**2.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.021	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.45	-70.02	-13	57.02	Pass	2986
30	653	0.1	RMS	645.6	-60.63	-13	47.63	Pass	6231
653	708	0.1	RMS	677.7	-0.84	60	60.84	Pass	551
708	1000	0.1	RMS	708.1	-44.72	-13	31.72	Pass	2921
1000	3000	1	RMS	2413	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	9947	-56.3	-13	43.3	Pass	7001




**2.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.028	-67.42	-13	54.42	Pass	401
0.15	30	0.01	RMS	0.29	-70.35	-13	57.35	Pass	2986
30	653	0.1	RMS	481.7	-60.53	-13	47.53	Pass	6231
653	708	0.1	RMS	671	17.88	60	42.12	Pass	551
708	1000	0.1	RMS	708.8	-56.21	-13	43.21	Pass	2921
1000	3000	1	RMS	2972	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	9991	-56.18	-13	43.18	Pass	7001




**2.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.19	-13	54.19	Pass	401
0.15	30	0.01	RMS	0.32	-69.85	-13	56.85	Pass	2986
30	653	0.1	RMS	646.4	-60.52	-13	47.52	Pass	6231
653	708	0.1	RMS	689.9	17.97	60	42.03	Pass	551
708	1000	0.1	RMS	709.4	-57.61	-13	44.61	Pass	2921
1000	3000	1	RMS	2972	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	9985	-56.19	-13	43.19	Pass	7001




**2.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.43	-13	57.43	Pass	401
0.15	30	0.01	RMS	22.56	-69.93	-13	56.93	Pass	2986
30	653	0.1	RMS	647.1	-60.7	-13	47.7	Pass	6231
653	708	0.1	RMS	687.5	-0.97	60	60.97	Pass	551
708	1000	0.1	RMS	708	-40.18	-13	27.18	Pass	2921
1000	3000	1	RMS	2970	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	7176	-48.05	-13	35.05	Pass	7001




**2.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.4	-13	54.4	Pass	401
0.15	30	0.01	RMS	0.15	-69.47	-13	56.47	Pass	2986
30	653	0.1	RMS	474.2	-60.65	-13	47.65	Pass	6231
653	708	0.1	RMS	678.5	17.95	60	42.05	Pass	551
708	1000	0.1	RMS	708	-57.29	-13	44.29	Pass	2921
1000	3000	1	RMS	2966	-46.01	-13	33.01	Pass	2001
3000	10000	1	RMS	9967	-56.23	-13	43.23	Pass	7001



**2.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.29	-13	55.29	Pass	401
0.15	30	0.01	RMS	0.15	-69.34	-13	56.34	Pass	2986
30	653	0.1	RMS	501.7	-60.63	-13	47.63	Pass	6231
653	708	0.1	RMS	697.4	18.04	60	41.96	Pass	551
708	1000	0.1	RMS	709.5	-59.17	-13	46.17	Pass	2921
1000	3000	1	RMS	2970	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	9985	-56.19	-13	43.19	Pass	7001



## 5. n41


**5.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.46	-25	32.46	Pass	401
0.15	30	0.01	RMS	0.18	-70.08	-25	45.08	Pass	2986
30	1000	0.1	RMS	909.04	-59.66	-25	34.66	Pass	9701
1000	2486	1	RMS	2486	-38.24	-25	13.24	Pass	1487
2486	2700	1	RMS	2503.655	12.15	60	47.85	Pass	401
2700	3000	1	RMS	2968.5	-45.73	-25	20.73	Pass	401
3000	7000	1	RMS	6653	-56.34	-25	31.34	Pass	4001
7000	26500	1	RMS	19349	-40.43	-25	15.43	Pass	19503




**5.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.57	-25	31.57	Pass	401
0.15	30	0.01	RMS	29.43	-69.08	-25	44.08	Pass	2986
30	1000	0.1	RMS	913.843	-58.6	-25	33.6	Pass	9701
1000	2486	1	RMS	2485	-46.93	-25	21.93	Pass	1487
2486	2700	1	RMS	2496.7	20.53	60	39.47	Pass	401
2700	3000	1	RMS	2968.5	-45.61	-25	20.61	Pass	401
3000	7000	1	RMS	4994	-55.28	-25	30.28	Pass	4001
7000	26500	1	RMS	19349	-41.18	-25	16.18	Pass	19503




**5.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:500202, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.05	-25	35.05	Pass	401
0.15	30	0.01	RMS	28.92	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	985.59	-58.78	-25	33.78	Pass	9701
1000	2486	1	RMS	2486	-46.66	-25	21.66	Pass	1487
2486	2700	1	RMS	2504.725	20.52	60	39.48	Pass	401
2700	3000	1	RMS	2969.25	-45.57	-25	20.57	Pass	401
3000	7000	1	RMS	5010	-55.96	-25	30.96	Pass	4001
7000	26500	1	RMS	19348	-40.7	-25	15.7	Pass	19503




**5.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.82	-25	34.82	Pass	401
0.15	30	0.01	RMS	27.67	-68.46	-25	43.46	Pass	2986
30	1000	0.1	RMS	925.651	-58.74	-25	33.74	Pass	9701
1000	2486	1	RMS	2486	-46.78	-25	21.78	Pass	1487
2486	2700	1	RMS	2595.675	11.82	60	48.18	Pass	401
2700	3000	1	RMS	2976.75	-45.61	-25	20.61	Pass	401
3000	7000	1	RMS	3054	-54.74	-25	29.74	Pass	4001
7000	26500	1	RMS	19349	-39.49	-25	14.49	Pass	19503




**5.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-59.06	-25	34.06	Pass	401
0.15	30	0.01	RMS	26.32	-68.23	-25	43.23	Pass	2986
30	1000	0.1	RMS	963.076	-58.62	-25	33.62	Pass	9701
1000	2486	1	RMS	2474	-47.03	-25	22.03	Pass	1487
2486	2700	1	RMS	2588.72	20.29	60	39.71	Pass	401
2700	3000	1	RMS	2969.25	-45.62	-25	20.62	Pass	401
3000	7000	1	RMS	6980	-57.66	-25	32.66	Pass	4001
7000	26500	1	RMS	19349	-39.04	-25	14.04	Pass	19503




**5.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.3	-25	34.3	Pass	401
0.15	30	0.01	RMS	3.38	-69.31	-25	44.31	Pass	2986
30	1000	0.1	RMS	473.2	-58.6	-25	33.6	Pass	9701
1000	2486	1	RMS	2483	-46.87	-25	21.87	Pass	1487
2486	2700	1	RMS	2596.745	20.46	60	39.54	Pass	401
2700	3000	1	RMS	2974.5	-45.61	-25	20.61	Pass	401
3000	7000	1	RMS	3055	-56.79	-25	31.79	Pass	4001
7000	26500	1	RMS	19347	-39.64	-25	14.64	Pass	19503




**5.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.92	-25	31.92	Pass	401
0.15	30	0.01	RMS	29.7	-68.57	-25	43.57	Pass	2986
30	1000	0.1	RMS	675.5	-59.28	-25	34.28	Pass	9701
1000	2486	1	RMS	2483	-46.85	-25	21.85	Pass	1487
2486	2700	1	RMS	2681.81	12.33	60	47.67	Pass	401
2700	3000	1	RMS	2700	-36.25	-25	11.25	Pass	401
3000	7000	1	RMS	6970	-57.83	-25	32.83	Pass	4001
7000	26500	1	RMS	19349	-40.82	-25	15.82	Pass	19503




**5.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.57	-25	32.57	Pass	401
0.15	30	0.01	RMS	0.22	-69.46	-25	44.46	Pass	2986
30	1000	0.1	RMS	888.126	-59.72	-25	34.72	Pass	9701
1000	2486	1	RMS	2450	-47.09	-25	22.09	Pass	1487
2486	2700	1	RMS	2680.74	20.65	60	39.35	Pass	401
2700	3000	1	RMS	2970	-45.56	-25	20.56	Pass	401
3000	7000	1	RMS	6983	-57.77	-25	32.77	Pass	4001
7000	26500	1	RMS	19349	-39.98	-25	14.98	Pass	19503




**5.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:537000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.1	-25	30.1	Pass	401
0.15	30	0.01	RMS	0.2	-69.7	-25	44.7	Pass	2986
30	1000	0.1	RMS	739.3	-59.72	-25	34.72	Pass	9701
1000	2486	1	RMS	2472	-47.07	-25	22.07	Pass	1487
2486	2700	1	RMS	2688.765	20.82	60	39.18	Pass	401
2700	3000	1	RMS	2968.5	-45.71	-25	20.71	Pass	401
3000	7000	1	RMS	6978	-57.79	-25	32.79	Pass	4001
7000	26500	1	RMS	19351	-38.94	-25	13.94	Pass	19503




**5.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.49	-25	26.49	Pass	401
0.15	30	0.01	RMS	0.21	-69.55	-25	44.55	Pass	2986
30	1000	0.1	RMS	889.527	-59.4	-25	34.4	Pass	9701
1000	2446	1	RMS	2184	-47.25	-25	22.25	Pass	1447
2446	2740	1	RMS	2531.26	4.9	60	55.1	Pass	401
2740	3000	1	RMS	2970.75	-45.71	-25	20.71	Pass	401
3000	7000	1	RMS	6983	-57.66	-25	32.66	Pass	4001
7000	26500	1	RMS	19351	-39.93	-25	14.93	Pass	19503




**5.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.16	-25	27.16	Pass	401
0.15	30	0.01	RMS	0.31	-69.76	-25	44.76	Pass	2986
30	1000	0.1	RMS	873.116	-59.67	-25	34.67	Pass	9701
1000	2446	1	RMS	2416	-47.13	-25	22.13	Pass	1447
2446	2740	1	RMS	2496.715	20.11	60	39.89	Pass	401
2740	3000	1	RMS	2972.7	-45.76	-25	20.76	Pass	401
3000	7000	1	RMS	4994	-56.24	-25	31.24	Pass	4001
7000	26500	1	RMS	19351	-39.3	-25	14.3	Pass	19503




**5.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:504204, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.09	-25	27.09	Pass	401
0.15	30	0.01	RMS	28.18	-70	-25	45	Pass	2986
30	1000	0.1	RMS	916.445	-59.65	-25	34.65	Pass	9701
1000	2446	1	RMS	2199	-47.28	-25	22.28	Pass	1447
2446	2740	1	RMS	2544.49	20.14	60	39.86	Pass	401
2740	3000	1	RMS	2973.35	-45.69	-25	20.69	Pass	401
3000	7000	1	RMS	6980	-57.73	-25	32.73	Pass	4001
7000	26500	1	RMS	19351	-38.61	-25	13.61	Pass	19503




**5.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.67	-25	27.67	Pass	401
0.15	30	0.01	RMS	1.37	-69.51	-25	44.51	Pass	2986
30	1000	0.1	RMS	879.42	-59.77	-25	34.77	Pass	9701
1000	2446	1	RMS	2444	-47.36	-25	22.36	Pass	1447
2446	2740	1	RMS	2573.89	4.91	60	55.09	Pass	401
2740	3000	1	RMS	2975.95	-45.68	-25	20.68	Pass	401
3000	7000	1	RMS	3055	-55.99	-25	30.99	Pass	4001
7000	26500	1	RMS	19352	-41.05	-25	16.05	Pass	19503




**5.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.18	-25	27.18	Pass	401
0.15	30	0.01	RMS	0.47	-70.01	-25	45.01	Pass	2986
30	1000	0.1	RMS	916.144	-59.56	-25	34.56	Pass	9701
1000	2446	1	RMS	2179	-47.26	-25	22.26	Pass	1447
2446	2740	1	RMS	2568.745	20.36	60	39.64	Pass	401
2740	3000	1	RMS	2968.8	-45.74	-25	20.74	Pass	401
3000	7000	1	RMS	6979	-57.75	-25	32.75	Pass	4001
7000	26500	1	RMS	19352	-40.47	-25	15.47	Pass	19503




**5.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.73	-25	27.73	Pass	401
0.15	30	0.01	RMS	0.74	-70.07	-25	45.07	Pass	2986
30	1000	0.1	RMS	986.491	-59.43	-25	34.43	Pass	9701
1000	2446	1	RMS	2415	-47.22	-25	22.22	Pass	1447
2446	2740	1	RMS	2616.52	20.18	60	39.82	Pass	401
2740	3000	1	RMS	2977.9	-45.69	-25	20.69	Pass	401
3000	7000	1	RMS	6983	-57.68	-25	32.68	Pass	4001
7000	26500	1	RMS	19350	-40.64	-25	15.64	Pass	19503




**5.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.53	-25	27.53	Pass	401
0.15	30	0.01	RMS	0.2	-69.28	-25	44.28	Pass	2986
30	1000	0.1	RMS	989.293	-59.73	-25	34.73	Pass	9701
1000	2446	1	RMS	2415	-47.18	-25	22.18	Pass	1447
2446	2740	1	RMS	2662.09	4.8	60	55.2	Pass	401
2740	3000	1	RMS	2970.75	-45.73	-25	20.73	Pass	401
3000	7000	1	RMS	6985	-57.97	-25	32.97	Pass	4001
7000	26500	1	RMS	19351	-40.11	-25	15.11	Pass	19503




**5.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.34	-25	27.34	Pass	401
0.15	30	0.01	RMS	0.27	-69.43	-25	44.43	Pass	2986
30	1000	0.1	RMS	899.533	-59.67	-25	34.67	Pass	9701
1000	2446	1	RMS	2417	-46.95	-25	21.95	Pass	1447
2446	2740	1	RMS	2640.775	20.59	60	39.41	Pass	401
2740	3000	1	RMS	2978.55	-45.74	-25	20.74	Pass	401
3000	7000	1	RMS	6980	-57.96	-25	32.96	Pass	4001
7000	26500	1	RMS	19351	-38.13	-25	13.13	Pass	19503




**5.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:532998, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.46	-25	28.46	Pass	401
0.15	30	0.01	RMS	0.22	-69.81	-25	44.81	Pass	2986
30	1000	0.1	RMS	911.641	-59.65	-25	34.65	Pass	9701
1000	2446	1	RMS	2413	-47.09	-25	22.09	Pass	1447
2446	2740	1	RMS	2688.55	20.31	60	39.69	Pass	401
2740	3000	1	RMS	2976.6	-45.75	-25	20.75	Pass	401
3000	7000	1	RMS	6985	-57.81	-25	32.81	Pass	4001
7000	26500	1	RMS	19350	-41	-25	16	Pass	19503




**5.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.56	-25	27.56	Pass	401
0.15	30	0.01	RMS	0.25	-69.94	-25	44.94	Pass	2986
30	1000	0.1	RMS	847.7	-59.61	-25	34.61	Pass	9701
1000	2396	1	RMS	2178	-47.39	-25	22.39	Pass	1397
2396	2790	1	RMS	2538.825	1.69	60	58.31	Pass	401
2790	3000	1	RMS	2969.55	-45.66	-25	20.66	Pass	401
3000	7000	1	RMS	3055	-57.56	-25	32.56	Pass	4001
7000	26500	1	RMS	19351	-41.35	-25	16.35	Pass	19503




**5.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.36	-25	26.36	Pass	401
0.15	30	0.01	RMS	0.15	-70.22	-25	45.22	Pass	2986
30	1000	0.1	RMS	933.656	-59.8	-25	34.8	Pass	9701
1000	2396	1	RMS	2170	-47.38	-25	22.38	Pass	1397
2396	2790	1	RMS	2496.47	19.92	60	40.08	Pass	401
2790	3000	1	RMS	2972.7	-45.68	-25	20.68	Pass	401
3000	7000	1	RMS	3056	-54.58	-25	29.58	Pass	4001
7000	26500	1	RMS	19351	-40.28	-25	15.28	Pass	19503




**5.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.64	-25	27.64	Pass	401
0.15	30	0.01	RMS	1.05	-69.84	-25	44.84	Pass	2986
30	1000	0.1	RMS	988.192	-58.66	-25	33.66	Pass	9701
1000	2396	1	RMS	2176	-47.32	-25	22.32	Pass	1397
2396	2790	1	RMS	2593.985	18.22	60	41.78	Pass	401
2790	3000	1	RMS	2975.85	-45.53	-25	20.53	Pass	401
3000	7000	1	RMS	3055	-57.54	-25	32.54	Pass	4001
7000	26500	1	RMS	19349	-37.75	-25	12.75	Pass	19503




**5.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-54.12	-25	29.12	Pass	401
0.15	30	0.01	RMS	2.76	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	878.72	-58.45	-25	33.45	Pass	9701
1000	2396	1	RMS	2186	-47.38	-25	22.38	Pass	1397
2396	2790	1	RMS	2566.405	1.87	60	58.13	Pass	401
2790	3000	1	RMS	2976.375	-45.53	-25	20.53	Pass	401
3000	7000	1	RMS	3055	-57.56	-25	32.56	Pass	4001
7000	26500	1	RMS	19349	-40.06	-25	15.06	Pass	19503




**5.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.37	-25	27.37	Pass	401
0.15	30	0.01	RMS	20.6	-68.86	-25	43.86	Pass	2986
30	1000	0.1	RMS	893.83	-58.51	-25	33.51	Pass	9701
1000	2396	1	RMS	2186	-47.33	-25	22.33	Pass	1397
2396	2790	1	RMS	2543.75	19.39	60	40.61	Pass	401
2790	3000	1	RMS	2969.55	-45.52	-25	20.52	Pass	401
3000	7000	1	RMS	3055	-57.85	-25	32.85	Pass	4001
7000	26500	1	RMS	19349	-40.29	-25	15.29	Pass	19503




**5.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.74	-25	27.74	Pass	401
0.15	30	0.01	RMS	0.47	-70.03	-25	45.03	Pass	2986
30	1000	0.1	RMS	899.934	-59.64	-25	34.64	Pass	9701
1000	2396	1	RMS	2210	-47.33	-25	22.33	Pass	1397
2396	2790	1	RMS	2641.265	19.98	60	40.02	Pass	401
2790	3000	1	RMS	2975.85	-45.71	-25	20.71	Pass	401
3000	7000	1	RMS	6980	-57.98	-25	32.98	Pass	4001
7000	26500	1	RMS	19351	-39.73	-25	14.73	Pass	19503




**5.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.62	-25	28.62	Pass	401
0.15	30	0.01	RMS	0.17	-69.56	-25	44.56	Pass	2986
30	1000	0.1	RMS	870.314	-59.77	-25	34.77	Pass	9701
1000	2396	1	RMS	2180	-47.34	-25	22.34	Pass	1397
2396	2790	1	RMS	2664.905	1.65	60	58.35	Pass	401
2790	3000	1	RMS	2976.9	-45.72	-25	20.72	Pass	401
3000	7000	1	RMS	6980	-57.85	-25	32.85	Pass	4001
7000	26500	1	RMS	19351	-40.72	-25	15.72	Pass	19503




**5.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.15	-25	28.15	Pass	401
0.15	30	0.01	RMS	1.08	-69.85	-25	44.85	Pass	2986
30	1000	0.1	RMS	992.595	-59.71	-25	34.71	Pass	9701
1000	2396	1	RMS	2198	-47.32	-25	22.32	Pass	1397
2396	2790	1	RMS	2590.045	18.16	60	41.84	Pass	401
2790	3000	1	RMS	2971.125	-45.72	-25	20.72	Pass	401
3000	7000	1	RMS	6980	-57.61	-25	32.61	Pass	4001
7000	26500	1	RMS	19350	-40.09	-25	15.09	Pass	19503



**5.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.49	-25	27.49	Pass	401
0.15	30	0.01	RMS	0.31	-69.4	-25	44.4	Pass	2986
30	1000	0.1	RMS	877.519	-59.32	-25	34.32	Pass	9701
1000	2396	1	RMS	2198	-47.49	-25	22.49	Pass	1397
2396	2790	1	RMS	2688.545	20.15	60	39.85	Pass	401
2790	3000	1	RMS	2977.95	-45.79	-25	20.79	Pass	401
3000	7000	1	RMS	3055	-55.88	-25	30.88	Pass	4001
7000	26500	1	RMS	19351	-40.3	-25	15.3	Pass	19503



## 6. n38\_PC3


6.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-56.48	-25	31.48	Pass	401
0.15	30	0.01	RMS	28.13	-66.38	-25	41.38	Pass	2986
30	1000	0.1	RMS	938.459	-56.54	-25	31.54	Pass	9701
1000	2560	1	RMS	2560	-38.26	-25	13.26	Pass	1561
2560	2630	1	RMS	2572.95	12.1	60	47.9	Pass	401
2630	3000	1	RMS	2976.875	-45.23	-25	20.23	Pass	401
3000	7000	1	RMS	3829	-49.35	-25	24.35	Pass	4001
7000	26500	1	RMS	23073	-38	-25	13	Pass	19503




**6.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-57.32	-25	32.32	Pass	401
0.15	30	0.01	RMS	0.95	-64.76	-25	39.76	Pass	2986
30	1000	0.1	RMS	446.7	-56.88	-25	31.88	Pass	9701
1000	2560	1	RMS	2413	-45.71	-25	20.71	Pass	1561
2560	2630	1	RMS	2570.85	21.22	60	38.78	Pass	401
2630	3000	1	RMS	2968.55	-45.4	-25	20.4	Pass	401
3000	7000	1	RMS	6937	-56.61	-25	31.61	Pass	4001
7000	26500	1	RMS	25124	-42.53	-25	17.53	Pass	19503




**6.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:515000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-59.21	-25	34.21	Pass	401
0.15	30	0.01	RMS	24.43	-64.62	-25	39.62	Pass	2986
30	1000	0.1	RMS	883.723	-56.86	-25	31.86	Pass	9701
1000	2560	1	RMS	2477	-46.08	-25	21.08	Pass	1561
2560	2630	1	RMS	2579.075	21	60	39	Pass	401
2630	3000	1	RMS	2975.95	-45.5	-25	20.5	Pass	401
3000	7000	1	RMS	6919	-57.11	-25	32.11	Pass	4001
7000	26500	1	RMS	26262	-42.48	-25	17.48	Pass	19503




**6.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.93	-25	36.93	Pass	401
0.15	30	0.01	RMS	17.76	-65.68	-25	40.68	Pass	2986
30	1000	0.1	RMS	935.958	-56.48	-25	31.48	Pass	9701
1000	2560	1	RMS	2513	-45.78	-25	20.78	Pass	1561
2560	2630	1	RMS	2593.6	11.92	60	48.08	Pass	401
2630	3000	1	RMS	2974.1	-45.31	-25	20.31	Pass	401
3000	7000	1	RMS	6972	-55.55	-25	30.55	Pass	4001
7000	26500	1	RMS	24801	-42.68	-25	17.68	Pass	19503




**6.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.99	-25	32.99	Pass	401
0.15	30	0.01	RMS	29.46	-65.74	-25	40.74	Pass	2986
30	1000	0.1	RMS	612	-56.3	-25	31.3	Pass	9701
1000	2560	1	RMS	2515	-45.76	-25	20.76	Pass	1561
2560	2630	1	RMS	2590.8	20.91	60	39.09	Pass	401
2630	3000	1	RMS	2966.7	-45.49	-25	20.49	Pass	401
3000	7000	1	RMS	6935	-56.67	-25	31.67	Pass	4001
7000	26500	1	RMS	25091	-42.33	-25	17.33	Pass	19503




**6.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-59.12	-25	34.12	Pass	401
0.15	30	0.01	RMS	1.8	-65.18	-25	40.18	Pass	2986
30	1000	0.1	RMS	930.254	-56.42	-25	31.42	Pass	9701
1000	2560	1	RMS	2510	-45.72	-25	20.72	Pass	1561
2560	2630	1	RMS	2599.2	20.86	60	39.14	Pass	401
2630	3000	1	RMS	2961.15	-45.51	-25	20.51	Pass	401
3000	7000	1	RMS	6982	-56.52	-25	31.52	Pass	4001
7000	26500	1	RMS	25077	-42	-25	17	Pass	19503




**6.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.06	-25	37.06	Pass	401
0.15	30	0.01	RMS	20.25	-66.82	-25	41.82	Pass	2986
30	1000	0.1	RMS	843.3	-56.68	-25	31.68	Pass	9701
1000	2560	1	RMS	2500	-45.67	-25	20.67	Pass	1561
2560	2630	1	RMS	2615.125	12.07	60	47.93	Pass	401
2630	3000	1	RMS	2630	-36.68	-25	11.68	Pass	401
3000	7000	1	RMS	6982	-56.45	-25	31.45	Pass	4001
7000	26500	1	RMS	24092	-42.14	-25	17.14	Pass	19503




**6.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-59.14	-25	34.14	Pass	401
0.15	30	0.01	RMS	28.27	-66.8	-25	41.8	Pass	2986
30	1000	0.1	RMS	846	-55.79	-25	30.79	Pass	9701
1000	2560	1	RMS	2495	-46.18	-25	21.18	Pass	1561
2560	2630	1	RMS	2610.925	21.04	60	38.96	Pass	401
2630	3000	1	RMS	2963	-45.47	-25	20.47	Pass	401
3000	7000	1	RMS	6990	-56.7	-25	31.7	Pass	4001
7000	26500	1	RMS	25218	-42.43	-25	17.43	Pass	19503




**6.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:523000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.22	-25	39.22	Pass	401
0.15	30	0.01	RMS	27.06	-64.99	-25	39.99	Pass	2986
30	1000	0.1	RMS	891.228	-56.86	-25	31.86	Pass	9701
1000	2560	1	RMS	2495	-45.85	-25	20.85	Pass	1561
2560	2630	1	RMS	2619.15	21.06	60	38.94	Pass	401
2630	3000	1	RMS	2975.025	-45.27	-25	20.27	Pass	401
3000	7000	1	RMS	7000	-55.75	-25	30.75	Pass	4001
7000	26500	1	RMS	25732	-42.42	-25	17.42	Pass	19503




**6.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-56.81	-25	31.81	Pass	401
0.15	30	0.01	RMS	3.64	-66.25	-25	41.25	Pass	2986
30	1000	0.1	RMS	896.631	-55.53	-25	30.53	Pass	9701
1000	2550	1	RMS	2550	-39.8	-25	14.8	Pass	1551
2550	2640	1	RMS	2573.4	8.78	60	51.22	Pass	401
2640	3000	1	RMS	2987.4	-45.4	-25	20.4	Pass	401
3000	7000	1	RMS	3859	-54.36	-25	29.36	Pass	4001
7000	26500	1	RMS	23190	-35.46	-25	10.46	Pass	19503




**6.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-59.55	-25	34.55	Pass	401
0.15	30	0.01	RMS	29.04	-65.93	-25	40.93	Pass	2986
30	1000	0.1	RMS	947.265	-57.01	-25	32.01	Pass	9701
1000	2550	1	RMS	2489	-45.84	-25	20.84	Pass	1551
2550	2640	1	RMS	2570.925	21.1	60	38.9	Pass	401
2640	3000	1	RMS	2972.1	-45.52	-25	20.52	Pass	401
3000	7000	1	RMS	6879	-56.81	-25	31.81	Pass	4001
7000	26500	1	RMS	25748	-42.03	-25	17.03	Pass	19503




**6.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-59.81	-25	34.81	Pass	401
0.15	30	0.01	RMS	28.13	-66.12	-25	41.12	Pass	2986
30	1000	0.1	RMS	859.907	-56.43	-25	31.43	Pass	9701
1000	2550	1	RMS	2525	-45.81	-25	20.81	Pass	1551
2550	2640	1	RMS	2588.925	20.85	60	39.15	Pass	401
2640	3000	1	RMS	2979.3	-45.4	-25	20.4	Pass	401
3000	7000	1	RMS	6988	-56.82	-25	31.82	Pass	4001
7000	26500	1	RMS	25651	-42.57	-25	17.57	Pass	19503




**6.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.98	-25	34.98	Pass	401
0.15	30	0.01	RMS	25.52	-66.1	-25	41.1	Pass	2986
30	1000	0.1	RMS	809.2	-56.59	-25	31.59	Pass	9701
1000	2550	1	RMS	2490	-45.18	-25	20.18	Pass	1551
2550	2640	1	RMS	2594.55	8.7	60	51.3	Pass	401
2640	3000	1	RMS	2976.6	-45.46	-25	20.46	Pass	401
3000	7000	1	RMS	6966	-56.06	-25	31.06	Pass	4001
7000	26500	1	RMS	24109	-42.7	-25	17.7	Pass	19503




**6.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-60.49	-25	35.49	Pass	401
0.15	30	0.01	RMS	14.88	-66.78	-25	41.78	Pass	2986
30	1000	0.1	RMS	410	-56.96	-25	31.96	Pass	9701
1000	2550	1	RMS	2547	-45.76	-25	20.76	Pass	1551
2550	2640	1	RMS	2586	20.9	60	39.1	Pass	401
2640	3000	1	RMS	2982	-45.48	-25	20.48	Pass	401
3000	7000	1	RMS	6957	-56.8	-25	31.8	Pass	4001
7000	26500	1	RMS	25799	-42.53	-25	17.53	Pass	19503




**6.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.82	-25	33.82	Pass	401
0.15	30	0.01	RMS	26.88	-66.49	-25	41.49	Pass	2986
30	1000	0.1	RMS	691.1	-56.49	-25	31.49	Pass	9701
1000	2550	1	RMS	2518	-45.62	-25	20.62	Pass	1551
2550	2640	1	RMS	2604	20.93	60	39.07	Pass	401
2640	3000	1	RMS	2970.3	-45.43	-25	20.43	Pass	401
3000	7000	1	RMS	6908	-56.67	-25	31.67	Pass	4001
7000	26500	1	RMS	25760	-42.27	-25	17.27	Pass	19503




**6.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-58.54	-25	33.54	Pass	401
0.15	30	0.01	RMS	0.48	-65.85	-25	40.85	Pass	2986
30	1000	0.1	RMS	902.235	-56.54	-25	31.54	Pass	9701
1000	2550	1	RMS	2449	-45.93	-25	20.93	Pass	1551
2550	2640	1	RMS	2609.85	8.86	60	51.14	Pass	401
2640	3000	1	RMS	2640	-38.29	-25	13.29	Pass	401
3000	7000	1	RMS	6972	-56.62	-25	31.62	Pass	4001
7000	26500	1	RMS	25327	-42.92	-25	17.92	Pass	19503




**6.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.08	-25	36.08	Pass	401
0.15	30	0.01	RMS	24.53	-66.44	-25	41.44	Pass	2986
30	1000	0.1	RMS	965.077	-56.1	-25	31.1	Pass	9701
1000	2550	1	RMS	2435	-45.89	-25	20.89	Pass	1551
2550	2640	1	RMS	2601.075	20.78	60	39.22	Pass	401
2640	3000	1	RMS	2984.7	-45.56	-25	20.56	Pass	401
3000	7000	1	RMS	6948	-56.28	-25	31.28	Pass	4001
7000	26500	1	RMS	24184	-42.45	-25	17.45	Pass	19503




**6.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-59.59	-25	34.59	Pass	401
0.15	30	0.01	RMS	24.77	-66.55	-25	41.55	Pass	2986
30	1000	0.1	RMS	850.601	-56.99	-25	31.99	Pass	9701
1000	2550	1	RMS	2494	-45.67	-25	20.67	Pass	1551
2550	2640	1	RMS	2619.075	20.91	60	39.09	Pass	401
2640	3000	1	RMS	2965.8	-45.41	-25	20.41	Pass	401
3000	7000	1	RMS	6908	-56.74	-25	31.74	Pass	4001
7000	26500	1	RMS	25086	-41.82	-25	16.82	Pass	19503




**6.28. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.14	-25	36.14	Pass	401
0.15	30	0.01	RMS	2.37	-65.49	-25	40.49	Pass	2986
30	1000	0.1	RMS	718.7	-56.7	-25	31.7	Pass	9701
1000	2530	1	RMS	2530	-42.28	-25	17.28	Pass	1531
2530	2660	1	RMS	2572.25	5.83	60	54.17	Pass	401
2660	3000	1	RMS	2660	-43.21	-25	18.21	Pass	401
3000	7000	1	RMS	3853	-54.35	-25	29.35	Pass	4001
7000	26500	1	RMS	23127	-33.04	-25	8.04	Pass	19503




**6.29. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-57.81	-25	32.81	Pass	401
0.15	30	0.01	RMS	25.07	-64.91	-25	39.91	Pass	2986
30	1000	0.1	RMS	879.52	-56.56	-25	31.56	Pass	9701
1000	2530	1	RMS	2517	-45.99	-25	20.99	Pass	1531
2530	2660	1	RMS	2570.95	20.71	60	39.29	Pass	401
2660	3000	1	RMS	2977.05	-45.32	-25	20.32	Pass	401
3000	7000	1	RMS	6956	-56.2	-25	31.2	Pass	4001
7000	26500	1	RMS	24149	-42.73	-25	17.73	Pass	19503




**6.30. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.82	-25	32.82	Pass	401
0.15	30	0.01	RMS	27.24	-64.42	-25	39.42	Pass	2986
30	1000	0.1	RMS	608.3	-56.37	-25	31.37	Pass	9701
1000	2530	1	RMS	2486	-45.74	-25	20.74	Pass	1531
2530	2660	1	RMS	2608.975	20.86	60	39.14	Pass	401
2660	3000	1	RMS	2977.9	-45.37	-25	20.37	Pass	401
3000	7000	1	RMS	6962	-56.84	-25	31.84	Pass	4001
7000	26500	1	RMS	25370	-42.69	-25	17.69	Pass	19503




**6.31. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-25	45.52	Pass	401
0.15	30	0.01	RMS	24.36	-66.18	-25	41.18	Pass	2986
30	1000	0.1	RMS	855.304	-56.39	-25	31.39	Pass	9701
1000	2530	1	RMS	2530	-43.61	-25	18.61	Pass	1531
2530	2660	1	RMS	2577.125	5.78	60	54.22	Pass	401
2660	3000	1	RMS	2660	-41.76	-25	16.76	Pass	401
3000	7000	1	RMS	3873	-51.12	-25	26.12	Pass	4001
7000	26500	1	RMS	23264	-36.42	-25	11.42	Pass	19503




**6.32. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.53	-25	31.53	Pass	401
0.15	30	0.01	RMS	5.92	-65.59	-25	40.59	Pass	2986
30	1000	0.1	RMS	873.916	-56.48	-25	31.48	Pass	9701
1000	2530	1	RMS	2520	-45.64	-25	20.64	Pass	1531
2530	2660	1	RMS	2576.15	20.69	60	39.31	Pass	401
2660	3000	1	RMS	2981.3	-45.37	-25	20.37	Pass	401
3000	7000	1	RMS	6984	-55.86	-25	30.86	Pass	4001
7000	26500	1	RMS	24088	-42.18	-25	17.18	Pass	19503




**6.33. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.65	-25	28.65	Pass	401
0.15	30	0.01	RMS	22.49	-64.65	-25	39.65	Pass	2986
30	1000	0.1	RMS	629.4	-55.87	-25	30.87	Pass	9701
1000	2530	1	RMS	2498	-45.29	-25	20.29	Pass	1531
2530	2660	1	RMS	2613.85	20.78	60	39.22	Pass	401
2660	3000	1	RMS	2968.55	-45.12	-25	20.12	Pass	401
3000	7000	1	RMS	6943	-56.37	-25	31.37	Pass	4001
7000	26500	1	RMS	24084	-42.01	-25	17.01	Pass	19503




**6.34. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.46	-25	31.46	Pass	401
0.15	30	0.01	RMS	25.81	-65.44	-25	40.44	Pass	2986
30	1000	0.1	RMS	978.686	-54.93	-25	29.93	Pass	9701
1000	2530	1	RMS	2530	-44.13	-25	19.13	Pass	1531
2530	2660	1	RMS	2582.325	5.55	60	54.45	Pass	401
2660	3000	1	RMS	2660	-40.4	-25	15.4	Pass	401
3000	7000	1	RMS	6957	-56.83	-25	31.83	Pass	4001
7000	26500	1	RMS	25962	-42.77	-25	17.77	Pass	19503




**6.35. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.92	-25	31.92	Pass	401
0.15	30	0.01	RMS	28.88	-65.51	-25	40.51	Pass	2986
30	1000	0.1	RMS	857.906	-55.89	-25	30.89	Pass	9701
1000	2530	1	RMS	2413	-45.01	-25	20.01	Pass	1531
2530	2660	1	RMS	2581.025	20.65	60	39.35	Pass	401
2660	3000	1	RMS	2982.15	-45.44	-25	20.44	Pass	401
3000	7000	1	RMS	6983	-55.93	-25	30.93	Pass	4001
7000	26500	1	RMS	25086	-42.26	-25	17.26	Pass	19503



**6.36. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-59.04	-25	34.04	Pass	401
0.15	30	0.01	RMS	8.98	-65.01	-25	40.01	Pass	2986
30	1000	0.1	RMS	642.5	-56.69	-25	31.69	Pass	9701
1000	2530	1	RMS	2414	-45.44	-25	20.44	Pass	1531
2530	2660	1	RMS	2619.05	20.59	60	39.41	Pass	401
2660	3000	1	RMS	2971.1	-45.24	-25	20.24	Pass	401
3000	7000	1	RMS	6988	-55.78	-25	30.78	Pass	4001
7000	26500	1	RMS	24127	-42.59	-25	17.59	Pass	19503



## 1. n26 15kHz(814-824)


1.1. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.27	-13	59.27	Pass	401
0.15	30	0.01	RMS	0.2	-69.44	-13	56.44	Pass	2986
30	804	0.1	RMS	502.3	-60.36	-13	47.36	Pass	7741
804	834	0.1	RMS	817.5	5.24	60	54.76	Pass	401
834	1000	0.1	RMS	834.7	-57.93	-13	44.93	Pass	1661
1000	3000	1	RMS	2971	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	9950	-56	-13	43	Pass	7001




**1.2. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.29	-13	53.29	Pass	401
0.15	30	0.01	RMS	0.3	-69.96	-13	56.96	Pass	2986
30	804	0.1	RMS	779.2	-60.16	-13	47.16	Pass	7741
804	834	0.1	RMS	814.35	18.47	60	41.53	Pass	401
834	1000	0.1	RMS	931.3	-59.6	-13	46.6	Pass	1661
1000	3000	1	RMS	2964	-45.89	-13	32.89	Pass	2001
3000	10000	1	RMS	9960	-56.16	-13	43.16	Pass	7001




**1.3. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.59	-13	54.59	Pass	401
0.15	30	0.01	RMS	0.93	-69.04	-13	56.04	Pass	2986
30	804	0.1	RMS	369.6	-59.72	-13	46.72	Pass	7741
804	834	0.1	RMS	818.625	18.44	60	41.56	Pass	401
834	1000	0.1	RMS	910	-60.06	-13	47.06	Pass	1661
1000	3000	1	RMS	2973	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	9891	-56.34	-13	43.34	Pass	7001




**1.13. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.75	-13	58.75	Pass	401
0.15	30	0.01	RMS	0.26	-69.38	-13	56.38	Pass	2986
30	804	0.1	RMS	797	-60.57	-13	47.57	Pass	7741
804	834	0.1	RMS	817.5	5.34	60	54.66	Pass	401
834	1000	0.1	RMS	834	-56.33	-13	43.33	Pass	1661
1000	3000	1	RMS	2962	-46.12	-13	33.12	Pass	2001
3000	10000	1	RMS	7176	-47.96	-13	34.96	Pass	7001




**1.5. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.59	-13	54.59	Pass	401
0.15	30	0.01	RMS	0.15	-69.31	-13	56.31	Pass	2986
30	804	0.1	RMS	473.2	-60.38	-13	47.38	Pass	7741
804	834	0.1	RMS	816.825	18.56	60	41.44	Pass	401
834	1000	0.1	RMS	922.8	-60.03	-13	47.03	Pass	1661
1000	3000	1	RMS	2972	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	9923	-56.25	-13	43.25	Pass	7001




**1.6. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.42	-13	53.42	Pass	401
0.15	30	0.01	RMS	0.15	-69.78	-13	56.78	Pass	2986
30	804	0.1	RMS	470.4	-60.41	-13	47.41	Pass	7741
804	834	0.1	RMS	821.175	18.47	60	41.53	Pass	401
834	1000	0.1	RMS	905	-59.96	-13	46.96	Pass	1661
1000	3000	1	RMS	2974	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	9963	-56.15	-13	43.15	Pass	7001



**1.14. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	4.37	-70.31	-13	57.31	Pass	2986
30	804	0.1	RMS	487.2	-60.48	-13	47.48	Pass	7741
804	834	0.1	RMS	819.6	5.63	60	54.37	Pass	401
834	1000	0.1	RMS	834	-52.15	-13	39.15	Pass	1661
1000	3000	1	RMS	2968	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	9996	-56.19	-13	43.19	Pass	7001



--BLANK BELOW--


**1.8. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.64	-13	54.64	Pass	401
0.15	30	0.01	RMS	0.18	-70.08	-13	57.08	Pass	2986
30	804	0.1	RMS	739.8	-60.36	-13	47.36	Pass	7741
804	834	0.1	RMS	819.3	18.35	60	41.65	Pass	401
834	1000	0.1	RMS	883.3	-59.98	-13	46.98	Pass	1661
1000	3000	1	RMS	2969	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	9961	-56.18	-13	43.18	Pass	7001




**1.9. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.33	-69.79	-13	56.79	Pass	2986
30	804	0.1	RMS	476.5	-60.39	-13	47.39	Pass	7741
804	834	0.1	RMS	823.65	18.54	60	41.46	Pass	401
834	1000	0.1	RMS	893.8	-60.16	-13	47.16	Pass	1661
1000	3000	1	RMS	2979	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	9948	-56.27	-13	43.27	Pass	7001




**1.10. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-72.03	-13	59.03	Pass	401
0.15	30	0.01	RMS	22.44	-69.67	-13	56.67	Pass	2986
30	804	0.1	RMS	773.3	-60.47	-13	47.47	Pass	7741
804	834	0.1	RMS	818.475	2.24	60	57.76	Pass	401
834	1000	0.1	RMS	834.1	-40.45	-13	27.45	Pass	1661
1000	3000	1	RMS	2964	-46.1	-13	33.1	Pass	2001
3000	10000	1	RMS	9972	-56.02	-13	43.02	Pass	7001




**1.11. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.58	-13	53.58	Pass	401
0.15	30	0.01	RMS	0.15	-70.35	-13	57.35	Pass	2986
30	804	0.1	RMS	467.8	-60.5	-13	47.5	Pass	7741
804	834	0.1	RMS	814.425	18.51	60	41.49	Pass	401
834	1000	0.1	RMS	834	-59.3	-13	46.3	Pass	1661
1000	3000	1	RMS	2964	-46	-13	33	Pass	2001
3000	10000	1	RMS	9980	-56.08	-13	43.08	Pass	7001



**1.12. Spurious Emission at Antenna Terminals for SA\_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-67.27	-13	54.27	Pass	401
0.15	30	0.01	RMS	0.33	-70.31	-13	57.31	Pass	2986
30	804	0.1	RMS	743.9	-60.54	-13	47.54	Pass	7741
804	834	0.1	RMS	823.575	18.6	60	41.4	Pass	401
834	1000	0.1	RMS	838.2	-57.9	-13	44.9	Pass	1661
1000	3000	1	RMS	2970	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	9997	-56.24	-13	43.24	Pass	7001



## 1. n77(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.72	-13	43.72	Pass	401
0.15	30	0.01	RMS	10.22	-67.28	-13	54.28	Pass	2986
30	1000	0.1	RMS	991.094	-56.47	-13	43.47	Pass	9701
1000	3000	1	RMS	2933	-44.54	-13	31.54	Pass	2001
3000	3440	1	RMS	3094	-36.18	-13	23.18	Pass	441
3440	3560	1	RMS	3458	13.97	60	46.03	Pass	401
3560	7000	1	RMS	6979	-56.69	-13	43.69	Pass	3441
7000	26500	1	RMS	23268	-38.75	-13	25.75	Pass	19503




**1.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.63	-13	43.63	Pass	401
0.15	30	0.01	RMS	24.02	-64.77	-13	51.77	Pass	2986
30	1000	0.1	RMS	592.4	-56.87	-13	43.87	Pass	9701
1000	3000	1	RMS	2938	-44.35	-13	31.35	Pass	2001
3000	3440	1	RMS	3415	-41.07	-13	28.07	Pass	441
3440	3560	1	RMS	3450.8	22.24	60	37.76	Pass	401
3560	7000	1	RMS	6999	-56.73	-13	43.73	Pass	3441
7000	26500	1	RMS	25888	-42.71	-13	29.71	Pass	19503




**1.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.14	-13	43.14	Pass	401
0.15	30	0.01	RMS	0.51	-65.87	-13	52.87	Pass	2986
30	1000	0.1	RMS	832.6	-56.7	-13	43.7	Pass	9701
1000	3000	1	RMS	2792	-44.61	-13	31.61	Pass	2001
3000	3440	1	RMS	3427	-40.68	-13	27.68	Pass	441
3440	3560	1	RMS	3459.2	22.22	60	37.78	Pass	401
3560	7000	1	RMS	6980	-55.88	-13	42.88	Pass	3441
7000	26500	1	RMS	25091	-42.82	-13	29.82	Pass	19503




**1.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.29	-13	44.29	Pass	401
0.15	30	0.01	RMS	0.23	-65.31	-13	52.31	Pass	2986
30	1000	0.1	RMS	754.3	-56.14	-13	43.14	Pass	9701
1000	3000	1	RMS	2917	-44.75	-13	31.75	Pass	2001
3000	3440	1	RMS	3410	-40.57	-13	27.57	Pass	441
3440	3560	1	RMS	3498.2	13.13	60	46.87	Pass	401
3560	7000	1	RMS	6981	-56.91	-13	43.91	Pass	3441
7000	26500	1	RMS	23101	-42.69	-13	29.69	Pass	19503




**1.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.37	-13	44.37	Pass	401
0.15	30	0.01	RMS	22.68	-65.6	-13	52.6	Pass	2986
30	1000	0.1	RMS	665.4	-56.59	-13	43.59	Pass	9701
1000	3000	1	RMS	2968	-44.75	-13	31.75	Pass	2001
3000	3440	1	RMS	3411	-40.95	-13	27.95	Pass	441
3440	3560	1	RMS	3495.8	21.54	60	38.46	Pass	401
3560	7000	1	RMS	6992	-57.04	-13	44.04	Pass	3441
7000	26500	1	RMS	25179	-42.89	-13	29.89	Pass	19503




**1.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.67	-13	43.67	Pass	401
0.15	30	0.01	RMS	0.15	-65.25	-13	52.25	Pass	2986
30	1000	0.1	RMS	651.7	-56.57	-13	43.57	Pass	9701
1000	3000	1	RMS	2763	-44.29	-13	31.29	Pass	2001
3000	3440	1	RMS	3406	-40.97	-13	27.97	Pass	441
3440	3560	1	RMS	3504.2	21.4	60	38.6	Pass	401
3560	7000	1	RMS	6865	-57.13	-13	44.13	Pass	3441
7000	26500	1	RMS	25020	-42.57	-13	29.57	Pass	19503




**1.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.38	-13	44.38	Pass	401
0.15	30	0.01	RMS	10.75	-66.71	-13	53.71	Pass	2986
30	1000	0.1	RMS	858.906	-56.73	-13	43.73	Pass	9701
1000	3000	1	RMS	2932	-44.73	-13	31.73	Pass	2001
3000	3440	1	RMS	3397	-40.81	-13	27.81	Pass	441
3440	3560	1	RMS	3542.3	12.71	60	47.29	Pass	401
3560	7000	1	RMS	3560	-43.62	-13	30.62	Pass	3441
7000	26500	1	RMS	24197	-42.52	-13	29.52	Pass	19503




**1.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.3	-13	43.3	Pass	401
0.15	30	0.01	RMS	21.18	-66.5	-13	53.5	Pass	2986
30	1000	0.1	RMS	632.2	-56.6	-13	43.6	Pass	9701
1000	3000	1	RMS	2980	-44.35	-13	31.35	Pass	2001
3000	3440	1	RMS	3414	-40.69	-13	27.69	Pass	441
3440	3560	1	RMS	3540.8	21.14	60	38.86	Pass	401
3560	7000	1	RMS	3560	-54.31	-13	41.31	Pass	3441
7000	26500	1	RMS	25128	-42.58	-13	29.58	Pass	19503




**1.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.68	-13	43.68	Pass	401
0.15	30	0.01	RMS	27.44	-66.46	-13	53.46	Pass	2986
30	1000	0.1	RMS	850.101	-56.63	-13	43.63	Pass	9701
1000	3000	1	RMS	2952	-44.27	-13	31.27	Pass	2001
3000	3440	1	RMS	3399	-40.78	-13	27.78	Pass	441
3440	3560	1	RMS	3549.2	21	60	39	Pass	401
3560	7000	1	RMS	4291	-51.08	-13	38.08	Pass	3441
7000	26500	1	RMS	25756	-41.99	-13	28.99	Pass	19503




**1.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.56	-13	40.56	Pass	401
0.15	30	0.01	RMS	0.99	-66.38	-13	53.38	Pass	2986
30	1000	0.1	RMS	873.416	-56.64	-13	43.64	Pass	9701
1000	3000	1	RMS	2945	-44.67	-13	31.67	Pass	2001
3000	3440	1	RMS	3440	-30.17	-13	17.17	Pass	441
3440	3560	1	RMS	3455.6	6.55	60	53.45	Pass	401
3560	7000	1	RMS	3560	-49.77	-13	36.77	Pass	3441
7000	26500	1	RMS	23106	-37.03	-13	24.03	Pass	19503




**1.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.22	-13	40.22	Pass	401
0.15	30	0.01	RMS	26.3	-66.15	-13	53.15	Pass	2986
30	1000	0.1	RMS	831.7	-56.44	-13	43.44	Pass	9701
1000	3000	1	RMS	2977	-44.82	-13	31.82	Pass	2001
3000	3440	1	RMS	3427	-39.13	-13	26.13	Pass	441
3440	3560	1	RMS	3451.4	22.11	60	37.89	Pass	401
3560	7000	1	RMS	6973	-56.19	-13	43.19	Pass	3441
7000	26500	1	RMS	24127	-42.26	-13	29.26	Pass	19503




**1.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.27	-13	41.27	Pass	401
0.15	30	0.01	RMS	8.99	-66.04	-13	53.04	Pass	2986
30	1000	0.1	RMS	635.4	-56.56	-13	43.56	Pass	9701
1000	3000	1	RMS	2976	-44.77	-13	31.77	Pass	2001
3000	3440	1	RMS	3438	-39.56	-13	26.56	Pass	441
3440	3560	1	RMS	3498.8	21.45	60	38.55	Pass	401
3560	7000	1	RMS	6973	-56.28	-13	43.28	Pass	3441
7000	26500	1	RMS	25495	-42.45	-13	29.45	Pass	19503




**1.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.59	-13	40.59	Pass	401
0.15	30	0.01	RMS	25.14	-66.03	-13	53.03	Pass	2986
30	1000	0.1	RMS	854.704	-56.14	-13	43.14	Pass	9701
1000	3000	1	RMS	2982	-44.8	-13	31.8	Pass	2001
3000	3440	1	RMS	3440	-36.73	-13	23.73	Pass	441
3440	3560	1	RMS	3480.8	6.11	60	53.89	Pass	401
3560	7000	1	RMS	3560	-40.66	-13	27.66	Pass	3441
7000	26500	1	RMS	25199	-42.35	-13	29.35	Pass	19503




**1.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-54.2	-13	41.2	Pass	401
0.15	30	0.01	RMS	25.91	-67.01	-13	54.01	Pass	2986
30	1000	0.1	RMS	838	-56.66	-13	43.66	Pass	9701
1000	3000	1	RMS	2890	-44.78	-13	31.78	Pass	2001
3000	3440	1	RMS	3430	-40.92	-13	27.92	Pass	441
3440	3560	1	RMS	3476.3	21.87	60	38.13	Pass	401
3560	7000	1	RMS	3571	-54.46	-13	41.46	Pass	3441
7000	26500	1	RMS	25074	-42.45	-13	29.45	Pass	19503




**1.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.78	-13	40.78	Pass	401
0.15	30	0.01	RMS	0.82	-66.56	-13	53.56	Pass	2986
30	1000	0.1	RMS	979.486	-56.71	-13	43.71	Pass	9701
1000	3000	1	RMS	2980	-44.71	-13	31.71	Pass	2001
3000	3440	1	RMS	3412	-40.7	-13	27.7	Pass	441
3440	3560	1	RMS	3523.7	21.26	60	38.74	Pass	401
3560	7000	1	RMS	6968	-56.7	-13	43.7	Pass	3441
7000	26500	1	RMS	25573	-42.6	-13	29.6	Pass	19503




**1.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.14	-13	41.14	Pass	401
0.15	30	0.01	RMS	22.15	-66.44	-13	53.44	Pass	2986
30	1000	0.1	RMS	956.371	-56.86	-13	43.86	Pass	9701
1000	3000	1	RMS	2981	-44.19	-13	31.19	Pass	2001
3000	3440	1	RMS	3440	-40.57	-13	27.57	Pass	441
3440	3560	1	RMS	3531.5	5.69	60	54.31	Pass	401
3560	7000	1	RMS	3562	-32.49	-13	19.49	Pass	3441
7000	26500	1	RMS	25110	-42.33	-13	29.33	Pass	19503




**1.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.39	-13	40.39	Pass	401
0.15	30	0.01	RMS	29.59	-64.53	-13	51.53	Pass	2986
30	1000	0.1	RMS	504	-56.82	-13	43.82	Pass	9701
1000	3000	1	RMS	2974	-44.1	-13	31.1	Pass	2001
3000	3440	1	RMS	3403	-40.52	-13	27.52	Pass	441
3440	3560	1	RMS	3501.2	21.41	60	38.59	Pass	401
3560	7000	1	RMS	3562	-43.4	-13	30.4	Pass	3441
7000	26500	1	RMS	26192	-42.47	-13	29.47	Pass	19503




**1.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.82	-13	40.82	Pass	401
0.15	30	0.01	RMS	6.86	-65.55	-13	52.55	Pass	2986
30	1000	0.1	RMS	697.5	-56.4	-13	43.4	Pass	9701
1000	3000	1	RMS	2986	-44.33	-13	31.33	Pass	2001
3000	3440	1	RMS	3415	-40.58	-13	27.58	Pass	441
3440	3560	1	RMS	3548.6	20.96	60	39.04	Pass	401
3560	7000	1	RMS	3572	-44.48	-13	31.48	Pass	3441
7000	26500	1	RMS	23097	-42.59	-13	29.59	Pass	19503




**1.28. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.88	-13	41.88	Pass	401
0.15	30	0.01	RMS	0.45	-65.75	-13	52.75	Pass	2986
30	1000	0.1	RMS	903.836	-56.9	-13	43.9	Pass	9701
1000	3000	1	RMS	2997	-44.4	-13	31.4	Pass	2001
3000	3440	1	RMS	3440	-31.76	-13	18.76	Pass	441
3440	3560	1	RMS	3456.2	3.37	60	56.63	Pass	401
3560	7000	1	RMS	3560	-34.77	-13	21.77	Pass	3441
7000	26500	1	RMS	23120	-35.58	-13	22.58	Pass	19503




**1.29. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.39	-13	42.39	Pass	401
0.15	30	0.01	RMS	22.91	-65.74	-13	52.74	Pass	2986
30	1000	0.1	RMS	869.213	-57.12	-13	44.12	Pass	9701
1000	3000	1	RMS	2934	-44.76	-13	31.76	Pass	2001
3000	3440	1	RMS	3402	-40.18	-13	27.18	Pass	441
3440	3560	1	RMS	3451.1	22.2	60	37.8	Pass	401
3560	7000	1	RMS	3567	-43.02	-13	30.02	Pass	3441
7000	26500	1	RMS	25101	-41.79	-13	28.79	Pass	19503



**1.30. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.36	-13	43.36	Pass	401
0.15	30	0.01	RMS	27.84	-66.21	-13	53.21	Pass	2986
30	1000	0.1	RMS	878.419	-56.26	-13	43.26	Pass	9701
1000	3000	1	RMS	2993	-44.28	-13	31.28	Pass	2001
3000	3440	1	RMS	3432	-37.95	-13	24.95	Pass	441
3440	3560	1	RMS	3548.9	21.07	60	38.93	Pass	401
3560	7000	1	RMS	3598	-46.35	-13	33.35	Pass	3441
7000	26500	1	RMS	25824	-42.15	-13	29.15	Pass	19503



## 2. n78(3450-3550)


2.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.59	-13	42.59	Pass	401
0.15	30	0.01	RMS	26.07	-63.27	-13	50.27	Pass	2986
30	1000	0.1	RMS	652.8	-56.63	-13	43.63	Pass	9701
1000	3000	1	RMS	2991	-44.93	-13	31.93	Pass	2001
3000	3440	1	RMS	3440	-37.99	-13	24.99	Pass	441
3440	3560	1	RMS	3454.4	14.18	60	45.82	Pass	401
3560	7000	1	RMS	6967	-56.52	-13	43.52	Pass	3441
7000	26500	1	RMS	25908	-42.91	-13	29.91	Pass	19503




**2.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-56.96	-13	43.96	Pass	401
0.15	30	0.01	RMS	18.52	-66.02	-13	53.02	Pass	2986
30	1000	0.1	RMS	645.1	-56.22	-13	43.22	Pass	9701
1000	3000	1	RMS	2976	-44.47	-13	31.47	Pass	2001
3000	3440	1	RMS	3408	-40.71	-13	27.71	Pass	441
3440	3560	1	RMS	3450.8	22.5	60	37.5	Pass	401
3560	7000	1	RMS	6984	-56.38	-13	43.38	Pass	3441
7000	26500	1	RMS	25071	-42.25	-13	29.25	Pass	19503




**2.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.59	-13	44.59	Pass	401
0.15	30	0.01	RMS	29.25	-65.6	-13	52.6	Pass	2986
30	1000	0.1	RMS	995.697	-56.62	-13	43.62	Pass	9701
1000	3000	1	RMS	2986	-44.78	-13	31.78	Pass	2001
3000	3440	1	RMS	3411	-40.73	-13	27.73	Pass	441
3440	3560	1	RMS	3459.2	22.3	60	37.7	Pass	401
3560	7000	1	RMS	6979	-57.09	-13	44.09	Pass	3441
7000	26500	1	RMS	24084	-42.3	-13	29.3	Pass	19503




**2.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.45	-13	41.45	Pass	401
0.15	30	0.01	RMS	29.3	-66.53	-13	53.53	Pass	2986
30	1000	0.1	RMS	949.366	-56.69	-13	43.69	Pass	9701
1000	3000	1	RMS	2415	-43.98	-13	30.98	Pass	2001
3000	3440	1	RMS	3080	-37.07	-13	24.07	Pass	441
3440	3560	1	RMS	3500.3	13.37	60	46.63	Pass	401
3560	7000	1	RMS	6950	-56.17	-13	43.17	Pass	3441
7000	26500	1	RMS	22719	-35.1	-13	22.1	Pass	19503




**2.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.8	-13	44.8	Pass	401
0.15	30	0.01	RMS	18.97	-66.12	-13	53.12	Pass	2986
30	1000	0.1	RMS	740.1	-56.15	-13	43.15	Pass	9701
1000	3000	1	RMS	2987	-44.76	-13	31.76	Pass	2001
3000	3440	1	RMS	3415	-40.52	-13	27.52	Pass	441
3440	3560	1	RMS	3495.8	21.6	60	38.4	Pass	401
3560	7000	1	RMS	6991	-56.31	-13	43.31	Pass	3441
7000	26500	1	RMS	25093	-42.78	-13	29.78	Pass	19503




**2.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.06	-13	45.06	Pass	401
0.15	30	0.01	RMS	22.94	-65.4	-13	52.4	Pass	2986
30	1000	0.1	RMS	475.1	-56.28	-13	43.28	Pass	9701
1000	3000	1	RMS	2988	-44.19	-13	31.19	Pass	2001
3000	3440	1	RMS	3395	-40.71	-13	27.71	Pass	441
3440	3560	1	RMS	3504.2	21.45	60	38.55	Pass	401
3560	7000	1	RMS	7000	-56.44	-13	43.44	Pass	3441
7000	26500	1	RMS	25440	-42.41	-13	29.41	Pass	19503




**2.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-57.4	-13	44.4	Pass	401
0.15	30	0.01	RMS	26.33	-62.47	-13	49.47	Pass	2986
30	1000	0.1	RMS	861.508	-56.14	-13	43.14	Pass	9701
1000	3000	1	RMS	2982	-44.49	-13	31.49	Pass	2001
3000	3440	1	RMS	3396	-40.71	-13	27.71	Pass	441
3440	3560	1	RMS	3547.1	12.87	60	47.13	Pass	401
3560	7000	1	RMS	3560	-41.72	-13	28.72	Pass	3441
7000	26500	1	RMS	25401	-42.35	-13	29.35	Pass	19503




**2.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.87	-13	43.87	Pass	401
0.15	30	0.01	RMS	13.27	-65.25	-13	52.25	Pass	2986
30	1000	0.1	RMS	972.682	-57.04	-13	44.04	Pass	9701
1000	3000	1	RMS	2964	-44.73	-13	31.73	Pass	2001
3000	3440	1	RMS	3428	-40.68	-13	27.68	Pass	441
3440	3560	1	RMS	3540.8	21.23	60	38.77	Pass	401
3560	7000	1	RMS	3560	-54.36	-13	41.36	Pass	3441
7000	26500	1	RMS	25128	-42.6	-13	29.6	Pass	19503




**2.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.07	-13	44.07	Pass	401
0.15	30	0.01	RMS	19.66	-65.64	-13	52.64	Pass	2986
30	1000	0.1	RMS	959.073	-56.84	-13	43.84	Pass	9701
1000	3000	1	RMS	2778	-44.77	-13	31.77	Pass	2001
3000	3440	1	RMS	3417	-40.65	-13	27.65	Pass	441
3440	3560	1	RMS	3549.2	21.18	60	38.82	Pass	401
3560	7000	1	RMS	3560	-54.38	-13	41.38	Pass	3441
7000	26500	1	RMS	25109	-42.63	-13	29.63	Pass	19503




**2.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.96	-13	40.96	Pass	401
0.15	30	0.01	RMS	23.95	-66.34	-13	53.34	Pass	2986
30	1000	0.1	RMS	817.9	-56.5	-13	43.5	Pass	9701
1000	3000	1	RMS	2755	-44.45	-13	31.45	Pass	2001
3000	3440	1	RMS	3440	-29.9	-13	16.9	Pass	441
3440	3560	1	RMS	3455.6	6.52	60	53.48	Pass	401
3560	7000	1	RMS	3560	-49.75	-13	36.75	Pass	3441
7000	26500	1	RMS	24119	-42.27	-13	29.27	Pass	19503




**2.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.23	-13	40.23	Pass	401
0.15	30	0.01	RMS	4.65	-66.56	-13	53.56	Pass	2986
30	1000	0.1	RMS	620.4	-56.93	-13	43.93	Pass	9701
1000	3000	1	RMS	2987	-44.34	-13	31.34	Pass	2001
3000	3440	1	RMS	3428	-39.57	-13	26.57	Pass	441
3440	3560	1	RMS	3451.1	22.14	60	37.86	Pass	401
3560	7000	1	RMS	6949	-56.46	-13	43.46	Pass	3441
7000	26500	1	RMS	25082	-42.41	-13	29.41	Pass	19503




**2.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.59	-13	39.59	Pass	401
0.15	30	0.01	RMS	0.15	-64.33	-13	51.33	Pass	2986
30	1000	0.1	RMS	771.6	-56.37	-13	43.37	Pass	9701
1000	3000	1	RMS	2976	-44	-13	31	Pass	2001
3000	3440	1	RMS	3438	-39.95	-13	26.95	Pass	441
3440	3560	1	RMS	3498.8	21.51	60	38.49	Pass	401
3560	7000	1	RMS	6998	-56.02	-13	43.02	Pass	3441
7000	26500	1	RMS	25411	-41.97	-13	28.97	Pass	19503




**2.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.95	-13	40.95	Pass	401
0.15	30	0.01	RMS	18.25	-65.59	-13	52.59	Pass	2986
30	1000	0.1	RMS	471.4	-56.58	-13	43.58	Pass	9701
1000	3000	1	RMS	2782	-44.56	-13	31.56	Pass	2001
3000	3440	1	RMS	3091	-36.19	-13	23.19	Pass	441
3440	3560	1	RMS	3481.4	6.14	60	53.86	Pass	401
3560	7000	1	RMS	3560	-40.88	-13	27.88	Pass	3441
7000	26500	1	RMS	23061	-32.77	-13	19.77	Pass	19503




**2.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.66	-13	40.66	Pass	401
0.15	30	0.01	RMS	4.01	-65.64	-13	52.64	Pass	2986
30	1000	0.1	RMS	721	-56.29	-13	43.29	Pass	9701
1000	3000	1	RMS	2986	-44.07	-13	31.07	Pass	2001
3000	3440	1	RMS	3400	-40.73	-13	27.73	Pass	441
3440	3560	1	RMS	3476.3	21.85	60	38.15	Pass	401
3560	7000	1	RMS	3571	-54.34	-13	41.34	Pass	3441
7000	26500	1	RMS	25810	-42.32	-13	29.32	Pass	19503




**2.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.96	-13	40.96	Pass	401
0.15	30	0.01	RMS	3.22	-66.51	-13	53.51	Pass	2986
30	1000	0.1	RMS	793.6	-56.08	-13	43.08	Pass	9701
1000	3000	1	RMS	2974	-44.28	-13	31.28	Pass	2001
3000	3440	1	RMS	3411	-40.61	-13	27.61	Pass	441
3440	3560	1	RMS	3523.7	21.16	60	38.84	Pass	401
3560	7000	1	RMS	6977	-56.01	-13	43.01	Pass	3441
7000	26500	1	RMS	24797	-42.9	-13	29.9	Pass	19503




**2.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.45	-13	40.45	Pass	401
0.15	30	0.01	RMS	3.32	-65.82	-13	52.82	Pass	2986
30	1000	0.1	RMS	583.1	-56.39	-13	43.39	Pass	9701
1000	3000	1	RMS	2779	-44.66	-13	31.66	Pass	2001
3000	3440	1	RMS	3425	-40.52	-13	27.52	Pass	441
3440	3560	1	RMS	3530.9	5.65	60	54.35	Pass	401
3560	7000	1	RMS	3561	-33.01	-13	20.01	Pass	3441
7000	26500	1	RMS	25432	-42.44	-13	29.44	Pass	19503




**2.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.79	-13	40.79	Pass	401
0.15	30	0.01	RMS	19.62	-65.6	-13	52.6	Pass	2986
30	1000	0.1	RMS	997.598	-56.32	-13	43.32	Pass	9701
1000	3000	1	RMS	2982	-44.27	-13	31.27	Pass	2001
3000	3440	1	RMS	3412	-40.49	-13	27.49	Pass	441
3440	3560	1	RMS	3501.2	21.42	60	38.58	Pass	401
3560	7000	1	RMS	3562	-45.36	-13	32.36	Pass	3441
7000	26500	1	RMS	25908	-42.18	-13	29.18	Pass	19503




**2.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.88	-13	40.88	Pass	401
0.15	30	0.01	RMS	28.58	-65.29	-13	52.29	Pass	2986
30	1000	0.1	RMS	988.492	-56.58	-13	43.58	Pass	9701
1000	3000	1	RMS	2973	-43.92	-13	30.92	Pass	2001
3000	3440	1	RMS	3426	-40.71	-13	27.71	Pass	441
3440	3560	1	RMS	3548.6	20.98	60	39.02	Pass	401
3560	7000	1	RMS	3572	-44.78	-13	31.78	Pass	3441
7000	26500	1	RMS	25736	-42.82	-13	29.82	Pass	19503




**2.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.24	-13	41.24	Pass	401
0.15	30	0.01	RMS	15.23	-65.7	-13	52.7	Pass	2986
30	1000	0.1	RMS	863.91	-56.42	-13	43.42	Pass	9701
1000	3000	1	RMS	2995	-44.15	-13	31.15	Pass	2001
3000	3440	1	RMS	3440	-31.47	-13	18.47	Pass	441
3440	3560	1	RMS	3453.8	3.43	60	56.57	Pass	401
3560	7000	1	RMS	3560	-34.81	-13	21.81	Pass	3441
7000	26500	1	RMS	24724	-42.9	-13	29.9	Pass	19503




**2.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-54.64	-13	41.64	Pass	401
0.15	30	0.01	RMS	8.7	-66.47	-13	53.47	Pass	2986
30	1000	0.1	RMS	939.26	-56.2	-13	43.2	Pass	9701
1000	3000	1	RMS	2926	-44.52	-13	31.52	Pass	2001
3000	3440	1	RMS	3402	-39.85	-13	26.85	Pass	441
3440	3560	1	RMS	3451.1	22.17	60	37.83	Pass	401
3560	7000	1	RMS	3568	-43.86	-13	30.86	Pass	3441
7000	26500	1	RMS	25736	-42.52	-13	29.52	Pass	19503



**2.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.88	-13	40.88	Pass	401
0.15	30	0.01	RMS	7.97	-66.54	-13	53.54	Pass	2986
30	1000	0.1	RMS	913.042	-56.62	-13	43.62	Pass	9701
1000	3000	1	RMS	2974	-44.47	-13	31.47	Pass	2001
3000	3440	1	RMS	3433	-38.24	-13	25.24	Pass	441
3440	3560	1	RMS	3548.9	21.18	60	38.82	Pass	401
3560	7000	1	RMS	3598	-46.18	-13	33.18	Pass	3441
7000	26500	1	RMS	25269	-42.6	-13	29.6	Pass	19503



### 3. n77(3700-3980)


**3.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.8	-13	43.8	Pass	401
0.15	30	0.01	RMS	11.39	-65.97	-13	52.97	Pass	2986
30	1000	0.1	RMS	929.753	-56.78	-13	43.78	Pass	9701
1000	3000	1	RMS	2764	-44.56	-13	31.56	Pass	2001
3000	3690	1	RMS	3150	-33.57	-13	20.57	Pass	691
3690	3990	1	RMS	3704.25	12.4	60	47.6	Pass	401
3990	7000	1	RMS	6983	-57	-13	44	Pass	3011
7000	26500	1	RMS	23253	-38.3	-13	25.3	Pass	19503




**3.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.96	-13	42.96	Pass	401
0.15	30	0.01	RMS	8.03	-64.31	-13	51.31	Pass	2986
30	1000	0.1	RMS	912.142	-56.24	-13	43.24	Pass	9701
1000	3000	1	RMS	2616	-44.8	-13	31.8	Pass	2001
3000	3690	1	RMS	3424	-40.68	-13	27.68	Pass	691
3690	3990	1	RMS	3700.5	19.14	60	40.86	Pass	401
3990	7000	1	RMS	6946	-57.16	-13	44.16	Pass	3011
7000	26500	1	RMS	25573	-42.7	-13	29.7	Pass	19503




**3.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.03	-13	45.03	Pass	401
0.15	30	0.01	RMS	1.55	-65.44	-13	52.44	Pass	2986
30	1000	0.1	RMS	992.595	-55.79	-13	42.79	Pass	9701
1000	3000	1	RMS	2976	-44.52	-13	31.52	Pass	2001
3000	3690	1	RMS	3434	-40.27	-13	27.27	Pass	691
3690	3990	1	RMS	3709.5	19.05	60	40.95	Pass	401
3990	7000	1	RMS	6908	-56.98	-13	43.98	Pass	3011
7000	26500	1	RMS	25110	-42.94	-13	29.94	Pass	19503




**3.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.59	-13	44.59	Pass	401
0.15	30	0.01	RMS	5.69	-65.49	-13	52.49	Pass	2986
30	1000	0.1	RMS	723.2	-56.06	-13	43.06	Pass	9701
1000	3000	1	RMS	2826	-44.74	-13	31.74	Pass	2001
3000	3690	1	RMS	3412	-40.5	-13	27.5	Pass	691
3690	3990	1	RMS	3839.25	12.69	60	47.31	Pass	401
3990	7000	1	RMS	6982	-56.35	-13	43.35	Pass	3011
7000	26500	1	RMS	25732	-42.54	-13	29.54	Pass	19503




**3.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.55	-13	43.55	Pass	401
0.15	30	0.01	RMS	25.6	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	856.405	-55.63	-13	42.63	Pass	9701
1000	3000	1	RMS	2965	-44.56	-13	31.56	Pass	2001
3000	3690	1	RMS	3398	-40.3	-13	27.3	Pass	691
3690	3990	1	RMS	3835.5	19.44	60	40.56	Pass	401
3990	7000	1	RMS	6969	-56.48	-13	43.48	Pass	3011
7000	26500	1	RMS	25413	-43.01	-13	30.01	Pass	19503




**3.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-58.08	-13	45.08	Pass	401
0.15	30	0.01	RMS	21.38	-66.5	-13	53.5	Pass	2986
30	1000	0.1	RMS	918.746	-56.83	-13	43.83	Pass	9701
1000	3000	1	RMS	2960	-44.68	-13	31.68	Pass	2001
3000	3690	1	RMS	3426	-40.31	-13	27.31	Pass	691
3690	3990	1	RMS	3843.75	19.29	60	40.71	Pass	401
3990	7000	1	RMS	6981	-56.99	-13	43.99	Pass	3011
7000	26500	1	RMS	26079	-42.24	-13	29.24	Pass	19503




**3.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.19	-13	43.19	Pass	401
0.15	30	0.01	RMS	20.14	-65.69	-13	52.69	Pass	2986
30	1000	0.1	RMS	867.012	-56.18	-13	43.18	Pass	9701
1000	3000	1	RMS	2973	-44.85	-13	31.85	Pass	2001
3000	3690	1	RMS	3397	-40.7	-13	27.7	Pass	691
3690	3990	1	RMS	3972.75	12.5	60	47.5	Pass	401
3990	7000	1	RMS	3990	-40.42	-13	27.42	Pass	3011
7000	26500	1	RMS	25853	-42.29	-13	29.29	Pass	19503




**3.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.8	-13	43.8	Pass	401
0.15	30	0.01	RMS	15.18	-65.76	-13	52.76	Pass	2986
30	1000	0.1	RMS	625.6	-56.91	-13	43.91	Pass	9701
1000	3000	1	RMS	2969	-43.99	-13	30.99	Pass	2001
3000	3690	1	RMS	3409	-40.32	-13	27.32	Pass	691
3690	3990	1	RMS	3970.5	19.34	60	40.66	Pass	401
3990	7000	1	RMS	3990	-54.28	-13	41.28	Pass	3011
7000	26500	1	RMS	24127	-42.76	-13	29.76	Pass	19503




**3.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.55	-13	43.55	Pass	401
0.15	30	0.01	RMS	13.47	-65.64	-13	52.64	Pass	2986
30	1000	0.1	RMS	499	-56.78	-13	43.78	Pass	9701
1000	3000	1	RMS	2924	-44.76	-13	31.76	Pass	2001
3000	3690	1	RMS	3402	-40.66	-13	27.66	Pass	691
3690	3990	1	RMS	3978.75	19.06	60	40.94	Pass	401
3990	7000	1	RMS	3990	-54.83	-13	41.83	Pass	3011
7000	26500	1	RMS	26165	-42.75	-13	29.75	Pass	19503




**3.25. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.69	-13	40.69	Pass	401
0.15	30	0.01	RMS	3.88	-66.17	-13	53.17	Pass	2986
30	1000	0.1	RMS	901.335	-56.14	-13	43.14	Pass	9701
1000	3000	1	RMS	2979	-43.9	-13	30.9	Pass	2001
3000	3690	1	RMS	3149	-31.66	-13	18.66	Pass	691
3690	3990	1	RMS	3739.5	4.99	60	55.01	Pass	401
3990	7000	1	RMS	6995	-56.72	-13	43.72	Pass	3011
7000	26500	1	RMS	23212	-38.85	-13	25.85	Pass	19503




**3.26. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.41	-13	40.41	Pass	401
0.15	30	0.01	RMS	15.1	-64.94	-13	51.94	Pass	2986
30	1000	0.1	RMS	746	-56.52	-13	43.52	Pass	9701
1000	3000	1	RMS	2945	-44.82	-13	31.82	Pass	2001
3000	3690	1	RMS	3423	-40.53	-13	27.53	Pass	691
3690	3990	1	RMS	3701.25	20.11	60	39.89	Pass	401
3990	7000	1	RMS	6988	-56.82	-13	43.82	Pass	3011
7000	26500	1	RMS	25101	-42.83	-13	29.83	Pass	19503




**3.27. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.67	-13	39.67	Pass	401
0.15	30	0.01	RMS	17.33	-67.29	-13	54.29	Pass	2986
30	1000	0.1	RMS	477.2	-56.11	-13	43.11	Pass	9701
1000	3000	1	RMS	2968	-44.57	-13	31.57	Pass	2001
3000	3690	1	RMS	3428	-40.56	-13	27.56	Pass	691
3690	3990	1	RMS	3748.5	19.7	60	40.3	Pass	401
3990	7000	1	RMS	6977	-56.71	-13	43.71	Pass	3011
7000	26500	1	RMS	25113	-42.65	-13	29.65	Pass	19503




**3.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.66	-13	40.66	Pass	401
0.15	30	0.01	RMS	4.68	-66.46	-13	53.46	Pass	2986
30	1000	0.1	RMS	459.4	-56.1	-13	43.1	Pass	9701
1000	3000	1	RMS	2968	-44.65	-13	31.65	Pass	2001
3000	3690	1	RMS	3145	-33.1	-13	20.1	Pass	691
3690	3990	1	RMS	3829.5	5.47	60	54.53	Pass	401
3990	7000	1	RMS	6969	-56.57	-13	43.57	Pass	3011
7000	26500	1	RMS	23135	-38.02	-13	25.02	Pass	19503




**3.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.86	-13	40.86	Pass	401
0.15	30	0.01	RMS	18.09	-66.5	-13	53.5	Pass	2986
30	1000	0.1	RMS	907.939	-55.66	-13	42.66	Pass	9701
1000	3000	1	RMS	2755	-44.49	-13	31.49	Pass	2001
3000	3690	1	RMS	3380	-40.76	-13	27.76	Pass	691
3690	3990	1	RMS	3816	20.11	60	39.89	Pass	401
3990	7000	1	RMS	6923	-56.41	-13	43.41	Pass	3011
7000	26500	1	RMS	25745	-42.75	-13	29.75	Pass	19503




**3.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-13	40.3	Pass	401
0.15	30	0.01	RMS	24.51	-66.66	-13	53.66	Pass	2986
30	1000	0.1	RMS	750.6	-56.42	-13	43.42	Pass	9701
1000	3000	1	RMS	2970	-44.35	-13	31.35	Pass	2001
3000	3690	1	RMS	3441	-40.34	-13	27.34	Pass	691
3690	3990	1	RMS	3864	19.73	60	40.27	Pass	401
3990	7000	1	RMS	6923	-56.39	-13	43.39	Pass	3011
7000	26500	1	RMS	22808	-43	-13	30	Pass	19503




**3.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.28	-13	40.28	Pass	401
0.15	30	0.01	RMS	8.89	-65.74	-13	52.74	Pass	2986
30	1000	0.1	RMS	888.326	-56.86	-13	43.86	Pass	9701
1000	3000	1	RMS	2993	-44.53	-13	31.53	Pass	2001
3000	3690	1	RMS	3392	-40.22	-13	27.22	Pass	691
3690	3990	1	RMS	3945	5.33	60	54.67	Pass	401
3990	7000	1	RMS	3990	-35.1	-13	22.1	Pass	3011
7000	26500	1	RMS	24419	-43.05	-13	30.05	Pass	19503




**3.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-54.07	-13	41.07	Pass	401
0.15	30	0.01	RMS	16.88	-65.47	-13	52.47	Pass	2986
30	1000	0.1	RMS	886.525	-57.22	-13	44.22	Pass	9701
1000	3000	1	RMS	2984	-44.41	-13	31.41	Pass	2001
3000	3690	1	RMS	3392	-40.33	-13	27.33	Pass	691
3690	3990	1	RMS	3931.5	19.42	60	40.58	Pass	401
3990	7000	1	RMS	3992	-44.59	-13	31.59	Pass	3011
7000	26500	1	RMS	25806	-42.87	-13	29.87	Pass	19503




**3.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.35	-13	40.35	Pass	401
0.15	30	0.01	RMS	4.05	-64.98	-13	51.98	Pass	2986
30	1000	0.1	RMS	793.7	-56.93	-13	43.93	Pass	9701
1000	3000	1	RMS	2983	-44.39	-13	31.39	Pass	2001
3000	3690	1	RMS	3409	-40.59	-13	27.59	Pass	691
3690	3990	1	RMS	3978.75	20.13	60	39.87	Pass	401
3990	7000	1	RMS	4002	-45.23	-13	32.23	Pass	3011
7000	26500	1	RMS	24088	-42.82	-13	29.82	Pass	19503




**3.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.89	-13	40.89	Pass	401
0.15	30	0.01	RMS	21.12	-66	-13	53	Pass	2986
30	1000	0.1	RMS	912.142	-57.08	-13	44.08	Pass	9701
1000	3000	1	RMS	2744	-44.5	-13	31.5	Pass	2001
3000	3690	1	RMS	3690	-35.4	-13	22.4	Pass	691
3690	3990	1	RMS	3741	1.8	60	58.2	Pass	401
3990	7000	1	RMS	6992	-56.56	-13	43.56	Pass	3011
7000	26500	1	RMS	24135	-42.16	-13	29.16	Pass	19503




**3.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-54.25	-13	41.25	Pass	401
0.15	30	0.01	RMS	15.81	-65.48	-13	52.48	Pass	2986
30	1000	0.1	RMS	978.085	-55.91	-13	42.91	Pass	9701
1000	3000	1	RMS	2994	-44.39	-13	31.39	Pass	2001
3000	3690	1	RMS	3420	-40.1	-13	27.1	Pass	691
3690	3990	1	RMS	3701.25	19.49	60	40.51	Pass	401
3990	7000	1	RMS	4325	-55.46	-13	42.46	Pass	3011
7000	26500	1	RMS	26171	-42.97	-13	29.97	Pass	19503




**3.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.05	-13	37.05	Pass	401
0.15	30	0.01	RMS	29.99	-66.25	-13	53.25	Pass	2986
30	1000	0.1	RMS	948.466	-56.82	-13	43.82	Pass	9701
1000	3000	1	RMS	2824	-44.47	-13	31.47	Pass	2001
3000	3690	1	RMS	3403	-39.96	-13	26.96	Pass	691
3690	3990	1	RMS	3798.75	19.95	60	40.05	Pass	401
3990	7000	1	RMS	6921	-56.47	-13	43.47	Pass	3011
7000	26500	1	RMS	24139	-42.91	-13	29.91	Pass	19503




**3.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.99	-13	40.99	Pass	401
0.15	30	0.01	RMS	6.78	-66.46	-13	53.46	Pass	2986
30	1000	0.1	RMS	524.2	-57.01	-13	44.01	Pass	9701
1000	3000	1	RMS	2875	-44.7	-13	31.7	Pass	2001
3000	3690	1	RMS	3143	-34.62	-13	21.62	Pass	691
3690	3990	1	RMS	3822	2.29	60	57.71	Pass	401
3990	7000	1	RMS	3992	-50.05	-13	37.05	Pass	3011
7000	26500	1	RMS	23077	-35.66	-13	22.66	Pass	19503




**3.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-13	40.23	Pass	401
0.15	30	0.01	RMS	24.58	-65.25	-13	52.25	Pass	2986
30	1000	0.1	RMS	928.653	-56.12	-13	43.12	Pass	9701
1000	3000	1	RMS	2976	-44.65	-13	31.65	Pass	2001
3000	3690	1	RMS	3383	-40.54	-13	27.54	Pass	691
3690	3990	1	RMS	3791.25	19.84	60	40.16	Pass	401
3990	7000	1	RMS	4415	-56.08	-13	43.08	Pass	3011
7000	26500	1	RMS	24124	-42.53	-13	29.53	Pass	19503




**3.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.48	-13	41.48	Pass	401
0.15	30	0.01	RMS	24.7	-65.66	-13	52.66	Pass	2986
30	1000	0.1	RMS	974.383	-56.38	-13	43.38	Pass	9701
1000	3000	1	RMS	2989	-44.52	-13	31.52	Pass	2001
3000	3690	1	RMS	3441	-40.42	-13	27.42	Pass	691
3690	3990	1	RMS	3888.75	20.01	60	39.99	Pass	401
3990	7000	1	RMS	6985	-56.2	-13	43.2	Pass	3011
7000	26500	1	RMS	25397	-42.44	-13	29.44	Pass	19503




**3.22. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-54.6	-13	41.6	Pass	401
0.15	30	0.01	RMS	1.85	-64.55	-13	51.55	Pass	2986
30	1000	0.1	RMS	579.2	-56.89	-13	43.89	Pass	9701
1000	3000	1	RMS	2969	-44.16	-13	31.16	Pass	2001
3000	3690	1	RMS	3426	-40.14	-13	27.14	Pass	691
3690	3990	1	RMS	3892.5	2.19	60	57.81	Pass	401
3990	7000	1	RMS	3990	-38.52	-13	25.52	Pass	3011
7000	26500	1	RMS	25075	-42.89	-13	29.89	Pass	19503




**3.23. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-54.36	-13	41.36	Pass	401
0.15	30	0.01	RMS	1.27	-66.08	-13	53.08	Pass	2986
30	1000	0.1	RMS	984.79	-54.86	-13	41.86	Pass	9701
1000	3000	1	RMS	2976	-44.56	-13	31.56	Pass	2001
3000	3690	1	RMS	3407	-40.04	-13	27.04	Pass	691
3690	3990	1	RMS	3881.25	19.76	60	40.24	Pass	401
3990	7000	1	RMS	3997	-44.08	-13	31.08	Pass	3011
7000	26500	1	RMS	25847	-42.33	-13	29.33	Pass	19503



**3.24. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-54.06	-13	41.06	Pass	401
0.15	30	0.01	RMS	0.87	-64.79	-13	51.79	Pass	2986
30	1000	0.1	RMS	919.647	-55.22	-13	42.22	Pass	9701
1000	3000	1	RMS	2970	-43.69	-13	30.69	Pass	2001
3000	3690	1	RMS	3407	-40	-13	27	Pass	691
3690	3990	1	RMS	3978.75	19.89	60	40.11	Pass	401
3990	7000	1	RMS	4028	-44.75	-13	31.75	Pass	3011
7000	26500	1	RMS	26099	-42.36	-13	29.36	Pass	19503



## 4. n78(3700-3800)


**4.1. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.84	-13	44.84	Pass	401
0.15	30	0.01	RMS	3.95	-65.71	-13	52.71	Pass	2986
30	1000	0.1	RMS	910.641	-56.47	-13	43.47	Pass	9701
1000	3000	1	RMS	2965	-44.17	-13	31.17	Pass	2001
3000	3690	1	RMS	3409	-40.16	-13	27.16	Pass	691
3690	3810	1	RMS	3702	12.06	60	47.94	Pass	401
3810	7000	1	RMS	6969	-56.39	-13	43.39	Pass	3191
7000	26500	1	RMS	25506	-41.86	-13	28.86	Pass	19503




**4.2. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.4	-13	43.4	Pass	401
0.15	30	0.01	RMS	24.66	-64.78	-13	51.78	Pass	2986
30	1000	0.1	RMS	638.7	-56.42	-13	43.42	Pass	9701
1000	3000	1	RMS	2979	-44.28	-13	31.28	Pass	2001
3000	3690	1	RMS	3434	-40.14	-13	27.14	Pass	691
3690	3810	1	RMS	3700.8	20.29	60	39.71	Pass	401
3810	7000	1	RMS	6976	-56.32	-13	43.32	Pass	3191
7000	26500	1	RMS	25112	-42.13	-13	29.13	Pass	19503




**4.3. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-57.35	-13	44.35	Pass	401
0.15	30	0.01	RMS	0.2	-62.91	-13	49.91	Pass	2986
30	1000	0.1	RMS	907.239	-56.2	-13	43.2	Pass	9701
1000	3000	1	RMS	2930	-44.43	-13	31.43	Pass	2001
3000	3690	1	RMS	3427	-40.47	-13	27.47	Pass	691
3690	3810	1	RMS	3709.2	20.22	60	39.78	Pass	401
3810	7000	1	RMS	6968	-56.71	-13	43.71	Pass	3191
7000	26500	1	RMS	25136	-42.27	-13	29.27	Pass	19503




**4.4. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.51	-13	41.51	Pass	401
0.15	30	0.01	RMS	26.14	-65.51	-13	52.51	Pass	2986
30	1000	0.1	RMS	876.918	-56.7	-13	43.7	Pass	9701
1000	3000	1	RMS	2912	-44.61	-13	31.61	Pass	2001
3000	3690	1	RMS	3144	-34.32	-13	21.32	Pass	691
3690	3810	1	RMS	3748.2	12.23	60	47.77	Pass	401
3810	7000	1	RMS	6930	-56.66	-13	43.66	Pass	3191
7000	26500	1	RMS	23101	-35.04	-13	22.04	Pass	19503




**4.5. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-57.7	-13	44.7	Pass	401
0.15	30	0.01	RMS	5.17	-65.49	-13	52.49	Pass	2986
30	1000	0.1	RMS	838.9	-56.79	-13	43.79	Pass	9701
1000	3000	1	RMS	2933	-44.48	-13	31.48	Pass	2001
3000	3690	1	RMS	3407	-40.51	-13	27.51	Pass	691
3690	3810	1	RMS	3745.8	20.47	60	39.53	Pass	401
3810	7000	1	RMS	6987	-56.09	-13	43.09	Pass	3191
7000	26500	1	RMS	25381	-42.66	-13	29.66	Pass	19503




**4.6. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.68	-13	43.68	Pass	401
0.15	30	0.01	RMS	4.09	-65.1	-13	52.1	Pass	2986
30	1000	0.1	RMS	895.331	-56.2	-13	43.2	Pass	9701
1000	3000	1	RMS	3000	-44.5	-13	31.5	Pass	2001
3000	3690	1	RMS	3391	-40.47	-13	27.47	Pass	691
3690	3810	1	RMS	3754.2	20.47	60	39.53	Pass	401
3810	7000	1	RMS	6979	-56.3	-13	43.3	Pass	3191
7000	26500	1	RMS	24743	-42.75	-13	29.75	Pass	19503




**4.7. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.91	-13	43.91	Pass	401
0.15	30	0.01	RMS	24.01	-66.32	-13	53.32	Pass	2986
30	1000	0.1	RMS	864.41	-56.71	-13	43.71	Pass	9701
1000	3000	1	RMS	2971	-43.96	-13	30.96	Pass	2001
3000	3690	1	RMS	3425	-40.64	-13	27.64	Pass	691
3690	3810	1	RMS	3792	12.45	60	47.55	Pass	401
3810	7000	1	RMS	3810	-43.35	-13	30.35	Pass	3191
7000	26500	1	RMS	26149	-42.72	-13	29.72	Pass	19503




**4.8. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.71	-13	44.71	Pass	401
0.15	30	0.01	RMS	25.88	-65.92	-13	52.92	Pass	2986
30	1000	0.1	RMS	936.158	-56.52	-13	43.52	Pass	9701
1000	3000	1	RMS	2994	-44.66	-13	31.66	Pass	2001
3000	3690	1	RMS	3414	-39.98	-13	26.98	Pass	691
3690	3810	1	RMS	3790.8	20.7	60	39.3	Pass	401
3810	7000	1	RMS	3810	-53.68	-13	40.68	Pass	3191
7000	26500	1	RMS	24135	-42.52	-13	29.52	Pass	19503




**4.9. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-57.8	-13	44.8	Pass	401
0.15	30	0.01	RMS	25.23	-65.8	-13	52.8	Pass	2986
30	1000	0.1	RMS	968.779	-56.51	-13	43.51	Pass	9701
1000	3000	1	RMS	2969	-44.25	-13	31.25	Pass	2001
3000	3690	1	RMS	3412	-40.28	-13	27.28	Pass	691
3690	3810	1	RMS	3799.2	20.74	60	39.26	Pass	401
3810	7000	1	RMS	3810	-54.05	-13	41.05	Pass	3191
7000	26500	1	RMS	25744	-42.87	-13	29.87	Pass	19503




**4.10. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.36	-13	40.36	Pass	401
0.15	30	0.01	RMS	6.53	-66.03	-13	53.03	Pass	2986
30	1000	0.1	RMS	837.5	-56.24	-13	43.24	Pass	9701
1000	3000	1	RMS	2977	-44.03	-13	31.03	Pass	2001
3000	3690	1	RMS	3689	-34.99	-13	21.99	Pass	691
3690	3810	1	RMS	3735.9	4.78	60	55.22	Pass	401
3810	7000	1	RMS	3810	-52.28	-13	39.28	Pass	3191
7000	26500	1	RMS	24786	-42.77	-13	29.77	Pass	19503




**4.11. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.08	-13	41.08	Pass	401
0.15	30	0.01	RMS	23.06	-63.67	-13	50.67	Pass	2986
30	1000	0.1	RMS	777.6	-56.8	-13	43.8	Pass	9701
1000	3000	1	RMS	2962	-44.37	-13	31.37	Pass	2001
3000	3690	1	RMS	3407	-40.39	-13	27.39	Pass	691
3690	3810	1	RMS	3701.1	20.07	60	39.93	Pass	401
3810	7000	1	RMS	6927	-56.19	-13	43.19	Pass	3191
7000	26500	1	RMS	25055	-42.69	-13	29.69	Pass	19503




**4.12. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.03	-13	39.03	Pass	401
0.15	30	0.01	RMS	22.43	-65.57	-13	52.57	Pass	2986
30	1000	0.1	RMS	599	-56.79	-13	43.79	Pass	9701
1000	3000	1	RMS	2928	-44.52	-13	31.52	Pass	2001
3000	3690	1	RMS	3417	-40.28	-13	27.28	Pass	691
3690	3810	1	RMS	3748.8	20.42	60	39.58	Pass	401
3810	7000	1	RMS	6887	-56.73	-13	43.73	Pass	3191
7000	26500	1	RMS	26120	-42.13	-13	29.13	Pass	19503




**4.13. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.23	-13	40.23	Pass	401
0.15	30	0.01	RMS	16.6	-64.26	-13	51.26	Pass	2986
30	1000	0.1	RMS	982.488	-56.42	-13	43.42	Pass	9701
1000	3000	1	RMS	2765	-44.83	-13	31.83	Pass	2001
3000	3690	1	RMS	3143	-34.76	-13	21.76	Pass	691
3690	3810	1	RMS	3756	4.86	60	55.14	Pass	401
3810	7000	1	RMS	3810	-42.54	-13	29.54	Pass	3191
7000	26500	1	RMS	23078	-35.22	-13	22.22	Pass	19503




**4.14. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.23	-13	41.23	Pass	401
0.15	30	0.01	RMS	19.49	-65.84	-13	52.84	Pass	2986
30	1000	0.1	RMS	991.394	-56.95	-13	43.95	Pass	9701
1000	3000	1	RMS	2992	-44.36	-13	31.36	Pass	2001
3000	3690	1	RMS	3445	-40.29	-13	27.29	Pass	691
3690	3810	1	RMS	3726.3	20.16	60	39.84	Pass	401
3810	7000	1	RMS	3821	-53.97	-13	40.97	Pass	3191
7000	26500	1	RMS	25923	-42.42	-13	29.42	Pass	19503




**4.15. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.8	-13	40.8	Pass	401
0.15	30	0.01	RMS	29.84	-66.84	-13	53.84	Pass	2986
30	1000	0.1	RMS	870.614	-56.57	-13	43.57	Pass	9701
1000	3000	1	RMS	2993	-44.65	-13	31.65	Pass	2001
3000	3690	1	RMS	3414	-40.04	-13	27.04	Pass	691
3690	3810	1	RMS	3773.7	20.64	60	39.36	Pass	401
3810	7000	1	RMS	6985	-56.93	-13	43.93	Pass	3191
7000	26500	1	RMS	25449	-42.3	-13	29.3	Pass	19503




**4.16. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-54.18	-13	41.18	Pass	401
0.15	30	0.01	RMS	2.9	-65.38	-13	52.38	Pass	2986
30	1000	0.1	RMS	530.4	-57.09	-13	44.09	Pass	9701
1000	3000	1	RMS	2967	-44.57	-13	31.57	Pass	2001
3000	3690	1	RMS	3408	-40.14	-13	27.14	Pass	691
3690	3810	1	RMS	3780.6	5.09	60	54.91	Pass	401
3810	7000	1	RMS	3810	-35.63	-13	22.63	Pass	3191
7000	26500	1	RMS	24147	-42.18	-13	29.18	Pass	19503




**4.17. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.16	-13	40.16	Pass	401
0.15	30	0.01	RMS	26.18	-65.52	-13	52.52	Pass	2986
30	1000	0.1	RMS	897.632	-56.03	-13	43.03	Pass	9701
1000	3000	1	RMS	2968	-44.64	-13	31.64	Pass	2001
3000	3690	1	RMS	3406	-40.31	-13	27.31	Pass	691
3690	3810	1	RMS	3751.2	20.45	60	39.55	Pass	401
3810	7000	1	RMS	3810	-46.14	-13	33.14	Pass	3191
7000	26500	1	RMS	25054	-42.34	-13	29.34	Pass	19503




**4.18. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.93	-13	40.93	Pass	401
0.15	30	0.01	RMS	13.01	-65.02	-13	52.02	Pass	2986
30	1000	0.1	RMS	890.628	-56.41	-13	43.41	Pass	9701
1000	3000	1	RMS	2982	-44.49	-13	31.49	Pass	2001
3000	3690	1	RMS	3416	-40.5	-13	27.5	Pass	691
3690	3810	1	RMS	3798.6	20.5	60	39.5	Pass	401
3810	7000	1	RMS	3822	-45.26	-13	32.26	Pass	3191
7000	26500	1	RMS	24101	-42.08	-13	29.08	Pass	19503




**4.19. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	39.82	Pass	401
0.15	30	0.01	RMS	13.33	-66.2	-13	53.2	Pass	2986
30	1000	0.1	RMS	838.7	-56.42	-13	43.42	Pass	9701
1000	3000	1	RMS	2922	-44.51	-13	31.51	Pass	2001
3000	3690	1	RMS	3690	-35.5	-13	22.5	Pass	691
3690	3810	1	RMS	3742.8	1.79	60	58.21	Pass	401
3810	7000	1	RMS	3810	-37.57	-13	24.57	Pass	3191
7000	26500	1	RMS	25132	-42.4	-13	29.4	Pass	19503




**4.20. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-53.64	-13	40.64	Pass	401
0.15	30	0.01	RMS	0.69	-64	-13	51	Pass	2986
30	1000	0.1	RMS	832.4	-56.3	-13	43.3	Pass	9701
1000	3000	1	RMS	2937	-44.29	-13	31.29	Pass	2001
3000	3690	1	RMS	3392	-40.47	-13	27.47	Pass	691
3690	3810	1	RMS	3701.1	20.22	60	39.78	Pass	401
3810	7000	1	RMS	3818	-44.02	-13	31.02	Pass	3191
7000	26500	1	RMS	25523	-42.78	-13	29.78	Pass	19503



**4.21. Spurious Emission at Antenna Terminals for SA\_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.56	-13	41.56	Pass	401
0.15	30	0.01	RMS	28.55	-64.93	-13	51.93	Pass	2986
30	1000	0.1	RMS	952.669	-55.81	-13	42.81	Pass	9701
1000	3000	1	RMS	2975	-43.91	-13	30.91	Pass	2001
3000	3690	1	RMS	3416	-40.49	-13	27.49	Pass	691
3690	3810	1	RMS	3798.9	20.8	60	39.2	Pass	401
3810	7000	1	RMS	3848	-45.47	-13	32.47	Pass	3191
7000	26500	1	RMS	25912	-42.54	-13	29.54	Pass	19503



--BLANK BELOW--