


A.6 LTE Band Edge

1. LTE_Band48


1.1. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3501.125	-51.29	-40	11.29	Pass	401
3530	3540	1	RMS	3539.625	-50.21	-25	25.21	Pass	401
3540	3545	1	RMS	3544.963	-39.91	-25	14.91	Pass	401
3545	3549	1	RMS	3549	-26.63	-13	13.63	Pass	5
3549	3550	0.01	RMS	3550	-24.08	-13	11.08	Pass	401
3550	3555	0.1	RMS	3550.338	22	30	8	Pass	401




1.2. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3500.075	-51.25	-40	11.25	Pass	401
3530	3540	1	RMS	3539.875	-50.54	-25	25.54	Pass	401
3540	3545	1	RMS	3544.963	-37.76	-25	12.76	Pass	401
3545	3549	1	RMS	3549	-23.53	-13	10.53	Pass	5
3549	3550	0.051	RMS	3549.998	-28.95	-13	15.95	Pass	401
3550	3555	0.1	RMS	3554.375	8.02	30	21.98	Pass	401




1.3. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.625	-51.24	-40	11.24	Pass	401
3530	3540	1	RMS	3539.675	-50.43	-25	25.43	Pass	401
3540	3545	1	RMS	3544.863	-39.91	-25	14.91	Pass	401
3545	3549	1	RMS	3549	-27.14	-13	14.14	Pass	5
3549	3550	0.01	RMS	3549.998	-24.3	-13	11.3	Pass	401
3550	3555	0.1	RMS	3550.338	21.01	30	8.99	Pass	401




1.4. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3526.55	-51.25	-40	11.25	Pass	401
3530	3540	1	RMS	3540	-50.74	-25	25.74	Pass	401
3540	3545	1	RMS	3544.963	-39.74	-25	14.74	Pass	401
3545	3549	1	RMS	3549	-24.75	-13	11.75	Pass	5
3549	3550	0.051	RMS	3549.998	-28.4	-13	15.4	Pass	401
3550	3555	0.1	RMS	3553.988	6.7	30	23.3	Pass	401




1.5. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.638	24.73	30	5.27	Pass	401
3700	3701	0.01	RMS	3700.003	-23.89	-13	10.89	Pass	401
3701	3705	1	RMS	3701	-28.93	-13	15.93	Pass	5
3705	3710	1	RMS	3705.038	-43.35	-25	18.35	Pass	401
3710	3720	1	RMS	3710.025	-50.95	-25	25.95	Pass	401
3720	3750	1	RMS	3740.925	-51.58	-40	11.58	Pass	401




1.6. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3696.2	17.54	30	12.46	Pass	401
3700	3701	0.051	RMS	3700.003	-28.9	-13	15.9	Pass	401
3701	3705	1	RMS	3701	-26.05	-13	13.05	Pass	5
3705	3710	1	RMS	3705.013	-40.16	-25	15.16	Pass	401
3710	3720	1	RMS	3710.125	-50.98	-25	25.98	Pass	401
3720	3750	1	RMS	3741.3	-51.66	-40	11.66	Pass	401




1.7. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3699.625	23.33	30	6.67	Pass	401
3700	3701	0.01	RMS	3700.003	-23.48	-13	10.48	Pass	401
3701	3705	1	RMS	3701	-30.13	-13	17.13	Pass	5
3705	3710	1	RMS	3705.025	-44.36	-25	19.36	Pass	401
3710	3720	1	RMS	3710.15	-51.13	-25	26.13	Pass	401
3720	3750	1	RMS	3722.25	-51.61	-40	11.61	Pass	401




1.8. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3695	3700	1	RMS	3696.25	16.34	30	13.66	Pass	401
3700	3701	0.051	RMS	3700.003	-29.29	-13	16.29	Pass	401
3701	3705	1	RMS	3701	-27.4	-13	14.4	Pass	5
3705	3710	1	RMS	3705.013	-41.25	-25	16.25	Pass	401
3710	3720	1	RMS	3710.175	-51.1	-25	26.1	Pass	401
3720	3750	1	RMS	3740.925	-51.57	-40	11.57	Pass	401




1.9. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.25	-51.18	-40	11.18	Pass	401
3530	3540	1	RMS	3540	-48.15	-25	23.15	Pass	401
3540	3549	1	RMS	3549	-30.91	-13	17.91	Pass	10
3549	3550	0.01	RMS	3549.99	-29.97	-13	16.97	Pass	401
3550	3560	0.1	RMS	3550.575	21.84	30	8.16	Pass	401




1.10. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3527	-51.98	-40	11.98	Pass	31
3530	3540	1	RMS	3539.95	-42.17	-25	17.17	Pass	401
3540	3549	1	RMS	3549	-23.62	-13	10.62	Pass	401
3549	3550	0.1	RMS	3549.995	-31.71	-13	18.71	Pass	401
3550	3560	0.1	RMS	3554.275	4.78	30	25.22	Pass	401




1.11. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.475	-51.18	-40	11.18	Pass	401
3530	3540	1	RMS	3540	-48.74	-25	23.74	Pass	401
3540	3549	1	RMS	3549	-32.5	-13	19.5	Pass	10
3549	3550	0.01	RMS	3549.998	-30.8	-13	17.8	Pass	401
3550	3560	0.1	RMS	3550.6	21.67	30	8.33	Pass	401




1.12. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.775	-51.21	-40	11.21	Pass	401
3530	3540	1	RMS	3540	-44.58	-25	19.58	Pass	401
3540	3549	1	RMS	3549	-24.51	-13	11.51	Pass	401
3549	3550	0.1	RMS	3549.998	-32.86	-13	19.86	Pass	401
3550	3560	0.1	RMS	3553.325	3.73	30	26.27	Pass	401




1.13. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.375	24.04	30	5.96	Pass	401
3700	3701	0.01	RMS	3700.003	-29.09	-13	16.09	Pass	401
3701	3710	1	RMS	3701	-29.05	-13	16.05	Pass	10
3710	3720	1	RMS	3710	-49.08	-25	24.08	Pass	401
3720	3750	1	RMS	3721.425	-51.6	-40	11.6	Pass	401




1.14. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3693.575	14.14	30	15.86	Pass	401
3700	3701	0.1	RMS	3700	-33.31	-13	20.31	Pass	401
3701	3710	1	RMS	3701.023	-25.9	-13	12.9	Pass	401
3710	3720	1	RMS	3710.025	-44.91	-25	19.91	Pass	401
3720	3750	1	RMS	3721.35	-51.58	-40	11.58	Pass	401




1.15. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.35	23.17	30	6.83	Pass	401
3700	3701	0.01	RMS	3700	-30.89	-13	17.89	Pass	401
3701	3710	1	RMS	3701	-29.29	-13	16.29	Pass	10
3710	3720	1	RMS	3710	-49.28	-25	24.28	Pass	401
3720	3750	1	RMS	3736.05	-51.59	-40	11.59	Pass	401




1.16. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3693.65	13.45	30	16.55	Pass	401
3700	3701	0.1	RMS	3700	-34.9	-13	21.9	Pass	401
3701	3710	1	RMS	3701	-27.47	-13	14.47	Pass	401
3710	3720	1	RMS	3710.05	-46.91	-25	21.91	Pass	401
3720	3750	1	RMS	3721.575	-51.58	-40	11.58	Pass	401




1.17. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.85	-50.96	-40	10.96	Pass	401
3530	3540	1	RMS	3539.975	-46.4	-25	21.4	Pass	401
3540	3549	1	RMS	3549	-22.98	-13	9.98	Pass	401
3549	3550	0.01	RMS	3549.995	-33.22	-13	20.22	Pass	401
3550	3565	0.1	RMS	3550.863	22.22	30	7.78	Pass	401




1.18. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-48.12	-40	8.12	Pass	31
3530	3540	1	RMS	3539.975	-34.77	-25	9.77	Pass	401
3540	3549	1	RMS	3549	-25.59	-13	12.59	Pass	401
3549	3550	0.15	RMS	3549.998	-31.83	-13	18.83	Pass	401
3550	3565	0.1	RMS	3552.738	3.19	30	26.81	Pass	401




1.19. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.625	-51.1	-40	11.1	Pass	401
3530	3540	1	RMS	3539.875	-46.88	-25	21.88	Pass	401
3540	3549	1	RMS	3549	-23.76	-13	10.76	Pass	401
3549	3550	0.01	RMS	3550	-34.25	-13	21.25	Pass	401
3550	3565	0.1	RMS	3550.825	21.63	30	8.37	Pass	401




1.20. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-49.76	-40	9.76	Pass	31
3530	3540	1	RMS	3539.975	-36.88	-25	11.88	Pass	401
3540	3549	1	RMS	3548.978	-26.97	-13	13.97	Pass	401
3549	3550	0.15	RMS	3549.995	-33.43	-13	20.43	Pass	401
3550	3565	0.1	RMS	3557.163	1.9	30	28.1	Pass	401




1.21. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.175	24.35	30	5.65	Pass	401
3700	3701	0.01	RMS	3700.003	-33.35	-13	20.35	Pass	401
3701	3710	1	RMS	3701	-24.53	-13	11.53	Pass	401
3710	3720	1	RMS	3710	-47.36	-25	22.36	Pass	401
3720	3750	1	RMS	3726	-51.13	-40	11.13	Pass	401




1.22. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3694.15	12.47	30	17.53	Pass	401
3700	3701	0.15	RMS	3700	-33.56	-13	20.56	Pass	401
3701	3710	1	RMS	3701	-27.8	-13	14.8	Pass	401
3710	3720	1	RMS	3710	-38.1	-25	13.1	Pass	401
3720	3750	1	RMS	3720	-49.43	-40	9.43	Pass	31




1.23. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3699.175	23.74	30	6.26	Pass	401
3700	3701	0.01	RMS	3700.018	-34.42	-13	21.42	Pass	401
3701	3710	1	RMS	3701.023	-25.95	-13	12.95	Pass	401
3710	3720	1	RMS	3710.1	-47.43	-25	22.43	Pass	401
3720	3750	1	RMS	3720	-51.52	-40	11.52	Pass	401




1.24. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3685	3700	1	RMS	3690.475	11.49	30	18.51	Pass	401
3700	3701	0.15	RMS	3700.008	-34.75	-13	21.75	Pass	401
3701	3710	1	RMS	3701.023	-29.39	-13	16.39	Pass	401
3710	3720	1	RMS	3710.025	-39.29	-25	14.29	Pass	401
3720	3750	1	RMS	3720	-50.74	-40	10.74	Pass	31




1.25. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-50.49	-40	10.49	Pass	401
3530	3540	1	RMS	3540	-46.94	-25	21.94	Pass	401
3540	3549	1	RMS	3549	-27.33	-13	14.33	Pass	401
3549	3550	0.01	RMS	3549.998	-36.25	-13	23.25	Pass	401
3550	3570	0.1	RMS	3551.05	22.18	30	7.82	Pass	401




1.26. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-45.57	-40	5.57	Pass	31
3530	3540	1	RMS	3539.975	-32.72	-25	7.72	Pass	401
3540	3549	1	RMS	3549	-27.16	-13	14.16	Pass	401
3549	3550	0.2	RMS	3549.995	-32.74	-13	19.74	Pass	401
3550	3570	0.1	RMS	3559	1.62	30	28.38	Pass	401




1.27. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3529.925	-50.57	-40	10.57	Pass	401
3530	3540	1	RMS	3539.875	-46.76	-25	21.76	Pass	401
3540	3549	1	RMS	3548.978	-27.81	-13	14.81	Pass	401
3549	3550	0.01	RMS	3549.995	-35.76	-13	22.76	Pass	401
3550	3570	0.1	RMS	3551.05	21.28	30	8.72	Pass	401




1.28. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3530	-47.46	-40	7.46	Pass	31
3530	3540	1	RMS	3539.975	-34.86	-25	9.86	Pass	401
3540	3549	1	RMS	3548.978	-28.93	-13	15.93	Pass	401
3549	3550	0.2	RMS	3549.995	-34.69	-13	21.69	Pass	401
3550	3570	0.1	RMS	3559.25	0.79	30	29.21	Pass	401




1.29. LTE Band Edge_Part96(NTNV)(Subtest:1, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3698.9	24.37	30	5.63	Pass	401
3700	3701	0.01	RMS	3700.008	-36.84	-13	23.84	Pass	401
3701	3710	1	RMS	3701.023	-29.43	-13	16.43	Pass	401
3710	3720	1	RMS	3710.025	-46.41	-25	21.41	Pass	401
3720	3750	1	RMS	3720	-51.15	-40	11.15	Pass	401




1.30. LTE Band Edge_Part96(NTNV)(Subtest:2, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3692.95	11.42	30	18.58	Pass	401
3700	3701	0.2	RMS	3700.003	-34.49	-13	21.49	Pass	401
3701	3710	1	RMS	3701.023	-30.22	-13	17.22	Pass	401
3710	3720	1	RMS	3710.025	-35.16	-25	10.16	Pass	401
3720	3750	1	RMS	3720	-48.42	-40	8.42	Pass	31




1.31. LTE Band Edge_Part96(NTNV)(Subtest:3, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3698.95	23.46	30	6.54	Pass	401
3700	3701	0.01	RMS	3700.008	-37.31	-13	24.31	Pass	401
3701	3710	1	RMS	3701.023	-28.92	-13	15.92	Pass	401
3710	3720	1	RMS	3710.1	-46.45	-25	21.45	Pass	401
3720	3750	1	RMS	3720.075	-51.2	-40	11.2	Pass	401



1.32. LTE Band Edge_Part96(NTNV)(Subtest:4, Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3689.65	10.7	30	19.3	Pass	401
3700	3701	0.2	RMS	3700.025	-35.79	-13	22.79	Pass	401
3701	3710	1	RMS	3701.158	-30.72	-13	17.72	Pass	401
3710	3720	1	RMS	3710	-36.42	-25	11.42	Pass	401
3720	3750	1	RMS	3720	-48.96	-40	8.96	Pass	31



1. n48 30kHz


1.2. Band Edge for SA_Part96(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3503.6	-41.25	-40	1.25	Pass	401
3530	3540	1	RMS	3539.9	-47.12	-25	22.12	Pass	401
3540	3549	1	RMS	3549	-27.56	-13	14.56	Pass	401
3549	3550	0.1	RMS	3549.998	-33.31	-13	20.31	Pass	401
3550	3560	1	RMS	3550.85	19.26	40	20.74	Pass	401




1.3. Band Edge for SA_Part96(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3503.6	-47.28	-40	7.28	Pass	401
3530	3540	1	RMS	3539.975	-46.67	-25	21.67	Pass	401
3540	3549	1	RMS	3549	-31.29	-13	18.29	Pass	401
3549	3550	0.1	RMS	3549.99	-39.99	-13	26.99	Pass	401
3550	3560	1	RMS	3557.925	9.92	40	30.08	Pass	401




1.4. Band Edge for SA_Part96(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3699.1	18.38	40	21.62	Pass	401
3700	3701	0.1	RMS	3700	-37.73	-13	24.73	Pass	401
3701	3710	1	RMS	3701	-31.36	-13	18.36	Pass	401
3710	3720	1	RMS	3710.425	-48.17	-25	23.17	Pass	401
3720	3750	1	RMS	3748.125	-48.22	-40	8.22	Pass	401




1.5. Band Edge for SA_Part96(Subtest:4, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3690	3700	1	RMS	3697.9	9.02	40	30.98	Pass	401
3700	3701	0.1	RMS	3700.258	-42.5	-13	29.5	Pass	401
3701	3710	1	RMS	3701	-33.78	-13	20.78	Pass	401
3710	3720	1	RMS	3710	-47.88	-25	22.88	Pass	401
3720	3750	1	RMS	3740.4	-48.23	-40	8.23	Pass	401




1.6. Band Edge for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3502.175	-47.25	-40	7.25	Pass	401
3530	3540	1	RMS	3538.475	-46.68	-25	21.68	Pass	401
3540	3549	1	RMS	3549	-35.67	-13	22.67	Pass	401
3549	3550	0.051	RMS	3550	-44.86	-13	31.86	Pass	401
3550	3570	1	RMS	3551	19.24	40	20.76	Pass	401




1.7. Band Edge for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3500.375	-47.26	-40	7.26	Pass	401
3530	3540	1	RMS	3540	-40.35	-25	15.35	Pass	401
3540	3549	1	RMS	3548.753	-34.15	-13	21.15	Pass	401
3549	3550	0.2	RMS	3549.968	-39.85	-13	26.85	Pass	401
3550	3570	1	RMS	3561.45	6.61	40	33.39	Pass	401




1.8. Band Edge for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3699	18.39	40	21.61	Pass	401
3700	3701	0.051	RMS	3700.003	-45.96	-13	32.96	Pass	401
3701	3710	1	RMS	3701	-37.44	-13	24.44	Pass	401
3710	3720	1	RMS	3711.925	-47.62	-25	22.62	Pass	401
3720	3750	1	RMS	3749.025	-48.25	-40	8.25	Pass	401




1.9. Band Edge for SA_Part96(Subtest:4, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3680	3700	1	RMS	3688.65	5.73	40	34.27	Pass	401
3700	3701	0.2	RMS	3700.035	-42.61	-13	29.61	Pass	401
3701	3710	1	RMS	3701	-36.55	-13	23.55	Pass	401
3710	3720	1	RMS	3710.075	-42.83	-25	17.83	Pass	401
3720	3750	1	RMS	3749.175	-48.23	-40	8.23	Pass	401




1.10. Band Edge for SA_Part96(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3530	1	RMS	3503.675	-41.46	-40	1.46	Pass	401
3530	3540	1	RMS	3532.15	-43.91	-25	18.91	Pass	401
3540	3549	1	RMS	3549	-33.66	-13	20.66	Pass	401
3549	3550	0.051	RMS	3550	-33.73	-13	20.73	Pass	401
3550	3590	1	RMS	3551.1	19.24	40	20.76	Pass	401




1.11. Band Edge for SA_Part96(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3500	3529.5	1	RMS	3529.131	-42.31	-40	2.31	Pass	401
3530	3540	1	RMS	3539.925	-39.33	-25	14.33	Pass	401
3540	3549	1	RMS	3549	-36.79	-13	23.79	Pass	401
3549	3550	0.39	RMS	3549.998	-38.7	-13	25.7	Pass	401
3550	3590	1	RMS	3552	3.5	40	36.5	Pass	401




1.12. Band Edge for SA_Part96(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3698.9	18.29	40	21.71	Pass	401
3700	3701	0.051	RMS	3700.003	-37.69	-13	24.69	Pass	401
3701	3710	1	RMS	3701	-36.92	-13	23.92	Pass	401
3710	3720	1	RMS	3717.725	-43.55	-25	18.55	Pass	401
3720	3750	1	RMS	3728.7	-48.15	-40	8.15	Pass	401



1.13. Band Edge for SA_Part96(Subtest:4, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
3660	3700	1	RMS	3661.9	2.98	40	37.02	Pass	401
3700	3701	0.39	RMS	3700.003	-41.52	-13	28.52	Pass	401
3701	3710	1	RMS	3701.225	-39.3	-13	26.3	Pass	401
3710	3720	1	RMS	3710.2	-41.73	-25	16.73	Pass	401
3720.5	3750	1	RMS	3720.5	-44.4	-40	4.4	Pass	401



--BLANK BELOW--