



Transmit at 5745MHz by 802.11ac(20MHz)



Data List


| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1 | 5639.46 | 37.47 | 55.49 | 18.02 | 68.30 | 12.81 | PK | Horizo | PASS |
| 2 | 5659.29 | 37.90 | 55.98 | 18.08 | 75.20 | 19.22 | PK | Horizo | PASS |
| 3 | 5688.21 | 37.35 | 55.51 | 18.16 | 96.61 | 41.10 | PK | Horizo | PASS |
| 4 | 5722.34 | 37.98 | 56.25 | 18.27 | 116.23 | 59.98 | PK | Horizo | PASS |
| 5 | 5865.18 | 39.34 | 58.24 | 18.90 | 108.05 | 49.81 | PK | Horizo | PASS |
| 6 | 5880.13 | 39.29 | 58.27 | 18.98 | 101.49 | 43.22 | PK | Horizo | PASS |
| 7 | 5907.91 | 38.85 | 57.99 | 19.14 | 80.91 | 22.92 | PK | Horizo | PASS |
| 8 | 5944.80 | 39.33 | 58.65 | 19.32 | 68.30 | 9.65 | PK | Horizo | PASS |

Transmit at 5745MHz by 802.11ac(20MHz)




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5641.25 | 37.00 | 55.02 | 18.02 | 68.30 | 13.28 | PK | Vertic | PASS |
| 2 | 5685.94 | 37.29 | 55.45 | 18.16 | 94.93 | 39.48 | PK | Vertic | PASS |
| 3 | 5711.29 | 38.54 | 56.78 | 18.24 | 108.46 | 51.68 | PK | Vertic | PASS |
| 4 | 5721.53 | 44.91 | 63.18 | 18.27 | 114.38 | 51.20 | PK | Vertic | PASS |
| 5 | 5859.49 | 39.87 | 58.74 | 18.87 | 109.64 | 50.90 | PK | Vertic | PASS |
| 6 | 5895.24 | 38.61 | 57.68 | 19.07 | 90.29 | 32.61 | PK | Vertic | PASS |
| 7 | 5920.91 | 38.61 | 57.82 | 19.21 | 71.31 | 13.49 | PK | Vertic | PASS |
| 8 | 5937.00 | 39.01 | 58.30 | 19.29 | 68.30 | 10.00 | PK | Vertic | PASS |

Transmit at 5825MHz by 802.11ac(20MHz)




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5649.38 | 37.02 | 55.06 | 18.04 | 68.30 | 13.24 | PK | Horizo | PASS |
| 2 | 5684.31 | 37.50 | 55.65 | 18.15 | 93.73 | 38.08 | PK | Horizo | PASS |
| 3 | 5693.58 | 37.94 | 56.13 | 18.19 | 100.56 | 44.43 | PK | Horizo | PASS |
| 4 | 5718.44 | 38.48 | 56.74 | 18.26 | 110.46 | 53.72 | PK | Horizo | PASS |
| 5 | 5864.85 | 38.80 | 57.70 | 18.90 | 108.14 | 50.44 | PK | Horizo | PASS |
| 6 | 5877.36 | 38.86 | 57.83 | 18.97 | 103.54 | 45.71 | PK | Horizo | PASS |
| 7 | 5908.56 | 38.79 | 57.93 | 19.14 | 80.43 | 22.50 | PK | Horizo | PASS |
| 8 | 5933.43 | 38.87 | 58.14 | 19.27 | 68.30 | 10.16 | PK | Horizo | PASS |

Transmit at 5825MHz by 802.11ac(20MHz)




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5651.98 | 37.81 | 55.87 | 18.06 | 69.77 | 13.90 | PK | Vertic | PASS |
| 2 | 5658.31 | 37.57 | 55.64 | 18.07 | 74.47 | 18.83 | PK | Vertic | PASS |
| 3 | 5689.19 | 37.24 | 55.41 | 18.17 | 97.33 | 41.92 | PK | Vertic | PASS |
| 4 | 5714.54 | 38.26 | 56.50 | 18.24 | 109.37 | 52.87 | PK | Vertic | PASS |
| 5 | 5854.61 | 41.16 | 60.01 | 18.85 | 111.78 | 51.77 | PK | Vertic | PASS |
| 6 | 5884.03 | 38.96 | 57.97 | 19.01 | 98.60 | 40.63 | PK | Vertic | PASS |
| 7 | 5908.40 | 39.66 | 58.80 | 19.14 | 80.55 | 21.75 | PK | Vertic | PASS |
| 8 | 5921.73 | 38.50 | 57.71 | 19.21 | 70.71 | 13.00 | PK | Vertic | PASS |

Transmit at 5755MHz by 802.11ac(40MHz)




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5647.26 | 37.49 | 55.53 | 18.04 | 68.30 | 12.77 | PK | Horizo | PASS |
| 2 | 5686.43 | 38.04 | 56.20 | 18.16 | 95.29 | 39.09 | PK | Horizo | PASS |
| 3 | 5706.41 | 38.13 | 56.35 | 18.22 | 107.10 | 50.75 | PK | Horizo | PASS |
| 4 | 5713.08 | 38.32 | 56.56 | 18.24 | 108.96 | 52.40 | PK | Horizo | PASS |
| 5 | 5852.01 | 39.27 | 58.10 | 18.83 | 117.71 | 59.61 | PK | Horizo | PASS |
| 6 | 5874.44 | 39.53 | 58.48 | 18.95 | 105.46 | 46.98 | PK | Horizo | PASS |
| 7 | 5886.46 | 39.07 | 58.09 | 19.02 | 96.79 | 38.70 | PK | Horizo | PASS |
| 8 | 5911.81 | 38.78 | 57.94 | 19.16 | 78.03 | 20.09 | PK | Horizo | PASS |

Transmit at 5755MHz by 802.11ac(40MHz)




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5640.60 | 37.51 | 55.53 | 18.02 | 68.30 | 12.77 | PK | Vertic | PASS |
| 2 | 5660.10 | 37.32 | 55.40 | 18.08 | 75.80 | 20.40 | PK | Vertic | PASS |
| 3 | 5680.58 | 38.16 | 56.31 | 18.15 | 90.96 | 34.65 | PK | Vertic | PASS |
| 4 | 5710.31 | 44.43 | 62.66 | 18.23 | 108.19 | 45.53 | PK | Vertic | PASS |
| 5 | 5861.76 | 38.69 | 57.57 | 18.88 | 109.00 | 51.43 | PK | Vertic | PASS |
| 6 | 5883.54 | 38.65 | 57.65 | 19.00 | 98.96 | 41.31 | PK | Vertic | PASS |
| 7 | 5911.81 | 38.41 | 57.57 | 19.16 | 78.03 | 20.46 | PK | Vertic | PASS |
| 8 | 5947.08 | 38.71 | 58.05 | 19.34 | 68.30 | 10.25 | PK | Vertic | PASS |

Transmit at 5795MHz by 802.11ac(40MHz)




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5637.68 | 37.16 | 55.18 | 18.02 | 68.30 | 13.12 | PK | Horizo | PASS |
| 2 | 5673.10 | 37.14 | 55.26 | 18.12 | 85.43 | 30.17 | PK | Horizo | PASS |
| 3 | 5681.55 | 37.70 | 55.85 | 18.15 | 91.68 | 35.83 | PK | Horizo | PASS |
| 4 | 5720.55 | 38.08 | 56.35 | 18.27 | 112.15 | 55.80 | PK | Horizo | PASS |
| 5 | 5864.69 | 38.61 | 57.51 | 18.90 | 108.19 | 50.68 | PK | Horizo | PASS |
| 6 | 5882.89 | 38.90 | 57.90 | 19.00 | 99.44 | 41.54 | PK | Horizo | PASS |
| 7 | 5922.86 | 38.31 | 57.52 | 19.21 | 69.88 | 12.36 | PK | Horizo | PASS |
| 8 | 5943.66 | 38.50 | 57.82 | 19.32 | 68.30 | 10.48 | PK | Horizo | PASS |

Transmit at 5795MHz by 802.11ac(40MHz)




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5632.31 | 37.21 | 55.20 | 17.99 | 68.30 | 13.10 | PK | Vertic | PASS |
| 2 | 5648.24 | 36.97 | 55.01 | 18.04 | 68.30 | 13.29 | PK | Vertic | PASS |
| 3 | 5688.54 | 37.31 | 55.47 | 18.16 | 96.85 | 41.38 | PK | Vertic | PASS |
| 4 | 5702.03 | 37.47 | 55.67 | 18.20 | 105.87 | 50.20 | PK | Vertic | PASS |
| 5 | 5861.76 | 39.33 | 58.21 | 18.88 | 109.00 | 50.79 | PK | Vertic | PASS |
| 6 | 5886.63 | 39.03 | 58.05 | 19.02 | 96.67 | 38.62 | PK | Vertic | PASS |
| 7 | 5897.35 | 38.23 | 57.31 | 19.08 | 88.72 | 31.41 | PK | Vertic | PASS |
| 8 | 5946.43 | 38.20 | 57.54 | 19.34 | 68.30 | 10.76 | PK | Vertic | PASS |

Transmit at 5775MHz by 802.11ac(80MHz)




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5633.13 | 37.37 | 55.37 | 18.00 | 68.30 | 12.93 | PK | Horizo | PASS |
| 2 | 5683.50 | 37.61 | 55.76 | 18.15 | 93.13 | 37.37 | PK | Horizo | PASS |
| 3 | 5701.38 | 37.95 | 56.15 | 18.20 | 105.69 | 49.54 | PK | Horizo | PASS |
| 4 | 5718.76 | 38.43 | 56.69 | 18.26 | 110.55 | 53.86 | PK | Horizo | PASS |
| 5 | 5856.08 | 39.25 | 58.10 | 18.85 | 110.60 | 52.50 | PK | Horizo | PASS |
| 6 | 5869.73 | 38.50 | 57.43 | 18.93 | 106.78 | 49.35 | PK | Horizo | PASS |
| 7 | 5919.78 | 38.69 | 57.89 | 19.20 | 72.15 | 14.26 | PK | Horizo | PASS |
| 8 | 5930.99 | 38.68 | 57.93 | 19.25 | 68.30 | 10.37 | PK | Horizo | PASS |

Transmit at 5775MHz by 802.11ac(80MHz)




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5655.23 | 37.62 | 55.69 | 18.07 | 72.18 | 16.49 | PK | Vertic | PASS |
| 2 | 5679.93 | 40.15 | 58.29 | 18.14 | 90.48 | 32.19 | PK | Vertic | PASS |
| 3 | 5695.69 | 42.34 | 60.53 | 18.19 | 102.12 | 41.59 | PK | Vertic | PASS |
| 4 | 5712.91 | 44.56 | 62.80 | 18.24 | 108.92 | 46.12 | PK | Vertic | PASS |
| 5 | 5851.69 | 42.11 | 60.94 | 18.83 | 118.45 | 57.51 | PK | Vertic | PASS |
| 6 | 5868.59 | 40.91 | 59.83 | 18.92 | 107.09 | 47.26 | PK | Vertic | PASS |
| 7 | 5911.49 | 38.34 | 57.50 | 19.16 | 78.27 | 20.77 | PK | Vertic | PASS |
| 8 | 5943.50 | 38.90 | 58.22 | 19.32 | 68.30 | 10.08 | PK | Vertic | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU26-0




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 4937.20 | 39.85 | 55.86 | 16.01 | 74.00 | 18.14 | PK | Horizo | PASS |
| 2 | 5150.00 | 35.95 | 52.33 | 16.38 | 74.00 | 21.67 | PK | Horizo | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU26-0




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 4846.29 | 29.19 | 45.09 | 15.90 | 54.00 | 8.91 | AV | Horizo | PASS |
| 2 | 5150.00 | 27.69 | 44.07 | 16.38 | 54.00 | 9.93 | AV | Horizo | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU26-0




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 4801.62 | 38.77 | 54.71 | 15.94 | 74.00 | 19.29 | PK | Vertic | PASS |
| 2 | 5150.00 | 35.51 | 51.89 | 16.38 | 74.00 | 22.11 | PK | Vertic | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU26-0




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 4858.28 | 29.23 | 45.13 | 15.90 | 54.00 | 8.87 | AV | Vertic | PASS |
| 2 | 5150.00 | 27.81 | 44.19 | 16.38 | 54.00 | 9.81 | AV | Vertic | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU26-0




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 36.96 | 54.40 | 17.44 | 68.30 | 13.90 | PK | Horizo | PASS |
| 2 | 5469.20 | 38.75 | 56.28 | 17.53 | 68.30 | 12.02 | PK | Horizo | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU26-0




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5447.18 | 27.85 | 45.17 | 17.32 | 54.00 | 8.83 | AV | Horizo | PASS |
| 2 | 5460.00 | 26.98 | 44.42 | 17.44 | 54.00 | 9.58 | AV | Horizo | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU26-0




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 38.56 | 56.00 | 17.44 | 68.30 | 12.30 | PK | Vertic | PASS |
| 2 | 5462.64 | 40.03 | 57.49 | 17.46 | 68.30 | 10.81 | PK | Vertic | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU26-0




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5435.60 | 27.94 | 45.15 | 17.21 | 54.00 | 8.85 | AV | Vertic | PASS |
| 2 | 5460.00 | 26.92 | 44.36 | 17.44 | 54.00 | 9.64 | AV | Vertic | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU52-37




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5144.81 | 39.05 | 55.44 | 16.39 | 74.00 | 18.56 | PK | Horizo | PASS |
| 2 | 5150.00 | 35.35 | 51.73 | 16.38 | 74.00 | 22.27 | PK | Horizo | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU52-37




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 4863.46 | 29.16 | 45.06 | 15.90 | 54.00 | 8.94 | AV | Horizo | PASS |
| 2 | 5150.00 | 27.94 | 44.32 | 16.38 | 54.00 | 9.68 | AV | Horizo | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU52-37




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5142.30 | 50.17 | 66.57 | 16.40 | 74.00 | 7.43 | PK | Vertic | PASS |
| 2 | 5150.00 | 36.53 | 52.91 | 16.38 | 74.00 | 21.09 | PK | Vertic | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU52-37




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 4845.17 | 29.31 | 45.21 | 15.90 | 54.00 | 8.79 | AV | Vertic | PASS |
| 2 | 5150.00 | 28.18 | 44.56 | 16.38 | 54.00 | 9.44 | AV | Vertic | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU52-37




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 37.16 | 54.60 | 17.44 | 68.30 | 13.70 | PK | Horizo | PASS |
| 2 | 5463.39 | 38.93 | 56.41 | 17.48 | 68.30 | 11.89 | PK | Horizo | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU52-37




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5449.52 | 28.02 | 45.36 | 17.34 | 54.00 | 8.64 | AV | Horizo | PASS |
| 2 | 5460.00 | 26.90 | 44.34 | 17.44 | 54.00 | 9.66 | AV | Horizo | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU52-37




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 37.37 | 54.81 | 17.44 | 68.30 | 13.49 | PK | Vertic | PASS |
| 2 | 5469.15 | 41.15 | 58.68 | 17.53 | 68.30 | 9.62 | PK | Vertic | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU52-37




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5444.38 | 27.90 | 45.19 | 17.29 | 54.00 | 8.81 | AV | Vertic | PASS |
| 2 | 5460.00 | 27.32 | 44.76 | 17.44 | 54.00 | 9.24 | AV | Vertic | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5142.74 | 38.75 | 55.14 | 16.39 | 74.00 | 18.86 | PK | Horizo | PASS |
| 2 | 5150.00 | 35.15 | 51.53 | 16.38 | 74.00 | 22.47 | PK | Horizo | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5126.69 | 28.85 | 45.27 | 16.42 | 54.00 | 8.73 | AV | Horizo | PASS |
| 2 | 5150.00 | 27.77 | 44.15 | 16.38 | 54.00 | 9.85 | AV | Horizo | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5148.77 | 48.56 | 64.95 | 16.39 | 74.00 | 9.05 | PK | Vertic | PASS |
| 2 | 5150.00 | 44.10 | 60.48 | 16.38 | 74.00 | 13.52 | PK | Vertic | PASS |

Transmit at 5180MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5147.48 | 28.73 | 45.12 | 16.39 | 54.00 | 8.88 | AV | Vertic | PASS |
| 2 | 5150.00 | 28.36 | 44.74 | 16.38 | 54.00 | 9.26 | AV | Vertic | PASS |

Transmit at 5320MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 34.07 | 50.80 | 16.73 | 74.00 | 23.20 | PK | Horizo | PASS |
| 2 | 5356.52 | 36.20 | 52.95 | 16.75 | 74.00 | 21.05 | PK | Horizo | PASS |

Transmit at 5320MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 26.24 | 42.97 | 16.73 | 54.00 | 11.03 | AV | Horizo | PASS |
| 2 | 5379.41 | 26.75 | 43.56 | 16.81 | 54.00 | 10.44 | AV | Horizo | PASS |

Transmit at 5320MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 35.57 | 52.30 | 16.73 | 74.00 | 21.70 | PK | Vertic | PASS |
| 2 | 5357.83 | 37.44 | 54.19 | 16.75 | 74.00 | 19.81 | PK | Vertic | PASS |

Transmit at 5320MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 27.61 | 44.34 | 16.73 | 54.00 | 9.66 | AV | Vertic | PASS |
| 2 | 5354.18 | 27.98 | 44.72 | 16.74 | 54.00 | 9.28 | AV | Vertic | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 37.87 | 55.31 | 17.44 | 68.30 | 12.99 | PK | Horizo | PASS |
| 2 | 5467.87 | 43.48 | 61.00 | 17.52 | 68.30 | 7.30 | PK | Horizo | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5451.12 | 28.04 | 45.40 | 17.36 | 54.00 | 8.60 | AV | Horizo | PASS |
| 2 | 5460.00 | 27.22 | 44.66 | 17.44 | 54.00 | 9.34 | AV | Horizo | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 39.63 | 57.07 | 17.44 | 68.30 | 11.23 | PK | Vertic | PASS |
| 2 | 5468.03 | 45.74 | 63.26 | 17.52 | 68.30 | 5.04 | PK | Vertic | PASS |

Transmit at 5500MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5455.60 | 29.28 | 46.68 | 17.40 | 54.00 | 7.32 | AV | Vertic | PASS |
| 2 | 5460.00 | 28.39 | 45.83 | 17.44 | 54.00 | 8.17 | AV | Vertic | PASS |

Transmit at 5700MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5725.00 | 36.09 | 54.37 | 18.28 | 68.30 | 13.93 | PK | Horizo | PASS |
| 2 | 5727.80 | 40.06 | 58.35 | 18.29 | 68.30 | 9.95 | PK | Horizo | PASS |

Transmit at 5700MHz by 802.11ax(20Mhz) with RU106-53




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5725.00 | 38.57 | 56.85 | 18.28 | 68.30 | 11.45 | PK | Vertic | PASS |
| 2 | 5728.90 | 45.51 | 63.81 | 18.30 | 68.30 | 4.49 | PK | Vertic | PASS |

Transmit at 5700MHz by 802.11be(20Mhz) with RU52+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5725.00 | 44.04 | 62.32 | 18.28 | 68.30 | 5.98 | PK | Vertic | PASS |
| 2 | 5729.20 | 45.15 | 63.45 | 18.30 | 68.30 | 4.85 | PK | Vertic | PASS |

Transmit at 5180MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5027.07 | 38.80 | 55.10 | 16.30 | 74.00 | 18.90 | PK | Horizo | PASS |
| 2 | 5150.00 | 35.65 | 52.03 | 16.38 | 74.00 | 21.97 | PK | Horizo | PASS |

Transmit at 5180MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5148.34 | 28.63 | 45.02 | 16.39 | 54.00 | 8.98 | AV | Horizo | PASS |
| 2 | 5150.00 | 28.23 | 44.61 | 16.38 | 54.00 | 9.39 | AV | Horizo | PASS |

Transmit at 5180MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5143.77 | 43.55 | 59.94 | 16.39 | 74.00 | 14.06 | PK | Vertic | PASS |
| 2 | 5150.00 | 40.41 | 56.79 | 16.38 | 74.00 | 17.21 | PK | Vertic | PASS |

Transmit at 5180MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5149.29 | 32.29 | 48.68 | 16.39 | 54.00 | 5.32 | AV | Vertic | PASS |
| 2 | 5150.00 | 31.06 | 47.44 | 16.38 | 54.00 | 6.56 | AV | Vertic | PASS |

Transmit at 5320MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 34.45 | 51.18 | 16.73 | 74.00 | 22.82 | PK | Horizo | PASS |
| 2 | 5354.23 | 37.21 | 53.95 | 16.74 | 74.00 | 20.05 | PK | Horizo | PASS |

Transmit at 5320MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 26.39 | 43.12 | 16.73 | 54.00 | 10.88 | AV | Horizo | PASS |
| 2 | 5356.07 | 27.74 | 44.49 | 16.75 | 54.00 | 9.51 | AV | Horizo | PASS |

Transmit at 5320MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 40.67 | 57.40 | 16.73 | 74.00 | 16.60 | PK | Vertic | PASS |
| 2 | 5351.29 | 41.06 | 57.79 | 16.73 | 74.00 | 16.21 | PK | Vertic | PASS |

Transmit at 5320MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 31.06 | 47.79 | 16.73 | 54.00 | 6.21 | AV | Vertic | PASS |
| 2 | 5351.87 | 31.31 | 48.04 | 16.73 | 54.00 | 5.96 | AV | Vertic | PASS |

Transmit at 5500MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 37.33 | 54.77 | 17.44 | 68.30 | 13.53 | PK | Horizo | PASS |
| 2 | 5461.36 | 39.10 | 56.55 | 17.45 | 68.30 | 11.75 | PK | Horizo | PASS |

Transmit at 5500MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5454.82 | 27.89 | 45.28 | 17.39 | 54.00 | 8.72 | AV | Horizo | PASS |
| 2 | 5460.00 | 27.11 | 44.55 | 17.44 | 54.00 | 9.45 | AV | Horizo | PASS |

Transmit at 5500MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 38.18 | 55.62 | 17.44 | 68.30 | 12.68 | PK | Vertic | PASS |
| 2 | 5468.93 | 45.22 | 62.75 | 17.53 | 68.30 | 5.55 | PK | Vertic | PASS |

Transmit at 5500MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5442.52 | 28.66 | 45.94 | 17.28 | 54.00 | 8.06 | AV | Vertic | PASS |
| 2 | 5460.00 | 27.38 | 44.82 | 17.44 | 54.00 | 9.18 | AV | Vertic | PASS |

Transmit at 5700MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5725.00 | 40.60 | 58.88 | 18.28 | 68.30 | 9.42 | PK | Horizo | PASS |
| 2 | 5725.50 | 40.86 | 59.15 | 18.29 | 68.30 | 9.15 | PK | Horizo | PASS |

Transmit at 5700MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5725.00 | 42.73 | 61.01 | 18.28 | 68.30 | 7.29 | PK | Vertic | PASS |
| 2 | 5726.35 | 44.97 | 63.26 | 18.29 | 68.30 | 5.04 | PK | Vertic | PASS |

Transmit at 5210MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5118.84 | 38.92 | 55.35 | 16.43 | 74.00 | 18.65 | PK | Horizo | PASS |
| 2 | 5150.00 | 35.44 | 51.82 | 16.38 | 74.00 | 22.18 | PK | Horizo | PASS |

Transmit at 5210MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5147.34 | 29.22 | 45.61 | 16.39 | 54.00 | 8.39 | AV | Horizo | PASS |
| 2 | 5150.00 | 28.48 | 44.86 | 16.38 | 54.00 | 9.14 | AV | Horizo | PASS |

Transmit at 5210MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5139.75 | 41.19 | 57.59 | 16.40 | 74.00 | 16.41 | PK | Vertic | PASS |
| 2 | 5150.00 | 41.10 | 57.48 | 16.38 | 74.00 | 16.52 | PK | Vertic | PASS |

Transmit at 5210MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5136.38 | 32.89 | 49.29 | 16.40 | 54.00 | 4.71 | AV | Vertic | PASS |
| 2 | 5150.00 | 31.48 | 47.86 | 16.38 | 54.00 | 6.14 | AV | Vertic | PASS |

Transmit at 5290MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 34.19 | 50.92 | 16.73 | 74.00 | 23.08 | PK | Horizo | PASS |
| 2 | 5383.25 | 36.36 | 53.19 | 16.83 | 74.00 | 20.81 | PK | Horizo | PASS |

Transmit at 5290MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 26.31 | 43.04 | 16.73 | 54.00 | 10.96 | AV | Horizo | PASS |
| 2 | 5393.69 | 27.05 | 43.90 | 16.85 | 54.00 | 10.10 | AV | Horizo | PASS |

Transmit at 5290MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 38.15 | 54.88 | 16.73 | 74.00 | 19.12 | PK | Vertic | PASS |
| 2 | 5356.13 | 39.71 | 56.46 | 16.75 | 74.00 | 17.54 | PK | Vertic | PASS |

Transmit at 5290MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 30.14 | 46.87 | 16.73 | 54.00 | 7.13 | AV | Vertic | PASS |
| 2 | 5353.95 | 32.78 | 49.52 | 16.74 | 54.00 | 4.48 | AV | Vertic | PASS |

Transmit at 5530MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 36.80 | 54.24 | 17.44 | 68.30 | 14.06 | PK | Horizo | PASS |
| 2 | 5463.89 | 39.64 | 57.12 | 17.48 | 68.30 | 11.18 | PK | Horizo | PASS |

Transmit at 5530MHz by 802.11be(80MHz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5458.49 | 28.22 | 45.64 | 17.42 | 54.00 | 8.36 | AV | Horizo | PASS |
| 2 | 5460.00 | 27.82 | 45.26 | 17.44 | 54.00 | 8.74 | AV | Horizo | PASS |

Transmit at 5530MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 41.68 | 59.12 | 17.44 | 68.30 | 9.18 | PK | Vertic | PASS |
| 2 | 5464.91 | 43.00 | 60.49 | 17.49 | 68.30 | 7.81 | PK | Vertic | PASS |

Transmit at 5530MHz by 802.11be(80Mhz) with Puncturing 20M



| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5457.55 | 30.28 | 47.69 | 17.41 | 54.00 | 6.31 | AV | Vertic | PASS |
| 2 | 5460.00 | 29.01 | 46.45 | 17.44 | 54.00 | 7.55 | AV | Vertic | PASS |


Transmit at 5610MHz by 802.11be(80Mhz) with Puncturing 20M



| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5464.96 | 38.84 | 56.33 | 17.49 | 68.30 | 11.97 | PK | Horizo | PASS |
| 2 | 5725.00 | 36.95 | 55.24 | 18.29 | 68.30 | 13.06 | PK | Horizo | PASS |

Transmit at 5610MHz by 802.11be(80Mhz) with Puncturing 20M


Test Graph



Data List

| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1 | 5453.54 | 27.99 | 45.37 | 17.38 | 54.00 | 8.63 | AV | Horizo | PASS |
| 2 | 5460.00 | 27.36 | 44.80 | 17.44 | 54.00 | 9.20 | AV | Horizo | PASS |


Transmit at 5610MHz by 802.11be(80Mhz) with Puncturing 20M



| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5463.99 | 38.63 | 56.11 | 17.48 | 68.30 | 12.19 | PK | Vertic | PASS |
| 2 | 5725.00 | 36.08 | 54.37 | 18.29 | 68.30 | 13.93 | PK | Vertic | PASS |

Transmit at 5610MHz by 802.11be(80Mhz) with Puncturing 20M


Test Graph



Data List


| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1 | 5455.93 | 27.88 | 45.28 | 17.40 | 54.00 | 8.72 | AV | Vertic | PASS |
| 2 | 5460.00 | 27.47 | 44.91 | 17.44 | 54.00 | 9.09 | AV | Vertic | PASS |

Transmit at 5210MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5131.03 | 37.84 | 54.25 | 16.41 | 74.00 | 19.75 | PK | Horizo | PASS |
| 2 | 5150.00 | 35.52 | 51.90 | 16.38 | 74.00 | 22.10 | PK | Horizo | PASS |

Transmit at 5210MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5140.03 | 29.20 | 45.60 | 16.40 | 54.00 | 8.40 | AV | Horizo | PASS |
| 2 | 5150.00 | 28.50 | 44.88 | 16.38 | 54.00 | 9.12 | AV | Horizo | PASS |

Transmit at 5210MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5135.44 | 41.67 | 58.07 | 16.40 | 74.00 | 15.93 | PK | Vertic | PASS |
| 2 | 5150.00 | 40.20 | 56.58 | 16.38 | 74.00 | 17.42 | PK | Vertic | PASS |

Transmit at 5210MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5140.50 | 33.31 | 49.71 | 16.40 | 54.00 | 4.29 | AV | Vertic | PASS |
| 2 | 5150.00 | 33.00 | 49.38 | 16.38 | 54.00 | 4.62 | AV | Vertic | PASS |

Transmit at 5290MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 35.19 | 51.92 | 16.73 | 74.00 | 22.08 | PK | Horizo | PASS |
| 2 | 5388.47 | 36.07 | 52.91 | 16.84 | 74.00 | 21.09 | PK | Horizo | PASS |

Transmit at 5290MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 26.05 | 42.78 | 16.73 | 54.00 | 11.22 | AV | Horizo | PASS |
| 2 | 5392.35 | 27.01 | 43.86 | 16.85 | 54.00 | 10.14 | AV | Horizo | PASS |

Transmit at 5290MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 32.08 | 48.81 | 16.73 | 74.00 | 25.19 | PK | Vertic | PASS |
| 2 | 5389.28 | 36.31 | 53.15 | 16.84 | 74.00 | 20.85 | PK | Vertic | PASS |

Transmit at 5290MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 26.32 | 43.05 | 16.73 | 54.00 | 10.95 | AV | Vertic | PASS |
| 2 | 5353.16 | 27.79 | 44.53 | 16.74 | 54.00 | 9.47 | AV | Vertic | PASS |

Transmit at 5530MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 37.37 | 54.81 | 17.44 | 68.30 | 13.49 | PK | Horizo | PASS |
| 2 | 5465.79 | 39.56 | 57.05 | 17.49 | 68.30 | 11.25 | PK | Horizo | PASS |

Transmit at 5530MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5457.99 | 29.00 | 46.42 | 17.42 | 54.00 | 7.58 | AV | Horizo | PASS |
| 2 | 5460.00 | 28.25 | 45.69 | 17.44 | 54.00 | 8.31 | AV | Horizo | PASS |

Transmit at 5530MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 42.30 | 59.74 | 17.44 | 68.30 | 8.56 | PK | Vertic | PASS |
| 2 | 5466.09 | 45.07 | 62.57 | 17.50 | 68.30 | 5.73 | PK | Vertic | PASS |

Transmit at 5530MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5455.93 | 32.57 | 49.97 | 17.40 | 54.00 | 4.03 | AV | Vertic | PASS |
| 2 | 5460.00 | 31.75 | 49.19 | 17.44 | 54.00 | 4.81 | AV | Vertic | PASS |

Transmit at 5610MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5461.64 | 39.71 | 57.16 | 17.45 | 68.30 | 11.14 | PK | Horizo | PASS |
| 2 | 5725.00 | 36.37 | 54.66 | 18.29 | 68.30 | 13.64 | PK | Horizo | PASS |

Transmit at 5610MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5451.99 | 27.94 | 45.30 | 17.36 | 54.00 | 8.70 | AV | Horizo | PASS |
| 2 | 5460.00 | 27.04 | 44.48 | 17.44 | 54.00 | 9.52 | AV | Horizo | PASS |

Transmit at 5610MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5463.71 | 38.93 | 56.41 | 17.48 | 68.30 | 11.89 | PK | Vertic | PASS |
| 2 | 5725.00 | 36.44 | 54.73 | 18.29 | 68.30 | 13.57 | PK | Vertic | PASS |

Transmit at 5610MHz by 802.11be(80Mhz) with RU484+242




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5450.38 | 28.07 | 45.42 | 17.35 | 54.00 | 8.58 | AV | Vertic | PASS |
| 2 | 5460.00 | 27.03 | 44.47 | 17.44 | 54.00 | 9.53 | AV | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5025.48 | 38.25 | 54.54 | 16.29 | 74.00 | 19.46 | PK | Horizo | PASS |
| 2 | 5150.00 | 34.99 | 51.37 | 16.38 | 74.00 | 22.63 | PK | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5129.16 | 28.68 | 45.09 | 16.41 | 54.00 | 8.91 | AV | Horizo | PASS |
| 2 | 5150.00 | 28.21 | 44.59 | 16.38 | 54.00 | 9.41 | AV | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5142.60 | 38.86 | 55.25 | 16.39 | 74.00 | 18.75 | PK | Vertic | PASS |
| 2 | 5150.00 | 35.37 | 51.75 | 16.38 | 74.00 | 22.25 | PK | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5141.40 | 30.61 | 47.01 | 16.40 | 54.00 | 6.99 | AV | Vertic | PASS |
| 2 | 5150.00 | 28.60 | 44.98 | 16.38 | 54.00 | 9.02 | AV | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 35.33 | 52.06 | 16.73 | 74.00 | 21.94 | PK | Horizo | PASS |
| 2 | 5397.72 | 36.86 | 53.72 | 16.86 | 74.00 | 20.28 | PK | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 25.74 | 42.47 | 16.73 | 54.00 | 11.53 | AV | Horizo | PASS |
| 2 | 5418.96 | 27.52 | 44.57 | 17.05 | 54.00 | 9.43 | AV | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 36.14 | 52.87 | 16.73 | 74.00 | 21.13 | PK | Vertic | PASS |
| 2 | 5365.56 | 39.77 | 56.54 | 16.77 | 74.00 | 17.46 | PK | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 27.79 | 44.52 | 16.73 | 54.00 | 9.48 | AV | Vertic | PASS |
| 2 | 5398.32 | 30.75 | 47.62 | 16.87 | 54.00 | 6.38 | AV | Vertic | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 37.84 | 55.28 | 17.44 | 68.30 | 13.02 | PK | Horizo | PASS |
| 2 | 5465.60 | 38.87 | 56.36 | 17.49 | 68.30 | 11.94 | PK | Horizo | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5448.89 | 27.86 | 45.19 | 17.33 | 54.00 | 8.81 | AV | Horizo | PASS |
| 2 | 5460.00 | 27.24 | 44.68 | 17.44 | 54.00 | 9.32 | AV | Horizo | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 36.94 | 54.38 | 17.44 | 68.30 | 13.92 | PK | Vertic | PASS |
| 2 | 5463.50 | 38.61 | 56.09 | 17.48 | 68.30 | 12.21 | PK | Vertic | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5452.49 | 28.24 | 45.61 | 17.37 | 54.00 | 8.39 | AV | Vertic | PASS |
| 2 | 5460.00 | 27.12 | 44.56 | 17.44 | 54.00 | 9.44 | AV | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5118.72 | 39.16 | 55.58 | 16.42 | 74.00 | 18.42 | PK | Horizo | PASS |
| 2 | 5150.00 | 34.93 | 51.31 | 16.38 | 74.00 | 22.69 | PK | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5112.84 | 28.37 | 44.79 | 16.42 | 54.00 | 9.21 | AV | Horizo | PASS |
| 2 | 5150.00 | 27.95 | 44.33 | 16.38 | 54.00 | 9.67 | AV | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 40M



| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5142.00 | 37.76 | 54.16 | 16.40 | 74.00 | 19.84 | PK | Vertic | PASS |
| 2 | 5150.00 | 35.57 | 51.95 | 16.38 | 74.00 | 22.05 | PK | Vertic | PASS |


Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 40M



Data List


| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
|----|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| 1 | 5138.64 | 29.26 | 45.66 | 16.40 | 54.00 | 8.34 | AV | Vertic | PASS |
| 2 | 5150.00 | 27.84 | 44.22 | 16.38 | 54.00 | 9.78 | AV | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 32.27 | 49.00 | 16.73 | 74.00 | 25.00 | PK | Horizo | PASS |
| 2 | 5394.48 | 36.09 | 52.95 | 16.86 | 74.00 | 21.05 | PK | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 25.30 | 42.03 | 16.73 | 54.00 | 11.97 | AV | Horizo | PASS |
| 2 | 5405.28 | 26.92 | 43.84 | 16.92 | 54.00 | 10.16 | AV | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 35.31 | 52.04 | 16.73 | 74.00 | 21.96 | PK | Vertic | PASS |
| 2 | 5378.28 | 37.19 | 53.99 | 16.80 | 74.00 | 20.01 | PK | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 26.48 | 43.21 | 16.73 | 54.00 | 10.79 | AV | Vertic | PASS |
| 2 | 5454.24 | 27.88 | 45.26 | 17.38 | 54.00 | 8.74 | AV | Vertic | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 37.42 | 54.86 | 17.44 | 68.30 | 13.44 | PK | Horizo | PASS |
| 2 | 5469.80 | 38.80 | 56.33 | 17.53 | 68.30 | 11.97 | PK | Horizo | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5456.28 | 28.22 | 45.63 | 17.41 | 54.00 | 8.37 | AV | Horizo | PASS |
| 2 | 5460.00 | 27.28 | 44.72 | 17.44 | 54.00 | 9.28 | AV | Horizo | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 37.65 | 55.09 | 17.44 | 68.30 | 13.21 | PK | Vertic | PASS |
| 2 | 5465.50 | 39.63 | 57.12 | 17.49 | 68.30 | 11.18 | PK | Vertic | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Puncturing 40M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5450.28 | 28.93 | 46.28 | 17.35 | 54.00 | 7.72 | AV | Vertic | PASS |
| 2 | 5460.00 | 28.78 | 46.22 | 17.44 | 54.00 | 7.78 | AV | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5110.44 | 38.04 | 54.47 | 16.43 | 74.00 | 19.53 | PK | Horizo | PASS |
| 2 | 5150.00 | 37.51 | 53.89 | 16.38 | 74.00 | 20.11 | PK | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5139.00 | 28.49 | 44.89 | 16.40 | 54.00 | 9.11 | AV | Horizo | PASS |
| 2 | 5150.00 | 27.97 | 44.35 | 16.38 | 54.00 | 9.65 | AV | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 4966.32 | 38.68 | 54.79 | 16.11 | 74.00 | 19.21 | PK | Vertic | PASS |
| 2 | 5150.00 | 34.78 | 51.16 | 16.38 | 74.00 | 22.84 | PK | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5138.04 | 28.91 | 45.31 | 16.40 | 54.00 | 8.69 | AV | Vertic | PASS |
| 2 | 5150.00 | 28.22 | 44.60 | 16.38 | 54.00 | 9.40 | AV | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 33.04 | 49.77 | 16.73 | 74.00 | 24.23 | PK | Horizo | PASS |
| 2 | 5370.48 | 36.17 | 52.95 | 16.78 | 74.00 | 21.05 | PK | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 25.41 | 42.14 | 16.73 | 54.00 | 11.86 | AV | Horizo | PASS |
| 2 | 5410.32 | 27.01 | 43.97 | 16.96 | 54.00 | 10.03 | AV | Horizo | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 33.54 | 50.27 | 16.73 | 74.00 | 23.73 | PK | Vertic | PASS |
| 2 | 5384.64 | 36.42 | 53.25 | 16.83 | 74.00 | 20.75 | PK | Vertic | PASS |

Transmit at 5250MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5350.00 | 25.98 | 42.71 | 16.73 | 54.00 | 11.29 | AV | Vertic | PASS |
| 2 | 5391.12 | 27.48 | 44.33 | 16.85 | 54.00 | 9.67 | AV | Vertic | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 37.02 | 54.46 | 17.44 | 68.30 | 13.84 | PK | Horizo | PASS |
| 2 | 5466.40 | 39.33 | 56.83 | 17.50 | 68.30 | 11.47 | PK | Horizo | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5457.81 | 28.80 | 46.22 | 17.42 | 54.00 | 7.78 | AV | Horizo | PASS |
| 2 | 5460.00 | 27.08 | 44.52 | 17.44 | 54.00 | 9.48 | AV | Horizo | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5460.00 | 39.37 | 56.81 | 17.44 | 68.30 | 11.49 | PK | Vertic | PASS |
| 2 | 5462.30 | 40.55 | 58.01 | 17.46 | 68.30 | 10.29 | PK | Vertic | PASS |

Transmit at 5570MHz by 802.11be(160Mhz) with Large RU996+484




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5459.01 | 31.01 | 48.44 | 17.43 | 54.00 | 5.56 | AV | Vertic | PASS |
| 2 | 5460.00 | 29.86 | 47.30 | 17.44 | 54.00 | 6.70 | AV | Vertic | PASS |

Transmit at 5745MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5642.88 | 37.89 | 55.92 | 18.03 | 68.30 | 12.38 | PK | Horizo | PASS |
| 2 | 5660.75 | 37.64 | 55.72 | 18.08 | 76.28 | 20.56 | PK | Horizo | PASS |
| 3 | 5675.38 | 37.44 | 55.56 | 18.12 | 87.12 | 31.56 | PK | Horizo | PASS |
| 4 | 5718.60 | 46.18 | 64.44 | 18.26 | 110.51 | 46.07 | PK | Horizo | PASS |
| 5 | 5864.69 | 38.28 | 57.18 | 18.90 | 108.19 | 51.01 | PK | Horizo | PASS |
| 6 | 5888.90 | 38.57 | 57.60 | 19.03 | 94.98 | 37.38 | PK | Horizo | PASS |
| 7 | 5915.23 | 38.32 | 57.50 | 19.18 | 75.51 | 18.01 | PK | Horizo | PASS |
| 8 | 5928.88 | 38.24 | 57.49 | 19.25 | 68.30 | 10.81 | PK | Horizo | PASS |

Transmit at 5745MHz by 802.11be(20Mhz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5635.40 | 37.12 | 55.12 | 18.00 | 68.30 | 13.18 | PK | Vertic | PASS |
| 2 | 5667.90 | 37.00 | 55.11 | 18.11 | 81.58 | 26.47 | PK | Vertic | PASS |
| 3 | 5699.26 | 38.01 | 56.21 | 18.20 | 104.76 | 48.55 | PK | Vertic | PASS |
| 4 | 5718.44 | 51.63 | 69.89 | 18.26 | 110.46 | 40.57 | PK | Vertic | PASS |
| 5 | 5867.78 | 38.32 | 57.24 | 18.92 | 107.32 | 50.08 | PK | Vertic | PASS |
| 6 | 5878.01 | 38.19 | 57.17 | 18.98 | 103.06 | 45.89 | PK | Vertic | PASS |
| 7 | 5904.99 | 38.15 | 57.27 | 19.12 | 83.07 | 25.80 | PK | Vertic | PASS |
| 8 | 5929.69 | 39.43 | 58.68 | 19.25 | 68.30 | 9.62 | PK | Vertic | PASS |

Transmit at 5825MHz by 802.11be(20MHz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5643.69 | 36.64 | 54.67 | 18.03 | 68.30 | 13.63 | PK | Horizo | PASS |
| 2 | 5661.08 | 37.82 | 55.90 | 18.08 | 76.52 | 20.62 | PK | Horizo | PASS |
| 3 | 5686.26 | 38.47 | 56.63 | 18.16 | 95.17 | 38.54 | PK | Horizo | PASS |
| 4 | 5721.85 | 37.33 | 55.60 | 18.27 | 115.12 | 59.52 | PK | Horizo | PASS |
| 5 | 5861.60 | 40.65 | 59.53 | 18.88 | 109.05 | 49.52 | PK | Horizo | PASS |
| 6 | 5873.63 | 39.01 | 57.96 | 18.95 | 105.68 | 47.72 | PK | Horizo | PASS |
| 7 | 5904.18 | 37.90 | 57.02 | 19.12 | 83.67 | 26.65 | PK | Horizo | PASS |
| 8 | 5932.94 | 38.18 | 57.45 | 19.27 | 68.30 | 10.85 | PK | Horizo | PASS |

Transmit at 5825MHz by 802.11be(20MHz) with RU106+26




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5637.19 | 37.38 | 55.40 | 18.02 | 68.30 | 12.90 | PK | Vertic | PASS |
| 2 | 5665.46 | 37.11 | 55.21 | 18.10 | 79.78 | 24.57 | PK | Vertic | PASS |
| 3 | 5697.80 | 37.31 | 55.50 | 18.19 | 103.68 | 48.18 | PK | Vertic | PASS |
| 4 | 5718.11 | 37.38 | 55.64 | 18.26 | 110.37 | 54.73 | PK | Vertic | PASS |
| 5 | 5860.95 | 47.54 | 66.42 | 18.88 | 109.23 | 42.81 | PK | Vertic | PASS |
| 6 | 5866.48 | 43.11 | 62.02 | 18.91 | 107.68 | 45.66 | PK | Vertic | PASS |
| 7 | 5887.28 | 39.60 | 58.63 | 19.03 | 96.19 | 37.56 | PK | Vertic | PASS |
| 8 | 5937.33 | 37.96 | 57.25 | 19.29 | 68.30 | 11.05 | PK | Vertic | PASS |

Transmit at 5775MHz by 802.11be(80MHz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5643.20 | 37.92 | 55.95 | 18.03 | 68.30 | 12.35 | PK | Horizo | PASS |
| 2 | 5677.16 | 40.34 | 58.47 | 18.13 | 88.44 | 29.97 | PK | Horizo | PASS |
| 3 | 5704.14 | 41.10 | 59.31 | 18.21 | 106.46 | 47.15 | PK | Horizo | PASS |
| 4 | 5723.31 | 41.35 | 59.62 | 18.27 | 118.45 | 58.83 | PK | Horizo | PASS |
| 5 | 5858.19 | 41.54 | 60.40 | 18.86 | 110.01 | 49.61 | PK | Horizo | PASS |
| 6 | 5863.55 | 40.36 | 59.26 | 18.90 | 108.50 | 49.24 | PK | Horizo | PASS |
| 7 | 5889.23 | 38.42 | 57.46 | 19.04 | 94.74 | 37.28 | PK | Horizo | PASS |
| 8 | 5933.43 | 38.34 | 57.61 | 19.27 | 68.30 | 10.69 | PK | Horizo | PASS |

Transmit at 5775MHz by 802.11be(80Mhz) with Puncturing 20M




| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5651.65 | 45.45 | 63.51 | 18.06 | 69.53 | 6.02 | PK | Vertic | PASS |
| 2 | 5670.01 | 45.80 | 63.91 | 18.11 | 83.15 | 19.24 | PK | Vertic | PASS |
| 3 | 5683.83 | 49.38 | 67.53 | 18.15 | 93.37 | 25.84 | PK | Vertic | PASS |
| 4 | 5719.25 | 50.05 | 68.31 | 18.26 | 110.69 | 42.38 | PK | Vertic | PASS |
| 5 | 5852.66 | 48.42 | 67.25 | 18.83 | 116.23 | 48.98 | PK | Vertic | PASS |
| 6 | 5872.81 | 44.25 | 63.20 | 18.95 | 105.91 | 42.71 | PK | Vertic | PASS |
| 7 | 5892.96 | 41.46 | 60.52 | 19.06 | 91.97 | 31.45 | PK | Vertic | PASS |
| 8 | 5916.36 | 39.58 | 58.76 | 19.18 | 74.67 | 15.91 | PK | Vertic | PASS |

Transmit at 5775MHz by 802.11be(80Mhz) with RU484+242



| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5645.64 | 37.44 | 55.47 | 18.03 | 68.30 | 12.83 | PK | Horizo | PASS |
| 2 | 5669.53 | 37.88 | 55.99 | 18.11 | 82.79 | 26.80 | PK | Horizo | PASS |
| 3 | 5696.99 | 41.50 | 59.69 | 18.19 | 103.08 | 43.39 | PK | Horizo | PASS |
| 4 | 5723.80 | 44.59 | 62.86 | 18.27 | 119.56 | 56.70 | PK | Horizo | PASS |
| 5 | 5856.40 | 38.72 | 57.57 | 18.85 | 110.51 | 52.94 | PK | Horizo | PASS |
| 6 | 5870.86 | 39.21 | 58.14 | 18.93 | 106.46 | 48.32 | PK | Horizo | PASS |
| 7 | 5918.48 | 38.75 | 57.94 | 19.19 | 73.11 | 15.17 | PK | Horizo | PASS |
| 8 | 5944.48 | 38.79 | 58.11 | 19.32 | 68.30 | 10.19 | PK | Horizo | PASS |

Transmit at 5775MHz by 802.11be(80Mhz) with RU484+242



| Data List | | | | | | | | | |
|-----------|-----------------|----------------|----------------|---------------|----------------|-------------|-----|--------|---------|
| NO | Frequency [MHz] | Reading [dBµV] | Level [dBµV/m] | Factor [dB/m] | Limit [dBµV/m] | Margin [dB] | Det | Pol | Verdict |
| 1 | 5631.99 | 37.26 | 55.25 | 17.99 | 68.30 | 13.05 | PK | Vertic | PASS |
| 2 | 5663.19 | 41.26 | 59.35 | 18.09 | 78.09 | 18.74 | PK | Vertic | PASS |
| 3 | 5690.33 | 48.00 | 66.17 | 18.17 | 98.17 | 32.00 | PK | Vertic | PASS |
| 4 | 5709.83 | 52.21 | 70.44 | 18.23 | 108.05 | 37.61 | PK | Vertic | PASS |
| 5 | 5851.85 | 41.16 | 59.99 | 18.83 | 118.08 | 58.09 | PK | Vertic | PASS |
| 6 | 5864.04 | 40.82 | 59.72 | 18.90 | 108.37 | 48.65 | PK | Vertic | PASS |
| 7 | 5879.96 | 38.92 | 57.90 | 18.98 | 101.61 | 43.71 | PK | Vertic | PASS |
| 8 | 5929.85 | 38.99 | 58.24 | 19.25 | 68.30 | 10.06 | PK | Vertic | PASS |

Note:

1. Level = Reading + Factor.
2. Margin = Limit – Level
3. For partial RU, only worst data of each mode shown in this report.

Appendix H: Test result of Frequency Stability

| TestMode | Frequency[MHz] | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|----------|----------------|------------------|---------------------|-------------------|--------------------|----------------|---------|
| 11A | 5180 | NV | NT | 30000 | 5.79151 | 20 | PASS |
| 11A | 5180 | LV | NT | 60000 | 11.58301 | 20 | PASS |
| 11A | 5180 | HV | NT | 40000 | 7.72201 | 20 | PASS |
| 11A | 5200 | NV | NT | 60000 | 11.53846 | 20 | PASS |
| 11A | 5200 | LV | NT | 20000 | 3.84615 | 20 | PASS |
| 11A | 5200 | HV | NT | 10000 | 1.92308 | 20 | PASS |
| 11A | 5240 | NV | NT | 10000 | 1.90840 | 20 | PASS |
| 11A | 5240 | LV | NT | 40000 | 7.63359 | 20 | PASS |
| 11A | 5240 | HV | NT | 30000 | 5.72519 | 20 | PASS |
| 11A | 5260 | NV | NT | 50000 | 9.50570 | 20 | PASS |
| 11A | 5260 | LV | NT | 20000 | 3.80228 | 20 | PASS |
| 11A | 5260 | HV | NT | 60000 | 11.40684 | 20 | PASS |
| 11A | 5280 | NV | NT | 30000 | 5.68182 | 20 | PASS |
| 11A | 5280 | LV | NT | 50000 | 9.46970 | 20 | PASS |
| 11A | 5280 | HV | NT | 50000 | 9.46970 | 20 | PASS |
| 11A | 5320 | NV | NT | 20000 | 3.75940 | 20 | PASS |
| 11A | 5320 | LV | NT | 40000 | 7.51880 | 20 | PASS |
| 11A | 5500 | NV | NT | 60000 | 10.90909 | 20 | PASS |
| 11A | 5500 | LV | NT | 10000 | 1.81818 | 20 | PASS |
| 11A | 5500 | HV | NT | 40000 | 7.27273 | 20 | PASS |
| 11A | 5580 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11A | 5580 | LV | NT | 60000 | 10.75269 | 20 | PASS |
| 11A | 5580 | HV | NT | 50000 | 8.96057 | 20 | PASS |
| 11A | 5700 | NV | NT | 20000 | 3.50877 | 20 | PASS |
| 11A | 5700 | LV | NT | 30000 | 5.26316 | 20 | PASS |
| 11A | 5700 | HV | NT | 10000 | 1.75439 | 20 | PASS |
| 11A | 5745 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11A | 5745 | LV | NT | 40000 | 6.96258 | 20 | PASS |
| 11A | 5745 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11A | 5785 | NV | NT | 40000 | 6.91443 | 20 | PASS |
| 11A | 5785 | LV | NT | 20000 | 3.45722 | 20 | PASS |
| 11A | 5785 | HV | NT | 60000 | 10.37165 | 20 | PASS |
| 11A | 5825 | NV | NT | 50000 | 8.58369 | 20 | PASS |
| 11A | 5825 | LV | NT | 20000 | 3.43348 | 20 | PASS |
| 11A | 5825 | HV | NT | 20000 | 3.43348 | 20 | PASS |
| 11N20 | 5180 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5180 | LV | NT | 30000 | 5.79151 | 20 | PASS |
| 11N20 | 5180 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5200 | NV | NT | 10000 | 1.92308 | 20 | PASS |
| 11N20 | 5200 | LV | NT | 30000 | 5.76923 | 20 | PASS |
| 11N20 | 5200 | HV | NT | 20000 | 3.84615 | 20 | PASS |
| 11N20 | 5240 | NV | NT | 50000 | 9.54198 | 20 | PASS |

| | | | | | | | |
|-------|------|----|----|-------|----------|----|------|
| 11N20 | 5240 | LV | NT | 20000 | 3.81679 | 20 | PASS |
| 11N20 | 5240 | HV | NT | 40000 | 7.63359 | 20 | PASS |
| 11N20 | 5260 | NV | NT | 50000 | 9.50570 | 20 | PASS |
| 11N20 | 5260 | LV | NT | 10000 | 1.90114 | 20 | PASS |
| 11N20 | 5260 | HV | NT | 20000 | 3.80228 | 20 | PASS |
| 11N20 | 5280 | NV | NT | 30000 | 5.68182 | 20 | PASS |
| 11N20 | 5280 | LV | NT | 60000 | 11.36364 | 20 | PASS |
| 11N20 | 5280 | HV | NT | 50000 | 9.46970 | 20 | PASS |
| 11N20 | 5320 | NV | NT | 50000 | 9.39850 | 20 | PASS |
| 11N20 | 5320 | LV | NT | 20000 | 3.75940 | 20 | PASS |
| 11N20 | 5320 | HV | NT | 10000 | 1.87970 | 20 | PASS |
| 11N20 | 5500 | NV | NT | 10000 | 1.81818 | 20 | PASS |
| 11N20 | 5500 | LV | NT | 50000 | 9.09091 | 20 | PASS |
| 11N20 | 5500 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5580 | NV | NT | 30000 | 5.37634 | 20 | PASS |
| 11N20 | 5580 | LV | NT | 30000 | 5.37634 | 20 | PASS |
| 11N20 | 5580 | HV | NT | 20000 | 3.58423 | 20 | PASS |
| 11N20 | 5700 | NV | NT | 30000 | 5.26316 | 20 | PASS |
| 11N20 | 5700 | LV | NT | 50000 | 8.77193 | 20 | PASS |
| 11N20 | 5700 | HV | NT | 30000 | 5.26316 | 20 | PASS |
| 11N20 | 5745 | NV | NT | 40000 | 6.96258 | 20 | PASS |
| 11N20 | 5745 | LV | NT | 20000 | 3.48129 | 20 | PASS |
| 11N20 | 5745 | HV | NT | 20000 | 3.48129 | 20 | PASS |
| 11N20 | 5785 | NV | NT | 20000 | 3.45722 | 20 | PASS |
| 11N20 | 5785 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5785 | HV | NT | 10000 | 1.72861 | 20 | PASS |
| 11N20 | 5825 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5825 | LV | NT | 50000 | 8.58369 | 20 | PASS |
| 11N20 | 5825 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5190 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5190 | LV | NT | 10000 | 1.92678 | 20 | PASS |
| 11N40 | 5190 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5230 | NV | NT | 30000 | 5.73614 | 20 | PASS |
| 11N40 | 5230 | LV | NT | 40000 | 7.64818 | 20 | PASS |
| 11N40 | 5230 | HV | NT | 20000 | 3.82409 | 20 | PASS |
| 11N40 | 5270 | NV | NT | 30000 | 5.69260 | 20 | PASS |
| 11N40 | 5270 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5270 | HV | NT | 60000 | 11.38520 | 20 | PASS |
| 11N40 | 5310 | NV | NT | 60000 | 11.29944 | 20 | PASS |
| 11N40 | 5310 | LV | NT | 10000 | 1.88324 | 20 | PASS |
| 11N40 | 5310 | HV | NT | 10000 | 1.88324 | 20 | PASS |
| 11N40 | 5510 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5510 | LV | NT | 30000 | 5.44465 | 20 | PASS |
| 11N40 | 5510 | HV | NT | 30000 | 5.44465 | 20 | PASS |
| 11N40 | 5550 | NV | NT | 40000 | 7.20721 | 20 | PASS |
| 11N40 | 5550 | LV | NT | 50000 | 9.00901 | 20 | PASS |

| | | | | | | | |
|--------|------|----|----|-------|----------|----|------|
| 11N40 | 5550 | HV | NT | 20000 | 3.60360 | 20 | PASS |
| 11N40 | 5670 | NV | NT | 30000 | 5.29101 | 20 | PASS |
| 11N40 | 5670 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5670 | HV | NT | 50000 | 8.81834 | 20 | PASS |
| 11N40 | 5755 | NV | NT | 10000 | 1.73762 | 20 | PASS |
| 11N40 | 5755 | LV | NT | 30000 | 5.21286 | 20 | PASS |
| 11N40 | 5755 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5795 | NV | NT | 60000 | 10.35375 | 20 | PASS |
| 11N40 | 5795 | LV | NT | 10000 | 1.72563 | 20 | PASS |
| 11N40 | 5795 | HV | NT | 40000 | 6.90250 | 20 | PASS |
| 11AC20 | 5180 | NV | NT | 50000 | 9.65251 | 20 | PASS |
| 11AC20 | 5180 | LV | NT | 50000 | 9.65251 | 20 | PASS |
| 11AC20 | 5180 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5200 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5200 | LV | NT | 20000 | 3.84615 | 20 | PASS |
| 11AC20 | 5200 | HV | NT | 20000 | 3.84615 | 20 | PASS |
| 11AC20 | 5240 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5240 | LV | NT | 10000 | 1.90840 | 20 | PASS |
| 11AC20 | 5240 | HV | NT | 60000 | 11.45038 | 20 | PASS |
| 11AC20 | 5260 | NV | NT | 50000 | 9.50570 | 20 | PASS |
| 11AC20 | 5260 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5260 | HV | NT | 50000 | 9.50570 | 20 | PASS |
| 11AC20 | 5280 | NV | NT | 40000 | 7.57576 | 20 | PASS |
| 11AC20 | 5280 | LV | NT | 60000 | 11.36364 | 20 | PASS |
| 11AC20 | 5280 | HV | NT | 50000 | 9.46970 | 20 | PASS |
| 11AC20 | 5320 | NV | NT | 50000 | 9.39850 | 20 | PASS |
| 11AC20 | 5320 | LV | NT | 30000 | 5.63910 | 20 | PASS |
| 11AC20 | 5320 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5500 | NV | NT | 40000 | 7.27273 | 20 | PASS |
| 11AC20 | 5500 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5500 | HV | NT | 10000 | 1.81818 | 20 | PASS |
| 11AC20 | 5580 | NV | NT | 20000 | 3.58423 | 20 | PASS |
| 11AC20 | 5580 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5580 | HV | NT | 50000 | 8.96057 | 20 | PASS |
| 11AC20 | 5700 | NV | NT | 60000 | 10.52632 | 20 | PASS |
| 11AC20 | 5700 | LV | NT | 20000 | 3.50877 | 20 | PASS |
| 11AC20 | 5700 | HV | NT | 10000 | 1.75439 | 20 | PASS |
| 11AC20 | 5745 | NV | NT | 20000 | 3.48129 | 20 | PASS |
| 11AC20 | 5745 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5745 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5785 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5785 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5785 | HV | NT | 50000 | 8.64304 | 20 | PASS |
| 11AC20 | 5825 | NV | NT | 20000 | 3.43348 | 20 | PASS |
| 11AC20 | 5825 | LV | NT | 40000 | 6.86695 | 20 | PASS |
| 11AC20 | 5825 | HV | NT | 20000 | 3.43348 | 20 | PASS |

| | | | | | | | |
|---------|------|----|----|-------|----------|----|------|
| 11AC40 | 5190 | NV | NT | 50000 | 9.63391 | 20 | PASS |
| 11AC40 | 5190 | LV | NT | 40000 | 7.70713 | 20 | PASS |
| 11AC40 | 5190 | HV | NT | 10000 | 1.92678 | 20 | PASS |
| 11AC40 | 5230 | NV | NT | 20000 | 3.82409 | 20 | PASS |
| 11AC40 | 5230 | LV | NT | 60000 | 11.47228 | 20 | PASS |
| 11AC40 | 5230 | HV | NT | 20000 | 3.82409 | 20 | PASS |
| 11AC40 | 5270 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5270 | LV | NT | 60000 | 11.38520 | 20 | PASS |
| 11AC40 | 5270 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5310 | NV | NT | 60000 | 11.29944 | 20 | PASS |
| 11AC40 | 5310 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5310 | HV | NT | 30000 | 5.64972 | 20 | PASS |
| 11AC40 | 5510 | NV | NT | 60000 | 10.88929 | 20 | PASS |
| 11AC40 | 5510 | LV | NT | 10000 | 1.81488 | 20 | PASS |
| 11AC40 | 5510 | HV | NT | 60000 | 10.88929 | 20 | PASS |
| 11AC40 | 5550 | NV | NT | 60000 | 10.81081 | 20 | PASS |
| 11AC40 | 5550 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5550 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5670 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5670 | LV | NT | 40000 | 7.05467 | 20 | PASS |
| 11AC40 | 5670 | HV | NT | 10000 | 1.76367 | 20 | PASS |
| 11AC40 | 5755 | NV | NT | 60000 | 10.42572 | 20 | PASS |
| 11AC40 | 5755 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5755 | HV | NT | 10000 | 1.73762 | 20 | PASS |
| 11AC40 | 5795 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5795 | LV | NT | 60000 | 10.35375 | 20 | PASS |
| 11AC40 | 5795 | HV | NT | 10000 | 1.72563 | 20 | PASS |
| 11AC80 | 5210 | NV | NT | 10000 | 1.91939 | 20 | PASS |
| 11AC80 | 5210 | LV | NT | 10000 | 1.91939 | 20 | PASS |
| 11AC80 | 5210 | HV | NT | 30000 | 5.75816 | 20 | PASS |
| 11AC80 | 5290 | NV | NT | 50000 | 9.45180 | 20 | PASS |
| 11AC80 | 5290 | LV | NT | 10000 | 1.89036 | 20 | PASS |
| 11AC80 | 5290 | HV | NT | 30000 | 5.67108 | 20 | PASS |
| 11AC80 | 5530 | NV | NT | 50000 | 9.04159 | 20 | PASS |
| 11AC80 | 5530 | LV | NT | 20000 | 3.61664 | 20 | PASS |
| 11AC80 | 5530 | HV | NT | 40000 | 7.23327 | 20 | PASS |
| 11AC80 | 5610 | NV | NT | 50000 | 8.91266 | 20 | PASS |
| 11AC80 | 5610 | LV | NT | 50000 | 8.91266 | 20 | PASS |
| 11AC80 | 5610 | HV | NT | 60000 | 10.69519 | 20 | PASS |
| 11AC80 | 5775 | NV | NT | 10000 | 1.73160 | 20 | PASS |
| 11AC80 | 5775 | LV | NT | 20000 | 3.46320 | 20 | PASS |
| 11AC80 | 5775 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11AC160 | 5250 | NV | NT | 20000 | 3.80952 | 20 | PASS |
| 11AC160 | 5250 | LV | NT | 20000 | 3.80952 | 20 | PASS |
| 11AC160 | 5250 | HV | NT | 60000 | 11.42857 | 20 | PASS |
| 11AC160 | 5570 | NV | NT | 50000 | 8.97666 | 20 | PASS |

| | | | | | | | |
|---------|------|----|----|-------|----------|----|------|
| 11AC160 | 5570 | LV | NT | 10000 | 1.79533 | 20 | PASS |
| 11AC160 | 5570 | HV | NT | 50000 | 8.97666 | 20 | PASS |
| 11AX20 | 5180 | NV | NT | 40000 | 7.72201 | 20 | PASS |
| 11AX20 | 5180 | LV | NT | 60000 | 11.58301 | 20 | PASS |
| 11AX20 | 5180 | HV | NT | 30000 | 5.79151 | 20 | PASS |
| 11AX20 | 5200 | NV | NT | 10000 | 1.92308 | 20 | PASS |
| 11AX20 | 5200 | LV | NT | 30000 | 5.76923 | 20 | PASS |
| 11AX20 | 5200 | HV | NT | 40000 | 7.69231 | 20 | PASS |
| 11AX20 | 5240 | NV | NT | 50000 | 9.54198 | 20 | PASS |
| 11AX20 | 5240 | LV | NT | 40000 | 7.63359 | 20 | PASS |
| 11AX20 | 5240 | HV | NT | 50000 | 9.54198 | 20 | PASS |
| 11AX20 | 5260 | NV | NT | 40000 | 7.60456 | 20 | PASS |
| 11AX20 | 5260 | LV | NT | 20000 | 3.80228 | 20 | PASS |
| 11AX20 | 5260 | HV | NT | 40000 | 7.60456 | 20 | PASS |
| 11AX20 | 5280 | NV | NT | 10000 | 1.89394 | 20 | PASS |
| 11AX20 | 5280 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5280 | HV | NT | 50000 | 9.46970 | 20 | PASS |
| 11AX20 | 5320 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5320 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5320 | HV | NT | 30000 | 5.63910 | 20 | PASS |
| 11AX20 | 5500 | NV | NT | 60000 | 10.90909 | 20 | PASS |
| 11AX20 | 5500 | LV | NT | 50000 | 9.09091 | 20 | PASS |
| 11AX20 | 5500 | HV | NT | 40000 | 7.27273 | 20 | PASS |
| 11AX20 | 5580 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5580 | LV | NT | 30000 | 5.37634 | 20 | PASS |
| 11AX20 | 5580 | HV | NT | 20000 | 3.58423 | 20 | PASS |
| 11AX20 | 5700 | NV | NT | 40000 | 7.01754 | 20 | PASS |
| 11AX20 | 5700 | LV | NT | 50000 | 8.77193 | 20 | PASS |
| 11AX20 | 5700 | HV | NT | 40000 | 7.01754 | 20 | PASS |
| 11AX20 | 5745 | NV | NT | 10000 | 1.74064 | 20 | PASS |
| 11AX20 | 5745 | LV | NT | 10000 | 1.74064 | 20 | PASS |
| 11AX20 | 5745 | HV | NT | 40000 | 6.96258 | 20 | PASS |
| 11AX20 | 5785 | NV | NT | 60000 | 10.37165 | 20 | PASS |
| 11AX20 | 5785 | LV | NT | 30000 | 5.18583 | 20 | PASS |
| 11AX20 | 5785 | HV | NT | 50000 | 8.64304 | 20 | PASS |
| 11AX20 | 5825 | NV | NT | 60000 | 10.30043 | 20 | PASS |
| 11AX20 | 5825 | LV | NT | 40000 | 6.86695 | 20 | PASS |
| 11AX20 | 5825 | HV | NT | 20000 | 3.43348 | 20 | PASS |
| 11AX40 | 5190 | NV | NT | 30000 | 5.78035 | 20 | PASS |
| 11AX40 | 5190 | LV | NT | 20000 | 3.85356 | 20 | PASS |
| 11AX40 | 5190 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5230 | NV | NT | 40000 | 7.64818 | 20 | PASS |
| 11AX40 | 5230 | LV | NT | 20000 | 3.82409 | 20 | PASS |
| 11AX40 | 5230 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5270 | NV | NT | 60000 | 11.38520 | 20 | PASS |
| 11AX40 | 5270 | LV | NT | 60000 | 11.38520 | 20 | PASS |

| | | | | | | | |
|---------|------|----|----|-------|----------|----|------|
| 11AX40 | 5270 | HV | NT | 20000 | 3.79507 | 20 | PASS |
| 11AX40 | 5310 | NV | NT | 60000 | 11.29944 | 20 | PASS |
| 11AX40 | 5310 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5310 | HV | NT | 50000 | 9.41620 | 20 | PASS |
| 11AX40 | 5510 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5510 | LV | NT | 30000 | 5.44465 | 20 | PASS |
| 11AX40 | 5510 | HV | NT | 40000 | 7.25953 | 20 | PASS |
| 11AX40 | 5550 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5550 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5550 | HV | NT | 10000 | 1.80180 | 20 | PASS |
| 11AX40 | 5670 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5670 | LV | NT | 20000 | 3.52734 | 20 | PASS |
| 11AX40 | 5670 | HV | NT | 30000 | 5.29101 | 20 | PASS |
| 11AX40 | 5755 | NV | NT | 60000 | 10.42572 | 20 | PASS |
| 11AX40 | 5755 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5755 | HV | NT | 60000 | 10.42572 | 20 | PASS |
| 11AX40 | 5795 | NV | NT | 40000 | 6.90250 | 20 | PASS |
| 11AX40 | 5795 | LV | NT | 50000 | 8.62813 | 20 | PASS |
| 11AX40 | 5795 | HV | NT | 20000 | 3.45125 | 20 | PASS |
| 11AX80 | 5210 | NV | NT | 20000 | 3.83877 | 20 | PASS |
| 11AX80 | 5210 | LV | NT | 40000 | 7.67754 | 20 | PASS |
| 11AX80 | 5210 | HV | NT | 20000 | 3.83877 | 20 | PASS |
| 11AX80 | 5290 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5290 | LV | NT | 30000 | 5.67108 | 20 | PASS |
| 11AX80 | 5290 | HV | NT | 40000 | 7.56144 | 20 | PASS |
| 11AX80 | 5530 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5530 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5530 | HV | NT | 60000 | 10.84991 | 20 | PASS |
| 11AX80 | 5610 | NV | NT | 40000 | 7.13012 | 20 | PASS |
| 11AX80 | 5610 | LV | NT | 10000 | 1.78253 | 20 | PASS |
| 11AX80 | 5610 | HV | NT | 60000 | 10.69519 | 20 | PASS |
| 11AX80 | 5775 | NV | NT | 50000 | 8.65801 | 20 | PASS |
| 11AX80 | 5775 | LV | NT | 40000 | 6.92641 | 20 | PASS |
| 11AX80 | 5775 | HV | NT | 50000 | 8.65801 | 20 | PASS |
| 11AX160 | 5250 | NV | NT | 60000 | 11.42857 | 20 | PASS |
| 11AX160 | 5250 | LV | NT | 60000 | 11.42857 | 20 | PASS |
| 11AX160 | 5250 | HV | NT | 50000 | 9.52381 | 20 | PASS |
| 11AX160 | 5570 | NV | NT | 40000 | 7.18133 | 20 | PASS |
| 11AX160 | 5570 | LV | NT | 50000 | 8.97666 | 20 | PASS |
| 11AX160 | 5570 | HV | NT | 10000 | 1.79533 | 20 | PASS |
| 11BE20 | 5180 | NV | NT | 20000 | 3.86100 | 20 | PASS |
| 11BE20 | 5180 | LV | NT | 10000 | 1.93050 | 20 | PASS |
| 11BE20 | 5180 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5200 | NV | NT | 20000 | 3.84615 | 20 | PASS |
| 11BE20 | 5200 | LV | NT | 60000 | 11.53846 | 20 | PASS |
| 11BE20 | 5200 | HV | NT | 50000 | 9.61538 | 20 | PASS |

| | | | | | | | |
|--------|------|----|----|-------|----------|----|------|
| 11BE20 | 5240 | NV | NT | 20000 | 3.81679 | 20 | PASS |
| 11BE20 | 5240 | LV | NT | 20000 | 3.81679 | 20 | PASS |
| 11BE20 | 5240 | HV | NT | 10000 | 1.90840 | 20 | PASS |
| 11BE20 | 5260 | NV | NT | 30000 | 5.70342 | 20 | PASS |
| 11BE20 | 5260 | LV | NT | 30000 | 5.70342 | 20 | PASS |
| 11BE20 | 5260 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5280 | NV | NT | 50000 | 9.46970 | 20 | PASS |
| 11BE20 | 5280 | LV | NT | 20000 | 3.78788 | 20 | PASS |
| 11BE20 | 5280 | HV | NT | 10000 | 1.89394 | 20 | PASS |
| 11BE20 | 5320 | NV | NT | 60000 | 11.27820 | 20 | PASS |
| 11BE20 | 5320 | LV | NT | 50000 | 9.39850 | 20 | PASS |
| 11BE20 | 5320 | HV | NT | 20000 | 3.75940 | 20 | PASS |
| 11BE20 | 5500 | NV | NT | 20000 | 3.63636 | 20 | PASS |
| 11BE20 | 5500 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5500 | HV | NT | 50000 | 9.09091 | 20 | PASS |
| 11BE20 | 5580 | NV | NT | 10000 | 1.79211 | 20 | PASS |
| 11BE20 | 5580 | LV | NT | 40000 | 7.16846 | 20 | PASS |
| 11BE20 | 5580 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5700 | NV | NT | 20000 | 3.50877 | 20 | PASS |
| 11BE20 | 5700 | LV | NT | 50000 | 8.77193 | 20 | PASS |
| 11BE20 | 5700 | HV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5745 | NV | NT | 40000 | 6.96258 | 20 | PASS |
| 11BE20 | 5745 | LV | NT | 10000 | 1.74064 | 20 | PASS |
| 11BE20 | 5745 | HV | NT | 10000 | 1.74064 | 20 | PASS |
| 11BE20 | 5785 | NV | NT | 50000 | 8.64304 | 20 | PASS |
| 11BE20 | 5785 | LV | NT | 10000 | 1.72861 | 20 | PASS |
| 11BE20 | 5785 | HV | NT | 40000 | 6.91443 | 20 | PASS |
| 11BE20 | 5825 | NV | NT | 40000 | 6.86695 | 20 | PASS |
| 11BE20 | 5825 | LV | NT | 30000 | 5.15021 | 20 | PASS |
| 11BE20 | 5825 | HV | NT | 30000 | 5.15021 | 20 | PASS |
| 11BE40 | 5190 | NV | NT | 20000 | 3.85356 | 20 | PASS |
| 11BE40 | 5190 | LV | NT | 50000 | 9.63391 | 20 | PASS |
| 11BE40 | 5190 | HV | NT | 20000 | 3.85356 | 20 | PASS |
| 11BE40 | 5230 | NV | NT | 40000 | 7.64818 | 20 | PASS |
| 11BE40 | 5230 | LV | NT | 20000 | 3.82409 | 20 | PASS |
| 11BE40 | 5230 | HV | NT | 50000 | 9.56023 | 20 | PASS |
| 11BE40 | 5270 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5270 | LV | NT | 40000 | 7.59013 | 20 | PASS |
| 11BE40 | 5270 | HV | NT | 60000 | 11.38520 | 20 | PASS |
| 11BE40 | 5310 | NV | NT | 20000 | 3.76648 | 20 | PASS |
| 11BE40 | 5310 | LV | NT | 60000 | 11.29944 | 20 | PASS |
| 11BE40 | 5310 | HV | NT | 40000 | 7.53296 | 20 | PASS |
| 11BE40 | 5510 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5510 | LV | NT | 20000 | 3.62976 | 20 | PASS |
| 11BE40 | 5510 | HV | NT | 50000 | 9.07441 | 20 | PASS |
| 11BE40 | 5550 | NV | NT | 50000 | 9.00901 | 20 | PASS |

| | | | | | | | |
|---------|------|----|----|-------|----------|----|------|
| 11BE40 | 5550 | LV | NT | 60000 | 10.81081 | 20 | PASS |
| 11BE40 | 5550 | HV | NT | 10000 | 1.80180 | 20 | PASS |
| 11BE40 | 5670 | NV | NT | 60000 | 10.58201 | 20 | PASS |
| 11BE40 | 5670 | LV | NT | 50000 | 8.81834 | 20 | PASS |
| 11BE40 | 5670 | HV | NT | 10000 | 1.76367 | 20 | PASS |
| 11BE40 | 5755 | NV | NT | 50000 | 8.68810 | 20 | PASS |
| 11BE40 | 5755 | LV | NT | 30000 | 5.21286 | 20 | PASS |
| 11BE40 | 5755 | HV | NT | 50000 | 8.68810 | 20 | PASS |
| 11BE40 | 5795 | NV | NT | 10000 | 1.72563 | 20 | PASS |
| 11BE40 | 5795 | LV | NT | 50000 | 8.62813 | 20 | PASS |
| 11BE40 | 5795 | HV | NT | 40000 | 6.90250 | 20 | PASS |
| 11BE80 | 5210 | NV | NT | 40000 | 7.67754 | 20 | PASS |
| 11BE80 | 5210 | LV | NT | 20000 | 3.83877 | 20 | PASS |
| 11BE80 | 5210 | HV | NT | 40000 | 7.67754 | 20 | PASS |
| 11BE80 | 5290 | NV | NT | 50000 | 9.45180 | 20 | PASS |
| 11BE80 | 5290 | LV | NT | 10000 | 1.89036 | 20 | PASS |
| 11BE80 | 5290 | HV | NT | 50000 | 9.45180 | 20 | PASS |
| 11BE80 | 5530 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE80 | 5530 | LV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE80 | 5530 | HV | NT | 30000 | 5.42495 | 20 | PASS |
| 11BE80 | 5610 | NV | NT | 40000 | 7.13012 | 20 | PASS |
| 11BE80 | 5610 | LV | NT | 40000 | 7.13012 | 20 | PASS |
| 11BE80 | 5610 | HV | NT | 40000 | 7.13012 | 20 | PASS |
| 11BE80 | 5775 | NV | NT | 60000 | 10.38961 | 20 | PASS |
| 11BE80 | 5775 | LV | NT | 40000 | 6.92641 | 20 | PASS |
| 11BE80 | 5775 | HV | NT | 20000 | 3.46320 | 20 | PASS |
| 11BE160 | 5250 | NV | NT | 0 | 0.00000 | 20 | PASS |
| 11BE160 | 5250 | LV | NT | 60000 | 11.42857 | 20 | PASS |
| 11BE160 | 5250 | HV | NT | 50000 | 9.52381 | 20 | PASS |
| 11BE160 | 5570 | NV | NT | 30000 | 5.38600 | 20 | PASS |
| 11BE160 | 5570 | LV | NT | 50000 | 8.97666 | 20 | PASS |
| 11BE160 | 5570 | HV | NT | 60000 | 10.77199 | 20 | PASS |

| TestMode | Frequency[MHz] | Voltage [Vdc] | Temperature (°C) | Deviation (Hz) | Deviation (ppm) | Limit (ppm) | Verdict |
|----------|----------------|------------------|---------------------|-------------------|--------------------|----------------|---------|
| 11A | 5180 | NV | -30 | 20000 | 3.86100 | 20 | PASS |
| 11A | 5180 | NV | -20 | 20000 | 3.86100 | 20 | PASS |
| 11A | 5180 | NV | -10 | 10000 | 1.93050 | 20 | PASS |
| 11A | 5180 | NV | 0 | 60000 | 11.58301 | 20 | PASS |
| 11A | 5180 | NV | 10 | 10000 | 1.93050 | 20 | PASS |
| 11A | 5180 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11A | 5180 | NV | 30 | 40000 | 7.72201 | 20 | PASS |
| 11A | 5180 | NV | 40 | 60000 | 11.58301 | 20 | PASS |
| 11A | 5180 | NV | 50 | 20000 | 3.86100 | 20 | PASS |
| 11A | 5200 | NV | -30 | 10000 | 1.92308 | 20 | PASS |
| 11A | 5200 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11A | 5200 | NV | -10 | 10000 | 1.92308 | 20 | PASS |
| 11A | 5200 | NV | 0 | 20000 | 3.84615 | 20 | PASS |
| 11A | 5200 | NV | 10 | 20000 | 3.84615 | 20 | PASS |
| 11A | 5200 | NV | 20 | 10000 | 1.92308 | 20 | PASS |
| 11A | 5200 | NV | 30 | 60000 | 11.53846 | 20 | PASS |
| 11A | 5200 | NV | 40 | 60000 | 11.53846 | 20 | PASS |
| 11A | 5200 | NV | 50 | 20000 | 3.84615 | 20 | PASS |
| 11A | 5240 | NV | -30 | 20000 | 3.81679 | 20 | PASS |
| 11A | 5240 | NV | -20 | 40000 | 7.63359 | 20 | PASS |
| 11A | 5240 | NV | -10 | 30000 | 5.72519 | 20 | PASS |
| 11A | 5240 | NV | 0 | 60000 | 11.45038 | 20 | PASS |
| 11A | 5240 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11A | 5240 | NV | 20 | 30000 | 5.72519 | 20 | PASS |
| 11A | 5240 | NV | 30 | 50000 | 9.54198 | 20 | PASS |
| 11A | 5240 | NV | 40 | 30000 | 5.72519 | 20 | PASS |
| 11A | 5240 | NV | 50 | 50000 | 9.54198 | 20 | PASS |
| 11A | 5260 | NV | -20 | 20000 | 3.80228 | 20 | PASS |
| 11A | 5260 | NV | -10 | 20000 | 3.80228 | 20 | PASS |
| 11A | 5260 | NV | 0 | 60000 | 11.40684 | 20 | PASS |
| 11A | 5260 | NV | 10 | 20000 | 3.80228 | 20 | PASS |
| 11A | 5260 | NV | 20 | 10000 | 1.90114 | 20 | PASS |
| 11A | 5260 | NV | 30 | 30000 | 5.70342 | 20 | PASS |
| 11A | 5260 | NV | 40 | 50000 | 9.50570 | 20 | PASS |
| 11A | 5260 | NV | 50 | 10000 | 1.90114 | 20 | PASS |
| 11A | 5260 | NV | -30 | 60000 | 11.40684 | 20 | PASS |
| 11A | 5280 | NV | -30 | 50000 | 9.46970 | 20 | PASS |
| 11A | 5280 | NV | -20 | 40000 | 7.57576 | 20 | PASS |
| 11A | 5280 | NV | -10 | 10000 | 1.89394 | 20 | PASS |
| 11A | 5280 | NV | 0 | 20000 | 3.78788 | 20 | PASS |
| 11A | 5280 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11A | 5280 | NV | 20 | 40000 | 7.57576 | 20 | PASS |
| 11A | 5280 | NV | 30 | 50000 | 9.46970 | 20 | PASS |

| | | | | | | | |
|-----|------|----|-----|-------|----------|----|------|
| 11A | 5280 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11A | 5280 | NV | 50 | 40000 | 7.57576 | 20 | PASS |
| 11A | 5500 | NV | -30 | 60000 | 10.90909 | 20 | PASS |
| 11A | 5500 | NV | -20 | 10000 | 1.81818 | 20 | PASS |
| 11A | 5500 | NV | -10 | 60000 | 10.90909 | 20 | PASS |
| 11A | 5500 | NV | 0 | 50000 | 9.09091 | 20 | PASS |
| 11A | 5500 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11A | 5500 | NV | 20 | 60000 | 10.90909 | 20 | PASS |
| 11A | 5500 | NV | 30 | 50000 | 9.09091 | 20 | PASS |
| 11A | 5500 | NV | 40 | 60000 | 10.90909 | 20 | PASS |
| 11A | 5500 | NV | 50 | 20000 | 3.63636 | 20 | PASS |
| 11A | 5580 | NV | -30 | 10000 | 1.79211 | 20 | PASS |
| 11A | 5580 | NV | -20 | 40000 | 7.16846 | 20 | PASS |
| 11A | 5580 | NV | -10 | 30000 | 5.37634 | 20 | PASS |
| 11A | 5580 | NV | 0 | 60000 | 10.75269 | 20 | PASS |
| 11A | 5580 | NV | 10 | 20000 | 3.58423 | 20 | PASS |
| 11A | 5580 | NV | 20 | 30000 | 5.37634 | 20 | PASS |
| 11A | 5580 | NV | 30 | 30000 | 5.37634 | 20 | PASS |
| 11A | 5580 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11A | 5580 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11A | 5700 | NV | -30 | 30000 | 5.26316 | 20 | PASS |
| 11A | 5700 | NV | -20 | 40000 | 7.01754 | 20 | PASS |
| 11A | 5700 | NV | -10 | 60000 | 10.52632 | 20 | PASS |
| 11A | 5700 | NV | 0 | 30000 | 5.26316 | 20 | PASS |
| 11A | 5700 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11A | 5700 | NV | 20 | 10000 | 1.75439 | 20 | PASS |
| 11A | 5700 | NV | 30 | 20000 | 3.50877 | 20 | PASS |
| 11A | 5700 | NV | 40 | 50000 | 8.77193 | 20 | PASS |
| 11A | 5700 | NV | 50 | 40000 | 7.01754 | 20 | PASS |
| 11A | 5745 | NV | -30 | 60000 | 10.44386 | 20 | PASS |
| 11A | 5745 | NV | -20 | 60000 | 10.44386 | 20 | PASS |
| 11A | 5745 | NV | -10 | 20000 | 3.48129 | 20 | PASS |
| 11A | 5745 | NV | 0 | 30000 | 5.22193 | 20 | PASS |
| 11A | 5745 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11A | 5745 | NV | 20 | 30000 | 5.22193 | 20 | PASS |
| 11A | 5745 | NV | 30 | 60000 | 10.44386 | 20 | PASS |
| 11A | 5745 | NV | 40 | 30000 | 5.22193 | 20 | PASS |
| 11A | 5745 | NV | 50 | 50000 | 8.70322 | 20 | PASS |
| 11A | 5785 | NV | -30 | 20000 | 3.45722 | 20 | PASS |
| 11A | 5785 | NV | -20 | 10000 | 1.72861 | 20 | PASS |
| 11A | 5785 | NV | -10 | 10000 | 1.72861 | 20 | PASS |
| 11A | 5785 | NV | 0 | 20000 | 3.45722 | 20 | PASS |
| 11A | 5785 | NV | 10 | 20000 | 3.45722 | 20 | PASS |
| 11A | 5785 | NV | 20 | 10000 | 1.72861 | 20 | PASS |
| 11A | 5785 | NV | 30 | 40000 | 6.91443 | 20 | PASS |
| 11A | 5785 | NV | 40 | 40000 | 6.91443 | 20 | PASS |

| | | | | | | | |
|-------|------|----|-----|-------|----------|----|------|
| 11A | 5785 | NV | 50 | 30000 | 5.18583 | 20 | PASS |
| 11A | 5825 | NV | -30 | 10000 | 1.71674 | 20 | PASS |
| 11A | 5825 | NV | -20 | 20000 | 3.43348 | 20 | PASS |
| 11A | 5825 | NV | -10 | 10000 | 1.71674 | 20 | PASS |
| 11A | 5825 | NV | 0 | 30000 | 5.15021 | 20 | PASS |
| 11A | 5825 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11A | 5825 | NV | 20 | 60000 | 10.30043 | 20 | PASS |
| 11A | 5825 | NV | 30 | 40000 | 6.86695 | 20 | PASS |
| 11A | 5825 | NV | 40 | 30000 | 5.15021 | 20 | PASS |
| 11A | 5825 | NV | 50 | 20000 | 3.43348 | 20 | PASS |
| 11N20 | 5180 | NV | -30 | 60000 | 11.58301 | 20 | PASS |
| 11N20 | 5180 | NV | -20 | 40000 | 7.72201 | 20 | PASS |
| 11N20 | 5180 | NV | -10 | 60000 | 11.58301 | 20 | PASS |
| 11N20 | 5180 | NV | 0 | 30000 | 5.79151 | 20 | PASS |
| 11N20 | 5180 | NV | 10 | 60000 | 11.58301 | 20 | PASS |
| 11N20 | 5180 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5180 | NV | 30 | 60000 | 11.58301 | 20 | PASS |
| 11N20 | 5180 | NV | 40 | 30000 | 5.79151 | 20 | PASS |
| 11N20 | 5180 | NV | 50 | 40000 | 7.72201 | 20 | PASS |
| 11N20 | 5200 | NV | -30 | 10000 | 1.92308 | 20 | PASS |
| 11N20 | 5200 | NV | -20 | 30000 | 5.76923 | 20 | PASS |
| 11N20 | 5200 | NV | -10 | 60000 | 11.53846 | 20 | PASS |
| 11N20 | 5200 | NV | 0 | 60000 | 11.53846 | 20 | PASS |
| 11N20 | 5200 | NV | 10 | 10000 | 1.92308 | 20 | PASS |
| 11N20 | 5200 | NV | 20 | 20000 | 3.84615 | 20 | PASS |
| 11N20 | 5200 | NV | 30 | 40000 | 7.69231 | 20 | PASS |
| 11N20 | 5200 | NV | 40 | 10000 | 1.92308 | 20 | PASS |
| 11N20 | 5200 | NV | 50 | 60000 | 11.53846 | 20 | PASS |
| 11N20 | 5240 | NV | -30 | 40000 | 7.63359 | 20 | PASS |
| 11N20 | 5240 | NV | -20 | 40000 | 7.63359 | 20 | PASS |
| 11N20 | 5240 | NV | -10 | 10000 | 1.90840 | 20 | PASS |
| 11N20 | 5240 | NV | 0 | 10000 | 1.90840 | 20 | PASS |
| 11N20 | 5240 | NV | 10 | 60000 | 11.45038 | 20 | PASS |
| 11N20 | 5240 | NV | 20 | 30000 | 5.72519 | 20 | PASS |
| 11N20 | 5240 | NV | 30 | 60000 | 11.45038 | 20 | PASS |
| 11N20 | 5240 | NV | 40 | 60000 | 11.45038 | 20 | PASS |
| 11N20 | 5240 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5260 | NV | -30 | 50000 | 9.50570 | 20 | PASS |
| 11N20 | 5260 | NV | -20 | 40000 | 7.60456 | 20 | PASS |
| 11N20 | 5260 | NV | -10 | 20000 | 3.80228 | 20 | PASS |
| 11N20 | 5260 | NV | 0 | 50000 | 9.50570 | 20 | PASS |
| 11N20 | 5260 | NV | 10 | 20000 | 3.80228 | 20 | PASS |
| 11N20 | 5260 | NV | 20 | 50000 | 9.50570 | 20 | PASS |
| 11N20 | 5260 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5260 | NV | 40 | 40000 | 7.60456 | 20 | PASS |
| 11N20 | 5260 | NV | 50 | 40000 | 7.60456 | 20 | PASS |

| | | | | | | | |
|-------|------|----|-----|-------|----------|----|------|
| 11N20 | 5280 | NV | -30 | 40000 | 7.57576 | 20 | PASS |
| 11N20 | 5280 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5280 | NV | -10 | 40000 | 7.57576 | 20 | PASS |
| 11N20 | 5280 | NV | 0 | 10000 | 1.89394 | 20 | PASS |
| 11N20 | 5280 | NV | 10 | 30000 | 5.68182 | 20 | PASS |
| 11N20 | 5280 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5280 | NV | 30 | 40000 | 7.57576 | 20 | PASS |
| 11N20 | 5280 | NV | 40 | 40000 | 7.57576 | 20 | PASS |
| 11N20 | 5280 | NV | 50 | 60000 | 11.36364 | 20 | PASS |
| 11N20 | 5320 | NV | -30 | 20000 | 3.75940 | 20 | PASS |
| 11N20 | 5320 | NV | -20 | 60000 | 11.27820 | 20 | PASS |
| 11N20 | 5320 | NV | -10 | 10000 | 1.87970 | 20 | PASS |
| 11N20 | 5320 | NV | 0 | 40000 | 7.51880 | 20 | PASS |
| 11N20 | 5320 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5320 | NV | 20 | 60000 | 11.27820 | 20 | PASS |
| 11N20 | 5320 | NV | 30 | 50000 | 9.39850 | 20 | PASS |
| 11N20 | 5320 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5320 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5500 | NV | -30 | 20000 | 3.63636 | 20 | PASS |
| 11N20 | 5500 | NV | -20 | 10000 | 1.81818 | 20 | PASS |
| 11N20 | 5500 | NV | -10 | 60000 | 10.90909 | 20 | PASS |
| 11N20 | 5500 | NV | 0 | 10000 | 1.81818 | 20 | PASS |
| 11N20 | 5500 | NV | 10 | 30000 | 5.45455 | 20 | PASS |
| 11N20 | 5500 | NV | 20 | 10000 | 1.81818 | 20 | PASS |
| 11N20 | 5500 | NV | 30 | 50000 | 9.09091 | 20 | PASS |
| 11N20 | 5500 | NV | 40 | 40000 | 7.27273 | 20 | PASS |
| 11N20 | 5500 | NV | 50 | 40000 | 7.27273 | 20 | PASS |
| 11N20 | 5580 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5580 | NV | -20 | 10000 | 1.79211 | 20 | PASS |
| 11N20 | 5580 | NV | -10 | 50000 | 8.96057 | 20 | PASS |
| 11N20 | 5580 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5580 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5580 | NV | 20 | 10000 | 1.79211 | 20 | PASS |
| 11N20 | 5580 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5580 | NV | 40 | 20000 | 3.58423 | 20 | PASS |
| 11N20 | 5580 | NV | 50 | 40000 | 7.16846 | 20 | PASS |
| 11N20 | 5700 | NV | -30 | 50000 | 8.77193 | 20 | PASS |
| 11N20 | 5700 | NV | -20 | 10000 | 1.75439 | 20 | PASS |
| 11N20 | 5700 | NV | -10 | 10000 | 1.75439 | 20 | PASS |
| 11N20 | 5700 | NV | 0 | 10000 | 1.75439 | 20 | PASS |
| 11N20 | 5700 | NV | 10 | 60000 | 10.52632 | 20 | PASS |
| 11N20 | 5700 | NV | 20 | 60000 | 10.52632 | 20 | PASS |
| 11N20 | 5700 | NV | 30 | 10000 | 1.75439 | 20 | PASS |
| 11N20 | 5700 | NV | 40 | 60000 | 10.52632 | 20 | PASS |
| 11N20 | 5700 | NV | 50 | 30000 | 5.26316 | 20 | PASS |
| 11N20 | 5745 | NV | -30 | 50000 | 8.70322 | 20 | PASS |

| | | | | | | | |
|-------|------|----|-----|-------|----------|----|------|
| 11N20 | 5745 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5745 | NV | -10 | 50000 | 8.70322 | 20 | PASS |
| 11N20 | 5745 | NV | 0 | 50000 | 8.70322 | 20 | PASS |
| 11N20 | 5745 | NV | 10 | 10000 | 1.74064 | 20 | PASS |
| 11N20 | 5745 | NV | 20 | 20000 | 3.48129 | 20 | PASS |
| 11N20 | 5745 | NV | 30 | 50000 | 8.70322 | 20 | PASS |
| 11N20 | 5745 | NV | 40 | 30000 | 5.22193 | 20 | PASS |
| 11N20 | 5745 | NV | 50 | 50000 | 8.70322 | 20 | PASS |
| 11N20 | 5785 | NV | -30 | 50000 | 8.64304 | 20 | PASS |
| 11N20 | 5785 | NV | -20 | 10000 | 1.72861 | 20 | PASS |
| 11N20 | 5785 | NV | -10 | 50000 | 8.64304 | 20 | PASS |
| 11N20 | 5785 | NV | 0 | 40000 | 6.91443 | 20 | PASS |
| 11N20 | 5785 | NV | 10 | 20000 | 3.45722 | 20 | PASS |
| 11N20 | 5785 | NV | 20 | 60000 | 10.37165 | 20 | PASS |
| 11N20 | 5785 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5785 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5785 | NV | 50 | 20000 | 3.45722 | 20 | PASS |
| 11N20 | 5825 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5825 | NV | -20 | 10000 | 1.71674 | 20 | PASS |
| 11N20 | 5825 | NV | -10 | 40000 | 6.86695 | 20 | PASS |
| 11N20 | 5825 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5825 | NV | 10 | 10000 | 1.71674 | 20 | PASS |
| 11N20 | 5825 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11N20 | 5825 | NV | 30 | 10000 | 1.71674 | 20 | PASS |
| 11N20 | 5825 | NV | 40 | 10000 | 1.71674 | 20 | PASS |
| 11N20 | 5825 | NV | 50 | 40000 | 6.86695 | 20 | PASS |
| 11N40 | 5190 | NV | -30 | 10000 | 1.92678 | 20 | PASS |
| 11N40 | 5190 | NV | -20 | 60000 | 11.56069 | 20 | PASS |
| 11N40 | 5190 | NV | -10 | 40000 | 7.70713 | 20 | PASS |
| 11N40 | 5190 | NV | 0 | 10000 | 1.92678 | 20 | PASS |
| 11N40 | 5190 | NV | 10 | 20000 | 3.85356 | 20 | PASS |
| 11N40 | 5190 | NV | 20 | 30000 | 5.78035 | 20 | PASS |
| 11N40 | 5190 | NV | 30 | 40000 | 7.70713 | 20 | PASS |
| 11N40 | 5190 | NV | 40 | 50000 | 9.63391 | 20 | PASS |
| 11N40 | 5190 | NV | 50 | 60000 | 11.56069 | 20 | PASS |
| 11N40 | 5230 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5230 | NV | -20 | 20000 | 3.82409 | 20 | PASS |
| 11N40 | 5230 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5230 | NV | 0 | 60000 | 11.47228 | 20 | PASS |
| 11N40 | 5230 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5230 | NV | 20 | 20000 | 3.82409 | 20 | PASS |
| 11N40 | 5230 | NV | 30 | 10000 | 1.91205 | 20 | PASS |
| 11N40 | 5230 | NV | 40 | 20000 | 3.82409 | 20 | PASS |
| 11N40 | 5230 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5270 | NV | -30 | 60000 | 11.38520 | 20 | PASS |
| 11N40 | 5270 | NV | -20 | 0 | 0.00000 | 20 | PASS |

| | | | | | | | |
|-------|------|----|-----|-------|----------|----|------|
| 11N40 | 5270 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5270 | NV | 0 | 20000 | 3.79507 | 20 | PASS |
| 11N40 | 5270 | NV | 10 | 20000 | 3.79507 | 20 | PASS |
| 11N40 | 5270 | NV | 20 | 10000 | 1.89753 | 20 | PASS |
| 11N40 | 5270 | NV | 30 | 30000 | 5.69260 | 20 | PASS |
| 11N40 | 5270 | NV | 40 | 30000 | 5.69260 | 20 | PASS |
| 11N40 | 5270 | NV | 50 | 50000 | 9.48767 | 20 | PASS |
| 11N40 | 5310 | NV | -30 | 60000 | 11.29944 | 20 | PASS |
| 11N40 | 5310 | NV | -20 | 40000 | 7.53296 | 20 | PASS |
| 11N40 | 5310 | NV | -10 | 40000 | 7.53296 | 20 | PASS |
| 11N40 | 5310 | NV | 0 | 10000 | 1.88324 | 20 | PASS |
| 11N40 | 5310 | NV | 20 | 60000 | 11.29944 | 20 | PASS |
| 11N40 | 5310 | NV | 30 | 30000 | 5.64972 | 20 | PASS |
| 11N40 | 5310 | NV | 10 | 20000 | 3.76648 | 20 | PASS |
| 11N40 | 5310 | NV | 40 | 40000 | 7.53296 | 20 | PASS |
| 11N40 | 5310 | NV | 50 | 30000 | 5.64972 | 20 | PASS |
| 11N40 | 5510 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5510 | NV | -20 | 60000 | 10.88929 | 20 | PASS |
| 11N40 | 5510 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5510 | NV | 0 | 40000 | 7.25953 | 20 | PASS |
| 11N40 | 5510 | NV | 10 | 20000 | 3.62976 | 20 | PASS |
| 11N40 | 5510 | NV | 20 | 60000 | 10.88929 | 20 | PASS |
| 11N40 | 5510 | NV | 30 | 10000 | 1.81488 | 20 | PASS |
| 11N40 | 5510 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5510 | NV | 50 | 10000 | 1.81488 | 20 | PASS |
| 11N40 | 5550 | NV | -30 | 40000 | 7.20721 | 20 | PASS |
| 11N40 | 5550 | NV | -20 | 10000 | 1.80180 | 20 | PASS |
| 11N40 | 5550 | NV | -10 | 40000 | 7.20721 | 20 | PASS |
| 11N40 | 5550 | NV | 0 | 60000 | 10.81081 | 20 | PASS |
| 11N40 | 5550 | NV | 10 | 40000 | 7.20721 | 20 | PASS |
| 11N40 | 5550 | NV | 20 | 40000 | 7.20721 | 20 | PASS |
| 11N40 | 5550 | NV | 30 | 50000 | 9.00901 | 20 | PASS |
| 11N40 | 5550 | NV | 40 | 20000 | 3.60360 | 20 | PASS |
| 11N40 | 5550 | NV | 50 | 20000 | 3.60360 | 20 | PASS |
| 11N40 | 5670 | NV | -30 | 60000 | 10.58201 | 20 | PASS |
| 11N40 | 5670 | NV | -20 | 30000 | 5.29101 | 20 | PASS |
| 11N40 | 5670 | NV | -10 | 50000 | 8.81834 | 20 | PASS |
| 11N40 | 5670 | NV | 0 | 60000 | 10.58201 | 20 | PASS |
| 11N40 | 5670 | NV | 10 | 40000 | 7.05467 | 20 | PASS |
| 11N40 | 5670 | NV | 20 | 10000 | 1.76367 | 20 | PASS |
| 11N40 | 5670 | NV | 30 | 60000 | 10.58201 | 20 | PASS |
| 11N40 | 5670 | NV | 40 | 50000 | 8.81834 | 20 | PASS |
| 11N40 | 5670 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5755 | NV | -30 | 40000 | 6.95048 | 20 | PASS |
| 11N40 | 5755 | NV | -20 | 30000 | 5.21286 | 20 | PASS |
| 11N40 | 5755 | NV | -10 | 40000 | 6.95048 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11N40 | 5755 | NV | 0 | 50000 | 8.68810 | 20 | PASS |
| 11N40 | 5755 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5755 | NV | 20 | 40000 | 6.95048 | 20 | PASS |
| 11N40 | 5755 | NV | 30 | 60000 | 10.42572 | 20 | PASS |
| 11N40 | 5755 | NV | 40 | 40000 | 6.95048 | 20 | PASS |
| 11N40 | 5755 | NV | 50 | 60000 | 10.42572 | 20 | PASS |
| 11N40 | 5795 | NV | -30 | 10000 | 1.72563 | 20 | PASS |
| 11N40 | 5795 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5795 | NV | -10 | 60000 | 10.35375 | 20 | PASS |
| 11N40 | 5795 | NV | 0 | 40000 | 6.90250 | 20 | PASS |
| 11N40 | 5795 | NV | 10 | 20000 | 3.45125 | 20 | PASS |
| 11N40 | 5795 | NV | 20 | 40000 | 6.90250 | 20 | PASS |
| 11N40 | 5795 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5795 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11N40 | 5795 | NV | 50 | 50000 | 8.62813 | 20 | PASS |
| 11AC20 | 5180 | NV | -30 | 60000 | 11.58301 | 20 | PASS |
| 11AC20 | 5180 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5180 | NV | -10 | 60000 | 11.58301 | 20 | PASS |
| 11AC20 | 5180 | NV | 0 | 40000 | 7.72201 | 20 | PASS |
| 11AC20 | 5180 | NV | 10 | 20000 | 3.86100 | 20 | PASS |
| 11AC20 | 5180 | NV | 20 | 20000 | 3.86100 | 20 | PASS |
| 11AC20 | 5180 | NV | 30 | 20000 | 3.86100 | 20 | PASS |
| 11AC20 | 5180 | NV | 40 | 50000 | 9.65251 | 20 | PASS |
| 11AC20 | 5180 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5200 | NV | -30 | 50000 | 9.61538 | 20 | PASS |
| 11AC20 | 5200 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5200 | NV | -10 | 20000 | 3.84615 | 20 | PASS |
| 11AC20 | 5200 | NV | 0 | 30000 | 5.76923 | 20 | PASS |
| 11AC20 | 5200 | NV | 10 | 60000 | 11.53846 | 20 | PASS |
| 11AC20 | 5200 | NV | 20 | 60000 | 11.53846 | 20 | PASS |
| 11AC20 | 5200 | NV | 30 | 10000 | 1.92308 | 20 | PASS |
| 11AC20 | 5200 | NV | 40 | 50000 | 9.61538 | 20 | PASS |
| 11AC20 | 5200 | NV | 50 | 30000 | 5.76923 | 20 | PASS |
| 11AC20 | 5240 | NV | -30 | 10000 | 1.90840 | 20 | PASS |
| 11AC20 | 5240 | NV | -20 | 20000 | 3.81679 | 20 | PASS |
| 11AC20 | 5240 | NV | -10 | 40000 | 7.63359 | 20 | PASS |
| 11AC20 | 5240 | NV | 0 | 30000 | 5.72519 | 20 | PASS |
| 11AC20 | 5240 | NV | 10 | 40000 | 7.63359 | 20 | PASS |
| 11AC20 | 5240 | NV | 20 | 40000 | 7.63359 | 20 | PASS |
| 11AC20 | 5240 | NV | 30 | 10000 | 1.90840 | 20 | PASS |
| 11AC20 | 5240 | NV | 40 | 50000 | 9.54198 | 20 | PASS |
| 11AC20 | 5240 | NV | 50 | 40000 | 7.63359 | 20 | PASS |
| 11AC20 | 5260 | NV | -30 | 50000 | 9.50570 | 20 | PASS |
| 11AC20 | 5260 | NV | -20 | 50000 | 9.50570 | 20 | PASS |
| 11AC20 | 5260 | NV | -10 | 10000 | 1.90114 | 20 | PASS |
| 11AC20 | 5260 | NV | 0 | 20000 | 3.80228 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11AC20 | 5260 | NV | 10 | 20000 | 3.80228 | 20 | PASS |
| 11AC20 | 5260 | NV | 20 | 50000 | 9.50570 | 20 | PASS |
| 11AC20 | 5260 | NV | 30 | 40000 | 7.60456 | 20 | PASS |
| 11AC20 | 5260 | NV | 40 | 20000 | 3.80228 | 20 | PASS |
| 11AC20 | 5260 | NV | 50 | 20000 | 3.80228 | 20 | PASS |
| 11AC20 | 5280 | NV | -30 | 10000 | 1.89394 | 20 | PASS |
| 11AC20 | 5280 | NV | -20 | 50000 | 9.46970 | 20 | PASS |
| 11AC20 | 5280 | NV | -10 | 60000 | 11.36364 | 20 | PASS |
| 11AC20 | 5280 | NV | 0 | 30000 | 5.68182 | 20 | PASS |
| 11AC20 | 5280 | NV | 10 | 10000 | 1.89394 | 20 | PASS |
| 11AC20 | 5280 | NV | 20 | 50000 | 9.46970 | 20 | PASS |
| 11AC20 | 5280 | NV | 30 | 20000 | 3.78788 | 20 | PASS |
| 11AC20 | 5280 | NV | 40 | 50000 | 9.46970 | 20 | PASS |
| 11AC20 | 5280 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5320 | NV | -30 | 40000 | 7.51880 | 20 | PASS |
| 11AC20 | 5320 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5320 | NV | -10 | 40000 | 7.51880 | 20 | PASS |
| 11AC20 | 5320 | NV | 0 | 30000 | 5.63910 | 20 | PASS |
| 11AC20 | 5320 | NV | 10 | 40000 | 7.51880 | 20 | PASS |
| 11AC20 | 5320 | NV | 20 | 30000 | 5.63910 | 20 | PASS |
| 11AC20 | 5320 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5320 | NV | 40 | 10000 | 1.87970 | 20 | PASS |
| 11AC20 | 5320 | NV | 50 | 60000 | 11.27820 | 20 | PASS |
| 11AC20 | 5500 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5500 | NV | -20 | 10000 | 1.81818 | 20 | PASS |
| 11AC20 | 5500 | NV | -10 | 20000 | 3.63636 | 20 | PASS |
| 11AC20 | 5500 | NV | 0 | 40000 | 7.27273 | 20 | PASS |
| 11AC20 | 5500 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5500 | NV | 20 | 60000 | 10.90909 | 20 | PASS |
| 11AC20 | 5500 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5500 | NV | 40 | 40000 | 7.27273 | 20 | PASS |
| 11AC20 | 5500 | NV | 50 | 10000 | 1.81818 | 20 | PASS |
| 11AC20 | 5580 | NV | -30 | 60000 | 10.75269 | 20 | PASS |
| 11AC20 | 5580 | NV | -20 | 10000 | 1.79211 | 20 | PASS |
| 11AC20 | 5580 | NV | -10 | 30000 | 5.37634 | 20 | PASS |
| 11AC20 | 5580 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5580 | NV | 10 | 40000 | 7.16846 | 20 | PASS |
| 11AC20 | 5580 | NV | 20 | 20000 | 3.58423 | 20 | PASS |
| 11AC20 | 5580 | NV | 30 | 50000 | 8.96057 | 20 | PASS |
| 11AC20 | 5580 | NV | 40 | 20000 | 3.58423 | 20 | PASS |
| 11AC20 | 5580 | NV | 50 | 20000 | 3.58423 | 20 | PASS |
| 11AC20 | 5700 | NV | -30 | 50000 | 8.77193 | 20 | PASS |
| 11AC20 | 5700 | NV | -20 | 10000 | 1.75439 | 20 | PASS |
| 11AC20 | 5700 | NV | -10 | 50000 | 8.77193 | 20 | PASS |
| 11AC20 | 5700 | NV | 0 | 60000 | 10.52632 | 20 | PASS |
| 11AC20 | 5700 | NV | 10 | 20000 | 3.50877 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11AC20 | 5700 | NV | 20 | 30000 | 5.26316 | 20 | PASS |
| 11AC20 | 5700 | NV | 30 | 10000 | 1.75439 | 20 | PASS |
| 11AC20 | 5700 | NV | 40 | 60000 | 10.52632 | 20 | PASS |
| 11AC20 | 5700 | NV | 50 | 40000 | 7.01754 | 20 | PASS |
| 11AC20 | 5745 | NV | -30 | 40000 | 6.96258 | 20 | PASS |
| 11AC20 | 5745 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5745 | NV | -10 | 10000 | 1.74064 | 20 | PASS |
| 11AC20 | 5745 | NV | 0 | 20000 | 3.48129 | 20 | PASS |
| 11AC20 | 5745 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5745 | NV | 20 | 60000 | 10.44386 | 20 | PASS |
| 11AC20 | 5745 | NV | 30 | 10000 | 1.74064 | 20 | PASS |
| 11AC20 | 5745 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5745 | NV | 50 | 40000 | 6.96258 | 20 | PASS |
| 11AC20 | 5785 | NV | -30 | 30000 | 5.18583 | 20 | PASS |
| 11AC20 | 5785 | NV | -20 | 20000 | 3.45722 | 20 | PASS |
| 11AC20 | 5785 | NV | -10 | 40000 | 6.91443 | 20 | PASS |
| 11AC20 | 5785 | NV | 0 | 30000 | 5.18583 | 20 | PASS |
| 11AC20 | 5785 | NV | 10 | 20000 | 3.45722 | 20 | PASS |
| 11AC20 | 5785 | NV | 20 | 40000 | 6.91443 | 20 | PASS |
| 11AC20 | 5785 | NV | 30 | 20000 | 3.45722 | 20 | PASS |
| 11AC20 | 5785 | NV | 40 | 10000 | 1.72861 | 20 | PASS |
| 11AC20 | 5785 | NV | 50 | 20000 | 3.45722 | 20 | PASS |
| 11AC20 | 5825 | NV | -30 | 60000 | 10.30043 | 20 | PASS |
| 11AC20 | 5825 | NV | -20 | 50000 | 8.58369 | 20 | PASS |
| 11AC20 | 5825 | NV | -10 | 40000 | 6.86695 | 20 | PASS |
| 11AC20 | 5825 | NV | 0 | 20000 | 3.43348 | 20 | PASS |
| 11AC20 | 5825 | NV | 10 | 30000 | 5.15021 | 20 | PASS |
| 11AC20 | 5825 | NV | 20 | 10000 | 1.71674 | 20 | PASS |
| 11AC20 | 5825 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11AC20 | 5825 | NV | 40 | 30000 | 5.15021 | 20 | PASS |
| 11AC20 | 5825 | NV | 50 | 50000 | 8.58369 | 20 | PASS |
| 11AC40 | 5190 | NV | -30 | 30000 | 5.78035 | 20 | PASS |
| 11AC40 | 5190 | NV | -20 | 50000 | 9.63391 | 20 | PASS |
| 11AC40 | 5190 | NV | -10 | 30000 | 5.78035 | 20 | PASS |
| 11AC40 | 5190 | NV | 0 | 40000 | 7.70713 | 20 | PASS |
| 11AC40 | 5190 | NV | 10 | 50000 | 9.63391 | 20 | PASS |
| 11AC40 | 5190 | NV | 20 | 30000 | 5.78035 | 20 | PASS |
| 11AC40 | 5190 | NV | 30 | 50000 | 9.63391 | 20 | PASS |
| 11AC40 | 5190 | NV | 40 | 20000 | 3.85356 | 20 | PASS |
| 11AC40 | 5190 | NV | 50 | 50000 | 9.63391 | 20 | PASS |
| 11AC40 | 5230 | NV | -30 | 40000 | 7.64818 | 20 | PASS |
| 11AC40 | 5230 | NV | -20 | 50000 | 9.56023 | 20 | PASS |
| 11AC40 | 5230 | NV | -10 | 60000 | 11.47228 | 20 | PASS |
| 11AC40 | 5230 | NV | 0 | 60000 | 11.47228 | 20 | PASS |
| 11AC40 | 5230 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5230 | NV | 20 | 10000 | 1.91205 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11AC40 | 5230 | NV | 30 | 10000 | 1.91205 | 20 | PASS |
| 11AC40 | 5230 | NV | 40 | 30000 | 5.73614 | 20 | PASS |
| 11AC40 | 5230 | NV | 50 | 20000 | 3.82409 | 20 | PASS |
| 11AC40 | 5270 | NV | -30 | 20000 | 3.79507 | 20 | PASS |
| 11AC40 | 5270 | NV | -20 | 40000 | 7.59013 | 20 | PASS |
| 11AC40 | 5270 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5270 | NV | 0 | 40000 | 7.59013 | 20 | PASS |
| 11AC40 | 5270 | NV | 10 | 20000 | 3.79507 | 20 | PASS |
| 11AC40 | 5270 | NV | 20 | 60000 | 11.38520 | 20 | PASS |
| 11AC40 | 5270 | NV | 30 | 10000 | 1.89753 | 20 | PASS |
| 11AC40 | 5270 | NV | 40 | 30000 | 5.69260 | 20 | PASS |
| 11AC40 | 5270 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5310 | NV | -30 | 40000 | 7.53296 | 20 | PASS |
| 11AC40 | 5310 | NV | -20 | 30000 | 5.64972 | 20 | PASS |
| 11AC40 | 5310 | NV | -10 | 60000 | 11.29944 | 20 | PASS |
| 11AC40 | 5310 | NV | 0 | 30000 | 5.64972 | 20 | PASS |
| 11AC40 | 5310 | NV | 10 | 50000 | 9.41620 | 20 | PASS |
| 11AC40 | 5310 | NV | 20 | 20000 | 3.76648 | 20 | PASS |
| 11AC40 | 5310 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5310 | NV | 40 | 50000 | 9.41620 | 20 | PASS |
| 11AC40 | 5310 | NV | 50 | 20000 | 3.76648 | 20 | PASS |
| 11AC40 | 5510 | NV | -30 | 60000 | 10.88929 | 20 | PASS |
| 11AC40 | 5510 | NV | -20 | 20000 | 3.62976 | 20 | PASS |
| 11AC40 | 5510 | NV | -10 | 30000 | 5.44465 | 20 | PASS |
| 11AC40 | 5510 | NV | 0 | 40000 | 7.25953 | 20 | PASS |
| 11AC40 | 5510 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5510 | NV | 20 | 20000 | 3.62976 | 20 | PASS |
| 11AC40 | 5510 | NV | 30 | 20000 | 3.62976 | 20 | PASS |
| 11AC40 | 5510 | NV | 40 | 30000 | 5.44465 | 20 | PASS |
| 11AC40 | 5510 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5550 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5550 | NV | -20 | 60000 | 10.81081 | 20 | PASS |
| 11AC40 | 5550 | NV | -10 | 50000 | 9.00901 | 20 | PASS |
| 11AC40 | 5550 | NV | 0 | 10000 | 1.80180 | 20 | PASS |
| 11AC40 | 5550 | NV | 10 | 40000 | 7.20721 | 20 | PASS |
| 11AC40 | 5550 | NV | 20 | 60000 | 10.81081 | 20 | PASS |
| 11AC40 | 5550 | NV | 30 | 40000 | 7.20721 | 20 | PASS |
| 11AC40 | 5550 | NV | 40 | 10000 | 1.80180 | 20 | PASS |
| 11AC40 | 5550 | NV | 50 | 60000 | 10.81081 | 20 | PASS |
| 11AC40 | 5670 | NV | -30 | 40000 | 7.05467 | 20 | PASS |
| 11AC40 | 5670 | NV | -20 | 50000 | 8.81834 | 20 | PASS |
| 11AC40 | 5670 | NV | -10 | 60000 | 10.58201 | 20 | PASS |
| 11AC40 | 5670 | NV | 0 | 30000 | 5.29101 | 20 | PASS |
| 11AC40 | 5670 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5670 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5670 | NV | 30 | 20000 | 3.52734 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11AC40 | 5670 | NV | 40 | 10000 | 1.76367 | 20 | PASS |
| 11AC40 | 5670 | NV | 50 | 20000 | 3.52734 | 20 | PASS |
| 11AC40 | 5755 | NV | -30 | 30000 | 5.21286 | 20 | PASS |
| 11AC40 | 5755 | NV | -20 | 40000 | 6.95048 | 20 | PASS |
| 11AC40 | 5755 | NV | -10 | 40000 | 6.95048 | 20 | PASS |
| 11AC40 | 5755 | NV | 0 | 40000 | 6.95048 | 20 | PASS |
| 11AC40 | 5755 | NV | 10 | 60000 | 10.42572 | 20 | PASS |
| 11AC40 | 5755 | NV | 20 | 10000 | 1.73762 | 20 | PASS |
| 11AC40 | 5755 | NV | 30 | 40000 | 6.95048 | 20 | PASS |
| 11AC40 | 5755 | NV | 40 | 30000 | 5.21286 | 20 | PASS |
| 11AC40 | 5755 | NV | 50 | 20000 | 3.47524 | 20 | PASS |
| 11AC40 | 5795 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5795 | NV | -20 | 60000 | 10.35375 | 20 | PASS |
| 11AC40 | 5795 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5795 | NV | 0 | 60000 | 10.35375 | 20 | PASS |
| 11AC40 | 5795 | NV | 10 | 30000 | 5.17688 | 20 | PASS |
| 11AC40 | 5795 | NV | 20 | 60000 | 10.35375 | 20 | PASS |
| 11AC40 | 5795 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11AC40 | 5795 | NV | 40 | 30000 | 5.17688 | 20 | PASS |
| 11AC40 | 5795 | NV | 50 | 30000 | 5.17688 | 20 | PASS |
| 11AC80 | 5210 | NV | -30 | 40000 | 7.67754 | 20 | PASS |
| 11AC80 | 5210 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11AC80 | 5210 | NV | -10 | 50000 | 9.59693 | 20 | PASS |
| 11AC80 | 5210 | NV | 0 | 40000 | 7.67754 | 20 | PASS |
| 11AC80 | 5210 | NV | 10 | 40000 | 7.67754 | 20 | PASS |
| 11AC80 | 5210 | NV | 20 | 60000 | 11.51631 | 20 | PASS |
| 11AC80 | 5210 | NV | 30 | 60000 | 11.51631 | 20 | PASS |
| 11AC80 | 5210 | NV | 40 | 20000 | 3.83877 | 20 | PASS |
| 11AC80 | 5210 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AC80 | 5290 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11AC80 | 5290 | NV | -20 | 10000 | 1.89036 | 20 | PASS |
| 11AC80 | 5290 | NV | -10 | 20000 | 3.78072 | 20 | PASS |
| 11AC80 | 5290 | NV | 0 | 60000 | 11.34216 | 20 | PASS |
| 11AC80 | 5290 | NV | 10 | 30000 | 5.67108 | 20 | PASS |
| 11AC80 | 5290 | NV | 20 | 20000 | 3.78072 | 20 | PASS |
| 11AC80 | 5290 | NV | 30 | 60000 | 11.34216 | 20 | PASS |
| 11AC80 | 5290 | NV | 40 | 60000 | 11.34216 | 20 | PASS |
| 11AC80 | 5290 | NV | 50 | 30000 | 5.67108 | 20 | PASS |
| 11AC80 | 5530 | NV | -30 | 40000 | 7.23327 | 20 | PASS |
| 11AC80 | 5530 | NV | -20 | 20000 | 3.61664 | 20 | PASS |
| 11AC80 | 5530 | NV | -10 | 40000 | 7.23327 | 20 | PASS |
| 11AC80 | 5530 | NV | 0 | 60000 | 10.84991 | 20 | PASS |
| 11AC80 | 5530 | NV | 10 | 20000 | 3.61664 | 20 | PASS |
| 11AC80 | 5530 | NV | 20 | 20000 | 3.61664 | 20 | PASS |
| 11AC80 | 5530 | NV | 30 | 60000 | 10.84991 | 20 | PASS |
| 11AC80 | 5530 | NV | 40 | 0 | 0.00000 | 20 | PASS |

| | | | | | | | |
|---------|------|----|-----|-------|----------|----|------|
| 11AC80 | 5530 | NV | 50 | 10000 | 1.80832 | 20 | PASS |
| 11AC80 | 5610 | NV | -30 | 10000 | 1.78253 | 20 | PASS |
| 11AC80 | 5610 | NV | -20 | 10000 | 1.78253 | 20 | PASS |
| 11AC80 | 5610 | NV | -10 | 40000 | 7.13012 | 20 | PASS |
| 11AC80 | 5610 | NV | 0 | 40000 | 7.13012 | 20 | PASS |
| 11AC80 | 5610 | NV | 10 | 40000 | 7.13012 | 20 | PASS |
| 11AC80 | 5610 | NV | 20 | 20000 | 3.56506 | 20 | PASS |
| 11AC80 | 5610 | NV | 30 | 60000 | 10.69519 | 20 | PASS |
| 11AC80 | 5610 | NV | 40 | 50000 | 8.91266 | 20 | PASS |
| 11AC80 | 5610 | NV | 50 | 10000 | 1.78253 | 20 | PASS |
| 11AC80 | 5775 | NV | -30 | 10000 | 1.73160 | 20 | PASS |
| 11AC80 | 5775 | NV | -20 | 30000 | 5.19481 | 20 | PASS |
| 11AC80 | 5775 | NV | -10 | 20000 | 3.46320 | 20 | PASS |
| 11AC80 | 5775 | NV | 0 | 50000 | 8.65801 | 20 | PASS |
| 11AC80 | 5775 | NV | 10 | 10000 | 1.73160 | 20 | PASS |
| 11AC80 | 5775 | NV | 20 | 30000 | 5.19481 | 20 | PASS |
| 11AC80 | 5775 | NV | 30 | 30000 | 5.19481 | 20 | PASS |
| 11AC80 | 5775 | NV | 40 | 30000 | 5.19481 | 20 | PASS |
| 11AC80 | 5775 | NV | 50 | 20000 | 3.46320 | 20 | PASS |
| 11AC160 | 5250 | NV | -30 | 60000 | 11.42857 | 20 | PASS |
| 11AC160 | 5250 | NV | -20 | 40000 | 7.61905 | 20 | PASS |
| 11AC160 | 5250 | NV | -10 | 50000 | 9.52381 | 20 | PASS |
| 11AC160 | 5250 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11AC160 | 5250 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AC160 | 5250 | NV | 20 | 40000 | 7.61905 | 20 | PASS |
| 11AC160 | 5250 | NV | 30 | 50000 | 9.52381 | 20 | PASS |
| 11AC160 | 5250 | NV | 40 | 40000 | 7.61905 | 20 | PASS |
| 11AC160 | 5250 | NV | 50 | 10000 | 1.90476 | 20 | PASS |
| 11AC160 | 5570 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11AC160 | 5570 | NV | -20 | 50000 | 8.97666 | 20 | PASS |
| 11AC160 | 5570 | NV | -10 | 10000 | 1.79533 | 20 | PASS |
| 11AC160 | 5570 | NV | 0 | 20000 | 3.59066 | 20 | PASS |
| 11AC160 | 5570 | NV | 10 | 60000 | 10.77199 | 20 | PASS |
| 11AC160 | 5570 | NV | 20 | 10000 | 1.79533 | 20 | PASS |
| 11AC160 | 5570 | NV | 30 | 10000 | 1.79533 | 20 | PASS |
| 11AC160 | 5570 | NV | 40 | 10000 | 1.79533 | 20 | PASS |
| 11AC160 | 5570 | NV | 50 | 60000 | 10.77199 | 20 | PASS |
| 11AX20 | 5180 | NV | -30 | 10000 | 1.93050 | 20 | PASS |
| 11AX20 | 5180 | NV | -20 | 10000 | 1.93050 | 20 | PASS |
| 11AX20 | 5180 | NV | -10 | 60000 | 11.58301 | 20 | PASS |
| 11AX20 | 5180 | NV | 0 | 30000 | 5.79151 | 20 | PASS |
| 11AX20 | 5180 | NV | 10 | 60000 | 11.58301 | 20 | PASS |
| 11AX20 | 5180 | NV | 20 | 10000 | 1.93050 | 20 | PASS |
| 11AX20 | 5180 | NV | 30 | 10000 | 1.93050 | 20 | PASS |
| 11AX20 | 5180 | NV | 40 | 50000 | 9.65251 | 20 | PASS |
| 11AX20 | 5180 | NV | 50 | 10000 | 1.93050 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11AX20 | 5200 | NV | -30 | 30000 | 5.76923 | 20 | PASS |
| 11AX20 | 5200 | NV | -20 | 50000 | 9.61538 | 20 | PASS |
| 11AX20 | 5200 | NV | -10 | 60000 | 11.53846 | 20 | PASS |
| 11AX20 | 5200 | NV | 0 | 30000 | 5.76923 | 20 | PASS |
| 11AX20 | 5200 | NV | 10 | 10000 | 1.92308 | 20 | PASS |
| 11AX20 | 5200 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5200 | NV | 30 | 40000 | 7.69231 | 20 | PASS |
| 11AX20 | 5200 | NV | 40 | 30000 | 5.76923 | 20 | PASS |
| 11AX20 | 5200 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5240 | NV | -30 | 10000 | 1.90840 | 20 | PASS |
| 11AX20 | 5240 | NV | -20 | 60000 | 11.45038 | 20 | PASS |
| 11AX20 | 5240 | NV | -10 | 30000 | 5.72519 | 20 | PASS |
| 11AX20 | 5240 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5240 | NV | 10 | 60000 | 11.45038 | 20 | PASS |
| 11AX20 | 5240 | NV | 20 | 10000 | 1.90840 | 20 | PASS |
| 11AX20 | 5240 | NV | 30 | 60000 | 11.45038 | 20 | PASS |
| 11AX20 | 5240 | NV | 40 | 10000 | 1.90840 | 20 | PASS |
| 11AX20 | 5240 | NV | 50 | 60000 | 11.45038 | 20 | PASS |
| 11AX20 | 5260 | NV | -30 | 20000 | 3.80228 | 20 | PASS |
| 11AX20 | 5260 | NV | -20 | 60000 | 11.40684 | 20 | PASS |
| 11AX20 | 5260 | NV | -10 | 50000 | 9.50570 | 20 | PASS |
| 11AX20 | 5260 | NV | 0 | 30000 | 5.70342 | 20 | PASS |
| 11AX20 | 5260 | NV | 10 | 20000 | 3.80228 | 20 | PASS |
| 11AX20 | 5260 | NV | 20 | 10000 | 1.90114 | 20 | PASS |
| 11AX20 | 5260 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5260 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5260 | NV | 50 | 20000 | 3.80228 | 20 | PASS |
| 11AX20 | 5280 | NV | -30 | 20000 | 3.78788 | 20 | PASS |
| 11AX20 | 5280 | NV | -20 | 30000 | 5.68182 | 20 | PASS |
| 11AX20 | 5280 | NV | -10 | 30000 | 5.68182 | 20 | PASS |
| 11AX20 | 5280 | NV | 0 | 60000 | 11.36364 | 20 | PASS |
| 11AX20 | 5280 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5280 | NV | 20 | 10000 | 1.89394 | 20 | PASS |
| 11AX20 | 5280 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5280 | NV | 40 | 40000 | 7.57576 | 20 | PASS |
| 11AX20 | 5280 | NV | 50 | 60000 | 11.36364 | 20 | PASS |
| 11AX20 | 5320 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5320 | NV | -20 | 60000 | 11.27820 | 20 | PASS |
| 11AX20 | 5320 | NV | -10 | 20000 | 3.75940 | 20 | PASS |
| 11AX20 | 5320 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5320 | NV | 10 | 50000 | 9.39850 | 20 | PASS |
| 11AX20 | 5320 | NV | 20 | 60000 | 11.27820 | 20 | PASS |
| 11AX20 | 5320 | NV | 30 | 50000 | 9.39850 | 20 | PASS |
| 11AX20 | 5320 | NV | 40 | 30000 | 5.63910 | 20 | PASS |
| 11AX20 | 5320 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5500 | NV | -30 | 0 | 0.00000 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11AX20 | 5500 | NV | -20 | 50000 | 9.09091 | 20 | PASS |
| 11AX20 | 5500 | NV | -10 | 30000 | 5.45455 | 20 | PASS |
| 11AX20 | 5500 | NV | 0 | 40000 | 7.27273 | 20 | PASS |
| 11AX20 | 5500 | NV | 10 | 40000 | 7.27273 | 20 | PASS |
| 11AX20 | 5500 | NV | 20 | 50000 | 9.09091 | 20 | PASS |
| 11AX20 | 5500 | NV | 30 | 10000 | 1.81818 | 20 | PASS |
| 11AX20 | 5500 | NV | 40 | 20000 | 3.63636 | 20 | PASS |
| 11AX20 | 5500 | NV | 50 | 60000 | 10.90909 | 20 | PASS |
| 11AX20 | 5580 | NV | -30 | 50000 | 8.96057 | 20 | PASS |
| 11AX20 | 5580 | NV | -20 | 30000 | 5.37634 | 20 | PASS |
| 11AX20 | 5580 | NV | -10 | 60000 | 10.75269 | 20 | PASS |
| 11AX20 | 5580 | NV | 0 | 10000 | 1.79211 | 20 | PASS |
| 11AX20 | 5580 | NV | 10 | 30000 | 5.37634 | 20 | PASS |
| 11AX20 | 5580 | NV | 20 | 50000 | 8.96057 | 20 | PASS |
| 11AX20 | 5580 | NV | 30 | 10000 | 1.79211 | 20 | PASS |
| 11AX20 | 5580 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5580 | NV | 50 | 30000 | 5.37634 | 20 | PASS |
| 11AX20 | 5700 | NV | -30 | 10000 | 1.75439 | 20 | PASS |
| 11AX20 | 5700 | NV | -20 | 60000 | 10.52632 | 20 | PASS |
| 11AX20 | 5700 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5700 | NV | 0 | 60000 | 10.52632 | 20 | PASS |
| 11AX20 | 5700 | NV | 10 | 30000 | 5.26316 | 20 | PASS |
| 11AX20 | 5700 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5700 | NV | 30 | 20000 | 3.50877 | 20 | PASS |
| 11AX20 | 5700 | NV | 40 | 50000 | 8.77193 | 20 | PASS |
| 11AX20 | 5700 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5745 | NV | -30 | 50000 | 8.70322 | 20 | PASS |
| 11AX20 | 5745 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5745 | NV | -10 | 60000 | 10.44386 | 20 | PASS |
| 11AX20 | 5745 | NV | 0 | 30000 | 5.22193 | 20 | PASS |
| 11AX20 | 5745 | NV | 10 | 30000 | 5.22193 | 20 | PASS |
| 11AX20 | 5745 | NV | 20 | 10000 | 1.74064 | 20 | PASS |
| 11AX20 | 5745 | NV | 30 | 60000 | 10.44386 | 20 | PASS |
| 11AX20 | 5745 | NV | 40 | 10000 | 1.74064 | 20 | PASS |
| 11AX20 | 5745 | NV | 50 | 10000 | 1.74064 | 20 | PASS |
| 11AX20 | 5785 | NV | -30 | 10000 | 1.72861 | 20 | PASS |
| 11AX20 | 5785 | NV | -20 | 10000 | 1.72861 | 20 | PASS |
| 11AX20 | 5785 | NV | -10 | 60000 | 10.37165 | 20 | PASS |
| 11AX20 | 5785 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5785 | NV | 10 | 40000 | 6.91443 | 20 | PASS |
| 11AX20 | 5785 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5785 | NV | 30 | 10000 | 1.72861 | 20 | PASS |
| 11AX20 | 5785 | NV | 40 | 60000 | 10.37165 | 20 | PASS |
| 11AX20 | 5785 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5825 | NV | -30 | 60000 | 10.30043 | 20 | PASS |
| 11AX20 | 5825 | NV | -20 | 0 | 0.00000 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11AX20 | 5825 | NV | -10 | 20000 | 3.43348 | 20 | PASS |
| 11AX20 | 5825 | NV | 0 | 40000 | 6.86695 | 20 | PASS |
| 11AX20 | 5825 | NV | 10 | 60000 | 10.30043 | 20 | PASS |
| 11AX20 | 5825 | NV | 20 | 10000 | 1.71674 | 20 | PASS |
| 11AX20 | 5825 | NV | 30 | 20000 | 3.43348 | 20 | PASS |
| 11AX20 | 5825 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11AX20 | 5825 | NV | 50 | 40000 | 6.86695 | 20 | PASS |
| 11AX40 | 5190 | NV | -30 | 40000 | 7.70713 | 20 | PASS |
| 11AX40 | 5190 | NV | -20 | 10000 | 1.92678 | 20 | PASS |
| 11AX40 | 5190 | NV | -10 | 10000 | 1.92678 | 20 | PASS |
| 11AX40 | 5190 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5190 | NV | 10 | 30000 | 5.78035 | 20 | PASS |
| 11AX40 | 5190 | NV | 20 | 50000 | 9.63391 | 20 | PASS |
| 11AX40 | 5190 | NV | 30 | 10000 | 1.92678 | 20 | PASS |
| 11AX40 | 5190 | NV | 40 | 60000 | 11.56069 | 20 | PASS |
| 11AX40 | 5190 | NV | 50 | 20000 | 3.85356 | 20 | PASS |
| 11AX40 | 5230 | NV | -30 | 10000 | 1.91205 | 20 | PASS |
| 11AX40 | 5230 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5230 | NV | -10 | 60000 | 11.47228 | 20 | PASS |
| 11AX40 | 5230 | NV | 0 | 50000 | 9.56023 | 20 | PASS |
| 11AX40 | 5230 | NV | 10 | 10000 | 1.91205 | 20 | PASS |
| 11AX40 | 5230 | NV | 20 | 40000 | 7.64818 | 20 | PASS |
| 11AX40 | 5230 | NV | 30 | 10000 | 1.91205 | 20 | PASS |
| 11AX40 | 5230 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5230 | NV | 50 | 60000 | 11.47228 | 20 | PASS |
| 11AX40 | 5270 | NV | -30 | 30000 | 5.69260 | 20 | PASS |
| 11AX40 | 5270 | NV | -20 | 10000 | 1.89753 | 20 | PASS |
| 11AX40 | 5270 | NV | -10 | 10000 | 1.89753 | 20 | PASS |
| 11AX40 | 5270 | NV | 0 | 50000 | 9.48767 | 20 | PASS |
| 11AX40 | 5270 | NV | 10 | 50000 | 9.48767 | 20 | PASS |
| 11AX40 | 5270 | NV | 20 | 10000 | 1.89753 | 20 | PASS |
| 11AX40 | 5270 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5270 | NV | 40 | 10000 | 1.89753 | 20 | PASS |
| 11AX40 | 5270 | NV | 50 | 20000 | 3.79507 | 20 | PASS |
| 11AX40 | 5310 | NV | -30 | 20000 | 3.76648 | 20 | PASS |
| 11AX40 | 5310 | NV | -20 | 20000 | 3.76648 | 20 | PASS |
| 11AX40 | 5310 | NV | -10 | 40000 | 7.53296 | 20 | PASS |
| 11AX40 | 5310 | NV | 0 | 40000 | 7.53296 | 20 | PASS |
| 11AX40 | 5310 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5310 | NV | 20 | 10000 | 1.88324 | 20 | PASS |
| 11AX40 | 5310 | NV | 30 | 10000 | 1.88324 | 20 | PASS |
| 11AX40 | 5310 | NV | 40 | 60000 | 11.29944 | 20 | PASS |
| 11AX40 | 5310 | NV | 50 | 50000 | 9.41620 | 20 | PASS |
| 11AX40 | 5510 | NV | -30 | 50000 | 9.07441 | 20 | PASS |
| 11AX40 | 5510 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5510 | NV | -10 | 10000 | 1.81488 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11AX40 | 5510 | NV | 0 | 50000 | 9.07441 | 20 | PASS |
| 11AX40 | 5510 | NV | 10 | 30000 | 5.44465 | 20 | PASS |
| 11AX40 | 5510 | NV | 20 | 10000 | 1.81488 | 20 | PASS |
| 11AX40 | 5510 | NV | 30 | 40000 | 7.25953 | 20 | PASS |
| 11AX40 | 5510 | NV | 40 | 50000 | 9.07441 | 20 | PASS |
| 11AX40 | 5510 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5550 | NV | -30 | 40000 | 7.20721 | 20 | PASS |
| 11AX40 | 5550 | NV | -20 | 60000 | 10.81081 | 20 | PASS |
| 11AX40 | 5550 | NV | -10 | 20000 | 3.60360 | 20 | PASS |
| 11AX40 | 5550 | NV | 0 | 50000 | 9.00901 | 20 | PASS |
| 11AX40 | 5550 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5550 | NV | 20 | 50000 | 9.00901 | 20 | PASS |
| 11AX40 | 5550 | NV | 30 | 40000 | 7.20721 | 20 | PASS |
| 11AX40 | 5550 | NV | 40 | 10000 | 1.80180 | 20 | PASS |
| 11AX40 | 5550 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5670 | NV | -30 | 50000 | 8.81834 | 20 | PASS |
| 11AX40 | 5670 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5670 | NV | -10 | 10000 | 1.76367 | 20 | PASS |
| 11AX40 | 5670 | NV | 0 | 40000 | 7.05467 | 20 | PASS |
| 11AX40 | 5670 | NV | 10 | 20000 | 3.52734 | 20 | PASS |
| 11AX40 | 5670 | NV | 20 | 10000 | 1.76367 | 20 | PASS |
| 11AX40 | 5670 | NV | 30 | 60000 | 10.58201 | 20 | PASS |
| 11AX40 | 5670 | NV | 40 | 10000 | 1.76367 | 20 | PASS |
| 11AX40 | 5670 | NV | 50 | 40000 | 7.05467 | 20 | PASS |
| 11AX40 | 5755 | NV | -30 | 50000 | 8.68810 | 20 | PASS |
| 11AX40 | 5755 | NV | -20 | 60000 | 10.42572 | 20 | PASS |
| 11AX40 | 5755 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5755 | NV | 0 | 40000 | 6.95048 | 20 | PASS |
| 11AX40 | 5755 | NV | 10 | 60000 | 10.42572 | 20 | PASS |
| 11AX40 | 5755 | NV | 20 | 30000 | 5.21286 | 20 | PASS |
| 11AX40 | 5755 | NV | 30 | 20000 | 3.47524 | 20 | PASS |
| 11AX40 | 5755 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11AX40 | 5755 | NV | 50 | 20000 | 3.47524 | 20 | PASS |
| 11AX40 | 5795 | NV | -30 | 20000 | 3.45125 | 20 | PASS |
| 11AX40 | 5795 | NV | -20 | 50000 | 8.62813 | 20 | PASS |
| 11AX40 | 5795 | NV | -10 | 60000 | 10.35375 | 20 | PASS |
| 11AX40 | 5795 | NV | 0 | 30000 | 5.17688 | 20 | PASS |
| 11AX40 | 5795 | NV | 10 | 40000 | 6.90250 | 20 | PASS |
| 11AX40 | 5795 | NV | 20 | 20000 | 3.45125 | 20 | PASS |
| 11AX40 | 5795 | NV | 30 | 20000 | 3.45125 | 20 | PASS |
| 11AX40 | 5795 | NV | 40 | 40000 | 6.90250 | 20 | PASS |
| 11AX40 | 5795 | NV | 50 | 10000 | 1.72563 | 20 | PASS |
| 11AX80 | 5210 | NV | -30 | 40000 | 7.67754 | 20 | PASS |
| 11AX80 | 5210 | NV | -20 | 20000 | 3.83877 | 20 | PASS |
| 11AX80 | 5210 | NV | -10 | 30000 | 5.75816 | 20 | PASS |
| 11AX80 | 5210 | NV | 0 | 20000 | 3.83877 | 20 | PASS |

| | | | | | | | |
|---------|------|----|-----|-------|----------|----|------|
| 11AX80 | 5210 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5210 | NV | 20 | 60000 | 11.51631 | 20 | PASS |
| 11AX80 | 5210 | NV | 30 | 60000 | 11.51631 | 20 | PASS |
| 11AX80 | 5210 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5210 | NV | 50 | 50000 | 9.59693 | 20 | PASS |
| 11AX80 | 5290 | NV | -30 | 40000 | 7.56144 | 20 | PASS |
| 11AX80 | 5290 | NV | -20 | 40000 | 7.56144 | 20 | PASS |
| 11AX80 | 5290 | NV | -10 | 20000 | 3.78072 | 20 | PASS |
| 11AX80 | 5290 | NV | 0 | 20000 | 3.78072 | 20 | PASS |
| 11AX80 | 5290 | NV | 10 | 60000 | 11.34216 | 20 | PASS |
| 11AX80 | 5290 | NV | 20 | 20000 | 3.78072 | 20 | PASS |
| 11AX80 | 5290 | NV | 30 | 10000 | 1.89036 | 20 | PASS |
| 11AX80 | 5290 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5290 | NV | 50 | 60000 | 11.34216 | 20 | PASS |
| 11AX80 | 5530 | NV | -30 | 60000 | 10.84991 | 20 | PASS |
| 11AX80 | 5530 | NV | -20 | 60000 | 10.84991 | 20 | PASS |
| 11AX80 | 5530 | NV | -10 | 60000 | 10.84991 | 20 | PASS |
| 11AX80 | 5530 | NV | 0 | 50000 | 9.04159 | 20 | PASS |
| 11AX80 | 5530 | NV | 10 | 50000 | 9.04159 | 20 | PASS |
| 11AX80 | 5530 | NV | 20 | 30000 | 5.42495 | 20 | PASS |
| 11AX80 | 5530 | NV | 30 | 20000 | 3.61664 | 20 | PASS |
| 11AX80 | 5530 | NV | 40 | 60000 | 10.84991 | 20 | PASS |
| 11AX80 | 5530 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5610 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5610 | NV | -20 | 50000 | 8.91266 | 20 | PASS |
| 11AX80 | 5610 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5610 | NV | 0 | 10000 | 1.78253 | 20 | PASS |
| 11AX80 | 5610 | NV | 10 | 10000 | 1.78253 | 20 | PASS |
| 11AX80 | 5610 | NV | 20 | 40000 | 7.13012 | 20 | PASS |
| 11AX80 | 5610 | NV | 30 | 20000 | 3.56506 | 20 | PASS |
| 11AX80 | 5610 | NV | 40 | 10000 | 1.78253 | 20 | PASS |
| 11AX80 | 5610 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5775 | NV | -30 | 20000 | 3.46320 | 20 | PASS |
| 11AX80 | 5775 | NV | -20 | 10000 | 1.73160 | 20 | PASS |
| 11AX80 | 5775 | NV | -10 | 40000 | 6.92641 | 20 | PASS |
| 11AX80 | 5775 | NV | 0 | 20000 | 3.46320 | 20 | PASS |
| 11AX80 | 5775 | NV | 10 | 20000 | 3.46320 | 20 | PASS |
| 11AX80 | 5775 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5775 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11AX80 | 5775 | NV | 40 | 30000 | 5.19481 | 20 | PASS |
| 11AX80 | 5775 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11AX160 | 5250 | NV | -30 | 10000 | 1.90476 | 20 | PASS |
| 11AX160 | 5250 | NV | -20 | 10000 | 1.90476 | 20 | PASS |
| 11AX160 | 5250 | NV | -10 | 50000 | 9.52381 | 20 | PASS |
| 11AX160 | 5250 | NV | 0 | 60000 | 11.42857 | 20 | PASS |
| 11AX160 | 5250 | NV | 10 | 0 | 0.00000 | 20 | PASS |

| | | | | | | | |
|---------|------|----|-----|-------|----------|----|------|
| 11AX160 | 5250 | NV | 20 | 30000 | 5.71429 | 20 | PASS |
| 11AX160 | 5250 | NV | 30 | 20000 | 3.80952 | 20 | PASS |
| 11AX160 | 5250 | NV | 40 | 40000 | 7.61905 | 20 | PASS |
| 11AX160 | 5250 | NV | 50 | 30000 | 5.71429 | 20 | PASS |
| 11AX160 | 5570 | NV | -30 | 50000 | 8.97666 | 20 | PASS |
| 11AX160 | 5570 | NV | -20 | 20000 | 3.59066 | 20 | PASS |
| 11AX160 | 5570 | NV | -10 | 20000 | 3.59066 | 20 | PASS |
| 11AX160 | 5570 | NV | 0 | 50000 | 8.97666 | 20 | PASS |
| 11AX160 | 5570 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11AX160 | 5570 | NV | 20 | 60000 | 10.77199 | 20 | PASS |
| 11AX160 | 5570 | NV | 30 | 60000 | 10.77199 | 20 | PASS |
| 11AX160 | 5570 | NV | 40 | 30000 | 5.38600 | 20 | PASS |
| 11AX160 | 5570 | NV | 50 | 60000 | 10.77199 | 20 | PASS |
| 11BE20 | 5180 | NV | -30 | 30000 | 5.79151 | 20 | PASS |
| 11BE20 | 5180 | NV | -20 | 60000 | 11.58301 | 20 | PASS |
| 11BE20 | 5180 | NV | -10 | 20000 | 3.86100 | 20 | PASS |
| 11BE20 | 5180 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5180 | NV | 10 | 20000 | 3.86100 | 20 | PASS |
| 11BE20 | 5180 | NV | 20 | 20000 | 3.86100 | 20 | PASS |
| 11BE20 | 5180 | NV | 30 | 50000 | 9.65251 | 20 | PASS |
| 11BE20 | 5180 | NV | 40 | 10000 | 1.93050 | 20 | PASS |
| 11BE20 | 5180 | NV | 50 | 10000 | 1.93050 | 20 | PASS |
| 11BE20 | 5200 | NV | -30 | 30000 | 5.76923 | 20 | PASS |
| 11BE20 | 5200 | NV | -20 | 50000 | 9.61538 | 20 | PASS |
| 11BE20 | 5200 | NV | -10 | 60000 | 11.53846 | 20 | PASS |
| 11BE20 | 5200 | NV | 0 | 10000 | 1.92308 | 20 | PASS |
| 11BE20 | 5200 | NV | 10 | 10000 | 1.92308 | 20 | PASS |
| 11BE20 | 5200 | NV | 20 | 10000 | 1.92308 | 20 | PASS |
| 11BE20 | 5200 | NV | 30 | 60000 | 11.53846 | 20 | PASS |
| 11BE20 | 5200 | NV | 40 | 30000 | 5.76923 | 20 | PASS |
| 11BE20 | 5200 | NV | 50 | 10000 | 1.92308 | 20 | PASS |
| 11BE20 | 5240 | NV | -30 | 40000 | 7.63359 | 20 | PASS |
| 11BE20 | 5240 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5240 | NV | -10 | 30000 | 5.72519 | 20 | PASS |
| 11BE20 | 5240 | NV | 0 | 50000 | 9.54198 | 20 | PASS |
| 11BE20 | 5240 | NV | 10 | 30000 | 5.72519 | 20 | PASS |
| 11BE20 | 5240 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5240 | NV | 30 | 30000 | 5.72519 | 20 | PASS |
| 11BE20 | 5240 | NV | 40 | 10000 | 1.90840 | 20 | PASS |
| 11BE20 | 5240 | NV | 50 | 40000 | 7.63359 | 20 | PASS |
| 11BE20 | 5260 | NV | -30 | 10000 | 1.90114 | 20 | PASS |
| 11BE20 | 5260 | NV | -20 | 60000 | 11.40684 | 20 | PASS |
| 11BE20 | 5260 | NV | -10 | 60000 | 11.40684 | 20 | PASS |
| 11BE20 | 5260 | NV | 0 | 60000 | 11.40684 | 20 | PASS |
| 11BE20 | 5260 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5260 | NV | 20 | 50000 | 9.50570 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11BE20 | 5260 | NV | 30 | 30000 | 5.70342 | 20 | PASS |
| 11BE20 | 5260 | NV | 40 | 60000 | 11.40684 | 20 | PASS |
| 11BE20 | 5260 | NV | 50 | 10000 | 1.90114 | 20 | PASS |
| 11BE20 | 5280 | NV | -30 | 30000 | 5.68182 | 20 | PASS |
| 11BE20 | 5280 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5280 | NV | -10 | 20000 | 3.78788 | 20 | PASS |
| 11BE20 | 5280 | NV | 0 | 40000 | 7.57576 | 20 | PASS |
| 11BE20 | 5280 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5280 | NV | 20 | 40000 | 7.57576 | 20 | PASS |
| 11BE20 | 5280 | NV | 30 | 10000 | 1.89394 | 20 | PASS |
| 11BE20 | 5280 | NV | 40 | 30000 | 5.68182 | 20 | PASS |
| 11BE20 | 5280 | NV | 50 | 10000 | 1.89394 | 20 | PASS |
| 11BE20 | 5320 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5320 | NV | -20 | 40000 | 7.51880 | 20 | PASS |
| 11BE20 | 5320 | NV | -10 | 10000 | 1.87970 | 20 | PASS |
| 11BE20 | 5320 | NV | 0 | 60000 | 11.27820 | 20 | PASS |
| 11BE20 | 5320 | NV | 10 | 10000 | 1.87970 | 20 | PASS |
| 11BE20 | 5320 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5320 | NV | 30 | 10000 | 1.87970 | 20 | PASS |
| 11BE20 | 5320 | NV | 40 | 10000 | 1.87970 | 20 | PASS |
| 11BE20 | 5320 | NV | 50 | 60000 | 11.27820 | 20 | PASS |
| 11BE20 | 5500 | NV | -30 | 20000 | 3.63636 | 20 | PASS |
| 11BE20 | 5500 | NV | -20 | 50000 | 9.09091 | 20 | PASS |
| 11BE20 | 5500 | NV | -10 | 60000 | 10.90909 | 20 | PASS |
| 11BE20 | 5500 | NV | 0 | 40000 | 7.27273 | 20 | PASS |
| 11BE20 | 5500 | NV | 10 | 20000 | 3.63636 | 20 | PASS |
| 11BE20 | 5500 | NV | 20 | 20000 | 3.63636 | 20 | PASS |
| 11BE20 | 5500 | NV | 30 | 30000 | 5.45455 | 20 | PASS |
| 11BE20 | 5500 | NV | 40 | 20000 | 3.63636 | 20 | PASS |
| 11BE20 | 5500 | NV | 50 | 10000 | 1.81818 | 20 | PASS |
| 11BE20 | 5580 | NV | -30 | 30000 | 5.37634 | 20 | PASS |
| 11BE20 | 5580 | NV | -20 | 60000 | 10.75269 | 20 | PASS |
| 11BE20 | 5580 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5580 | NV | 0 | 30000 | 5.37634 | 20 | PASS |
| 11BE20 | 5580 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5580 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5580 | NV | 30 | 20000 | 3.58423 | 20 | PASS |
| 11BE20 | 5580 | NV | 40 | 20000 | 3.58423 | 20 | PASS |
| 11BE20 | 5580 | NV | 50 | 30000 | 5.37634 | 20 | PASS |
| 11BE20 | 5700 | NV | -30 | 60000 | 10.52632 | 20 | PASS |
| 11BE20 | 5700 | NV | -20 | 60000 | 10.52632 | 20 | PASS |
| 11BE20 | 5700 | NV | -10 | 50000 | 8.77193 | 20 | PASS |
| 11BE20 | 5700 | NV | 0 | 20000 | 3.50877 | 20 | PASS |
| 11BE20 | 5700 | NV | 10 | 40000 | 7.01754 | 20 | PASS |
| 11BE20 | 5700 | NV | 20 | 60000 | 10.52632 | 20 | PASS |
| 11BE20 | 5700 | NV | 30 | 50000 | 8.77193 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11BE20 | 5700 | NV | 40 | 50000 | 8.77193 | 20 | PASS |
| 11BE20 | 5700 | NV | 50 | 60000 | 10.52632 | 20 | PASS |
| 11BE20 | 5745 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5745 | NV | -20 | 50000 | 8.70322 | 20 | PASS |
| 11BE20 | 5745 | NV | -10 | 60000 | 10.44386 | 20 | PASS |
| 11BE20 | 5745 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5745 | NV | 10 | 60000 | 10.44386 | 20 | PASS |
| 11BE20 | 5745 | NV | 20 | 60000 | 10.44386 | 20 | PASS |
| 11BE20 | 5745 | NV | 30 | 50000 | 8.70322 | 20 | PASS |
| 11BE20 | 5745 | NV | 40 | 50000 | 8.70322 | 20 | PASS |
| 11BE20 | 5745 | NV | 50 | 20000 | 3.48129 | 20 | PASS |
| 11BE20 | 5785 | NV | -30 | 20000 | 3.45722 | 20 | PASS |
| 11BE20 | 5785 | NV | -20 | 10000 | 1.72861 | 20 | PASS |
| 11BE20 | 5785 | NV | -10 | 20000 | 3.45722 | 20 | PASS |
| 11BE20 | 5785 | NV | 0 | 60000 | 10.37165 | 20 | PASS |
| 11BE20 | 5785 | NV | 10 | 50000 | 8.64304 | 20 | PASS |
| 11BE20 | 5785 | NV | 20 | 60000 | 10.37165 | 20 | PASS |
| 11BE20 | 5785 | NV | 30 | 30000 | 5.18583 | 20 | PASS |
| 11BE20 | 5785 | NV | 40 | 10000 | 1.72861 | 20 | PASS |
| 11BE20 | 5785 | NV | 50 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5825 | NV | -30 | 10000 | 1.71674 | 20 | PASS |
| 11BE20 | 5825 | NV | -20 | 20000 | 3.43348 | 20 | PASS |
| 11BE20 | 5825 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11BE20 | 5825 | NV | 0 | 20000 | 3.43348 | 20 | PASS |
| 11BE20 | 5825 | NV | 10 | 30000 | 5.15021 | 20 | PASS |
| 11BE20 | 5825 | NV | 20 | 50000 | 8.58369 | 20 | PASS |
| 11BE20 | 5825 | NV | 30 | 20000 | 3.43348 | 20 | PASS |
| 11BE20 | 5825 | NV | 40 | 50000 | 8.58369 | 20 | PASS |
| 11BE20 | 5825 | NV | 50 | 30000 | 5.15021 | 20 | PASS |
| 11BE40 | 5190 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5190 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5190 | NV | -10 | 40000 | 7.70713 | 20 | PASS |
| 11BE40 | 5190 | NV | 0 | 20000 | 3.85356 | 20 | PASS |
| 11BE40 | 5190 | NV | 10 | 40000 | 7.70713 | 20 | PASS |
| 11BE40 | 5190 | NV | 20 | 30000 | 5.78035 | 20 | PASS |
| 11BE40 | 5190 | NV | 30 | 40000 | 7.70713 | 20 | PASS |
| 11BE40 | 5190 | NV | 40 | 20000 | 3.85356 | 20 | PASS |
| 11BE40 | 5190 | NV | 50 | 20000 | 3.85356 | 20 | PASS |
| 11BE40 | 5230 | NV | -30 | 40000 | 7.64818 | 20 | PASS |
| 11BE40 | 5230 | NV | -20 | 40000 | 7.64818 | 20 | PASS |
| 11BE40 | 5230 | NV | -10 | 30000 | 5.73614 | 20 | PASS |
| 11BE40 | 5230 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5230 | NV | 10 | 30000 | 5.73614 | 20 | PASS |
| 11BE40 | 5230 | NV | 20 | 30000 | 5.73614 | 20 | PASS |
| 11BE40 | 5230 | NV | 30 | 40000 | 7.64818 | 20 | PASS |
| 11BE40 | 5230 | NV | 40 | 60000 | 11.47228 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11BE40 | 5230 | NV | 50 | 20000 | 3.82409 | 20 | PASS |
| 11BE40 | 5270 | NV | -30 | 20000 | 3.79507 | 20 | PASS |
| 11BE40 | 5270 | NV | -20 | 20000 | 3.79507 | 20 | PASS |
| 11BE40 | 5270 | NV | -10 | 40000 | 7.59013 | 20 | PASS |
| 11BE40 | 5270 | NV | 0 | 20000 | 3.79507 | 20 | PASS |
| 11BE40 | 5270 | NV | 10 | 20000 | 3.79507 | 20 | PASS |
| 11BE40 | 5270 | NV | 20 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5270 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5270 | NV | 40 | 50000 | 9.48767 | 20 | PASS |
| 11BE40 | 5270 | NV | 50 | 10000 | 1.89753 | 20 | PASS |
| 11BE40 | 5310 | NV | -30 | 10000 | 1.88324 | 20 | PASS |
| 11BE40 | 5310 | NV | -20 | 20000 | 3.76648 | 20 | PASS |
| 11BE40 | 5310 | NV | -10 | 60000 | 11.29944 | 20 | PASS |
| 11BE40 | 5310 | NV | 0 | 30000 | 5.64972 | 20 | PASS |
| 11BE40 | 5310 | NV | 10 | 40000 | 7.53296 | 20 | PASS |
| 11BE40 | 5310 | NV | 20 | 10000 | 1.88324 | 20 | PASS |
| 11BE40 | 5310 | NV | 30 | 50000 | 9.41620 | 20 | PASS |
| 11BE40 | 5310 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5310 | NV | 50 | 10000 | 1.88324 | 20 | PASS |
| 11BE40 | 5510 | NV | -30 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5510 | NV | -20 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5510 | NV | -10 | 50000 | 9.07441 | 20 | PASS |
| 11BE40 | 5510 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5510 | NV | 10 | 30000 | 5.44465 | 20 | PASS |
| 11BE40 | 5510 | NV | 20 | 20000 | 3.62976 | 20 | PASS |
| 11BE40 | 5510 | NV | 30 | 10000 | 1.81488 | 20 | PASS |
| 11BE40 | 5510 | NV | 40 | 10000 | 1.81488 | 20 | PASS |
| 11BE40 | 5510 | NV | 50 | 20000 | 3.62976 | 20 | PASS |
| 11BE40 | 5550 | NV | -30 | 30000 | 5.40541 | 20 | PASS |
| 11BE40 | 5550 | NV | -20 | 10000 | 1.80180 | 20 | PASS |
| 11BE40 | 5550 | NV | -10 | 20000 | 3.60360 | 20 | PASS |
| 11BE40 | 5550 | NV | 0 | 20000 | 3.60360 | 20 | PASS |
| 11BE40 | 5550 | NV | 10 | 20000 | 3.60360 | 20 | PASS |
| 11BE40 | 5550 | NV | 20 | 20000 | 3.60360 | 20 | PASS |
| 11BE40 | 5550 | NV | 30 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5550 | NV | 40 | 10000 | 1.80180 | 20 | PASS |
| 11BE40 | 5550 | NV | 50 | 20000 | 3.60360 | 20 | PASS |
| 11BE40 | 5670 | NV | -30 | 30000 | 5.29101 | 20 | PASS |
| 11BE40 | 5670 | NV | -20 | 30000 | 5.29101 | 20 | PASS |
| 11BE40 | 5670 | NV | -10 | 20000 | 3.52734 | 20 | PASS |
| 11BE40 | 5670 | NV | 0 | 40000 | 7.05467 | 20 | PASS |
| 11BE40 | 5670 | NV | 10 | 40000 | 7.05467 | 20 | PASS |
| 11BE40 | 5670 | NV | 20 | 60000 | 10.58201 | 20 | PASS |
| 11BE40 | 5670 | NV | 30 | 40000 | 7.05467 | 20 | PASS |
| 11BE40 | 5670 | NV | 40 | 20000 | 3.52734 | 20 | PASS |
| 11BE40 | 5670 | NV | 50 | 50000 | 8.81834 | 20 | PASS |

| | | | | | | | |
|--------|------|----|-----|-------|----------|----|------|
| 11BE40 | 5755 | NV | -30 | 50000 | 8.68810 | 20 | PASS |
| 11BE40 | 5755 | NV | -20 | 20000 | 3.47524 | 20 | PASS |
| 11BE40 | 5755 | NV | -10 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5755 | NV | 0 | 10000 | 1.73762 | 20 | PASS |
| 11BE40 | 5755 | NV | 10 | 20000 | 3.47524 | 20 | PASS |
| 11BE40 | 5755 | NV | 20 | 50000 | 8.68810 | 20 | PASS |
| 11BE40 | 5755 | NV | 30 | 40000 | 6.95048 | 20 | PASS |
| 11BE40 | 5755 | NV | 40 | 10000 | 1.73762 | 20 | PASS |
| 11BE40 | 5755 | NV | 50 | 20000 | 3.47524 | 20 | PASS |
| 11BE40 | 5795 | NV | -30 | 50000 | 8.62813 | 20 | PASS |
| 11BE40 | 5795 | NV | -20 | 10000 | 1.72563 | 20 | PASS |
| 11BE40 | 5795 | NV | -10 | 20000 | 3.45125 | 20 | PASS |
| 11BE40 | 5795 | NV | 0 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5795 | NV | 10 | 10000 | 1.72563 | 20 | PASS |
| 11BE40 | 5795 | NV | 20 | 40000 | 6.90250 | 20 | PASS |
| 11BE40 | 5795 | NV | 30 | 60000 | 10.35375 | 20 | PASS |
| 11BE40 | 5795 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11BE40 | 5795 | NV | 50 | 20000 | 3.45125 | 20 | PASS |
| 11BE80 | 5210 | NV | -30 | 60000 | 11.51631 | 20 | PASS |
| 11BE80 | 5210 | NV | -20 | 20000 | 3.83877 | 20 | PASS |
| 11BE80 | 5210 | NV | -10 | 40000 | 7.67754 | 20 | PASS |
| 11BE80 | 5210 | NV | 0 | 40000 | 7.67754 | 20 | PASS |
| 11BE80 | 5210 | NV | 10 | 60000 | 11.51631 | 20 | PASS |
| 11BE80 | 5210 | NV | 20 | 60000 | 11.51631 | 20 | PASS |
| 11BE80 | 5210 | NV | 30 | 50000 | 9.59693 | 20 | PASS |
| 11BE80 | 5210 | NV | 40 | 10000 | 1.91939 | 20 | PASS |
| 11BE80 | 5210 | NV | 50 | 30000 | 5.75816 | 20 | PASS |
| 11BE80 | 5290 | NV | -30 | 20000 | 3.78072 | 20 | PASS |
| 11BE80 | 5290 | NV | -20 | 40000 | 7.56144 | 20 | PASS |
| 11BE80 | 5290 | NV | -10 | 50000 | 9.45180 | 20 | PASS |
| 11BE80 | 5290 | NV | 0 | 50000 | 9.45180 | 20 | PASS |
| 11BE80 | 5290 | NV | 10 | 10000 | 1.89036 | 20 | PASS |
| 11BE80 | 5290 | NV | 20 | 20000 | 3.78072 | 20 | PASS |
| 11BE80 | 5290 | NV | 30 | 40000 | 7.56144 | 20 | PASS |
| 11BE80 | 5290 | NV | 40 | 10000 | 1.89036 | 20 | PASS |
| 11BE80 | 5290 | NV | 50 | 20000 | 3.78072 | 20 | PASS |
| 11BE80 | 5530 | NV | -30 | 10000 | 1.80832 | 20 | PASS |
| 11BE80 | 5530 | NV | -20 | 10000 | 1.80832 | 20 | PASS |
| 11BE80 | 5530 | NV | -10 | 20000 | 3.61664 | 20 | PASS |
| 11BE80 | 5530 | NV | 0 | 40000 | 7.23327 | 20 | PASS |
| 11BE80 | 5530 | NV | 10 | 0 | 0.00000 | 20 | PASS |
| 11BE80 | 5530 | NV | 20 | 50000 | 9.04159 | 20 | PASS |
| 11BE80 | 5530 | NV | 30 | 60000 | 10.84991 | 20 | PASS |
| 11BE80 | 5530 | NV | 40 | 20000 | 3.61664 | 20 | PASS |
| 11BE80 | 5530 | NV | 50 | 50000 | 9.04159 | 20 | PASS |
| 11BE80 | 5610 | NV | -30 | 30000 | 5.34759 | 20 | PASS |


| | | | | | | | |
|---------|------|----|-----|-------|----------|----|------|
| 11BE80 | 5610 | NV | -20 | 60000 | 10.69519 | 20 | PASS |
| 11BE80 | 5610 | NV | -10 | 20000 | 3.56506 | 20 | PASS |
| 11BE80 | 5610 | NV | 0 | 30000 | 5.34759 | 20 | PASS |
| 11BE80 | 5610 | NV | 10 | 30000 | 5.34759 | 20 | PASS |
| 11BE80 | 5610 | NV | 20 | 50000 | 8.91266 | 20 | PASS |
| 11BE80 | 5610 | NV | 30 | 60000 | 10.69519 | 20 | PASS |
| 11BE80 | 5610 | NV | 40 | 10000 | 1.78253 | 20 | PASS |
| 11BE80 | 5610 | NV | 50 | 50000 | 8.91266 | 20 | PASS |
| 11BE80 | 5775 | NV | -30 | 40000 | 6.92641 | 20 | PASS |
| 11BE80 | 5775 | NV | -20 | 60000 | 10.38961 | 20 | PASS |
| 11BE80 | 5775 | NV | -10 | 10000 | 1.73160 | 20 | PASS |
| 11BE80 | 5775 | NV | 0 | 60000 | 10.38961 | 20 | PASS |
| 11BE80 | 5775 | NV | 10 | 30000 | 5.19481 | 20 | PASS |
| 11BE80 | 5775 | NV | 20 | 10000 | 1.73160 | 20 | PASS |
| 11BE80 | 5775 | NV | 30 | 50000 | 8.65801 | 20 | PASS |
| 11BE80 | 5775 | NV | 40 | 0 | 0.00000 | 20 | PASS |
| 11BE80 | 5775 | NV | 50 | 10000 | 1.73160 | 20 | PASS |
| 11BE160 | 5250 | NV | -30 | 60000 | 11.42857 | 20 | PASS |
| 11BE160 | 5250 | NV | -20 | 10000 | 1.90476 | 20 | PASS |
| 11BE160 | 5250 | NV | -10 | 50000 | 9.52381 | 20 | PASS |
| 11BE160 | 5250 | NV | 0 | 60000 | 11.42857 | 20 | PASS |
| 11BE160 | 5250 | NV | 10 | 30000 | 5.71429 | 20 | PASS |
| 11BE160 | 5250 | NV | 20 | 20000 | 3.80952 | 20 | PASS |
| 11BE160 | 5250 | NV | 30 | 10000 | 1.90476 | 20 | PASS |
| 11BE160 | 5250 | NV | 40 | 50000 | 9.52381 | 20 | PASS |
| 11BE160 | 5250 | NV | 50 | 30000 | 5.71429 | 20 | PASS |
| 11BE160 | 5570 | NV | -30 | 60000 | 10.77199 | 20 | PASS |
| 11BE160 | 5570 | NV | -20 | 50000 | 8.97666 | 20 | PASS |
| 11BE160 | 5570 | NV | -10 | 30000 | 5.38600 | 20 | PASS |
| 11BE160 | 5570 | NV | 0 | 50000 | 8.97666 | 20 | PASS |
| 11BE160 | 5570 | NV | 10 | 20000 | 3.59066 | 20 | PASS |
| 11BE160 | 5570 | NV | 20 | 20000 | 3.59066 | 20 | PASS |
| 11BE160 | 5570 | NV | 30 | 60000 | 10.77199 | 20 | PASS |
| 11BE160 | 5570 | NV | 40 | 20000 | 3.59066 | 20 | PASS |
| 11BE160 | 5570 | NV | 50 | 10000 | 1.79533 | 20 | PASS |

Appendix I: Dynamic Frequency Selection


DFS Detection Thresholds

| TestMode | Frequency[dbm] | Radar Type | Result | Limit[dbm] | Verdict |
|----------|----------------|------------|--------|------------|---------|
| 11AC160 | 5250 | Type0 | -61.57 | -61.30 | PASS |
| 11AC160 | 5570 | Type0 | -60.75 | -60.36 | PASS |

11AC160SISO-5250-Type0-PASS




11AC160SISO-5570-Type0-PASS




Channel Move Time and Channel Closing Transmission Time

| TestMode | Frequency[MHz] | CCTT[ms] | Limit[ms] | CMT[ms] | Limit[ms] | Verdict |
|----------|----------------|----------|-----------|---------|-----------|---------|
| 11AC160 | 5250 | 200+7.8 | 200+60 | 517.1 | 10000 | PASS |
| 11AC160 | 5570 | 200+6.5 | 200+60 | 474.2 | 10000 | PASS |

11AC160SISO-5250-Type0-PASS




11AC160SISO-5570-Type0-PASS




Non-Occupancy Period

| TestMode | Frequency[MHz] | Result | Limit[s] | Verdict |
|-------------|----------------|----------------|----------|---------|
| 11AC160SISO | 5250 | see test graph | ≥1800 | PASS |
| 11AC160SISO | 5570 | see test graph | ≥1800 | PASS |

11AC160SISO-5250-Type0-PASS




11AC160SISO-5570-Type0-PASS




Appendix J: The result of AC Power Line Conducted Emissions

| | |
|--------------------------------------|--------------------------|
| Profile: 2560639R | Page No.: 4 |
| Engineer: Yu Liu | |
| Site: TR1 | Time: 2025/07/28 - 15:32 |
| Limit: FCC_Part 15.207_CE_AC Power | Margin: 0 |
| Probe: ENV216_101189(0.009-30MHz) | Polarity: Line |
| EUT: Tablet computer | Power: AC 120V/60Hz |
| Note: Transmit at 5180MHz by 802.11a | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV) | Factor (dB) | Type |
|----|------|-----------------|----------------------|----------------------|-----------------|--------------|-------------|------|
| 1 | | 0.270 | 33.563 | 23.897 | -27.547 | 61.110 | 9.666 | QP |
| 2 | | 0.270 | 24.245 | 14.580 | -26.865 | 51.110 | 9.666 | AV |
| 3 | * | 0.478 | 39.989 | 30.289 | -16.385 | 56.374 | 9.701 | QP |
| 4 | | 0.478 | 27.808 | 18.108 | -18.565 | 46.374 | 9.701 | AV |
| 5 | | 1.258 | 37.166 | 27.450 | -18.834 | 56.000 | 9.717 | QP |
| 6 | | 1.258 | 24.819 | 15.103 | -21.181 | 46.000 | 9.717 | AV |
| 7 | | 4.554 | 37.036 | 27.229 | -18.964 | 56.000 | 9.807 | QP |
| 8 | | 4.554 | 29.131 | 19.324 | -16.869 | 46.000 | 9.807 | AV |
| 9 | | 16.270 | 32.345 | 22.110 | -27.655 | 60.000 | 10.235 | QP |
| 10 | | 16.270 | 25.593 | 15.357 | -24.407 | 50.000 | 10.235 | AV |
| 11 | | 27.602 | 25.651 | 14.944 | -34.349 | 60.000 | 10.707 | QP |
| 12 | | 27.602 | 14.705 | 3.998 | -35.295 | 50.000 | 10.707 | AV |

| | |
|--------------------------------------|--------------------------|
| Profile: 2560639R | Page No.: 9 |
| Engineer: Yu Liu | |
| Site: TR1 | Time: 2025/07/28 - 15:45 |
| Limit: FCC_Part 15.207_CE_AC Power | Margin: 0 |
| Probe: ENV216_101189(0.009-30MHz) | Polarity: Neutral |
| EUT: Tablet computer | Power: AC 120V/60Hz |
| Note: Transmit at 5180MHz by 802.11a | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV) | Factor (dB) | Type |
|----|------|-----------------|----------------------|----------------------|-----------------|--------------|-------------|------|
| 1 | | 0.234 | 36.275 | 26.638 | -26.031 | 62.307 | 9.637 | QP |
| 2 | | 0.234 | 23.350 | 13.713 | -28.956 | 52.307 | 9.637 | AV |
| 3 | | 0.514 | 36.833 | 27.235 | -19.167 | 56.000 | 9.599 | QP |
| 4 | | 0.514 | 26.240 | 16.642 | -19.760 | 46.000 | 9.599 | AV |
| 5 | | 1.222 | 36.409 | 26.726 | -19.591 | 56.000 | 9.683 | QP |
| 6 | * | 1.222 | 27.688 | 18.006 | -18.312 | 46.000 | 9.683 | AV |
| 7 | | 5.130 | 38.971 | 29.164 | -21.029 | 60.000 | 9.807 | QP |
| 8 | | 5.130 | 30.416 | 20.610 | -19.584 | 50.000 | 9.807 | AV |
| 9 | | 17.170 | 26.128 | 15.844 | -33.872 | 60.000 | 10.284 | QP |
| 10 | | 17.170 | 18.618 | 8.334 | -31.382 | 50.000 | 10.284 | AV |
| 11 | | 29.834 | 25.509 | 14.745 | -34.491 | 60.000 | 10.764 | QP |
| 12 | | 29.834 | 17.355 | 6.591 | -32.645 | 50.000 | 10.764 | AV |

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

The End