

Occupied Channel Bandwidth 99% (6785 MHz; 11be80 (80 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	78.500000	---	320.000000	6745.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6785.000000	6824.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.70500 GHz	6.70500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	104 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.20 dB	0.30 dB

Occupied Channel Bandwidth 99% (6785 MHz; 11be80 (80 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6785.000000	78.500000	---	320.000000	6745.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6785.000000	6824.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.70500 GHz	6.70500 GHz
Stop Frequency	6.86500 GHz	6.86500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	95 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.06 dB	0.30 dB

Occupied Channel Bandwidth 99% (6865 MHz; 11be80 (80 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	78.000000	48.750000	29.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6826.250000	5925.000000	6904.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	81 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6865 MHz; 11be80 (80 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	78.000000	48.750000	29.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6826.250000	5925.000000	6904.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	146 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6865 MHz; 11be80 (80 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	78.000000	49.250000	28.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6825.750000	5925.000000	6903.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	127 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.07 dB	0.30 dB

Occupied Channel Bandwidth 99% (6865 MHz; 11be80 (80 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6865.000000	78.500000	49.250000	29.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6865.000000	6825.750000	5925.000000	6904.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	124 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.03 dB	0.30 dB

Occupied Channel Bandwidth 99% (6945 MHz; 11be80 (80 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	78.500000	---	320.000000	6905.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6984.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	79 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6945 MHz; 11be80 (80 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	78.500000	---	320.000000	6905.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6984.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	138 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6945 MHz; 11be80 (80 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	78.500000	---	320.000000	6905.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6984.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	88 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.06 dB	0.30 dB

Occupied Channel Bandwidth 99% (6945 MHz; 11be80 (80 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6945.000000	78.500000	---	320.000000	6905.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6945.000000	6984.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.86500 GHz	6.86500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	118 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7025 MHz; 11be80 (80 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	78.000000	---	320.000000	6985.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7063.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	135 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7025 MHz; 11be80 (80 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	78.000000	---	320.000000	6985.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7063.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	131 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7025 MHz; 11be80 (80 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	78.500000	---	320.000000	6985.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7064.250000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	145 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (7025 MHz; 11be80 (80 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
7025.000000	78.000000	---	320.000000	6985.750000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
7025.000000	7063.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	160.000 MHz	160.000 MHz
RBW	1.000 MHz	>= 800.000 kHz
VBW	3.000 MHz	>= 3.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	142 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6025 MHz; 11be160 (160 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	158.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6104.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	138 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6025 MHz; 11be160 (160 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	157.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6103.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	127 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.11 dB	0.30 dB

Occupied Channel Bandwidth 99% (6025 MHz; 11be160 (160 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	157.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6103.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	124 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6025 MHz; 11be160 (160 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6025.000000	157.000000	---	320.000000	5946.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6025.000000	6103.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	138 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6185 MHz; 11be160 (160 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	158.000000	---	320.000000	6106.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6264.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	130 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6185 MHz; 11be160 (160 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	158.000000	---	320.000000	6105.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6263.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	83 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.22 dB	0.30 dB

Occupied Channel Bandwidth 99% (6185 MHz; 11be160 (160 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	158.000000	---	320.000000	6106.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6264.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	134 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6185 MHz; 11be160 (160 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6185.000000	157.000000	---	320.000000	6106.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6185.000000	6263.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.02500 GHz	6.02500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	137 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6345 MHz; 11be160 (160 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	158.000000	---	320.000000	6266.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6424.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	94 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.07 dB	0.30 dB

Occupied Channel Bandwidth 99% (6345 MHz; 11be160 (160 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	157.000000	---	320.000000	6266.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6423.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	106 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6345 MHz; 11be160 (160 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	158.000000	---	320.000000	6266.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6424.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	119 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6345 MHz; 11be160 (160 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6345.000000	157.000000	---	320.000000	6266.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6345.000000	6423.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	138 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6505 MHz; 11be160 (160 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	157.000000	98.500000	58.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6426.500000	5925.000000	6583.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	122 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6505 MHz; 11be160 (160 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	158.000000	99.500000	58.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6425.500000	5925.000000	6583.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	109 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.10 dB	0.30 dB

Occupied Channel Bandwidth 99% (6505 MHz; 11be160 (160 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	157.000000	98.500000	58.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6426.500000	5925.000000	6583.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	121 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6505 MHz; 11be160 (160 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6505.000000	157.000000	98.500000	58.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6505.000000	6426.500000	5925.000000	6583.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	92 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6665 MHz; 11be160 (160 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	157.000000	---	320.000000	6586.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6743.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	134 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6665 MHz; 11be160 (160 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	157.000000	---	320.000000	6586.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6743.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	139 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6665 MHz; 11be160 (160 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	158.000000	---	320.000000	6585.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6743.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	123 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6665 MHz; 11be160 (160 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6665.000000	157.000000	---	320.000000	6586.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6665.000000	6743.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	128 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6825 MHz; 11be160 (160 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	157.000000	128.500000	28.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6746.500000	5925.000000	6903.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	129 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.17 dB	0.30 dB

Occupied Channel Bandwidth 99% (6825 MHz; 11be160 (160 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	158.000000	129.500000	28.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6745.500000	5925.000000	6903.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweeptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	125 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6825 MHz; 11be160 (160 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	157.000000	128.500000	28.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6746.500000	5925.000000	6903.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	143 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6825 MHz; 11be160 (160 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6825.000000	157.000000	128.500000	28.500000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6825.000000	6746.500000	5925.000000	6903.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	91 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6985 MHz; 11be160 (160 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	158.000000	---	320.000000	6905.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7063.500000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	145 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6985 MHz; 11be160 (160 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	157.000000	---	320.000000	6906.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7063.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	112 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.09 dB	0.30 dB

Occupied Channel Bandwidth 99% (6985 MHz; 11be160 (160 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	158.000000	---	320.000000	6905.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7063.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	93 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.11 dB	0.30 dB

Occupied Channel Bandwidth 99% (6985 MHz; 11be160 (160 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6985.000000	157.000000	---	320.000000	6906.500000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6985.000000	7063.500000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	320.000 MHz	320.000 MHz
RBW	2.000 MHz	>= 1.600 MHz
VBW	10.000 MHz	>= 6.000 MHz
SweepPoints	320	~ 320
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	144 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6105 MHz; 11be320 (320 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6105.000000	317.500000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6105.000000	6263.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	129 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6105 MHz; 11be320 (320 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6105.000000	317.500000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6105.000000	6263.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	104 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.12 dB	0.30 dB

Occupied Channel Bandwidth 99% (6105 MHz; 11be320 (320 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6105.000000	317.500000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6105.000000	6263.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	140 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6105 MHz; 11be320 (320 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6105.000000	317.500000	---	320.000000	5946.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6105.000000	6263.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	111 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.13 dB	0.30 dB

Occupied Channel Bandwidth 99% (6265 MHz; 11be320 (320 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6265.000000	317.500000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6265.000000	6423.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	133 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6265 MHz; 11be320 (320 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6265.000000	317.500000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6265.000000	6423.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	103 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6265 MHz; 11be320 (320 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6265.000000	317.500000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6265.000000	6423.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
Sweeptype	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	104 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6265 MHz; 11be320 (320 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Limit Min (MHz)	Limit Max (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)
6265.000000	317.500000	---	320.000000	6106.250000	5925.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6265.000000	6423.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	82 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6425 MHz; 11be320 (320 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6425.000000	317.500000	258.750000	58.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6425.000000	6266.250000	5925.000000	6583.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	105 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6425 MHz; 11be320 (320 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6425.000000	317.500000	258.750000	58.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6425.000000	6266.250000	5925.000000	6583.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	83 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.02 dB	0.30 dB

Occupied Channel Bandwidth 99% (6425 MHz; 11be320 (320 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6425.000000	317.500000	258.750000	58.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6425.000000	6266.250000	5925.000000	6583.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	138 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6425 MHz; 11be320 (320 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6425.000000	317.500000	258.750000	58.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6425.000000	6266.250000	5925.000000	6583.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	54 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.19 dB	0.30 dB

Occupied Channel Bandwidth 99% (6585 MHz; 11be320 (320 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6585.000000	317.500000	98.750000	218.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6585.000000	6426.250000	5925.000000	6743.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	125 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.16 dB	0.30 dB

Occupied Channel Bandwidth 99% (6585 MHz; 11be320 (320 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6585.000000	317.500000	98.750000	218.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6585.000000	6426.250000	5925.000000	6743.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	85 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.24 dB	0.30 dB

Occupied Channel Bandwidth 99% (6585 MHz; 11be320 (320 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6585.000000	317.500000	98.750000	218.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6585.000000	6426.250000	5925.000000	6743.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	76 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.12 dB	0.30 dB

Occupied Channel Bandwidth 99% (6585 MHz; 11be320 (320 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 6 (MHz)	Bandwidth U-NII 7 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6585.000000	317.500000	98.750000	218.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6585.000000	6426.250000	5925.000000	6743.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	123 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6745 MHz; 11be320 (320 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6745.000000	317.500000	288.750000	28.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6745.000000	6586.250000	5925.000000	6903.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	126 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.20 dB	0.30 dB

Occupied Channel Bandwidth 99% (6745 MHz; 11be320 (320 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6745.000000	317.500000	288.750000	28.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6745.000000	6586.250000	5925.000000	6903.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	121 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.03 dB	0.30 dB

Occupied Channel Bandwidth 99% (6745 MHz; 11be320 (320 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6745.000000	317.500000	288.750000	28.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6745.000000	6586.250000	5925.000000	6903.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	139 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6745 MHz; 11be320 (320 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6745.000000	317.500000	288.750000	28.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6745.000000	6586.250000	5925.000000	6903.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	124 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6905 MHz; 11be320 (320 MHz)) - Ant0


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6905.000000	317.500000	128.750000	188.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6905.000000	6746.250000	5925.000000	7063.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	109 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.06 dB	0.30 dB

Occupied Channel Bandwidth 99% (6905 MHz; 11be320 (320 MHz)) - Ant1


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6905.000000	315.000000	128.750000	186.250000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6905.000000	6746.250000	5925.000000	7061.250000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	126 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

Occupied Channel Bandwidth 99% (6905 MHz; 11be320 (320 MHz)) - Ant2


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6905.000000	317.500000	128.750000	188.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6905.000000	6746.250000	5925.000000	7063.750000	7125.000000	PASS

99 % B andwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
Sweptime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	114 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.11 dB	0.30 dB

Occupied Channel Bandwidth 99% (6905 MHz; 11be320 (320 MHz)) - Ant3


99 % Bandwidth

DUT Frequency (MHz)	Bandwidth (MHz)	Bandwidth U-NII 7 (MHz)	Bandwidth U-NII 8 (MHz)	Limit Min (MHz)	Limit Max (MHz)
6905.000000	317.500000	128.750000	188.750000	---	320.000000

(continuation of the "99 % Bandwidth" table from column 6 ...)

DUT Frequency (MHz)	Band Edge Left (MHz)	Limit Min BE L (MHz)	Band Edge Right (MHz)	Limit Max BE R (MHz)	Result
6905.000000	6746.250000	5925.000000	7063.750000	7125.000000	PASS

99 % Bandwidth



Measurement

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	640.000 MHz	640.000 MHz
RBW	5.000 MHz	>= 3.200 MHz
VBW	10.000 MHz	>= 15.000 MHz
SweepPoints	256	~ 256
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	10.000 dBm
Attenuation	20.000 dB	AUTO
Detector	MaxPeak	MaxPeak
SweepCount	200	200
Filter	3 dB	3 dB
Trace Mode	Max Hold	Max Hold
SweepType	Sweep	AUTO
Preamp	off	off
Stablemode	Trace	Trace
Stablevalue	0.30 dB	0.30 dB
Run	102 / max. 150	max. 150
Stable	5 / 5	5
Max Stable Difference	0.00 dB	0.30 dB

In-Band Emissions (5955 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5964.050000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5957.050000	-6.0	0.2	-5.8	PASS
5955.750000	-6.1	0.2	-5.8	PASS
5961.450000	-6.1	0.3	-5.8	PASS
5949.350000	-6.1	0.3	-5.8	PASS
5958.550000	-6.1	0.3	-5.8	PASS
5957.750000	-6.1	0.3	-5.8	PASS
5954.150000	-6.1	0.3	-5.8	PASS
5954.250000	-6.1	0.3	-5.8	PASS
5951.250000	-6.2	0.3	-5.8	PASS
5964.150000	-6.2	0.4	-5.8	PASS
5955.650000	-6.3	0.4	-5.8	PASS
5949.250000	-6.3	0.4	-5.8	PASS
5958.650000	-6.3	0.4	-5.8	PASS
5949.950000	-6.3	0.5	-5.8	PASS
5949.150000	-6.3	0.5	-5.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5955 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5963.750000	-5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5963.750000	-5.6	0.0	-5.6	PASS
5949.650000	-5.7	0.1	-5.6	PASS
5945.750000	-5.8	0.3	-5.6	PASS
5953.150000	-5.8	0.3	-5.6	PASS
5952.550000	-5.8	0.3	-5.6	PASS
5953.250000	-5.9	0.3	-5.6	PASS
5949.150000	-5.9	0.3	-5.6	PASS
5957.150000	-5.9	0.3	-5.6	PASS
5960.750000	-5.9	0.3	-5.6	PASS
5963.850000	-5.9	0.3	-5.6	PASS
5957.250000	-6.0	0.4	-5.6	PASS
5952.050000	-6.0	0.4	-5.6	PASS
5954.550000	-6.0	0.4	-5.6	PASS
5963.350000	-6.0	0.4	-5.6	PASS
5950.850000	-6.0	0.4	-5.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5955 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5959.150000	-6.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5955.550000	-6.7	0.1	-6.6	PASS
5964.150000	-6.7	0.1	-6.6	PASS
5963.250000	-6.8	0.1	-6.6	PASS
5958.850000	-6.8	0.2	-6.6	PASS
5959.550000	-6.9	0.3	-6.6	PASS
5955.650000	-6.9	0.3	-6.6	PASS
5950.150000	-7.0	0.3	-6.6	PASS
5958.450000	-7.0	0.3	-6.6	PASS
5948.050000	-7.0	0.3	-6.6	PASS
5964.250000	-7.0	0.3	-6.6	PASS
5958.750000	-7.0	0.3	-6.6	PASS
5961.950000	-7.0	0.4	-6.6	PASS
5958.350000	-7.0	0.4	-6.6	PASS
5959.050000	-7.0	0.4	-6.6	PASS
5964.450000	-7.0	0.4	-6.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5955 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
5955.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5963.750000	-5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5963.750000	-5.0	0.0	-5.0	PASS
5946.650000	-5.1	0.1	-5.0	PASS
5960.350000	-5.1	0.2	-5.0	PASS
5961.350000	-5.3	0.3	-5.0	PASS
5963.850000	-5.3	0.3	-5.0	PASS
5961.750000	-5.5	0.5	-5.0	PASS
5946.950000	-5.5	0.5	-5.0	PASS
5947.050000	-5.5	0.5	-5.0	PASS
5963.650000	-5.5	0.5	-5.0	PASS
5961.850000	-5.5	0.5	-5.0	PASS
5946.750000	-5.5	0.6	-5.0	PASS
5961.450000	-5.6	0.6	-5.0	PASS
5964.150000	-5.6	0.6	-5.0	PASS
5957.450000	-5.6	0.6	-5.0	PASS
5964.350000	-5.6	0.6	-5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.90500 GHz	5.90500 GHz
Stop Frequency	6.00500 GHz	6.00500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6175.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6181.950000	-7.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6182.050000	-7.1	0.0	-7.1	PASS
6171.850000	-7.2	0.2	-7.1	PASS
6169.950000	-7.3	0.2	-7.1	PASS
6172.850000	-7.4	0.3	-7.1	PASS
6182.550000	-7.4	0.3	-7.1	PASS
6176.750000	-7.4	0.3	-7.1	PASS
6182.450000	-7.4	0.4	-7.1	PASS
6165.950000	-7.4	0.4	-7.1	PASS
6174.250000	-7.4	0.4	-7.1	PASS
6166.050000	-7.4	0.4	-7.1	PASS
6173.250000	-7.5	0.4	-7.1	PASS
6177.450000	-7.5	0.4	-7.1	PASS
6183.750000	-7.5	0.4	-7.1	PASS
6166.750000	-7.5	0.4	-7.1	PASS
6183.850000	-7.5	0.5	-7.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6175.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6183.150000	-7.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6183.150000	-7.1	0.0	-7.1	PASS
6177.650000	-7.2	0.0	-7.1	PASS
6167.350000	-7.2	0.1	-7.1	PASS
6183.850000	-7.2	0.1	-7.1	PASS
6168.750000	-7.2	0.1	-7.1	PASS
6167.450000	-7.2	0.1	-7.1	PASS
6170.850000	-7.3	0.2	-7.1	PASS
6183.050000	-7.3	0.2	-7.1	PASS
6182.950000	-7.4	0.2	-7.1	PASS
6169.450000	-7.4	0.3	-7.1	PASS
6170.950000	-7.4	0.3	-7.1	PASS
6169.350000	-7.4	0.3	-7.1	PASS
6170.750000	-7.4	0.3	-7.1	PASS
6168.850000	-7.4	0.3	-7.1	PASS
6179.050000	-7.4	0.3	-7.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6175.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6178.550000	-7.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6183.150000	-7.3	0.0	-7.3	PASS
6178.450000	-7.4	0.2	-7.3	PASS
6178.650000	-7.5	0.2	-7.3	PASS
6171.350000	-7.5	0.3	-7.3	PASS
6183.450000	-7.6	0.3	-7.3	PASS
6183.050000	-7.6	0.3	-7.3	PASS
6183.250000	-7.6	0.3	-7.3	PASS
6179.650000	-7.6	0.4	-7.3	PASS
6178.350000	-7.6	0.4	-7.3	PASS
6181.250000	-7.6	0.4	-7.3	PASS
6182.950000	-7.7	0.5	-7.3	PASS
6181.350000	-7.7	0.5	-7.3	PASS
6166.850000	-7.7	0.5	-7.3	PASS
6177.950000	-7.7	0.5	-7.3	PASS
6182.850000	-7.7	0.5	-7.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6175 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6175.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6166.150000	-6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6166.150000	-6.0	0.0	-6.0	PASS
6166.050000	-6.1	0.1	-6.0	PASS
6165.650000	-6.2	0.2	-6.0	PASS
6165.750000	-6.3	0.3	-6.0	PASS
6182.950000	-6.4	0.4	-6.0	PASS
6166.250000	-6.4	0.4	-6.0	PASS
6177.550000	-6.4	0.4	-6.0	PASS
6166.650000	-6.5	0.5	-6.0	PASS
6179.150000	-6.5	0.5	-6.0	PASS
6177.650000	-6.5	0.5	-6.0	PASS
6179.250000	-6.5	0.5	-6.0	PASS
6167.850000	-6.6	0.5	-6.0	PASS
6167.750000	-6.6	0.6	-6.0	PASS
6170.250000	-6.6	0.6	-6.0	PASS
6168.650000	-6.6	0.6	-6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.12500 GHz	6.12500 GHz
Stop Frequency	6.22500 GHz	6.22500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6411.350000	-5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6411.250000	-5.0	0.0	-5.0	PASS
6415.750000	-5.3	0.3	-5.0	PASS
6415.850000	-5.4	0.4	-5.0	PASS
6407.550000	-5.5	0.6	-5.0	PASS
6407.850000	-5.5	0.6	-5.0	PASS
6423.350000	-5.5	0.6	-5.0	PASS
6412.150000	-5.5	0.6	-5.0	PASS
6411.150000	-5.6	0.6	-5.0	PASS
6416.950000	-5.6	0.6	-5.0	PASS
6414.750000	-5.6	0.7	-5.0	PASS
6407.450000	-5.6	0.7	-5.0	PASS
6422.850000	-5.6	0.7	-5.0	PASS
6410.250000	-5.7	0.7	-5.0	PASS
6418.450000	-5.7	0.7	-5.0	PASS
6415.950000	-5.7	0.7	-5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6411.450000	-4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6411.450000	-4.8	0.0	-4.8	PASS
6419.450000	-5.0	0.2	-4.8	PASS
6419.350000	-5.0	0.2	-4.8	PASS
6411.750000	-5.0	0.2	-4.8	PASS
6422.450000	-5.0	0.2	-4.8	PASS
6407.350000	-5.1	0.3	-4.8	PASS
6411.350000	-5.1	0.3	-4.8	PASS
6411.550000	-5.1	0.3	-4.8	PASS
6416.650000	-5.2	0.4	-4.8	PASS
6420.450000	-5.2	0.4	-4.8	PASS
6422.350000	-5.2	0.4	-4.8	PASS
6405.750000	-5.2	0.4	-4.8	PASS
6410.950000	-5.2	0.4	-4.8	PASS
6421.650000	-5.2	0.4	-4.8	PASS
6421.750000	-5.3	0.5	-4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6405.650000	-5.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6424.250000	-5.8	0.1	-5.7	PASS
6421.050000	-5.9	0.3	-5.7	PASS
6410.850000	-6.0	0.4	-5.7	PASS
6406.650000	-6.1	0.4	-5.7	PASS
6421.150000	-6.1	0.4	-5.7	PASS
6406.950000	-6.1	0.5	-5.7	PASS
6408.250000	-6.2	0.5	-5.7	PASS
6424.150000	-6.2	0.5	-5.7	PASS
6420.450000	-6.2	0.6	-5.7	PASS
6409.950000	-6.3	0.6	-5.7	PASS
6406.350000	-6.3	0.6	-5.7	PASS
6405.750000	-6.3	0.6	-5.7	PASS
6407.050000	-6.3	0.6	-5.7	PASS
6420.950000	-6.3	0.6	-5.7	PASS
6414.450000	-6.3	0.6	-5.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6415 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6415.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6407.250000	-5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6407.250000	-5.1	0.0	-5.1	PASS
6406.550000	-5.2	0.1	-5.1	PASS
6407.650000	-5.3	0.1	-5.1	PASS
6407.750000	-5.3	0.1	-5.1	PASS
6406.650000	-5.3	0.2	-5.1	PASS
6419.950000	-5.4	0.3	-5.1	PASS
6424.450000	-5.4	0.3	-5.1	PASS
6424.350000	-5.4	0.3	-5.1	PASS
6419.850000	-5.4	0.3	-5.1	PASS
6423.750000	-5.4	0.3	-5.1	PASS
6423.250000	-5.4	0.3	-5.1	PASS
6407.150000	-5.4	0.3	-5.1	PASS
6420.650000	-5.4	0.3	-5.1	PASS
6406.050000	-5.4	0.3	-5.1	PASS
6423.850000	-5.4	0.3	-5.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.36500 GHz	6.36500 GHz
Stop Frequency	6.46500 GHz	6.46500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6435 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6431.250000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6431.150000	-6.0	0.1	-5.8	PASS
6428.850000	-6.1	0.3	-5.8	PASS
6429.750000	-6.2	0.4	-5.8	PASS
6428.450000	-6.2	0.4	-5.8	PASS
6436.350000	-6.2	0.4	-5.8	PASS
6431.350000	-6.2	0.4	-5.8	PASS
6443.550000	-6.2	0.4	-5.8	PASS
6439.750000	-6.2	0.4	-5.8	PASS
6429.850000	-6.3	0.5	-5.8	PASS
6436.250000	-6.3	0.5	-5.8	PASS
6440.150000	-6.3	0.5	-5.8	PASS
6433.950000	-6.3	0.5	-5.8	PASS
6433.850000	-6.3	0.5	-5.8	PASS
6427.650000	-6.3	0.5	-5.8	PASS
6429.950000	-6.3	0.5	-5.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6435 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6442.550000	-5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6442.550000	-5.0	0.0	-5.0	PASS
6430.150000	-5.1	0.1	-5.0	PASS
6442.650000	-5.2	0.3	-5.0	PASS
6430.850000	-5.2	0.3	-5.0	PASS
6426.850000	-5.3	0.3	-5.0	PASS
6432.450000	-5.3	0.3	-5.0	PASS
6438.750000	-5.3	0.4	-5.0	PASS
6430.550000	-5.3	0.4	-5.0	PASS
6442.450000	-5.4	0.4	-5.0	PASS
6433.650000	-5.4	0.4	-5.0	PASS
6430.250000	-5.4	0.4	-5.0	PASS
6433.550000	-5.4	0.4	-5.0	PASS
6430.950000	-5.4	0.4	-5.0	PASS
6435.350000	-5.4	0.5	-5.0	PASS
6426.450000	-5.4	0.5	-5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6435 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6443.550000	-6.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6444.350000	-6.8	0.2	-6.6	PASS
6437.450000	-6.8	0.3	-6.6	PASS
6426.750000	-6.9	0.3	-6.6	PASS
6443.150000	-6.9	0.3	-6.6	PASS
6443.450000	-6.9	0.4	-6.6	PASS
6426.450000	-6.9	0.4	-6.6	PASS
6444.050000	-6.9	0.4	-6.6	PASS
6425.750000	-6.9	0.4	-6.6	PASS
6443.950000	-7.0	0.4	-6.6	PASS
6441.350000	-7.0	0.4	-6.6	PASS
6443.650000	-7.0	0.4	-6.6	PASS
6443.250000	-7.0	0.5	-6.6	PASS
6428.950000	-7.0	0.5	-6.6	PASS
6425.850000	-7.0	0.5	-6.6	PASS
6428.350000	-7.1	0.5	-6.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6435 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6425.650000	-5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6443.850000	-5.6	0.0	-5.6	PASS
6425.750000	-5.6	0.1	-5.6	PASS
6439.150000	-5.9	0.3	-5.6	PASS
6443.950000	-5.9	0.3	-5.6	PASS
6440.550000	-5.9	0.3	-5.6	PASS
6438.950000	-5.9	0.4	-5.6	PASS
6439.250000	-6.0	0.4	-5.6	PASS
6440.650000	-6.0	0.4	-5.6	PASS
6439.850000	-6.0	0.5	-5.6	PASS
6443.350000	-6.0	0.5	-5.6	PASS
6441.650000	-6.0	0.5	-5.6	PASS
6428.350000	-6.0	0.5	-5.6	PASS
6426.650000	-6.1	0.5	-5.6	PASS
6425.850000	-6.1	0.5	-5.6	PASS
6428.450000	-6.1	0.5	-5.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6476.550000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6472.750000	-5.8	0.0	-5.8	PASS
6472.650000	-5.8	0.1	-5.8	PASS
6479.950000	-5.9	0.1	-5.8	PASS
6476.650000	-6.0	0.2	-5.8	PASS
6473.650000	-6.0	0.2	-5.8	PASS
6482.650000	-6.0	0.2	-5.8	PASS
6479.850000	-6.0	0.2	-5.8	PASS
6466.050000	-6.1	0.3	-5.8	PASS
6483.250000	-6.2	0.4	-5.8	PASS
6466.150000	-6.2	0.4	-5.8	PASS
6471.150000	-6.2	0.4	-5.8	PASS
6465.750000	-6.3	0.5	-5.8	PASS
6468.950000	-6.3	0.5	-5.8	PASS
6476.450000	-6.3	0.5	-5.8	PASS
6469.050000	-6.3	0.5	-5.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6466.650000	-5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6480.550000	-5.1	0.1	-5.0	PASS
6469.750000	-5.2	0.2	-5.0	PASS
6469.650000	-5.2	0.2	-5.0	PASS
6469.150000	-5.2	0.2	-5.0	PASS
6480.450000	-5.3	0.3	-5.0	PASS
6470.350000	-5.3	0.3	-5.0	PASS
6467.750000	-5.3	0.3	-5.0	PASS
6469.450000	-5.4	0.3	-5.0	PASS
6479.050000	-5.4	0.4	-5.0	PASS
6468.950000	-5.4	0.4	-5.0	PASS
6469.050000	-5.4	0.4	-5.0	PASS
6467.150000	-5.4	0.4	-5.0	PASS
6467.050000	-5.4	0.4	-5.0	PASS
6466.550000	-5.4	0.4	-5.0	PASS
6466.350000	-5.4	0.4	-5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6478.750000	-6.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6478.750000	-6.7	0.0	-6.7	PASS
6468.650000	-6.7	0.0	-6.7	PASS
6468.450000	-6.7	0.0	-6.7	PASS
6483.550000	-6.8	0.1	-6.7	PASS
6479.350000	-6.8	0.1	-6.7	PASS
6481.350000	-6.8	0.1	-6.7	PASS
6480.250000	-6.9	0.2	-6.7	PASS
6466.450000	-6.9	0.2	-6.7	PASS
6480.750000	-6.9	0.2	-6.7	PASS
6468.550000	-6.9	0.2	-6.7	PASS
6468.350000	-6.9	0.2	-6.7	PASS
6466.850000	-6.9	0.2	-6.7	PASS
6481.150000	-6.9	0.2	-6.7	PASS
6467.150000	-7.0	0.3	-6.7	PASS
6480.650000	-7.0	0.3	-6.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6482.550000	-5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6482.550000	-5.3	0.0	-5.3	PASS
6482.450000	-5.6	0.3	-5.3	PASS
6477.950000	-5.6	0.3	-5.3	PASS
6466.550000	-5.6	0.3	-5.3	PASS
6479.950000	-5.7	0.4	-5.3	PASS
6466.650000	-5.7	0.4	-5.3	PASS
6483.950000	-5.7	0.4	-5.3	PASS
6478.850000	-5.7	0.4	-5.3	PASS
6477.850000	-5.8	0.4	-5.3	PASS
6482.650000	-5.8	0.5	-5.3	PASS
6466.450000	-5.8	0.5	-5.3	PASS
6483.850000	-5.8	0.5	-5.3	PASS
6466.350000	-5.8	0.5	-5.3	PASS
6480.750000	-5.9	0.5	-5.3	PASS
6483.550000	-5.9	0.5	-5.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6507.150000	-6.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6507.150000	-6.1	0.0	-6.1	PASS
6515.950000	-6.2	0.1	-6.1	PASS
6524.250000	-6.2	0.1	-6.1	PASS
6507.550000	-6.2	0.1	-6.1	PASS
6509.850000	-6.2	0.1	-6.1	PASS
6508.150000	-6.2	0.2	-6.1	PASS
6508.450000	-6.3	0.2	-6.1	PASS
6507.450000	-6.3	0.2	-6.1	PASS
6512.550000	-6.3	0.2	-6.1	PASS
6509.750000	-6.3	0.2	-6.1	PASS
6511.450000	-6.3	0.2	-6.1	PASS
6515.850000	-6.3	0.2	-6.1	PASS
6510.950000	-6.3	0.2	-6.1	PASS
6510.050000	-6.3	0.2	-6.1	PASS
6511.550000	-6.3	0.3	-6.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6511.350000	-5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6511.450000	-5.8	0.2	-5.6	PASS
6512.950000	-5.8	0.2	-5.6	PASS
6512.850000	-5.8	0.2	-5.6	PASS
6508.950000	-5.9	0.4	-5.6	PASS
6507.950000	-6.0	0.4	-5.6	PASS
6511.150000	-6.0	0.4	-5.6	PASS
6508.350000	-6.0	0.4	-5.6	PASS
6511.250000	-6.0	0.5	-5.6	PASS
6506.850000	-6.0	0.5	-5.6	PASS
6511.950000	-6.1	0.5	-5.6	PASS
6508.250000	-6.1	0.5	-5.6	PASS
6523.850000	-6.1	0.5	-5.6	PASS
6509.650000	-6.1	0.5	-5.6	PASS
6505.850000	-6.1	0.5	-5.6	PASS
6523.150000	-6.1	0.5	-5.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6506.950000	-7.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6507.550000	-7.2	0.1	-7.1	PASS
6522.150000	-7.4	0.3	-7.1	PASS
6506.150000	-7.5	0.4	-7.1	PASS
6522.650000	-7.5	0.4	-7.1	PASS
6522.050000	-7.5	0.4	-7.1	PASS
6524.050000	-7.5	0.4	-7.1	PASS
6506.850000	-7.6	0.4	-7.1	PASS
6507.450000	-7.6	0.4	-7.1	PASS
6510.550000	-7.6	0.5	-7.1	PASS
6523.250000	-7.6	0.5	-7.1	PASS
6506.250000	-7.6	0.5	-7.1	PASS
6522.250000	-7.6	0.5	-7.1	PASS
6510.450000	-7.6	0.5	-7.1	PASS
6522.350000	-7.6	0.5	-7.1	PASS
6506.050000	-7.7	0.5	-7.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6522.350000	-6.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6522.850000	-6.6	0.3	-6.4	PASS
6522.250000	-6.6	0.3	-6.4	PASS
6524.250000	-6.7	0.4	-6.4	PASS
6515.750000	-6.8	0.4	-6.4	PASS
6506.750000	-6.8	0.4	-6.4	PASS
6522.450000	-6.8	0.5	-6.4	PASS
6524.150000	-6.8	0.5	-6.4	PASS
6523.450000	-6.8	0.5	-6.4	PASS
6519.750000	-6.9	0.5	-6.4	PASS
6519.850000	-6.9	0.5	-6.4	PASS
6516.850000	-6.9	0.5	-6.4	PASS
6523.550000	-6.9	0.6	-6.4	PASS
6524.050000	-6.9	0.6	-6.4	PASS
6505.650000	-6.9	0.6	-6.4	PASS
6506.850000	-6.9	0.6	-6.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6535.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6526.950000	-5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6526.950000	-5.9	0.0	-5.9	PASS
6531.550000	-6.1	0.1	-5.9	PASS
6526.850000	-6.1	0.2	-5.9	PASS
6527.050000	-6.1	0.2	-5.9	PASS
6531.850000	-6.1	0.2	-5.9	PASS
6527.850000	-6.1	0.2	-5.9	PASS
6533.550000	-6.2	0.3	-5.9	PASS
6537.550000	-6.3	0.3	-5.9	PASS
6527.950000	-6.3	0.3	-5.9	PASS
6533.250000	-6.3	0.4	-5.9	PASS
6534.450000	-6.3	0.4	-5.9	PASS
6529.750000	-6.3	0.4	-5.9	PASS
6528.750000	-6.3	0.4	-5.9	PASS
6531.650000	-6.3	0.4	-5.9	PASS
6533.650000	-6.4	0.4	-5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6535.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6538.150000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6538.150000	-5.8	0.0	-5.8	PASS
6526.850000	-5.8	0.0	-5.8	PASS
6540.250000	-5.8	0.0	-5.8	PASS
6529.850000	-5.9	0.1	-5.8	PASS
6529.350000	-5.9	0.1	-5.8	PASS
6527.450000	-5.9	0.1	-5.8	PASS
6542.550000	-6.0	0.2	-5.8	PASS
6525.950000	-6.0	0.2	-5.8	PASS
6526.150000	-6.0	0.2	-5.8	PASS
6527.550000	-6.0	0.2	-5.8	PASS
6535.950000	-6.1	0.3	-5.8	PASS
6526.250000	-6.1	0.3	-5.8	PASS
6540.650000	-6.1	0.3	-5.8	PASS
6534.550000	-6.1	0.3	-5.8	PASS
6535.750000	-6.1	0.3	-5.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6535.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6528.250000	-7.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6526.150000	-7.5	0.1	-7.4	PASS
6528.350000	-7.6	0.2	-7.4	PASS
6526.250000	-7.6	0.3	-7.4	PASS
6525.650000	-7.7	0.3	-7.4	PASS
6542.450000	-7.7	0.4	-7.4	PASS
6537.450000	-7.8	0.4	-7.4	PASS
6526.750000	-7.8	0.4	-7.4	PASS
6543.050000	-7.8	0.4	-7.4	PASS
6538.450000	-7.8	0.5	-7.4	PASS
6526.850000	-7.8	0.5	-7.4	PASS
6528.150000	-7.9	0.5	-7.4	PASS
6525.750000	-7.9	0.5	-7.4	PASS
6528.450000	-7.9	0.5	-7.4	PASS
6542.350000	-7.9	0.5	-7.4	PASS
6526.050000	-7.9	0.6	-7.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6535.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6543.550000	-6.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6543.650000	-6.6	0.1	-6.6	PASS
6528.850000	-6.7	0.1	-6.6	PASS
6526.050000	-6.7	0.2	-6.6	PASS
6542.950000	-6.8	0.2	-6.6	PASS
6542.850000	-6.8	0.3	-6.6	PASS
6543.450000	-6.8	0.3	-6.6	PASS
6525.950000	-6.9	0.3	-6.6	PASS
6544.250000	-7.0	0.4	-6.6	PASS
6543.950000	-7.0	0.4	-6.6	PASS
6538.550000	-7.0	0.4	-6.6	PASS
6527.750000	-7.0	0.5	-6.6	PASS
6537.950000	-7.0	0.5	-6.6	PASS
6544.050000	-7.0	0.5	-6.6	PASS
6527.850000	-7.1	0.5	-6.6	PASS
6538.650000	-7.1	0.5	-6.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6693.950000	-7.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6694.450000	-7.3	0.1	-7.1	PASS
6689.450000	-7.3	0.2	-7.1	PASS
6693.250000	-7.3	0.2	-7.1	PASS
6693.150000	-7.3	0.2	-7.1	PASS
6691.950000	-7.4	0.3	-7.1	PASS
6694.050000	-7.4	0.3	-7.1	PASS
6689.550000	-7.4	0.3	-7.1	PASS
6692.050000	-7.4	0.3	-7.1	PASS
6691.150000	-7.4	0.3	-7.1	PASS
6695.750000	-7.4	0.3	-7.1	PASS
6691.050000	-7.4	0.3	-7.1	PASS
6685.950000	-7.4	0.3	-7.1	PASS
6698.550000	-7.4	0.3	-7.1	PASS
6688.250000	-7.5	0.3	-7.1	PASS
6695.450000	-7.5	0.3	-7.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6701.550000	-6.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6701.550000	-6.4	0.0	-6.4	PASS
6702.750000	-6.4	0.0	-6.4	PASS
6702.850000	-6.5	0.1	-6.4	PASS
6702.650000	-6.5	0.1	-6.4	PASS
6701.050000	-6.5	0.1	-6.4	PASS
6700.050000	-6.6	0.2	-6.4	PASS
6694.650000	-6.6	0.3	-6.4	PASS
6687.150000	-6.7	0.3	-6.4	PASS
6700.450000	-6.7	0.3	-6.4	PASS
6702.350000	-6.7	0.3	-6.4	PASS
6690.350000	-6.7	0.3	-6.4	PASS
6703.950000	-6.7	0.3	-6.4	PASS
6690.450000	-6.7	0.3	-6.4	PASS
6703.250000	-6.8	0.4	-6.4	PASS
6704.050000	-6.8	0.4	-6.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6702.950000	-6.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6702.850000	-6.8	0.1	-6.7	PASS
6704.250000	-7.0	0.3	-6.7	PASS
6701.550000	-7.0	0.4	-6.7	PASS
6703.450000	-7.1	0.4	-6.7	PASS
6703.050000	-7.1	0.4	-6.7	PASS
6703.350000	-7.1	0.5	-6.7	PASS
6693.250000	-7.2	0.6	-6.7	PASS
6701.650000	-7.3	0.6	-6.7	PASS
6703.150000	-7.3	0.6	-6.7	PASS
6692.950000	-7.3	0.6	-6.7	PASS
6703.650000	-7.3	0.6	-6.7	PASS
6704.150000	-7.3	0.6	-6.7	PASS
6701.250000	-7.3	0.6	-6.7	PASS
6704.350000	-7.3	0.6	-6.7	PASS
6702.750000	-7.3	0.7	-6.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6704.150000	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6704.150000	-5.4	0.0	-5.4	PASS
6704.050000	-5.4	0.0	-5.4	PASS
6703.650000	-5.5	0.1	-5.4	PASS
6704.250000	-5.6	0.2	-5.4	PASS
6703.550000	-5.7	0.3	-5.4	PASS
6700.550000	-5.7	0.3	-5.4	PASS
6699.850000	-5.8	0.5	-5.4	PASS
6701.550000	-5.9	0.5	-5.4	PASS
6702.950000	-5.9	0.5	-5.4	PASS
6698.650000	-5.9	0.5	-5.4	PASS
6703.850000	-5.9	0.5	-5.4	PASS
6702.150000	-5.9	0.5	-5.4	PASS
6703.750000	-5.9	0.5	-5.4	PASS
6703.950000	-5.9	0.6	-5.4	PASS
6699.750000	-5.9	0.6	-5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6851.350000	-7.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6851.250000	-7.1	0.0	-7.0	PASS
6852.050000	-7.3	0.2	-7.0	PASS
6857.050000	-7.3	0.2	-7.0	PASS
6862.250000	-7.3	0.3	-7.0	PASS
6857.150000	-7.3	0.3	-7.0	PASS
6845.750000	-7.4	0.4	-7.0	PASS
6854.250000	-7.4	0.4	-7.0	PASS
6859.050000	-7.4	0.4	-7.0	PASS
6860.750000	-7.5	0.4	-7.0	PASS
6852.150000	-7.5	0.5	-7.0	PASS
6860.850000	-7.5	0.5	-7.0	PASS
6845.850000	-7.5	0.5	-7.0	PASS
6854.550000	-7.6	0.5	-7.0	PASS
6852.950000	-7.6	0.5	-7.0	PASS
6859.150000	-7.6	0.5	-7.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6861.950000	-5.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6861.950000	-5.7	0.0	-5.7	PASS
6862.050000	-5.9	0.2	-5.7	PASS
6862.850000	-6.0	0.2	-5.7	PASS
6849.650000	-6.1	0.3	-5.7	PASS
6859.650000	-6.1	0.4	-5.7	PASS
6849.050000	-6.1	0.4	-5.7	PASS
6848.750000	-6.1	0.4	-5.7	PASS
6861.550000	-6.2	0.4	-5.7	PASS
6859.550000	-6.2	0.5	-5.7	PASS
6859.450000	-6.2	0.5	-5.7	PASS
6849.150000	-6.2	0.5	-5.7	PASS
6847.650000	-6.2	0.5	-5.7	PASS
6861.850000	-6.3	0.5	-5.7	PASS
6860.450000	-6.3	0.5	-5.7	PASS
6857.450000	-6.3	0.5	-5.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6847.650000	-6.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6847.650000	-6.2	0.0	-6.2	PASS
6856.550000	-6.3	0.1	-6.2	PASS
6857.550000	-6.3	0.1	-6.2	PASS
6847.150000	-6.3	0.1	-6.2	PASS
6847.050000	-6.3	0.2	-6.2	PASS
6847.750000	-6.5	0.3	-6.2	PASS
6846.050000	-6.5	0.3	-6.2	PASS
6855.750000	-6.5	0.3	-6.2	PASS
6857.450000	-6.5	0.3	-6.2	PASS
6863.550000	-6.5	0.3	-6.2	PASS
6863.250000	-6.5	0.3	-6.2	PASS
6863.650000	-6.6	0.4	-6.2	PASS
6848.250000	-6.6	0.4	-6.2	PASS
6859.450000	-6.6	0.4	-6.2	PASS
6856.650000	-6.6	0.4	-6.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6846.150000	-4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6846.250000	-4.9	0.1	-4.8	PASS
6845.750000	-5.0	0.1	-4.8	PASS
6860.150000	-5.0	0.1	-4.8	PASS
6847.350000	-5.0	0.1	-4.8	PASS
6845.650000	-5.0	0.2	-4.8	PASS
6863.550000	-5.0	0.2	-4.8	PASS
6848.050000	-5.0	0.2	-4.8	PASS
6848.250000	-5.1	0.2	-4.8	PASS
6858.050000	-5.1	0.3	-4.8	PASS
6854.150000	-5.1	0.3	-4.8	PASS
6861.450000	-5.1	0.3	-4.8	PASS
6846.950000	-5.1	0.3	-4.8	PASS
6847.750000	-5.1	0.3	-4.8	PASS
6847.950000	-5.1	0.3	-4.8	PASS
6861.350000	-5.1	0.3	-4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6876.350000	-6.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6876.350000	-6.9	0.0	-6.9	PASS
6871.850000	-6.9	0.1	-6.9	PASS
6883.950000	-7.0	0.1	-6.9	PASS
6874.150000	-7.1	0.2	-6.9	PASS
6867.450000	-7.1	0.2	-6.9	PASS
6872.550000	-7.1	0.3	-6.9	PASS
6872.650000	-7.2	0.3	-6.9	PASS
6878.850000	-7.2	0.3	-6.9	PASS
6874.050000	-7.2	0.4	-6.9	PASS
6870.850000	-7.3	0.4	-6.9	PASS
6877.550000	-7.3	0.4	-6.9	PASS
6872.150000	-7.3	0.4	-6.9	PASS
6878.550000	-7.3	0.4	-6.9	PASS
6873.650000	-7.3	0.4	-6.9	PASS
6866.250000	-7.3	0.5	-6.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6869.650000	-5.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6867.950000	-5.8	0.0	-5.8	PASS
6868.750000	-5.8	0.0	-5.8	PASS
6883.050000	-5.9	0.1	-5.8	PASS
6866.850000	-5.9	0.1	-5.8	PASS
6869.750000	-5.9	0.1	-5.8	PASS
6866.350000	-6.0	0.2	-5.8	PASS
6867.850000	-6.0	0.2	-5.8	PASS
6868.650000	-6.0	0.2	-5.8	PASS
6869.150000	-6.0	0.2	-5.8	PASS
6881.950000	-6.0	0.2	-5.8	PASS
6868.550000	-6.0	0.2	-5.8	PASS
6880.950000	-6.0	0.2	-5.8	PASS
6866.250000	-6.0	0.2	-5.8	PASS
6875.950000	-6.0	0.2	-5.8	PASS
6866.150000	-6.1	0.3	-5.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6873.050000	-6.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6873.150000	-6.2	0.0	-6.2	PASS
6869.850000	-6.3	0.1	-6.2	PASS
6870.350000	-6.3	0.1	-6.2	PASS
6881.050000	-6.3	0.1	-6.2	PASS
6870.550000	-6.3	0.1	-6.2	PASS
6868.950000	-6.3	0.1	-6.2	PASS
6870.650000	-6.4	0.1	-6.2	PASS
6872.950000	-6.4	0.2	-6.2	PASS
6869.750000	-6.4	0.2	-6.2	PASS
6872.850000	-6.4	0.2	-6.2	PASS
6871.050000	-6.4	0.2	-6.2	PASS
6868.050000	-6.5	0.3	-6.2	PASS
6870.450000	-6.5	0.3	-6.2	PASS
6871.550000	-6.5	0.3	-6.2	PASS
6873.250000	-6.6	0.3	-6.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6882.250000	-4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6882.250000	-4.5	0.0	-4.5	PASS
6866.550000	-4.7	0.2	-4.5	PASS
6883.350000	-4.7	0.2	-4.5	PASS
6883.250000	-4.7	0.2	-4.5	PASS
6882.850000	-4.7	0.2	-4.5	PASS
6866.650000	-4.7	0.2	-4.5	PASS
6882.150000	-4.7	0.3	-4.5	PASS
6882.750000	-4.8	0.3	-4.5	PASS
6866.750000	-4.8	0.4	-4.5	PASS
6877.250000	-4.8	0.4	-4.5	PASS
6870.450000	-4.8	0.4	-4.5	PASS
6871.350000	-4.9	0.4	-4.5	PASS
6866.450000	-4.9	0.4	-4.5	PASS
6883.050000	-4.9	0.4	-4.5	PASS
6882.950000	-5.0	0.5	-4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6891.350000	-6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6891.350000	-6.0	0.0	-6.0	PASS
6887.950000	-6.1	0.2	-6.0	PASS
6897.150000	-6.1	0.2	-6.0	PASS
6889.650000	-6.1	0.2	-6.0	PASS
6891.450000	-6.1	0.2	-6.0	PASS
6898.750000	-6.2	0.2	-6.0	PASS
6898.850000	-6.2	0.3	-6.0	PASS
6897.050000	-6.2	0.3	-6.0	PASS
6898.350000	-6.3	0.3	-6.0	PASS
6894.450000	-6.3	0.3	-6.0	PASS
6887.850000	-6.3	0.4	-6.0	PASS
6890.050000	-6.3	0.4	-6.0	PASS
6891.950000	-6.4	0.4	-6.0	PASS
6896.250000	-6.4	0.4	-6.0	PASS
6891.550000	-6.4	0.4	-6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6887.150000	-5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6887.150000	-5.0	0.0	-5.0	PASS
6888.050000	-5.5	0.5	-5.0	PASS
6887.050000	-5.7	0.6	-5.0	PASS
6887.950000	-5.7	0.7	-5.0	PASS
6886.250000	-5.7	0.7	-5.0	PASS
6892.950000	-5.7	0.7	-5.0	PASS
6887.250000	-5.7	0.7	-5.0	PASS
6901.650000	-5.7	0.7	-5.0	PASS
6886.150000	-5.7	0.7	-5.0	PASS
6886.650000	-5.8	0.7	-5.0	PASS
6885.750000	-5.8	0.7	-5.0	PASS
6892.850000	-5.8	0.8	-5.0	PASS
6902.850000	-5.8	0.8	-5.0	PASS
6904.250000	-5.8	0.8	-5.0	PASS
6891.350000	-5.9	0.8	-5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6891.450000	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6891.450000	-5.4	0.0	-5.4	PASS
6891.350000	-5.5	0.1	-5.4	PASS
6894.650000	-5.7	0.3	-5.4	PASS
6886.250000	-5.7	0.3	-5.4	PASS
6890.350000	-5.8	0.4	-5.4	PASS
6886.350000	-5.8	0.4	-5.4	PASS
6889.350000	-5.9	0.5	-5.4	PASS
6887.950000	-6.0	0.5	-5.4	PASS
6894.550000	-6.0	0.6	-5.4	PASS
6897.450000	-6.0	0.6	-5.4	PASS
6888.050000	-6.0	0.6	-5.4	PASS
6888.950000	-6.0	0.6	-5.4	PASS
6891.550000	-6.0	0.6	-5.4	PASS
6888.450000	-6.0	0.6	-5.4	PASS
6893.750000	-6.0	0.6	-5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6901.250000	-3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6901.250000	-3.6	0.0	-3.6	PASS
6901.650000	-3.6	0.0	-3.6	PASS
6901.550000	-3.7	0.2	-3.6	PASS
6901.350000	-3.9	0.3	-3.6	PASS
6899.050000	-4.0	0.4	-3.6	PASS
6902.450000	-4.0	0.5	-3.6	PASS
6885.850000	-4.1	0.5	-3.6	PASS
6901.750000	-4.1	0.5	-3.6	PASS
6886.850000	-4.1	0.5	-3.6	PASS
6902.550000	-4.1	0.6	-3.6	PASS
6897.050000	-4.2	0.6	-3.6	PASS
6885.950000	-4.2	0.6	-3.6	PASS
6897.150000	-4.2	0.6	-3.6	PASS
6901.450000	-4.2	0.6	-3.6	PASS
6902.150000	-4.2	0.6	-3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6996.250000	-5.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6996.250000	-5.2	0.0	-5.2	PASS
6999.950000	-5.3	0.1	-5.2	PASS
6991.650000	-5.3	0.2	-5.2	PASS
6992.350000	-5.5	0.3	-5.2	PASS
7000.050000	-5.6	0.4	-5.2	PASS
6996.350000	-5.6	0.4	-5.2	PASS
6991.750000	-5.6	0.4	-5.2	PASS
6991.250000	-5.6	0.4	-5.2	PASS
6996.550000	-5.6	0.4	-5.2	PASS
6999.850000	-5.6	0.4	-5.2	PASS
6993.050000	-5.7	0.5	-5.2	PASS
7001.050000	-5.7	0.5	-5.2	PASS
6992.450000	-5.7	0.5	-5.2	PASS
6991.350000	-5.7	0.5	-5.2	PASS
6997.550000	-5.7	0.5	-5.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6988.650000	-4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6988.550000	-4.6	0.0	-4.5	PASS
6991.050000	-4.8	0.3	-4.5	PASS
6986.050000	-4.8	0.3	-4.5	PASS
6987.550000	-4.8	0.3	-4.5	PASS
6986.450000	-4.9	0.3	-4.5	PASS
6987.250000	-4.9	0.4	-4.5	PASS
6986.350000	-5.0	0.4	-4.5	PASS
6989.750000	-5.0	0.5	-4.5	PASS
6989.850000	-5.1	0.5	-4.5	PASS
6985.950000	-5.1	0.5	-4.5	PASS
7003.950000	-5.1	0.6	-4.5	PASS
6998.350000	-5.1	0.6	-4.5	PASS
7004.150000	-5.1	0.6	-4.5	PASS
6998.250000	-5.1	0.6	-4.5	PASS
6991.150000	-5.1	0.6	-4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6988.550000	-4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6988.550000	-4.5	0.0	-4.5	PASS
6989.350000	-4.5	0.0	-4.5	PASS
6986.350000	-4.5	0.0	-4.5	PASS
6987.350000	-4.5	0.0	-4.5	PASS
6989.250000	-4.6	0.1	-4.5	PASS
6987.550000	-4.6	0.1	-4.5	PASS
6987.250000	-4.6	0.1	-4.5	PASS
6987.450000	-4.6	0.1	-4.5	PASS
6985.650000	-4.6	0.1	-4.5	PASS
6988.450000	-4.6	0.2	-4.5	PASS
6989.450000	-4.7	0.2	-4.5	PASS
6990.250000	-4.7	0.2	-4.5	PASS
6986.450000	-4.7	0.2	-4.5	PASS
7001.050000	-4.7	0.2	-4.5	PASS
6986.250000	-4.7	0.2	-4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6986.150000	-3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6999.250000	-3.4	0.1	-3.3	PASS
6999.150000	-3.6	0.2	-3.3	PASS
6986.050000	-3.6	0.2	-3.3	PASS
6987.650000	-3.6	0.3	-3.3	PASS
6987.450000	-3.6	0.3	-3.3	PASS
7003.450000	-3.6	0.3	-3.3	PASS
6991.450000	-3.6	0.3	-3.3	PASS
6991.350000	-3.6	0.3	-3.3	PASS
6996.850000	-3.6	0.3	-3.3	PASS
6987.350000	-3.6	0.3	-3.3	PASS
6988.550000	-3.6	0.3	-3.3	PASS
6987.550000	-3.7	0.3	-3.3	PASS
6988.650000	-3.7	0.3	-3.3	PASS
7000.350000	-3.7	0.3	-3.3	PASS
7002.950000	-3.7	0.4	-3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11be20 (20 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
7115.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7108.450000	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7110.450000	-5.5	0.0	-5.4	PASS
7109.650000	-5.5	0.1	-5.4	PASS
7117.550000	-5.5	0.1	-5.4	PASS
7117.450000	-5.5	0.1	-5.4	PASS
7114.650000	-5.5	0.1	-5.4	PASS
7119.950000	-5.5	0.1	-5.4	PASS
7113.350000	-5.6	0.1	-5.4	PASS
7110.550000	-5.6	0.1	-5.4	PASS
7107.450000	-5.6	0.2	-5.4	PASS
7117.350000	-5.6	0.2	-5.4	PASS
7109.150000	-5.6	0.2	-5.4	PASS
7108.050000	-5.6	0.2	-5.4	PASS
7119.850000	-5.6	0.2	-5.4	PASS
7112.550000	-5.6	0.2	-5.4	PASS
7107.550000	-5.7	0.2	-5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11be20 (20 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
7115.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7123.150000	-3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7123.150000	-3.7	0.0	-3.7	PASS
7105.850000	-3.8	0.1	-3.7	PASS
7123.850000	-3.8	0.1	-3.7	PASS
7105.950000	-3.9	0.2	-3.7	PASS
7123.750000	-3.9	0.3	-3.7	PASS
7119.450000	-4.0	0.3	-3.7	PASS
7105.750000	-4.0	0.4	-3.7	PASS
7108.850000	-4.1	0.5	-3.7	PASS
7123.050000	-4.1	0.5	-3.7	PASS
7108.950000	-4.2	0.5	-3.7	PASS
7107.150000	-4.2	0.5	-3.7	PASS
7121.950000	-4.2	0.5	-3.7	PASS
7124.050000	-4.2	0.6	-3.7	PASS
7123.250000	-4.2	0.6	-3.7	PASS
7110.550000	-4.2	0.6	-3.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11be20 (20 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
7115.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7108.350000	-4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7107.950000	-4.7	0.0	-4.7	PASS
7106.250000	-4.7	0.1	-4.7	PASS
7106.350000	-4.7	0.1	-4.7	PASS
7108.750000	-4.7	0.1	-4.7	PASS
7114.250000	-4.8	0.1	-4.7	PASS
7108.250000	-4.8	0.1	-4.7	PASS
7109.650000	-4.8	0.1	-4.7	PASS
7116.750000	-4.8	0.1	-4.7	PASS
7106.050000	-4.8	0.1	-4.7	PASS
7111.650000	-4.8	0.2	-4.7	PASS
7106.150000	-4.8	0.2	-4.7	PASS
7117.350000	-4.9	0.2	-4.7	PASS
7105.950000	-4.9	0.2	-4.7	PASS
7108.850000	-4.9	0.2	-4.7	PASS
7107.850000	-4.9	0.2	-4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11be20 (20 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
7115.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7122.750000	-4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7122.750000	-4.6	0.0	-4.6	PASS
7122.850000	-4.7	0.1	-4.6	PASS
7117.850000	-4.8	0.2	-4.6	PASS
7122.950000	-4.9	0.3	-4.6	PASS
7122.150000	-5.0	0.4	-4.6	PASS
7122.050000	-5.0	0.4	-4.6	PASS
7121.450000	-5.0	0.4	-4.6	PASS
7106.150000	-5.1	0.4	-4.6	PASS
7108.750000	-5.1	0.5	-4.6	PASS
7107.650000	-5.1	0.5	-4.6	PASS
7119.350000	-5.1	0.5	-4.6	PASS
7122.250000	-5.1	0.5	-4.6	PASS
7118.850000	-5.1	0.5	-4.6	PASS
7123.350000	-5.2	0.5	-4.6	PASS
7119.950000	-5.2	0.5	-4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5980.003751	-4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5978.353338	-4.5	0.1	-4.4	PASS
5983.754689	-4.5	0.1	-4.4	PASS
5981.954239	-4.6	0.1	-4.4	PASS
5976.402851	-4.6	0.1	-4.4	PASS
5983.304576	-4.6	0.2	-4.4	PASS
5982.854464	-4.6	0.2	-4.4	PASS
5980.903976	-4.6	0.2	-4.4	PASS
5978.503376	-4.7	0.2	-4.4	PASS
5983.904726	-4.7	0.2	-4.4	PASS
5981.804201	-4.7	0.3	-4.4	PASS
5976.252813	-4.7	0.3	-4.4	PASS
5982.404351	-4.8	0.3	-4.4	PASS
5979.403601	-4.8	0.4	-4.4	PASS
5979.853713	-4.9	0.4	-4.4	PASS
5979.253563	-4.9	0.4	-4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5979.553638	-4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5979.553638	-4.2	0.0	-4.2	PASS
5976.852963	-4.2	0.1	-4.2	PASS
5978.953488	-4.3	0.2	-4.2	PASS
5977.003001	-4.4	0.2	-4.2	PASS
5979.403601	-4.4	0.2	-4.2	PASS
5978.503376	-4.4	0.2	-4.2	PASS
5982.254314	-4.4	0.2	-4.2	PASS
5971.601650	-4.4	0.3	-4.2	PASS
5967.700675	-4.5	0.3	-4.2	PASS
5977.153038	-4.5	0.4	-4.2	PASS
5975.952738	-4.5	0.4	-4.2	PASS
5973.702176	-4.5	0.4	-4.2	PASS
5973.402101	-4.5	0.4	-4.2	PASS
5983.904726	-4.6	0.4	-4.2	PASS
5978.353338	-4.6	0.4	-4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5968.750938	-4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5968.750938	-4.8	0.0	-4.8	PASS
5968.900975	-4.8	0.1	-4.8	PASS
5969.501125	-5.0	0.2	-4.8	PASS
5965.900225	-5.1	0.3	-4.8	PASS
5949.696174	-5.2	0.4	-4.8	PASS
5969.351088	-5.3	0.5	-4.8	PASS
5971.301575	-5.3	0.6	-4.8	PASS
5968.600900	-5.3	0.6	-4.8	PASS
5969.801200	-5.3	0.6	-4.8	PASS
5972.651913	-5.4	0.6	-4.8	PASS
5973.852213	-5.4	0.7	-4.8	PASS
5970.401350	-5.4	0.7	-4.8	PASS
5953.747187	-5.5	0.7	-4.8	PASS
5971.451613	-5.5	0.7	-4.8	PASS
5970.851463	-5.5	0.7	-4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5980.153788	-3.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5980.153788	-3.8	0.0	-3.8	PASS
5976.552888	-3.9	0.2	-3.8	PASS
5976.402851	-4.0	0.2	-3.8	PASS
5980.303826	-4.0	0.3	-3.8	PASS
5983.904726	-4.1	0.3	-3.8	PASS
5983.754689	-4.2	0.5	-3.8	PASS
5974.902476	-4.2	0.5	-3.8	PASS
5970.401350	-4.3	0.5	-3.8	PASS
5956.597899	-4.3	0.5	-3.8	PASS
5973.852213	-4.3	0.6	-3.8	PASS
5983.604651	-4.3	0.6	-3.8	PASS
5978.953488	-4.3	0.6	-3.8	PASS
5977.003001	-4.3	0.6	-3.8	PASS
5969.201050	-4.3	0.6	-3.8	PASS
5972.801950	-4.3	0.6	-3.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6183.004501	-4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6181.654164	-5.0	0.2	-4.8	PASS
6147.145536	-5.0	0.2	-4.8	PASS
6183.154539	-5.0	0.2	-4.8	PASS
6181.804201	-5.0	0.2	-4.8	PASS
6179.253563	-5.1	0.3	-4.8	PASS
6178.803451	-5.1	0.3	-4.8	PASS
6146.545386	-5.1	0.4	-4.8	PASS
6146.995499	-5.2	0.4	-4.8	PASS
6183.454614	-5.2	0.4	-4.8	PASS
6147.295574	-5.2	0.5	-4.8	PASS
6182.254314	-5.3	0.5	-4.8	PASS
6171.001500	-5.3	0.5	-4.8	PASS
6178.953488	-5.3	0.5	-4.8	PASS
6183.604651	-5.3	0.5	-4.8	PASS
6181.954239	-5.3	0.5	-4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6168.750938	-4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6161.549137	-4.7	0.4	-4.4	PASS
6149.096024	-4.8	0.4	-4.4	PASS
6183.454614	-4.8	0.4	-4.4	PASS
6181.204051	-4.8	0.5	-4.4	PASS
6168.600900	-4.8	0.5	-4.4	PASS
6177.903226	-4.9	0.5	-4.4	PASS
6167.250563	-4.9	0.5	-4.4	PASS
6172.051763	-4.9	0.6	-4.4	PASS
6183.004501	-4.9	0.6	-4.4	PASS
6183.604651	-4.9	0.6	-4.4	PASS
6178.053263	-4.9	0.6	-4.4	PASS
6156.447862	-5.0	0.6	-4.4	PASS
6156.297824	-5.0	0.6	-4.4	PASS
6148.945986	-5.0	0.6	-4.4	PASS
6158.998500	-5.0	0.7	-4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6148.645911	-5.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6157.948237	-5.2	0.0	-5.2	PASS
6171.301575	-5.5	0.3	-5.2	PASS
6181.354089	-5.5	0.4	-5.2	PASS
6171.601650	-5.6	0.4	-5.2	PASS
6173.702176	-5.6	0.4	-5.2	PASS
6173.252063	-5.6	0.5	-5.2	PASS
6176.702926	-5.6	0.5	-5.2	PASS
6170.251313	-5.7	0.5	-5.2	PASS
6176.552888	-5.7	0.6	-5.2	PASS
6148.195799	-5.7	0.6	-5.2	PASS
6168.900975	-5.7	0.6	-5.2	PASS
6170.551388	-5.8	0.6	-5.2	PASS
6171.151538	-5.8	0.6	-5.2	PASS
6174.902476	-5.8	0.6	-5.2	PASS
6171.451613	-5.8	0.6	-5.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6175.502626	-4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6148.195799	-4.3	0.1	-4.1	PASS
6148.345836	-4.3	0.2	-4.1	PASS
6182.104276	-4.3	0.2	-4.1	PASS
6169.501125	-4.3	0.2	-4.1	PASS
6181.954239	-4.4	0.3	-4.1	PASS
6151.946737	-4.4	0.3	-4.1	PASS
6177.603151	-4.4	0.3	-4.1	PASS
6177.753188	-4.5	0.3	-4.1	PASS
6169.201050	-4.5	0.3	-4.1	PASS
6176.402851	-4.5	0.4	-4.1	PASS
6155.397599	-4.5	0.4	-4.1	PASS
6174.002251	-4.5	0.4	-4.1	PASS
6176.702926	-4.5	0.4	-4.1	PASS
6178.203301	-4.5	0.4	-4.1	PASS
6177.903226	-4.6	0.4	-4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6401.249062	-4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6421.354089	-4.1	0.1	-4.0	PASS
6400.798950	-4.1	0.1	-4.0	PASS
6420.003751	-4.1	0.1	-4.0	PASS
6389.396099	-4.2	0.2	-4.0	PASS
6400.048762	-4.3	0.2	-4.0	PASS
6405.600150	-4.3	0.2	-4.0	PASS
6422.554389	-4.3	0.3	-4.0	PASS
6413.702176	-4.3	0.3	-4.0	PASS
6422.254314	-4.4	0.4	-4.0	PASS
6422.404351	-4.4	0.4	-4.0	PASS
6387.145536	-4.4	0.4	-4.0	PASS
6421.504126	-4.4	0.4	-4.0	PASS
6420.153788	-4.4	0.4	-4.0	PASS
6419.853713	-4.5	0.4	-4.0	PASS
6420.903976	-4.5	0.4	-4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6419.403601	-3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6418.053263	-3.6	0.1	-3.5	PASS
6419.253563	-3.8	0.3	-3.5	PASS
6398.248312	-3.9	0.3	-3.5	PASS
6398.548387	-3.9	0.4	-3.5	PASS
6417.903226	-3.9	0.4	-3.5	PASS
6401.399100	-3.9	0.4	-3.5	PASS
6388.945986	-3.9	0.4	-3.5	PASS
6400.348837	-4.0	0.4	-3.5	PASS
6417.603151	-4.0	0.5	-3.5	PASS
6421.354089	-4.0	0.5	-3.5	PASS
6400.948987	-4.0	0.5	-3.5	PASS
6423.004501	-4.0	0.5	-3.5	PASS
6415.052513	-4.0	0.5	-3.5	PASS
6423.154539	-4.1	0.5	-3.5	PASS
6401.099025	-4.1	0.5	-3.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6391.346587	-4.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6391.346587	-4.9	0.0	-4.9	PASS
6386.995499	-5.0	0.1	-4.9	PASS
6392.246812	-5.0	0.1	-4.9	PASS
6391.796699	-5.0	0.1	-4.9	PASS
6409.801200	-5.1	0.2	-4.9	PASS
6406.200300	-5.1	0.2	-4.9	PASS
6411.001500	-5.2	0.3	-4.9	PASS
6387.745686	-5.2	0.3	-4.9	PASS
6392.396849	-5.2	0.3	-4.9	PASS
6389.846212	-5.2	0.3	-4.9	PASS
6387.595649	-5.2	0.3	-4.9	PASS
6410.551388	-5.2	0.3	-4.9	PASS
6415.802701	-5.2	0.3	-4.9	PASS
6386.695424	-5.2	0.4	-4.9	PASS
6410.701425	-5.2	0.4	-4.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6409.501125	-3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6409.501125	-3.7	0.0	-3.7	PASS
6409.351088	-3.9	0.2	-3.7	PASS
6418.653413	-3.9	0.2	-3.7	PASS
6398.698425	-3.9	0.3	-3.7	PASS
6417.153038	-3.9	0.3	-3.7	PASS
6403.949737	-3.9	0.3	-3.7	PASS
6406.650413	-3.9	0.3	-3.7	PASS
6409.201050	-4.0	0.3	-3.7	PASS
6398.548387	-4.0	0.3	-3.7	PASS
6389.996249	-4.0	0.4	-3.7	PASS
6417.303076	-4.0	0.4	-3.7	PASS
6415.502626	-4.0	0.4	-3.7	PASS
6409.651163	-4.0	0.4	-3.7	PASS
6418.953488	-4.1	0.4	-3.7	PASS
6395.397599	-4.1	0.4	-3.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6446.800450	-3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6440.648912	-3.8	0.1	-3.7	PASS
6441.999250	-3.8	0.1	-3.7	PASS
6444.249812	-3.9	0.2	-3.7	PASS
6447.250563	-3.9	0.2	-3.7	PASS
6458.053263	-3.9	0.2	-3.7	PASS
6446.950488	-4.0	0.3	-3.7	PASS
6451.151538	-4.0	0.3	-3.7	PASS
6461.054014	-4.1	0.4	-3.7	PASS
6445.600150	-4.1	0.4	-3.7	PASS
6447.400600	-4.1	0.4	-3.7	PASS
6457.903226	-4.2	0.5	-3.7	PASS
6434.347337	-4.2	0.5	-3.7	PASS
6440.798950	-4.2	0.5	-3.7	PASS
6461.354089	-4.2	0.5	-3.7	PASS
6462.404351	-4.2	0.5	-3.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6429.096024	-3.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6429.096024	-3.2	0.0	-3.2	PASS
6437.048012	-3.3	0.2	-3.2	PASS
6443.649662	-3.4	0.2	-3.2	PASS
6437.198050	-3.4	0.3	-3.2	PASS
6459.103526	-3.5	0.3	-3.2	PASS
6431.496624	-3.5	0.3	-3.2	PASS
6439.748687	-3.5	0.3	-3.2	PASS
6437.948237	-3.5	0.3	-3.2	PASS
6426.695424	-3.5	0.4	-3.2	PASS
6429.246062	-3.6	0.4	-3.2	PASS
6426.845461	-3.6	0.4	-3.2	PASS
6458.953488	-3.6	0.4	-3.2	PASS
6459.403601	-3.6	0.4	-3.2	PASS
6438.998500	-3.6	0.4	-3.2	PASS
6430.446362	-3.7	0.5	-3.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6447.550638	-4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6449.051013	-5.1	0.4	-4.7	PASS
6446.500375	-5.1	0.4	-4.7	PASS
6446.350338	-5.2	0.5	-4.7	PASS
6463.454614	-5.2	0.5	-4.7	PASS
6463.604651	-5.2	0.5	-4.7	PASS
6449.201050	-5.2	0.5	-4.7	PASS
6444.549887	-5.2	0.5	-4.7	PASS
6447.400600	-5.2	0.5	-4.7	PASS
6435.847712	-5.3	0.6	-4.7	PASS
6453.852213	-5.3	0.6	-4.7	PASS
6454.602401	-5.3	0.6	-4.7	PASS
6453.702176	-5.3	0.6	-4.7	PASS
6441.099025	-5.3	0.6	-4.7	PASS
6448.600900	-5.4	0.7	-4.7	PASS
6449.951238	-5.4	0.7	-4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6442.599400	-3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6442.599400	-3.9	0.0	-3.9	PASS
6453.702176	-4.0	0.1	-3.9	PASS
6455.502626	-4.1	0.2	-3.9	PASS
6432.996999	-4.1	0.3	-3.9	PASS
6442.749437	-4.2	0.3	-3.9	PASS
6449.501125	-4.2	0.4	-3.9	PASS
6453.852213	-4.2	0.4	-3.9	PASS
6455.352588	-4.3	0.4	-3.9	PASS
6431.946737	-4.3	0.4	-3.9	PASS
6452.801950	-4.3	0.4	-3.9	PASS
6442.449362	-4.3	0.4	-3.9	PASS
6427.145536	-4.3	0.4	-3.9	PASS
6447.850713	-4.3	0.5	-3.9	PASS
6455.652663	-4.3	0.5	-3.9	PASS
6454.752438	-4.3	0.5	-3.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6466.995499	-4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6466.995499	-4.2	0.0	-4.2	PASS
6468.945986	-4.3	0.0	-4.2	PASS
6480.048762	-4.3	0.1	-4.2	PASS
6489.651163	-4.4	0.2	-4.2	PASS
6489.801200	-4.5	0.3	-4.2	PASS
6467.445611	-4.5	0.3	-4.2	PASS
6498.653413	-4.5	0.3	-4.2	PASS
6480.198800	-4.5	0.3	-4.2	PASS
6503.304576	-4.5	0.3	-4.2	PASS
6468.795949	-4.5	0.3	-4.2	PASS
6467.595649	-4.5	0.3	-4.2	PASS
6503.904726	-4.6	0.4	-4.2	PASS
6471.046512	-4.6	0.4	-4.2	PASS
6501.354089	-4.6	0.4	-4.2	PASS
6483.949737	-4.6	0.4	-4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6500.753938	-3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6500.753938	-3.7	0.0	-3.7	PASS
6483.349587	-3.8	0.0	-3.7	PASS
6479.898725	-3.8	0.0	-3.7	PASS
6499.553638	-3.9	0.2	-3.7	PASS
6477.198050	-3.9	0.2	-3.7	PASS
6484.099775	-4.0	0.2	-3.7	PASS
6475.247562	-4.0	0.3	-3.7	PASS
6470.296324	-4.1	0.3	-3.7	PASS
6479.148537	-4.1	0.3	-3.7	PASS
6473.597149	-4.1	0.3	-3.7	PASS
6483.499625	-4.1	0.4	-3.7	PASS
6475.097524	-4.1	0.4	-3.7	PASS
6500.903976	-4.1	0.4	-3.7	PASS
6486.650413	-4.1	0.4	-3.7	PASS
6474.347337	-4.2	0.4	-3.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6467.895724	-5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6467.895724	-5.4	0.0	-5.4	PASS
6467.745686	-5.4	0.0	-5.4	PASS
6488.900975	-5.5	0.1	-5.4	PASS
6466.995499	-5.5	0.2	-5.4	PASS
6477.648162	-5.6	0.2	-5.4	PASS
6493.702176	-5.6	0.2	-5.4	PASS
6477.498125	-5.6	0.2	-5.4	PASS
6489.351088	-5.7	0.3	-5.4	PASS
6489.801200	-5.7	0.3	-5.4	PASS
6471.496624	-5.7	0.3	-5.4	PASS
6490.251313	-5.7	0.3	-5.4	PASS
6493.552138	-5.7	0.4	-5.4	PASS
6471.946737	-5.7	0.4	-5.4	PASS
6466.845461	-5.8	0.4	-5.4	PASS
6469.696174	-5.8	0.4	-5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6491.451613	-4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6491.451613	-4.4	0.0	-4.4	PASS
6486.800450	-4.4	0.0	-4.4	PASS
6471.796699	-4.4	0.0	-4.4	PASS
6497.303076	-4.4	0.1	-4.4	PASS
6476.747937	-4.4	0.1	-4.4	PASS
6491.301575	-4.4	0.1	-4.4	PASS
6472.396849	-4.5	0.1	-4.4	PASS
6481.399100	-4.5	0.1	-4.4	PASS
6472.546887	-4.6	0.2	-4.4	PASS
6472.696924	-4.6	0.3	-4.4	PASS
6480.948987	-4.7	0.3	-4.4	PASS
6480.798950	-4.7	0.3	-4.4	PASS
6497.153038	-4.7	0.3	-4.4	PASS
6473.597149	-4.7	0.4	-4.4	PASS
6491.601650	-4.8	0.4	-4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6526.200300	-3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6509.396099	-3.8	0.2	-3.6	PASS
6540.453863	-3.8	0.2	-3.6	PASS
6525.600150	-3.8	0.2	-3.6	PASS
6524.249812	-3.9	0.3	-3.6	PASS
6522.299325	-3.9	0.3	-3.6	PASS
6517.048012	-3.9	0.3	-3.6	PASS
6525.750188	-4.0	0.3	-3.6	PASS
6507.295574	-4.0	0.4	-3.6	PASS
6520.798950	-4.0	0.4	-3.6	PASS
6523.799700	-4.0	0.4	-3.6	PASS
6507.145536	-4.0	0.4	-3.6	PASS
6506.245311	-4.0	0.4	-3.6	PASS
6507.895724	-4.1	0.4	-3.6	PASS
6522.149287	-4.1	0.4	-3.6	PASS
6530.251313	-4.1	0.5	-3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6516.747937	-3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6516.747937	-3.5	0.0	-3.5	PASS
6521.249062	-3.6	0.1	-3.5	PASS
6516.897974	-3.7	0.1	-3.5	PASS
6522.299325	-3.8	0.2	-3.5	PASS
6523.799700	-3.8	0.2	-3.5	PASS
6517.048012	-3.9	0.3	-3.5	PASS
6530.701425	-3.9	0.3	-3.5	PASS
6518.998500	-3.9	0.4	-3.5	PASS
6506.545386	-3.9	0.4	-3.5	PASS
6518.098275	-3.9	0.4	-3.5	PASS
6519.448612	-3.9	0.4	-3.5	PASS
6522.449362	-4.0	0.4	-3.5	PASS
6521.099025	-4.0	0.4	-3.5	PASS
6529.951238	-4.0	0.4	-3.5	PASS
6509.696174	-4.0	0.4	-3.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6509.246062	-5.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6509.246062	-5.2	0.0	-5.2	PASS
6522.299325	-5.2	0.0	-5.2	PASS
6516.447862	-5.4	0.2	-5.2	PASS
6509.396099	-5.4	0.2	-5.2	PASS
6506.545386	-5.4	0.2	-5.2	PASS
6514.797449	-5.4	0.2	-5.2	PASS
6518.998500	-5.5	0.3	-5.2	PASS
6508.195799	-5.5	0.3	-5.2	PASS
6508.345836	-5.5	0.3	-5.2	PASS
6507.595649	-5.5	0.4	-5.2	PASS
6509.996249	-5.5	0.4	-5.2	PASS
6515.697674	-5.5	0.4	-5.2	PASS
6527.700675	-5.5	0.4	-5.2	PASS
6514.947487	-5.5	0.4	-5.2	PASS
6538.953488	-5.6	0.4	-5.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6531.151538	-4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6510.746437	-4.5	0.1	-4.3	PASS
6542.554389	-4.5	0.2	-4.3	PASS
6541.204051	-4.6	0.2	-4.3	PASS
6510.596399	-4.6	0.3	-4.3	PASS
6518.098275	-4.6	0.3	-4.3	PASS
6523.349587	-4.7	0.3	-4.3	PASS
6514.797449	-4.7	0.3	-4.3	PASS
6531.751688	-4.7	0.4	-4.3	PASS
6530.551388	-4.7	0.4	-4.3	PASS
6514.647412	-4.8	0.4	-4.3	PASS
6508.195799	-4.8	0.4	-4.3	PASS
6526.800450	-4.8	0.4	-4.3	PASS
6531.301575	-4.8	0.4	-4.3	PASS
6538.203301	-4.8	0.5	-4.3	PASS
6534.752438	-4.8	0.5	-4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6546.995499	-3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6546.995499	-3.9	0.0	-3.9	PASS
6546.245311	-4.0	0.1	-3.9	PASS
6560.198800	-4.2	0.3	-3.9	PASS
6547.895724	-4.3	0.3	-3.9	PASS
6546.845461	-4.3	0.4	-3.9	PASS
6563.499625	-4.3	0.4	-3.9	PASS
6549.396099	-4.3	0.4	-3.9	PASS
6547.145536	-4.4	0.5	-3.9	PASS
6563.799700	-4.4	0.5	-3.9	PASS
6567.250563	-4.4	0.5	-3.9	PASS
6550.746437	-4.4	0.5	-3.9	PASS
6548.945986	-4.5	0.6	-3.9	PASS
6559.448612	-4.5	0.6	-3.9	PASS
6558.398350	-4.5	0.6	-3.9	PASS
6561.849212	-4.5	0.6	-3.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6559.898725	-3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6578.353338	-3.9	0.1	-3.9	PASS
6576.102776	-3.9	0.1	-3.9	PASS
6560.498875	-4.0	0.1	-3.9	PASS
6551.796699	-4.0	0.1	-3.9	PASS
6551.346587	-4.0	0.1	-3.9	PASS
6580.003751	-4.0	0.1	-3.9	PASS
6571.301575	-4.0	0.2	-3.9	PASS
6562.749437	-4.0	0.2	-3.9	PASS
6581.354089	-4.0	0.2	-3.9	PASS
6550.746437	-4.1	0.2	-3.9	PASS
6562.899475	-4.1	0.3	-3.9	PASS
6583.604651	-4.1	0.3	-3.9	PASS
6578.203301	-4.1	0.3	-3.9	PASS
6546.245311	-4.2	0.3	-3.9	PASS
6552.996999	-4.2	0.4	-3.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6547.295574	-5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6547.295574	-5.0	0.0	-5.0	PASS
6558.548387	-5.3	0.3	-5.0	PASS
6557.798200	-5.3	0.3	-5.0	PASS
6563.199550	-5.4	0.4	-5.0	PASS
6557.348087	-5.4	0.4	-5.0	PASS
6579.403601	-5.4	0.4	-5.0	PASS
6547.445611	-5.5	0.4	-5.0	PASS
6546.695424	-5.5	0.4	-5.0	PASS
6574.452363	-5.5	0.4	-5.0	PASS
6574.602401	-5.5	0.4	-5.0	PASS
6578.953488	-5.5	0.5	-5.0	PASS
6575.952738	-5.5	0.5	-5.0	PASS
6572.201800	-5.5	0.5	-5.0	PASS
6563.049512	-5.6	0.5	-5.0	PASS
6582.554389	-5.6	0.5	-5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6557.948237	-4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6567.700675	-4.3	0.3	-4.0	PASS
6569.951238	-4.3	0.3	-4.0	PASS
6583.604651	-4.4	0.4	-4.0	PASS
6552.696924	-4.4	0.4	-4.0	PASS
6567.550638	-4.4	0.4	-4.0	PASS
6552.846962	-4.4	0.4	-4.0	PASS
6569.201050	-4.5	0.5	-4.0	PASS
6572.201800	-4.5	0.5	-4.0	PASS
6569.351088	-4.5	0.5	-4.0	PASS
6570.101275	-4.6	0.6	-4.0	PASS
6576.702926	-4.6	0.6	-4.0	PASS
6583.454614	-4.6	0.6	-4.0	PASS
6573.852213	-4.7	0.7	-4.0	PASS
6562.899475	-4.7	0.7	-4.0	PASS
6548.495874	-4.7	0.7	-4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6667.895724	-4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6667.895724	-4.2	0.0	-4.2	PASS
6666.695424	-4.4	0.2	-4.2	PASS
6667.745686	-4.5	0.3	-4.2	PASS
6667.445611	-4.6	0.4	-4.2	PASS
6686.800450	-4.6	0.4	-4.2	PASS
6701.204051	-4.6	0.4	-4.2	PASS
6687.100525	-4.6	0.4	-4.2	PASS
6681.849212	-4.6	0.4	-4.2	PASS
6668.195799	-4.7	0.4	-4.2	PASS
6683.049512	-4.7	0.5	-4.2	PASS
6670.146287	-4.7	0.5	-4.2	PASS
6687.550638	-4.7	0.5	-4.2	PASS
6666.845461	-4.7	0.5	-4.2	PASS
6701.054014	-4.7	0.5	-4.2	PASS
6680.498875	-4.8	0.5	-4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6677.498125	-4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6677.498125	-4.1	0.0	-4.1	PASS
6677.348087	-4.1	0.0	-4.1	PASS
6677.198050	-4.2	0.2	-4.1	PASS
6668.195799	-4.4	0.3	-4.1	PASS
6677.648162	-4.4	0.4	-4.1	PASS
6703.604651	-4.5	0.4	-4.1	PASS
6702.854464	-4.5	0.4	-4.1	PASS
6698.203301	-4.5	0.4	-4.1	PASS
6667.595649	-4.5	0.4	-4.1	PASS
6697.453113	-4.5	0.5	-4.1	PASS
6680.648912	-4.5	0.5	-4.1	PASS
6680.048762	-4.5	0.5	-4.1	PASS
6678.548387	-4.5	0.5	-4.1	PASS
6678.398350	-4.5	0.5	-4.1	PASS
6700.453863	-4.5	0.5	-4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6697.153038	-4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6697.153038	-4.7	0.0	-4.7	PASS
6679.898725	-4.8	0.1	-4.7	PASS
6701.054014	-4.9	0.1	-4.7	PASS
6699.403601	-5.0	0.2	-4.7	PASS
6666.845461	-5.0	0.2	-4.7	PASS
6699.553638	-5.1	0.3	-4.7	PASS
6688.150788	-5.1	0.3	-4.7	PASS
6695.502626	-5.1	0.4	-4.7	PASS
6694.152288	-5.1	0.4	-4.7	PASS
6670.596399	-5.1	0.4	-4.7	PASS
6692.501875	-5.1	0.4	-4.7	PASS
6680.048762	-5.1	0.4	-4.7	PASS
6688.000750	-5.1	0.4	-4.7	PASS
6669.996249	-5.2	0.4	-4.7	PASS
6687.550638	-5.2	0.4	-4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6702.704426	-3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6695.802701	-3.5	0.0	-3.5	PASS
6694.002251	-3.7	0.2	-3.5	PASS
6691.151538	-3.7	0.2	-3.5	PASS
6698.503376	-3.8	0.3	-3.5	PASS
6688.750938	-3.8	0.3	-3.5	PASS
6694.452363	-3.8	0.3	-3.5	PASS
6703.454614	-3.9	0.4	-3.5	PASS
6690.701425	-3.9	0.4	-3.5	PASS
6702.554389	-3.9	0.4	-3.5	PASS
6667.145536	-3.9	0.4	-3.5	PASS
6701.354089	-4.0	0.4	-3.5	PASS
6672.246812	-4.0	0.5	-3.5	PASS
6693.552138	-4.0	0.5	-3.5	PASS
6697.453113	-4.0	0.5	-3.5	PASS
6695.952738	-4.0	0.5	-3.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6827.445611	-4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6843.049512	-4.4	0.1	-4.3	PASS
6863.754689	-4.4	0.1	-4.3	PASS
6841.249062	-4.4	0.1	-4.3	PASS
6842.899475	-4.4	0.1	-4.3	PASS
6860.003751	-4.4	0.1	-4.3	PASS
6860.903976	-4.4	0.1	-4.3	PASS
6861.954239	-4.5	0.2	-4.3	PASS
6845.750188	-4.5	0.2	-4.3	PASS
6827.295574	-4.6	0.3	-4.3	PASS
6863.604651	-4.6	0.3	-4.3	PASS
6847.550638	-4.6	0.3	-4.3	PASS
6839.898725	-4.6	0.3	-4.3	PASS
6860.753938	-4.6	0.3	-4.3	PASS
6840.498875	-4.6	0.3	-4.3	PASS
6863.304576	-4.7	0.4	-4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6848.600900	-3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6848.600900	-3.3	0.0	-3.3	PASS
6861.654164	-3.5	0.2	-3.3	PASS
6855.352588	-3.6	0.3	-3.3	PASS
6848.750938	-3.6	0.3	-3.3	PASS
6840.048762	-3.6	0.3	-3.3	PASS
6855.502626	-3.6	0.3	-3.3	PASS
6832.846962	-3.7	0.4	-3.3	PASS
6854.002251	-3.7	0.4	-3.3	PASS
6831.046512	-3.7	0.5	-3.3	PASS
6858.653413	-3.7	0.5	-3.3	PASS
6860.153788	-3.7	0.5	-3.3	PASS
6853.402101	-3.7	0.5	-3.3	PASS
6832.396849	-3.8	0.5	-3.3	PASS
6834.797449	-3.8	0.5	-3.3	PASS
6830.896474	-3.8	0.5	-3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6842.599400	-3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6842.599400	-3.3	0.0	-3.3	PASS
6850.701425	-3.4	0.0	-3.3	PASS
6847.850713	-3.4	0.1	-3.3	PASS
6840.048762	-3.5	0.1	-3.3	PASS
6834.197299	-3.5	0.1	-3.3	PASS
6829.996249	-3.5	0.2	-3.3	PASS
6826.695424	-3.5	0.2	-3.3	PASS
6842.449362	-3.5	0.2	-3.3	PASS
6847.250563	-3.6	0.2	-3.3	PASS
6841.249062	-3.6	0.2	-3.3	PASS
6830.896474	-3.6	0.3	-3.3	PASS
6834.347337	-3.6	0.3	-3.3	PASS
6828.945986	-3.6	0.3	-3.3	PASS
6837.648162	-3.7	0.3	-3.3	PASS
6848.750938	-3.7	0.3	-3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6835.397599	-2.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6835.397599	-2.3	0.0	-2.3	PASS
6827.745686	-2.3	0.1	-2.3	PASS
6833.597149	-2.3	0.1	-2.3	PASS
6851.901725	-2.4	0.1	-2.3	PASS
6853.252063	-2.4	0.2	-2.3	PASS
6853.702176	-2.4	0.2	-2.3	PASS
6849.801200	-2.5	0.2	-2.3	PASS
6853.402101	-2.5	0.2	-2.3	PASS
6835.547637	-2.5	0.2	-2.3	PASS
6826.245311	-2.5	0.2	-2.3	PASS
6827.895724	-2.5	0.2	-2.3	PASS
6835.847712	-2.5	0.2	-2.3	PASS
6847.850713	-2.5	0.2	-2.3	PASS
6837.198050	-2.5	0.2	-2.3	PASS
6833.747187	-2.5	0.2	-2.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6900.753938	-3.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6866.545386	-3.9	0.0	-3.9	PASS
6880.348837	-4.0	0.1	-3.9	PASS
6866.395349	-4.0	0.1	-3.9	PASS
6886.500375	-4.0	0.1	-3.9	PASS
6866.245311	-4.0	0.1	-3.9	PASS
6883.349587	-4.1	0.2	-3.9	PASS
6902.704426	-4.1	0.2	-3.9	PASS
6887.250563	-4.2	0.3	-3.9	PASS
6869.996249	-4.2	0.3	-3.9	PASS
6900.903976	-4.2	0.3	-3.9	PASS
6884.549887	-4.2	0.3	-3.9	PASS
6876.747937	-4.3	0.4	-3.9	PASS
6886.350338	-4.3	0.4	-3.9	PASS
6866.695424	-4.3	0.4	-3.9	PASS
6880.198800	-4.3	0.5	-3.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6877.498125	-3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6877.498125	-3.1	0.0	-3.1	PASS
6871.796699	-3.2	0.1	-3.1	PASS
6877.348087	-3.2	0.2	-3.1	PASS
6881.849212	-3.3	0.2	-3.1	PASS
6872.396849	-3.4	0.3	-3.1	PASS
6874.497374	-3.4	0.4	-3.1	PASS
6876.597899	-3.5	0.4	-3.1	PASS
6882.299325	-3.5	0.4	-3.1	PASS
6879.448612	-3.5	0.4	-3.1	PASS
6871.646662	-3.5	0.4	-3.1	PASS
6878.398350	-3.5	0.4	-3.1	PASS
6871.496624	-3.5	0.4	-3.1	PASS
6872.246812	-3.5	0.4	-3.1	PASS
6870.896474	-3.5	0.5	-3.1	PASS
6874.347337	-3.5	0.5	-3.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6881.099025	-3.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6881.099025	-3.2	0.0	-3.2	PASS
6875.547637	-3.2	0.1	-3.2	PASS
6869.396099	-3.4	0.2	-3.2	PASS
6888.600900	-3.4	0.2	-3.2	PASS
6869.246062	-3.4	0.3	-3.2	PASS
6877.648162	-3.5	0.3	-3.2	PASS
6883.049512	-3.5	0.3	-3.2	PASS
6873.297074	-3.5	0.3	-3.2	PASS
6881.249062	-3.6	0.4	-3.2	PASS
6880.348837	-3.6	0.4	-3.2	PASS
6888.750938	-3.6	0.4	-3.2	PASS
6877.498125	-3.6	0.4	-3.2	PASS
6883.199550	-3.6	0.4	-3.2	PASS
6875.397599	-3.6	0.5	-3.2	PASS
6872.996999	-3.6	0.5	-3.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6889.651163	-2.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6880.498875	-2.2	0.1	-2.1	PASS
6872.996999	-2.2	0.2	-2.1	PASS
6868.945986	-2.2	0.2	-2.1	PASS
6889.801200	-2.3	0.2	-2.1	PASS
6887.850713	-2.3	0.2	-2.1	PASS
6874.497374	-2.3	0.2	-2.1	PASS
6888.750938	-2.3	0.2	-2.1	PASS
6874.347337	-2.3	0.3	-2.1	PASS
6901.504126	-2.4	0.3	-2.1	PASS
6874.197299	-2.4	0.3	-2.1	PASS
6872.846962	-2.4	0.3	-2.1	PASS
6884.399850	-2.4	0.3	-2.1	PASS
6870.446362	-2.4	0.3	-2.1	PASS
6871.496624	-2.4	0.4	-2.1	PASS
6891.151538	-2.4	0.4	-2.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6906.545386	-3.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6906.395349	-3.9	0.5	-3.4	PASS
6908.045761	-3.9	0.5	-3.4	PASS
6913.447112	-4.2	0.8	-3.4	PASS
6913.297074	-4.3	0.9	-3.4	PASS
6910.296324	-4.3	0.9	-3.4	PASS
6916.897974	-4.3	0.9	-3.4	PASS
6906.995499	-4.4	1.0	-3.4	PASS
6927.250563	-4.4	1.0	-3.4	PASS
6907.595649	-4.4	1.0	-3.4	PASS
6911.046512	-4.4	1.0	-3.4	PASS
6916.447862	-4.4	1.0	-3.4	PASS
6906.845461	-4.4	1.0	-3.4	PASS
6925.750188	-4.4	1.0	-3.4	PASS
6909.546137	-4.4	1.0	-3.4	PASS
6907.895724	-4.5	1.0	-3.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6918.248312	-3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6907.145536	-3.6	0.1	-3.5	PASS
6912.996999	-3.6	0.1	-3.5	PASS
6931.451613	-3.7	0.2	-3.5	PASS
6922.749437	-3.7	0.2	-3.5	PASS
6914.497374	-3.8	0.3	-3.5	PASS
6914.947487	-3.9	0.3	-3.5	PASS
6939.403601	-3.9	0.4	-3.5	PASS
6909.546137	-3.9	0.4	-3.5	PASS
6909.396099	-3.9	0.4	-3.5	PASS
6907.745686	-4.0	0.4	-3.5	PASS
6909.246062	-4.0	0.4	-3.5	PASS
6913.147037	-4.0	0.5	-3.5	PASS
6927.700675	-4.0	0.5	-3.5	PASS
6918.098275	-4.0	0.5	-3.5	PASS
6920.498875	-4.0	0.5	-3.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6917.348087	-3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6920.348837	-3.6	0.3	-3.3	PASS
6914.647412	-3.7	0.4	-3.3	PASS
6913.147037	-3.8	0.5	-3.3	PASS
6917.198050	-3.8	0.5	-3.3	PASS
6908.795949	-3.9	0.5	-3.3	PASS
6908.195799	-3.9	0.5	-3.3	PASS
6922.599400	-3.9	0.6	-3.3	PASS
6907.295574	-3.9	0.6	-3.3	PASS
6906.395349	-3.9	0.6	-3.3	PASS
6916.747937	-3.9	0.6	-3.3	PASS
6908.345836	-3.9	0.6	-3.3	PASS
6914.047262	-3.9	0.6	-3.3	PASS
6909.996249	-3.9	0.6	-3.3	PASS
6926.200300	-4.0	0.6	-3.3	PASS
6906.245311	-4.0	0.7	-3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6911.196549	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6915.847712	-1.8	0.5	-1.3	PASS
6939.103526	-1.9	0.5	-1.3	PASS
6921.999250	-1.9	0.5	-1.3	PASS
6922.149287	-1.9	0.5	-1.3	PASS
6942.854464	-1.9	0.6	-1.3	PASS
6938.653413	-2.0	0.6	-1.3	PASS
6908.495874	-2.0	0.6	-1.3	PASS
6912.246812	-2.0	0.6	-1.3	PASS
6911.046512	-2.0	0.6	-1.3	PASS
6933.252063	-2.0	0.7	-1.3	PASS
6922.299325	-2.0	0.7	-1.3	PASS
6931.601650	-2.0	0.7	-1.3	PASS
6911.346587	-2.1	0.7	-1.3	PASS
6938.803451	-2.1	0.8	-1.3	PASS
6943.304576	-2.1	0.8	-1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7019.253563	-3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7019.253563	-3.6	0.0	-3.6	PASS
7000.948987	-3.6	0.0	-3.6	PASS
7006.200300	-3.8	0.1	-3.6	PASS
7000.048762	-3.8	0.2	-3.6	PASS
7014.752438	-3.8	0.2	-3.6	PASS
7019.853713	-3.8	0.2	-3.6	PASS
7021.204051	-3.8	0.2	-3.6	PASS
7023.454614	-3.9	0.2	-3.6	PASS
7007.100525	-3.9	0.3	-3.6	PASS
7021.354089	-3.9	0.3	-3.6	PASS
7006.500375	-3.9	0.3	-3.6	PASS
6988.195799	-3.9	0.3	-3.6	PASS
7022.104276	-3.9	0.3	-3.6	PASS
7006.350338	-3.9	0.3	-3.6	PASS
7020.603901	-4.0	0.3	-3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7006.350338	-3.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7006.350338	-3.2	0.0	-3.2	PASS
7006.500375	-3.2	0.1	-3.2	PASS
6994.947487	-3.2	0.1	-3.2	PASS
6995.847712	-3.3	0.1	-3.2	PASS
7001.399100	-3.3	0.1	-3.2	PASS
6997.798200	-3.3	0.1	-3.2	PASS
6986.395349	-3.3	0.2	-3.2	PASS
7016.702926	-3.3	0.2	-3.2	PASS
7013.102026	-3.4	0.2	-3.2	PASS
6997.948237	-3.4	0.2	-3.2	PASS
7013.252063	-3.4	0.2	-3.2	PASS
6997.198050	-3.4	0.2	-3.2	PASS
7014.452363	-3.4	0.3	-3.2	PASS
7007.250563	-3.4	0.3	-3.2	PASS
7013.852213	-3.4	0.3	-3.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7000.048762	-2.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7000.048762	-2.9	0.0	-2.9	PASS
7013.252063	-3.1	0.2	-2.9	PASS
7020.003751	-3.2	0.3	-2.9	PASS
7008.750938	-3.2	0.3	-2.9	PASS
6990.596399	-3.2	0.3	-2.9	PASS
7023.004501	-3.2	0.3	-2.9	PASS
6994.797449	-3.2	0.3	-2.9	PASS
6989.396099	-3.3	0.4	-2.9	PASS
7020.453863	-3.3	0.4	-2.9	PASS
7013.102026	-3.3	0.4	-2.9	PASS
7009.651163	-3.3	0.4	-2.9	PASS
6996.897974	-3.3	0.4	-2.9	PASS
6988.795949	-3.3	0.4	-2.9	PASS
7000.198800	-3.3	0.4	-2.9	PASS
6987.595649	-3.3	0.4	-2.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6991.796699	-1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7011.001500	-2.0	0.1	-1.9	PASS
6997.498125	-2.0	0.1	-1.9	PASS
6996.597899	-2.2	0.3	-1.9	PASS
6991.946737	-2.3	0.3	-1.9	PASS
7012.201800	-2.3	0.4	-1.9	PASS
6995.847712	-2.3	0.4	-1.9	PASS
7009.951238	-2.3	0.4	-1.9	PASS
7016.252813	-2.3	0.4	-1.9	PASS
6990.896474	-2.4	0.4	-1.9	PASS
6997.648162	-2.4	0.4	-1.9	PASS
6988.345836	-2.4	0.4	-1.9	PASS
6986.245311	-2.4	0.4	-1.9	PASS
7015.502626	-2.4	0.4	-1.9	PASS
7004.099775	-2.4	0.5	-1.9	PASS
6986.395349	-2.4	0.5	-1.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7066.095274	-3.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7066.095274	-3.0	0.0	-3.0	PASS
7076.297824	-3.2	0.2	-3.0	PASS
7068.045761	-3.3	0.3	-3.0	PASS
7066.245311	-3.3	0.3	-3.0	PASS
7067.595649	-3.3	0.3	-3.0	PASS
7081.999250	-3.4	0.4	-3.0	PASS
7086.500375	-3.4	0.4	-3.0	PASS
7079.748687	-3.4	0.4	-3.0	PASS
7083.499625	-3.4	0.4	-3.0	PASS
7068.195799	-3.4	0.4	-3.0	PASS
7067.895724	-3.4	0.4	-3.0	PASS
7070.596399	-3.4	0.4	-3.0	PASS
7103.004501	-3.4	0.4	-3.0	PASS
7066.845461	-3.4	0.4	-3.0	PASS
7072.546887	-3.5	0.5	-3.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7075.847712	-2.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7068.795949	-2.5	0.0	-2.4	PASS
7075.697674	-2.5	0.0	-2.4	PASS
7077.648162	-2.6	0.1	-2.4	PASS
7095.652663	-2.6	0.2	-2.4	PASS
7094.452363	-2.7	0.2	-2.4	PASS
7076.897974	-2.7	0.3	-2.4	PASS
7095.952738	-2.7	0.3	-2.4	PASS
7075.247562	-2.8	0.3	-2.4	PASS
7070.296324	-2.8	0.3	-2.4	PASS
7095.802701	-2.8	0.3	-2.4	PASS
7098.953488	-2.8	0.3	-2.4	PASS
7068.645911	-2.8	0.4	-2.4	PASS
7103.154539	-2.8	0.4	-2.4	PASS
7070.896474	-2.8	0.4	-2.4	PASS
7101.054014	-2.8	0.4	-2.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7079.898725	-2.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7080.048762	-2.0	0.0	-2.0	PASS
7101.954239	-2.0	0.0	-2.0	PASS
7073.897224	-2.1	0.1	-2.0	PASS
7073.147037	-2.1	0.1	-2.0	PASS
7069.096024	-2.1	0.1	-2.0	PASS
7081.849212	-2.1	0.2	-2.0	PASS
7066.845461	-2.2	0.2	-2.0	PASS
7075.247562	-2.2	0.2	-2.0	PASS
7078.248312	-2.2	0.2	-2.0	PASS
7097.003001	-2.2	0.3	-2.0	PASS
7066.395349	-2.2	0.3	-2.0	PASS
7071.196549	-2.3	0.3	-2.0	PASS
7068.195799	-2.3	0.3	-2.0	PASS
7068.495874	-2.3	0.3	-2.0	PASS
7088.450863	-2.3	0.3	-2.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7078.698425	-1.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7078.698425	-1.8	0.0	-1.8	PASS
7068.945986	-2.1	0.3	-1.8	PASS
7069.846212	-2.1	0.3	-1.8	PASS
7070.146287	-2.1	0.3	-1.8	PASS
7071.046512	-2.2	0.4	-1.8	PASS
7070.896474	-2.2	0.4	-1.8	PASS
7068.795949	-2.2	0.4	-1.8	PASS
7072.096774	-2.2	0.4	-1.8	PASS
7071.196549	-2.2	0.4	-1.8	PASS
7078.848462	-2.3	0.5	-1.8	PASS
7080.948987	-2.3	0.5	-1.8	PASS
7069.996249	-2.3	0.5	-1.8	PASS
7071.346587	-2.3	0.5	-1.8	PASS
7072.246812	-2.3	0.5	-1.8	PASS
7068.045761	-2.3	0.5	-1.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6021.250000	0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6021.250000	0.8	0.0	0.8	PASS
6020.750000	0.7	0.0	0.8	PASS
6019.750000	0.7	0.1	0.8	PASS
5997.250000	0.6	0.1	0.8	PASS
6017.750000	0.6	0.2	0.8	PASS
6004.750000	0.6	0.2	0.8	PASS
6008.250000	0.6	0.2	0.8	PASS
6009.250000	0.5	0.2	0.8	PASS
6022.750000	0.5	0.2	0.8	PASS
6022.250000	0.5	0.3	0.8	PASS
6021.750000	0.4	0.3	0.8	PASS
6017.250000	0.4	0.4	0.8	PASS
6015.250000	0.4	0.4	0.8	PASS
6023.250000	0.4	0.4	0.8	PASS
6015.750000	0.4	0.4	0.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6008.250000	1.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6016.750000	1.1	0.0	1.1	PASS
6007.250000	1.0	0.1	1.1	PASS
6004.750000	0.9	0.1	1.1	PASS
5998.750000	0.9	0.1	1.1	PASS
6021.750000	0.9	0.1	1.1	PASS
5989.750000	0.9	0.2	1.1	PASS
6011.750000	0.9	0.2	1.1	PASS
6022.250000	0.8	0.2	1.1	PASS
5995.750000	0.8	0.2	1.1	PASS
6019.750000	0.8	0.3	1.1	PASS
5993.250000	0.8	0.3	1.1	PASS
6009.750000	0.8	0.3	1.1	PASS
5971.750000	0.7	0.3	1.1	PASS
6002.250000	0.7	0.3	1.1	PASS
6015.250000	0.7	0.3	1.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5969.250000	-0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5992.750000	-0.2	0.0	-0.2	PASS
5956.750000	-0.2	0.1	-0.2	PASS
5983.250000	-0.3	0.1	-0.2	PASS
5988.750000	-0.3	0.1	-0.2	PASS
5960.750000	-0.3	0.1	-0.2	PASS
6001.250000	-0.4	0.2	-0.2	PASS
6022.250000	-0.4	0.2	-0.2	PASS
6009.250000	-0.5	0.3	-0.2	PASS
5992.250000	-0.5	0.3	-0.2	PASS
6014.750000	-0.5	0.3	-0.2	PASS
5964.750000	-0.5	0.3	-0.2	PASS
5989.750000	-0.5	0.3	-0.2	PASS
6016.250000	-0.5	0.3	-0.2	PASS
5970.250000	-0.5	0.3	-0.2	PASS
5996.750000	-0.6	0.4	-0.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6017.250000	1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6010.750000	1.0	0.1	1.0	PASS
5997.750000	0.9	0.1	1.0	PASS
6016.750000	0.9	0.1	1.0	PASS
6012.250000	0.9	0.2	1.0	PASS
5997.250000	0.9	0.2	1.0	PASS
5991.750000	0.9	0.2	1.0	PASS
6013.250000	0.8	0.2	1.0	PASS
6011.750000	0.8	0.2	1.0	PASS
6009.750000	0.8	0.2	1.0	PASS
6013.750000	0.8	0.3	1.0	PASS
5991.250000	0.8	0.3	1.0	PASS
6016.250000	0.8	0.3	1.0	PASS
6022.750000	0.8	0.3	1.0	PASS
6017.750000	0.8	0.3	1.0	PASS
6021.750000	0.7	0.3	1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6180.750000	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6180.750000	0.1	0.0	0.1	PASS
6170.250000	0.0	0.1	0.1	PASS
6158.250000	0.0	0.1	0.1	PASS
6182.750000	-0.1	0.1	0.1	PASS
6139.750000	-0.1	0.2	0.1	PASS
6121.250000	-0.1	0.2	0.1	PASS
6120.750000	-0.1	0.2	0.1	PASS
6125.250000	-0.2	0.2	0.1	PASS
6143.750000	-0.2	0.3	0.1	PASS
6110.250000	-0.2	0.3	0.1	PASS
6138.250000	-0.2	0.3	0.1	PASS
6161.750000	-0.2	0.3	0.1	PASS
6129.250000	-0.2	0.3	0.1	PASS
6178.250000	-0.3	0.3	0.1	PASS
6141.250000	-0.3	0.4	0.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6108.250000	0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6108.250000	0.4	0.0	0.4	PASS
6112.750000	0.3	0.1	0.4	PASS
6107.750000	0.1	0.2	0.4	PASS
6178.250000	0.1	0.2	0.4	PASS
6128.250000	0.1	0.3	0.4	PASS
6115.250000	0.1	0.3	0.4	PASS
6114.750000	0.0	0.3	0.4	PASS
6154.250000	-0.1	0.4	0.4	PASS
6124.750000	-0.1	0.4	0.4	PASS
6107.250000	-0.1	0.4	0.4	PASS
6146.250000	-0.1	0.4	0.4	PASS
6108.750000	-0.1	0.5	0.4	PASS
6113.750000	-0.2	0.5	0.4	PASS
6109.250000	-0.2	0.5	0.4	PASS
6152.750000	-0.2	0.5	0.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6151.750000	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6172.750000	0.1	0.0	0.1	PASS
6175.250000	-0.1	0.3	0.1	PASS
6178.750000	-0.2	0.4	0.1	PASS
6181.250000	-0.2	0.4	0.1	PASS
6169.250000	-0.2	0.4	0.1	PASS
6178.250000	-0.3	0.4	0.1	PASS
6183.250000	-0.3	0.4	0.1	PASS
6171.250000	-0.3	0.4	0.1	PASS
6174.250000	-0.3	0.4	0.1	PASS
6155.250000	-0.3	0.4	0.1	PASS
6179.750000	-0.3	0.5	0.1	PASS
6158.250000	-0.4	0.5	0.1	PASS
6160.250000	-0.4	0.5	0.1	PASS
6175.750000	-0.4	0.5	0.1	PASS
6169.750000	-0.4	0.5	0.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6157.250000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6131.250000	0.4	0.2	0.6	PASS
6159.250000	0.4	0.3	0.6	PASS
6172.250000	0.3	0.3	0.6	PASS
6138.250000	0.3	0.4	0.6	PASS
6159.750000	0.3	0.4	0.6	PASS
6133.750000	0.2	0.4	0.6	PASS
6158.750000	0.2	0.4	0.6	PASS
6172.750000	0.2	0.4	0.6	PASS
6155.750000	0.2	0.4	0.6	PASS
6167.250000	0.2	0.4	0.6	PASS
6176.750000	0.2	0.5	0.6	PASS
6134.250000	0.1	0.5	0.6	PASS
6158.250000	0.1	0.5	0.6	PASS
6157.750000	0.1	0.5	0.6	PASS
6175.750000	0.1	0.5	0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant0

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6362.750000	1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6362.750000	1.0	0.0	1.0	PASS
6360.250000	1.0	0.1	1.0	PASS
6358.250000	0.9	0.1	1.0	PASS
6351.750000	0.9	0.2	1.0	PASS
6378.750000	0.8	0.2	1.0	PASS
6383.750000	0.8	0.2	1.0	PASS
6388.750000	0.8	0.2	1.0	PASS
6399.750000	0.7	0.3	1.0	PASS
6363.750000	0.7	0.3	1.0	PASS
6400.750000	0.7	0.3	1.0	PASS
6401.750000	0.7	0.3	1.0	PASS
6381.750000	0.7	0.3	1.0	PASS
6363.250000	0.7	0.3	1.0	PASS
6361.250000	0.7	0.3	1.0	PASS
6373.250000	0.7	0.3	1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant1

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6348.750000	1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6348.750000	1.0	0.0	1.0	PASS
6378.750000	1.0	0.0	1.0	PASS
6362.250000	0.9	0.1	1.0	PASS
6379.250000	0.9	0.1	1.0	PASS
6350.750000	0.8	0.1	1.0	PASS
6415.750000	0.8	0.1	1.0	PASS
6421.250000	0.8	0.2	1.0	PASS
6364.250000	0.8	0.2	1.0	PASS
6382.750000	0.8	0.2	1.0	PASS
6363.250000	0.8	0.2	1.0	PASS
6361.750000	0.7	0.2	1.0	PASS
6420.250000	0.7	0.3	1.0	PASS
6417.250000	0.7	0.3	1.0	PASS
6360.250000	0.7	0.3	1.0	PASS
6387.250000	0.6	0.3	1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant2

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6396.750000	0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6396.750000	0.4	0.0	0.4	PASS
6387.750000	0.3	0.0	0.4	PASS
6393.250000	0.2	0.2	0.4	PASS
6368.250000	0.2	0.2	0.4	PASS
6369.750000	0.1	0.3	0.4	PASS
6375.750000	0.0	0.3	0.4	PASS
6414.750000	0.0	0.4	0.4	PASS
6356.250000	0.0	0.4	0.4	PASS
6372.250000	0.0	0.4	0.4	PASS
6420.750000	0.0	0.4	0.4	PASS
6352.250000	0.0	0.4	0.4	PASS
6371.250000	-0.1	0.4	0.4	PASS
6359.750000	-0.1	0.4	0.4	PASS
6377.250000	-0.1	0.5	0.4	PASS
6350.250000	-0.1	0.5	0.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant3

Result

DUT Frequency (MHz)	Result
6385.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6376.750000	1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6376.750000	1.4	0.0	1.4	PASS
6355.250000	1.4	0.1	1.4	PASS
6420.250000	1.2	0.2	1.4	PASS
6351.750000	1.2	0.2	1.4	PASS
6359.250000	1.2	0.3	1.4	PASS
6351.250000	1.1	0.3	1.4	PASS
6353.250000	1.1	0.3	1.4	PASS
6350.750000	1.1	0.4	1.4	PASS
6380.250000	1.1	0.4	1.4	PASS
6373.250000	1.1	0.4	1.4	PASS
6352.750000	1.0	0.4	1.4	PASS
6356.250000	1.0	0.4	1.4	PASS
6353.750000	1.0	0.4	1.4	PASS
6347.750000	1.0	0.5	1.4	PASS
6422.250000	1.0	0.5	1.4	PASS

In Band

