

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.29	0.16	21.30	<=38.45	Pass
			2	23.24	0.16	21.25	<=38.45	Pass
			5	23.21	0.16	21.22	<=38.45	Pass
		3	0	23.17	0.16	21.18	<=38.45	Pass
			2	23.23	0.16	21.24	<=38.45	Pass
			3	22.96	0.16	20.97	<=38.45	Pass
		6	0	22.10	0.16	20.11	<=38.45	Pass
	836.5	1	0	23.04	0.16	21.05	<=38.45	Pass
			2	23.19	0.16	21.20	<=38.45	Pass
			5	23.05	0.16	21.06	<=38.45	Pass
		3	0	23.00	0.16	21.01	<=38.45	Pass
			2	23.01	0.16	21.02	<=38.45	Pass
			3	23.05	0.16	21.06	<=38.45	Pass
		6	0	22.12	0.16	20.13	<=38.45	Pass
	848.3	1	0	23.07	0.16	21.08	<=38.45	Pass
			2	23.27	0.16	21.28	<=38.45	Pass
			5	23.07	0.16	21.08	<=38.45	Pass
		3	0	22.97	0.16	20.98	<=38.45	Pass
			2	22.98	0.16	20.99	<=38.45	Pass
			3	23.02	0.16	21.03	<=38.45	Pass
		6	0	21.94	0.16	19.95	<=38.45	Pass
16QAM	824.7	1	0	21.81	0.16	19.82	<=38.45	Pass
			2	21.93	0.16	19.94	<=38.45	Pass
			5	21.88	0.16	19.89	<=38.45	Pass
		3	0	22.15	0.16	20.16	<=38.45	Pass
			2	22.18	0.16	20.19	<=38.45	Pass
			3	22.14	0.16	20.15	<=38.45	Pass
		6	0	21.13	0.16	19.14	<=38.45	Pass
	836.5	1	0	21.82	0.16	19.83	<=38.45	Pass
			2	21.51	0.16	19.52	<=38.45	Pass
			5	21.66	0.16	19.67	<=38.45	Pass
		3	0	21.95	0.16	19.96	<=38.45	Pass
			2	21.98	0.16	19.99	<=38.45	Pass
			3	22.01	0.16	20.02	<=38.45	Pass
		6	0	20.82	0.16	18.83	<=38.45	Pass
	848.3	1	0	21.90	0.16	19.91	<=38.45	Pass
			2	21.90	0.16	19.91	<=38.45	Pass
			5	21.75	0.16	19.76	<=38.45	Pass
		3	0	21.80	0.16	19.81	<=38.45	Pass
			2	22.12	0.16	20.13	<=38.45	Pass
			3	22.06	0.16	20.07	<=38.45	Pass
		6	0	20.81	0.16	18.82	<=38.45	Pass
64QAM	824.7	1	0	21.78	0.16	19.79	<=38.45	Pass
			2	21.57	0.16	19.58	<=38.45	Pass
			5	21.58	0.16	19.59	<=38.45	Pass
		3	0	21.89	0.16	19.90	<=38.45	Pass
			2	21.97	0.16	19.98	<=38.45	Pass
			3	21.90	0.16	19.91	<=38.45	Pass
		6	0	21.30	0.16	19.31	<=38.45	Pass

	836.5	1	0	21.39	0.16	19.40	<=38.45	Pass
			2	21.75	0.16	19.76	<=38.45	Pass
			5	21.41	0.16	19.42	<=38.45	Pass
		3	0	11.10	0.16	9.11	<=38.45	Pass
			2	21.93	0.16	19.94	<=38.45	Pass
			3	21.88	0.16	19.89	<=38.45	Pass
	848.3	6	0	21.20	0.16	19.21	<=38.45	Pass
			0	2.91	0.16	0.92	<=38.45	Pass
			2	21.48	0.16	19.49	<=38.45	Pass
		1	5	21.55	0.16	19.56	<=38.45	Pass
			0	21.99	0.16	20.00	<=38.45	Pass
			2	21.95	0.16	19.96	<=38.45	Pass
		3	3	21.90	0.16	19.91	<=38.45	Pass
			0	21.16	0.16	19.17	<=38.45	Pass
			0					

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.14	0.16	21.15	<=38.45	Pass
			7	23.47	0.16	21.48	<=38.45	Pass
			14	22.99	0.16	21.00	<=38.45	Pass
		8	0	21.95	0.16	19.96	<=38.45	Pass
			4	21.99	0.16	20.00	<=38.45	Pass
			7	21.79	0.16	19.80	<=38.45	Pass
		15	0	21.96	0.16	19.97	<=38.45	Pass
	836.5	1	0	23.07	0.16	21.08	<=38.45	Pass
			7	23.21	0.16	21.22	<=38.45	Pass
			14	23.11	0.16	21.12	<=38.45	Pass
		8	0	21.93	0.16	19.94	<=38.45	Pass
			4	22.05	0.16	20.06	<=38.45	Pass
			7	22.03	0.16	20.04	<=38.45	Pass
		15	0	21.96	0.16	19.97	<=38.45	Pass
	847.5	1	0	23.06	0.16	21.07	<=38.45	Pass
			7	23.46	0.16	21.47	<=38.45	Pass
			14	23.15	0.16	21.16	<=38.45	Pass
		8	0	22.06	0.16	20.07	<=38.45	Pass
			4	21.98	0.16	19.99	<=38.45	Pass
			7	22.03	0.16	20.04	<=38.45	Pass
		15	0	21.95	0.16	19.96	<=38.45	Pass
16QAM	825.5	1	0	22.11	0.16	20.12	<=38.45	Pass
			7	21.93	0.16	19.94	<=38.45	Pass
			14	21.89	0.16	19.90	<=38.45	Pass
		8	0	21.29	0.16	19.30	<=38.45	Pass
			4	21.17	0.16	19.18	<=38.45	Pass
			7	20.95	0.16	18.96	<=38.45	Pass
		15	0	21.06	0.16	19.07	<=38.45	Pass
	836.5	1	0	21.66	0.16	19.67	<=38.45	Pass
			7	21.93	0.16	19.94	<=38.45	Pass
			14	21.85	0.16	19.86	<=38.45	Pass
		8	0	20.85	0.16	18.86	<=38.45	Pass
			4	21.21	0.16	19.22	<=38.45	Pass
			7	21.16	0.16	19.17	<=38.45	Pass
		15	0	21.10	0.16	19.11	<=38.45	Pass
	847.5	1	0	22.23	0.16	20.24	<=38.45	Pass

64QAM			7	21.82	0.16	19.83	<=38.45	Pass		
			14	21.95	0.16	19.96	<=38.45	Pass		
			8	0	21.14	0.16	19.15	<=38.45	Pass	
		4		20.71	0.16	18.72	<=38.45	Pass		
		7		21.08	0.16	19.09	<=38.45	Pass		
		15	0	21.01	0.16	19.02	<=38.45	Pass		
	825.5	1	0	21.82	0.16	19.83	<=38.45	Pass		
			7	21.70	0.16	19.71	<=38.45	Pass		
			14	2.86	0.16	0.87	<=38.45	Pass		
		8	0	19.94	0.16	17.95	<=38.45	Pass		
			4	19.95	0.16	17.96	<=38.45	Pass		
			7	19.87	0.16	17.88	<=38.45	Pass		
		15	0	19.96	0.16	17.97	<=38.45	Pass		
		836.5	1	0	21.06	0.16	19.07	<=38.45	Pass	
				7	21.30	0.16	19.31	<=38.45	Pass	
				14	20.76	0.16	18.77	<=38.45	Pass	
			8	0	19.99	0.16	18.00	<=38.45	Pass	
				4	20.08	0.16	18.09	<=38.45	Pass	
				7	20.08	0.16	18.09	<=38.45	Pass	
			15	0	20.20	0.16	18.21	<=38.45	Pass	
			847.5	1	0	21.16	0.16	19.17	<=38.45	Pass
					7	21.01	0.16	19.02	<=38.45	Pass
		14			20.68	0.16	18.69	<=38.45	Pass	
		8		0	20.07	0.16	18.08	<=38.45	Pass	
	4			19.95	0.16	17.96	<=38.45	Pass		
	7			19.89	0.16	17.90	<=38.45	Pass		
	15	0		20.10	0.16	18.11	<=38.45	Pass		
Note1: ERP=Conducted Power+Antenna Gain-2.15										

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.17	0.16	21.18	<=38.45	Pass
			13	22.89	0.16	20.90	<=38.45	Pass
			24	23.04	0.16	21.05	<=38.45	Pass
		12	0	21.95	0.16	19.96	<=38.45	Pass
			6	21.98	0.16	19.99	<=38.45	Pass
			13	21.97	0.16	19.98	<=38.45	Pass
		25	0	21.92	0.16	19.93	<=38.45	Pass
	836.5	1	0	22.26	0.16	20.27	<=38.45	Pass
			13	22.96	0.16	20.97	<=38.45	Pass
			24	23.18	0.16	21.19	<=38.45	Pass
		12	0	21.88	0.16	19.89	<=38.45	Pass
			6	21.91	0.16	19.92	<=38.45	Pass
			13	21.93	0.16	19.94	<=38.45	Pass
		25	0	21.96	0.16	19.97	<=38.45	Pass
	846.5	1	0	23.21	0.16	21.22	<=38.45	Pass
			13	23.01	0.16	21.02	<=38.45	Pass
			24	23.25	0.16	21.26	<=38.45	Pass
		12	0	22.08	0.16	20.09	<=38.45	Pass
			6	22.09	0.16	20.10	<=38.45	Pass
			13	21.87	0.16	19.88	<=38.45	Pass
		25	0	22.05	0.16	20.06	<=38.45	Pass
16QAM	826.5	1	0	21.95	0.16	19.96	<=38.45	Pass
			13	21.66	0.16	19.67	<=38.45	Pass

		12	24	21.65	0.16	19.66	<=38.45	Pass
			0	21.19	0.16	19.20	<=38.45	Pass
			6	21.01	0.16	19.02	<=38.45	Pass
			13	20.99	0.16	19.00	<=38.45	Pass
		25	0	20.94	0.16	18.95	<=38.45	Pass
	836.5	1	0	21.60	0.16	19.61	<=38.45	Pass
			13	21.99	0.16	20.00	<=38.45	Pass
			24	21.51	0.16	19.52	<=38.45	Pass
		12	0	20.80	0.16	18.81	<=38.45	Pass
			6	21.08	0.16	19.09	<=38.45	Pass
			13	21.12	0.16	19.13	<=38.45	Pass
		25	0	21.00	0.16	19.01	<=38.45	Pass
		846.5	1	0	21.75	0.16	19.76	<=38.45
	13			22.05	0.16	20.06	<=38.45	Pass
	24			21.82	0.16	19.83	<=38.45	Pass
	12		0	21.29	0.16	19.30	<=38.45	Pass
			6	21.04	0.16	19.05	<=38.45	Pass
			13	20.93	0.16	18.94	<=38.45	Pass
	25		0	21.17	0.16	19.18	<=38.45	Pass

64QAM	826.5	1	0	21.15	0.16	19.16	<=38.45	Pass
			13	20.39	0.16	18.40	<=38.45	Pass
			24	20.64	0.16	18.65	<=38.45	Pass
		12	0	19.90	0.16	17.91	<=38.45	Pass
			6	20.06	0.16	18.07	<=38.45	Pass
			13	20.07	0.16	18.08	<=38.45	Pass
		25	0	19.02	0.16	17.03	<=38.45	Pass
		836.5	1	0	20.36	0.16	18.37	<=38.45
	13			21.08	0.16	19.09	<=38.45	Pass
	24			21.28	0.16	19.29	<=38.45	Pass
	12		0	20.11	0.16	18.12	<=38.45	Pass
			6	20.12	0.16	18.13	<=38.45	Pass
			13	19.99	0.16	18.00	<=38.45	Pass
	25		0	19.91	0.16	17.92	<=38.45	Pass
	846.5	1	0	21.23	0.16	19.24	<=38.45	Pass
			13	20.99	0.16	19.00	<=38.45	Pass
			24	20.67	0.16	18.68	<=38.45	Pass
		12	0	20.27	0.16	18.28	<=38.45	Pass
			6	20.21	0.16	18.22	<=38.45	Pass
			13	19.90	0.16	17.91	<=38.45	Pass
25		0	19.80	0.16	17.81	<=38.45	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.35	0.16	21.36	<=38.45	Pass
			25	23.23	0.16	21.24	<=38.45	Pass
			49	23.27	0.16	21.28	<=38.45	Pass
		25	0	22.02	0.16	20.03	<=38.45	Pass
			13	21.98	0.16	19.99	<=38.45	Pass
			25	21.99	0.16	20.00	<=38.45	Pass
		50	0	22.01	0.16	20.02	<=38.45	Pass
			0	23.03	0.16	21.04	<=38.45	Pass
			25	23.08	0.16	21.09	<=38.45	Pass
	836.5	1	49	23.31	0.16	21.32	<=38.45	Pass

		25	0	21.96	0.16	19.97	<=38.45	Pass
			13	22.05	0.16	20.06	<=38.45	Pass
			25	21.91	0.16	19.92	<=38.45	Pass
		50	0	22.01	0.16	20.02	<=38.45	Pass
	844	1	0	23.38	0.16	21.39	<=38.45	Pass
			25	23.24	0.16	21.25	<=38.45	Pass
			49	23.44	0.16	21.45	<=38.45	Pass
		25	0	22.37	0.16	20.38	<=38.45	Pass
			13	22.27	0.16	20.28	<=38.45	Pass
			25	22.24	0.16	20.25	<=38.45	Pass
			50	0	22.22	0.16	20.23	<=38.45
16QAM		829	1	0	21.85	0.16	19.86	<=38.45
	25			22.06	0.16	20.07	<=38.45	Pass
	49			21.86	0.16	19.87	<=38.45	Pass
	25		0	21.03	0.16	19.04	<=38.45	Pass
			13	21.10	0.16	19.11	<=38.45	Pass
			25	21.12	0.16	19.13	<=38.45	Pass
			50	0	21.04	0.16	19.05	<=38.45
	836.5	1	0	21.73	0.16	19.74	<=38.45	Pass
			25	21.72	0.16	19.73	<=38.45	Pass
			49	21.96	0.16	19.97	<=38.45	Pass
		25	0	20.85	0.16	18.86	<=38.45	Pass
			13	21.22	0.16	19.23	<=38.45	Pass
			25	21.01	0.16	19.02	<=38.45	Pass
			50	0	21.16	0.16	19.17	<=38.45
	844	1	0	21.93	0.16	19.94	<=38.45	Pass
			25	22.11	0.16	20.12	<=38.45	Pass
			49	21.87	0.16	19.88	<=38.45	Pass
		25	0	21.12	0.16	19.13	<=38.45	Pass
			13	21.11	0.16	19.12	<=38.45	Pass
			25	21.16	0.16	19.17	<=38.45	Pass
			50	0	21.25	0.16	19.26	<=38.45
64QAM	829	1	0	21.05	0.16	19.06	<=38.45	Pass
			25	20.83	0.16	18.84	<=38.45	Pass
			49	20.87	0.16	18.88	<=38.45	Pass
		25	0	20.26	0.16	18.27	<=38.45	Pass
			13	19.92	0.16	17.93	<=38.45	Pass
			25	19.78	0.16	17.79	<=38.45	Pass
			50	0	20.06	0.16	18.07	<=38.45
	836.5	1	0	20.84	0.16	18.85	<=38.45	Pass
			25	21.03	0.16	19.04	<=38.45	Pass
			49	20.95	0.16	18.96	<=38.45	Pass
		25	0	19.94	0.16	17.95	<=38.45	Pass
			13	20.14	0.16	18.15	<=38.45	Pass
			25	19.98	0.16	17.99	<=38.45	Pass
			50	0	20.08	0.16	18.09	<=38.45
	844	1	0	20.78	0.16	18.79	<=38.45	Pass
			25	21.04	0.16	19.05	<=38.45	Pass
			49	21.20	0.16	19.21	<=38.45	Pass
		25	0	20.41	0.16	18.42	<=38.45	Pass
			13	20.37	0.16	18.38	<=38.45	Pass
			25	20.43	0.16	18.44	<=38.45	Pass
			50	0	20.27	0.16	18.28	<=38.45
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	23.35	0.16	21.36	<=38.45	Pass
			38	22.41	0.16	20.42	<=38.45	Pass
			74	23.26	0.16	21.27	<=38.45	Pass
		36	0	21.98	0.16	19.99	<=38.45	Pass
			18	21.91	0.16	19.92	<=38.45	Pass
			39	22.03	0.16	20.04	<=38.45	Pass
		75	0	22.00	0.16	20.01	<=38.45	Pass
	836.5	1	0	23.15	0.16	21.16	<=38.45	Pass
			38	23.35	0.16	21.36	<=38.45	Pass
			74	23.39	0.16	21.40	<=38.45	Pass
		36	0	21.98	0.16	19.99	<=38.45	Pass
			18	22.06	0.16	20.07	<=38.45	Pass
			39	22.09	0.16	20.10	<=38.45	Pass
		75	0	22.01	0.16	20.02	<=38.45	Pass
	841.5	1	0	23.23	0.16	21.24	<=38.45	Pass
			38	23.39	0.16	21.40	<=38.45	Pass
			74	23.32	0.16	21.33	<=38.45	Pass
		36	0	22.21	0.16	20.22	<=38.45	Pass
			18	22.22	0.16	20.23	<=38.45	Pass
			39	22.25	0.16	20.26	<=38.45	Pass
		75	0	22.26	0.16	20.27	<=38.45	Pass
16QAM	831.5	1	0	22.17	0.16	20.18	<=38.45	Pass
			38	21.77	0.16	19.78	<=38.45	Pass
			74	21.91	0.16	19.92	<=38.45	Pass
		36	0	20.95	0.16	18.96	<=38.45	Pass
			18	20.91	0.16	18.92	<=38.45	Pass
			39	20.96	0.16	18.97	<=38.45	Pass
		75	0	21.03	0.16	19.04	<=38.45	Pass
	836.5	1	0	21.72	0.16	19.73	<=38.45	Pass
			38	21.94	0.16	19.95	<=38.45	Pass
			74	21.96	0.16	19.97	<=38.45	Pass
		36	0	20.94	0.16	18.95	<=38.45	Pass
			18	21.09	0.16	19.10	<=38.45	Pass
			39	21.13	0.16	19.14	<=38.45	Pass
		75	0	21.04	0.16	19.05	<=38.45	Pass
	841.5	1	0	21.87	0.16	19.88	<=38.45	Pass
			38	21.92	0.16	19.93	<=38.45	Pass
			74	21.92	0.16	19.93	<=38.45	Pass
		36	0	21.12	0.16	19.13	<=38.45	Pass
			18	21.23	0.16	19.24	<=38.45	Pass
			39	21.28	0.16	19.29	<=38.45	Pass
		75	0	21.28	0.16	19.29	<=38.45	Pass
64QAM	831.5	1	0	21.27	0.16	19.28	<=38.45	Pass
			38	20.82	0.16	18.83	<=38.45	Pass
			74	21.07	0.16	19.08	<=38.45	Pass
		36	0	19.98	0.16	17.99	<=38.45	Pass
			18	19.90	0.16	17.91	<=38.45	Pass
			39	20.03	0.16	18.04	<=38.45	Pass
		75	0	19.96	0.16	17.97	<=38.45	Pass
	836.5	1	0	20.65	0.16	18.66	<=38.45	Pass
			38	20.88	0.16	18.89	<=38.45	Pass
			74	21.24	0.16	19.25	<=38.45	Pass
		36	0	20.16	0.16	18.17	<=38.45	Pass
			18	20.22	0.16	18.23	<=38.45	Pass
			39	20.17	0.16	18.18	<=38.45	Pass
		75	0	20.06	0.16	18.07	<=38.45	Pass

	841.5	1	0	21.40	0.16	19.41	<=38.45	Pass
			38	21.33	0.16	19.34	<=38.45	Pass
			74	21.09	0.16	19.10	<=38.45	Pass
		36	0	20.31	0.16	18.32	<=38.45	Pass
			18	20.35	0.16	18.36	<=38.45	Pass
			39	20.35	0.16	18.36	<=38.45	Pass
		75	0	20.18	0.16	18.19	<=38.45	Pass
		Note1: ERP=Conducted Power+Antenna Gain-2.15						

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	20.4	-12.300	-0.0149	-2.5 to 2.5	Pass
					24	-14.300	-0.0173	-2.5 to 2.5	Pass
					27.6	-13.500	-0.0164	-2.5 to 2.5	Pass
				-30	24	-11.900	-0.0144	-2.5 to 2.5	Pass
				-20	24	-13.100	-0.0159	-2.5 to 2.5	Pass
				-10	24	-14.800	-0.0179	-2.5 to 2.5	Pass
				0	24	-11.400	-0.0138	-2.5 to 2.5	Pass
				10	24	-10.200	-0.0124	-2.5 to 2.5	Pass
				30	24	-11.900	-0.0144	-2.5 to 2.5	Pass
				40	24	-12.100	-0.0147	-2.5 to 2.5	Pass
				50	24	-8.700	-0.0105	-2.5 to 2.5	Pass
	836.5	6	0	20	20.4	-0.600	-0.0007	-2.5 to 2.5	Pass
					24	-0.500	-0.0006	-2.5 to 2.5	Pass
					27.6	-1.000	-0.0012	-2.5 to 2.5	Pass
				-30	24	1.600	0.0019	-2.5 to 2.5	Pass
				-20	24	0.200	0.0002	-2.5 to 2.5	Pass
				-10	24	-0.500	-0.0006	-2.5 to 2.5	Pass
				0	24	-0.800	-0.0010	-2.5 to 2.5	Pass
				10	24	-0.900	-0.0011	-2.5 to 2.5	Pass
				30	24	-1.000	-0.0012	-2.5 to 2.5	Pass
				40	24	-0.100	-0.0001	-2.5 to 2.5	Pass
				50	24	-0.400	-0.0005	-2.5 to 2.5	Pass
	848.3	6	0	20	20.4	-12.500	-0.0147	-2.5 to 2.5	Pass
					24	-12.500	-0.0147	-2.5 to 2.5	Pass
					27.6	-12.900	-0.0152	-2.5 to 2.5	Pass
				-30	24	-10.100	-0.0119	-2.5 to 2.5	Pass
				-20	24	-14.800	-0.0174	-2.5 to 2.5	Pass
				-10	24	-13.000	-0.0153	-2.5 to 2.5	Pass
				0	24	-12.000	-0.0141	-2.5 to 2.5	Pass
				10	24	-11.800	-0.0139	-2.5 to 2.5	Pass
				30	24	-11.100	-0.0131	-2.5 to 2.5	Pass
				40	24	-11.700	-0.0138	-2.5 to 2.5	Pass
				50	24	-12.800	-0.0151	-2.5 to 2.5	Pass

2.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz

Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	20.4	1.700	0.0021	-2.5 to 2.5	Pass
					24	2.000	0.0024	-2.5 to 2.5	Pass
					27.6	2.600	0.0031	-2.5 to 2.5	Pass
				-30	24	1.600	0.0019	-2.5 to 2.5	Pass
				-20	24	1.800	0.0022	-2.5 to 2.5	Pass
				-10	24	3.800	0.0046	-2.5 to 2.5	Pass
				0	24	3.700	0.0045	-2.5 to 2.5	Pass
				10	24	0.300	0.0004	-2.5 to 2.5	Pass
				30	24	0.600	0.0007	-2.5 to 2.5	Pass
				40	24	1.300	0.0016	-2.5 to 2.5	Pass
				50	24	2.800	0.0034	-2.5 to 2.5	Pass
	836.5	15	0	20	20.4	1.500	0.0018	-2.5 to 2.5	Pass
					24	3.300	0.0039	-2.5 to 2.5	Pass
					27.6	2.800	0.0033	-2.5 to 2.5	Pass
				-30	24	1.800	0.0022	-2.5 to 2.5	Pass
				-20	24	1.900	0.0023	-2.5 to 2.5	Pass
				-10	24	1.900	0.0023	-2.5 to 2.5	Pass
				0	24	2.000	0.0024	-2.5 to 2.5	Pass
				10	24	1.200	0.0014	-2.5 to 2.5	Pass
				30	24	1.600	0.0019	-2.5 to 2.5	Pass
				40	24	3.900	0.0047	-2.5 to 2.5	Pass
				50	24	2.200	0.0026	-2.5 to 2.5	Pass
	847.5	15	0	20	20.4	1.400	0.0017	-2.5 to 2.5	Pass
					24	1.600	0.0019	-2.5 to 2.5	Pass
					27.6	2.400	0.0028	-2.5 to 2.5	Pass
				-30	24	3.900	0.0046	-2.5 to 2.5	Pass
				-20	24	3.000	0.0035	-2.5 to 2.5	Pass
				-10	24	2.800	0.0033	-2.5 to 2.5	Pass
				0	24	3.500	0.0041	-2.5 to 2.5	Pass
				10	24	3.700	0.0044	-2.5 to 2.5	Pass
				30	24	2.200	0.0026	-2.5 to 2.5	Pass
				40	24	-0.100	-0.0001	-2.5 to 2.5	Pass
				50	24	1.100	0.0013	-2.5 to 2.5	Pass

2.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	20.4	0.300	0.0004	-2.5 to 2.5	Pass
					24	-0.500	-0.0006	-2.5 to 2.5	Pass
					27.6	-1.100	-0.0013	-2.5 to 2.5	Pass
				-30	24	-1.200	-0.0015	-2.5 to 2.5	Pass
				-20	24	-3.600	-0.0044	-2.5 to 2.5	Pass
				-10	24	-0.400	-0.0005	-2.5 to 2.5	Pass
				0	24	-0.100	-0.0001	-2.5 to 2.5	Pass
				10	24	1.900	0.0023	-2.5 to 2.5	Pass
				30	24	-1.400	-0.0017	-2.5 to 2.5	Pass
				40	24	-1.600	-0.0019	-2.5 to 2.5	Pass
				50	24	0.100	0.0001	-2.5 to 2.5	Pass
	836.5	25	0	20	20.4	4.000	0.0048	-2.5 to 2.5	Pass
					24	1.200	0.0014	-2.5 to 2.5	Pass
					27.6	3.800	0.0045	-2.5 to 2.5	Pass
				-30	24	3.200	0.0038	-2.5 to 2.5	Pass
				-20	24	0.800	0.0010	-2.5 to 2.5	Pass

				-10	24	1.900	0.0023	-2.5 to 2.5	Pass
				0	24	1.300	0.0016	-2.5 to 2.5	Pass
				10	24	4.100	0.0049	-2.5 to 2.5	Pass
				30	24	3.600	0.0043	-2.5 to 2.5	Pass
				40	24	2.900	0.0035	-2.5 to 2.5	Pass
				50	24	0.600	0.0007	-2.5 to 2.5	Pass
	846.5	25	0	20	20.4	1.700	0.0020	-2.5 to 2.5	Pass
					24	3.200	0.0038	-2.5 to 2.5	Pass
					27.6	0.500	0.0006	-2.5 to 2.5	Pass
				-30	24	1.300	0.0015	-2.5 to 2.5	Pass
				-20	24	3.700	0.0044	-2.5 to 2.5	Pass
				-10	24	2.200	0.0026	-2.5 to 2.5	Pass
				0	24	1.400	0.0017	-2.5 to 2.5	Pass
				10	24	2.300	0.0027	-2.5 to 2.5	Pass
				30	24	1.600	0.0019	-2.5 to 2.5	Pass
				40	24	1.100	0.0013	-2.5 to 2.5	Pass
				50	24	0.000	0.0000	-2.5 to 2.5	Pass

2.1.4 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	20.4	0.600	0.0007	-2.5 to 2.5	Pass
					24	0.600	0.0007	-2.5 to 2.5	Pass
					27.6	1.900	0.0023	-2.5 to 2.5	Pass
				-30	24	1.300	0.0016	-2.5 to 2.5	Pass
				-20	24	0.400	0.0005	-2.5 to 2.5	Pass
				-10	24	-0.100	-0.0001	-2.5 to 2.5	Pass
				0	24	1.500	0.0018	-2.5 to 2.5	Pass
				10	24	-0.600	-0.0007	-2.5 to 2.5	Pass
				30	24	1.300	0.0016	-2.5 to 2.5	Pass
				40	24	1.000	0.0012	-2.5 to 2.5	Pass
				50	24	2.200	0.0027	-2.5 to 2.5	Pass
	836.5	50	0	20	20.4	1.600	0.0019	-2.5 to 2.5	Pass
					24	1.700	0.0020	-2.5 to 2.5	Pass
					27.6	1.300	0.0016	-2.5 to 2.5	Pass
				-30	24	1.300	0.0016	-2.5 to 2.5	Pass
				-20	24	0.200	0.0002	-2.5 to 2.5	Pass
				-10	24	1.300	0.0016	-2.5 to 2.5	Pass
				0	24	0.900	0.0011	-2.5 to 2.5	Pass
				10	24	0.900	0.0011	-2.5 to 2.5	Pass
				30	24	-0.500	-0.0006	-2.5 to 2.5	Pass
				40	24	-0.300	-0.0004	-2.5 to 2.5	Pass
				50	24	1.500	0.0018	-2.5 to 2.5	Pass
	844	50	0	20	20.4	2.700	0.0032	-2.5 to 2.5	Pass
					24	1.700	0.0020	-2.5 to 2.5	Pass
					27.6	3.200	0.0038	-2.5 to 2.5	Pass
				-30	24	1.000	0.0012	-2.5 to 2.5	Pass
				-20	24	2.200	0.0026	-2.5 to 2.5	Pass
				-10	24	-0.100	-0.0001	-2.5 to 2.5	Pass
				0	24	0.100	0.0001	-2.5 to 2.5	Pass
				10	24	1.700	0.0020	-2.5 to 2.5	Pass
				30	24	2.100	0.0025	-2.5 to 2.5	Pass
				40	24	1.500	0.0018	-2.5 to 2.5	Pass
				50	24	1.300	0.0015	-2.5 to 2.5	Pass

2.1.5 B26b_15MHz

Band: 26b / Bandwidth: 15MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	831.5	75	0	20	20.4	2.000	0.0024	-2.5 to 2.5	Pass
					24	2.100	0.0025	-2.5 to 2.5	Pass
					27.6	2.600	0.0031	-2.5 to 2.5	Pass
				-30	24	1.200	0.0014	-2.5 to 2.5	Pass
				-20	24	1.300	0.0016	-2.5 to 2.5	Pass
				-10	24	1.400	0.0017	-2.5 to 2.5	Pass
				0	24	1.100	0.0013	-2.5 to 2.5	Pass
				10	24	2.700	0.0032	-2.5 to 2.5	Pass
				30	24	2.400	0.0029	-2.5 to 2.5	Pass
				40	24	1.400	0.0017	-2.5 to 2.5	Pass
				50	24	0.400	0.0005	-2.5 to 2.5	Pass
	836.5	75	0	20	20.4	-0.100	-0.0001	-2.5 to 2.5	Pass
					24	0.300	0.0004	-2.5 to 2.5	Pass
					27.6	0.800	0.0010	-2.5 to 2.5	Pass
				-30	24	-0.500	-0.0006	-2.5 to 2.5	Pass
				-20	24	2.600	0.0031	-2.5 to 2.5	Pass
				-10	24	0.800	0.0010	-2.5 to 2.5	Pass
				0	24	-0.800	-0.0010	-2.5 to 2.5	Pass
				10	24	-0.400	-0.0005	-2.5 to 2.5	Pass
				30	24	0.400	0.0005	-2.5 to 2.5	Pass
				40	24	1.800	0.0022	-2.5 to 2.5	Pass
				50	24	1.000	0.0012	-2.5 to 2.5	Pass
	841.5	75	0	20	20.4	-0.500	-0.0006	-2.5 to 2.5	Pass
					24	-0.300	-0.0004	-2.5 to 2.5	Pass
					27.6	1.000	0.0012	-2.5 to 2.5	Pass
				-30	24	-1.100	-0.0013	-2.5 to 2.5	Pass
				-20	24	-0.900	-0.0011	-2.5 to 2.5	Pass
				-10	24	1.200	0.0014	-2.5 to 2.5	Pass
				0	24	1.800	0.0021	-2.5 to 2.5	Pass
				10	24	1.500	0.0018	-2.5 to 2.5	Pass
				30	24	1.700	0.0020	-2.5 to 2.5	Pass
				40	24	0.300	0.0004	-2.5 to 2.5	Pass
				50	24	-1.000	-0.0012	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW


Band: 26b / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.102	/	Pass
		836.5	6	0	1.098	/	Pass
		848.3	6	0	1.098	/	Pass
	16QAM	824.7	6	0	1.101	/	Pass
		836.5	6	0	1.099	/	Pass
		848.3	6	0	1.100	/	Pass
	64QAM	824.7	6	0	1.096	/	Pass
		836.5	6	0	1.096	/	Pass
		848.3	6	0	1.098	/	Pass
3	QPSK	825.5	15	0	2.722	/	Pass
		836.5	15	0	2.734	/	Pass
		847.5	15	0	2.728	/	Pass
	16QAM	825.5	15	0	2.722	/	Pass
		836.5	15	0	2.727	/	Pass
		847.5	15	0	2.727	/	Pass
	64QAM	825.5	15	0	2.728	/	Pass
		836.5	15	0	2.725	/	Pass
		847.5	15	0	2.730	/	Pass
5	QPSK	826.5	25	0	4.500	/	Pass
		836.5	25	0	4.495	/	Pass
		846.5	25	0	4.499	/	Pass
	16QAM	826.5	25	0	4.500	/	Pass
		836.5	25	0	4.497	/	Pass
		846.5	25	0	4.498	/	Pass
	64QAM	826.5	25	0	4.505	/	Pass
		836.5	25	0	4.509	/	Pass
		846.5	25	0	4.505	/	Pass
10	QPSK	829	50	0	9.000	/	Pass
		836.5	50	0	9.016	/	Pass
		844	50	0	8.991	/	Pass
	16QAM	829	50	0	8.970	/	Pass
		836.5	50	0	8.968	/	Pass
		844	50	0	8.955	/	Pass
	64QAM	829	50	0	8.983	/	Pass
		836.5	50	0	8.972	/	Pass
		844	50	0	8.984	/	Pass
15	QPSK	831.5	75	0	13.449	/	Pass
		836.5	75	0	13.474	/	Pass
		841.5	75	0	13.453	/	Pass
	16QAM	831.5	75	0	13.452	/	Pass
		836.5	75	0	13.449	/	Pass
		841.5	75	0	13.432	/	Pass
	64QAM	831.5	75	0	13.434	/	Pass
		836.5	75	0	13.449	/	Pass
		841.5	75	0	13.416	/	Pass

3.1.2 Band26b_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.331	/	Pass
		836.5	6	0	1.289	/	Pass
		848.3	6	0	1.288	/	Pass
	16QAM	824.7	6	0	1.289	/	Pass
		836.5	6	0	1.296	/	Pass
		848.3	6	0	1.298	/	Pass
	64QAM	824.7	6	0	1.300	/	Pass
		836.5	6	0	1.308	/	Pass
		848.3	6	0	1.299	/	Pass
3	QPSK	825.5	15	0	3.058	/	Pass
		836.5	15	0	3.057	/	Pass
		847.5	15	0	3.075	/	Pass
	16QAM	825.5	15	0	3.068	/	Pass
		836.5	15	0	3.051	/	Pass
		847.5	15	0	3.070	/	Pass
	64QAM	825.5	15	0	3.063	/	Pass
		836.5	15	0	3.034	/	Pass
		847.5	15	0	3.057	/	Pass
5	QPSK	826.5	25	0	5.026	/	Pass
		836.5	25	0	5.025	/	Pass
		846.5	25	0	5.037	/	Pass
	16QAM	826.5	25	0	5.015	/	Pass
		836.5	25	0	4.989	/	Pass
		846.5	25	0	5.022	/	Pass
	64QAM	826.5	25	0	5.023	/	Pass
		836.5	25	0	4.981	/	Pass
		846.5	25	0	5.010	/	Pass
10	QPSK	829	50	0	9.915	/	Pass
		836.5	50	0	9.834	/	Pass
		844	50	0	9.855	/	Pass
	16QAM	829	50	0	9.901	/	Pass
		836.5	50	0	9.803	/	Pass
		844	50	0	9.843	/	Pass
	64QAM	829	50	0	9.881	/	Pass
		836.5	50	0	9.895	/	Pass
		844	50	0	9.838	/	Pass
15	QPSK	831.5	75	0	14.690	/	Pass
		836.5	75	0	14.644	/	Pass
		841.5	75	0	14.693	/	Pass
	16QAM	831.5	75	0	14.655	/	Pass
		836.5	75	0	14.698	/	Pass
		841.5	75	0	14.696	/	Pass
	64QAM	831.5	75	0	14.729	/	Pass
		836.5	75	0	14.794	/	Pass
		841.5	75	0	14.705	/	Pass

3.2 Test Graph


3.2.1 Band26b_OBW




Band26b 1.4MHz QPSK HCH 848.3MHz RB_6_0 NTNV




Band26b 1.4MHz 16QAM LCH 824.7MHz RB_6_0 NTNV




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 64QAM LCH 825.5MHz RB 15 0 NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 64QAM LCH 829MHz RB 50 0 NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV




3.2.2 Band26b_XDB




Band26b 1.4MHz QPSK HCH 848.3MHz RB_6_0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB_6_0 NTN




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz 16QAM HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 64QAM LCH 825.5MHz RB 15 0 NTNV




Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b 10MHz 16QAM HCH 844MHz RB 50 0 NTNV




Band26b 10MHz 64QAM LCH 829MHz RB 50 0 NTNV




Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV



4. Peak-Average Ratio

4.1 Test Result

4.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	4.72	<=13	Pass
	836.5	6	0	4.62	<=13	Pass
	848.3	6	0	4.28	<=13	Pass
16QAM	824.7	6	0	5.44	<=13	Pass
	836.5	6	0	5.46	<=13	Pass
	848.3	6	0	5.28	<=13	Pass
64QAM	824.7	6	0	5.50	<=13	Pass
	836.5	6	0	5.46	<=13	Pass
	848.3	6	0	5.88	<=13	Pass

4.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	4.90	<=13	Pass
	836.5	15	0	4.80	<=13	Pass
	847.5	15	0	4.50	<=13	Pass
16QAM	825.5	15	0	5.66	<=13	Pass
	836.5	15	0	5.64	<=13	Pass
	847.5	15	0	5.36	<=13	Pass
64QAM	825.5	15	0	5.56	<=13	Pass
	836.5	15	0	5.48	<=13	Pass
	847.5	15	0	5.30	<=13	Pass

4.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	4.84	<=13	Pass
	836.5	25	0	4.82	<=13	Pass
	846.5	25	0	4.62	<=13	Pass
16QAM	826.5	25	0	5.62	<=13	Pass
	836.5	25	0	5.58	<=13	Pass
	846.5	25	0	5.42	<=13	Pass
64QAM	826.5	25	0	5.58	<=13	Pass
	836.5	25	0	5.52	<=13	Pass
	846.5	25	0	5.40	<=13	Pass

4.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	4.98	<=13	Pass
	836.5	50	0	4.94	<=13	Pass
	844	50	0	4.82	<=13	Pass
16QAM	829	50	0	5.64	<=13	Pass
	836.5	50	0	5.62	<=13	Pass
	844	50	0	5.56	<=13	Pass
64QAM	829	50	0	5.62	<=13	Pass
	836.5	50	0	5.60	<=13	Pass
	844	50	0	5.60	<=13	Pass

4.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	75	0	4.72	<=13	Pass
	836.5	75	0	4.72	<=13	Pass
	841.5	75	0	4.72	<=13	Pass
16QAM	831.5	75	0	5.54	<=13	Pass
	836.5	75	0	5.52	<=13	Pass
	841.5	75	0	5.56	<=13	Pass
64QAM	831.5	75	0	5.54	<=13	Pass
	836.5	75	0	6.12	<=13	Pass
	841.5	75	0	5.54	<=13	Pass

4.2 Test Graph


4.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK HCH 848.3MHz RB_6_0 NTN




Band26b 1.4MHz 16QAM LCH 824.7MHz RB 6_0 NTN




Band26b_1.4MHz_16QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_16QAM_HCH_848.3MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_LCH_824.7MHz_RB_6_0_NTNV



Band26b_1.4MHz_64QAM_MCH_836.5MHz_RB_6_0_NTNV




Band26b_1.4MHz_64QAM_HCH_848.3MHz_RB_6_0_NTNV




4.2.2 B26b_3MHz


Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Band26b 3MHz 16QAM LCH 825.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_LCH_825.5MHz_RB_15_0_NTNV



Band26b_3MHz_64QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_64QAM_HCH_847.5MHz_RB_15_0_NTNV




4.2.3 B26b_5MHz


Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Band26b 5MHz 16QAM LCH 826.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_LCH_826.5MHz_RB_25_0_NTNV



Band26b_5MHz_64QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_64QAM_HCH_846.5MHz_RB_25_0_NTNV




4.2.4 B26b_10MHz


Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_LCH_829MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_HCH_844MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_LCH_829MHz_RB_50_0_NTNV



Band26b_10MHz_64QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_64QAM_HCH_844MHz_RB_50_0_NTNV




4.2.5 B26b_15MHz


Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_LCH_831.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_HCH_841.5MHz_RB_75_0_NTNV




Band26b_15MHz_64QAM_LCH_831.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_64QAM_HCH_841.5MHz_RB_75_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTN/V						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNv						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-43.24	-13	Pass
823	824	0.013	CHP	2	823.995	-30.35	-13	Pass
824	827	0.013	CHP	/	/	/	/	/


Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTV



Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-28.08	-13	Pass
850	852	0.1	CHP	2	850.542	-46.68	-13	Pass

Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-27.92	-13	Pass
850	852	0.1	CHP	2	850.055	-39.57	-13	Pass

5.2.2 B26b_3MHz




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.944	-37.46	-13	Pass
823	824	0.031	CHP	2	823.994	-27.75	-13	Pass
824	827	0.031	CHP	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV



Band26b 3MHz QPSK HCH 847.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-29.61	-13	Pass
850	852	0.1	CHP	2	850.078	-43.33	-13	Pass




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.031	CHP	/	/	/	/	/
849	850	0.031	CHP	1	849.006	-29.10	-13	Pass
850	852	0.1	CHP	2	850.056	-32.25	-13	Pass

5.2.3 B26b_5MHz




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.820	-40.17	-13	Pass
823	824	0.05	CHP	2	823.990	-29.80	-13	Pass
824	829	0.05	CHP	/	/	/	/	/


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-32.94	-13	Pass
850	854	0.1	CHP	2	850.803	-45.04	-13	Pass




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05	CHP	/	/	/	/	/
849	850	0.05	CHP	1	849.010	-28.36	-13	Pass
850	854	0.1	CHP	2	850.090	-33.74	-13	Pass

5.2.4 B26b_10MHz




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.627	-42.05	-13	Pass
823	824	0.099	CHP	2	823.992	-30.39	-13	Pass
824	834	0.099	CHP	/	/	/	/	/


Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-46.57	-13	Pass
850	859	0.1	CHP	2	850.073	-48.89	-13	Pass

Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.099	CHP	/	/	/	/	/
849	850	0.099	CHP	1	849.008	-29.49	-13	Pass
850	859	0.1	CHP	2	850.223	-37.36	-13	Pass

5.2.5 B26b_15MHz




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	821.750	-43.96	-13	Pass
823	824	0.147	CHP	2	823.970	-34.79	-13	Pass
824	839	0.147	CHP	/	/	/	/	/


Band26b 15MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b 15MHz QPSK HCH 841.5MHz RB 1 74 NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.006	-45.21	-13	Pass
850	864	0.1	CHP	2	850.053	-48.75	-13	Pass

Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.147	CHP	/	/	/	/	/
849	850	0.147	CHP	1	849.030	-33.05	-13	Pass
850	864	0.1	/	2	850.800	-41.21	-13	Pass

6. Field Strength of Spurious Radiation

Test Band = LTE Band 26_TM1

Test Channel = Low Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.68	47.94	-49.83	25.57	-71.57	-13.00	58.57	Horizontal
2	2474.52	48.83	-49.05	27.15	-68.32	-13.00	55.32	Horizontal
3	3299.36	48.77	-48.63	28.34	-66.78	-13.00	53.78	Horizontal
4	4124.2	48.31	-48.28	29.50	-65.74	-13.00	52.74	Horizontal
5	4949.04	48.54	-48.07	31.09	-63.70	-13.00	50.70	Horizontal
6	5773.88	50.52	-47.66	32.71	-59.69	-13.00	46.69	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1649.68	47.75	-49.83	25.57	-71.76	-13.00	58.76	Vertical
2	2474.52	49.98	-49.05	27.15	-67.17	-13.00	54.17	Vertical
3	3299.36	49.15	-48.63	28.34	-66.40	-13.00	53.40	Vertical
4	4124.2	48.15	-48.28	29.50	-65.90	-13.00	52.90	Vertical
5	4949.04	48.88	-48.07	31.09	-63.36	-13.00	50.36	Vertical
6	5773.88	50.84	-47.66	32.71	-59.37	-13.00	46.37	Vertical

Test Band = LTE Band 26_ TM1
Test Channel = Mid Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.68	47.69	-49.80	25.59	-71.78	-13.00	58.78	Horizontal
2	2489.52	49.24	-48.96	27.18	-67.80	-13.00	54.80	Horizontal
3	3319.36	49.26	-48.64	28.36	-66.29	-13.00	53.29	Horizontal
4	4149.2	49.05	-48.31	29.54	-64.98	-13.00	51.98	Horizontal
5	4979.04	49.26	-48.00	31.15	-62.85	-13.00	49.85	Horizontal
6	5805.88	50.23	-47.68	32.72	-59.98	-13.00	46.98	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1659.68	47.98	-49.80	25.59	-71.49	-13.00	58.49	Vertical
2	2489.52	49.18	-48.96	27.18	-67.86	-13.00	54.86	Vertical
3	3319.36	48.77	-48.64	28.36	-66.78	-13.00	53.78	Vertical
4	4149.2	48.48	-48.31	29.54	-65.55	-13.00	52.55	Vertical
5	4979.04	49.29	-48.00	31.15	-62.82	-13.00	49.82	Vertical
6	5805.88	50.14	-47.68	32.72	-60.07	-13.00	47.07	Vertical

Test Band = LTE Band 26_ TM1
Test Channel = High Channel

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1669.68	48.96	-49.78	25.60	-70.48	-13.00	57.48	Horizontal
2	2504.52	49.38	-48.91	27.21	-67.58	-13.00	54.58	Horizontal
3	3339.36	48.84	-48.65	28.37	-66.70	-13.00	53.70	Horizontal
4	4174.2	48.50	-48.33	29.58	-65.52	-13.00	52.52	Horizontal
5	5009.04	49.17	-47.96	31.23	-62.82	-13.00	49.82	Horizontal
6	5843.88	49.78	-47.41	32.74	-60.15	-13.00	47.15	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1669.68	47.52	-49.78	25.60	-71.92	-13.00	58.92	Vertical
2	2504.52	49.23	-48.91	27.21	-67.73	-13.00	54.73	Vertical
3	3339.36	48.31	-48.65	28.37	-67.23	-13.00	54.23	Vertical
4	4174.2	48.11	-48.33	29.58	-65.91	-13.00	52.91	Vertical
5	5009.04	49.68	-47.96	31.23	-62.31	-13.00	49.31	Vertical
6	5843.88	49.82	-47.41	32.74	-60.11	-13.00	47.11	Vertical