


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5690MHz Straddle 5.725-5.85GHz

30/07/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5775MHz

30/07/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5775MHz

30/07/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW


5250MHz Straddle 5.15-5.25GHz

30/07/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX
EBW
5250MHz Straddle 5.25-5.35GHz

30/07/2025


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX
EBW
5570MHz

30/07/2025



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	34.705M	19.527M	19M5D1D	19.58M	16.831M
802.11ax HEW20_Nss1,(MCS0)_1TX	41.8M	20.157M	20M2D1D	21.34M	18.992M
802.11ax HEW40_Nss1,(MCS0)_1TX	54.56M	38.006M	38M0D1D	40.04M	37.804M
802.11ax HEW80_Nss1,(MCS0)_1TX	80.74M	76.959M	77M0D1D	80.74M	76.959M
802.11ax HEW160_Nss1,(MCS0)_1TX	80M	77.787M	77M8D1D	80M	77.787M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	32.835M	18.589M	18M6D1D	18.645M	16.809M
802.11ax HEW20_Nss1,(MCS0)_1TX	36.685M	19.356M	19M4D1D	21.505M	18.909M
802.11ax HEW40_Nss1,(MCS0)_1TX	53.68M	37.962M	38M0D1D	39.93M	37.656M
802.11ax HEW80_Nss1,(MCS0)_1TX	81.62M	77.522M	77M5D1D	81.62M	77.522M
802.11ax HEW160_Nss1,(MCS0)_1TX	80M	77.162M	77M2D1D	80M	77.162M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	36.025M	18.29M	18M3D1D	19.58M	13.943M
802.11ax HEW20_Nss1,(MCS0)_1TX	36.685M	19.794M	19M8D1D	20.9M	14.953M
802.11ax HEW40_Nss1,(MCS0)_1TX	72.93M	38.184M	38M2D1D	40.04M	34.147M
802.11ax HEW80_Nss1,(MCS0)_1TX	96.15M	77.507M	77M5D1D	80.08M	73.867M
802.11ax HEW160_Nss1,(MCS0)_1TX	161.92M	156.428M	156MD1D	161.92M	156.428M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	16.445M	29.899M	29M9D1D	3.24M	10.666M
802.11ax HEW20_Nss1,(MCS0)_1TX	18.81M	34.533M	34M5D1D	4.52M	11.84M
802.11ax HEW40_Nss1,(MCS0)_1TX	38.17M	63.98M	64M0D1D	3.92M	23.856M
802.11ax HEW80_Nss1,(MCS0)_1TX	75.68M	77.851M	77M9D1D	3.76M	34.037M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5180MHz	Pass	Inf	19.58M	16.831M
5200MHz	Pass	Inf	31.13M	17.796M
5240MHz	Pass	Inf	34.705M	19.527M
5260MHz	Pass	Inf	32.835M	18.589M
5300MHz	Pass	Inf	31.24M	17.975M
5320MHz	Pass	Inf	18.645M	16.809M
5500MHz	Pass	Inf	19.58M	17.02M
5580MHz	Pass	Inf	36.025M	18.29M
5700MHz	Pass	Inf	21.12M	16.447M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	19.71M	13.943M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.24M	10.666M
5745MHz	Pass	500k	12.595M	29.899M
5785MHz	Pass	500k	15.345M	29.211M
5825MHz	Pass	500k	16.445M	29.14M
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz	Pass	Inf	21.34M	18.992M
5200MHz	Pass	Inf	27.885M	19.285M
5240MHz	Pass	Inf	41.8M	20.157M
5260MHz	Pass	Inf	34.595M	19.352M
5300MHz	Pass	Inf	36.685M	19.356M
5320MHz	Pass	Inf	21.505M	18.909M
5500MHz	Pass	Inf	21.065M	18.944M
5580MHz	Pass	Inf	36.685M	19.794M
5700MHz	Pass	Inf	20.9M	19.026M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	22.41M	14.953M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.52M	11.84M
5745MHz	Pass	500k	17.325M	34.533M
5785MHz	Pass	500k	16.555M	32.475M
5825MHz	Pass	500k	18.81M	33.61M
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz	Pass	Inf	40.04M	37.804M
5230MHz	Pass	Inf	54.56M	38.006M
5270MHz	Pass	Inf	53.68M	37.962M
5310MHz	Pass	Inf	39.93M	37.656M
5510MHz	Pass	Inf	40.04M	37.814M
5550MHz	Pass	Inf	72.93M	38.184M
5670MHz	Pass	Inf	40.15M	38.005M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	59.29M	34.147M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.92M	23.856M
5755MHz	Pass	500k	38.17M	58.588M
5795MHz	Pass	500k	37.95M	63.98M
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-
5210MHz	Pass	Inf	80.74M	76.959M
5290MHz	Pass	Inf	81.62M	77.522M
5530MHz	Pass	Inf	80.08M	77.235M
5610MHz	Pass	Inf	87.34M	77.507M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	96.15M	73.867M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.76M	34.037M
5775MHz	Pass	500k	75.68M	77.851M
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-



EBW_Mode 4


Appendix B.4

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	80M	77.787M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	80M	77.162M
5570MHz	Pass	Inf	161.92M	156.428M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5180MHz

15/07/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5200MHz

15/07/2025





5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5240MHz

15/07/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5260MHz

15/07/2025





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5300MHz

15/07/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5320MHz

15/07/2025





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5500MHz

15/07/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5580MHz

15/07/2025





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5700MHz

15/07/2025



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5720MHz Straddle 5.47-5.725GHz

15/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5720MHz Straddle 5.725-5.85GHz

15/07/2025



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5720MHz Straddle 5.725-5.85GHz

15/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5745MHz

15/07/2025


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5745MHz

15/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5785MHz

15/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW


5785MHz

15/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5825MHz

15/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5825MHz

15/07/2025





5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5180MHz

15/07/2025



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5200MHz

15/07/2025




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5240MHz

15/07/2025




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5260MHz

15/07/2025





5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5300MHz

16/07/2025




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5320MHz

16/07/2025





5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5500MHz

16/07/2025


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5580MHz

16/07/2025





5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5700MHz

16/07/2025





5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW


5720MHz Straddle 5.47-5.725GHz

16/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5720MHz Straddle 5.725-5.85GHz

16/07/2025



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5720MHz Straddle 5.725-5.85GHz

16/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5745MHz

16/07/2025


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5745MHz

16/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5785MHz

16/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5785MHz


16/07/2025



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW
5825MHz


16/07/2025



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX



EBW
5825MHz

16/07/2025





5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5190MHz

16/07/2025




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5230MHz

16/07/2025





5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5270MHz

16/07/2025


5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5310MHz

16/07/2025





5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5510MHz

16/07/2025





5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5550MHz

16/07/2025





5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5670MHz

16/07/2025





5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

EBW


5710MHz Straddle 5.47-5.725GHz

16/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5710MHz Straddle 5.725-5.85GHz

16/07/2025



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5710MHz Straddle 5.725-5.85GHz

16/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5755MHz

16/07/2025



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5755MHz

16/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5795MHz

16/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5795MHz

16/07/2025





5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5210MHz

16/07/2025




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5290MHz

16/07/2025





5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5530MHz

16/07/2025




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5610MHz

16/07/2025





5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5690MHz Straddle 5.47-5.725GHz

16/07/2025


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5690MHz Straddle 5.725-5.85GHz

16/07/2025




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5690MHz Straddle 5.725-5.85GHz

16/07/2025




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

EBW


5775MHz

16/07/2025




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5775MHz

16/07/2025



5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.15-5.25GHz

16/07/2025




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.25-5.35GHz

16/07/2025


5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX
EBW
5570MHz

16/07/2025



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	21.01M	16.691M	16M7D1D	20.295M	16.572M
802.11be EHT20_Nss1,(MCS0)_4TX	21.56M	19.14M	19M1D1D	20.845M	18.962M
802.11be EHT40_Nss1,(MCS0)_4TX	76.01M	38.133M	38M1D1D	40.04M	37.732M
802.11be EHT80_Nss1,(MCS0)_4TX	82.94M	77.233M	77M2D1D	80.52M	77.151M
802.11be EHT160_Nss1,(MCS0)_4TX	81.76M	77.244M	77M2D1D	81.12M	77.137M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	20.9M	16.63M	16M6D1D	20.515M	16.54M
802.11be EHT20_Nss1,(MCS0)_4TX	21.56M	19.095M	19M1D1D	20.735M	18.992M
802.11be EHT40_Nss1,(MCS0)_4TX	40.7M	37.779M	37M8D1D	39.71M	37.665M
802.11be EHT80_Nss1,(MCS0)_4TX	81.4M	77.292M	77M3D1D	80.74M	77.001M
802.11be EHT160_Nss1,(MCS0)_4TX	81.04M	77.248M	77M2D1D	80.4M	77.148M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	21.395M	16.686M	16M7D1D	15.33M	13.348M
802.11be EHT20_Nss1,(MCS0)_4TX	21.615M	19.088M	19M1D1D	15.645M	14.48M
802.11be EHT40_Nss1,(MCS0)_4TX	40.48M	37.796M	37M8D1D	34.72M	33.714M
802.11be EHT80_Nss1,(MCS0)_4TX	82.28M	77.202M	77M2D1D	75.375M	73.133M
802.11be EHT160_Nss1,(MCS0)_4TX	163.24M	156.423M	156MD1D	162.36M	156.033M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	16.335M	18.314M	18M3D1D	3.02M	3.897M
802.11be EHT20_Nss1,(MCS0)_4TX	18.81M	19.328M	19M3D1D	4.24M	4.487M
802.11be EHT40_Nss1,(MCS0)_4TX	37.73M	38.403M	38M4D1D	3.46M	4.003M
802.11be EHT80_Nss1,(MCS0)_4TX	76.56M	77.65M	77M7D1D	3.5M	4.005M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth

Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	20.625M	16.615M	20.46M	16.622M	21.01M	16.581M	20.46M	16.632M
5200MHz	Pass	Inf	20.845M	16.691M	20.735M	16.652M	20.68M	16.574M	20.845M	16.638M
5240MHz	Pass	Inf	20.405M	16.572M	20.57M	16.606M	20.295M	16.613M	20.57M	16.607M
5260MHz	Pass	Inf	20.68M	16.613M	20.9M	16.582M	20.625M	16.6M	20.79M	16.549M
5300MHz	Pass	Inf	20.845M	16.599M	20.68M	16.626M	20.57M	16.603M	20.515M	16.574M
5320MHz	Pass	Inf	20.625M	16.54M	20.79M	16.63M	20.79M	16.56M	20.515M	16.61M
5500MHz	Pass	Inf	20.35M	16.641M	20.57M	16.686M	21.395M	16.634M	20.79M	16.539M
5580MHz	Pass	Inf	20.515M	16.622M	20.295M	16.631M	20.515M	16.631M	20.46M	16.636M
5700MHz	Pass	Inf	20.9M	16.662M	20.735M	16.655M	20.57M	16.556M	20.515M	16.62M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.33M	13.386M	15.45M	13.407M	15.48M	13.348M	15.69M	13.383M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.02M	4.011M	3.06M	3.981M	3.18M	3.897M	3.1M	3.979M
5745MHz	Pass	500k	16.335M	16.803M	15.73M	16.731M	16.28M	16.712M	16.335M	17.053M
5785MHz	Pass	500k	15.95M	17.646M	16.335M	16.742M	16.335M	16.771M	16.335M	17.065M
5825MHz	Pass	500k	15.51M	18.314M	16.335M	16.934M	16.28M	16.783M	16.335M	16.894M
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	Inf	21.23M	19.017M	21.34M	19.039M	21.23M	18.962M	21.56M	19.015M
5200MHz	Pass	Inf	21.01M	19.045M	21.065M	19.04M	21.56M	18.997M	21.395M	19.024M
5240MHz	Pass	Inf	20.845M	19.004M	21.505M	19.14M	21.505M	19.035M	21.01M	19.014M
5260MHz	Pass	Inf	20.9M	19.031M	21.12M	19.001M	21.285M	19.084M	21.01M	19M
5300MHz	Pass	Inf	21.285M	19.04M	20.735M	19.013M	21.56M	19.095M	21.175M	18.992M
5320MHz	Pass	Inf	21.45M	19.004M	21.01M	19.001M	21.23M	19.026M	21.285M	19.009M
5500MHz	Pass	Inf	20.845M	19M	20.845M	19.026M	21.395M	19.031M	21.395M	18.987M
5580MHz	Pass	Inf	21.34M	19.024M	21.23M	18.959M	21.615M	19.018M	21.23M	19.088M
5700MHz	Pass	Inf	21.285M	19.013M	20.955M	18.994M	21.34M	19.013M	21.285M	18.989M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	15.855M	14.543M	15.795M	14.589M	15.72M	14.577M	15.645M	14.48M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.32M	4.491M	4.52M	4.487M	4.24M	4.511M	4.46M	4.501M
5745MHz	Pass	500k	18.37M	19.153M	18.095M	19.084M	18.15M	19.067M	18.81M	19.182M
5785MHz	Pass	500k	18.095M	19.251M	18.315M	19.105M	18.15M	19.102M	18.425M	19.225M
5825MHz	Pass	500k	18.7M	19.328M	18.7M	19.18M	17.985M	19.101M	18.535M	19.154M
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	Inf	40.92M	37.869M	40.48M	37.765M	40.48M	37.732M	40.7M	37.793M
5230MHz	Pass	Inf	76.01M	38.133M	46.31M	37.803M	40.04M	37.752M	50.49M	37.872M
5270MHz	Pass	Inf	40.7M	37.665M	40.37M	37.678M	39.82M	37.774M	39.71M	37.732M
5310MHz	Pass	Inf	40.59M	37.76M	40.26M	37.779M	40.26M	37.716M	40.15M	37.7M
5510MHz	Pass	Inf	40.04M	37.763M	40.04M	37.626M	40.48M	37.708M	40.48M	37.69M
5550MHz	Pass	Inf	40.15M	37.657M	39.82M	37.754M	39.93M	37.759M	39.38M	37.692M
5670MHz	Pass	Inf	40.26M	37.712M	40.04M	37.762M	40.26M	37.796M	40.37M	37.742M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	35.455M	33.786M	34.72M	33.714M	35M	33.73M	35.35M	33.734M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.46M	4.003M	3.76M	4.015M	3.62M	4.014M	3.82M	4.016M
5755MHz	Pass	500k	36.96M	38.099M	37.18M	38.103M	37.4M	37.931M	36.96M	38.193M
5795MHz	Pass	500k	36.85M	38.403M	37.73M	38.11M	37.29M	37.939M	37.51M	37.979M
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	Inf	82.06M	77.151M	81.84M	77.167M	82.94M	77.233M	80.52M	77.159M
5290MHz	Pass	Inf	80.74M	77.053M	81.4M	77.001M	81.4M	77.292M	80.96M	77.223M
5530MHz	Pass	Inf	82.28M	76.991M	80.74M	77.172M	80.74M	77.087M	81.18M	77.105M
5610MHz	Pass	Inf	81.18M	77.076M	80.52M	77.202M	81.84M	77.148M	80.96M	77.167M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	76.125M	73.244M	75.675M	73.314M	75.375M	73.225M	75.375M	73.133M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.88M	4.041M	3.9M	4.041M	3.5M	4.005M	3.72M	4.017M
5775MHz	Pass	500k	75.46M	77.65M	76.56M	77.515M	73.04M	77.321M	75.46M	77.591M
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)	Port 3-N dB (Hz)	Port 3-OBW (Hz)	Port 4-N dB (Hz)	Port 4-OBW (Hz)
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.12M	77.244M	81.76M	77.236M	81.68M	77.137M	81.2M	77.193M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	80.72M	77.148M	80.8M	77.161M	81.04M	77.235M	80.4M	77.248M
5570MHz	Pass	Inf	162.36M	156.065M	162.8M	156.15M	162.36M	156.423M	163.24M	156.033M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5180MHz

30/06/2025





5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

EBW



5200MHz

30/06/2025





5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5240MHz

30/06/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5260MHz

30/06/2025





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5300MHz

30/06/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5320MHz

30/06/2025





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5500MHz

30/06/2025



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5580MHz

30/06/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5700MHz

30/06/2025



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5720MHz Straddle 5.47-5.725GHz

30/06/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5720MHz Straddle 5.725-5.85GHz

30/06/2025


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5720MHz Straddle 5.725-5.85GHz

30/06/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW

5745MHz

30/06/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

EBW


5745MHz

30/06/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5785MHz

30/06/2025



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5785MHz

30/06/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5825MHz

30/06/2025



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX
EBW
5825MHz

30/06/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5180MHz

30/06/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5200MHz

30/06/2025





5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5240MHz

30/06/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5260MHz

30/06/2025





5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5300MHz

30/06/2025




5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5320MHz

30/06/2025





5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5500MHz

30/06/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5580MHz

30/06/2025





5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5700MHz

30/06/2025



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5720MHz Straddle 5.47-5.725GHz

30/06/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5720MHz Straddle 5.725-5.85GHz

30/06/2025


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5720MHz Straddle 5.725-5.85GHz

30/06/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5745MHz

30/06/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5745MHz

30/06/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW

5785MHz

30/06/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

EBW


5785MHz

30/06/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5825MHz

30/06/2025


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX
EBW
5825MHz

30/06/2025





5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5190MHz

30/06/2025





5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW



5230MHz

30/06/2025





5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX
EBW
5270MHz

30/06/2025



5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX
EBW
5310MHz

30/06/2025




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX
EBW
5510MHz

30/06/2025



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX
EBW
5550MHz

01/07/2025





5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX
EBW
5670MHz

01/07/2025


5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX
EBW
5710MHz Straddle 5.47-5.725GHz

01/07/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5710MHz Straddle 5.725-5.85GHz

01/07/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5710MHz Straddle 5.725-5.85GHz

01/07/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5755MHz

01/07/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5755MHz

01/07/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW

5795MHz

01/07/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

EBW



5795MHz

01/07/2025





5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX
EBW
5210MHz

01/07/2025


5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX
EBW
5290MHz

01/07/2025





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5530MHz

01/07/2025





5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW


5610MHz

01/07/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX
EBW
5690MHz Straddle 5.47-5.725GHz

01/07/2025



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX
EBW
5690MHz Straddle 5.725-5.85GHz

01/07/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX
EBW
5690MHz Straddle 5.725-5.85GHz

01/07/2025


5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX
EBW
5775MHz

01/07/2025



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

EBW

5775MHz

01/07/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

EBW


5250MHz Straddle 5.15-5.25GHz

01/07/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX
EBW
5250MHz Straddle 5.25-5.35GHz

01/07/2025


5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX
EBW
5570MHz

01/07/2025



Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.15-5.25GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	43.945M	23.942M	23M9D1D	23.375M	16.808M
802.11ax HEW20_Nss1,(MCS0)_1TX	47.685M	21.454M	21M5D1D	21.56M	19.095M
802.11ax HEW40_Nss1,(MCS0)_1TX	73.37M	38.549M	38M5D1D	40.37M	37.773M
802.11ax HEW80_Nss1,(MCS0)_1TX	81.62M	77.299M	77M3D1D	81.62M	77.299M
802.11ax HEW160_Nss1,(MCS0)_1TX	81.12M	77.264M	77M3D1D	81.12M	77.264M
5.25-5.35GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	44.11M	19.04M	19M0D1D	22.385M	16.923M
802.11ax HEW20_Nss1,(MCS0)_1TX	43.065M	19.69M	19M7D1D	21.615M	19.104M
802.11ax HEW40_Nss1,(MCS0)_1TX	64.02M	38.061M	38M1D1D	40.48M	37.848M
802.11ax HEW80_Nss1,(MCS0)_1TX	81.62M	77.26M	77M3D1D	81.62M	77.26M
802.11ax HEW160_Nss1,(MCS0)_1TX	81.36M	77.367M	77M4D1D	81.36M	77.367M
5.47-5.725GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	39.6M	18.874M	18M9D1D	21.23M	14.736M
802.11ax HEW20_Nss1,(MCS0)_1TX	45.595M	19.615M	19M6D1D	21.505M	14.886M
802.11ax HEW40_Nss1,(MCS0)_1TX	59.62M	38.14M	38M1D1D	40.37M	34.611M
802.11ax HEW80_Nss1,(MCS0)_1TX	116.025M	77.47M	77M5D1D	81.84M	74.209M
802.11ax HEW160_Nss1,(MCS0)_1TX	164.56M	156.263M	156MD1D	164.56M	156.263M
5.725-5.85GHz	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	16.28M	35.474M	35M5D1D	3.14M	10.924M
802.11ax HEW20_Nss1,(MCS0)_1TX	18.645M	39.485M	39M5D1D	4.44M	10.854M
802.11ax HEW40_Nss1,(MCS0)_1TX	37.84M	56.295M	56M3D1D	3.94M	24.496M
802.11ax HEW80_Nss1,(MCS0)_1TX	77.88M	77.432M	77M4D1D	3.86M	35.142M

Max-N dB = Maximum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Max-OBW = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 6dB down bandwidth for 5.725-5.85GHz band / Maximum 26dB down bandwidth for other band;
Min-OBW = Minimum 99% occupied bandwidth

Result


Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-
5180MHz	Pass	Inf	23.375M	16.808M
5200MHz	Pass	Inf	43.945M	23.942M
5240MHz	Pass	Inf	43.945M	18.96M
5260MHz	Pass	Inf	41.47M	18.527M
5300MHz	Pass	Inf	44.11M	19.04M
5320MHz	Pass	Inf	22.385M	16.923M
5500MHz	Pass	Inf	21.395M	16.799M
5580MHz	Pass	Inf	39.6M	18.874M
5700MHz	Pass	Inf	21.23M	16.785M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	22.005M	14.736M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	3.14M	10.924M
5745MHz	Pass	500k	15.84M	33.326M
5785MHz	Pass	500k	16.06M	35.474M
5825MHz	Pass	500k	16.28M	35.087M
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-
5180MHz	Pass	Inf	21.56M	19.095M
5200MHz	Pass	Inf	47.685M	21.454M
5240MHz	Pass	Inf	44.385M	19.61M
5260MHz	Pass	Inf	43.065M	19.69M
5300MHz	Pass	Inf	42.625M	19.626M
5320MHz	Pass	Inf	21.615M	19.104M
5500MHz	Pass	Inf	21.615M	19.047M
5580MHz	Pass	Inf	45.595M	19.615M
5700MHz	Pass	Inf	21.505M	19.056M
5720MHz Straddle 5.47-5.725GHz	Pass	Inf	24.51M	14.886M
5720MHz Straddle 5.725-5.85GHz	Pass	500k	4.44M	10.854M
5745MHz	Pass	500k	18.315M	33.978M
5785MHz	Pass	500k	18.645M	39.485M
5825MHz	Pass	500k	18.425M	36.894M
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-
5190MHz	Pass	Inf	40.37M	37.773M
5230MHz	Pass	Inf	73.37M	38.549M
5270MHz	Pass	Inf	64.02M	38.061M
5310MHz	Pass	Inf	40.48M	37.848M
5510MHz	Pass	Inf	40.37M	37.771M
5550MHz	Pass	Inf	59.62M	38.14M
5670MHz	Pass	Inf	40.37M	37.787M
5710MHz Straddle 5.47-5.725GHz	Pass	Inf	54.145M	34.611M
5710MHz Straddle 5.725-5.85GHz	Pass	500k	3.94M	24.496M
5755MHz	Pass	500k	37.84M	40.121M
5795MHz	Pass	500k	37.73M	56.295M
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-
5210MHz	Pass	Inf	81.62M	77.299M
5290MHz	Pass	Inf	81.62M	77.26M
5530MHz	Pass	Inf	81.84M	77.349M
5610MHz	Pass	Inf	86.02M	77.47M
5690MHz Straddle 5.47-5.725GHz	Pass	Inf	116.025M	74.209M
5690MHz Straddle 5.725-5.85GHz	Pass	500k	3.86M	35.142M
5775MHz	Pass	500k	77.88M	77.432M
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)
5250MHz Straddle 5.15-5.25GHz	Pass	Inf	81.12M	77.264M
5250MHz Straddle 5.25-5.35GHz	Pass	Inf	81.36M	77.367M
5570MHz	Pass	Inf	164.56M	156.263M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5180MHz

01/07/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5200MHz

01/07/2025





5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5240MHz

01/07/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5260MHz

01/07/2025





5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5300MHz

01/07/2025




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5320MHz

01/07/2025





5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5500MHz

01/07/2025



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5580MHz

01/07/2025




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5700MHz

01/07/2025



5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5720MHz Straddle 5.47-5.725GHz

01/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5720MHz Straddle 5.725-5.85GHz

01/07/2025


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX
EBW
5720MHz Straddle 5.725-5.85GHz

01/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5745MHz

01/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5745MHz

01/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5785MHz

01/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5785MHz

01/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW

5825MHz

01/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

EBW



5825MHz

01/07/2025





5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX
EBW
5180MHz

01/07/2025




5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX
EBW
5200MHz

01/07/2025





5.15-5.25GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX
EBW
5240MHz

01/07/2025




5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_1TX
EBW
5260MHz

01/07/2025





5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5300MHz

01/07/2025


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5320MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5500MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5580MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5700MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW


5720MHz Straddle 5.47-5.725GHz

01/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5720MHz Straddle 5.725-5.85GHz

01/07/2025


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5720MHz Straddle 5.725-5.85GHz

01/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5745MHz

01/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW

5745MHz


01/07/2025



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

EBW
5785MHz


01/07/2025



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


EBW
5785MHz

01/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5825MHz

01/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX
EBW
5825MHz

01/07/2025





5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX
EBW
5190MHz

01/07/2025




5.15-5.25GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX
EBW
5230MHz

01/07/2025





5.25-5.35GHz 802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5270MHz

01/07/2025


5.25-5.35GHz 802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5310MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5510MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5550MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

EBW

5670MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

EBW


5710MHz Straddle 5.47-5.725GHz

01/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5710MHz Straddle 5.725-5.85GHz

01/07/2025



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5710MHz Straddle 5.725-5.85GHz

01/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5755MHz

01/07/2025



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5755MHz

01/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5795MHz

01/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX
EBW
5795MHz

01/07/2025





5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5210MHz

01/07/2025




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5290MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5530MHz

01/07/2025




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5610MHz

01/07/2025





5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5690MHz Straddle 5.47-5.725GHz

01/07/2025


5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5690MHz Straddle 5.725-5.85GHz

01/07/2025




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

EBW

5690MHz Straddle 5.725-5.85GHz

01/07/2025




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

EBW


5775MHz

01/07/2025




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX
EBW
5775MHz

01/07/2025



5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.15-5.25GHz

01/07/2025




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX
EBW
5250MHz Straddle 5.25-5.35GHz

01/07/2025


5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_1TX
EBW
5570MHz

01/07/2025



Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	27.73	0.59293
802.11be EHT20_Nss1,(MCS0)_4TX	28.57	0.71945
802.11be EHT20-BF_Nss1,(MCS0)_4TX	28.57	0.71945
802.11be EHT40_Nss1,(MCS0)_4TX	27.39	0.54828
802.11be EHT40-BF_Nss1,(MCS0)_4TX	27.39	0.54828
802.11be EHT80_Nss1,(MCS0)_4TX	21.56	0.14322
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.56	0.14322
802.11be EHT160_Nss1,(MCS0)_4TX	20.47	0.11143
802.11be EHT160-BF_Nss1,(MCS0)_4TX	20.47	0.11143
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	21.04	0.12706
802.11be EHT20_Nss1,(MCS0)_4TX	21.99	0.15812
802.11be EHT20-BF_Nss1,(MCS0)_4TX	21.89	0.15453
802.11be EHT40_Nss1,(MCS0)_4TX	23.83	0.24155
802.11be EHT40-BF_Nss1,(MCS0)_4TX	21.91	0.15524
802.11be EHT80_Nss1,(MCS0)_4TX	21.56	0.14322
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.56	0.14322
802.11be EHT160_Nss1,(MCS0)_4TX	20.70	0.11749
802.11be EHT160-BF_Nss1,(MCS0)_4TX	20.70	0.11749
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	20.28	0.10666
802.11be EHT20_Nss1,(MCS0)_4TX	21.14	0.13002
802.11be EHT20-BF_Nss1,(MCS0)_4TX	21.14	0.13002
802.11be EHT40_Nss1,(MCS0)_4TX	23.76	0.23768
802.11be EHT40-BF_Nss1,(MCS0)_4TX	21.23	0.13274
802.11be EHT80_Nss1,(MCS0)_4TX	23.94	0.24774
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.29	0.13459
802.11be EHT160_Nss1,(MCS0)_4TX	20.76	0.11912
802.11be EHT160-BF_Nss1,(MCS0)_4TX	20.76	0.11912
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	28.97	0.78886
802.11be EHT20_Nss1,(MCS0)_4TX	29.89	0.97499
802.11be EHT20-BF_Nss1,(MCS0)_4TX	27.46	0.55719
802.11be EHT40_Nss1,(MCS0)_4TX	28.68	0.73790
802.11be EHT40-BF_Nss1,(MCS0)_4TX	27.50	0.56234
802.11be EHT80_Nss1,(MCS0)_4TX	24.63	0.29040
802.11be EHT80-BF_Nss1,(MCS0)_4TX	24.63	0.29040



Average Power_Mode 1

Appendix C.1

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.60	19.08	20.02	18.4	18.88	25.16	30.00
5200MHz	Pass	4.60	22.06	22.64	20.88	20.99	27.73	30.00
5240MHz	Pass	4.60	21.91	22.5	20.64	20.99	27.59	30.00
5260MHz	Pass	4.98	14.8	15.3	14.6	14.44	20.82	23.98
5300MHz	Pass	4.98	15.01	15.47	14.72	14.83	21.04	23.98
5320MHz	Pass	4.98	14.91	15.18	14.76	14.77	20.93	23.95
5500MHz	Pass	5.48	14.06	14.69	14.02	14.2	20.27	23.98
5580MHz	Pass	5.48	14.05	14.94	13.68	13.85	20.18	23.81
5700MHz	Pass	5.48	13.89	14.38	14.15	14.57	20.28	23.97
5720MHz Straddle 5.47-5.725GHz	Pass	5.48	13.63	14.26	14.31	14.47	20.20	22.64
5720MHz Straddle 5.725-5.85GHz	Pass	5.39	7.69	8.28	7.97	8.64	14.18	30.00
5745MHz	Pass	5.39	23.43	23.28	22.38	22.63	28.97	30.00
5785MHz	Pass	5.39	23.29	23.07	22.2	22.25	28.75	30.00
5825MHz	Pass	5.39	23.26	23.45	21.6	21.55	28.58	30.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.60	18.92	19.55	18.2	18.28	24.79	30.00
5200MHz	Pass	4.60	22.56	23.05	21.45	21.44	28.20	30.00
5240MHz	Pass	4.60	22.85	23.48	21.78	21.83	28.57	30.00
5260MHz	Pass	4.98	15.8	16.28	15.4	15.33	21.74	23.98
5300MHz	Pass	4.98	15.89	16.31	15.7	15.53	21.89	23.98
5320MHz	Pass	4.98	15.85	16.32	15.85	15.84	21.99	23.98
5500MHz	Pass	5.48	14.93	15.66	14.93	14.91	21.14	23.98
5580MHz	Pass	5.48	15.17	15.81	14.54	14.69	21.10	23.98
5700MHz	Pass	5.48	14.6	15.29	15.07	15.21	21.07	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.48	14.01	14.69	14.77	15.07	20.67	22.95
5720MHz Straddle 5.725-5.85GHz	Pass	5.39	9.04	9.51	9.53	9.85	15.51	30.00
5745MHz	Pass	5.39	23.55	23.16	22.72	22.77	29.08	30.00
5785MHz	Pass	5.39	24.56	24.83	22.86	22.84	29.89	30.00
5825MHz	Pass	5.39	24.41	24.62	22.25	22.12	29.53	30.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.60	16.15	16.44	15.78	15.57	22.02	30.00
5230MHz	Pass	4.60	21.79	22.15	20.74	20.57	27.39	30.00
5270MHz	Pass	4.98	17.92	18.51	17.27	17.44	23.83	23.98
5310MHz	Pass	4.98	16.56	17.17	16.27	16.44	22.64	23.98
5510MHz	Pass	5.48	14.64	15.15	14.36	14.44	20.68	23.98
5550MHz	Pass	5.48	17.83	18.47	17.2	17.35	23.76	23.98
5670MHz	Pass	5.48	15.5	15.93	15.23	15.53	21.58	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.48	17.66	17.84	17.56	17.83	23.74	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.39	8.18	8.22	7.99	8.16	14.16	30.00
5755MHz	Pass	5.39	21.91	21.89	21.34	21.27	27.63	30.00
5795MHz	Pass	5.39	23.32	23.17	22.09	21.89	28.68	30.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.60	15.83	15.86	15.24	15.17	21.56	30.00
5290MHz	Pass	4.98	15.45	16.07	15.3	15.3	21.56	23.98
5530MHz	Pass	5.48	14.06	14.76	13.6	14.38	20.24	23.98
5610MHz	Pass	5.48	17.57	18.21	16.97	17.3	23.56	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.48	17.58	18.55	17.55	17.93	23.94	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.39	4.4	4.96	4.47	4.53	10.62	30.00
5775MHz	Pass	5.39	18.86	19.11	17.83	18.55	24.63	30.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	4.60	14.74	14.69	14.5	13.79	20.47	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.98	14.35	15.49	14.19	14.56	20.70	23.98
5570MHz	Pass	5.48	14.33	15.39	14.57	14.61	20.76	23.98
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
5180MHz	Pass	7.24	18.92	19.55	18.2	18.28	24.79	28.76
5200MHz	Pass	7.24	22.56	23.05	21.45	21.44	28.20	28.76
5240MHz	Pass	7.24	22.85	23.48	21.78	21.83	28.57	28.76
5260MHz	Pass	8.01	15.8	16.28	15.4	15.33	21.74	21.97
5300MHz	Pass	8.01	15.89	16.31	15.7	15.53	21.89	21.97
5320MHz	Pass	8.01	15.78	16.16	15.67	15.55	21.82	21.97
5500MHz	Pass	8.66	14.93	15.66	14.93	14.91	21.14	21.32
5580MHz	Pass	8.66	15.17	15.81	14.54	14.69	21.10	21.32
5700MHz	Pass	8.66	14.6	15.29	15.07	15.21	21.07	21.32
5720MHz Straddle 5.47-5.725GHz	Pass	8.66	14.01	14.69	14.77	15.07	20.67	21.32
5720MHz Straddle 5.725-5.85GHz	Pass	8.48	9.04	9.51	9.53	9.85	15.51	27.52
5745MHz	Pass	8.48	21.25	21.59	21.18	21.31	27.36	27.52
5785MHz	Pass	8.48	21.50	21.84	21.10	21.29	27.46	27.52
5825MHz	Pass	8.48	21.77	22.17	20.85	20.82	27.46	27.52
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.24	16.15	16.44	15.78	15.57	22.02	28.76
5230MHz	Pass	7.24	21.79	22.15	20.74	20.57	27.39	28.76
5270MHz	Pass	8.01	16.07	16.60	15.56	15.21	21.91	21.97
5310MHz	Pass	8.01	15.81	16.40	15.67	15.40	21.86	21.97
5510MHz	Pass	8.66	14.64	15.15	14.36	14.44	20.68	21.32
5550MHz	Pass	8.66	15.38	15.86	14.85	14.66	21.23	21.32
5670MHz	Pass	8.66	15.21	15.47	15.02	15.08	21.22	21.32
5710MHz Straddle 5.47-5.725GHz	Pass	8.66	15.04	15.21	15.07	15.29	21.17	21.32
5710MHz Straddle 5.725-5.85GHz	Pass	8.48	5.54	5.52	5.52	5.58	11.56	27.52
5755MHz	Pass	8.48	21.64	21.72	21.23	20.96	27.42	27.52
5795MHz	Pass	8.48	21.84	22.14	20.99	20.81	27.50	27.52
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.24	15.83	15.86	15.24	15.17	21.56	28.76
5290MHz	Pass	8.01	15.45	16.07	15.3	15.3	21.56	21.97
5530MHz	Pass	8.66	14.06	14.76	13.6	14.38	20.24	21.32
5610MHz	Pass	8.66	15.19	16.00	14.79	15.00	21.29	21.32
5690MHz Straddle 5.47-5.725GHz	Pass	8.66	14.95	15.85	15.01	15.16	21.28	21.32
5690MHz Straddle 5.725-5.85GHz	Pass	8.48	1.54	2.09	1.85	1.64	7.81	27.52
5775MHz	Pass	8.48	18.86	19.11	17.83	18.55	24.63	27.52
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	7.24	14.74	14.69	14.5	13.79	20.47	28.76
5250MHz Straddle 5.25-5.35GHz	Pass	8.01	14.35	15.49	14.19	14.56	20.70	21.97
5570MHz	Pass	8.66	14.33	15.39	14.57	14.61	20.76	21.32


DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

04/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

04/07/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

04/07/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

04/07/2025




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

04/07/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX

04/07/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

04/07/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX

04/07/2025




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

04/07/2025




5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX

04/07/2025




5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

04/07/2025




5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX

04/07/2025




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

04/07/2025




5.725-5.85GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX

04/07/2025



Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	20.48	0.11169
802.11ax HEW20_Nss1,(MCS0)_1TX	20.08	0.10186
802.11ax HEW40_Nss1,(MCS0)_1TX	19.00	0.07943
802.11ax HEW80_Nss1,(MCS0)_1TX	14.97	0.03141
802.11ax HEW160_Nss1,(MCS0)_1TX	13.11	0.02046
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	20.20	0.10471
802.11ax HEW20_Nss1,(MCS0)_1TX	19.91	0.09795
802.11ax HEW40_Nss1,(MCS0)_1TX	18.79	0.07568
802.11ax HEW80_Nss1,(MCS0)_1TX	15.52	0.03565
802.11ax HEW160_Nss1,(MCS0)_1TX	13.11	0.02046
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	20.11	0.10257
802.11ax HEW20_Nss1,(MCS0)_1TX	19.93	0.09840
802.11ax HEW40_Nss1,(MCS0)_1TX	19.90	0.09772
802.11ax HEW80_Nss1,(MCS0)_1TX	20.39	0.10940
802.11ax HEW160_Nss1,(MCS0)_1TX	16.21	0.04178
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	24.67	0.29309
802.11ax HEW20_Nss1,(MCS0)_1TX	24.68	0.29376
802.11ax HEW40_Nss1,(MCS0)_1TX	23.05	0.20184
802.11ax HEW80_Nss1,(MCS0)_1TX	20.91	0.12331

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	3.36	16.36	16.36	30.00
5200MHz	Pass	3.36	20.48	20.48	30.00
5240MHz	Pass	3.36	20.30	20.30	30.00
5260MHz	Pass	3.45	20.12	20.12	23.98
5300MHz	Pass	3.45	20.20	20.20	23.98
5320MHz	Pass	3.45	16.64	16.64	23.98
5500MHz	Pass	4.41	17.03	17.03	23.98
5580MHz	Pass	4.41	20.11	20.11	23.98
5700MHz	Pass	4.41	15.97	15.97	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	4.41	19.61	19.61	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	4.20	13.62	13.62	30.00
5745MHz	Pass	4.20	24.40	24.40	30.00
5785MHz	Pass	4.20	24.27	24.27	30.00
5825MHz	Pass	4.20	24.67	24.67	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	3.36	15.48	15.48	30.00
5200MHz	Pass	3.36	19.62	19.62	30.00
5240MHz	Pass	3.36	20.08	20.08	30.00
5260MHz	Pass	3.45	19.91	19.91	23.98
5300MHz	Pass	3.45	19.61	19.61	23.98
5320MHz	Pass	3.45	16.36	16.36	23.98
5500MHz	Pass	4.41	16.57	16.57	23.98
5580MHz	Pass	4.41	19.93	19.93	23.98
5700MHz	Pass	4.41	14.47	14.47	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	4.41	18.94	18.94	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	4.20	13.88	13.88	30.00
5745MHz	Pass	4.20	24.67	24.67	30.00
5785MHz	Pass	4.20	24.60	24.60	30.00
5825MHz	Pass	4.20	24.68	24.68	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	3.36	14.64	14.64	30.00
5230MHz	Pass	3.36	19.00	19.00	30.00
5270MHz	Pass	3.45	18.79	18.79	23.98
5310MHz	Pass	3.45	15.29	15.29	23.98
5510MHz	Pass	4.41	14.51	14.51	23.98
5550MHz	Pass	4.41	19.85	19.85	23.98
5670MHz	Pass	4.41	17.47	17.47	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	4.41	19.90	19.90	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	4.20	10.45	10.45	30.00
5755MHz	Pass	4.20	22.33	22.33	30.00
5795MHz	Pass	4.20	23.05	23.05	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	3.36	14.97	14.97	30.00
5290MHz	Pass	3.45	15.52	15.52	23.98
5530MHz	Pass	4.41	15.19	15.19	23.98
5610MHz	Pass	4.41	19.34	19.34	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	4.41	20.39	20.39	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	4.20	7.14	7.14	30.00
5775MHz	Pass	4.20	20.91	20.91	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.36	13.11	13.11	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.45	13.11	13.11	23.98
5570MHz	Pass	4.41	16.21	16.21	23.98



Average Power_Mode 2

Appendix C.2


DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

01/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

01/07/2025




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

02/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

02/07/2025




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

02/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX

02/07/2025




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

02/07/2025




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX

02/07/2025




5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

02/07/2025




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX

02/07/2025



Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	29.08	0.80910
802.11be EHT20_Nss1,(MCS0)_4TX	28.21	0.66222
802.11be EHT20-BF_Nss1,(MCS0)_4TX	28.21	0.66222
802.11be EHT40_Nss1,(MCS0)_4TX	26.20	0.41687
802.11be EHT40-BF_Nss1,(MCS0)_4TX	26.20	0.41687
802.11be EHT80_Nss1,(MCS0)_4TX	22.18	0.16520
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.18	0.16520
802.11be EHT160_Nss1,(MCS0)_4TX	19.16	0.08241
802.11be EHT160-BF_Nss1,(MCS0)_4TX	19.16	0.08241
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	23.56	0.22699
802.11be EHT20_Nss1,(MCS0)_4TX	23.91	0.24604
802.11be EHT20-BF_Nss1,(MCS0)_4TX	23.91	0.24604
802.11be EHT40_Nss1,(MCS0)_4TX	23.84	0.24210
802.11be EHT40-BF_Nss1,(MCS0)_4TX	23.84	0.24210
802.11be EHT80_Nss1,(MCS0)_4TX	22.23	0.16711
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.23	0.16711
802.11be EHT160_Nss1,(MCS0)_4TX	19.38	0.08670
802.11be EHT160-BF_Nss1,(MCS0)_4TX	19.38	0.08670
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	22.41	0.17418
802.11be EHT20_Nss1,(MCS0)_4TX	23.25	0.21135
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.72	0.18707
802.11be EHT40_Nss1,(MCS0)_4TX	23.94	0.24774
802.11be EHT40-BF_Nss1,(MCS0)_4TX	22.58	0.18113
802.11be EHT80_Nss1,(MCS0)_4TX	23.96	0.24889
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.59	0.18155
802.11be EHT160_Nss1,(MCS0)_4TX	21.88	0.15417
802.11be EHT160-BF_Nss1,(MCS0)_4TX	21.88	0.15417
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	29.76	0.94624
802.11be EHT20_Nss1,(MCS0)_4TX	29.28	0.84723
802.11be EHT20-BF_Nss1,(MCS0)_4TX	29.07	0.80724
802.11be EHT40_Nss1,(MCS0)_4TX	29.35	0.86099
802.11be EHT40-BF_Nss1,(MCS0)_4TX	29.13	0.81846
802.11be EHT80_Nss1,(MCS0)_4TX	25.61	0.36392
802.11be EHT80-BF_Nss1,(MCS0)_4TX	25.61	0.36392

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.93	19.76	19.78	19.08	18.59	25.35	30.00
5200MHz	Pass	3.93	24.13	23.25	22.54	22.04	29.08	30.00
5240MHz	Pass	3.93	23.67	22.98	22.32	21.75	28.76	30.00
5260MHz	Pass	4.55	17.57	17.99	17.31	16.57	23.41	23.98
5300MHz	Pass	4.55	17.58	18.02	17.66	16.82	23.56	23.98
5320MHz	Pass	4.55	17.48	17.82	17.69	16.72	23.47	23.98
5500MHz	Pass	5.72	16.73	16.39	16.59	15.78	22.41	23.98
5580MHz	Pass	5.72	16.84	16.41	16.15	15.36	22.24	23.98
5700MHz	Pass	5.72	15.87	15.91	16.66	15.75	22.08	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.72	15.02	14.86	15.82	15.18	21.26	22.68
5720MHz Straddle 5.725-5.85GHz	Pass	5.62	8.89	8.72	9.81	9.18	15.19	30.00
5745MHz	Pass	5.62	24.15	24.72	23.39	22.34	29.76	30.00
5785MHz	Pass	5.62	24.52	23.99	23.71	22.51	29.76	30.00
5825MHz	Pass	5.62	24.13	23.71	24.37	22.43	29.74	30.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.93	17.29	17.24	17.06	16.56	23.07	30.00
5200MHz	Pass	3.93	21.57	21.33	20.81	20.12	27.01	30.00
5240MHz	Pass	3.93	23.01	22.59	21.86	21.05	28.21	30.00
5260MHz	Pass	4.55	18.04	18.42	17.91	17.09	23.91	23.98
5300MHz	Pass	4.55	17.79	18.2	17.8	17.03	23.75	23.98
5320MHz	Pass	4.55	17.67	18.25	17.81	17.14	23.76	23.98
5500MHz	Pass	5.72	17.07	16.59	16.91	16.17	22.72	23.98
5580MHz	Pass	5.72	17.57	17.62	17.18	16.45	23.25	23.98
5700MHz	Pass	5.72	15.16	15.59	15.85	15.38	21.52	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	5.72	15.36	15.83	16.61	16.01	22.00	22.99
5720MHz Straddle 5.725-5.85GHz	Pass	5.62	10.24	10.66	11.58	10.83	16.88	30.00
5745MHz	Pass	5.62	23.41	22.79	23.39	22.54	29.07	30.00
5785MHz	Pass	5.62	22.93	22.85	22.89	22.24	28.76	30.00
5825MHz	Pass	5.62	23.78	24.09	22.95	21.91	29.28	30.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.93	16.44	16.89	17.07	16.03	22.65	30.00
5230MHz	Pass	3.93	20.35	20.59	20.47	19.16	26.20	30.00
5270MHz	Pass	4.55	17.54	18.46	18.07	17.07	23.84	23.98
5310MHz	Pass	4.55	16.46	17.36	16.88	16.06	22.74	23.98
5510MHz	Pass	5.72	15.41	15.19	15.44	14.85	21.25	23.98
5550MHz	Pass	5.72	18.23	18.05	17.93	17.42	23.94	23.98
5670MHz	Pass	5.72	16.86	17.27	17.22	16.66	23.03	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	5.72	17.32	17.62	18.25	17.64	23.74	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	5.62	7.72	7.96	8.75	8.08	14.17	30.00
5755MHz	Pass	5.62	22.69	22.18	22.2	21.59	28.20	30.00
5795MHz	Pass	5.62	23.75	23.9	23.12	22.39	29.35	30.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.93	16.52	16.38	16.06	15.63	22.18	30.00
5290MHz	Pass	4.55	15.93	16.79	16.43	15.58	22.23	23.98
5530MHz	Pass	5.72	14.07	14.88	14.51	14.32	20.48	23.98
5610MHz	Pass	5.72	17.86	18.22	18.14	17.52	23.96	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	5.72	17.72	17.85	18.03	17.29	23.75	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	5.62	4.26	4.36	4.71	3.86	10.33	30.00
5775MHz	Pass	5.62	19.63	19.95	19.71	19.02	25.61	30.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	3.93	13.31	13.4	13.51	12.2	19.16	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	4.55	13.3	13.97	13.14	12.94	19.38	23.98
5570MHz	Pass	5.72	15.45	16.07	16.18	15.71	21.88	23.98
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
5180MHz	Pass	5.72	17.29	17.24	17.06	16.56	23.07	30.00
5200MHz	Pass	5.72	21.57	21.33	20.81	20.12	27.01	30.00
5240MHz	Pass	5.72	23.01	22.59	21.86	21.05	28.21	30.00
5260MHz	Pass	6.05	18.04	18.42	17.91	17.09	23.91	23.93
5300MHz	Pass	6.05	17.79	18.2	17.8	17.03	23.75	23.93
5320MHz	Pass	6.05	17.67	18.25	17.81	17.14	23.76	23.93
5500MHz	Pass	7.24	17.07	16.59	16.91	16.17	22.72	22.74
5580MHz	Pass	7.24	16.83	16.91	16.46	15.84	22.55	22.74
5700MHz	Pass	7.24	15.16	15.59	15.85	15.38	21.52	22.74
5720MHz Straddle 5.47-5.725GHz	Pass	7.24	15.09	15.35	16.28	15.71	21.65	21.75
5720MHz Straddle 5.725-5.85GHz	Pass	6.79	10.03	10.33	11.03	10.53	16.52	29.21
5745MHz	Pass	6.79	23.41	22.79	23.39	22.54	29.07	29.21
5785MHz	Pass	6.79	22.93	22.85	22.89	22.24	28.76	29.21
5825MHz	Pass	6.79	23.35	23.96	22.74	21.73	29.04	29.21
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	5.72	16.44	16.89	17.07	16.03	22.65	30.00
5230MHz	Pass	5.72	20.35	20.59	20.47	19.16	26.20	30.00
5270MHz	Pass	6.05	17.54	18.46	18.07	17.07	23.84	23.93
5310MHz	Pass	6.05	16.46	17.36	16.88	16.06	22.74	23.93
5510MHz	Pass	7.24	15.41	15.19	15.44	14.85	21.25	22.74
5550MHz	Pass	7.24	16.79	16.68	16.59	16.14	22.58	22.74
5670MHz	Pass	7.24	16.34	16.73	16.67	16.22	22.52	22.74
5710MHz Straddle 5.47-5.725GHz	Pass	7.24	16.06	16.50	16.92	16.58	22.55	22.74
5710MHz Straddle 5.725-5.85GHz	Pass	6.79	6.51	6.92	7.49	7.04	13.02	29.21
5755MHz	Pass	6.79	22.69	22.18	22.2	21.59	28.20	29.21
5795MHz	Pass	6.79	23.54	23.68	22.89	22.18	29.13	29.21
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	5.72	16.52	16.38	16.06	15.63	22.18	30.00
5290MHz	Pass	6.05	15.93	16.79	16.43	15.58	22.23	23.93
5530MHz	Pass	7.24	14.07	14.88	14.51	14.32	20.48	22.74
5610MHz	Pass	7.24	16.48	16.98	16.61	16.19	22.59	22.74
5690MHz Straddle 5.47-5.725GHz	Pass	7.24	16.50	16.73	16.82	16.16	22.58	22.74
5690MHz Straddle 5.725-5.85GHz	Pass	6.79	3.03	3.14	3.66	2.79	9.19	29.21
5775MHz	Pass	6.79	19.63	19.95	19.71	19.02	25.61	29.21
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	5.72	13.31	13.4	13.51	12.2	19.16	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	6.05	13.3	13.97	13.14	12.94	19.38	23.93
5570MHz	Pass	7.24	15.45	16.07	16.18	15.71	21.88	22.74

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX




5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

30/07/2025



Sum= Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
19.16	13.31	13.40	13.51	12.20

5250~5350MHz


Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
19.38	13.30	13.97	13.14	12.94

5.47-5.725GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

30/07/2025




Sum= Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)	P3(dBm)	P4(dBm)
21.65	15.09	15.35	16.28	15.71

5.725-5.85GHz_802.11be EHT20-BF_Nss1,(MCS0)_4TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11be EHT40-BF_Nss1,(MCS0)_4TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX




5.47-5.725GHz_802.11be EHT80-BF_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX





Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	20.66	0.11641
802.11ax HEW20_Nss1,(MCS0)_1TX	20.91	0.12331
802.11ax HEW40_Nss1,(MCS0)_1TX	18.73	0.07464
802.11ax HEW80_Nss1,(MCS0)_1TX	14.38	0.02742
802.11ax HEW160_Nss1,(MCS0)_1TX	12.84	0.01923
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	20.54	0.11324
802.11ax HEW20_Nss1,(MCS0)_1TX	20.77	0.11940
802.11ax HEW40_Nss1,(MCS0)_1TX	19.31	0.08531
802.11ax HEW80_Nss1,(MCS0)_1TX	15.36	0.03436
802.11ax HEW160_Nss1,(MCS0)_1TX	12.77	0.01892
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	21.16	0.13062
802.11ax HEW20_Nss1,(MCS0)_1TX	20.89	0.12274
802.11ax HEW40_Nss1,(MCS0)_1TX	20.37	0.10889
802.11ax HEW80_Nss1,(MCS0)_1TX	20.61	0.11508
802.11ax HEW160_Nss1,(MCS0)_1TX	16.00	0.03981
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	23.65	0.23174
802.11ax HEW20_Nss1,(MCS0)_1TX	23.89	0.24491
802.11ax HEW40_Nss1,(MCS0)_1TX	23.62	0.23014
802.11ax HEW80_Nss1,(MCS0)_1TX	20.39	0.10940

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	2.84	15.55	15.55	30.00
5200MHz	Pass	2.84	19.76	19.76	30.00
5240MHz	Pass	2.84	20.66	20.66	30.00
5260MHz	Pass	3.50	20.54	20.54	23.98
5300MHz	Pass	3.50	20.54	20.54	23.98
5320MHz	Pass	3.50	16.85	16.85	23.71
5500MHz	Pass	4.28	17.69	17.69	23.92
5580MHz	Pass	4.28	21.16	21.16	23.98
5700MHz	Pass	4.28	15.95	15.95	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	4.28	20.60	20.60	23.95
5720MHz Straddle 5.725-5.85GHz	Pass	3.75	14.60	14.60	30.00
5745MHz	Pass	3.75	23.39	23.39	30.00
5785MHz	Pass	3.75	23.63	23.63	30.00
5825MHz	Pass	3.75	23.65	23.65	30.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	2.84	15.47	15.47	30.00
5200MHz	Pass	2.84	19.69	19.69	30.00
5240MHz	Pass	2.84	20.91	20.91	30.00
5260MHz	Pass	3.50	20.77	20.77	23.98
5300MHz	Pass	3.50	20.02	20.02	23.98
5320MHz	Pass	3.50	16.67	16.67	23.98
5500MHz	Pass	4.28	16.95	16.95	23.98
5580MHz	Pass	4.28	20.89	20.89	23.98
5700MHz	Pass	4.28	13.81	13.81	23.98
5720MHz Straddle 5.47-5.725GHz	Pass	4.28	19.56	19.56	23.98
5720MHz Straddle 5.725-5.85GHz	Pass	3.75	14.43	14.43	30.00
5745MHz	Pass	3.75	23.77	23.77	30.00
5785MHz	Pass	3.75	23.89	23.89	30.00
5825MHz	Pass	3.75	23.84	23.84	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	2.84	14.38	14.38	30.00
5230MHz	Pass	2.84	18.73	18.73	30.00
5270MHz	Pass	3.50	19.31	19.31	23.98
5310MHz	Pass	3.50	15.56	15.56	23.98
5510MHz	Pass	4.28	14.50	14.50	23.98
5550MHz	Pass	4.28	20.22	20.22	23.98
5670MHz	Pass	4.28	17.33	17.33	23.98
5710MHz Straddle 5.47-5.725GHz	Pass	4.28	20.37	20.37	23.98
5710MHz Straddle 5.725-5.85GHz	Pass	3.75	10.96	10.96	30.00
5755MHz	Pass	3.75	22.64	22.64	30.00
5795MHz	Pass	3.75	23.62	23.62	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	2.84	14.38	14.38	30.00
5290MHz	Pass	3.50	15.36	15.36	23.98
5530MHz	Pass	4.28	15.30	15.30	23.98
5610MHz	Pass	4.28	19.35	19.35	23.98
5690MHz Straddle 5.47-5.725GHz	Pass	4.28	20.61	20.61	23.98
5690MHz Straddle 5.725-5.85GHz	Pass	3.75	7.38	7.38	30.00
5775MHz	Pass	3.75	20.39	20.39	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	2.84	12.84	12.84	30.00
5250MHz Straddle 5.25-5.35GHz	Pass	3.50	12.77	12.77	23.98



Average Power_Mode 4

Appendix C.4

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	Power Limit (dBm)
5570MHz	Pass	4.28	16.00	16.00	23.98


DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

15/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

15/07/2025




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

16/07/2025




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

16/07/2025




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

16/07/2025




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX

16/07/2025




5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

16/07/2025




5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_1TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX

16/07/2025




5.15-5.25GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

AV Power

5250MHz Straddle 5.15-5.25GHz_TX

16/07/2025




5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_1TX

AV Power

5250MHz Straddle 5.25-5.35GHz_TX

16/07/2025



Summary

Mode	Total Power (dBm)	Total Power (W)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	22.32	0.17061
802.11be EHT20_Nss1,(MCS0)_4TX	23.68	0.23335
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.89	0.19454
802.11be EHT40_Nss1,(MCS0)_4TX	25.11	0.32434
802.11be EHT40-BF_Nss1,(MCS0)_4TX	22.96	0.19770
802.11be EHT80_Nss1,(MCS0)_4TX	21.35	0.13646
802.11be EHT80-BF_Nss1,(MCS0)_4TX	21.35	0.13646
802.11be EHT160_Nss1,(MCS0)_4TX	19.13	0.08185
802.11be EHT160-BF_Nss1,(MCS0)_4TX	17.04	0.05058
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	16.71	0.04688
802.11be EHT20_Nss1,(MCS0)_4TX	17.55	0.05689
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.87	0.04864
802.11be EHT40_Nss1,(MCS0)_4TX	19.94	0.09863
802.11be EHT40-BF_Nss1,(MCS0)_4TX	16.95	0.04955
802.11be EHT80_Nss1,(MCS0)_4TX	19.81	0.09572
802.11be EHT80-BF_Nss1,(MCS0)_4TX	16.78	0.04764
802.11be EHT160_Nss1,(MCS0)_4TX	18.98	0.07907
802.11be EHT160-BF_Nss1,(MCS0)_4TX	16.85	0.04842
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	16.51	0.04477
802.11be EHT20_Nss1,(MCS0)_4TX	17.72	0.05916
802.11be EHT20-BF_Nss1,(MCS0)_4TX	16.82	0.04808
802.11be EHT40_Nss1,(MCS0)_4TX	19.83	0.09616
802.11be EHT40-BF_Nss1,(MCS0)_4TX	16.94	0.04943
802.11be EHT80_Nss1,(MCS0)_4TX	19.86	0.09683
802.11be EHT80-BF_Nss1,(MCS0)_4TX	16.95	0.04955
802.11be EHT160_Nss1,(MCS0)_4TX	19.85	0.09661
802.11be EHT160-BF_Nss1,(MCS0)_4TX	16.82	0.04808
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_4TX	25.84	0.38371
802.11be EHT20_Nss1,(MCS0)_4TX	25.85	0.38459
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.89	0.19454
802.11be EHT40_Nss1,(MCS0)_4TX	25.83	0.38282
802.11be EHT40-BF_Nss1,(MCS0)_4TX	22.96	0.19770
802.11be EHT80_Nss1,(MCS0)_4TX	25.45	0.35075
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.78	0.18967

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	10.00	15.95	15.86	15.55	15.82	21.82	26.00
5200MHz	Pass	10.00	16.59	16.47	15.78	16.31	22.32	26.00
5240MHz	Pass	10.00	16.67	16.54	15.41	16.44	22.31	26.00
5260MHz	Pass	10.00	10.98	10.53	10.13	10.08	16.47	19.98
5300MHz	Pass	10.00	11.12	10.63	10.42	10.56	16.71	19.98
5320MHz	Pass	10.00	10.71	10.29	10.31	10.33	16.43	19.98
5500MHz	Pass	10.00	10.48	10.03	10.49	10.68	16.45	19.98
5580MHz	Pass	10.00	10.65	10.51	10.04	10.72	16.51	19.98
5700MHz	Pass	10.00	10.28	10.45	10.68	10.55	16.51	19.98
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	9.61	9.71	10.18	10.05	15.91	18.86
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	3.42	3.48	4.08	3.86	9.74	26.00
5745MHz	Pass	10.00	20.32	19.35	19.52	19.94	25.82	26.00
5785MHz	Pass	10.00	20.33	19.26	19.37	19.95	25.77	26.00
5825MHz	Pass	10.00	20.69	19.45	19.48	19.53	25.84	26.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	10.00	16.23	16.05	15.92	16.15	22.11	26.00
5200MHz	Pass	10.00	18.04	17.67	17.09	17.79	23.68	26.00
5240MHz	Pass	10.00	18.17	17.77	16.19	17.92	23.60	26.00
5260MHz	Pass	10.00	11.84	11.63	11.06	10.97	17.41	19.98
5300MHz	Pass	10.00	11.66	11.59	11.39	11.46	17.55	19.98
5320MHz	Pass	10.00	11.62	11.37	11.41	11.56	17.51	19.98
5500MHz	Pass	10.00	11.59	11.10	11.60	11.74	17.53	19.98
5580MHz	Pass	10.00	11.56	11.31	10.89	11.53	17.35	19.98
5700MHz	Pass	10.00	11.37	11.65	11.85	11.91	17.72	19.98
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	10.17	10.31	10.69	10.76	16.51	18.94
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	5.04	5.04	5.47	5.53	11.30	26.00
5745MHz	Pass	10.00	20.21	19.23	19.67	20.14	25.85	26.00
5785MHz	Pass	10.00	20.25	19.29	19.34	19.95	25.75	26.00
5825MHz	Pass	10.00	20.46	19.52	19.48	19.59	25.80	26.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	10.00	14.18	13.69	13.93	13.98	19.97	26.00
5230MHz	Pass	10.00	19.96	18.78	18.42	19.04	25.11	26.00
5270MHz	Pass	10.00	14.12	14.09	13.29	13.61	19.81	19.98
5310MHz	Pass	10.00	13.96	13.83	13.65	14.20	19.94	19.98
5510MHz	Pass	10.00	13.46	13.43	14.11	13.96	19.77	19.98
5550MHz	Pass	10.00	13.57	13.66	13.82	14.11	19.82	19.98
5670MHz	Pass	10.00	14.21	13.52	13.57	13.91	19.83	19.98
5710MHz Straddle 5.47-5.725GHz	Pass	10.00	14.14	13.36	13.46	13.94	19.76	19.98
5710MHz Straddle 5.725-5.85GHz	Pass	10.00	4.35	3.65	3.72	4.17	10.00	26.00
5755MHz	Pass	10.00	20.16	19.69	19.55	19.73	25.81	26.00
5795MHz	Pass	10.00	20.38	19.65	19.52	19.64	25.83	26.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	10.00	15.56	15.24	15.13	15.38	21.35	26.00
5290MHz	Pass	10.00	14.05	13.89	13.52	13.67	19.81	19.98
5530MHz	Pass	10.00	13.86	13.45	14.04	13.64	19.77	19.98
5610MHz	Pass	10.00	13.81	13.88	13.18	14.01	19.75	19.98
5690MHz Straddle 5.47-5.725GHz	Pass	10.00	13.80	13.82	13.57	14.13	19.86	19.98
5690MHz Straddle 5.725-5.85GHz	Pass	10.00	0.64	0.43	0.29	0.63	6.52	26.00
5775MHz	Pass	10.00	19.91	19.25	19.06	19.44	25.45	26.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	10.00	13.32	13.05	13.15	12.90	19.13	26.00
5250MHz Straddle 5.25-5.35GHz	Pass	10.00	12.92	13.12	12.24	13.45	18.98	19.98
5570MHz	Pass	10.00	13.98	13.74	13.77	13.83	19.85	19.98
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-



Average Power_Mode 5

Appendix C.5

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	Power Limit (dBm)
5180MHz	Pass	13.01	16.23	16.05	15.92	16.15	22.11	22.99
5200MHz	Pass	13.01	17.05	16.91	16.23	16.82	22.78	22.99
5240MHz	Pass	13.01	17.39	17.12	15.62	17.14	22.89	22.99
5260MHz	Pass	13.01	11.57	10.96	10.04	10.67	16.87	16.97
5300MHz	Pass	13.01	11.18	10.72	10.61	10.66	16.82	16.97
5320MHz	Pass	13.01	11.09	10.74	10.72	10.61	16.81	16.97
5500MHz	Pass	13.01	10.83	10.47	10.87	10.97	16.81	16.97
5580MHz	Pass	13.01	10.97	10.88	10.38	10.95	16.82	16.97
5700MHz	Pass	13.01	10.53	10.49	10.91	10.86	16.72	16.97
5720MHz Straddle 5.47-5.725GHz	Pass	13.01	9.56	9.49	9.98	9.96	15.77	15.96
5720MHz Straddle 5.725-5.85GHz	Pass	13.01	4.29	4.22	4.69	4.68	10.50	22.99
5745MHz	Pass	13.01	17.04	16.43	16.61	17.07	22.82	22.99
5785MHz	Pass	13.01	16.97	16.47	16.71	17.29	22.89	22.99
5825MHz	Pass	13.01	17.53	16.49	16.24	16.97	22.86	22.99
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	13.01	14.18	13.69	13.93	13.98	19.97	22.99
5230MHz	Pass	13.01	17.74	16.70	16.14	17.02	22.96	22.99
5270MHz	Pass	13.01	10.97	11.19	10.25	10.64	16.80	16.97
5310MHz	Pass	13.01	10.75	11.02	10.92	11.03	16.95	16.97
5510MHz	Pass	13.01	10.38	10.52	11.08	10.94	16.76	16.97
5550MHz	Pass	13.01	10.53	10.64	10.73	11.07	16.77	16.97
5670MHz	Pass	13.01	11.09	10.64	10.57	10.74	16.79	16.97
5710MHz Straddle 5.47-5.725GHz	Pass	13.01	11.07	10.56	10.94	11.08	16.94	16.97
5710MHz Straddle 5.725-5.85GHz	Pass	13.01	1.50	0.88	1.35	1.35	7.30	22.99
5755MHz	Pass	13.01	17.03	16.76	16.82	17.10	22.95	22.99
5795MHz	Pass	13.01	17.11	16.88	16.71	17.06	22.96	22.99
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	13.01	15.56	15.24	15.13	15.38	21.35	22.99
5290MHz	Pass	13.01	10.98	10.81	10.63	10.61	16.78	16.97
5530MHz	Pass	13.01	10.83	10.42	10.95	10.67	16.74	16.97
5610MHz	Pass	13.01	10.83	11.20	10.53	11.13	16.95	16.97
5690MHz Straddle 5.47-5.725GHz	Pass	13.01	10.72	10.91	10.60	10.81	16.78	16.97
5690MHz Straddle 5.725-5.85GHz	Pass	13.01	-2.79	-2.61	-2.95	-2.62	3.28	22.99
5775MHz	Pass	13.01	17.20	16.49	16.37	16.93	22.78	22.99
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	13.01	11.27	10.96	10.90	10.92	17.04	22.99
5250MHz Straddle 5.25-5.35GHz	Pass	13.01	10.65	11.04	10.12	11.40	16.85	16.97
5570MHz	Pass	13.01	10.95	10.85	10.78	10.62	16.82	16.97


DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

04/07/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

04/07/2025




5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.47-5.725GHz_TX

04/07/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

AV Power

5720MHz Straddle 5.725-5.85GHz_TX

04/07/2025




5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.47-5.725GHz_TX

01/07/2025




5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX

01/07/2025




5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.47-5.725GHz_TX

04/07/2025



5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX

04/07/2025

