



22.38. LTE Band Edge(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.9	1.52	30	Pass	401
849	850	0.15	RMS	849.005	-29.45	-13	Pass	401
850	860	0.1	RMS	850.05	-33.36	-13	Pass	401




22.39. LTE Band Edge(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	19.25	30	Pass	401
849	850	0.15	RMS	849.008	-33.71	-13	Pass	401
850	860	0.1	RMS	850	-55.21	-13	Pass	401




22.40. LTE Band Edge(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.9	0.52	30	Pass	401
849	850	0.15	RMS	849	-31.74	-13	Pass	401
850	860	0.1	RMS	850.075	-34.84	-13	Pass	401




23. LTE_Band26(part90)

23.1. LTE Band Edge_in-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




23.2. LTE Band Edge_in-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.968	-31.34	Pass	401




23.3. LTE Band Edge_in-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.985	-40.79	Pass	1000




23.4. LTE Band Edge_in-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.015	RMS	813.968	-32.65	Pass	401




23.5. LTE Band Edge_in-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.011	-42.79	Pass	1000




23.6. LTE Band Edge_in-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.015	RMS	824.033	-35.67	Pass	401




23.7. LTE Band Edge_in-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.012	-39.49	Pass	1000




23.8. LTE Band Edge_in-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.015	RMS	824.025	-35.51	Pass	401




23.9. LTE Band Edge_in-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.968	-29.73	Pass	1000




23.10. LTE Band Edge_in-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)




23.11. LTE Band Edge_in-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.984	-29.63	Pass	1000




23.12. LTE Band Edge_in-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.03	RMS	813.985	-27.28	Pass	401




23.14. LTE Band Edge_in-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.03	RMS	824.015	-26.77	Pass	401




23.15. LTE Band Edge_in-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.017	-32.08	Pass	1000




23.16. LTE Band Edge_in-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.03	RMS	824.015	-27.24	Pass	401




23.17. LTE Band Edge_in-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.971	-37.83	Pass	1000




23.18. LTE Band Edge_in-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.051	RMS	813.973	-30.93	Pass	401




23.19. LTE Band Edge_in-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.002	RMS	813.973	-38.89	Pass	1000




23.20. LTE Band Edge_in-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	1	0.051	RMS	813.975	-32.01	Pass	401




23.21. LTE Band Edge_in-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.044	-40.36	Pass	1000




23.22. LTE Band Edge_in-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.051	RMS	824.025	-29.27	Pass	401




23.23. LTE Band Edge_in-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.002	RMS	824.027	-38.84	Pass	1000




23.24. LTE Band Edge_in-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	1	0.051	RMS	824.033	-31.16	Pass	401




23.25. LTE Band Edge_in-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	813.997	-46.72	Pass	2000




23.26. LTE Band Edge_in-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.1	RMS	813.995	-29.85	Pass	401




23.27. LTE Band Edge_in-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.002	RMS	814	-46.22	Pass	2000




23.28. LTE Band Edge_in-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	2	0.1	RMS	813.985	-31.58	Pass	401




23.29. LTE Band Edge_in-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.017	-46.21	Pass	2000




23.30. LTE Band Edge_in-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.1	RMS	824.045	-28.54	Pass	401




23.31. LTE Band Edge_in-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.002	RMS	824.004	-47.22	Pass	2000




23.32. LTE Band Edge_in-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	2	0.1	RMS	824.015	-30.27	Pass	401




24. LTE_Band26(part90)

24.1. LTE Band Edge_out-of-band(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)




24.2. LTE Band Edge_out-of-band(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-24.52	Pass	401




24.3. LTE Band Edge_out-of-band(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-27.82	Pass	401




24.4. LTE Band Edge_out-of-band(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.925	-26.03	Pass	401




24.5. LTE Band Edge_out-of-band(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-28.61	Pass	401




24.6. LTE Band Edge_out-of-band(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-28.16	Pass	401




24.7. LTE Band Edge_out-of-band(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-27.97	Pass	401




24.8. LTE Band Edge_out-of-band(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.075	-27.88	Pass	401




24.9. LTE Band Edge_out-of-band(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-17.82	Pass	401




24.10. LTE Band Edge_out-of-band(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-20.92	Pass	401




24.11. LTE Band Edge_out-of-band(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-19.69	Pass	401




24.12. LTE Band Edge_out-of-band(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-22.8	Pass	401




24.13. LTE Band Edge_out-of-band(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-18.18	Pass	401




24.14. LTE Band Edge_out-of-band(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-22.69	Pass	401




24.15. LTE Band Edge_out-of-band(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-19.51	Pass	401




24.16. LTE Band Edge_out-of-band(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-23.34	Pass	401




24.17. LTE Band Edge_out-of-band(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-24.22	Pass	401




24.18. LTE Band Edge_out-of-band(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-29.19	Pass	401




24.19. LTE Band Edge_out-of-band(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-26.07	Pass	401




24.20. LTE Band Edge_out-of-band(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.42	Pass	401




24.21. LTE Band Edge_out-of-band(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-24.9	Pass	401




24.22. LTE Band Edge_out-of-band(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-27.2	Pass	401




24.23. LTE Band Edge_out-of-band(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-25.64	Pass	401




24.24. LTE Band Edge_out-of-band(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-29.29	Pass	401




24.25. LTE Band Edge_out-of-band(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-37.12	Pass	401




24.26. LTE Band Edge_out-of-band(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-30.45	Pass	401




24.27. LTE Band Edge_out-of-band(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.95	-36.79	Pass	401




24.28. LTE Band Edge_out-of-band(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
814	10	0.1	RMS	813.9	-32.15	Pass	401




24.29. LTE Band Edge_out-of-band(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-37.02	Pass	401




24.30. LTE Band Edge_out-of-band(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-28.24	Pass	401




24.31. LTE Band Edge_out-of-band(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-36.9	Pass	401



24.32. LTE Band Edge_out-of-band(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Center Frequency (MHz)	Span (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Verdict	Sweep Point
824	10	0.1	RMS	824.05	-30.95	Pass	401



25. LTE_Band38


25.1. LTE Band Edge(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-40.44	-25	Pass	401
2564	2565	1	RMS	2564.973	-39.13	-13	Pass	401
2565	2569	1	RMS	2569	-28.04	-10	Pass	5
2569	2570	0.1	RMS	2570	-15.56	-10	Pass	401
2570	2575	0.1	RMS	2570.338	20.71	30	Pass	401




25.2. LTE Band Edge(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-32.22	-25	Pass	401
2564	2565	1	RMS	2564.995	-31.81	-13	Pass	401
2565	2569	1	RMS	2569	-25.82	-10	Pass	5
2569	2570	0.1	RMS	2570	-26.07	-10	Pass	401
2570	2575	0.1	RMS	2574.275	6.58	30	Pass	401




25.3. LTE Band Edge(NTNV)(Subtest:3, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2563.953	-39.86	-25	Pass	401
2564	2565	1	RMS	2564.998	-39.29	-13	Pass	401
2565	2569	1	RMS	2569	-28.29	-10	Pass	5
2569	2570	0.1	RMS	2570	-17.86	-10	Pass	401
2570	2575	0.1	RMS	2570.375	20.17	30	Pass	401




25.4. LTE Band Edge(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-32.78	-25	Pass	401
2564	2565	1	RMS	2564.998	-30.55	-13	Pass	401
2565	2569	1	RMS	2569	-25.25	-10	Pass	5
2569	2570	0.1	RMS	2569.995	-28.03	-10	Pass	401
2570	2575	0.1	RMS	2570.338	5.49	30	Pass	401




25.5. LTE Band Edge(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.675	20.31	30	Pass	401
2620	2621	0.1	RMS	2620	-16	-10	Pass	401
2621	2625	1	RMS	2621	-25.97	-10	Pass	5
2625	2626	1	RMS	2625.975	-34.77	-13	Pass	401
2626	2645	1	RMS	2626.285	-34.53	-25	Pass	401




25.6. LTE Band Edge(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.7	6.17	30	Pass	401
2620	2621	0.1	RMS	2620.003	-25.82	-10	Pass	401
2621	2625	1	RMS	2621	-27.33	-10	Pass	5
2625	2626	1	RMS	2625.068	-33.57	-13	Pass	401
2626	2645	1	RMS	2626.143	-34.55	-25	Pass	401




25.7. LTE Band Edge(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.663	20.31	30	Pass	401
2620	2621	0.1	RMS	2620	-16.24	-10	Pass	401
2621	2625	1	RMS	2621	-26.04	-10	Pass	5
2625	2626	1	RMS	2625.955	-35.54	-13	Pass	401
2626	2645	1	RMS	2626.048	-35.49	-25	Pass	401




25.8. LTE Band Edge(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2615	2620	0.1	RMS	2618.325	6	30	Pass	401
2620	2621	0.1	RMS	2620.003	-27.13	-10	Pass	401
2621	2625	1	RMS	2621	-26.78	-10	Pass	5
2625	2626	1	RMS	2625.083	-33.6	-13	Pass	401
2626	2645	1	RMS	2626	-35.12	-25	Pass	401




25.9. LTE Band Edge(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.963	-41.77	-25	Pass	401
2560	2565	1	RMS	2564.275	-36.62	-13	Pass	401
2565	2569	1	RMS	2569	-27.59	-10	Pass	5
2569	2570	0.2	RMS	2569.998	-22.06	-10	Pass	401
2570	2580	0.1	RMS	2570.575	20.28	30	Pass	401




25.10. LTE Band Edge(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2555.763	-34.71	-25	Pass	401
2560	2565	1	RMS	2562.25	-29.46	-13	Pass	401
2565	2569	1	RMS	2569	-28.42	-10	Pass	5
2569	2570	0.2	RMS	2570	-30.09	-10	Pass	401
2570	2580	0.1	RMS	2572.5	3.73	30	Pass	401




25.11. LTE Band Edge(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.888	-42.29	-25	Pass	401
2560	2565	1	RMS	2564.975	-38.16	-13	Pass	401
2565	2569	1	RMS	2569	-27.92	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-22.14	-10	Pass	401
2570	2580	0.1	RMS	2570.575	19.58	30	Pass	401




25.12. LTE Band Edge(NTNV)(Subtest:12, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2560	1	RMS	2559.85	-34.72	-25	Pass	401
2560	2565	1	RMS	2564.925	-29.52	-13	Pass	401
2565	2569	1	RMS	2569	-27.66	-10	Pass	5
2569	2570	0.2	RMS	2569.995	-29.74	-10	Pass	401
2570	2580	0.1	RMS	2570.925	2.73	30	Pass	401




25.13. LTE Band Edge(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.425	20.2	30	Pass	401
2620	2621	0.2	RMS	2620	-19.35	-10	Pass	401
2621	2625	1	RMS	2621	-27.42	-10	Pass	5
2625	2630	1	RMS	2625.975	-33.2	-13	Pass	401
2630	2645	1	RMS	2630.113	-42.27	-25	Pass	401




25.14. LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.3	3.91	30	Pass	401
2620	2621	0.2	RMS	2620.003	-29.37	-10	Pass	401
2621	2625	1	RMS	2621	-29.08	-10	Pass	5
2625	2630	1	RMS	2626.2	-30.87	-13	Pass	401
2630	2645	1	RMS	2633.038	-33.32	-25	Pass	401




25.15. LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.4	20.46	30	Pass	401
2620	2621	0.2	RMS	2620.008	-20.3	-10	Pass	401
2621	2625	1	RMS	2621	-27.29	-10	Pass	5
2625	2630	1	RMS	2625.925	-34.54	-13	Pass	401
2630	2645	1	RMS	2630.263	-42.06	-25	Pass	401




25.16. LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2610	2620	0.1	RMS	2618.45	2.47	30	Pass	401
2620	2621	0.2	RMS	2620.003	-30.09	-10	Pass	401
2621	2625	1	RMS	2621	-30.76	-10	Pass	5
2625	2630	1	RMS	2625.375	-30.46	-13	Pass	401
2630	2645	1	RMS	2634.838	-35.97	-25	Pass	401




25.17. LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-43.82	-25	Pass	401
2555	2565	1	RMS	2564.275	-37.51	-13	Pass	401
2565	2569	1	RMS	2569	-29.34	-10	Pass	5
2569	2570	0.3	RMS	2569.998	-21.79	-10	Pass	401
2570	2585	0.1	RMS	2570.825	20.49	30	Pass	401




25.18. LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.95	-33.78	-25	Pass	401
2555	2565	1	RMS	2563.825	-27.93	-13	Pass	401
2565	2569	1	RMS	2568	-27.49	-10	Pass	5
2569	2570	0.3	RMS	2569.993	-27.74	-10	Pass	401
2570	2585	0.1	RMS	2571.875	1.56	30	Pass	401




25.19. LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.875	-43.69	-25	Pass	401
2555	2565	1	RMS	2564.9	-37.69	-13	Pass	401
2565	2569	1	RMS	2569	-28.16	-10	Pass	5
2569	2570	0.3	RMS	2570	-22.75	-10	Pass	401
2570	2585	0.1	RMS	2570.825	19.3	30	Pass	401




25.20. LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2555	1	RMS	2554.75	-36.64	-25	Pass	401
2555	2565	1	RMS	2564.9	-31.58	-13	Pass	401
2565	2569	1	RMS	2568	-31.03	-10	Pass	5
2569	2570	0.3	RMS	2570	-31.14	-10	Pass	401
2570	2585	0.1	RMS	2573.488	0.08	30	Pass	401




25.21. LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.175	20.82	30	Pass	401
2620	2621	0.3	RMS	2620.003	-21.11	-10	Pass	401
2621	2625	1	RMS	2621	-28.56	-10	Pass	5
2625	2635	1	RMS	2625.75	-32	-13	Pass	401
2635	2645	1	RMS	2639.15	-43.04	-25	Pass	401




25.22. LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.763	1.4	30	Pass	401
2620	2621	0.3	RMS	2620.008	-30.35	-10	Pass	401
2621	2625	1	RMS	2621	-31.86	-10	Pass	5
2625	2635	1	RMS	2626.025	-33.76	-13	Pass	401
2635	2645	1	RMS	2635.075	-34.29	-25	Pass	401




25.23. LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.138	20.07	30	Pass	401
2620	2621	0.3	RMS	2620.008	-21.84	-10	Pass	401
2621	2625	1	RMS	2621	-28.58	-10	Pass	5
2625	2635	1	RMS	2625.675	-32.91	-13	Pass	401
2635	2645	1	RMS	2639.075	-43.02	-25	Pass	401




25.24. LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2605	2620	0.1	RMS	2618.2	1.18	30	Pass	401
2620	2621	0.3	RMS	2620.015	-31.94	-10	Pass	401
2621	2625	1	RMS	2621	-31.9	-10	Pass	5
2625	2635	1	RMS	2626.75	-33.18	-13	Pass	401
2635	2645	1	RMS	2635.175	-36.19	-25	Pass	401




25.25. LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.875	-44.76	-25	Pass	401
2550	2565	1	RMS	2564.513	-37.55	-13	Pass	401
2565	2569	1	RMS	2569	-29.67	-10	Pass	5
2569	2570	0.51	RMS	2569.998	-20.3	-10	Pass	401
2570	2590	0.1	RMS	2571.05	20.31	30	Pass	401




25.26. LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.8	-36.17	-25	Pass	401
2550	2565	1	RMS	2564.775	-30.63	-13	Pass	401
2565	2569	1	RMS	2569	-30.88	-10	Pass	5
2569	2570	0.51	RMS	2569.99	-28.65	-10	Pass	401
2570	2590	0.1	RMS	2585.3	0.16	30	Pass	401




25.27. LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.975	-44.92	-25	Pass	401
2550	2565	1	RMS	2565	-38.69	-13	Pass	401
2565	2569	1	RMS	2569	-30.27	-10	Pass	5
2569	2570	0.51	RMS	2569.993	-21.39	-10	Pass	401
2570	2590	0.1	RMS	2571.1	19.8	30	Pass	401




25.28. LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2550	1	RMS	2549.95	-39.49	-25	Pass	401
2550	2565	1	RMS	2563.65	-32.7	-13	Pass	401
2565	2569	1	RMS	2568	-32.52	-10	Pass	5
2569	2570	0.51	RMS	2569.988	-30.23	-10	Pass	401
2570	2590	0.1	RMS	2585.05	-0.79	30	Pass	401




25.29. LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	20.33	30	Pass	401
2620	2621	0.51	RMS	2620.008	-19.3	-10	Pass	401
2621	2625	1	RMS	2621	-28.14	-10	Pass	5
2625	2640	1	RMS	2625.488	-31.82	-13	Pass	401
2640	2645	1	RMS	2640.013	-43.55	-25	Pass	401




25.30. LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.7	0.76	30	Pass	401
2620	2621	0.51	RMS	2620	-30.8	-10	Pass	401
2621	2625	1	RMS	2621	-34.26	-10	Pass	5
2625	2640	1	RMS	2625.975	-35.54	-13	Pass	401
2640	2645	1	RMS	2644.763	-36.41	-25	Pass	401




25.31. LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.9	20.19	30	Pass	401
2620	2621	0.51	RMS	2620.008	-20.45	-10	Pass	401
2621	2625	1	RMS	2621	-28.42	-10	Pass	5
2625	2640	1	RMS	2625.488	-32.4	-13	Pass	401
2640	2645	1	RMS	2640.013	-43.69	-25	Pass	401



25.32. LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2600	2620	0.1	RMS	2617.05	-0.6	30	Pass	401
2620	2621	0.51	RMS	2620.003	-31.75	-10	Pass	401
2621	2625	1	RMS	2621	-34.57	-10	Pass	5
2625	2640	1	RMS	2625.3	-34.43	-13	Pass	401
2640	2645	1	RMS	2644.9	-37.9	-25	Pass	401



26. LTE_Band41(2545-2655)


26.1. LTE Band Edge(NTNV)(Subtest:1, Channel:40165, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2539	1	RMS	2538.953	-39.95	-25	Pass	401
2539	2540	1	RMS	2539.98	-37.74	-13	Pass	401
2540	2544	1	RMS	2544	-27.29	-10	Pass	5
2544	2545	0.1	RMS	2544.998	-15.22	-10	Pass	401
2545	2550	0.1	RMS	2545.35	21.43	30	Pass	401




26.2. LTE Band Edge(NTNV)(Subtest:2, Channel:40165, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2539	1	RMS	2538.953	-34.28	-25	Pass	401
2539	2540	1	RMS	2539.953	-30.41	-13	Pass	401
2540	2544	1	RMS	2544	-21.66	-10	Pass	5
2544	2545	0.1	RMS	2545	-23.98	-10	Pass	401
2545	2550	0.1	RMS	2546.675	7.07	30	Pass	401




26.3. LTE Band Edge(NTNV)(Subtest:3, Channel:40165, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2539	1	RMS	2538.905	-39.89	-25	Pass	401
2539	2540	1	RMS	2539.993	-38.15	-13	Pass	401
2540	2544	1	RMS	2544	-27.11	-10	Pass	5
2544	2545	0.1	RMS	2545	-16.16	-10	Pass	401
2545	2550	0.1	RMS	2545.338	20.86	30	Pass	401




26.4. LTE Band Edge(NTNV)(Subtest:4, Channel:40165, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2539	1	RMS	2538.858	-36.01	-25	Pass	401
2539	2540	1	RMS	2539.955	-32.8	-13	Pass	401
2540	2544	1	RMS	2544	-22.36	-10	Pass	5
2544	2545	0.1	RMS	2544.993	-24.82	-10	Pass	401
2545	2550	0.1	RMS	2548.675	6.09	30	Pass	401




26.5. LTE Band Edge(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.663	21.84	30	Pass	401
2655	2656	0.1	RMS	2655	-17.2	-10	Pass	401
2656	2660	1	RMS	2656	-25.99	-10	Pass	5
2660	2661	1	RMS	2660.003	-37.55	-13	Pass	401
2661	2680	1	RMS	2661.048	-39.41	-25	Pass	401




26.6. LTE Band Edge(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2651.838	6.7	30	Pass	401
2655	2656	0.1	RMS	2655.003	-26.45	-10	Pass	401
2656	2660	1	RMS	2656	-23.38	-10	Pass	5
2660	2661	1	RMS	2660.005	-31.91	-13	Pass	401
2661	2680	1	RMS	2661	-35.73	-25	Pass	401




26.7. LTE Band Edge(NTNV)(Subtest:7, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.638	20.89	30	Pass	401
2655	2656	0.1	RMS	2655	-17.63	-10	Pass	401
2656	2660	1	RMS	2656	-26.14	-10	Pass	5
2660	2661	1	RMS	2660.005	-37.62	-13	Pass	401
2661	2680	1	RMS	2661.333	-39.04	-25	Pass	401




26.8. LTE Band Edge(NTNV)(Subtest:8, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2650	2655	0.1	RMS	2653.988	6.42	30	Pass	401
2655	2656	0.1	RMS	2655	-27.31	-10	Pass	401
2656	2660	1	RMS	2656	-23.85	-10	Pass	5
2660	2661	1	RMS	2660.01	-33.74	-13	Pass	401
2661	2680	1	RMS	2661	-37.18	-25	Pass	401




26.9. LTE Band Edge(NTNV)(Subtest:9, Channel:40190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2535	1	RMS	2534.925	-42.13	-25	Pass	401
2535	2540	1	RMS	2539.95	-37.63	-13	Pass	401
2540	2544	1	RMS	2544	-27.68	-10	Pass	5
2544	2545	0.2	RMS	2545	-21.15	-10	Pass	401
2545	2555	0.1	RMS	2545.575	20.89	30	Pass	401




26.10. LTE Band Edge(NTNV)(Subtest:10, Channel:40190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2535	1	RMS	2534.963	-33.9	-25	Pass	401
2535	2540	1	RMS	2539.863	-26.69	-13	Pass	401
2540	2544	1	RMS	2544	-23.82	-10	Pass	5
2544	2545	0.2	RMS	2544.998	-26.11	-10	Pass	401
2545	2555	0.1	RMS	2547.45	3.7	30	Pass	401




26.11. LTE Band Edge(NTNV)(Subtest:11, Channel:40190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2535	1	RMS	2534.963	-41.41	-25	Pass	401
2535	2540	1	RMS	2540	-37.07	-13	Pass	401
2540	2544	1	RMS	2544	-27.65	-10	Pass	5
2544	2545	0.2	RMS	2544.993	-22.23	-10	Pass	401
2545	2555	0.1	RMS	2545.6	20.84	30	Pass	401




26.12. LTE Band Edge(NTNV)(Subtest:12, Channel:40190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2535	1	RMS	2534.888	-36.22	-25	Pass	401
2535	2540	1	RMS	2540	-27.84	-13	Pass	401
2540	2544	1	RMS	2544	-25.06	-10	Pass	5
2544	2545	0.2	RMS	2545	-27.68	-10	Pass	401
2545	2555	0.1	RMS	2546.3	3.3	30	Pass	401




26.13. LTE Band Edge(NTNV)(Subtest:13, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.4	20.88	30	Pass	401
2655	2656	0.2	RMS	2655	-21.96	-10	Pass	401
2656	2660	1	RMS	2656	-28.13	-10	Pass	5
2660	2665	1	RMS	2660.075	-38.1	-13	Pass	401
2665	2680	1	RMS	2665.038	-42.24	-25	Pass	401




26.14. LTE Band Edge(NTNV)(Subtest:14, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2647.075	3.97	30	Pass	401
2655	2656	0.2	RMS	2655.005	-28.41	-10	Pass	401
2656	2660	1	RMS	2656	-25.44	-10	Pass	5
2660	2665	1	RMS	2660	-28.77	-13	Pass	401
2665	2680	1	RMS	2665	-34.94	-25	Pass	401




26.15. LTE Band Edge(NTNV)(Subtest:15, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.425	20.58	30	Pass	401
2655	2656	0.2	RMS	2655	-24.12	-10	Pass	401
2656	2660	1	RMS	2656	-30.19	-10	Pass	5
2660	2665	1	RMS	2660	-40.1	-13	Pass	401
2665	2680	1	RMS	2665	-43.89	-25	Pass	401




26.16. LTE Band Edge(NTNV)(Subtest:16, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2645	2655	0.1	RMS	2645.825	2.82	30	Pass	401
2655	2656	0.2	RMS	2655	-28.86	-10	Pass	401
2656	2660	1	RMS	2656	-25.92	-10	Pass	5
2660	2665	1	RMS	2660.025	-28.84	-13	Pass	401
2665	2680	1	RMS	2665.075	-36.56	-25	Pass	401




26.17. LTE Band Edge(NTNV)(Subtest:17, Channel:40215, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2530	1	RMS	2529.925	-43.61	-25	Pass	401
2530	2540	1	RMS	2539.9	-37.14	-13	Pass	401
2540	2544	1	RMS	2544	-28	-10	Pass	5
2544	2545	0.3	RMS	2544.993	-22.6	-10	Pass	401
2545	2560	0.1	RMS	2545.863	21.26	30	Pass	401




26.18. LTE Band Edge(NTNV)(Subtest:18, Channel:40215, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2530	1	RMS	2529.875	-35.39	-25	Pass	401
2530	2540	1	RMS	2539.875	-27.3	-13	Pass	401
2540	2544	1	RMS	2543	-24.6	-10	Pass	5
2544	2545	0.3	RMS	2545	-26.05	-10	Pass	401
2545	2560	0.1	RMS	2548.563	1.89	30	Pass	401




26.19. LTE Band Edge(NTNV)(Subtest:19, Channel:40215, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2530	1	RMS	2529.85	-43.21	-25	Pass	401
2530	2540	1	RMS	2539.95	-36.73	-13	Pass	401
2540	2544	1	RMS	2544	-28.21	-10	Pass	5
2544	2545	0.3	RMS	2544.993	-22.43	-10	Pass	401
2545	2560	0.1	RMS	2545.863	19.74	30	Pass	401




26.20. LTE Band Edge(NTNV)(Subtest:20, Channel:40215, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2530	1	RMS	2529.975	-37.81	-25	Pass	401
2530	2540	1	RMS	2539.95	-28.5	-13	Pass	401
2540	2544	1	RMS	2543	-26.06	-10	Pass	5
2544	2545	0.3	RMS	2544.998	-28.16	-10	Pass	401
2545	2560	0.1	RMS	2558.2	1.53	30	Pass	401




26.21. LTE Band Edge(NTNV)(Subtest:21, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.138	21.41	30	Pass	401
2655	2656	0.3	RMS	2655.008	-22.6	-10	Pass	401
2656	2660	1	RMS	2656	-28.5	-10	Pass	5
2660	2670	1	RMS	2660.15	-37.58	-13	Pass	401
2670	2680	1	RMS	2670.25	-43.89	-25	Pass	401




26.22. LTE Band Edge(NTNV)(Subtest:22, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2643.188	2.18	30	Pass	401
2655	2656	0.3	RMS	2655.003	-27.82	-10	Pass	401
2656	2660	1	RMS	2657	-26.13	-10	Pass	5
2660	2670	1	RMS	2660	-29.14	-13	Pass	401
2670	2680	1	RMS	2670.025	-37.01	-25	Pass	401




26.23. LTE Band Edge(NTNV)(Subtest:23, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.138	20.08	30	Pass	401
2655	2656	0.3	RMS	2655.003	-23.58	-10	Pass	401
2656	2660	1	RMS	2656	-30.5	-10	Pass	5
2660	2670	1	RMS	2660.175	-38.8	-13	Pass	401
2670	2680	1	RMS	2670.15	-44.78	-25	Pass	401




26.24. LTE Band Edge(NTNV)(Subtest:24, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2640	2655	0.1	RMS	2641.763	1.52	30	Pass	401
2655	2656	0.3	RMS	2655.018	-29.34	-10	Pass	401
2656	2660	1	RMS	2657	-26.92	-10	Pass	5
2660	2670	1	RMS	2660	-29.48	-13	Pass	401
2670	2680	1	RMS	2670.125	-38.52	-25	Pass	401




26.25. LTE Band Edge(NTNV)(Subtest:25, Channel:40240, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2525	1	RMS	2523.35	-43.67	-25	Pass	401
2525	2540	1	RMS	2540	-35.94	-13	Pass	401
2540	2544	1	RMS	2544	-27.52	-10	Pass	5
2544	2545	0.51	RMS	2544.993	-18.9	-10	Pass	401
2545	2565	0.1	RMS	2546.1	20.73	30	Pass	401




26.26. LTE Band Edge(NTNV)(Subtest:26, Channel:40240, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2525	1	RMS	2524.988	-37.98	-25	Pass	401
2525	2540	1	RMS	2540	-28.87	-13	Pass	401
2540	2544	1	RMS	2544	-26.86	-10	Pass	5
2544	2545	0.51	RMS	2544.993	-26.54	-10	Pass	401
2545	2565	0.1	RMS	2550.8	1.32	30	Pass	401




26.27. LTE Band Edge(NTNV)(Subtest:27, Channel:40240, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2525	1	RMS	2524.8	-44.68	-25	Pass	401
2525	2540	1	RMS	2539.963	-37.5	-13	Pass	401
2540	2544	1	RMS	2544	-28.83	-10	Pass	5
2544	2545	0.51	RMS	2544.998	-19.96	-10	Pass	401
2545	2565	0.1	RMS	2546.1	18.96	30	Pass	401




26.28. LTE Band Edge(NTNV)(Subtest:28, Channel:40240, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2525	1	RMS	2525	-40.02	-25	Pass	401
2525	2540	1	RMS	2539.85	-30.28	-13	Pass	401
2540	2544	1	RMS	2544	-27.88	-10	Pass	5
2544	2545	0.51	RMS	2544.988	-27.44	-10	Pass	401
2545	2565	0.1	RMS	2547.45	0.11	30	Pass	401




26.29. LTE Band Edge(NTNV)(Subtest:29, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2653.95	19.7	30	Pass	401
2655	2656	0.51	RMS	2655.003	-22.09	-10	Pass	401
2656	2660	1	RMS	2656	-31.24	-10	Pass	5
2660	2675	1	RMS	2660	-39.79	-13	Pass	401
2675	2680	1	RMS	2675.3	-45.27	-25	Pass	401




26.30. LTE Band Edge(NTNV)(Subtest:30, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2641.25	1.26	30	Pass	401
2655	2656	0.51	RMS	2655.008	-26.78	-10	Pass	401
2656	2660	1	RMS	2656	-27.6	-10	Pass	5
2660	2675	1	RMS	2660.038	-29.97	-13	Pass	401
2675	2680	1	RMS	2675.2	-39.12	-25	Pass	401




26.31. LTE Band Edge(NTNV)(Subtest:31, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2653.95	18.71	30	Pass	401
2655	2656	0.51	RMS	2655.008	-21.69	-10	Pass	401
2656	2660	1	RMS	2656	-30.36	-10	Pass	5
2660	2675	1	RMS	2660.075	-39.05	-13	Pass	401
2675	2680	1	RMS	2675.025	-45.24	-25	Pass	401



26.32. LTE Band Edge(NTNV)(Subtest:32, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2635	2655	0.1	RMS	2638.3	0.41	30	Pass	401
2655	2656	0.51	RMS	2655	-27.72	-10	Pass	401
2656	2660	1	RMS	2656	-28.06	-10	Pass	5
2660	2675	1	RMS	2660.075	-30.51	-13	Pass	401
2675	2680	1	RMS	2675	-41.1	-25	Pass	401



27. LTE_Band66


27.1. LTE Band Edge(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-46.59	-13	Pass	401
1708	1709	1	RMS	1709	-39.71	-13	Pass	2
1709	1710	0.02	RMS	1709.998	-22.15	-13	Pass	401
1710	1712	0.1	RMS	1710.25	20.2	30	Pass	401




27.2. LTE Band Edge(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.18	-13	Pass	401
1708	1709	1	RMS	1709	-27.33	-13	Pass	2
1709	1710	0.02	RMS	1710	-35.84	-13	Pass	401
1710	1712	0.1	RMS	1710.995	11.64	30	Pass	401




27.3. LTE Band Edge(NTNV)(Subtest:3, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1703.62	-46.48	-13	Pass	401
1708	1709	1	RMS	1709	-40.61	-13	Pass	2
1709	1710	0.02	RMS	1710	-36.11	-13	Pass	401
1710	1712	0.1	RMS	1710.255	19.16	30	Pass	401




27.4. LTE Band Edge(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.56	-13	Pass	401
1708	1709	1	RMS	1709	-27.97	-13	Pass	2
1709	1710	0.02	RMS	1709.963	-37.25	-13	Pass	401
1710	1712	0.1	RMS	1710.68	10.69	30	Pass	401




27.5. LTE Band Edge(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	20.17	30	Pass	401
1780	1781	0.02	RMS	1780.013	-36.35	-13	Pass	401
1781	1782	1	RMS	1781	-39.27	-13	Pass	2
1782	1790	1	RMS	1786.28	-42.87	-13	Pass	401




27.6. LTE Band Edge(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.715	11.75	30	Pass	401
1780	1781	0.02	RMS	1780.003	-38.75	-13	Pass	401
1781	1782	1	RMS	1781	-29.5	-13	Pass	2
1782	1790	1	RMS	1782	-37.67	-13	Pass	401




27.7. LTE Band Edge(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.74	19.15	30	Pass	401
1780	1781	0.02	RMS	1780.005	-37.05	-13	Pass	401
1781	1782	1	RMS	1781	-40.09	-13	Pass	2
1782	1790	1	RMS	1786.24	-43.57	-13	Pass	401




27.8. LTE Band Edge(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.655	10.74	30	Pass	401
1780	1781	0.02	RMS	1780.375	-39.89	-13	Pass	401
1781	1782	1	RMS	1781	-30.59	-13	Pass	2
1782	1790	1	RMS	1782	-38.85	-13	Pass	401




27.9. LTE Band Edge(NTNV)(Subtest:9, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-41.65	-13	Pass	401
1708	1709	1	RMS	1709	-31.87	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.32	-13	Pass	401
1710	1713	0.1	RMS	1710.24	20.12	30	Pass	401




27.10. LTE Band Edge(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-24.17	-13	Pass	401
1708	1709	1	RMS	1709	-20.38	-13	Pass	2
1709	1710	0.03	RMS	1710	-26.34	-13	Pass	401
1710	1713	0.1	RMS	1712.693	8.04	30	Pass	401




27.11. LTE Band Edge(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.4	-13	Pass	401
1708	1709	1	RMS	1709	-32.92	-13	Pass	2
1709	1710	0.03	RMS	1710	-21.11	-13	Pass	401
1710	1713	0.1	RMS	1710.24	19.19	30	Pass	401




27.12. LTE Band Edge(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-25.57	-13	Pass	401
1708	1709	1	RMS	1709	-21.56	-13	Pass	2
1709	1710	0.03	RMS	1710	-28.08	-13	Pass	401
1710	1713	0.1	RMS	1712.385	7.18	30	Pass	401



27.13. LTE Band Edge(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	20.14	30	Pass	401
1780	1781	0.03	RMS	1780	-19	-13	Pass	401
1781	1782	1	RMS	1781	-33.01	-13	Pass	2
1782	1790	1	RMS	1782	-42.16	-13	Pass	401




27.14. LTE Band Edge(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.088	7.99	30	Pass	401
1780	1781	0.03	RMS	1780	-28.24	-13	Pass	401
1781	1782	1	RMS	1781	-23.93	-13	Pass	2
1782	1790	1	RMS	1782	-26.61	-13	Pass	401



27.15. LTE Band Edge(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	19.15	30	Pass	401
1780	1781	0.03	RMS	1780	-20.97	-13	Pass	401
1781	1782	1	RMS	1781	-33.76	-13	Pass	2
1782	1790	1	RMS	1786.24	-43.34	-13	Pass	401




27.16. LTE Band Edge(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1777.6	6.82	30	Pass	401
1780	1781	0.03	RMS	1780.003	-28.32	-13	Pass	401
1781	1782	1	RMS	1781	-25.15	-13	Pass	2
1782	1790	1	RMS	1782	-28.8	-13	Pass	401




27.17. LTE Band Edge(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.68	-13	Pass	401
1708	1709	1	RMS	1708	-33.87	-13	Pass	2
1709	1710	0.051	RMS	1710	-22.75	-13	Pass	401
1710	1715	0.1	RMS	1710.325	19.95	30	Pass	401




27.18. LTE Band Edge(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.55	-13	Pass	401
1708	1709	1	RMS	1709	-26.99	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-31.15	-13	Pass	401
1710	1715	0.1	RMS	1714.225	6.01	30	Pass	401




27.19. LTE Band Edge(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.3	-13	Pass	401
1708	1709	1	RMS	1708	-34.85	-13	Pass	2
1709	1710	0.051	RMS	1710	-24.11	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.46	30	Pass	401




27.20. LTE Band Edge(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-30.29	-13	Pass	401
1708	1709	1	RMS	1709	-28.15	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-32.18	-13	Pass	401
1710	1715	0.1	RMS	1714.25	4.79	30	Pass	401




27.21. LTE Band Edge(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	19.93	30	Pass	401
1780	1781	0.051	RMS	1780	-22.34	-13	Pass	401
1781	1782	1	RMS	1782	-32.01	-13	Pass	2
1782	1790	1	RMS	1782	-32.62	-13	Pass	401




27.22. LTE Band Edge(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1776.675	5.71	30	Pass	401
1780	1781	0.051	RMS	1780	-30.92	-13	Pass	401
1781	1782	1	RMS	1781	-30.46	-13	Pass	2
1782	1790	1	RMS	1782.06	-33.51	-13	Pass	401




27.23. LTE Band Edge(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.675	19.23	30	Pass	401
1780	1781	0.051	RMS	1780	-24.02	-13	Pass	401
1781	1782	1	RMS	1782	-32.98	-13	Pass	2
1782	1790	1	RMS	1782	-33.5	-13	Pass	401




27.24. LTE Band Edge(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1778.325	4.72	30	Pass	401
1780	1781	0.051	RMS	1780.003	-31.96	-13	Pass	401
1781	1782	1	RMS	1781	-30.78	-13	Pass	2
1782	1790	1	RMS	1782.04	-32.95	-13	Pass	401



27.25. LTE Band Edge(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.3	-35.48	-13	Pass	401
1708	1709	1	RMS	1709	-43.9	-13	Pass	2
1709	1710	0.1	RMS	1710	-33.77	-13	Pass	401
1710	1720	0.1	RMS	1710.6	20.18	30	Pass	401




27.26. LTE Band Edge(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-27.46	-13	Pass	401
1708	1709	1	RMS	1709	-26.23	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-31.18	-13	Pass	401
1710	1720	0.1	RMS	1719.375	3.03	30	Pass	401




27.27. LTE Band Edge(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.1	-37.25	-13	Pass	401
1708	1709	1	RMS	1709	-39.81	-13	Pass	2
1709	1710	0.1	RMS	1709.99	-30.85	-13	Pass	401
1710	1720	0.1	RMS	1710.6	19.72	30	Pass	401




27.28. LTE Band Edge(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.85	-13	Pass	401
1708	1709	1	RMS	1709	-27.79	-13	Pass	2
1709	1710	0.1	RMS	1710	-33.19	-13	Pass	401
1710	1720	0.1	RMS	1718.4	2.11	30	Pass	401




27.29. LTE Band Edge(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.04	30	Pass	401
1780	1781	0.1	RMS	1780	-31.31	-13	Pass	401
1781	1782	1	RMS	1781	-43.16	-13	Pass	2
1782	1790	1	RMS	1783.84	-32.53	-13	Pass	401




27.30. LTE Band Edge(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.6	2.79	30	Pass	401
1780	1781	0.1	RMS	1780.005	-33.83	-13	Pass	401
1781	1782	1	RMS	1781	-29	-13	Pass	2
1782	1790	1	RMS	1782	-31.09	-13	Pass	401




27.31. LTE Band Edge(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	18.93	30	Pass	401
1780	1781	0.1	RMS	1780	-33.72	-13	Pass	401
1781	1782	1	RMS	1781	-43.84	-13	Pass	2
1782	1790	1	RMS	1783.84	-33.7	-13	Pass	401




27.32. LTE Band Edge(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.575	1.78	30	Pass	401
1780	1781	0.1	RMS	1780	-34.97	-13	Pass	401
1781	1782	1	RMS	1781	-30.24	-13	Pass	2
1782	1790	1	RMS	1782.02	-31.94	-13	Pass	401




27.33. LTE Band Edge(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.2	-37.07	-13	Pass	401
1708	1709	1	RMS	1709	-43.99	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.89	-13	Pass	401
1710	1725	0.1	RMS	1710.825	20.03	30	Pass	401




27.34. LTE Band Edge(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-26.35	-13	Pass	401
1708	1709	1	RMS	1709	-26.01	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-31.34	-13	Pass	401
1710	1725	0.1	RMS	1723.163	1.11	30	Pass	401




27.35. LTE Band Edge(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1704.14	-35.96	-13	Pass	401
1708	1709	1	RMS	1709	-43.07	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.21	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.28	30	Pass	401




27.36. LTE Band Edge(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-28.14	-13	Pass	401
1708	1709	1	RMS	1709	-27.33	-13	Pass	2
1709	1710	0.15	RMS	1709.995	-33.32	-13	Pass	401
1710	1725	0.1	RMS	1723.2	0.19	30	Pass	401




27.37. LTE Band Edge(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.82	30	Pass	401
1780	1781	0.15	RMS	1780	-30.4	-13	Pass	401
1781	1782	1	RMS	1781	-43.76	-13	Pass	2
1782	1790	1	RMS	1785.66	-37.96	-13	Pass	401




27.38. LTE Band Edge(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1777.713	0.93	30	Pass	401
1780	1781	0.15	RMS	1780.005	-34.32	-13	Pass	401
1781	1782	1	RMS	1781	-30.76	-13	Pass	2
1782	1790	1	RMS	1782.02	-31.88	-13	Pass	401




27.39. LTE Band Edge(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	18.96	30	Pass	401
1780	1781	0.15	RMS	1780	-31.64	-13	Pass	401
1781	1782	1	RMS	1781	-44.77	-13	Pass	2
1782	1790	1	RMS	1785.74	-39.08	-13	Pass	401




27.40. LTE Band Edge(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1777.788	-0.01	30	Pass	401
1780	1781	0.15	RMS	1780	-35.74	-13	Pass	401
1781	1782	1	RMS	1781	-31.54	-13	Pass	2
1782	1790	1	RMS	1782.1	-32.78	-13	Pass	401




27.41. LTE Band Edge(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.16	-37.55	-13	Pass	401
1708	1709	1	RMS	1709	-43.7	-13	Pass	2
1709	1710	0.2	RMS	1710	-34.22	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.73	30	Pass	401




27.42. LTE Band Edge(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.12	-13	Pass	401
1708	1709	1	RMS	1709	-26.04	-13	Pass	2
1709	1710	0.2	RMS	1709.98	-30.77	-13	Pass	401
1710	1730	0.1	RMS	1722.8	-0.42	30	Pass	401




27.43. LTE Band Edge(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.32	-38.26	-13	Pass	401
1708	1709	1	RMS	1709	-44.14	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-34.09	-13	Pass	401
1710	1730	0.1	RMS	1711.1	18.74	30	Pass	401




27.44. LTE Band Edge(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.84	-28.67	-13	Pass	401
1708	1709	1	RMS	1709	-28.03	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-32.94	-13	Pass	401
1710	1730	0.1	RMS	1722.85	-1.24	30	Pass	401




27.45. LTE Band Edge(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.76	30	Pass	401
1780	1781	0.2	RMS	1780	-31.34	-13	Pass	401
1781	1782	1	RMS	1781	-44.15	-13	Pass	2
1782	1790	1	RMS	1785.4	-38.04	-13	Pass	401




27.46. LTE Band Edge(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1762.85	-0.27	30	Pass	401
1780	1781	0.2	RMS	1780.003	-32.58	-13	Pass	401
1781	1782	1	RMS	1781	-27.33	-13	Pass	2
1782	1790	1	RMS	1782.06	-28.52	-13	Pass	401




27.47. LTE Band Edge(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	18.92	30	Pass	401
1780	1781	0.2	RMS	1780	-32.03	-13	Pass	401
1781	1782	1	RMS	1781	-45.35	-13	Pass	2
1782	1790	1	RMS	1785.5	-38.97	-13	Pass	401



27.48. LTE Band Edge(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1777.75	-1.29	30	Pass	401
1780	1781	0.2	RMS	1780	-33.9	-13	Pass	401
1781	1782	1	RMS	1781	-28.76	-13	Pass	2
1782	1790	1	RMS	1782.02	-29.71	-13	Pass	401




NR

28. n41 30kHz


28.1. Band Edge for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-48.41	-25	Pass	401
2490	2495	1	RMS	2495	-28.76	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-27.95	-10	Pass	401
2496	2596	1	RMS	2497	22.08	30	Pass	401




28.2. Band Edge for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.268	-29.65	-25	Pass	401
2490	2495	1	RMS	2495	-27.01	-13	Pass	401
2495	2496	0.4	RMS	2496	-29.31	-10	Pass	4
2496	2596	1	RMS	2511.25	11.31	30	Pass	401




28.3. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-47.88	-25	Pass	401
2490	2495	1	RMS	2495	-26.6	-13	Pass	401
2495	2496	0.051	RMS	2495.988	-25.26	-10	Pass	401
2496	2596	1	RMS	2497	22.32	30	Pass	401




28.4. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-29.41	-25	Pass	401
2490	2495	1	RMS	2494.95	-24.36	-13	Pass	401
2495	2496	0.4	RMS	2496	-29.15	-10	Pass	4
2496	2596	1	RMS	2513.5	10.88	30	Pass	401



28.5. Band Edge for SA(NTNV)(Subtest:5, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.72	30	Pass	401
2690	2691	0.1	RMS	2690	-23.96	-10	Pass	401
2691	2695	1	RMS	2691	-28.16	-10	Pass	401
2695	2710	1	RMS	2695.038	-48.59	-13	Pass	401
2710	2795	1	RMS	2740.813	-49.37	-25	Pass	401



28.6. Band Edge for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2685.25	12.5	30	Pass	401
2690	2691	0.4	RMS	2690	-34.15	-10	Pass	4
2691	2695	1	RMS	2691.05	-29.37	-10	Pass	401
2695	2710	1	RMS	2697.363	-33.33	-13	Pass	401
2710	2715	1	RMS	2714.188	-43.05	-25	Pass	401
2715	2795	1	RMS	2715.2	-43.38	-25	Pass	401

