




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QAM16 BW=20MHz Channel=132322 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0



## 05 Band edge


| Band   | Bandwidth<br>(MHz) | UL<br>Channel | RB<br>Size | RB<br>Position | Modulation | Spur Freq<br>(MHz) | Spur Level<br>(dBm) | Limit<br>(dBm) | Verdict |
|--------|--------------------|---------------|------------|----------------|------------|--------------------|---------------------|----------------|---------|
| Band12 | 1.4                | 23017         | 1          | #0             | QPSK       | 699.00             | -18.68              | -13            | PASS    |
| Band12 | 1.4                | 23017         | 1          | #Max           | QPSK       | 698.77             | -36.40              | -13            | PASS    |
| Band12 | 1.4                | 23017         | 6          | #0             | QPSK       | 698.60             | -24.94              | -13            | PASS    |
| Band12 | 1.4                | 23017         | 1          | #0             | QAM16      | 698.98             | -16.83              | -13            | PASS    |
| Band12 | 1.4                | 23017         | 1          | #Max           | QAM16      | 698.80             | -37.59              | -13            | PASS    |
| Band12 | 1.4                | 23017         | 6          | #0             | QAM16      | 698.90             | -27.46              | -13            | PASS    |
| Band12 | 1.4                | 23173         | 1          | #0             | QPSK       | 716.18             | -37.11              | -13            | PASS    |
| Band12 | 1.4                | 23173         | 1          | #Max           | QPSK       | 716.01             | -14.86              | -13            | PASS    |
| Band12 | 1.4                | 23173         | 6          | #0             | QPSK       | 716.12             | -16.87              | -13            | PASS    |
| Band12 | 1.4                | 23173         | 1          | #0             | QAM16      | 716.19             | -37.96              | -13            | PASS    |
| Band12 | 1.4                | 23173         | 1          | #Max           | QAM16      | 716.01             | -15.27              | -13            | PASS    |
| Band12 | 1.4                | 23173         | 6          | #0             | QAM16      | 716.12             | -20.00              | -13            | PASS    |
| Band12 | 3                  | 23025         | 1          | #0             | QPSK       | 699.00             | -18.20              | -13            | PASS    |
| Band12 | 3                  | 23025         | 1          | #Max           | QPSK       | 697.97             | -36.82              | -13            | PASS    |
| Band12 | 3                  | 23025         | 15         | #0             | QPSK       | 698.62             | -30.48              | -13            | PASS    |
| Band12 | 3                  | 23025         | 1          | #0             | QAM16      | 698.99             | -19.73              | -13            | PASS    |
| Band12 | 3                  | 23025         | 1          | #Max           | QAM16      | 698.00             | -38.33              | -13            | PASS    |
| Band12 | 3                  | 23025         | 15         | #0             | QAM16      | 698.50             | -33.14              | -13            | PASS    |
| Band12 | 3                  | 23165         | 1          | #0             | QPSK       | 717.00             | -36.62              | -13            | PASS    |
| Band12 | 3                  | 23165         | 1          | #Max           | QPSK       | 716.00             | -15.60              | -13            | PASS    |
| Band12 | 3                  | 23165         | 15         | #0             | QPSK       | 716.24             | -24.90              | -13            | PASS    |
| Band12 | 3                  | 23165         | 1          | #0             | QAM16      | 716.98             | -38.38              | -13            | PASS    |
| Band12 | 3                  | 23165         | 1          | #Max           | QAM16      | 716.02             | -16.64              | -13            | PASS    |
| Band12 | 3                  | 23165         | 15         | #0             | QAM16      | 716.55             | -27.01              | -13            | PASS    |
| Band12 | 5                  | 23035         | 1          | #0             | QPSK       | 698.90             | -13.40              | -13            | PASS    |
| Band12 | 5                  | 23035         | 1          | #Max           | QPSK       | 697.17             | -38.22              | -13            | PASS    |
| Band12 | 5                  | 23035         | 25         | #0             | QPSK       | 698.89             | -25.75              | -13            | PASS    |
| Band12 | 5                  | 23035         | 1          | #0             | QAM16      | 698.99             | -14.09              | -13            | PASS    |
| Band12 | 5                  | 23035         | 1          | #Max           | QAM16      | 697.20             | -39.39              | -13            | PASS    |
| Band12 | 5                  | 23035         | 25         | #0             | QAM16      | 699.00             | -28.62              | -13            | PASS    |
| Band12 | 5                  | 23155         | 1          | #0             | QPSK       | 717.79             | -38.36              | -13            | PASS    |
| Band12 | 5                  | 23155         | 1          | #Max           | QPSK       | 716.01             | -14.09              | -13            | PASS    |
| Band12 | 5                  | 23155         | 25         | #0             | QPSK       | 716.00             | -26.18              | -13            | PASS    |
| Band12 | 5                  | 23155         | 1          | #0             | QAM16      | 717.88             | -39.08              | -13            | PASS    |
| Band12 | 5                  | 23155         | 1          | #Max           | QAM16      | 716.01             | -15.20              | -13            | PASS    |
| Band12 | 5                  | 23155         | 25         | #0             | QAM16      | 716.01             | -27.36              | -13            | PASS    |
| Band12 | 10                 | 23060         | 1          | #0             | QPSK       | 698.90             | -17.89              | -13            | PASS    |
| Band12 | 10                 | 23060         | 1          | #Max           | QPSK       | 695.17             | -42.00              | -13            | PASS    |
| Band12 | 10                 | 23060         | 50         | #0             | QPSK       | 698.90             | -33.35              | -13            | PASS    |
| Band12 | 10                 | 23060         | 1          | #0             | QAM16      | 698.90             | -16.99              | -13            | PASS    |
| Band12 | 10                 | 23060         | 1          | #Max           | QAM16      | 695.16             | -43.61              | -13            | PASS    |

|        |    |       |    |      |       |         |        |     |      |
|--------|----|-------|----|------|-------|---------|--------|-----|------|
| Band12 | 10 | 23060 | 50 | #0   | QAM16 | 698.90  | -34.09 | -13 | PASS |
| Band12 | 10 | 23130 | 1  | #0   | QPSK  | 719.80  | -40.59 | -13 | PASS |
| Band12 | 10 | 23130 | 1  | #Max | QPSK  | 716.15  | -18.16 | -13 | PASS |
| Band12 | 10 | 23130 | 50 | #0   | QPSK  | 716.11  | -32.50 | -13 | PASS |
| Band12 | 10 | 23130 | 1  | #0   | QAM16 | 719.80  | -41.63 | -13 | PASS |
| Band12 | 10 | 23130 | 1  | #Max | QAM16 | 716.15  | -16.77 | -13 | PASS |
| Band12 | 10 | 23130 | 50 | #0   | QAM16 | 716.15  | -33.88 | -13 | PASS |
| Band17 | 5  | 23755 | 1  | #0   | QPSK  | 703.96  | -15.15 | -13 | PASS |
| Band17 | 5  | 23755 | 1  | #Max | QPSK  | 700.02  | -42.82 | -13 | PASS |
| Band17 | 5  | 23755 | 25 | #0   | QPSK  | 704.00  | -29.38 | -13 | PASS |
| Band17 | 5  | 23755 | 1  | #0   | QAM16 | 703.96  | -14.19 | -13 | PASS |
| Band17 | 5  | 23755 | 1  | #Max | QAM16 | 699.99  | -41.45 | -13 | PASS |
| Band17 | 5  | 23755 | 25 | #0   | QAM16 | 704.00  | -29.26 | -13 | PASS |
| Band17 | 5  | 23825 | 1  | #0   | QPSK  | 719.96  | -46.03 | -13 | PASS |
| Band17 | 5  | 23825 | 1  | #Max | QPSK  | 716.00  | -14.87 | -13 | PASS |
| Band17 | 5  | 23825 | 25 | #0   | QPSK  | 716.00  | -27.16 | -13 | PASS |
| Band17 | 5  | 23825 | 1  | #0   | QAM16 | 719.98  | -47.33 | -13 | PASS |
| Band17 | 5  | 23825 | 1  | #Max | QAM16 | 716.00  | -15.02 | -13 | PASS |
| Band17 | 5  | 23825 | 25 | #0   | QAM16 | 716.03  | -29.58 | -13 | PASS |
| Band2  | 5  | 18625 | 1  | #0   | QPSK  | 1849.97 | -16.00 | -13 | PASS |
| Band2  | 5  | 18625 | 1  | #Max | QPSK  | 1846.02 | -38.60 | -13 | PASS |
| Band2  | 5  | 18625 | 25 | #0   | QPSK  | 1849.99 | -28.07 | -13 | PASS |
| Band2  | 5  | 18625 | 1  | #0   | QAM16 | 1850.00 | -14.68 | -13 | PASS |
| Band2  | 5  | 18625 | 1  | #Max | QAM16 | 1846.03 | -39.93 | -13 | PASS |
| Band2  | 5  | 18625 | 25 | #0   | QAM16 | 1850.00 | -28.65 | -13 | PASS |
| Band2  | 5  | 19175 | 1  | #0   | QPSK  | 1913.94 | -33.79 | -13 | PASS |
| Band2  | 5  | 19175 | 1  | #Max | QPSK  | 1910.00 | -13.36 | -13 | PASS |
| Band2  | 5  | 19175 | 25 | #0   | QPSK  | 1910.00 | -28.51 | -13 | PASS |
| Band2  | 5  | 19175 | 1  | #0   | QAM16 | 1913.98 | -35.09 | -13 | PASS |
| Band2  | 5  | 19175 | 1  | #Max | QAM16 | 1910.02 | -15.30 | -13 | PASS |
| Band2  | 5  | 19175 | 25 | #0   | QAM16 | 1910.00 | -29.79 | -13 | PASS |
| Band4  | 5  | 19975 | 1  | #0   | QPSK  | 1710.00 | -16.77 | -13 | PASS |
| Band4  | 5  | 19975 | 1  | #Max | QPSK  | 1705.99 | -38.35 | -13 | PASS |
| Band4  | 5  | 19975 | 25 | #0   | QPSK  | 1710.00 | -31.17 | -13 | PASS |
| Band4  | 5  | 19975 | 1  | #0   | QAM16 | 1710.00 | -16.68 | -13 | PASS |
| Band4  | 5  | 19975 | 1  | #Max | QAM16 | 1706.04 | -39.57 | -13 | PASS |
| Band4  | 5  | 19975 | 25 | #0   | QAM16 | 1709.99 | -30.34 | -13 | PASS |
| Band4  | 5  | 20375 | 1  | #0   | QPSK  | 1758.94 | -35.49 | -13 | PASS |
| Band4  | 5  | 20375 | 1  | #Max | QPSK  | 1755.00 | -15.74 | -13 | PASS |
| Band4  | 5  | 20375 | 25 | #0   | QPSK  | 1755.01 | -27.85 | -13 | PASS |
| Band4  | 5  | 20375 | 1  | #0   | QAM16 | 1759.00 | -36.94 | -13 | PASS |
| Band4  | 5  | 20375 | 1  | #Max | QAM16 | 1755.00 | -16.63 | -13 | PASS |
| Band4  | 5  | 20375 | 25 | #0   | QAM16 | 1755.03 | -29.83 | -13 | PASS |
| Band5  | 5  | 20425 | 1  | #0   | QPSK  | 824.00  | -13.45 | -13 | PASS |


|        |    |        |    |      |       |         |        |     |      |
|--------|----|--------|----|------|-------|---------|--------|-----|------|
| Band5  | 5  | 20425  | 1  | #Max | QPSK  | 820.00  | -43.18 | -13 | PASS |
| Band5  | 5  | 20425  | 25 | #0   | QPSK  | 824.00  | -26.73 | -13 | PASS |
| Band5  | 5  | 20425  | 1  | #0   | QAM16 | 824.00  | -13.47 | -13 | PASS |
| Band5  | 5  | 20425  | 1  | #Max | QAM16 | 820.01  | -43.84 | -13 | PASS |
| Band5  | 5  | 20425  | 25 | #0   | QAM16 | 824.00  | -27.88 | -13 | PASS |
| Band5  | 5  | 20625  | 1  | #0   | QPSK  | 849.07  | -48.99 | -13 | PASS |
| Band5  | 5  | 20625  | 1  | #Max | QPSK  | 849.00  | -14.01 | -13 | PASS |
| Band5  | 5  | 20625  | 25 | #0   | QPSK  | 849.00  | -26.48 | -13 | PASS |
| Band5  | 5  | 20625  | 1  | #0   | QAM16 | 849.05  | -48.54 | -13 | PASS |
| Band5  | 5  | 20625  | 1  | #Max | QAM16 | 849.04  | -15.30 | -13 | PASS |
| Band5  | 5  | 20625  | 25 | #0   | QAM16 | 849.04  | -27.77 | -13 | PASS |
| Band66 | 5  | 131997 | 1  | #0   | QPSK  | 1709.98 | -18.21 | -13 | PASS |
| Band66 | 5  | 131997 | 1  | #Max | QPSK  | 1706.02 | -40.77 | -13 | PASS |
| Band66 | 5  | 131997 | 25 | #0   | QPSK  | 1709.95 | -31.17 | -13 | PASS |
| Band66 | 5  | 131997 | 1  | #0   | QAM16 | 1710.00 | -15.46 | -13 | PASS |
| Band66 | 5  | 131997 | 1  | #Max | QAM16 | 1706.04 | -41.76 | -13 | PASS |
| Band66 | 5  | 131997 | 25 | #0   | QAM16 | 1710.00 | -29.52 | -13 | PASS |
| Band66 | 5  | 132647 | 1  | #0   | QPSK  | 1783.99 | -35.43 | -13 | PASS |
| Band66 | 5  | 132647 | 1  | #Max | QPSK  | 1780.01 | -15.80 | -13 | PASS |
| Band66 | 5  | 132647 | 25 | #0   | QPSK  | 1780.00 | -28.91 | -13 | PASS |
| Band66 | 5  | 132647 | 1  | #0   | QAM16 | 1784.02 | -37.16 | -13 | PASS |
| Band66 | 5  | 132647 | 1  | #Max | QAM16 | 1780.00 | -15.37 | -13 | PASS |
| Band66 | 5  | 132647 | 25 | #0   | QAM16 | 1780.00 | -29.89 | -13 | PASS |
| Band7  | 5  | 20775  | 1  | #0   | QPSK  | 2499.00 | -12.67 | -10 | PASS |
| Band7  | 5  | 20775  | 1  | #Max | QPSK  | 2475.51 | -40.20 | -25 | PASS |
| Band7  | 5  | 20775  | 25 | #0   | QPSK  | 2493.68 | -39.86 | -25 | PASS |
| Band7  | 5  | 20775  | 1  | #0   | QAM16 | 2499.00 | -13.16 | -10 | PASS |
| Band7  | 5  | 20775  | 1  | #Max | QAM16 | 2493.70 | -39.85 | -25 | PASS |
| Band7  | 5  | 20775  | 25 | #0   | QAM16 | 2493.94 | -39.87 | -25 | PASS |
| Band7  | 5  | 21425  | 1  | #0   | QPSK  | 2592.59 | -39.67 | -25 | PASS |
| Band7  | 5  | 21425  | 1  | #Max | QPSK  | 2571.00 | -12.88 | -10 | PASS |
| Band7  | 5  | 21425  | 25 | #0   | QPSK  | 2576.48 | -39.53 | -25 | PASS |
| Band7  | 5  | 21425  | 1  | #0   | QAM16 | 2588.94 | -40.11 | -25 | PASS |
| Band7  | 5  | 21425  | 1  | #Max | QAM16 | 2571.01 | -13.77 | -10 | PASS |
| Band7  | 5  | 21425  | 25 | #0   | QAM16 | 2576.70 | -39.80 | -25 | PASS |
| Band7  | 10 | 20800  | 1  | #0   | QPSK  | 2499.99 | -23.07 | -10 | PASS |
| Band7  | 10 | 20800  | 1  | #Max | QPSK  | 2485.62 | -40.02 | -25 | PASS |
| Band7  | 10 | 20800  | 50 | #0   | QPSK  | 2489.22 | -39.83 | -25 | PASS |
| Band7  | 10 | 20800  | 1  | #0   | QAM16 | 2498.98 | -24.23 | -10 | PASS |
| Band7  | 10 | 20800  | 1  | #Max | QAM16 | 2485.86 | -40.06 | -25 | PASS |
| Band7  | 10 | 20800  | 50 | #0   | QAM16 | 2489.97 | -39.99 | -25 | PASS |
| Band7  | 10 | 21400  | 1  | #0   | QPSK  | 2586.50 | -39.98 | -25 | PASS |
| Band7  | 10 | 21400  | 1  | #Max | QPSK  | 2570.02 | -22.89 | -10 | PASS |
| Band7  | 10 | 21400  | 50 | #0   | QPSK  | 2593.13 | -39.76 | -25 | PASS |

|       |    |       |     |      |       |         |        |     |      |
|-------|----|-------|-----|------|-------|---------|--------|-----|------|
| Band7 | 10 | 21400 | 1   | #0   | QAM16 | 2592.24 | -39.80 | -25 | PASS |
| Band7 | 10 | 21400 | 1   | #Max | QAM16 | 2570.04 | -24.76 | -10 | PASS |
| Band7 | 10 | 21400 | 50  | #0   | QAM16 | 2580.54 | -39.89 | -25 | PASS |
| Band7 | 15 | 20825 | 1   | #0   | QPSK  | 2500.00 | -23.71 | -10 | PASS |
| Band7 | 15 | 20825 | 1   | #Max | QPSK  | 2481.13 | -40.13 | -25 | PASS |
| Band7 | 15 | 20825 | 75  | #0   | QPSK  | 2483.11 | -40.19 | -25 | PASS |
| Band7 | 15 | 20825 | 1   | #0   | QAM16 | 2499.97 | -24.50 | -10 | PASS |
| Band7 | 15 | 20825 | 1   | #Max | QAM16 | 2479.74 | -40.18 | -25 | PASS |
| Band7 | 15 | 20825 | 75  | #0   | QAM16 | 2484.69 | -40.15 | -25 | PASS |
| Band7 | 15 | 21375 | 1   | #0   | QPSK  | 2591.63 | -40.04 | -25 | PASS |
| Band7 | 15 | 21375 | 1   | #Max | QPSK  | 2570.02 | -24.69 | -10 | PASS |
| Band7 | 15 | 21375 | 75  | #0   | QPSK  | 2586.89 | -39.59 | -25 | PASS |
| Band7 | 15 | 21375 | 1   | #0   | QAM16 | 2592.85 | -40.13 | -25 | PASS |
| Band7 | 15 | 21375 | 1   | #Max | QAM16 | 2594.64 | -40.02 | -25 | PASS |
| Band7 | 15 | 21375 | 75  | #0   | QAM16 | 2585.59 | -39.74 | -25 | PASS |
| Band7 | 20 | 20850 | 1   | #0   | QPSK  | 2477.91 | -40.25 | -25 | PASS |
| Band7 | 20 | 20850 | 1   | #Max | QPSK  | 2479.82 | -40.23 | -25 | PASS |
| Band7 | 20 | 20850 | 100 | #0   | QPSK  | 2478.21 | -40.20 | -25 | PASS |
| Band7 | 20 | 20850 | 1   | #0   | QAM16 | 2478.19 | -40.19 | -25 | PASS |
| Band7 | 20 | 20850 | 1   | #Max | QAM16 | 2478.78 | -40.18 | -25 | PASS |
| Band7 | 20 | 20850 | 100 | #0   | QAM16 | 2476.03 | -40.23 | -25 | PASS |
| Band7 | 20 | 21350 | 1   | #0   | QPSK  | 2591.91 | -39.93 | -25 | PASS |
| Band7 | 20 | 21350 | 1   | #Max | QPSK  | 2593.75 | -40.09 | -25 | PASS |
| Band7 | 20 | 21350 | 100 | #0   | QPSK  | 2592.44 | -40.00 | -25 | PASS |
| Band7 | 20 | 21350 | 1   | #0   | QAM16 | 2594.88 | -39.97 | -25 | PASS |
| Band7 | 20 | 21350 | 1   | #Max | QAM16 | 2570.01 | -24.34 | -10 | PASS |
| Band7 | 20 | 21350 | 100 | #0   | QAM16 | 2594.35 | -39.88 | -25 | PASS |


Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=1 Position=#Max




Band12 QAM16 BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#0




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=1 Position=#Max




Band12 QAM16 BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23025 RB Size=1 Position=#Max




Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#0




Band12 QAM16 BW=3MHz Channel=23025 RB Size=1 Position=#Max




Band12 QAM16 BW=3MHz Channel=23025 RB Size=15 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#0




Band12 QPSK BW=3MHz Channel=23165 RB Size=1 Position=#Max




Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#0




Band12 QAM16 BW=3MHz Channel=23165 RB Size=1 Position=#Max




Band12 QAM16 BW=3MHz Channel=23165 RB Size=15 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#0




Band12 QPSK BW=5MHz Channel=23035 RB Size=1 Position=#Max




Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#0




Band12 QAM16 BW=5MHz Channel=23035 RB Size=1 Position=#Max



Band12 QAM16 BW=5MHz Channel=23035 RB Size=25 Position=#0




Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 716         | 716.1      | 30        | 716.0904        | -49.26           | -13         |
| 2     | 716.1       | 726        | 100       | 717.7929        | -38.36           | -13         |

Band12 QPSK BW=5MHz Channel=23155 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 716         | 716.1      | 30        | 716.0129        | -14.09           | -13         |
| 2     | 716.1       | 726        | 100       | 716.1198        | -14.79           | -13         |


Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#0




Band12 QAM16 BW=5MHz Channel=23155 RB Size=1 Position=#Max



Band12 QAM16 BW=5MHz Channel=23155 RB Size=25 Position=#0




Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 686.5       | 698.9      | 100       | 698.9           | -17.89           | -13         |
| 2     | 698.9       | 699        | 30        | 698.9723        | -20.06           | -13         |

Band12 QPSK BW=10MHz Channel=23060 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 686.5       | 698.9      | 100       | 695.1676        | -42              | -13         |
| 2     | 698.9       | 699        | 30        | 698.9714        | -52.12           | -13         |


Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QAM16 BW=10MHz Channel=23060 RB Size=1 Position=#0




Band12 QAM16 BW=10MHz Channel=23060 RB Size=1 Position=#Max




Band12 QAM16 BW=10MHz Channel=23060 RB Size=50 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#0




Band12 QPSK BW=10MHz Channel=23130 RB Size=1 Position=#Max




Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#0




Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#Max




Band12 QAM16 BW=10MHz Channel=23130 RB Size=50 Position=#0




Band17 QAM16 BW=5MHz Channel=23755 RB Size=1 Position=#0




Band17 QAM16 BW=5MHz Channel=23755 RB Size=1 Position=#Max




Band17 QAM16 BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QAM16 BW=5MHz Channel=23825 RB Size=1 Position=#0




Band17 QAM16 BW=5MHz Channel=23825 RB Size=1 Position=#Max



Band17 QAM16 BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#Max




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=1 Position=#Max




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#Max




Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=19975 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=19975 RB Size=1 Position=#Max




Band4 QAM16 BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 QAM16 BW=5MHz Channel=20375 RB Size=1 Position=#0




Band4 QAM16 BW=5MHz Channel=20375 RB Size=1 Position=#Max




Band4 QAM16 BW=5MHz Channel=20375 RB Size=25 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#Max




Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#0




Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#Max




Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#Max




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#Max




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#Max




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=1 Position=#Max




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=1 Position=#Max




Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#Max




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#Max



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2494       | 1000      | 2485.963        | -40.12           | -25         |
| 2     | 2494        | 2496       | 1000      | 2495.082        | -39.8            | -13         |
| 3     | 2496        | 2499       | 1000      | 2499            | -12.67           | -10         |
| 4     | 2499        | 2500       | 100       | 2500            | -21.31           | -10         |

Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2494       | 1000      | 2475.513        | -40.2            | -25         |
| 2     | 2494        | 2496       | 1000      | 2495.934        | -34.13           | -13         |
| 3     | 2496        | 2499       | 1000      | 2496.117        | -34.26           | -10         |
| 4     | 2499        | 2500       | 100       | 2499.813        | -49.45           | -10         |

Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2494       | 1000      | 2493.677        | -39.86           | -25         |
| 2     | 2494        | 2496       | 1000      | 2495.976        | -36.82           | -13         |
| 3     | 2496        | 2499       | 1000      | 2498.991        | -26.68           | -10         |
| 4     | 2499        | 2500       | 100       | 2500            | -36.23           | -10         |

Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2494       | 1000      | 2489.649        | -40.04           | -25         |
| 2     | 2494        | 2496       | 1000      | 2494.176        | -39.97           | -13         |
| 3     | 2496        | 2499       | 1000      | 2499            | -13.16           | -10         |
| 4     | 2499        | 2500       | 100       | 2499.988        | -22.04           | -10         |

Band7 QAM16 BW=5MHz Channel=20775 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2494       | 1000      | 2493.696        | -39.85           | -25         |
| 2     | 2494        | 2496       | 1000      | 2495.746        | -34.89           | -13         |
| 3     | 2496        | 2499       | 1000      | 2496.057        | -34.94           | -10         |
| 4     | 2499        | 2500       | 100       | 2499.882        | -49.13           | -10         |

Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2494       | 1000      | 2493.943        | -39.87           | -25         |
| 2     | 2494        | 2496       | 1000      | 2495.978        | -37.99           | -13         |
| 3     | 2496        | 2499       | 1000      | 2499            | -27.74           | -10         |
| 4     | 2499        | 2500       | 100       | 2499.971        | -35.65           | -10         |

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 100       | 2570.082        | -49.19           | -10         |
| 2     | 2571        | 2575       | 1000      | 2574.1          | -33.51           | -10         |
| 3     | 2575        | 2576       | 1000      | 2575.018        | -39.86           | -13         |
| 4     | 2576        | 2595       | 1000      | 2592.587        | -39.67           | -25         |

Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#Max



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 100       | 2570.012        | -23.09           | -10         |
| 2     | 2571        | 2575       | 1000      | 2571.004        | -12.88           | -10         |
| 3     | 2575        | 2576       | 1000      | 2575.529        | -40.09           | -13         |
| 4     | 2576        | 2595       | 1000      | 2579.382        | -40.02           | -25         |

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 100       | 2570.032        | -35.55           | -10         |
| 2     | 2571        | 2575       | 1000      | 2571.004        | -26.39           | -10         |
| 3     | 2575        | 2576       | 1000      | 2575.015        | -38.8            | -13         |
| 4     | 2576        | 2595       | 1000      | 2576.475        | -39.53           | -25         |

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 100       | 2570.108        | -49.43           | -10         |
| 2     | 2571        | 2575       | 1000      | 2573.756        | -33.66           | -10         |
| 3     | 2575        | 2576       | 1000      | 2575.075        | -39.87           | -13         |
| 4     | 2576        | 2595       | 1000      | 2588.939        | -40.11           | -25         |

Band7 QAM16 BW=5MHz Channel=21425 RB Size=1 Position=#Max



Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2490       | 1000      | 2489.04         | -39.99           | -25         |
| 2     | 2490        | 2496       | 1000      | 2495.4          | -40.09           | -13         |
| 3     | 2496        | 2499       | 1000      | 2498.997        | -23.16           | -10         |
| 4     | 2499        | 2500       | 200       | 2499.988        | -23.07           | -10         |

Band7 QPSK BW=10MHz Channel=20800 RB Size=1 Position=#Max



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2490       | 1000      | 2485.62         | -40.02           | -25         |
| 2     | 2490        | 2496       | 1000      | 2491.728        | -36.33           | -13         |
| 3     | 2496        | 2499       | 1000      | 2498.739        | -39.79           | -10         |
| 4     | 2499        | 2500       | 200       | 2499.699        | -46.67           | -10         |

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2490       | 1000      | 2489.22         | -39.83           | -25         |
| 2     | 2490        | 2496       | 1000      | 2493.648        | -37.9            | -13         |
| 3     | 2496        | 2499       | 1000      | 2498.991        | -35.07           | -10         |
| 4     | 2499        | 2500       | 200       | 2499.953        | -38.73           | -10         |

Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2490       | 1000      | 2476.47         | -40.16           | -25         |
| 2     | 2490        | 2496       | 1000      | 2495.94         | -39.97           | -13         |
| 3     | 2496        | 2499       | 1000      | 2498.979        | -24.23           | -10         |
| 4     | 2499        | 2500       | 200       | 2499.974        | -25.09           | -10         |


Band7 QAM16 BW=10MHz Channel=20800 RB Size=1 Position=#Max



Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#0




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 200       | 2570.614        | -46.61           | -10         |
| 2     | 2571        | 2575       | 1000      | 2572.2          | -39.92           | -10         |
| 3     | 2575        | 2580       | 1000      | 2578.21         | -34.95           | -13         |
| 4     | 2580        | 2595       | 1000      | 2586.495        | -39.98           | -25         |

Band7 QPSK BW=10MHz Channel=21400 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 200       | 2570.016        | -22.89           | -10         |
| 2     | 2571        | 2575       | 1000      | 2571.02         | -23.18           | -10         |
| 3     | 2575        | 2580       | 1000      | 2576.26         | -40.01           | -13         |
| 4     | 2580        | 2595       | 1000      | 2594.655        | -39.91           | -25         |

Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 200       | 2570.058        | -37.25           | -10         |
| 2     | 2571        | 2575       | 1000      | 2571.032        | -34.3            | -10         |
| 3     | 2575        | 2580       | 1000      | 2577.665        | -36.89           | -13         |
| 4     | 2580        | 2595       | 1000      | 2593.125        | -39.76           | -25         |

Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 200       | 2570.531        | -46.4            | -10         |
| 2     | 2571        | 2575       | 1000      | 2573.432        | -40.07           | -10         |
| 3     | 2575        | 2580       | 1000      | 2578.03         | -35.77           | -13         |
| 4     | 2580        | 2595       | 1000      | 2592.24         | -39.8            | -25         |

Band7 QAM16 BW=10MHz Channel=21400 RB Size=1 Position=#Max




| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 200       | 2570.036        | -24.76           | -10         |
| 2     | 2571        | 2575       | 1000      | 2571.056        | -25.24           | -10         |
| 3     | 2575        | 2580       | 1000      | 2578.665        | -40.07           | -13         |
| 4     | 2580        | 2595       | 1000      | 2590.155        | -40.05           | -25         |

Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2570        | 2571       | 200       | 2570.017        | -38.02           | -10         |
| 2     | 2571        | 2575       | 1000      | 2571.04         | -34.6            | -10         |
| 3     | 2575        | 2580       | 1000      | 2575.095        | -37.62           | -13         |
| 4     | 2580        | 2595       | 1000      | 2580.54         | -39.89           | -25         |

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2485       | 1000      | 2478.08         | -40.08           | -25         |
| 2     | 2485        | 2496       | 1000      | 2493.47         | -40.05           | -13         |
| 3     | 2496        | 2499       | 1000      | 2498.982        | -31.92           | -10         |
| 4     | 2499        | 2500       | 300       | 2499.998        | -23.71           | -10         |

Band7 QPSK BW=15MHz Channel=20825 RB Size=1 Position=#Max



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2485       | 1000      | 2481.13         | -40.13           | -25         |
| 2     | 2485        | 2496       | 1000      | 2487.717        | -36.54           | -13         |
| 3     | 2496        | 2499       | 1000      | 2498.208        | -39.91           | -10         |
| 4     | 2499        | 2500       | 300       | 2499.054        | -44.68           | -10         |

Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2485       | 1000      | 2483.11         | -40.19           | -25         |
| 2     | 2485        | 2496       | 1000      | 2495.087        | -38.55           | -13         |
| 3     | 2496        | 2499       | 1000      | 2498.472        | -37.52           | -10         |
| 4     | 2499        | 2500       | 300       | 2499.948        | -38.21           | -10         |

Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#0



| Range | Start (MHz) | Stop (MHz) | RBW (kHz) | Spur Freq (MHz) | Spur Level (dBm) | Limit (dBm) |
|-------|-------------|------------|-----------|-----------------|------------------|-------------|
| 1     | 2475        | 2485       | 1000      | 2484.13         | -40.22           | -25         |
| 2     | 2485        | 2496       | 1000      | 2494.845        | -40.04           | -13         |
| 3     | 2496        | 2499       | 1000      | 2498.985        | -31.47           | -10         |
| 4     | 2499        | 2500       | 300       | 2499.974        | -24.5            | -10         |

Band7 QAM16 BW=15MHz Channel=20825 RB Size=1 Position=#Max