(Channel Bandwidth:15 MHz)_HCH_QPSK_1RB#0







(Channel Bandwidth:15 MHz)_HCH_QPSK_1RB#37







(Channel Bandwidth:15 MHz)_HCH_QPSK_1RB#74


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:46:53 PM May 27, 2020
Frequency
Mkr1 86.01 kHz
-51.626 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 11/100
03:47:05 PM May 27, 2020
Frequency
Mkr1 150 kHz
-54.445 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:47:11 PM May 27, 2020
Frequency
Mkr2 25.654 GHz
-26.472 dBm
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)

(Channel Bandwidth:15 MHz)_LCH_16QAM_1RB#0



(Channel Bandwidth:15 MHz)_LCH_16QAM_1RB#37







(Channel Bandwidth:15 MHz)_LCH_16QAM_1RB#74


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:43:30 PM May 27, 2020
Mkr1 15.91 kHz
-52.486 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 11/100
03:43:42 PM May 27, 2020
Mkr1 160 kHz
-51.953 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:43:48 PM May 27, 2020
Mkr2 25.584 GHz
-26.177 dBm
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth:15 MHz)_MCH_16QAM_1RB#0



(Channel Bandwidth:15 MHz)_MCH_16QAM_1RB#37





(Channel Bandwidth:15 MHz)_MCH_16QAM_1RB#74


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:45:48 PM May 27, 2020
Mkr1 92.64 kHz
-52.915 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 12/100
03:46:02 PM May 27, 2020
Mkr1 150 kHz
-56.873 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:46:07 PM May 27, 2020
Mkr2 25.593 GHz
-26.004 dBm
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth:15 MHz)_HCH_16QAM_1RB#0



(Channel Bandwidth:15 MHz)_HCH_16QAM_1RB#37







(Channel Bandwidth:15 MHz)_HCH_16QAM_1RB#74


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:48:08 PM May 27, 2020
Mkr1 14.17 kHz
-52.492 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 11/100
03:48:20 PM May 27, 2020
Mkr1 150 kHz
-55.850 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:48:26 PM May 27, 2020
Mkr2 25.706 GHz
-26.266 dBm
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

Channel Bandwidth: 20 MHz

(Channel Bandwidth:20 MHz)_LCH_QPSK_1RB#0







(Channel Bandwidth:20 MHz)_LCH_QPSK_1RB#49







(Channel Bandwidth:20 MHz)_LCH_QPSK_1RB#99


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:49:17 PM May 27, 2020
Mkr1 105.10 kHz
-52.966 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 13/100
03:49:29 PM May 27, 2020
Mkr1 150 kHz
-55.231 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:49:35 PM May 27, 2020
Mkr2 25.628 GHz
-26.203 dBm
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth:20 MHz)_MCH_QPSK_1RB#0





(Channel Bandwidth:20 MHz)_MCH_QPSK_1RB#49







(Channel Bandwidth:20 MHz)_MCH_QPSK_1RB#99


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:51:42 PM May 27, 2020
Frequency
Auto Tune
Mkr1 89.91 kHz
-52.864 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 11/100
03:51:48 PM May 27, 2020
Frequency
Auto Tune
Mkr1 150 kHz
-49.515 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:51:54 PM May 27, 2020
Frequency
Auto Tune
Mkr2 25.662 GHz
-26.254 dBm
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)

(Channel Bandwidth:20 MHz)_HCH_QPSK_1RB#0







(Channel Bandwidth:20 MHz)_HCH_QPSK_1RB#49







(Channel Bandwidth:20 MHz)_HCH_QPSK_1RB#99


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:54:05 PM May 27, 2020
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Mkr1 89.82 kHz
-51.797 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 11/100
03:54:12 PM May 27, 2020
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Mkr1 160 kHz
-51.335 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:54:17 PM May 27, 2020
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Mkr2 25.117 GHz
-26.062 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth:20 MHz)_LCH_16QAM_1RB#0





(Channel Bandwidth:20 MHz)_LCH_16QAM_1RB#49







(Channel Bandwidth:20 MHz)_LCH_16QAM_1RB#99


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:50:32 PM May 27, 2020
Mkr1 14.22 kHz
-52.524 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 11/100
03:50:45 PM May 27, 2020
Mkr1 150 kHz
-57.861 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:50:50 PM May 27, 2020
Mkr2 25.636 GHz
-25.780 dBm
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth:20 MHz)_MCH_16QAM_1RB#0



(Channel Bandwidth:20 MHz)_MCH_16QAM_1RB#49







(Channel Bandwidth:20 MHz)_MCH_16QAM_1RB#99


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:52:51 PM May 27, 2020
Mkr1 71.62 kHz
-53.289 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 11/100
03:53:03 PM May 27, 2020
Mkr1 160 kHz
-55.685 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled
Frequency
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:53:08 PM May 27, 2020
Mkr2 25.636 GHz
-25.773 dBm
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)
Frequency
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz

(Channel Bandwidth:20 MHz)_HCH_16QAM_1RB#0



(Channel Bandwidth:20 MHz)_HCH_16QAM_1RB#49





(Channel Bandwidth:20 MHz)_HCH_16QAM_1RB#99


Agilent Spectrum Analyzer - Swept SA
Center Freq 79.500 kHz
PNO: Wide
IFGain:Low
Trig: Free Run
#Atten: 10 dB
Avg Type: RMS
Avg|Hold: 17/100
03:55:15 PM May 27, 2020
Frequency
Mkr1 14.12 kHz
-52.003 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Auto Tune
Center Freq
79.500 kHz
Start Freq
9.000 kHz
Stop Freq
150.000 kHz
CF Step
14.100 kHz
Auto
Man
Freq Offset
0 Hz
Start 9.00 kHz
#Res BW 1.0 kHz
#VBW 3.0 kHz*
Stop 150.00 kHz
Sweep 174.1 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 15.075000 MHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 16 dB
Avg Type: RMS
Avg|Hold: 12/100
03:55:27 PM May 27, 2020
Frequency
Mkr1 160 kHz
-58.685 dBm
Ref Offset 9 dB
10 dB/div
Log
Ref 9.00 dBm
Auto Tune
Center Freq
15.075000 MHz
Start Freq
150.000 kHz
Stop Freq
30.000000 MHz
CF Step
2.985000 MHz
Auto
Man
Freq Offset
0 Hz
Start 150 kHz
#Res BW 10 kHz
#VBW 30 kHz*
Stop 30.00 MHz
Sweep 368.5 ms (3000 pts)
DC Coupled


Agilent Spectrum Analyzer - Swept SA
Center Freq 13.015000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 40 dB
Avg Type: RMS
Avg|Hold: 10/100
03:55:33 PM May 27, 2020
Frequency
Mkr2 25.654 GHz
-26.437 dBm
Ref Offset 8.96 dB
10 dB/div
Log
Ref 30.00 dBm
Auto Tune
Center Freq
13.015000000 GHz
Start Freq
30.000000 MHz
Stop Freq
26.000000000 GHz
CF Step
2.597000000 GHz
Auto
Man
Freq Offset
0 Hz
Start 30 MHz
#Res BW 1.0 MHz
#VBW 3.0 MHz*
Stop 26.00 GHz
Sweep 64.98 ms (3000 pts)

Appendix F: Frequency Stability

Test Result

Channel Bandwidth: 1.4 MHz

Channel Bandwidth: 1.4 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	-1.22	-0.000659	± 2.5	PASS
		VN	TN	-0.17	-0.000092	± 2.5	PASS
		VH	TN	-0.11	-0.000059	± 2.5	PASS
	MCH	VL	TN	-1.86	-0.000989	± 2.5	PASS
		VN	TN	3.19	0.001697	± 2.5	PASS
		VH	TN	2.52	0.001340	± 2.5	PASS
	HCH	VL	TN	2.19	0.001147	± 2.5	PASS
		VN	TN	-1.48	-0.000775	± 2.5	PASS
		VH	TN	2.92	0.001529	± 2.5	PASS
16QAM	LCH	VL	TN	-0.68	-0.000367	± 2.5	PASS
		VN	TN	0.68	0.000367	± 2.5	PASS
		VH	TN	0.86	0.000465	± 2.5	PASS
	MCH	VL	TN	1.58	0.000840	± 2.5	PASS
		VN	TN	-1.64	-0.000872	± 2.5	PASS
		VH	TN	4.47	0.002378	± 2.5	PASS
	HCH	VL	TN	4.18	0.002189	± 2.5	PASS
		VN	TN	-1.87	-0.000979	± 2.5	PASS
		VH	TN	3.33	0.001744	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	4.13	0.002232	± 2.5	PASS
		VN	-20	0.15	0.000081	± 2.5	PASS
		VN	-10	0.91	0.000492	± 2.5	PASS
		VN	0	-1.62	-0.000875	± 2.5	PASS
		VN	10	-0.62	-0.000335	± 2.5	PASS
		VN	20	1.66	0.000897	± 2.5	PASS
		VN	30	4.8	0.002594	± 2.5	PASS
		VN	40	2.76	0.001491	± 2.5	PASS
		VN	50	4.43	0.002394	± 2.5	PASS
	MCH	VN	-30	1.97	0.001048	± 2.5	PASS

		VN	-20	4.78	0.002543	± 2.5	PASS
		VN	-10	4.92	0.002617	± 2.5	PASS
		VN	0	-0.19	-0.000101	± 2.5	PASS
		VN	10	1.12	0.000596	± 2.5	PASS
		VN	20	0.97	0.000516	± 2.5	PASS
		VN	30	-0.45	-0.000239	± 2.5	PASS
		VN	40	3.97	0.002112	± 2.5	PASS
		VN	50	1.18	0.000628	± 2.5	PASS
	HCH	VN	-30	-1.79	-0.000938	± 2.5	PASS
		VN	-20	2.97	0.001556	± 2.5	PASS
		VN	-10	-0.7	-0.000367	± 2.5	PASS
		VN	0	3.91	0.002048	± 2.5	PASS
		VN	10	4.2	0.002200	± 2.5	PASS
		VN	20	-0.44	-0.000230	± 2.5	PASS
		VN	30	-1.85	-0.000969	± 2.5	PASS
		VN	40	4.55	0.002383	± 2.5	PASS
		VN	50	0.14	0.000073	± 2.5	PASS
16QAM	LCH	VN	-30	4.3	0.002323	± 2.5	PASS
		VN	-20	4.05	0.002188	± 2.5	PASS
		VN	-10	4.06	0.002194	± 2.5	PASS
		VN	0	4.91	0.002653	± 2.5	PASS
		VN	10	-0.47	-0.000254	± 2.5	PASS
		VN	20	1.53	0.000827	± 2.5	PASS
		VN	30	0.87	0.000470	± 2.5	PASS
		VN	40	0.1	0.000054	± 2.5	PASS
		VN	50	0.49	0.000265	± 2.5	PASS
	MCH	VN	-30	2.31	0.001229	± 2.5	PASS
		VN	-20	-1.01	-0.000537	± 2.5	PASS
		VN	-10	-1.35	-0.000718	± 2.5	PASS
		VN	0	1.55	0.000824	± 2.5	PASS
		VN	10	3.24	0.001723	± 2.5	PASS
		VN	20	2.35	0.001250	± 2.5	PASS
		VN	30	1.04	0.000553	± 2.5	PASS
		VN	40	4.57	0.002431	± 2.5	PASS
		VN	50	4.67	0.002484	± 2.5	PASS
	HCH	VN	-30	1.91	0.001000	± 2.5	PASS
		VN	-20	-1.42	-0.000744	± 2.5	PASS
		VN	-10	-1.18	-0.000618	± 2.5	PASS
		VN	0	-1.96	-0.001027	± 2.5	PASS
		VN	10	1.39	0.000728	± 2.5	PASS
		VN	20	3.64	0.001906	± 2.5	PASS

		VN	30	-0.09	-0.000047	± 2.5	PASS
		VN	40	3.58	0.001875	± 2.5	PASS
		VN	50	-0.27	-0.000141	± 2.5	PASS

Channel Bandwidth: 3 MHz

Channel Bandwidth: 3 MHz+							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	-1.66	-0.000897	± 2.5	PASS
		VN	TN	0.02	0.000011	± 2.5	PASS
		VH	TN	4.53	0.002447	± 2.5	PASS
	MCH	VL	TN	0.88	0.000468	± 2.5	PASS
		VN	TN	0.31	0.000165	± 2.5	PASS
		VH	TN	2.43	0.001293	± 2.5	PASS
	HCH	VL	TN	1.45	0.000760	± 2.5	PASS
		VN	TN	2.12	0.001111	± 2.5	PASS
		VH	TN	0.86	0.000451	± 2.5	PASS
16QAM	LCH	VL	TN	2.31	0.001248	± 2.5	PASS
		VN	TN	2.24	0.001210	± 2.5	PASS
		VH	TN	3.71	0.002004	± 2.5	PASS
	MCH	VL	TN	1.29	0.000686	± 2.5	PASS
		VN	TN	4.92	0.002617	± 2.5	PASS
		VH	TN	0.79	0.000420	± 2.5	PASS
	HCH	VL	TN	4.54	0.002379	± 2.5	PASS
		VN	TN	4.84	0.002536	± 2.5	PASS
		VH	TN	-0.15	-0.000079	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	1.24	0.000670	± 2.5	PASS
		VN	-20	2.53	0.001366	± 2.5	PASS
		VN	-10	3.23	0.001745	± 2.5	PASS
		VN	0	2.48	0.001339	± 2.5	PASS
		VN	10	4.71	0.002544	± 2.5	PASS
		VN	20	1.66	0.000897	± 2.5	PASS
		VN	30	0.15	0.000081	± 2.5	PASS
		VN	40	2.84	0.001534	± 2.5	PASS
		VN	50	-0.18	-0.000097	± 2.5	PASS
	MCH	VN	-30	4.04	0.002149	± 2.5	PASS
		VN	-20	2.36	0.001255	± 2.5	PASS

		VN	-10	0.65	0.000346	± 2.5	PASS
		VN	0	0.3	0.000160	± 2.5	PASS
		VN	10	1.45	0.000771	± 2.5	PASS
		VN	20	3.03	0.001612	± 2.5	PASS
		VN	30	0.13	0.000069	± 2.5	PASS
		VN	40	2.29	0.001218	± 2.5	PASS
		VN	50	4.43	0.002356	± 2.5	PASS
	HCH	VN	-30	0.01	0.000005	± 2.5	PASS
		VN	-20	2.85	0.001493	± 2.5	PASS
		VN	-10	0.34	0.000178	± 2.5	PASS
		VN	0	-1.27	-0.000665	± 2.5	PASS
		VN	10	-0.8	-0.000419	± 2.5	PASS
		VN	20	0.26	0.000136	± 2.5	PASS
		VN	30	2.18	0.001142	± 2.5	PASS
		VN	40	2.37	0.001242	± 2.5	PASS
		VN	50	-1.71	-0.000896	± 2.5	PASS
16QAM	LCH	VN	-30	3.75	0.002025	± 2.5	PASS
		VN	-20	4.95	0.002674	± 2.5	PASS
		VN	-10	-1.05	-0.000567	± 2.5	PASS
		VN	0	3.77	0.002036	± 2.5	PASS
		VN	10	0.72	0.000389	± 2.5	PASS
		VN	20	4.47	0.002414	± 2.5	PASS
		VN	30	-0.64	-0.000346	± 2.5	PASS
		VN	40	2.14	0.001156	± 2.5	PASS
		VN	50	0.82	0.000443	± 2.5	PASS
	MCH	VN	-30	-1.13	-0.000601	± 2.5	PASS
		VN	-20	1.6	0.000851	± 2.5	PASS
		VN	-10	2.16	0.001149	± 2.5	PASS
		VN	0	4.3	0.002287	± 2.5	PASS
		VN	10	2.59	0.001378	± 2.5	PASS
		VN	20	0.74	0.000394	± 2.5	PASS
		VN	30	-2	-0.001064	± 2.5	PASS
		VN	40	-1.33	-0.000707	± 2.5	PASS
		VN	50	2.61	0.001388	± 2.5	PASS
	HCH	VN	-30	3	0.001572	± 2.5	PASS
		VN	-20	0.75	0.000393	± 2.5	PASS
		VN	-10	1.19	0.000624	± 2.5	PASS
		VN	0	0.33	0.000173	± 2.5	PASS
		VN	10	2.43	0.001273	± 2.5	PASS
		VN	20	-1.31	-0.000686	± 2.5	PASS
		VN	30	1.49	0.000781	± 2.5	PASS

		VN	40	1.44	0.000755	± 2.5	PASS
		VN	50	2.45	0.001284	± 2.5	PASS

Channel Bandwidth: 5 MHz

Channel Bandwidth: 5 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	1.81	0.000977	± 2.5	PASS
		VN	TN	3.06	0.001652	± 2.5	PASS
		VH	TN	-1.88	-0.001015	± 2.5	PASS
	MCH	VL	TN	1.12	0.000596	± 2.5	PASS
		VN	TN	-1.48	-0.000787	± 2.5	PASS
		VH	TN	-1.25	-0.000665	± 2.5	PASS
	HCH	VL	TN	-1.88	-0.000986	± 2.5	PASS
		VN	TN	3.58	0.001877	± 2.5	PASS
		VH	TN	4.16	0.002181	± 2.5	PASS
16QAM	LCH	VL	TN	3.01	0.001625	± 2.5	PASS
		VN	TN	-0.87	-0.000470	± 2.5	PASS
		VH	TN	-0.4	-0.000216	± 2.5	PASS
	MCH	VL	TN	0.92	0.000489	± 2.5	PASS
		VN	TN	0.49	0.000261	± 2.5	PASS
		VH	TN	2.61	0.001388	± 2.5	PASS
	HCH	VL	TN	-0.48	-0.000252	± 2.5	PASS
		VN	TN	-0.68	-0.000356	± 2.5	PASS
		VH	TN	-0.75	-0.000393	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	2.89	0.001560	± 2.5	PASS
		VN	-20	4.84	0.002613	± 2.5	PASS
		VN	-10	1.02	0.000551	± 2.5	PASS
		VN	0	-0.03	-0.000016	± 2.5	PASS
		VN	10	3.06	0.001652	± 2.5	PASS
		VN	20	-0.29	-0.000157	± 2.5	PASS
		VN	30	2.95	0.001592	± 2.5	PASS
		VN	40	-0.35	-0.000189	± 2.5	PASS
		VN	50	-1.99	-0.001074	± 2.5	PASS
	MCH	VN	-30	-0.59	-0.000314	± 2.5	PASS
		VN	-20	-0.85	-0.000452	± 2.5	PASS
		VN	-10	-0.22	-0.000117	± 2.5	PASS

		VN	0	-0.94	-0.000500	± 2.5	PASS
		VN	10	3.37	0.001793	± 2.5	PASS
		VN	20	4.76	0.002532	± 2.5	PASS
		VN	30	3.02	0.001606	± 2.5	PASS
		VN	40	-0.69	-0.000367	± 2.5	PASS
		VN	50	3.04	0.001617	± 2.5	PASS
	HCH	VN	-30	-0.25	-0.000131	± 2.5	PASS
		VN	-20	2.9	0.001520	± 2.5	PASS
		VN	-10	2.39	0.001253	± 2.5	PASS
		VN	0	3.31	0.001735	± 2.5	PASS
		VN	10	3.26	0.001709	± 2.5	PASS
		VN	20	1.93	0.001012	± 2.5	PASS
		VN	30	2.55	0.001337	± 2.5	PASS
		VN	40	3.87	0.002029	± 2.5	PASS
		VN	50	-0.33	-0.000173	± 2.5	PASS
16QAM	LCH	VN	-30	3.04	0.001641	± 2.5	PASS
		VN	-20	-1.69	-0.000912	± 2.5	PASS
		VN	-10	4.26	0.002300	± 2.5	PASS
		VN	0	0.06	0.000032	± 2.5	PASS
		VN	10	1.96	0.001058	± 2.5	PASS
		VN	20	4.84	0.002613	± 2.5	PASS
		VN	30	4.63	0.002499	± 2.5	PASS
		VN	40	3.08	0.001663	± 2.5	PASS
		VN	50	4.73	0.002553	± 2.5	PASS
	MCH	VN	-30	0.9	0.000479	± 2.5	PASS
		VN	-20	3.67	0.001952	± 2.5	PASS
		VN	-10	-0.71	-0.000378	± 2.5	PASS
		VN	0	2.24	0.001191	± 2.5	PASS
		VN	10	3.35	0.001782	± 2.5	PASS
		VN	20	-0.74	-0.000394	± 2.5	PASS
		VN	30	0.03	0.000016	± 2.5	PASS
		VN	40	-0.11	-0.000059	± 2.5	PASS
		VN	50	0.57	0.000303	± 2.5	PASS
	HCH	VN	-30	2.45	0.001284	± 2.5	PASS
		VN	-20	-1.59	-0.000834	± 2.5	PASS
		VN	-10	2.37	0.001242	± 2.5	PASS
		VN	0	0.77	0.000404	± 2.5	PASS
		VN	10	4.25	0.002228	± 2.5	PASS
		VN	20	3.02	0.001583	± 2.5	PASS
		VN	30	-1.21	-0.000634	± 2.5	PASS
		VN	40	-1.52	-0.000797	± 2.5	PASS

		VN	50	4.1	0.002149	± 2.5	PASS

Channel Bandwidth: 10 MHz

Channel Bandwidth: 10 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	1.64	0.000884	± 2.5	PASS
		VN	TN	4.39	0.002367	± 2.5	PASS
		VH	TN	2.55	0.001375	± 2.5	PASS
	MCH	VL	TN	2.17	0.001154	± 2.5	PASS
		VN	TN	-0.32	-0.000170	± 2.5	PASS
		VH	TN	-1.86	-0.000989	± 2.5	PASS
	HCH	VL	TN	0.81	0.000425	± 2.5	PASS
		VN	TN	1.97	0.001034	± 2.5	PASS
		VH	TN	2.12	0.001113	± 2.5	PASS
16QAM	LCH	VL	TN	-0.51	-0.000275	± 2.5	PASS
		VN	TN	3.53	0.001903	± 2.5	PASS
		VH	TN	-1.63	-0.000879	± 2.5	PASS
	MCH	VL	TN	-1.75	-0.000931	± 2.5	PASS
		VN	TN	0.6	0.000319	± 2.5	PASS
		VH	TN	-1.89	-0.001005	± 2.5	PASS
	HCH	VL	TN	4.76	0.002499	± 2.5	PASS
		VN	TN	1.39	0.000730	± 2.5	PASS
		VH	TN	-0.57	-0.000299	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	-1.39	-0.000749	± 2.5	PASS
		VN	-20	2.69	0.001450	± 2.5	PASS
		VN	-10	-1.75	-0.000943	± 2.5	PASS
		VN	0	2.72	0.001466	± 2.5	PASS
		VN	10	1.8	0.000970	± 2.5	PASS
		VN	20	-0.83	-0.000447	± 2.5	PASS
		VN	30	1.11	0.000598	± 2.5	PASS
		VN	40	1.92	0.001035	± 2.5	PASS
		VN	50	-1.27	-0.000685	± 2.5	PASS
	MCH	VN	-30	0.17	0.000090	± 2.5	PASS
		VN	-20	4.46	0.002372	± 2.5	PASS
		VN	-10	-1.98	-0.001053	± 2.5	PASS
		VN	0	-1.8	-0.000957	± 2.5	PASS

		VN	10	3.25	0.001729	± 2.5	PASS
		VN	20	1.84	0.000979	± 2.5	PASS
		VN	30	3.5	0.001862	± 2.5	PASS
		VN	40	4.18	0.002223	± 2.5	PASS
		VN	50	2.02	0.001074	± 2.5	PASS
	HCH	VN	-30	-1.48	-0.000777	± 2.5	PASS
		VN	-20	4.96	0.002604	± 2.5	PASS
		VN	-10	-0.59	-0.000310	± 2.5	PASS
		VN	0	0.09	0.000047	± 2.5	PASS
		VN	10	3.56	0.001869	± 2.5	PASS
		VN	20	-1.24	-0.000651	± 2.5	PASS
		VN	30	4.94	0.002593	± 2.5	PASS
		VN	40	0.81	0.000425	± 2.5	PASS
		VN	50	-0.76	-0.000399	± 2.5	PASS
16QAM	LCH	VN	-30	0.31	0.000167	± 2.5	PASS
		VN	-20	-0.63	-0.000340	± 2.5	PASS
		VN	-10	-0.01	-0.000005	± 2.5	PASS
		VN	0	3.09	0.001666	± 2.5	PASS
		VN	10	3.21	0.001730	± 2.5	PASS
		VN	20	3.52	0.001898	± 2.5	PASS
		VN	30	0.62	0.000334	± 2.5	PASS
		VN	40	2.56	0.001380	± 2.5	PASS
		VN	50	3.8	0.002049	± 2.5	PASS
	MCH	VN	-30	4.38	0.002330	± 2.5	PASS
		VN	-20	4.85	0.002580	± 2.5	PASS
		VN	-10	-0.87	-0.000463	± 2.5	PASS
		VN	0	1.31	0.000697	± 2.5	PASS
		VN	10	4.35	0.002314	± 2.5	PASS
		VN	20	4.35	0.002314	± 2.5	PASS
		VN	30	1.56	0.000830	± 2.5	PASS
		VN	40	3.21	0.001707	± 2.5	PASS
		VN	50	4.85	0.002580	± 2.5	PASS
	HCH	VN	-30	2.56	0.001344	± 2.5	PASS
		VN	-20	3.23	0.001696	± 2.5	PASS
		VN	-10	4.17	0.002189	± 2.5	PASS
		VN	0	-1.83	-0.000961	± 2.5	PASS
		VN	10	-0.79	-0.000415	± 2.5	PASS
		VN	20	0.55	0.000289	± 2.5	PASS
		VN	30	-1.47	-0.000772	± 2.5	PASS
		VN	40	0.39	0.000205	± 2.5	PASS
		VN	50	3.62	0.001900	± 2.5	PASS

Channel Bandwidth: 15 MHz

Channel Bandwidth: 15 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	3.64	0.001960	± 2.5	PASS
		VN	TN	2.71	0.001459	± 2.5	PASS
		VH	TN	-1.87	-0.001007	± 2.5	PASS
	MCH	VL	TN	3.04	0.001617	± 2.5	PASS
		VN	TN	-1	-0.000532	± 2.5	PASS
		VH	TN	3.96	0.002106	± 2.5	PASS
	HCH	VL	TN	2.53	0.001330	± 2.5	PASS
		VN	TN	4.23	0.002223	± 2.5	PASS
		VH	TN	0.01	0.000005	± 2.5	PASS
16QAM	LCH	VL	TN	-0.32	-0.000172	± 2.5	PASS
		VN	TN	-1.1	-0.000592	± 2.5	PASS
		VH	TN	2.59	0.001394	± 2.5	PASS
	MCH	VL	TN	0.06	0.000032	± 2.5	PASS
		VN	TN	0.51	0.000271	± 2.5	PASS
		VH	TN	-0.21	-0.000112	± 2.5	PASS
	HCH	VL	TN	-0.38	-0.000200	± 2.5	PASS
		VN	TN	3.2	0.001682	± 2.5	PASS
		VH	TN	-0.49	-0.000258	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	1.87	0.001007	± 2.5	PASS
		VN	-20	-0.96	-0.000517	± 2.5	PASS
		VN	-10	3.98	0.002143	± 2.5	PASS
		VN	0	0.59	0.000318	± 2.5	PASS
		VN	10	3.43	0.001847	± 2.5	PASS
		VN	20	4.64	0.002498	± 2.5	PASS
		VN	30	1.31	0.000705	± 2.5	PASS
		VN	40	1.03	0.000555	± 2.5	PASS
		VN	50	0.31	0.000167	± 2.5	PASS
	MCH	VN	-30	-0.04	-0.000021	± 2.5	PASS
		VN	-20	-1.85	-0.000984	± 2.5	PASS
		VN	-10	1.7	0.000904	± 2.5	PASS
		VN	0	-0.46	-0.000245	± 2.5	PASS
		VN	10	2.86	0.001521	± 2.5	PASS

		VN	20	-1.1	-0.000585	± 2.5	PASS
		VN	30	-1.43	-0.000761	± 2.5	PASS
		VN	40	-1.8	-0.000957	± 2.5	PASS
		VN	50	0.14	0.000074	± 2.5	PASS
	HCH	VN	-30	0.1	0.000053	± 2.5	PASS
		VN	-20	-1.5	-0.000788	± 2.5	PASS
		VN	-10	3.56	0.001871	± 2.5	PASS
		VN	0	2.77	0.001456	± 2.5	PASS
		VN	10	-1.56	-0.000820	± 2.5	PASS
		VN	20	-0.43	-0.000226	± 2.5	PASS
		VN	30	3.25	0.001708	± 2.5	PASS
		VN	40	2.03	0.001067	± 2.5	PASS
		VN	50	-1.66	-0.000873	± 2.5	PASS
16QAM	LCH	VN	-30	3.81	0.002051	± 2.5	PASS
		VN	-20	0.53	0.000285	± 2.5	PASS
		VN	-10	0.06	0.000032	± 2.5	PASS
		VN	0	-1.26	-0.000678	± 2.5	PASS
		VN	10	1.76	0.000948	± 2.5	PASS
		VN	20	4.81	0.002590	± 2.5	PASS
		VN	30	0.93	0.000501	± 2.5	PASS
		VN	40	1.14	0.000614	± 2.5	PASS
		VN	50	-1.55	-0.000834	± 2.5	PASS
	MCH	VN	-30	3.4	0.001809	± 2.5	PASS
		VN	-20	-0.1	-0.000053	± 2.5	PASS
		VN	-10	1.68	0.000894	± 2.5	PASS
		VN	0	2.27	0.001207	± 2.5	PASS
		VN	10	-0.14	-0.000074	± 2.5	PASS
		VN	20	-0.59	-0.000314	± 2.5	PASS
		VN	30	3.87	0.002059	± 2.5	PASS
		VN	40	3.9	0.002074	± 2.5	PASS
		VN	50	1.36	0.000723	± 2.5	PASS
	HCH	VN	-30	3.5	0.001840	± 2.5	PASS
		VN	-20	-0.56	-0.000294	± 2.5	PASS
		VN	-10	-0.77	-0.000405	± 2.5	PASS
		VN	0	0.55	0.000289	± 2.5	PASS
		VN	10	-1.05	-0.000552	± 2.5	PASS
		VN	20	0.96	0.000505	± 2.5	PASS
		VN	30	4.84	0.002544	± 2.5	PASS
		VN	40	3.15	0.001656	± 2.5	PASS
		VN	50	0.92	0.000484	± 2.5	PASS

Channel Bandwidth: 20 MHz

Channel Bandwidth: 20 MHz							
Voltage							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VL	TN	4.83	0.002597	± 2.5	PASS
		VN	TN	4.66	0.002505	± 2.5	PASS
		VH	TN	-1.61	-0.000866	± 2.5	PASS
	MCH	VL	TN	2.14	0.001138	± 2.5	PASS
		VN	TN	0.19	0.000101	± 2.5	PASS
		VH	TN	0.82	0.000436	± 2.5	PASS
	HCH	VL	TN	3.3	0.001737	± 2.5	PASS
		VN	TN	0.67	0.000353	± 2.5	PASS
		VH	TN	1.59	0.000837	± 2.5	PASS
16QAM	LCH	VL	TN	4.01	0.002156	± 2.5	PASS
		VN	TN	2.4	0.001290	± 2.5	PASS
		VH	TN	-0.81	-0.000435	± 2.5	PASS
	MCH	VL	TN	3.33	0.001771	± 2.5	PASS
		VN	TN	4.69	0.002495	± 2.5	PASS
		VH	TN	1.45	0.000771	± 2.5	PASS
	HCH	VL	TN	0.74	0.000389	± 2.5	PASS
		VN	TN	-0.78	-0.000411	± 2.5	PASS
		VH	TN	3.17	0.001668	± 2.5	PASS
Temperature							
Modulation	Channel	Voltage [Vdc]	Temperature (℃)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
QPSK	LCH	VN	-30	0.17	0.000091	± 2.5	PASS
		VN	-20	1.1	0.000591	± 2.5	PASS
		VN	-10	2.87	0.001543	± 2.5	PASS
		VN	0	2.83	0.001522	± 2.5	PASS
		VN	10	3.89	0.002091	± 2.5	PASS
		VN	20	4.67	0.002511	± 2.5	PASS
		VN	30	1.37	0.000737	± 2.5	PASS
		VN	40	1.21	0.000651	± 2.5	PASS
		VN	50	2.13	0.001145	± 2.5	PASS
	MCH	VN	-30	-0.5	-0.000266	± 2.5	PASS
		VN	-20	-0.83	-0.000441	± 2.5	PASS
		VN	-10	-2	-0.001064	± 2.5	PASS
		VN	0	1.61	0.000856	± 2.5	PASS
		VN	10	2.32	0.001234	± 2.5	PASS
		VN	20	0.6	0.000319	± 2.5	PASS

		VN	30	4.74	0.002521	± 2.5	PASS
		VN	40	-1.65	-0.000878	± 2.5	PASS
		VN	50	4.85	0.002580	± 2.5	PASS
	HCH	VN	-30	-0.69	-0.000363	± 2.5	PASS
		VN	-20	0.62	0.000326	± 2.5	PASS
		VN	-10	-1.73	-0.000911	± 2.5	PASS
		VN	0	1.32	0.000695	± 2.5	PASS
		VN	10	-1.72	-0.000905	± 2.5	PASS
		VN	20	1.11	0.000584	± 2.5	PASS
		VN	30	0.47	0.000247	± 2.5	PASS
		VN	40	2.31	0.001216	± 2.5	PASS
		VN	50	4.43	0.002332	± 2.5	PASS
16QAM	LCH	VN	-30	0.45	0.000242	± 2.5	PASS
		VN	-20	2.25	0.001210	± 2.5	PASS
		VN	-10	4.2	0.002258	± 2.5	PASS
		VN	0	0.37	0.000199	± 2.5	PASS
		VN	10	4.5	0.002419	± 2.5	PASS
		VN	20	0.32	0.000172	± 2.5	PASS
		VN	30	-1.17	-0.000629	± 2.5	PASS
		VN	40	4.96	0.002667	± 2.5	PASS
		VN	50	2.22	0.001194	± 2.5	PASS
	MCH	VN	-30	-0.95	-0.000505	± 2.5	PASS
		VN	-20	2.56	0.001362	± 2.5	PASS
		VN	-10	-1.49	-0.000793	± 2.5	PASS
		VN	0	0.16	0.000085	± 2.5	PASS
		VN	10	1.2	0.000638	± 2.5	PASS
		VN	20	-1.09	-0.000580	± 2.5	PASS
		VN	30	3.8	0.002021	± 2.5	PASS
		VN	40	4	0.002128	± 2.5	PASS
		VN	50	3.69	0.001963	± 2.5	PASS
	HCH	VN	-30	0.94	0.000495	± 2.5	PASS
		VN	-20	3.62	0.001905	± 2.5	PASS
		VN	-10	2.59	0.001363	± 2.5	PASS
		VN	0	4.42	0.002326	± 2.5	PASS
		VN	10	3.92	0.002063	± 2.5	PASS
		VN	20	-0.11	-0.000058	± 2.5	PASS
		VN	30	-1.31	-0.000689	± 2.5	PASS
		VN	40	3.02	0.001589	± 2.5	PASS
		VN	50	0.44	0.000232	± 2.5	PASS