



16.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	708.025	3.38	30	26.62	Pass	401
716	716.1	0.03	RMS	716.011	-36.74	-13	23.74	Pass	401
716.1	725	0.1	RMS	716.1	-32.66	-13	19.66	Pass	401




16.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	715.4	19.22	30	10.78	Pass	401
716	716.1	0.03	RMS	716.001	-23.03	-13	10.03	Pass	401
716.1	725	0.1	RMS	716.1	-20.57	-13	7.57	Pass	401



16.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
706	716	0.1	RMS	707.25	2.49	30	27.51	Pass	401
716	716.1	0.03	RMS	716.007	-37.56	-13	24.56	Pass	401
716.1	725	0.1	RMS	716.1	-34.04	-13	21.04	Pass	401



17. LTE_Band25


17.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26047,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-38.7	-13	25.7	Pass	401
1848	1849	1	RMS	1849	-35.97	-13	22.97	Pass	2
1849	1850	0.02	RMS	1850	-23.69	-13	10.69	Pass	401
1850	1852	0.1	RMS	1850.26	20.1	30	9.9	Pass	401




**17.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26047,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-30.23	-13	17.23	Pass	401
1848	1849	1	RMS	1849	-25.74	-13	12.74	Pass	2
1849	1850	0.02	RMS	1850	-31.06	-13	18.06	Pass	401
1850	1852	0.1	RMS	1850.78	11.82	30	18.18	Pass	401




17.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-39.25	-13	26.25	Pass	401
1848	1849	1	RMS	1849	-36.94	-13	23.94	Pass	2
1849	1850	0.02	RMS	1850	-24.45	-13	11.45	Pass	401
1850	1852	0.1	RMS	1850.265	19.16	30	10.84	Pass	401




**17.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26047,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.66	-13	19.66	Pass	401
1848	1849	1	RMS	1849	-26.89	-13	13.89	Pass	2
1849	1850	0.02	RMS	1850	-32.05	-13	19.05	Pass	401
1850	1852	0.1	RMS	1850.61	10.84	30	19.16	Pass	401




**17.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:26683,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.75	20.23	30	9.77	Pass	401
1915	1916	0.02	RMS	1915	-22.47	-13	9.47	Pass	401
1916	1917	1	RMS	1916	-35.67	-13	22.67	Pass	2
1917	1925	1	RMS	1917	-38.5	-13	25.5	Pass	401




**17.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:26683,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.25	11.82	30	18.18	Pass	401
1915	1916	0.02	RMS	1915	-30.32	-13	17.32	Pass	401
1916	1917	1	RMS	1916	-25.73	-13	12.73	Pass	2
1917	1925	1	RMS	1917	-33.05	-13	20.05	Pass	401




**17.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:26683,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.75 5	19.06	30	10.94	Pass	401
1915	1916	0.02	RMS	1915.00 3	-23.92	-13	10.92	Pass	401
1916	1917	1	RMS	1916	-36.56	-13	23.56	Pass	2
1917	1925	1	RMS	1917	-39.15	-13	26.15	Pass	401




**17.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:26683,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.315	10.92	30	19.08	Pass	401
1915	1916	0.02	RMS	1915	-32	-13	19	Pass	401
1916	1917	1	RMS	1916	-27.3	-13	14.3	Pass	2
1917	1925	1	RMS	1917	-34.26	-13	21.26	Pass	401




17.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1845.26	-39.93	-13	26.93	Pass	401
1848	1849	1	RMS	1849	-36.98	-13	23.98	Pass	2
1849	1850	0.03	RMS	1850	-22.07	-13	9.07	Pass	401
1850	1853	0.1	RMS	1850.24	20.19	30	9.81	Pass	401




17.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-28.74	-13	15.74	Pass	401
1848	1849	1	RMS	1849	-26.3	-13	13.3	Pass	2
1849	1850	0.03	RMS	1850	-34.28	-13	21.28	Pass	401
1850	1853	0.1	RMS	1851.44	7.97	30	22.03	Pass	401




17.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1845.2	-40.45	-13	27.45	Pass	401
1848	1849	1	RMS	1849	-37.84	-13	24.84	Pass	2
1849	1850	0.03	RMS	1850	-22.87	-13	9.87	Pass	401
1850	1853	0.1	RMS	1850.233	19.25	30	10.75	Pass	401




17.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-29.78	-13	16.78	Pass	401
1848	1849	1	RMS	1849	-27.04	-13	14.04	Pass	2
1849	1850	0.03	RMS	1850	-35.66	-13	22.66	Pass	401
1850	1853	0.1	RMS	1851.253	6.92	30	23.08	Pass	401




17.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	20.25	30	9.75	Pass	401
1915	1916	0.03	RMS	1915	-21.09	-13	8.09	Pass	401
1916	1917	1	RMS	1916	-37.09	-13	24.09	Pass	2
1917	1925	1	RMS	1919.78	-41.04	-13	28.04	Pass	401




17.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.065	8.11	30	21.89	Pass	401
1915	1916	0.03	RMS	1915	-34.18	-13	21.18	Pass	401
1916	1917	1	RMS	1916	-24.97	-13	11.97	Pass	2
1917	1925	1	RMS	1917	-28.71	-13	15.71	Pass	401



17.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.76	19.22	30	10.78	Pass	401
1915	1916	0.03	RMS	1915	-23.35	-13	10.35	Pass	35
1916	1917	1	RMS	1916	-36.92	-13	23.92	Pass	2
1917	1925	1	RMS	1917	-41.13	-13	28.13	Pass	401




17.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.613	6.91	30	23.09	Pass	401
1915	1916	0.03	RMS	1915	-35	-13	22	Pass	401
1916	1917	1	RMS	1916	-25.8	-13	12.8	Pass	2
1917	1925	1	RMS	1917	-29.9	-13	16.9	Pass	401




17.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.81	-13	27.81	Pass	401
1848	1849	1	RMS	1849	-35.85	-13	22.85	Pass	2
1849	1850	0.051	RMS	1850	-14.39	-13	1.39	Pass*	401
1850	1855	0.1	RMS	1850.338	19.85	30	10.15	Pass	401




17.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-28.68	-13	15.68	Pass	401
1848	1849	1	RMS	1849	-27.74	-13	14.74	Pass	2
1849	1850	0.051	RMS	1850	-26.81	-13	13.81	Pass	401
1850	1855	0.1	RMS	1851.675	5.66	30	24.34	Pass	401




17.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.24	-13	28.24	Pass	401
1848	1849	1	RMS	1849	-36.46	-13	23.46	Pass	2
1849	1850	0.051	RMS	1850	-14.87	-13	1.87	Pass*	401
1850	1855	0.1	RMS	1850.338	19.06	30	10.94	Pass	401




17.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-29.74	-13	16.74	Pass	401
1848	1849	1	RMS	1849	-28.76	-13	15.76	Pass	2
1849	1850	0.051	RMS	1850	-27.89	-13	14.89	Pass	401
1850	1855	0.1	RMS	1853.313	4.68	30	25.32	Pass	401



17.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	20.1	30	9.9	Pass	401
1915	1916	0.051	RMS	1915	-14.54	-13	1.54	Pass*	401
1916	1917	1	RMS	1916	-36.47	-13	23.47	Pass	2
1917	1925	1	RMS	1917	-41.19	-13	28.19	Pass	401




17.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.888	5.71	30	24.29	Pass	401
1915	1916	0.051	RMS	1915.008	-27.51	-13	14.51	Pass	401
1916	1917	1	RMS	1916	-26.08	-13	13.08	Pass	2
1917	1925	1	RMS	1917	-27.89	-13	14.89	Pass	401




17.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	19.16	30	10.84	Pass	401
1915	1916	0.051	RMS	1915	-14.1	-13	1.1	Pass*	401
1916	1917	1	RMS	1916	-36.51	-13	23.51	Pass	2
1917	1925	1	RMS	1917.1	-41.21	-13	28.21	Pass	401




17.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1912.288	4.75	30	25.25	Pass	401
1915	1916	0.051	RMS	1915	-28.36	-13	15.36	Pass	401
1916	1917	1	RMS	1916	-27.42	-13	14.42	Pass	2
1917	1925	1	RMS	1917	-29.28	-13	16.28	Pass	401




**17.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.51	-13	28.51	Pass	401
1848	1849	1	RMS	1849	-30.69	-13	17.69	Pass	2
1849	1850	0.1	RMS	1849.998	-17.41	-13	4.41	Pass*	401
1850	1860	0.1	RMS	1850.6	20.08	30	9.92	Pass	401




17.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.04	-13	18.04	Pass	401
1848	1849	1	RMS	1849	-30.84	-13	17.84	Pass	2
1849	1850	0.1	RMS	1849.998	-31.43	-13	18.43	Pass	401
1850	1860	0.1	RMS	1858	2.86	30	27.14	Pass	401




**17.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26090,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-42.29	-13	29.29	Pass	401
1848	1849	1	RMS	1849	-31.62	-13	18.62	Pass	2
1849	1850	0.1	RMS	1849.998	-18.38	-13	5.38	Pass*	401
1850	1860	0.1	RMS	1850.6	19.21	30	10.79	Pass	401




**17.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26090,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-31.68	-13	18.68	Pass	401
1848	1849	1	RMS	1849	-31.56	-13	18.56	Pass	2
1849	1850	0.1	RMS	1849.99 5	-32.94	-13	19.94	Pass	401
1850	1860	0.1	RMS	1858.37 5	1.78	30	28.22	Pass	401




17.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	20.17	30	9.83	Pass	401
1915	1916	0.1	RMS	1915	-16.9	-13	3.9	Pass*	401
1916	1917	1	RMS	1916	-30.76	-13	17.76	Pass	2
1917	1925	1	RMS	1917	-42.72	-13	29.72	Pass	401




17.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1907	2.77	30	27.23	Pass	401
1915	1916	0.1	RMS	1915.005	-32.29	-13	19.29	Pass	401
1916	1917	1	RMS	1916	-28.59	-13	15.59	Pass	2
1917	1925	1	RMS	1917	-29.26	-13	16.26	Pass	401




17.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.425	18.92	30	11.08	Pass	401
1915	1916	0.1	RMS	1915	-18.04	-13	5.04	Pass*	401
1916	1917	1	RMS	1916	-31.94	-13	18.94	Pass	2
1917	1925	1	RMS	1917	-43.34	-13	30.34	Pass	401




17.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1906.225	1.93	30	28.07	Pass	401
1915	1916	0.1	RMS	1915	-33.15	-13	20.15	Pass	401
1916	1917	1	RMS	1916	-29.91	-13	16.91	Pass	2
1917	1925	1	RMS	1917	-30.55	-13	17.55	Pass	401




17.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.74	-13	28.74	Pass	401
1848	1849	1	RMS	1849	-27.71	-13	14.71	Pass	2
1849	1850	0.15	RMS	1850	-18.1	-13	5.1	Pass*	401
1850	1865	0.1	RMS	1850.825	19.97	30	10.03	Pass	401




17.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.2	-30.89	-13	17.89	Pass	401
1848	1849	1	RMS	1849	-30.92	-13	17.92	Pass	2
1849	1850	0.15	RMS	1849.998	-33.59	-13	20.59	Pass	401
1850	1865	0.1	RMS	1863.388	1.4	30	28.6	Pass	401




17.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.61	-13	28.61	Pass	401
1848	1849	1	RMS	1849	-28.09	-13	15.09	Pass	2
1849	1850	0.15	RMS	1850	-18.52	-13	5.52	Pass*	401
1850	1865	0.1	RMS	1850.863	19	30	11	Pass	401




17.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.3	-32.93	-13	19.93	Pass	401
1848	1849	1	RMS	1849	-32.86	-13	19.86	Pass	2
1849	1850	0.15	RMS	1849.998	-34.41	-13	21.41	Pass	401
1850	1865	0.1	RMS	1863.238	0.35	30	29.65	Pass	401




17.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	20.07	30	9.93	Pass	401
1915	1916	0.15	RMS	1915	-18.6	-13	5.6	Pass*	401
1916	1917	1	RMS	1916	-28.54	-13	15.54	Pass	2
1917	1925	1	RMS	1917	-43	-13	30	Pass	401




17.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1900.863	1.62	30	28.38	Pass	401
1915	1916	0.15	RMS	1915.01	-32.55	-13	19.55	Pass	401
1916	1917	1	RMS	1916	-28.69	-13	15.69	Pass	2
1917	1925	1	RMS	1917.84	-29.22	-13	16.22	Pass	401




17.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	18.93	30	11.07	Pass	401
1915	1916	0.15	RMS	1915.008	-19.47	-13	6.47	Pass	401
1916	1917	1	RMS	1916	-29.12	-13	16.12	Pass	2
1917	1925	1	RMS	1917.04	-40.69	-13	27.69	Pass	401




17.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1901.05	0.69	30	29.31	Pass	401
1915	1916	0.15	RMS	1915	-34.19	-13	21.19	Pass	401
1916	1917	1	RMS	1916	-31.57	-13	18.57	Pass	2
1917	1925	1	RMS	1917.66	-32.21	-13	19.21	Pass	401




17.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.07	-13	30.07	Pass	401
1848	1849	1	RMS	1849	-31.59	-13	18.59	Pass	2
1849	1850	0.2	RMS	1849.998	-21.22	-13	8.22	Pass	401
1850	1870	0.1	RMS	1851.1	19.8	30	10.2	Pass	401




17.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-33.06	-13	20.06	Pass	401
1848	1849	1	RMS	1849	-32.19	-13	19.19	Pass	2
1849	1850	0.2	RMS	1849.995	-36.1	-13	23.1	Pass	401
1850	1870	0.1	RMS	1865.85	-0.05	30	30.05	Pass	401




17.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-43.08	-13	30.08	Pass	401
1848	1849	1	RMS	1849	-31.43	-13	18.43	Pass	2
1849	1850	0.2	RMS	1849.998	-21.4	-13	8.4	Pass	401
1850	1870	0.1	RMS	1851.1	18.95	30	11.05	Pass	401




17.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-33.86	-13	20.86	Pass	401
1848	1849	1	RMS	1849	-33.31	-13	20.31	Pass	2
1849	1850	0.2	RMS	1849.993	-36.98	-13	23.98	Pass	401
1850	1870	0.1	RMS	1866.45	-1.09	30	31.09	Pass	401




17.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.8	30	10.2	Pass	401
1915	1916	0.2	RMS	1915.003	-21.34	-13	8.34	Pass	401
1916	1917	1	RMS	1916	-31.97	-13	18.97	Pass	2
1917	1925	1	RMS	1917	-44.15	-13	31.15	Pass	401




17.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1901.25	0.12	30	29.88	Pass	401
1915	1916	0.2	RMS	1915.003	-36.42	-13	23.42	Pass	401
1916	1917	1	RMS	1916	-33.06	-13	20.06	Pass	2
1917	1925	1	RMS	1917.06	-33.82	-13	20.82	Pass	401




17.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	18.51	30	11.49	Pass	401
1915	1916	0.2	RMS	1915	-21.95	-13	8.95	Pass	401
1916	1917	1	RMS	1916	-32.4	-13	19.4	Pass	2
1917	1925	1	RMS	1917	-44.07	-13	31.07	Pass	401



17.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1899.65	-0.58	30	30.58	Pass	401
1915	1916	0.2	RMS	1915.01	-37.55	-13	24.55	Pass	401
1916	1917	1	RMS	1916	-34.03	-13	21.03	Pass	2
1917	1925	1	RMS	1917.04	-34.74	-13	21.74	Pass	401



18. LTE_Band26(part22)


18.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-47.36	-13	34.36	Pass	401
823	824	0.02	RMS	824	-22.25	-13	9.25	Pass	401
824	826	0.1	RMS	824.255	20.53	30	9.47	Pass	401




18.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-33.86	-13	20.86	Pass	401
823	824	0.02	RMS	824	-29.42	-13	16.42	Pass	401
824	826	0.1	RMS	824.515	12.15	30	17.85	Pass	401




18.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.7	-48.54	-13	35.54	Pass	401
823	824	0.02	RMS	824	-23.89	-13	10.89	Pass	401
824	826	0.1	RMS	824.255	19.39	30	10.61	Pass	401




**18.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-36.83	-13	23.83	Pass	401
823	824	0.02	RMS	824	-30.65	-13	17.65	Pass	401
824	826	0.1	RMS	824.715	11.21	30	18.79	Pass	401




**18.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	20.44	30	9.56	Pass	401
849	850	0.02	RMS	849	-20.24	-13	7.24	Pass	401
850	860	0.1	RMS	850	-50.15	-13	37.15	Pass	401




18.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	847.955	12.12	30	17.88	Pass	401
849	850	0.02	RMS	849	-29.19	-13	16.19	Pass	401
850	860	0.1	RMS	850	-35.01	-13	22.01	Pass	401




**18.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.735	19.33	30	10.67	Pass	401
849	850	0.02	RMS	849	-23.36	-13	10.36	Pass	401
850	860	0.1	RMS	850	-50.39	-13	37.39	Pass	401



18.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.155	11.25	30	18.75	Pass	401
849	850	0.02	RMS	849.003	-31.61	-13	18.61	Pass	401
850	860	0.1	RMS	850	-38	-13	25	Pass	401



18.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-47.89	-13	34.89	Pass	401
823	824	0.03	RMS	824	-21.02	-13	8.02	Pass	401
824	827	0.1	RMS	824.233	20.56	30	9.44	Pass	401

