

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
Band41	5	39675	1	#0	QPSK	22.65	-3.09	19.56	33.01	Pass
Band41	5	39675	1	#Mid	QPSK	22.65	-3.09	19.56	33.01	Pass
Band41	5	39675	1	#Max	QPSK	22.68	-3.09	19.59	33.01	Pass
Band41	5	39675	12	#0	QPSK	21.51	-3.09	18.42	33.01	Pass
Band41	5	39675	12	#Mid	QPSK	21.49	-3.09	18.40	33.01	Pass
Band41	5	39675	12	#Max	QPSK	21.49	-3.09	18.40	33.01	Pass
Band41	5	39675	25	#0	QPSK	21.55	-3.09	18.46	33.01	Pass
Band41	5	39675	1	#0	QAM16	22.09	-3.09	19.00	33.01	Pass
Band41	5	39675	1	#Mid	QAM16	22.09	-3.09	19.00	33.01	Pass
Band41	5	39675	1	#Max	QAM16	22.14	-3.09	19.05	33.01	Pass
Band41	5	39675	12	#0	QAM16	20.52	-3.09	17.43	33.01	Pass
Band41	5	39675	12	#Mid	QAM16	20.50	-3.09	17.41	33.01	Pass
Band41	5	39675	12	#Max	QAM16	20.50	-3.09	17.41	33.01	Pass
Band41	5	39675	25	#0	QAM16	20.48	-3.09	17.39	33.01	Pass
Band41	5	40620	1	#0	QPSK	22.65	-3.09	19.56	33.01	Pass
Band41	5	40620	1	#Mid	QPSK	22.68	-3.09	19.59	33.01	Pass
Band41	5	40620	1	#Max	QPSK	22.66	-3.09	19.57	33.01	Pass
Band41	5	40620	12	#0	QPSK	21.67	-3.09	18.58	33.01	Pass
Band41	5	40620	12	#Mid	QPSK	21.60	-3.09	18.51	33.01	Pass
Band41	5	40620	12	#Max	QPSK	21.59	-3.09	18.50	33.01	Pass
Band41	5	40620	25	#0	QPSK	21.67	-3.09	18.58	33.01	Pass
Band41	5	40620	1	#0	QAM16	21.96	-3.09	18.87	33.01	Pass
Band41	5	40620	1	#Mid	QAM16	21.97	-3.09	18.88	33.01	Pass
Band41	5	40620	1	#Max	QAM16	21.98	-3.09	18.89	33.01	Pass
Band41	5	40620	12	#0	QAM16	20.66	-3.09	17.57	33.01	Pass
Band41	5	40620	12	#Mid	QAM16	20.58	-3.09	17.49	33.01	Pass
Band41	5	40620	12	#Max	QAM16	20.61	-3.09	17.52	33.01	Pass
Band41	5	40620	25	#0	QAM16	20.70	-3.09	17.61	33.01	Pass
Band41	5	41565	1	#0	QPSK	21.64	-3.09	18.55	33.01	Pass
Band41	5	41565	1	#Mid	QPSK	21.45	-3.09	18.36	33.01	Pass
Band41	5	41565	1	#Max	QPSK	21.53	-3.09	18.44	33.01	Pass
Band41	5	41565	12	#0	QPSK	21.54	-3.09	18.45	33.01	Pass
Band41	5	41565	12	#Mid	QPSK	21.50	-3.09	18.41	33.01	Pass
Band41	5	41565	12	#Max	QPSK	21.52	-3.09	18.43	33.01	Pass
Band41	5	41565	25	#0	QPSK	21.57	-3.09	18.48	33.01	Pass
Band41	5	41565	1	#0	QAM16	21.82	-3.09	18.73	33.01	Pass
Band41	5	41565	1	#Mid	QAM16	21.71	-3.09	18.62	33.01	Pass

Band41	5	41565	1	#Max	QAM16	21.82	-3.09	18.73	33.01	Pass
Band41	5	41565	12	#0	QAM16	20.60	-3.09	17.51	33.01	Pass
Band41	5	41565	12	#Mid	QAM16	20.59	-3.09	17.50	33.01	Pass
Band41	5	41565	12	#Max	QAM16	20.67	-3.09	17.58	33.01	Pass
Band41	5	41565	25	#0	QAM16	20.58	-3.09	17.49	33.01	Pass
Band41	10	39700	1	#0	QPSK	22.60	-3.09	19.51	33.01	Pass
Band41	10	39700	1	#Mid	QPSK	22.57	-3.09	19.48	33.01	Pass
Band41	10	39700	1	#Max	QPSK	22.64	-3.09	19.55	33.01	Pass
Band41	10	39700	25	#0	QPSK	21.58	-3.09	18.49	33.01	Pass
Band41	10	39700	25	#Mid	QPSK	21.61	-3.09	18.52	33.01	Pass
Band41	10	39700	25	#Max	QPSK	21.62	-3.09	18.53	33.01	Pass
Band41	10	39700	50	#0	QPSK	21.59	-3.09	18.50	33.01	Pass
Band41	10	39700	1	#0	QAM16	22.07	-3.09	18.98	33.01	Pass
Band41	10	39700	1	#Mid	QAM16	22.07	-3.09	18.98	33.01	Pass
Band41	10	39700	1	#Max	QAM16	22.13	-3.09	19.04	33.01	Pass
Band41	10	39700	25	#0	QAM16	20.58	-3.09	17.49	33.01	Pass
Band41	10	39700	25	#Mid	QAM16	20.61	-3.09	17.52	33.01	Pass
Band41	10	39700	25	#Max	QAM16	20.62	-3.09	17.53	33.01	Pass
Band41	10	39700	50	#0	QAM16	20.62	-3.09	17.53	33.01	Pass
Band41	10	40620	1	#0	QPSK	22.69	-3.09	19.60	33.01	Pass
Band41	10	40620	1	#Mid	QPSK	22.72	-3.09	19.63	33.01	Pass
Band41	10	40620	1	#Max	QPSK	22.71	-3.09	19.62	33.01	Pass
Band41	10	40620	25	#0	QPSK	21.72	-3.09	18.63	33.01	Pass
Band41	10	40620	25	#Mid	QPSK	21.71	-3.09	18.62	33.01	Pass
Band41	10	40620	25	#Max	QPSK	21.69	-3.09	18.60	33.01	Pass
Band41	10	40620	50	#0	QPSK	21.71	-3.09	18.62	33.01	Pass
Band41	10	40620	1	#0	QAM16	21.87	-3.09	18.78	33.01	Pass
Band41	10	40620	1	#Mid	QAM16	21.88	-3.09	18.79	33.01	Pass
Band41	10	40620	1	#Max	QAM16	21.85	-3.09	18.76	33.01	Pass
Band41	10	40620	25	#0	QAM16	20.70	-3.09	17.61	33.01	Pass
Band41	10	40620	25	#Mid	QAM16	20.69	-3.09	17.60	33.01	Pass
Band41	10	40620	25	#Max	QAM16	20.67	-3.09	17.58	33.01	Pass
Band41	10	40620	50	#0	QAM16	20.71	-3.09	17.62	33.01	Pass
Band41	10	41540	1	#0	QPSK	21.30	-3.09	18.21	33.01	Pass
Band41	10	41540	1	#Mid	QPSK	21.18	-3.09	18.09	33.01	Pass
Band41	10	41540	1	#Max	QPSK	21.32	-3.09	18.23	33.01	Pass
Band41	10	41540	25	#0	QPSK	21.24	-3.09	18.15	33.01	Pass
Band41	10	41540	25	#Mid	QPSK	21.20	-3.09	18.11	33.01	Pass
Band41	10	41540	25	#Max	QPSK	21.24	-3.09	18.15	33.01	Pass
Band41	10	41540	50	#0	QPSK	21.22	-3.09	18.13	33.01	Pass
Band41	10	41540	1	#0	QAM16	21.12	-3.09	18.03	33.01	Pass
Band41	10	41540	1	#Mid	QAM16	21.04	-3.09	17.95	33.01	Pass
Band41	10	41540	1	#Max	QAM16	21.19	-3.09	18.10	33.01	Pass
Band41	10	41540	25	#0	QAM16	20.60	-3.09	17.51	33.01	Pass

Band41	10	41540	25	#Mid	QAM16	20.57	-3.09	17.48	33.01	Pass
Band41	10	41540	25	#Max	QAM16	20.63	-3.09	17.54	33.01	Pass
Band41	10	41540	50	#0	QAM16	20.60	-3.09	17.51	33.01	Pass
Band41	15	39725	1	#0	QPSK	22.60	-3.09	19.51	33.01	Pass
Band41	15	39725	1	#Mid	QPSK	22.64	-3.09	19.55	33.01	Pass
Band41	15	39725	1	#Max	QPSK	22.63	-3.09	19.54	33.01	Pass
Band41	15	39725	36	#0	QPSK	21.54	-3.09	18.45	33.01	Pass
Band41	15	39725	36	#Mid	QPSK	21.60	-3.09	18.51	33.01	Pass
Band41	15	39725	36	#Max	QPSK	21.59	-3.09	18.50	33.01	Pass
Band41	15	39725	75	#0	QPSK	21.60	-3.09	18.51	33.01	Pass
Band41	15	39725	1	#0	QAM16	22.07	-3.09	18.98	33.01	Pass
Band41	15	39725	1	#Mid	QAM16	22.15	-3.09	19.06	33.01	Pass
Band41	15	39725	1	#Max	QAM16	22.14	-3.09	19.05	33.01	Pass
Band41	15	39725	36	#0	QAM16	20.59	-3.09	17.50	33.01	Pass
Band41	15	39725	36	#Mid	QAM16	20.63	-3.09	17.54	33.01	Pass
Band41	15	39725	36	#Max	QAM16	20.64	-3.09	17.55	33.01	Pass
Band41	15	39725	75	#0	QAM16	20.62	-3.09	17.53	33.01	Pass
Band41	15	40620	1	#0	QPSK	22.74	-3.09	19.65	33.01	Pass
Band41	15	40620	1	#Mid	QPSK	22.79	-3.09	19.70	33.01	Pass
Band41	15	40620	1	#Max	QPSK	22.76	-3.09	19.67	33.01	Pass
Band41	15	40620	36	#0	QPSK	21.71	-3.09	18.62	33.01	Pass
Band41	15	40620	36	#Mid	QPSK	21.70	-3.09	18.61	33.01	Pass
Band41	15	40620	36	#Max	QPSK	21.70	-3.09	18.61	33.01	Pass
Band41	15	40620	75	#0	QPSK	21.70	-3.09	18.61	33.01	Pass
Band41	15	40620	1	#0	QAM16	21.89	-3.09	18.80	33.01	Pass
Band41	15	40620	1	#Mid	QAM16	21.91	-3.09	18.82	33.01	Pass
Band41	15	40620	1	#Max	QAM16	21.89	-3.09	18.80	33.01	Pass
Band41	15	40620	36	#0	QAM16	20.78	-3.09	17.69	33.01	Pass
Band41	15	40620	36	#Mid	QAM16	20.78	-3.09	17.69	33.01	Pass
Band41	15	40620	36	#Max	QAM16	20.79	-3.09	17.70	33.01	Pass
Band41	15	40620	75	#0	QAM16	20.71	-3.09	17.62	33.01	Pass
Band41	15	41515	1	#0	QPSK	21.72	-3.09	18.63	33.01	Pass
Band41	15	41515	1	#Mid	QPSK	21.38	-3.09	18.29	33.01	Pass
Band41	15	41515	1	#Max	QPSK	21.52	-3.09	18.43	33.01	Pass
Band41	15	41515	36	#0	QPSK	21.42	-3.09	18.33	33.01	Pass
Band41	15	41515	36	#Mid	QPSK	21.32	-3.09	18.23	33.01	Pass
Band41	15	41515	36	#Max	QPSK	21.32	-3.09	18.23	33.01	Pass
Band41	15	41515	75	#0	QPSK	21.37	-3.09	18.28	33.01	Pass
Band41	15	41515	1	#0	QAM16	21.75	-3.09	18.66	33.01	Pass
Band41	15	41515	1	#Mid	QAM16	21.45	-3.09	18.36	33.01	Pass
Band41	15	41515	1	#Max	QAM16	21.62	-3.09	18.53	33.01	Pass
Band41	15	41515	36	#0	QAM16	20.59	-3.09	17.50	33.01	Pass
Band41	15	41515	36	#Mid	QAM16	20.58	-3.09	17.49	33.01	Pass
Band41	15	41515	36	#Max	QAM16	20.65	-3.09	17.56	33.01	Pass

Band41	15	41515	75	#0	QAM16	20.71	-3.09	17.62	33.01	Pass
Band41	20	39750	1	#0	QPSK	22.55	-3.09	19.46	33.01	Pass
Band41	20	39750	1	#Mid	QPSK	22.63	-3.09	19.54	33.01	Pass
Band41	20	39750	1	#Max	QPSK	22.57	-3.09	19.48	33.01	Pass
Band41	20	39750	50	#0	QPSK	21.63	-3.09	18.54	33.01	Pass
Band41	20	39750	50	#Mid	QPSK	21.66	-3.09	18.57	33.01	Pass
Band41	20	39750	50	#Max	QPSK	21.64	-3.09	18.55	33.01	Pass
Band41	20	39750	100	#0	QPSK	21.64	-3.09	18.55	33.01	Pass
Band41	20	39750	1	#0	QAM16	21.88	-3.09	18.79	33.01	Pass
Band41	20	39750	1	#Mid	QAM16	21.93	-3.09	18.84	33.01	Pass
Band41	20	39750	1	#Max	QAM16	21.88	-3.09	18.79	33.01	Pass
Band41	20	39750	50	#0	QAM16	20.68	-3.09	17.59	33.01	Pass
Band41	20	39750	50	#Mid	QAM16	20.70	-3.09	17.61	33.01	Pass
Band41	20	39750	50	#Max	QAM16	20.66	-3.09	17.57	33.01	Pass
Band41	20	39750	100	#0	QAM16	20.64	-3.09	17.55	33.01	Pass
Band41	20	40620	1	#0	QPSK	22.82	-3.09	19.73	33.01	Pass
Band41	20	40620	1	#Mid	QPSK	22.83	-3.09	19.74	33.01	Pass
Band41	20	40620	1	#Max	QPSK	22.84	-3.09	19.75	33.01	Pass
Band41	20	40620	50	#0	QPSK	21.81	-3.09	18.72	33.01	Pass
Band41	20	40620	50	#Mid	QPSK	21.78	-3.09	18.69	33.01	Pass
Band41	20	40620	50	#Max	QPSK	21.77	-3.09	18.68	33.01	Pass
Band41	20	40620	100	#0	QPSK	21.76	-3.09	18.67	33.01	Pass
Band41	20	40620	1	#0	QAM16	21.99	-3.09	18.90	33.01	Pass
Band41	20	40620	1	#Mid	QAM16	21.97	-3.09	18.88	33.01	Pass
Band41	20	40620	1	#Max	QAM16	22.01	-3.09	18.92	33.01	Pass
Band41	20	40620	50	#0	QAM16	20.78	-3.09	17.69	33.01	Pass
Band41	20	40620	50	#Mid	QAM16	20.73	-3.09	17.64	33.01	Pass
Band41	20	40620	50	#Max	QAM16	20.73	-3.09	17.64	33.01	Pass
Band41	20	40620	100	#0	QAM16	20.75	-3.09	17.66	33.01	Pass
Band41	20	41490	1	#0	QPSK	21.68	-3.09	18.59	33.01	Pass
Band41	20	41490	1	#Mid	QPSK	21.28	-3.09	18.19	33.01	Pass
Band41	20	41490	1	#Max	QPSK	21.27	-3.09	18.18	33.01	Pass
Band41	20	41490	50	#0	QPSK	21.45	-3.09	18.36	33.01	Pass
Band41	20	41490	50	#Mid	QPSK	21.26	-3.09	18.17	33.01	Pass
Band41	20	41490	50	#Max	QPSK	21.16	-3.09	18.07	33.01	Pass
Band41	20	41490	100	#0	QPSK	21.29	-3.09	18.20	33.01	Pass
Band41	20	41490	1	#0	QAM16	21.69	-3.09	18.60	33.01	Pass
Band41	20	41490	1	#Mid	QAM16	21.35	-3.09	18.26	33.01	Pass
Band41	20	41490	1	#Max	QAM16	21.37	-3.09	18.28	33.01	Pass
Band41	20	41490	50	#0	QAM16	20.74	-3.09	17.65	33.01	Pass
Band41	20	41490	50	#Mid	QAM16	20.67	-3.09	17.58	33.01	Pass
Band41	20	41490	50	#Max	QAM16	20.70	-3.09	17.61	33.01	Pass
Band41	20	41490	100	#0	QAM16	20.70	-3.09	17.61	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41	20	39750	100	#0	QPSK	4.42	0.002	-2.5	2.5	PASS
Band41	20	39750	100	#0	QAM16	-3.87	-0.002	-2.5	2.5	PASS
Band41	20	40620	100	#0	QPSK	-0.68	0.000	-2.5	2.5	PASS
Band41	20	40620	100	#0	QAM16	-9.87	-0.004	-2.5	2.5	PASS
Band41	20	41490	100	#0	QPSK	-5.22	-0.002	-2.5	2.5	PASS
Band41	20	41490	100	#0	QAM16	-1.84	-0.001	-2.5	2.5	PASS

Note: (Voltage: 3.78V, Temperature: 25°C) only reflect the worst mode.



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40620	1	#0	QPSK	7.91	13	PASS
Band41	5	40620	1	#0	QAM16	8.30	13	PASS
Band41	10	40620	1	#0	QPSK	8.17	13	PASS
Band41	10	40620	1	#0	QAM16	8.95	13	PASS
Band41	15	40620	1	#0	QPSK	8.32	13	PASS
Band41	15	40620	1	#0	QAM16	8.60	13	PASS
Band41	20	40620	1	#0	QPSK	7.93	13	PASS
Band41	20	40620	1	#0	QAM16	9.61	13	PASS



Band41 QAM16 BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=1 Position=#0

**Band41 QAM16 BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QAM16 BW=5MHz Channel=40620 RB Size=1 Position=#0**

**Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0**


**Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41	5	39675	25	#0	QPSK	4.514	5.417	PASS
Band41	5	39675	25	#0	QAM16	4.510	4.924	PASS
Band41	5	40620	25	#0	QPSK	4.505	5.848	PASS
Band41	5	40620	25	#0	QAM16	4.511	5.321	PASS
Band41	5	41565	25	#0	QPSK	4.500	5.087	PASS
Band41	5	41565	25	#0	QAM16	4.519	4.919	PASS
Band41	10	39700	50	#0	QPSK	8.989	10.233	PASS
Band41	10	39700	50	#0	QAM16	8.985	9.770	PASS
Band41	10	40620	50	#0	QPSK	9.001	10.738	PASS
Band41	10	40620	50	#0	QAM16	8.984	9.701	PASS
Band41	10	41540	50	#0	QPSK	9.017	11.256	PASS
Band41	10	41540	50	#0	QAM16	9.001	9.674	PASS
Band41	15	39725	75	#0	QPSK	13.510	14.363	PASS
Band41	15	39725	75	#0	QAM16	13.457	15.572	PASS
Band41	15	40620	75	#0	QPSK	13.449	14.618	PASS
Band41	15	40620	75	#0	QAM16	13.503	16.099	PASS
Band41	15	41515	75	#0	QPSK	13.479	15.030	PASS
Band41	15	41515	75	#0	QAM16	13.521	15.043	PASS
Band41	20	39750	100	#0	QPSK	17.949	20.616	PASS
Band41	20	39750	100	#0	QAM16	17.910	20.990	PASS
Band41	20	40620	100	#0	QPSK	17.994	19.489	PASS
Band41	20	40620	100	#0	QAM16	17.950	19.174	PASS
Band41	20	41490	100	#0	QPSK	17.946	20.829	PASS
Band41	20	41490	100	#0	QAM16	17.965	21.237	PASS


Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0



Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0





5 Band edge



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2495.00	-17.62	-13	PASS
Band41	5	39675	25	#0	QAM16	2495.00	-16.58	-13	PASS
Band41	5	41565	25	#0	QPSK	2696.06	-33.04	-25	PASS
Band41	5	41565	25	#0	QAM16	2696.39	-31.86	-25	PASS
Band41	10	39700	50	#0	QPSK	2494.77	-22.77	-13	PASS
Band41	10	39700	50	#0	QAM16	2493.88	-25.04	-13	PASS
Band41	10	41540	50	#0	QPSK	2700.51	-35.52	-25	PASS
Band41	10	41540	50	#0	QAM16	2700.28	-36.04	-25	PASS
Band41	15	39725	75	#0	QPSK	2480.36	-39.24	-25	PASS
Band41	15	39725	75	#0	QAM16	2493.91	-25.07	-13	PASS
Band41	15	41515	75	#0	QPSK	2705.08	-36.73	-25	PASS
Band41	15	41515	75	#0	QAM16	2705.30	-36.69	-25	PASS
Band41	20	39750	100	#0	QPSK	2493.14	-29.20	-13	PASS
Band41	20	39750	100	#0	QAM16	2493.44	-29.20	-13	PASS
Band41	20	41490	100	#0	QPSK	2710.12	-39.07	-25	PASS
Band41	20	41490	100	#0	QAM16	2691.01	-23.89	-10	PASS



Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0







Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0



**Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0****Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0**



**Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0****Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0**


**Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0**

**Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0****Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0**

**Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0****Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0**

**Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0****Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0**

**Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0**




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.017	-24.55	-10
2	2691	2695	1000	2691.008	-18.59	-10
3	2695	2696	1000	2695.395	-30.12	-13
4	2696	2700	1000	2696.064	-33.04	-25



6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	3793.60	-42.18	-25	PASS
Band41	5	39675	25	#0	QAM16	2469.25	-38.74	-25	PASS
Band41	5	41565	25	#0	QPSK	3805.75	-42.12	-25	PASS
Band41	5	41565	25	#0	QAM16	3810.48	-42.40	-25	PASS
Band41	10	39700	50	#0	QPSK	3851.20	-42.17	-25	PASS
Band41	10	39700	50	#0	QAM16	3848.05	-41.73	-25	PASS
Band41	10	41540	50	#0	QPSK	3839.95	-41.76	-25	PASS
Band41	10	41540	50	#0	QAM16	2734.30	-39.76	-25	PASS
Band41	15	39725	75	#0	QPSK	3889.45	-42.03	-25	PASS
Band41	15	39725	75	#0	QAM16	3765.25	-41.28	-25	PASS
Band41	15	41515	75	#0	QPSK	3794.28	-42.15	-25	PASS
Band41	15	41515	75	#0	QAM16	3808.68	-41.57	-25	PASS
Band41	20	39750	100	#0	QPSK	3826.23	-40.54	-25	PASS
Band41	20	39750	100	#0	QAM16	3774.93	-41.68	-25	PASS
Band41	20	41490	100	#0	QPSK	3831.85	-41.70	-25	PASS
Band41	20	41490	100	#0	QAM16	3820.38	-41.73	-25	PASS



Band41 QAM16 BW=10MHz Channel=39700 RB Size=50 Position=#0







Band41 QAM16 BW=10MHz Channel=41540 RB Size=50 Position=#0



**Band41 QAM16 BW=15MHz Channel=39725 RB Size=75 Position=#0****Band41 QAM16 BW=15MHz Channel=41515 RB Size=75 Position=#0**



**Band41 QAM16 BW=20MHz Channel=39750 RB Size=100 Position=#0****Band41 QAM16 BW=20MHz Channel=41490 RB Size=100 Position=#0**


**Band41 QAM16 BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QAM16 BW=5MHz Channel=41565 RB Size=25 Position=#0**

**Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0****Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0**

**Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0****Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0**

**Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0****Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0**

**Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0**



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.098066175	-63.61	-25
2	0.15	30	10	0.15970125	-60.4	-25
3	30	1000	100	893.80925	-57.1	-25
4	1000	10000	1000	3805.75	-42.12	-25