

Appendix H

Test Information:

Sample No.:	30YX-1	Test Date:	2025/05/02~2025/05/03
Test Site:	RF	Test Mode:	Transmitting
Tester:	Usain Ou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.3-25.2	Relative Humidity: (%)	36-49	ATM Pressure: (kPa)	100.2-100.5
----------------------	-----------	---------------------------	-------	------------------------	-------------

RF Output Power

FCC Part 96

n77_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.76	10.72	0.012	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	13.65	10.61	0.012	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	13.71	10.67	0.012	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	13.23	10.19	0.010	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	13.61	10.57	0.011	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	13.56	10.52	0.011	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	13.76	10.72	0.012	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	12.75	9.71	0.009	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	11.70	8.66	0.007	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	11.23	8.19	0.007	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	9.28	6.24	0.004	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	12.22	9.18	0.008	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	12.21	9.17	0.008	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	12.17	9.13	0.008	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	10.70	7.66	0.006	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	10.78	7.74	0.006	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	10.30	7.26	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	7.14	4.10	0.003	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.87	10.83	0.012	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	13.92	10.88	0.012	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	14	10.96	0.012	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	13.47	10.43	0.011	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.82	10.78	0.012	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	13.86	10.82	0.012	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	14.01	10.97	0.013	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	12.98	9.94	0.010	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	12.03	8.99	0.008	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	11.46	8.42	0.007	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	9.42	6.38	0.004	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.37	9.33	0.009	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	12.55	9.51	0.009	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	12.45	9.41	0.009	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	11.04	8.00	0.006	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	10.98	7.94	0.006	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	10.39	7.35	0.005	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	7.39	4.35	0.003	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.12	11.08	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	14.17	11.13	0.013	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	14.17	11.13	0.013	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	13.66	10.62	0.012	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	14.12	11.08	0.013	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	14.10	11.06	0.013	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	14.22	11.18	0.013	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	13.20	10.16	0.010	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	12.35	9.31	0.009	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	11.71	8.67	0.007	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	9.71	6.67	0.005	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	12.62	9.58	0.009	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	12.67	9.63	0.009	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	12.69	9.65	0.009	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	11.20	8.16	0.007	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	11.29	8.25	0.007	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	10.66	7.62	0.006	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	7.60	4.56	0.003	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.64	10.60	0.011	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	13.62	10.58	0.011	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	13.68	10.64	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.17	10.13	0.010	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	13.57	10.53	0.011	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	13.51	10.47	0.011	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	13.71	10.67	0.012	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	12.70	9.66	0.009	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	11.66	8.62	0.007	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	11.12	8.08	0.006	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	9.15	6.11	0.004	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	12.16	9.12	0.008	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	12.12	9.08	0.008	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	12.09	9.05	0.008	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	10.70	7.66	0.006	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	10.69	7.65	0.006	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	10.18	7.14	0.005	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	7.02	3.98	0.003	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.81	10.77	0.012	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	13.83	10.79	0.012	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	13.97	10.93	0.012	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.41	10.37	0.011	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.72	10.68	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	13.79	10.75	0.012	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	13.94	10.90	0.012	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	12.93	9.89	0.010	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	11.94	8.90	0.008	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	11.43	8.39	0.007	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	9.49	6.45	0.004	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.27	9.23	0.008	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	12.37	9.33	0.009	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	12.37	9.33	0.009	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	10.97	7.93	0.006	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	11	7.96	0.006	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	10.38	7.34	0.005	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	7.28	4.24	0.003	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.09	11.05	0.013	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	14.08	11.04	0.013	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	14.16	11.12	0.013	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.63	10.59	0.011	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	14.02	10.98	0.013	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	14.01	10.97	0.013	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	14.15	11.11	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	13.12	10.08	0.010	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	12.15	9.11	0.008	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	11.63	8.59	0.007	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	9.64	6.60	0.005	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	12.56	9.52	0.009	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	12.64	9.60	0.009	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	12.59	9.55	0.009	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	11.19	8.15	0.007	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	11.23	8.19	0.007	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	10.68	7.64	0.006	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	7.59	4.55	0.003	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.59	10.55	0.011	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	13.48	10.44	0.011	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	13.64	10.60	0.011	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	13.09	10.05	0.010	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	13.56	10.52	0.011	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	13.42	10.38	0.011	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	13.69	10.65	0.012	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	12.63	9.59	0.009	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	11.65	8.61	0.007	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	11.12	8.08	0.006	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	9.09	6.05	0.004	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	12.13	9.09	0.008	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	12.08	9.04	0.008	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	12.11	9.07	0.008	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	10.61	7.57	0.006	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	10.63	7.59	0.006	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	10.07	7.03	0.005	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	7.02	3.98	0.003	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.74	10.70	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	13.87	10.83	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	13.95	10.91	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	13.40	10.36	0.011	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.68	10.64	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	13.72	10.68	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	13.97	10.93	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	12.93	9.89	0.010	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	11.85	8.81	0.008	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	11.43	8.39	0.007	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	9.36	6.32	0.004	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.26	9.22	0.008	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	12.38	9.34	0.009	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	12.34	9.30	0.009	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	10.89	7.85	0.006	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	10.91	7.87	0.006	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	10.40	7.36	0.005	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	7.44	4.40	0.003	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.96	10.92	0.012	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	14.05	11.01	0.013	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.13	11.09	0.013	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	13.65	10.61	0.012	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	13.95	10.91	0.012	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	13.97	10.93	0.012	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	14.16	11.12	0.013	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	13.15	10.11	0.010	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	12.13	9.09	0.008	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	11.63	8.59	0.007	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	9.69	6.65	0.005	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	12.59	9.55	0.009	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	12.59	9.55	0.009	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	12.56	9.52	0.009	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	11.11	8.07	0.006	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	11.15	8.11	0.006	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	10.69	7.65	0.006	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	7.57	4.53	0.003	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.51	10.47	0.011	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	13.39	10.35	0.011	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	13.62	10.58	0.011	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	13.12	10.08	0.010	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	13.44	10.40	0.011	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	13.38	10.34	0.011	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	13.70	10.66	0.012	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	12.56	9.52	0.009	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	11.59	8.55	0.007	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	11.07	8.03	0.006	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	9.12	6.08	0.004	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	11.99	8.95	0.008	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	11.92	8.88	0.008	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	12.13	9.09	0.008	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	10.56	7.52	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	10.54	7.50	0.006	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	10.07	7.03	0.005	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	7.05	4.01	0.003	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.57	10.53	0.011	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	13.82	10.78	0.012	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	13.96	10.92	0.012	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	13.43	10.39	0.011	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.53	10.49	0.011	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	13.69	10.65	0.012	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	14	10.96	0.012	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	12.93	9.89	0.010	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	11.96	8.92	0.008	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	11.36	8.32	0.007	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	9.44	6.40	0.004	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.13	9.09	0.008	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	12.39	9.35	0.009	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	12.47	9.43	0.009	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	10.91	7.87	0.006	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	10.91	7.87	0.006	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	10.37	7.33	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	7.38	4.34	0.003	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.87	10.83	0.012	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	13.93	10.89	0.012	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	14.16	11.12	0.013	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	13.58	10.54	0.011	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	13.83	10.79	0.012	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	13.89	10.85	0.012	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	14.17	11.13	0.013	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	13.10	10.06	0.010	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	12.12	9.08	0.008	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	11.56	8.52	0.007	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	9.56	6.52	0.004	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	12.45	9.41	0.009	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	12.51	9.47	0.009	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	12.62	9.58	0.009	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	11.09	8.05	0.006	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	11.05	8.01	0.006	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	10.60	7.56	0.006	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	7.56	4.52	0.003	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.32	10.28	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	13.29	10.25	0.011	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	13.59	10.55	0.011	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	12.97	9.93	0.010	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	13.20	10.16	0.010	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	13.14	10.10	0.010	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	13.63	10.59	0.011	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	12.57	9.53	0.009	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	11.55	8.51	0.007	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	11.01	7.97	0.006	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	9.02	5.98	0.004	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	11.64	8.60	0.007	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	11.91	8.87	0.008	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	12.09	9.05	0.008	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	10.57	7.53	0.006	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	10.54	7.50	0.006	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	10.07	7.03	0.005	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	7.03	3.99	0.003	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.44	10.40	0.011	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	13.62	10.58	0.011	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	13.93	10.89	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	13.35	10.31	0.011	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.31	10.27	0.011	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	13.54	10.50	0.011	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	13.98	10.94	0.012	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	12.84	9.80	0.010	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	11.85	8.81	0.008	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	11.34	8.30	0.007	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	9.39	6.35	0.004	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	11.84	8.80	0.008	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	12.14	9.10	0.008	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	12.41	9.37	0.009	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	10.90	7.86	0.006	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	10.78	7.74	0.006	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	10.40	7.36	0.005	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	7.26	4.22	0.003	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.63	10.59	0.011	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	13.75	10.71	0.012	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	14.13	11.09	0.013	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	13.55	10.51	0.011	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	13.54	10.50	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	13.67	10.63	0.012	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	14.13	11.09	0.013	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	13.04	10.00	0.010	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	12.01	8.97	0.008	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	11.46	8.42	0.007	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	9.53	6.49	0.004	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	12.18	9.14	0.008	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	12.21	9.17	0.008	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	12.54	9.50	0.009	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	11.05	8.01	0.006	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	10.99	7.95	0.006	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	10.50	7.46	0.006	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	7.48	4.44	0.003	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.53	10.49	0.011	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	13.59	10.55	0.011	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	13.71	10.67	0.012	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	13.17	10.13	0.010	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	13.47	10.43	0.011	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	13.53	10.49	0.011	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	13.68	10.64	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	12.65	9.61	0.009	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	11.61	8.57	0.007	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	11.15	8.11	0.006	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	9.08	6.04	0.004	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	12.04	9.00	0.008	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	12.09	9.05	0.008	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	12.15	9.11	0.008	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	10.68	7.64	0.006	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	10.65	7.61	0.006	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	10.20	7.16	0.005	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	7.09	4.05	0.003	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.58	10.54	0.011	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	13.92	10.88	0.012	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	13.98	10.94	0.012	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	13.42	10.38	0.011	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.57	10.53	0.011	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	13.79	10.75	0.012	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	14.01	10.97	0.013	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	12.92	9.88	0.010	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	11.94	8.90	0.008	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	11.39	8.35	0.007	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	9.41	6.37	0.004	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.09	9.05	0.008	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	12.40	9.36	0.009	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	12.48	9.44	0.009	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	10.99	7.95	0.006	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	10.96	7.92	0.006	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	10.42	7.38	0.005	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	7.41	4.37	0.003	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.92	10.88	0.012	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	14.02	10.98	0.013	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	14.13	11.09	0.013	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	13.56	10.52	0.011	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	13.82	10.78	0.012	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	13.94	10.90	0.012	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	14.16	11.12	0.013	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	13.09	10.05	0.010	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	12.08	9.04	0.008	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	11.61	8.57	0.007	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	9.58	6.54	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	12.42	9.38	0.009	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	12.55	9.51	0.009	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	12.60	9.56	0.009	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	11.13	8.09	0.006	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	11.11	8.07	0.006	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	10.60	7.56	0.006	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	7.54	4.50	0.003	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.41	10.37	0.011	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	13.57	10.53	0.011	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	13.69	10.65	0.012	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	13.11	10.07	0.010	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	13.32	10.28	0.011	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	13.42	10.38	0.011	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	13.74	10.70	0.012	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	12.62	9.58	0.009	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	11.62	8.58	0.007	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	11.06	8.02	0.006	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	9.11	6.07	0.004	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	11.88	8.84	0.008	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	11.99	8.95	0.008	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	12.14	9.10	0.008	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	10.59	7.55	0.006	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	10.60	7.56	0.006	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	10.16	7.12	0.005	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	7.11	4.07	0.003	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.39	10.35	0.011	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	13.73	10.69	0.012	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	13.97	10.93	0.012	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	13.37	10.33	0.011	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.40	10.36	0.011	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	13.68	10.64	0.012	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	13.96	10.92	0.012	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	12.88	9.84	0.010	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	11.85	8.81	0.008	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	11.33	8.29	0.007	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	9.37	6.33	0.004	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	11.94	8.90	0.008	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	12.26	9.22	0.008	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	12.47	9.43	0.009	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	10.90	7.86	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	10.90	7.86	0.006	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	10.44	7.40	0.005	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	7.34	4.30	0.003	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.76	10.72	0.012	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	13.86	10.82	0.012	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	14.07	11.03	0.013	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	13.53	10.49	0.011	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	13.64	10.60	0.011	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	13.76	10.72	0.012	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	14.05	11.01	0.013	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	13.07	10.03	0.010	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	12.03	8.99	0.008	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	11.52	8.48	0.007	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	9.54	6.50	0.004	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	12.04	9.00	0.008	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	12.26	9.22	0.008	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	12.58	9.54	0.009	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	11.07	8.03	0.006	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	11.10	8.06	0.006	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	10.55	7.51	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	8.13	5.09	0.003	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.45	8.41	0.007	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	11.61	8.57	0.007	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	13.70	10.66	0.012	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	12.82	9.78	0.010	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	11.39	8.35	0.007	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	11.55	8.51	0.007	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	13.79	10.75	0.012	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	12.27	9.23	0.008	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	11.29	8.25	0.007	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	10.78	7.74	0.006	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	8.85	5.81	0.004	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	9.91	6.87	0.005	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	10.10	7.06	0.005	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	12.16	9.12	0.008	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	10.05	7.01	0.005	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	10.08	7.04	0.005	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	9.56	6.52	0.004	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	6.53	3.49	0.002	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.31	8.27	0.007	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	11.73	8.69	0.007	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	13.92	10.88	0.012	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	13.01	9.97	0.010	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	11.29	8.25	0.007	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	11.67	8.63	0.007	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	13.98	10.94	0.012	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	12.54	9.50	0.009	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	11.54	8.50	0.007	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	11.01	7.97	0.006	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	9.02	5.98	0.004	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	9.84	6.80	0.005	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	10.24	7.20	0.005	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	12.41	9.37	0.009	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	10.32	7.28	0.005	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	10.34	7.30	0.005	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	9.80	6.76	0.005	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	6.77	3.73	0.002	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.62	8.58	0.007	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	11.84	8.80	0.008	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	14.13	11.09	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	13.16	10.12	0.010	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	11.52	8.48	0.007	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	11.78	8.74	0.007	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	14.13	11.09	0.013	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	12.64	9.60	0.009	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	11.63	8.59	0.007	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	11.16	8.12	0.006	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	9.18	6.14	0.004	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	10.08	7.04	0.005	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	10.34	7.30	0.005	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	12.56	9.52	0.009	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	9.02	5.98	0.004	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	9.10	6.06	0.004	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	8.56	5.52	0.004	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	5.50	2.46	0.002	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.25	8.21	0.007	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	11.47	8.43	0.007	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	11.80	8.76	0.008	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	11.18	8.14	0.007	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	11.23	8.19	0.007	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	11.41	8.37	0.007	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	11.80	8.76	0.008	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	10.66	7.62	0.006	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	9.66	6.62	0.005	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	9.09	6.05	0.004	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	7.24	4.20	0.003	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	9.68	6.64	0.005	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	9.87	6.83	0.005	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	10.33	7.29	0.005	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	8.73	5.69	0.004	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	8.71	5.67	0.004	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	8.27	5.23	0.003	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	5.10	2.06	0.002	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.18	8.14	0.007	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	11.62	8.58	0.007	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	12.01	8.97	0.008	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	11.33	8.29	0.007	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	11.17	8.13	0.007	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	11.58	8.54	0.007	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	12	8.96	0.008	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	10.83	7.79	0.006	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	9.82	6.78	0.005	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	9.30	6.26	0.004	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	7.41	4.37	0.003	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	9.67	6.63	0.005	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	10.14	7.10	0.005	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	10.52	7.48	0.006	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	8.94	5.90	0.004	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	8.96	5.92	0.004	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	8.44	5.40	0.003	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	5.30	2.26	0.002	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.41	8.37	0.007	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	11.80	8.76	0.008	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	12.12	9.08	0.008	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	11.44	8.40	0.007	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	11.32	8.28	0.007	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	11.61	8.57	0.007	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	12.19	9.15	0.008	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	10.95	7.91	0.006	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	9.95	6.91	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	9.41	6.37	0.004	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	7.50	4.46	0.003	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	9.94	6.90	0.005	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	10.24	7.20	0.005	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	10.67	7.63	0.006	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	9.06	6.02	0.004	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	9.05	6.01	0.004	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	8.51	5.47	0.004	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	5.38	2.34	0.002	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.14	8.10	0.006	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	11.47	8.43	0.007	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	11.75	8.71	0.007	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	11.17	8.13	0.007	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	11.06	8.02	0.006	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	11.40	8.36	0.007	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	11.80	8.76	0.008	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	10.66	7.62	0.006	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	9.63	6.59	0.005	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	9.18	6.14	0.004	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	7.21	4.17	0.003	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	9.52	6.48	0.004	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	9.87	6.83	0.005	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	10.20	7.16	0.005	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	8.70	5.66	0.004	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	8.77	5.73	0.004	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	8.19	5.15	0.003	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	5.13	2.09	0.002	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.06	8.02	0.006	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	11.49	8.45	0.007	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	11.90	8.86	0.008	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	11.28	8.24	0.007	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	11.03	7.99	0.006	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	11.39	8.35	0.007	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	11.91	8.87	0.008	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	10.83	7.79	0.006	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	9.74	6.70	0.005	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	9.27	6.23	0.004	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	7.36	4.32	0.003	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	9.41	6.37	0.004	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	9.77	6.73	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	10.37	7.33	0.005	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	8.85	5.81	0.004	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	8.85	5.81	0.004	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	8.33	5.29	0.003	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	5.32	2.28	0.002	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.20	8.16	0.007	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	11.61	8.57	0.007	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	12.07	9.03	0.008	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	11.39	8.35	0.007	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	11.18	8.14	0.007	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	11.58	8.54	0.007	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	12.12	9.08	0.008	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	10.89	7.85	0.006	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	9.87	6.83	0.005	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	9.44	6.40	0.004	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	7.49	4.45	0.003	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	9.77	6.73	0.005	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	10.14	7.10	0.005	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	10.52	7.48	0.006	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	8.92	5.88	0.004	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3655MHz_CP-O FDM 16 QAM_RB245@0	8.98	5.94	0.004	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-O FDM 64 QAM_RB245@0	8.40	5.36	0.003	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-O FDM 256 QAM_RB245@0	5.39	2.35	0.002	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	10.88	7.84	0.006	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	11.25	8.21	0.007	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	11.82	8.78	0.008	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	11.07	8.03	0.006	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	10.88	7.84	0.006	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	11.19	8.15	0.007	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	11.82	8.78	0.008	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	10.63	7.59	0.006	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	9.64	6.60	0.005	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	9.10	6.06	0.004	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	7.18	4.14	0.003	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	9.41	6.37	0.004	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	9.75	6.71	0.005	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	10.30	7.26	0.005	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	8.66	5.62	0.004	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	8.69	5.65	0.004	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	8.11	5.07	0.003	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	5.14	2.10	0.002	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	10.86	7.82	0.006	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	11.35	8.31	0.007	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	11.91	8.87	0.008	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	11.23	8.19	0.007	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	10.78	7.74	0.006	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	11.29	8.25	0.007	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	11.90	8.86	0.008	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	10.76	7.72	0.006	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	9.71	6.67	0.005	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	9.16	6.12	0.004	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	7.23	4.19	0.003	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	9.23	6.19	0.004	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	9.82	6.78	0.005	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	10.44	7.40	0.005	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	8.76	5.72	0.004	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	8.79	5.75	0.004	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	8.25	5.21	0.003	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	5.21	2.17	0.002	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.03	7.99	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	11.39	8.35	0.007	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	12.08	9.04	0.008	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	11.30	8.26	0.007	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	10.93	7.89	0.006	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	11.36	8.32	0.007	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	12.01	8.97	0.008	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	10.84	7.80	0.006	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	9.85	6.81	0.005	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	9.26	6.22	0.004	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	7.39	4.35	0.003	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	9.41	6.37	0.004	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	9.77	6.73	0.005	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	10.48	7.44	0.006	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	8.89	5.85	0.004	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	8.91	5.87	0.004	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	8.38	5.34	0.003	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	5.28	2.24	0.002	0.200	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n77_2:

1.Ant Gain = -3.04dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.08	11.04	0.013	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	14.04	11.00	0.013	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	14.18	11.14	0.013	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	13.69	10.65	0.012	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	14.11	11.07	0.013	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	14.08	11.04	0.013	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	14.15	11.11	0.013	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	13.25	10.21	0.010	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	12.18	9.14	0.008	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	11.68	8.64	0.007	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	9.66	6.62	0.005	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	12.63	9.59	0.009	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	12.53	9.49	0.009	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	12.67	9.63	0.009	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	11.20	8.16	0.007	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	11.17	8.13	0.007	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	10.73	7.69	0.006	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	7.71	4.67	0.003	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.63	8.59	0.007	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	13.74	10.70	0.012	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	13.91	10.87	0.012	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	13.33	10.29	0.011	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.80	10.76	0.012	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	13.73	10.69	0.012	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	13.93	10.89	0.012	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	12.92	9.88	0.010	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	11.85	8.81	0.008	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	11.38	8.34	0.007	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	9.36	6.32	0.004	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.30	9.26	0.008	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	12.31	9.27	0.008	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	12.36	9.32	0.009	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	10.82	7.78	0.006	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	10.89	7.85	0.006	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	10.36	7.32	0.005	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	7.39	4.35	0.003	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.28	10.24	0.011	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	13.35	10.31	0.011	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	13.41	10.37	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	12.90	9.86	0.010	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	13.26	10.22	0.011	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	13.25	10.21	0.010	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	13.41	10.37	0.011	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	12.44	9.40	0.009	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	11.32	8.28	0.007	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	10.94	7.90	0.006	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	8.91	5.87	0.004	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	11.80	8.76	0.008	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	11.79	8.75	0.007	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	12	8.96	0.008	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	10.41	7.37	0.005	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	10.38	7.34	0.005	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	9.96	6.92	0.005	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	6.89	3.85	0.002	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.13	11.09	0.013	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	14.04	11.00	0.013	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	14.28	11.24	0.013	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.71	10.67	0.012	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	14.12	11.08	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	14.07	11.03	0.013	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	14.21	11.17	0.013	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	13.18	10.14	0.010	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	12.22	9.18	0.008	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	11.74	8.70	0.007	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	9.72	6.68	0.005	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	12.63	9.59	0.009	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	12.69	9.65	0.009	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	12.69	9.65	0.009	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	11.23	8.19	0.007	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	11.22	8.18	0.007	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	10.75	7.71	0.006	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	7.76	4.72	0.003	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.65	8.61	0.007	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	13.66	10.62	0.012	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	13.97	10.93	0.012	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	13.34	10.30	0.011	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.75	10.71	0.012	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	13.76	10.72	0.012	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	13.88	10.84	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	12.87	9.83	0.010	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	11.85	8.81	0.008	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	11.41	8.37	0.007	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	9.38	6.34	0.004	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	10.38	7.34	0.005	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	12.27	9.23	0.008	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	12.33	9.29	0.008	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	10.85	7.81	0.006	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	10.94	7.90	0.006	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	10.34	7.30	0.005	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	7.34	4.30	0.003	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.18	10.14	0.010	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	13.23	10.19	0.010	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	13.38	10.34	0.011	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	12.82	9.78	0.010	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	13.24	10.20	0.010	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	13.23	10.19	0.010	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	13.30	10.26	0.011	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	12.35	9.31	0.009	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	11.34	8.30	0.007	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	10.74	7.70	0.006	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	8.82	5.78	0.004	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	11.71	8.67	0.007	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	11.73	8.69	0.007	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	11.87	8.83	0.008	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	10.37	7.33	0.005	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	10.39	7.35	0.005	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	9.89	6.85	0.005	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	6.86	3.82	0.002	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.21	11.17	0.013	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	14.12	11.08	0.013	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.28	11.24	0.013	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	13.69	10.65	0.012	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	14.13	11.09	0.013	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	14.11	11.07	0.013	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	14.23	11.19	0.013	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	13.21	10.17	0.010	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	12.22	9.18	0.008	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	11.75	8.71	0.007	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	9.79	6.75	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	12.66	9.62	0.009	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	12.76	9.72	0.009	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	12.71	9.67	0.009	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	11.27	8.23	0.007	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	11.30	8.26	0.007	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	10.77	7.73	0.006	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	7.78	4.74	0.003	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.85	10.81	0.012	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	13.69	10.65	0.012	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	13.90	10.86	0.012	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	13.39	10.35	0.011	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.87	10.83	0.012	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	13.73	10.69	0.012	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	13.95	10.91	0.012	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	12.83	9.79	0.010	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	11.90	8.86	0.008	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	11.31	8.27	0.007	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	9.43	6.39	0.004	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.38	9.34	0.009	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	12.21	9.17	0.008	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	12.31	9.27	0.008	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	10.96	7.92	0.006	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	10.91	7.87	0.006	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	10.36	7.32	0.005	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	7.35	4.31	0.003	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.34	8.30	0.007	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	13.25	10.21	0.010	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	13.31	10.27	0.011	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	12.85	9.81	0.010	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	13.33	10.29	0.011	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	13.24	10.20	0.010	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	13.38	10.34	0.011	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	12.32	9.28	0.008	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	11.35	8.31	0.007	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	10.85	7.81	0.006	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	8.82	5.78	0.004	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	11.83	8.79	0.008	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	11.91	8.87	0.008	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	11.84	8.80	0.008	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	10.35	7.31	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	10.38	7.34	0.005	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	9.80	6.76	0.005	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	6.74	3.70	0.002	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.99	10.95	0.012	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	13.79	10.75	0.012	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	14.29	11.25	0.013	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	13.75	10.71	0.012	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	13.96	10.92	0.012	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	13.85	10.81	0.012	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	14.31	11.27	0.013	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	13.22	10.18	0.010	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	12.22	9.18	0.008	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	11.65	8.61	0.007	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	9.76	6.72	0.005	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	12.56	9.52	0.009	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	12.38	9.34	0.009	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	12.79	9.75	0.009	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	11.14	8.10	0.006	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	11.21	8.17	0.007	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	10.75	7.71	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	7.63	4.59	0.003	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.70	10.66	0.012	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	13.60	10.56	0.011	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	13.88	10.84	0.012	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	13.44	10.40	0.011	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.65	10.61	0.012	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	13.54	10.50	0.011	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	14	10.96	0.012	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	12.91	9.87	0.010	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	11.92	8.88	0.008	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	11.42	8.38	0.007	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	9.39	6.35	0.004	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	10.40	7.36	0.005	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	12.14	9.10	0.008	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	12.45	9.41	0.009	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	10.87	7.83	0.006	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	10.82	7.78	0.006	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	10.44	7.40	0.005	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	7.37	4.33	0.003	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.25	10.21	0.010	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	13.21	10.17	0.010	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	13.55	10.51	0.011	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	12.91	9.87	0.010	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	13.27	10.23	0.011	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	13.21	10.17	0.010	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	13.53	10.49	0.011	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	12.42	9.38	0.009	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	11.50	8.46	0.007	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	10.93	7.89	0.006	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	8.97	5.93	0.004	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	11.79	8.75	0.007	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	11.71	8.67	0.007	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	11.93	8.89	0.008	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	10.42	7.38	0.005	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	10.43	7.39	0.005	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	9.97	6.93	0.005	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	6.88	3.84	0.002	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.79	10.75	0.012	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	13.72	10.68	0.012	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	14.26	11.22	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	13.69	10.65	0.012	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	13.88	10.84	0.012	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	13.73	10.69	0.012	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	14.36	11.32	0.014	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	13.18	10.14	0.010	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	12.12	9.08	0.008	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	11.74	8.70	0.007	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	9.71	6.67	0.005	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	12.41	9.37	0.009	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	12.28	9.24	0.008	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	12.80	9.76	0.009	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	11.16	8.12	0.006	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	11.19	8.15	0.007	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	10.63	7.59	0.006	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	7.59	4.55	0.003	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.66	8.62	0.007	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	13.26	10.22	0.011	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	13.91	10.87	0.012	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	13.37	10.33	0.011	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	12.87	9.83	0.010	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	13.30	10.26	0.011	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	13.96	10.92	0.012	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	12.88	9.84	0.010	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	11.89	8.85	0.008	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	11.35	8.31	0.007	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	9.45	6.41	0.004	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.12	9.08	0.008	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	11.79	8.75	0.007	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	12.46	9.42	0.009	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	10.86	7.82	0.006	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	10.92	7.88	0.006	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	10.31	7.27	0.005	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	7.28	4.24	0.003	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.19	10.15	0.010	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	12.93	9.89	0.010	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	13.50	10.46	0.011	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	12.85	9.81	0.010	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	13.20	10.16	0.010	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	12.94	9.90	0.010	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	13.48	10.44	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	12.39	9.35	0.009	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	11.37	8.33	0.007	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	10.90	7.86	0.006	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	8.99	5.95	0.004	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	11.83	8.79	0.008	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	11.56	8.52	0.007	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	12.03	8.99	0.008	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	10.40	7.36	0.005	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	10.42	7.38	0.005	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	9.94	6.90	0.005	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	6.87	3.83	0.002	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.09	11.05	0.013	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	13.77	10.73	0.012	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	14.32	11.28	0.013	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	13.77	10.73	0.012	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	14.17	11.13	0.013	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	13.81	10.77	0.012	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	14.26	11.22	0.013	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	13.16	10.12	0.010	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	12.17	9.13	0.008	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	11.65	8.61	0.007	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	9.71	6.67	0.005	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	12.70	9.66	0.009	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	12.33	9.29	0.008	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	12.65	9.61	0.009	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	11.18	8.14	0.007	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	11.25	8.21	0.007	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	10.71	7.67	0.006	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	7.61	4.57	0.003	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.84	10.80	0.012	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	13.53	10.49	0.011	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	14.04	11.00	0.013	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	13.48	10.44	0.011	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.87	10.83	0.012	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	13.54	10.50	0.011	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	14.06	11.02	0.013	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	13	9.96	0.010	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	11.91	8.87	0.008	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	11.39	8.35	0.007	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	9.51	6.47	0.004	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.37	9.33	0.009	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	12.09	9.05	0.008	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	12.52	9.48	0.009	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	10.91	7.87	0.006	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	10.93	7.89	0.006	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	10.53	7.49	0.006	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	7.38	4.34	0.003	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.44	8.40	0.007	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	13.12	10.08	0.010	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	13.53	10.49	0.011	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	13	9.96	0.010	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	13.58	10.54	0.011	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	13.11	10.07	0.010	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	13.63	10.59	0.011	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	12.55	9.51	0.009	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	11.48	8.44	0.007	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	11	7.96	0.006	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	9.05	6.01	0.004	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	12.20	9.16	0.008	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	11.66	8.62	0.007	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	12.11	9.07	0.008	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	10.57	7.53	0.006	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	10.52	7.48	0.006	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	10.03	6.99	0.005	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	7.01	3.97	0.002	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.98	10.94	0.012	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	13.73	10.69	0.012	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	14.18	11.14	0.013	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	13.63	10.59	0.011	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	13.95	10.91	0.012	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	13.68	10.64	0.012	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	14.18	11.14	0.013	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	13.05	10.01	0.010	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	12.13	9.09	0.008	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	11.61	8.57	0.007	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	9.54	6.50	0.004	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	12.56	9.52	0.009	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	12.24	9.20	0.008	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	12.74	9.70	0.009	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	11.11	8.07	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	11.19	8.15	0.007	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	10.63	7.59	0.006	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	7.56	4.52	0.003	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.78	10.74	0.012	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	13.46	10.42	0.011	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	14	10.96	0.012	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	13.44	10.40	0.011	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.86	10.82	0.012	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	13.47	10.43	0.011	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	14.02	10.98	0.013	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	12.91	9.87	0.010	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	11.91	8.87	0.008	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	11.46	8.42	0.007	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	9.42	6.38	0.004	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.45	9.41	0.009	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	12.02	8.98	0.008	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	12.46	9.42	0.009	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	10.99	7.95	0.006	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	10.95	7.91	0.006	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	10.54	7.50	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	7.32	4.28	0.003	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.63	10.59	0.011	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	13.10	10.06	0.010	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	13.64	10.60	0.011	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	13.05	10.01	0.010	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	13.61	10.57	0.011	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	13.23	10.19	0.010	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	13.65	10.61	0.012	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	12.65	9.61	0.009	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	11.66	8.62	0.007	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	11.07	8.03	0.006	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	9.13	6.09	0.004	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	12.18	9.14	0.008	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	11.68	8.64	0.007	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	12.17	9.13	0.008	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	10.66	7.62	0.006	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	10.62	7.58	0.006	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	10.08	7.04	0.005	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	7.05	4.01	0.003	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.89	10.85	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	13.50	10.46	0.011	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	14.19	11.15	0.013	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	13.61	10.57	0.011	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	13.92	10.88	0.012	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	13.57	10.53	0.011	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	14.18	11.14	0.013	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	13.13	10.09	0.010	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	12.11	9.07	0.008	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	11.61	8.57	0.007	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	9.70	6.66	0.005	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	12.46	9.42	0.009	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	12.06	9.02	0.008	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	12.72	9.68	0.009	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	11.06	8.02	0.006	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	11.10	8.06	0.006	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	10.64	7.60	0.006	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	7.61	4.57	0.003	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.65	10.61	0.012	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	13.25	10.21	0.010	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	14.08	11.04	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	13.41	10.37	0.011	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.69	10.65	0.012	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	13.27	10.23	0.011	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	14.03	10.99	0.013	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	12.92	9.88	0.010	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	11.94	8.90	0.008	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	11.43	8.39	0.007	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	9.45	6.41	0.004	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.26	9.22	0.008	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	11.85	8.81	0.008	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	12.59	9.55	0.009	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	10.89	7.85	0.006	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	10.98	7.94	0.006	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	10.44	7.40	0.005	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	7.38	4.34	0.003	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.45	8.41	0.007	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	13.04	10.00	0.010	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	13.77	10.73	0.012	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	13.18	10.14	0.010	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	13.63	10.59	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	13.12	10.08	0.010	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	13.76	10.72	0.012	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	12.77	9.73	0.009	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	11.73	8.69	0.007	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	11.25	8.21	0.007	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	9.26	6.22	0.004	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	12.16	9.12	0.008	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	11.70	8.66	0.007	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	12.26	9.22	0.008	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	10.69	7.65	0.006	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	10.70	7.66	0.006	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	10.21	7.17	0.005	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	7.18	4.14	0.003	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.73	10.69	0.012	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	13.50	10.46	0.011	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	14.29	11.25	0.013	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	13.58	10.54	0.011	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	13.85	10.81	0.012	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	13.58	10.54	0.011	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	14.22	11.18	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	13.06	10.02	0.010	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	12	8.96	0.008	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	11.65	8.61	0.007	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	9.66	6.62	0.005	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	12.35	9.31	0.009	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	11.92	8.88	0.008	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	12.71	9.67	0.009	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	11.18	8.14	0.007	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	11.16	8.12	0.006	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	10.61	7.57	0.006	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	7.67	4.63	0.003	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	11.63	8.59	0.007	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	12.99	9.95	0.010	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	14.05	11.01	0.013	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	13.31	10.27	0.011	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.77	10.73	0.012	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	13.14	10.10	0.010	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	14.04	11.00	0.013	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	12.87	9.83	0.010	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	11.85	8.81	0.008	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	11.31	8.27	0.007	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	9.43	6.39	0.004	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.19	9.15	0.008	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	11.59	8.55	0.007	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	12.50	9.46	0.009	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	10.97	7.93	0.006	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	10.97	7.93	0.006	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	10.45	7.41	0.006	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	7.36	4.32	0.003	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.54	10.50	0.011	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	12.85	9.81	0.010	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	13.79	10.75	0.012	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	13.20	10.16	0.010	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	13.58	10.54	0.011	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	13.01	9.97	0.010	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	13.82	10.78	0.012	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	12.61	9.57	0.009	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	11.71	8.67	0.007	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	11.15	8.11	0.006	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	9.20	6.16	0.004	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	12.09	9.05	0.008	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	11.46	8.42	0.007	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	12.25	9.21	0.008	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	10.75	7.71	0.006	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	10.77	7.73	0.006	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	10.20	7.16	0.005	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	7.16	4.12	0.003	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.75	10.71	0.012	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	13.25	10.21	0.010	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	14.16	11.12	0.013	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	13.56	10.52	0.011	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	13.76	10.72	0.012	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	13.23	10.19	0.010	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	14.14	11.10	0.013	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	13.01	9.97	0.010	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	12.02	8.98	0.008	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	11.48	8.44	0.007	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	9.55	6.51	0.004	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	12.19	9.15	0.008	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	11.73	8.69	0.007	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	12.63	9.59	0.009	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	11.07	8.03	0.006	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	11.08	8.04	0.006	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	10.62	7.58	0.006	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	7.55	4.51	0.003	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.67	10.63	0.012	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	12.91	9.87	0.010	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	14.07	11.03	0.013	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	13.32	10.28	0.011	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.65	10.61	0.012	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	12.91	9.87	0.010	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	14.04	11.00	0.013	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	12.89	9.85	0.010	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	11.81	8.77	0.008	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	11.37	8.33	0.007	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	9.44	6.40	0.004	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.22	9.18	0.008	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	11.52	8.48	0.007	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	12.45	9.41	0.009	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	10.91	7.87	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	10.95	7.91	0.006	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	10.42	7.38	0.005	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	7.31	4.27	0.003	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.40	10.36	0.011	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	12.81	9.77	0.009	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	13.85	10.81	0.012	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	13.26	10.22	0.011	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	13.40	10.36	0.011	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	12.82	9.78	0.010	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	13.90	10.86	0.012	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	12.75	9.71	0.009	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	11.74	8.70	0.007	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	11.29	8.25	0.007	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	9.31	6.27	0.004	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	11.91	8.87	0.008	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	11.48	8.44	0.007	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	12.41	9.37	0.009	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	10.74	7.70	0.006	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	10.78	7.74	0.006	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	10.34	7.30	0.005	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3655MHz_CP-O FDM 256 QAM_RB245@0	7.25	4.21	0.003	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM $\pi/2$ BPSK_RB1@1	11.10	8.06	0.006	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM $\pi/2$ BPSK_RB1@271	13.06	10.02	0.010	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM $\pi/2$ BPSK_RB135@67	14.13	11.09	0.013	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM $\pi/2$ BPSK_RB270@0	13.42	10.38	0.011	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM QPSK_RB1@1	13.60	10.56	0.011	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM QPSK_RB1@271	13.14	10.10	0.010	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM QPSK_RB135@67	14.20	11.16	0.013	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM QPSK_RB270@0	12.99	9.95	0.010	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM 16 QAM_RB270@0	11.98	8.94	0.008	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM 64 QAM_RB270@0	11.44	8.40	0.007	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT- s-OFDM 256 QAM_RB270@0	9.53	6.49	0.004	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP- OFDM QPSK_RB1@1	11.99	8.95	0.008	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP- OFDM QPSK_RB1@271	11.55	8.51	0.007	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP- OFDM QPSK_RB137@68	12.71	9.67	0.009	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP- OFDM QPSK_RB273@0	11.04	8.00	0.006	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP- OFDM 16 QAM_RB273@0	11.08	8.04	0.006	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP- OFDM 64 QAM_RB273@0	10.55	7.51	0.006	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP- OFDM 256 QAM_RB273@0	7.54	4.50	0.003	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT- s-OFDM $\pi/2$ BPSK_RB1@1	11.45	8.41	0.007	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	12.65	9.61	0.009	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	14.05	11.01	0.013	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	13.30	10.26	0.011	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	13.50	10.46	0.011	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	12.75	9.71	0.009	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	13.98	10.94	0.012	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	12.82	9.78	0.010	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	11.83	8.79	0.008	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	11.24	8.20	0.007	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	9.38	6.34	0.004	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	12.01	8.97	0.008	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	11.17	8.13	0.007	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	12.50	9.46	0.009	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	10.86	7.82	0.006	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	10.92	7.88	0.006	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	10.44	7.40	0.005	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	7.37	4.33	0.003	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.40	10.36	0.011	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	12.70	9.66	0.009	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	13.84	10.80	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	13.14	10.10	0.010	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	13.42	10.38	0.011	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	12.71	9.67	0.009	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	13.94	10.90	0.012	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	12.66	9.62	0.009	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	11.74	8.70	0.007	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	11.17	8.13	0.007	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	9.22	6.18	0.004	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	11.94	8.90	0.008	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	11.32	8.28	0.007	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	12.41	9.37	0.009	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	10.80	7.76	0.006	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	10.76	7.72	0.006	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	10.26	7.22	0.005	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	7.15	4.11	0.003	0.200	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n78_2:

1.Ant Gain = -3.04dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB