



9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	58.61	Pass	2986
30	1000	0.1	RMS	930.954	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1679	-54.12	-13	41.12	Pass	701
1700	1765	1	RMS	1732.013	22.29	60	37.71	Pass	401
1765	3000	1	RMS	2989	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11999	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13601	-39.91	-13	26.91	Pass	8001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.17	-13	58.17	Pass	401
0.15	30	0.01	RMS	0.15	-71.87	-13	58.87	Pass	2986
30	1000	0.1	RMS	843.9	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1677	-54.1	-13	41.1	Pass	701
1700	1765	1	RMS	1732.013	21.3	60	38.7	Pass	401
1765	3000	1	RMS	2980	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11990	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13601	-39.89	-13	26.89	Pass	8001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	853.803	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1679	-54.16	-13	41.16	Pass	701
1700	1765	1	RMS	1753.788	22.41	60	37.59	Pass	401
1765	3000	1	RMS	2938	-51.51	-13	38.51	Pass	1236
3000	12000	1	RMS	12000	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.17	-13	59.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	974.483	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1679	-54.16	-13	41.16	Pass	701
1700	1765	1	RMS	1753.788	21.49	60	38.51	Pass	401
1765	3000	1	RMS	2991	-51.53	-13	38.53	Pass	1236
3000	12000	1	RMS	11999	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	897.132	-65.45	-13	52.45	Pass	9701
1000	1700	1	RMS	1700	-53.26	-13	40.26	Pass	701
1700	1765	1	RMS	1710.238	22.07	60	37.93	Pass	401
1765	3000	1	RMS	2989	-51.42	-13	38.42	Pass	1236
3000	12000	1	RMS	11993	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	976.785	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1700	-53.36	-13	40.36	Pass	701
1700	1765	1	RMS	1710.238	21.24	60	38.76	Pass	401
1765	3000	1	RMS	2992	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11995	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13601	-39.86	-13	26.86	Pass	8001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.25	-13	58.25	Pass	401
0.15	30	0.01	RMS	0.15	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	844.6	-65.44	-13	52.44	Pass	9701
1000	1700	1	RMS	1683	-54.13	-13	41.13	Pass	701
1700	1765	1	RMS	1731.2	22.29	60	37.71	Pass	401
1765	3000	1	RMS	2988	-51.49	-13	38.49	Pass	1236
3000	12000	1	RMS	11998	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13598	-39.88	-13	26.88	Pass	8001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	58.82	Pass	2986
30	1000	0.1	RMS	838.7	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1681	-54.15	-13	41.15	Pass	701
1700	1765	1	RMS	1731.2	21.32	60	38.68	Pass	401
1765	3000	1	RMS	2987	-51.49	-13	38.49	Pass	1236
3000	12000	1	RMS	11995	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13604	-39.86	-13	26.86	Pass	8001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	980.587	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1679	-54.18	-13	41.18	Pass	701
1700	1765	1	RMS	1752.163	22.43	60	37.57	Pass	401
1765	3000	1	RMS	2995	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11993	-44.35	-13	31.35	Pass	9002
12000	20000	1	RMS	13603	-39.85	-13	26.85	Pass	8001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.09	-13	54.09	Pass	401
0.15	30	0.01	RMS	0.28	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	922.949	-65.47	-13	52.47	Pass	9701
1000	1700	1	RMS	1680	-54.14	-13	41.14	Pass	701
1700	1765	1	RMS	1752.163	21.54	60	38.46	Pass	401
1765	3000	1	RMS	2986	-51.45	-13	38.45	Pass	1236
3000	12000	1	RMS	11999	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13600	-39.87	-13	26.87	Pass	8001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.15	-13	59.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	866.512	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1700	-53.29	-13	40.29	Pass	701
1700	1765	1	RMS	1710.238	22.04	60	37.96	Pass	401
1765	3000	1	RMS	2995	-51.49	-13	38.49	Pass	1236
3000	12000	1	RMS	11994	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13603	-39.87	-13	26.87	Pass	8001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.21	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	961.374	-65.55	-13	52.55	Pass	9701
1000	1700	1	RMS	1700	-53.52	-13	40.52	Pass	701
1700	1765	1	RMS	1710.238	21.09	60	38.91	Pass	401
1765	3000	1	RMS	2999	-51.48	-13	38.48	Pass	1236
3000	12000	1	RMS	11992	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13600	-39.91	-13	26.91	Pass	8001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.57	-13	58.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	908.74	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1681	-54.13	-13	41.13	Pass	701
1700	1765	1	RMS	1730.225	22.2	60	37.8	Pass	401
1765	3000	1	RMS	2992	-51.53	-13	38.53	Pass	1236
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13600	-39.88	-13	26.88	Pass	8001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.33	-13	58.33	Pass	401
0.15	30	0.01	RMS	0.18	-71.92	-13	58.92	Pass	2986
30	1000	0.1	RMS	937.759	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1681	-54.16	-13	41.16	Pass	701
1700	1765	1	RMS	1730.225	21.38	60	38.62	Pass	401
1765	3000	1	RMS	2975	-51.53	-13	38.53	Pass	1236
3000	12000	1	RMS	11996	-44.43	-13	31.43	Pass	9002
12000	20000	1	RMS	13608	-39.88	-13	26.88	Pass	8001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	829.7	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1680	-54.18	-13	41.18	Pass	701
1700	1765	1	RMS	1750.213	22.27	60	37.73	Pass	401
1765	3000	1	RMS	2988	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11998	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	1000	0.1	RMS	829.8	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1677	-54.16	-13	41.16	Pass	701
1700	1765	1	RMS	1750.213	21.47	60	38.53	Pass	401
1765	3000	1	RMS	2983	-51.51	-13	38.51	Pass	1236
3000	12000	1	RMS	11879	-44.45	-13	31.45	Pass	9002
12000	20000	1	RMS	13604	-39.79	-13	26.79	Pass	8001




9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	993.996	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1693	-46.07	-13	33.07	Pass	701
1700	1765	1	RMS	1710.563	22.04	60	37.96	Pass	401
1765	3000	1	RMS	2992	-51.46	-13	38.46	Pass	1236
3000	12000	1	RMS	11998	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13604	-39.87	-13	26.87	Pass	8001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.16	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	962.975	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1693	-46.89	-13	33.89	Pass	701
1700	1765	1	RMS	1710.563	21.23	60	38.77	Pass	401
1765	3000	1	RMS	2988	-51.52	-13	38.52	Pass	1236
3000	12000	1	RMS	11996	-44.46	-13	31.46	Pass	9002
12000	20000	1	RMS	13599	-39.88	-13	26.88	Pass	8001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-13	58.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	838.2	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1678	-54.13	-13	41.13	Pass	701
1700	1765	1	RMS	1727.95	22.18	60	37.82	Pass	401
1765	3000	1	RMS	2927	-51.52	-13	38.52	Pass	1236
3000	12000	1	RMS	11988	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13601	-39.84	-13	26.84	Pass	8001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.7	-13	58.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	994.596	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1678	-54.11	-13	41.11	Pass	701
1700	1765	1	RMS	1727.95	21.23	60	38.77	Pass	401
1765	3000	1	RMS	2990	-51.49	-13	38.49	Pass	1236
3000	12000	1	RMS	11998	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13598	-39.86	-13	26.86	Pass	8001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.22	-13	59.22	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	849.2	-65.43	-13	52.43	Pass	9701
1000	1700	1	RMS	1679	-54.12	-13	41.12	Pass	701
1700	1765	1	RMS	1745.5	22.35	60	37.65	Pass	401
1765	3000	1	RMS	1765	-49.64	-13	36.64	Pass	1236
3000	12000	1	RMS	11997	-44.4	-13	31.4	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.15	-72.82	-13	59.82	Pass	2986
30	1000	0.1	RMS	873.116	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1676	-54.11	-13	41.11	Pass	701
1700	1765	1	RMS	1745.5	21.41	60	38.59	Pass	401
1765	3000	1	RMS	1765	-50.22	-13	37.22	Pass	1236
3000	12000	1	RMS	11999	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13599	-39.87	-13	26.87	Pass	8001




9.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.01	-13	59.01	Pass	401
0.15	30	0.01	RMS	0.3	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	850.101	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1698	-47.93	-13	34.93	Pass	701
1700	1765	1	RMS	1710.725	22.04	60	37.96	Pass	401
1765	3000	1	RMS	2988	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	11996	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13603	-39.91	-13	26.91	Pass	8001




9.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.24	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	851.402	-65.52	-13	52.52	Pass	9701
1000	1700	1	RMS	1698	-48.15	-13	35.15	Pass	701
1700	1765	1	RMS	1710.725	21.27	60	38.73	Pass	401
1765	3000	1	RMS	2978	-51.48	-13	38.48	Pass	1236
3000	12000	1	RMS	11998	-44.38	-13	31.38	Pass	9002
12000	20000	1	RMS	13606	-39.89	-13	26.89	Pass	8001




9.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.79	-13	58.79	Pass	401
0.15	30	0.01	RMS	0.19	-72.68	-13	59.68	Pass	2986
30	1000	0.1	RMS	894.43	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1699	-43.45	-13	30.45	Pass	701
1700	1765	1	RMS	1725.838	22.15	60	37.85	Pass	401
1765	3000	1	RMS	2996	-51.52	-13	38.52	Pass	1236
3000	12000	1	RMS	11995	-44.39	-13	31.39	Pass	9002
12000	20000	1	RMS	13601	-39.87	-13	26.87	Pass	8001




9.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	897.332	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1699	-45.98	-13	32.98	Pass	701
1700	1765	1	RMS	1725.838	21.15	60	38.85	Pass	401
1765	3000	1	RMS	2984	-51.48	-13	38.48	Pass	1236
3000	12000	1	RMS	11994	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13599	-39.89	-13	26.89	Pass	8001




9.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	845.5	-65.4	-13	52.4	Pass	9701
1000	1700	1	RMS	1679	-54.12	-13	41.12	Pass	701
1700	1765	1	RMS	1740.788	22.31	60	37.69	Pass	401
1765	3000	1	RMS	1767	-27.01	-13	14.01	Pass	1236
3000	12000	1	RMS	11997	-44.37	-13	31.37	Pass	9002
12000	20000	1	RMS	13601	-39.91	-13	26.91	Pass	8001




9.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.16	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	900.334	-65.49	-13	52.49	Pass	9701
1000	1700	1	RMS	1681	-54.12	-13	41.12	Pass	701
1700	1765	1	RMS	1740.788	21.46	60	38.54	Pass	401
1765	3000	1	RMS	1767	-28.41	-13	15.41	Pass	1236
3000	12000	1	RMS	12000	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13603	-39.9	-13	26.9	Pass	8001




9.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.6	-13	58.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	58.25	Pass	2986
30	1000	0.1	RMS	992.195	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1700	-49.67	-13	36.67	Pass	701
1700	1765	1	RMS	1711.05	21.86	60	38.14	Pass	401
1765	3000	1	RMS	2993	-51.51	-13	38.51	Pass	1236
3000	12000	1	RMS	11992	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




9.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	58.53	Pass	2986
30	1000	0.1	RMS	846.5	-65.46	-13	52.46	Pass	9701
1000	1700	1	RMS	1700	-49.84	-13	36.84	Pass	701
1700	1765	1	RMS	1711.05	21.06	60	38.94	Pass	401
1765	3000	1	RMS	2982	-51.47	-13	38.47	Pass	1236
3000	12000	1	RMS	11995	-44.41	-13	31.41	Pass	9002
12000	20000	1	RMS	13601	-39.79	-13	26.79	Pass	8001




9.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	58.39	Pass	2986
30	1000	0.1	RMS	849.3	-65.31	-13	52.31	Pass	9701
1000	1700	1	RMS	1688	-53.21	-13	40.21	Pass	701
1700	1765	1	RMS	1723.563	21.98	60	38.02	Pass	401
1765	3000	1	RMS	2966	-51.48	-13	38.48	Pass	1236
3000	12000	1	RMS	11999	-44.36	-13	31.36	Pass	9002
12000	20000	1	RMS	13602	-39.86	-13	26.86	Pass	8001




9.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	59.18	Pass	2986
30	1000	0.1	RMS	840.4	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1688	-53.7	-13	40.7	Pass	701
1700	1765	1	RMS	1723.563	21.03	60	38.97	Pass	401
1765	3000	1	RMS	2983	-51.43	-13	38.43	Pass	1236
3000	12000	1	RMS	11991	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13605	-39.92	-13	26.92	Pass	8001




9.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.93	-13	58.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	949.366	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1700	-45.3	-13	32.3	Pass	701
1700	1765	1	RMS	1736.075	22.05	60	37.95	Pass	401
1765	3000	1	RMS	1772	-28.36	-13	15.36	Pass	1236
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.84	-13	26.84	Pass	8001



9.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.15	-70.25	-13	57.25	Pass	2986
30	1000	0.1	RMS	870.214	-65.29	-13	52.29	Pass	9701
1000	1700	1	RMS	1700	-46.88	-13	33.88	Pass	701
1700	1765	1	RMS	1736.075	21.06	60	38.94	Pass	401
1765	3000	1	RMS	1772	-29.91	-13	16.91	Pass	1236
3000	12000	1	RMS	11999	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001



10. LTE_Band5


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	813.6	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	824.3	19.09	60	40.91	Pass	461
860	1000	0.1	RMS	969.3	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1648	-47.52	-13	34.52	Pass	2001
3000	10000	1	RMS	6801	-45.68	-13	32.68	Pass	7001




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.87	-13	58.87	Pass	401
0.15	30	0.01	RMS	0.2	-72.67	-13	59.67	Pass	2986
30	814	0.1	RMS	813.6	-65.62	-13	52.62	Pass	7841
814	860	0.1	RMS	824.3	18.24	60	41.76	Pass	461
860	1000	0.1	RMS	949.2	-65.39	-13	52.39	Pass	1401
1000	3000	1	RMS	1648	-48.5	-13	35.5	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4,Modulation:QPSK,RBNumber: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	806.9	-65.73	-13	52.73	Pass	7841
814	860	0.1	RMS	836.1	19.27	60	40.73	Pass	461
860	1000	0.1	RMS	973.5	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1672	-47.92	-13	34.92	Pass	2001
3000	10000	1	RMS	6800	-45.71	-13	32.71	Pass	7001




10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.05	-13	58.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	761.1	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	836.1	18.33	60	41.67	Pass	461
860	1000	0.1	RMS	861.3	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1672	-48.79	-13	35.79	Pass	2001
3000	10000	1	RMS	6802	-45.71	-13	32.71	Pass	7001




10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	807.6	-65.71	-13	52.71	Pass	7841
814	860	0.1	RMS	847.9	19.24	60	40.76	Pass	461
860	1000	0.1	RMS	904.8	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	2543	-43.64	-13	30.64	Pass	2001
3000	10000	1	RMS	6801	-45.63	-13	32.63	Pass	7001




10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.94	-13	58.94	Pass	401
0.15	30	0.01	RMS	0.15	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	808.2	-65.73	-13	52.73	Pass	7841
814	860	0.1	RMS	847.9	18.27	60	41.73	Pass	461
860	1000	0.1	RMS	925.3	-65.43	-13	52.43	Pass	1401
1000	3000	1	RMS	2543	-45.45	-13	32.45	Pass	2001
3000	10000	1	RMS	6800	-45.64	-13	32.64	Pass	7001




10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.9	-13	58.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	814	0.1	RMS	813.6	-65.46	-13	52.46	Pass	7841
814	860	0.1	RMS	824.2	19.44	60	40.56	Pass	461
860	1000	0.1	RMS	865	-65.45	-13	52.45	Pass	1401
1000	3000	1	RMS	1648	-47.45	-13	34.45	Pass	2001
3000	10000	1	RMS	6800	-45.56	-13	32.56	Pass	7001




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	814	0.1	RMS	813.6	-65.55	-13	52.55	Pass	7841
814	860	0.1	RMS	824.2	18.48	60	41.52	Pass	461
860	1000	0.1	RMS	924	-65.49	-13	52.49	Pass	1401
1000	3000	1	RMS	1648	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	770.3	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	835.2	19.48	60	40.52	Pass	461
860	1000	0.1	RMS	861.4	-65.35	-13	52.35	Pass	1401
1000	3000	1	RMS	1670	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	6799	-45.7	-13	32.7	Pass	7001



10.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	811.2	-65.8	-13	52.8	Pass	7841
814	860	0.1	RMS	835.2	18.45	60	41.55	Pass	461
860	1000	0.1	RMS	967	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	1670	-48.08	-13	35.08	Pass	2001
3000	10000	1	RMS	6799	-45.72	-13	32.72	Pass	7001



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.42	-13	58.42	Pass	401
0.15	30	0.01	RMS	0.18	-72.99	-13	59.99	Pass	2986
30	814	0.1	RMS	731.1	-65.81	-13	52.81	Pass	7841
814	860	0.1	RMS	846.2	19.54	60	40.46	Pass	461
860	1000	0.1	RMS	875.8	-65.5	-13	52.5	Pass	1401
1000	3000	1	RMS	2538	-45.13	-13	32.13	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	814	0.1	RMS	803.6	-65.76	-13	52.76	Pass	7841
814	860	0.1	RMS	846.2	18.58	60	41.42	Pass	461
860	1000	0.1	RMS	973.3	-65.37	-13	52.37	Pass	1401
1000	3000	1	RMS	2538	-46.76	-13	33.76	Pass	2001
3000	10000	1	RMS	6799	-45.71	-13	32.71	Pass	7001



10.13 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.44	-72.63	-13	59.63	Pass	2986
30	814	0.1	RMS	813.6	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	824.3	19.28	60	40.72	Pass	461
860	1000	0.1	RMS	865.2	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1648	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	6801	-45.62	-13	32.62	Pass	7001



10.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.16	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	813.7	-65.22	-13	52.22	Pass	7841
814	860	0.1	RMS	824.3	18.19	60	41.81	Pass	461
860	1000	0.1	RMS	947.9	-65.46	-13	52.46	Pass	1401
1000	3000	1	RMS	1648	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001



10.15 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.21	-72.77	-13	59.77	Pass	2986
30	814	0.1	RMS	813.9	-63.97	-13	50.97	Pass	7841
814	860	0.1	RMS	834.3	19.4	60	40.6	Pass	461
860	1000	0.1	RMS	996.4	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1668	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	6800	-45.71	-13	32.71	Pass	7001



10.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.92	-13	54.92	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	59.82	Pass	2986
30	814	0.1	RMS	814	-64.81	-13	51.81	Pass	7841
814	860	0.1	RMS	834.3	18.57	60	41.43	Pass	461
860	1000	0.1	RMS	982.1	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1668	-48.66	-13	35.66	Pass	2001
3000	10000	1	RMS	6800	-45.76	-13	32.76	Pass	7001



10.17 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	814	0.1	RMS	783.2	-65.68	-13	52.68	Pass	7841
814	860	0.1	RMS	844.3	19.47	60	40.53	Pass	461
860	1000	0.1	RMS	890.6	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1688	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	6799	-45.63	-13	32.63	Pass	7001



10.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	814	0.1	RMS	768.4	-65.74	-13	52.74	Pass	7841
814	860	0.1	RMS	844.3	18.67	60	41.33	Pass	461
860	1000	0.1	RMS	938.5	-65.47	-13	52.47	Pass	1401
1000	3000	1	RMS	1688	-48.61	-13	35.61	Pass	2001
3000	10000	1	RMS	6801	-45.64	-13	32.64	Pass	7001



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	813.9	-65	-13	52	Pass	7841
814	860	0.1	RMS	824.6	19.78	60	40.22	Pass	461
860	1000	0.1	RMS	942.1	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1649	-48.05	-13	35.05	Pass	2001
3000	10000	1	RMS	6800	-45.73	-13	32.73	Pass	7001



10.20 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.19	-72.76	-13	59.76	Pass	2986
30	814	0.1	RMS	813.9	-65.28	-13	52.28	Pass	7841
814	860	0.1	RMS	824.6	19.06	60	40.94	Pass	461
860	1000	0.1	RMS	871.7	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1649	-48.81	-13	35.81	Pass	2001
3000	10000	1	RMS	6801	-45.7	-13	32.7	Pass	7001



10.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.21	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	805.8	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	832.1	19.97	60	40.03	Pass	461
860	1000	0.1	RMS	984.2	-65.42	-13	52.42	Pass	1401
1000	3000	1	RMS	2496	-46.64	-13	33.64	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-13	58.87	Pass	2986
30	814	0.1	RMS	758.2	-65.72	-13	52.72	Pass	7841
814	860	0.1	RMS	832.1	18.94	60	41.06	Pass	461
860	1000	0.1	RMS	881.6	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	2496	-48.21	-13	35.21	Pass	2001
3000	10000	1	RMS	6800	-45.71	-13	32.71	Pass	7001



10.23 LTE Spurious Emission at Antenna


Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	748.1	-65.79	-13	52.79	Pass	7841
814	860	0.1	RMS	839.6	19.88	60	40.12	Pass	461
860	1000	0.1	RMS	865.6	-65.38	-13	52.38	Pass	1401
1000	3000	1	RMS	1679	-46.91	-13	33.91	Pass	2001
3000	10000	1	RMS	6798	-45.73	-13	32.73	Pass	7001



10.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.61	-13	58.61	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	812.5	-65.67	-13	52.67	Pass	7841
814	860	0.1	RMS	839.6	19.15	60	40.85	Pass	461
860	1000	0.1	RMS	902.1	-65.44	-13	52.44	Pass	1401
1000	3000	1	RMS	1679	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001



11. LTE_Band7


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.34	-25	47.34	Pass	401
0.15	30	0.01	RMS	0.64	-72.86	-25	47.86	Pass	2986
30	1000	0.1	RMS	539.7	-64.04	-25	39.04	Pass	9701
1000	2490	1	RMS	2490	-51.79	-25	26.79	Pass	1491
2490	2580	1	RMS	2500.35	21.76	60	38.24	Pass	401
2580	3000	1	RMS	2995	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	11975	-62.01	-25	37.01	Pass	9002
12000	26000	1	RMS	25499	-46.96	-25	21.96	Pass	14002




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.07	-25	47.07	Pass	401
0.15	30	0.01	RMS	0.21	-72.7	-25	47.7	Pass	2986
30	1000	0.1	RMS	539.7	-64.93	-25	39.93	Pass	9701
1000	2490	1	RMS	2490	-51.87	-25	26.87	Pass	1491
2490	2580	1	RMS	2500.35	20.83	60	39.17	Pass	401
2580	3000	1	RMS	2623	-51.29	-25	26.29	Pass	421
3000	12000	1	RMS	11979	-62	-25	37	Pass	9002
12000	26000	1	RMS	17800	-56.04	-25	31.04	Pass	14002




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-25	46.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-25	47.29	Pass	2986
30	1000	0.1	RMS	572.2	-64.96	-25	39.96	Pass	9701
1000	2490	1	RMS	2488	-52.41	-25	27.41	Pass	1491
2490	2580	1	RMS	2532.75	22.05	60	37.95	Pass	401
2580	3000	1	RMS	2985	-51.26	-25	26.26	Pass	421
3000	12000	1	RMS	11990	-61.96	-25	36.96	Pass	9002
12000	26000	1	RMS	17800	-56.05	-25	31.05	Pass	14002




11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.25	-25	47.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-25	46.55	Pass	2986
30	1000	0.1	RMS	970.581	-65.09	-25	40.09	Pass	9701
1000	2490	1	RMS	2483	-52.29	-25	27.29	Pass	1491
2490	2580	1	RMS	2532.75	21.23	60	38.77	Pass	401
2580	3000	1	RMS	2994	-51.31	-25	26.31	Pass	421
3000	12000	1	RMS	11982	-61.93	-25	36.93	Pass	9002
12000	26000	1	RMS	17801	-56.08	-25	31.08	Pass	14002




11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.19	-25	47.19	Pass	401
0.15	30	0.01	RMS	0.23	-72.44	-25	47.44	Pass	2986
30	1000	0.1	RMS	604.7	-65.1	-25	40.1	Pass	9701
1000	2490	1	RMS	2483	-52.37	-25	27.37	Pass	1491
2490	2580	1	RMS	2565.375	21.88	60	38.12	Pass	401
2580	3000	1	RMS	2992	-51.27	-25	26.27	Pass	421
3000	12000	1	RMS	11985	-61.98	-25	36.98	Pass	9002
12000	26000	1	RMS	17801	-56.04	-25	31.04	Pass	14002



11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.3	-25	47.3	Pass	401
0.15	30	0.01	RMS	0.19	-72.87	-25	47.87	Pass	2986
30	1000	0.1	RMS	860.107	-65.24	-25	40.24	Pass	9701
1000	2490	1	RMS	2487	-52.45	-25	27.45	Pass	1491
2490	2580	1	RMS	2565.375	21.12	60	38.88	Pass	401
2580	3000	1	RMS	2995	-51.3	-25	26.3	Pass	421
3000	12000	1	RMS	11983	-61.97	-25	36.97	Pass	9002
12000	26000	1	RMS	17800	-56.09	-25	31.09	Pass	14002



11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.93	-25	46.93	Pass	401
0.15	30	0.01	RMS	0.18	-72.03	-25	47.03	Pass	2986
30	1000	0.1	RMS	540	-63.96	-25	38.96	Pass	9701
1000	2490	1	RMS	2490	-48.14	-25	23.14	Pass	1491
2490	2580	1	RMS	2500.575	21.88	60	38.12	Pass	401
2580	3000	1	RMS	2626	-51.26	-25	26.26	Pass	421
3000	12000	1	RMS	11983	-61.97	-25	36.97	Pass	9002
12000	26000	1	RMS	17800	-56.07	-25	31.07	Pass	14002

