

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band38	5	37775	1	#0	QPSK	23.67	-3.3	20.37	33.01	Pass
Band38	5	37775	1	#Mid	QPSK	23.67	-3.3	20.37	33.01	Pass
Band38	5	37775	1	#Max	QPSK	23.61	-3.3	20.31	33.01	Pass
Band38	5	37775	12	#0	QPSK	22.73	-3.3	19.43	33.01	Pass
Band38	5	37775	12	#Mid	QPSK	22.66	-3.3	19.36	33.01	Pass
Band38	5	37775	12	#Max	QPSK	22.63	-3.3	19.33	33.01	Pass
Band38	5	37775	25	#0	QPSK	22.68	-3.3	19.38	33.01	Pass
Band38	5	37775	1	#0	QAM16	23	-3.3	19.70	33.01	Pass
Band38	5	37775	1	#Mid	QAM16	22.95	-3.3	19.65	33.01	Pass
Band38	5	37775	1	#Max	QAM16	22.94	-3.3	19.64	33.01	Pass
Band38	5	37775	12	#0	QAM16	21.69	-3.3	18.39	33.01	Pass
Band38	5	37775	12	#Mid	QAM16	21.65	-3.3	18.35	33.01	Pass
Band38	5	37775	12	#Max	QAM16	21.59	-3.3	18.29	33.01	Pass
Band38	5	37775	25	#0	QAM16	21.69	-3.3	18.39	33.01	Pass
Band38	5	38000	1	#0	QPSK	23.68	-3.3	20.38	33.01	Pass
Band38	5	38000	1	#Mid	QPSK	23.72	-3.3	20.42	33.01	Pass
Band38	5	38000	1	#Max	QPSK	23.7	-3.3	20.40	33.01	Pass
Band38	5	38000	12	#0	QPSK	22.75	-3.3	19.45	33.01	Pass
Band38	5	38000	12	#Mid	QPSK	22.71	-3.3	19.41	33.01	Pass
Band38	5	38000	12	#Max	QPSK	22.74	-3.3	19.44	33.01	Pass
Band38	5	38000	25	#0	QPSK	22.79	-3.3	19.49	33.01	Pass
Band38	5	38000	1	#0	QAM16	22.95	-3.3	19.65	33.01	Pass
Band38	5	38000	1	#Mid	QAM16	23.03	-3.3	19.73	33.01	Pass
Band38	5	38000	1	#Max	QAM16	23.01	-3.3	19.71	33.01	Pass
Band38	5	38000	12	#0	QAM16	21.77	-3.3	18.47	33.01	Pass
Band38	5	38000	12	#Mid	QAM16	21.75	-3.3	18.45	33.01	Pass
Band38	5	38000	12	#Max	QAM16	21.8	-3.3	18.50	33.01	Pass
Band38	5	38000	25	#0	QAM16	21.75	-3.3	18.45	33.01	Pass
Band38	5	38225	1	#0	QPSK	24.03	-3.3	20.73	33.01	Pass
Band38	5	38225	1	#Mid	QPSK	24.13	-3.3	20.83	33.01	Pass
Band38	5	38225	1	#Max	QPSK	24.05	-3.3	20.75	33.01	Pass
Band38	5	38225	12	#0	QPSK	22.82	-3.3	19.52	33.01	Pass
Band38	5	38225	12	#Mid	QPSK	22.83	-3.3	19.53	33.01	Pass
Band38	5	38225	12	#Max	QPSK	22.85	-3.3	19.55	33.01	Pass
Band38	5	38225	25	#0	QPSK	22.87	-3.3	19.57	33.01	Pass
Band38	5	38225	1	#0	QAM16	23.35	-3.3	20.05	33.01	Pass
Band38	5	38225	1	#Mid	QAM16	23.37	-3.3	20.07	33.01	Pass

Band38	5	38225	1	#Max	QAM16	23.4	-3.3	20.10	33.01	Pass
Band38	5	38225	12	#0	QAM16	21.81	-3.3	18.51	33.01	Pass
Band38	5	38225	12	#Mid	QAM16	21.81	-3.3	18.51	33.01	Pass
Band38	5	38225	12	#Max	QAM16	21.83	-3.3	18.53	33.01	Pass
Band38	5	38225	25	#0	QAM16	21.8	-3.3	18.50	33.01	Pass
Band38	10	37800	1	#0	QPSK	23.62	-3.3	20.32	33.01	Pass
Band38	10	37800	1	#Mid	QPSK	23.63	-3.3	20.33	33.01	Pass
Band38	10	37800	1	#Max	QPSK	23.51	-3.3	20.21	33.01	Pass
Band38	10	37800	25	#0	QPSK	22.67	-3.3	19.37	33.01	Pass
Band38	10	37800	25	#Mid	QPSK	22.65	-3.3	19.35	33.01	Pass
Band38	10	37800	25	#Max	QPSK	22.62	-3.3	19.32	33.01	Pass
Band38	10	37800	50	#0	QPSK	22.64	-3.3	19.34	33.01	Pass
Band38	10	37800	1	#0	QAM16	23.33	-3.3	20.03	33.01	Pass
Band38	10	37800	1	#Mid	QAM16	23.08	-3.3	19.78	33.01	Pass
Band38	10	37800	1	#Max	QAM16	23.15	-3.3	19.85	33.01	Pass
Band38	10	37800	25	#0	QAM16	21.67	-3.3	18.37	33.01	Pass
Band38	10	37800	25	#Mid	QAM16	21.61	-3.3	18.31	33.01	Pass
Band38	10	37800	25	#Max	QAM16	21.6	-3.3	18.30	33.01	Pass
Band38	10	37800	50	#0	QAM16	21.64	-3.3	18.34	33.01	Pass
Band38	10	38000	1	#0	QPSK	23.67	-3.3	20.37	33.01	Pass
Band38	10	38000	1	#Mid	QPSK	23.71	-3.3	20.41	33.01	Pass
Band38	10	38000	1	#Max	QPSK	23.66	-3.3	20.36	33.01	Pass
Band38	10	38000	25	#0	QPSK	22.73	-3.3	19.43	33.01	Pass
Band38	10	38000	25	#Mid	QPSK	22.7	-3.3	19.40	33.01	Pass
Band38	10	38000	25	#Max	QPSK	22.76	-3.3	19.46	33.01	Pass
Band38	10	38000	50	#0	QPSK	22.75	-3.3	19.45	33.01	Pass
Band38	10	38000	1	#0	QAM16	22.86	-3.3	19.56	33.01	Pass
Band38	10	38000	1	#Mid	QAM16	22.87	-3.3	19.57	33.01	Pass
Band38	10	38000	1	#Max	QAM16	22.93	-3.3	19.63	33.01	Pass
Band38	10	38000	25	#0	QAM16	21.7	-3.3	18.40	33.01	Pass
Band38	10	38000	25	#Mid	QAM16	21.68	-3.3	18.38	33.01	Pass
Band38	10	38000	25	#Max	QAM16	21.75	-3.3	18.45	33.01	Pass
Band38	10	38000	50	#0	QAM16	21.76	-3.3	18.46	33.01	Pass
Band38	10	38200	1	#0	QPSK	23.83	-3.3	20.53	33.01	Pass
Band38	10	38200	1	#Mid	QPSK	23.75	-3.3	20.45	33.01	Pass
Band38	10	38200	1	#Max	QPSK	23.84	-3.3	20.54	33.01	Pass
Band38	10	38200	25	#0	QPSK	22.79	-3.3	19.49	33.01	Pass
Band38	10	38200	25	#Mid	QPSK	22.75	-3.3	19.45	33.01	Pass
Band38	10	38200	25	#Max	QPSK	22.84	-3.3	19.54	33.01	Pass
Band38	10	38200	50	#0	QPSK	22.81	-3.3	19.51	33.01	Pass
Band38	10	38200	1	#0	QAM16	22.84	-3.3	19.54	33.01	Pass
Band38	10	38200	1	#Mid	QAM16	22.73	-3.3	19.43	33.01	Pass
Band38	10	38200	1	#Max	QAM16	22.88	-3.3	19.58	33.01	Pass
Band38	10	38200	25	#0	QAM16	21.77	-3.3	18.47	33.01	Pass

Band38	10	38200	25	#Mid	QAM16	21.73	-3.3	18.43	33.01	Pass
Band38	10	38200	25	#Max	QAM16	21.82	-3.3	18.52	33.01	Pass
Band38	10	38200	50	#0	QAM16	21.78	-3.3	18.48	33.01	Pass
Band38	15	37825	1	#0	QPSK	23.72	-3.3	20.42	33.01	Pass
Band38	15	37825	1	#Mid	QPSK	23.69	-3.3	20.39	33.01	Pass
Band38	15	37825	1	#Max	QPSK	23.74	-3.3	20.44	33.01	Pass
Band38	15	37825	36	#0	QPSK	22.67	-3.3	19.37	33.01	Pass
Band38	15	37825	36	#Mid	QPSK	22.58	-3.3	19.28	33.01	Pass
Band38	15	37825	36	#Max	QPSK	22.56	-3.3	19.26	33.01	Pass
Band38	15	37825	75	#0	QPSK	22.65	-3.3	19.35	33.01	Pass
Band38	15	37825	1	#0	QAM16	23.23	-3.3	19.93	33.01	Pass
Band38	15	37825	1	#Mid	QAM16	23.11	-3.3	19.81	33.01	Pass
Band38	15	37825	1	#Max	QAM16	23.14	-3.3	19.84	33.01	Pass
Band38	15	37825	36	#0	QAM16	21.73	-3.3	18.43	33.01	Pass
Band38	15	37825	36	#Mid	QAM16	21.65	-3.3	18.35	33.01	Pass
Band38	15	37825	36	#Max	QAM16	21.61	-3.3	18.31	33.01	Pass
Band38	15	37825	75	#0	QAM16	21.66	-3.3	18.36	33.01	Pass
Band38	15	38000	1	#0	QPSK	23.73	-3.3	20.43	33.01	Pass
Band38	15	38000	1	#Mid	QPSK	23.74	-3.3	20.44	33.01	Pass
Band38	15	38000	1	#Max	QPSK	23.67	-3.3	20.37	33.01	Pass
Band38	15	38000	36	#0	QPSK	22.71	-3.3	19.41	33.01	Pass
Band38	15	38000	36	#Mid	QPSK	22.73	-3.3	19.43	33.01	Pass
Band38	15	38000	36	#Max	QPSK	22.75	-3.3	19.45	33.01	Pass
Band38	15	38000	75	#0	QPSK	22.72	-3.3	19.42	33.01	Pass
Band38	15	38000	1	#0	QAM16	22.83	-3.3	19.53	33.01	Pass
Band38	15	38000	1	#Mid	QAM16	23.05	-3.3	19.75	33.01	Pass
Band38	15	38000	1	#Max	QAM16	22.89	-3.3	19.59	33.01	Pass
Band38	15	38000	36	#0	QAM16	21.8	-3.3	18.50	33.01	Pass
Band38	15	38000	36	#Mid	QAM16	21.79	-3.3	18.49	33.01	Pass
Band38	15	38000	36	#Max	QAM16	21.82	-3.3	18.52	33.01	Pass
Band38	15	38000	75	#0	QAM16	21.73	-3.3	18.43	33.01	Pass
Band38	15	38175	1	#0	QPSK	24.04	-3.3	20.74	33.01	Pass
Band38	15	38175	1	#Mid	QPSK	24.02	-3.3	20.72	33.01	Pass
Band38	15	38175	1	#Max	QPSK	23.99	-3.3	20.69	33.01	Pass
Band38	15	38175	36	#0	QPSK	22.8	-3.3	19.50	33.01	Pass
Band38	15	38175	36	#Mid	QPSK	22.75	-3.3	19.45	33.01	Pass
Band38	15	38175	36	#Max	QPSK	22.79	-3.3	19.49	33.01	Pass
Band38	15	38175	75	#0	QPSK	22.78	-3.3	19.48	33.01	Pass
Band38	15	38175	1	#0	QAM16	23	-3.3	19.70	33.01	Pass
Band38	15	38175	1	#Mid	QAM16	22.99	-3.3	19.69	33.01	Pass
Band38	15	38175	1	#Max	QAM16	23.05	-3.3	19.75	33.01	Pass
Band38	15	38175	36	#0	QAM16	21.8	-3.3	18.50	33.01	Pass
Band38	15	38175	36	#Mid	QAM16	21.75	-3.3	18.45	33.01	Pass
Band38	15	38175	36	#Max	QAM16	21.77	-3.3	18.47	33.01	Pass

Band38	15	38175	75	#0	QAM16	21.86	-3.3	18.56	33.01	Pass
Band38	20	37850	1	#0	QPSK	23.6	-3.3	20.30	33.01	Pass
Band38	20	37850	1	#Mid	QPSK	23.51	-3.3	20.21	33.01	Pass
Band38	20	37850	1	#Max	QPSK	23.63	-3.3	20.33	33.01	Pass
Band38	20	37850	50	#0	QPSK	22.7	-3.3	19.40	33.01	Pass
Band38	20	37850	50	#Mid	QPSK	22.63	-3.3	19.33	33.01	Pass
Band38	20	37850	50	#Max	QPSK	22.65	-3.3	19.35	33.01	Pass
Band38	20	37850	100	#0	QPSK	22.66	-3.3	19.36	33.01	Pass
Band38	20	37850	1	#0	QAM16	22.87	-3.3	19.57	33.01	Pass
Band38	20	37850	1	#Mid	QAM16	22.76	-3.3	19.46	33.01	Pass
Band38	20	37850	1	#Max	QAM16	22.87	-3.3	19.57	33.01	Pass
Band38	20	37850	50	#0	QAM16	21.74	-3.3	18.44	33.01	Pass
Band38	20	37850	50	#Mid	QAM16	21.68	-3.3	18.38	33.01	Pass
Band38	20	37850	50	#Max	QAM16	21.68	-3.3	18.38	33.01	Pass
Band38	20	37850	100	#0	QAM16	21.65	-3.3	18.35	33.01	Pass
Band38	20	38000	1	#0	QPSK	23.66	-3.3	20.36	33.01	Pass
Band38	20	38000	1	#Mid	QPSK	23.8	-3.3	20.50	33.01	Pass
Band38	20	38000	1	#Max	QPSK	23.78	-3.3	20.48	33.01	Pass
Band38	20	38000	50	#0	QPSK	22.74	-3.3	19.44	33.01	Pass
Band38	20	38000	50	#Mid	QPSK	22.79	-3.3	19.49	33.01	Pass
Band38	20	38000	50	#Max	QPSK	22.82	-3.3	19.52	33.01	Pass
Band38	20	38000	100	#0	QPSK	22.77	-3.3	19.47	33.01	Pass
Band38	20	38000	1	#0	QAM16	22.75	-3.3	19.45	33.01	Pass
Band38	20	38000	1	#Mid	QAM16	22.89	-3.3	19.59	33.01	Pass
Band38	20	38000	1	#Max	QAM16	22.83	-3.3	19.53	33.01	Pass
Band38	20	38000	50	#0	QAM16	21.7	-3.3	18.40	33.01	Pass
Band38	20	38000	50	#Mid	QAM16	21.73	-3.3	18.43	33.01	Pass
Band38	20	38000	50	#Max	QAM16	21.77	-3.3	18.47	33.01	Pass
Band38	20	38000	100	#0	QAM16	21.74	-3.3	18.44	33.01	Pass
Band38	20	38150	1	#0	QPSK	23.64	-3.3	20.34	33.01	Pass
Band38	20	38150	1	#Mid	QPSK	23.7	-3.3	20.40	33.01	Pass
Band38	20	38150	1	#Max	QPSK	23.72	-3.3	20.42	33.01	Pass
Band38	20	38150	50	#0	QPSK	22.83	-3.3	19.53	33.01	Pass
Band38	20	38150	50	#Mid	QPSK	22.85	-3.3	19.55	33.01	Pass
Band38	20	38150	50	#Max	QPSK	22.86	-3.3	19.56	33.01	Pass
Band38	20	38150	100	#0	QPSK	22.83	-3.3	19.53	33.01	Pass
Band38	20	38150	1	#0	QAM16	23.07	-3.3	19.77	33.01	Pass
Band38	20	38150	1	#Mid	QAM16	23.11	-3.3	19.81	33.01	Pass
Band38	20	38150	1	#Max	QAM16	23.11	-3.3	19.81	33.01	Pass
Band38	20	38150	50	#0	QAM16	21.84	-3.3	18.54	33.01	Pass
Band38	20	38150	50	#Mid	QAM16	21.86	-3.3	18.56	33.01	Pass
Band38	20	38150	50	#Max	QAM16	21.87	-3.3	18.57	33.01	Pass
Band38	20	38150	100	#0	QAM16	21.83	-3.3	18.53	33.01	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band38	20	37850	100	#0	QPSK	-4.13	-0.002	-2.5	2.5	PASS
Band38	20	37850	100	#0	QAM16	-3.99	-0.002	-2.5	2.5	PASS
Band38	20	38000	100	#0	QPSK	-2.67	-0.001	-2.5	2.5	PASS
Band38	20	38000	100	#0	QAM16	-0.74	0.000	-2.5	2.5	PASS
Band38	20	38150	100	#0	QPSK	-1.47	-0.001	-2.5	2.5	PASS
Band38	20	38150	100	#0	QAM16	-3.06	-0.001	-2.5	2.5	PASS

Note: (Voltage: 3.91V, Temperature: 25°C) only reflect the worst mode.


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band38	5	38000	1	#0	QPSK	7.04	13	PASS
Band38	5	38000	1	#0	QAM16	8.00	13	PASS
Band38	10	38000	1	#0	QPSK	6.02	13	PASS
Band38	10	38000	1	#0	QAM16	7.33	13	PASS
Band38	15	38000	1	#0	QPSK	7.74	13	PASS
Band38	15	38000	1	#0	QAM16	8.42	13	PASS
Band38	20	38000	1	#0	QPSK	8.29	13	PASS
Band38	20	38000	1	#0	QAM16	8.73	13	PASS


Band38 QAM16 BW=5MHz Channel=38000 RB Size=1 Position=#0





Band38 QPSK BW=10MHz Channel=38000 RB Size=1 Position=#0






Band38 QAM16 BW=20MHz Channel=38000 RB Size=1 Position=#0



Band38 QAM16 BW=10MHz Channel=38000 RB Size=1 Position=#0

**Band38 QAM16 BW=15MHz Channel=38000 RB Size=1 Position=#0****Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0**


**Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0****Band38 QPSK BW=15MHz Channel=38000 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band38	5	37775	25	#0	QPSK	4.503	5.896	PASS
Band38	5	37775	25	#0	QAM16	4.499	4.926	PASS
Band38	5	38000	25	#0	QPSK	4.519	5.180	PASS
Band38	5	38000	25	#0	QAM16	4.509	6.192	PASS
Band38	5	38225	25	#0	QPSK	4.504	5.529	PASS
Band38	5	38225	25	#0	QAM16	4.500	5.932	PASS
Band38	10	37800	50	#0	QPSK	9.009	11.213	PASS
Band38	10	37800	50	#0	QAM16	8.998	10.098	PASS
Band38	10	38000	50	#0	QPSK	8.992	11.452	PASS
Band38	10	38000	50	#0	QAM16	8.975	9.586	PASS
Band38	10	38200	50	#0	QPSK	8.997	10.369	PASS
Band38	10	38200	50	#0	QAM16	8.966	12.088	PASS
Band38	15	37825	75	#0	QPSK	13.474	15.382	PASS
Band38	15	37825	75	#0	QAM16	13.467	15.696	PASS
Band38	15	38000	75	#0	QPSK	13.483	20.426	PASS
Band38	15	38000	75	#0	QAM16	13.503	17.471	PASS
Band38	15	38175	75	#0	QPSK	13.490	15.057	PASS
Band38	15	38175	75	#0	QAM16	13.471	14.343	PASS
Band38	20	37850	100	#0	QPSK	17.944	19.921	PASS
Band38	20	37850	100	#0	QAM16	17.949	20.751	PASS
Band38	20	38000	100	#0	QPSK	17.959	20.035	PASS
Band38	20	38000	100	#0	QAM16	18.006	21.248	PASS
Band38	20	38150	100	#0	QPSK	18.006	20.233	PASS
Band38	20	38150	100	#0	QAM16	17.967	24.821	PASS


Band38 QAM16 BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0





Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0






Band38 QAM16 BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0

**Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0****Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0**



**Band38 QAM16 BW=5MHz Channel=38000 RB Size=25 Position=#0****Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0**






Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0

**Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0****Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0**


**Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0****Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0**




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	2563.96	-29.90	-25	PASS
Band38	5	37775	25	#0	QAM16	2563.99	-28.77	-25	PASS
Band38	5	38225	25	#0	QPSK	2626.04	-25.80	-25	PASS
Band38	5	38225	25	#0	QAM16	2626.31	-28.37	-25	PASS
Band38	10	37800	50	#0	QPSK	2559.39	-29.98	-25	PASS
Band38	10	37800	50	#0	QAM16	2559.83	-30.73	-25	PASS
Band38	10	38200	50	#0	QPSK	2630.05	-27.02	-25	PASS
Band38	10	38200	50	#0	QAM16	2630.70	-27.96	-25	PASS
Band38	15	37825	75	#0	QPSK	2554.79	-30.35	-25	PASS
Band38	15	37825	75	#0	QAM16	2554.90	-32.23	-25	PASS
Band38	15	38175	75	#0	QPSK	2635.04	-27.60	-25	PASS
Band38	15	38175	75	#0	QAM16	2635.61	-28.84	-25	PASS
Band38	20	37850	100	#0	QPSK	2550.00	-32.20	-25	PASS
Band38	20	37850	100	#0	QAM16	2549.83	-33.04	-25	PASS
Band38	20	38150	100	#0	QPSK	2640.45	-29.76	-25	PASS
Band38	20	38150	100	#0	QAM16	2640.35	-30.45	-25	PASS


Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band38	5	37775	25	#0	QPSK	5142.70	-36.26	-25	PASS
Band38	5	37775	25	#0	QAM16	5146.98	-37.41	-25	PASS
Band38	5	38225	25	#0	QPSK	3894.18	-35.68	-25	PASS
Band38	5	38225	25	#0	QAM16	5237.20	-34.76	-25	PASS
Band38	10	37800	50	#0	QPSK	5144.50	-36.53	-25	PASS
Band38	10	37800	50	#0	QAM16	3778.30	-37.12	-25	PASS
Band38	10	38200	50	#0	QPSK	5230.23	-37.47	-25	PASS
Band38	10	38200	50	#0	QAM16	3695.73	-37.91	-25	PASS
Band38	15	37825	75	#0	QPSK	5104.23	-37.33	-25	PASS
Band38	15	37825	75	#0	QAM16	3775.15	-36.80	-25	PASS
Band38	15	38175	75	#0	QPSK	3790.00	-36.43	-25	PASS
Band38	15	38175	75	#0	QAM16	3826.23	-37.35	-25	PASS
Band38	20	37850	100	#0	QPSK	3795.40	-37.23	-25	PASS
Band38	20	37850	100	#0	QAM16	3706.98	-37.14	-25	PASS
Band38	20	38150	100	#0	QPSK	3805.08	-36.69	-25	PASS
Band38	20	38150	100	#0	QAM16	3862.23	-37.69	-25	PASS


Band38 QAM16 BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QAM16 BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QAM16 BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QAM16 BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QAM16 BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QAM16 BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QAM16 BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0



Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0



Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0

