

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability8

3 Peak-to-Average Ratio9

4 Occupied bandwidth16

5 Band edge35

6 Out-of-band emissions48

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band66	1.4	131979	1	#0	QPSK	23.42	-2.95	20.47	30.00	Pass
Band66	1.4	131979	1	#Mid	QPSK	23.46	-2.95	20.51	30.00	Pass
Band66	1.4	131979	1	#Max	QPSK	23.46	-2.95	20.51	30.00	Pass
Band66	1.4	131979	3	#0	QPSK	23.39	-2.95	20.44	30.00	Pass
Band66	1.4	131979	3	#Mid	QPSK	23.37	-2.95	20.42	30.00	Pass
Band66	1.4	131979	3	#Max	QPSK	23.4	-2.95	20.45	30.00	Pass
Band66	1.4	131979	6	#0	QPSK	22.43	-2.95	19.48	30.00	Pass
Band66	1.4	131979	1	#0	QAM16	22.56	-2.95	19.61	30.00	Pass
Band66	1.4	131979	1	#Mid	QAM16	22.52	-2.95	19.57	30.00	Pass
Band66	1.4	131979	1	#Max	QAM16	22.58	-2.95	19.63	30.00	Pass
Band66	1.4	131979	3	#0	QAM16	22.58	-2.95	19.63	30.00	Pass
Band66	1.4	131979	3	#Mid	QAM16	22.55	-2.95	19.60	30.00	Pass
Band66	1.4	131979	3	#Max	QAM16	22.59	-2.95	19.64	30.00	Pass
Band66	1.4	131979	6	#0	QAM16	21.63	-2.95	18.68	30.00	Pass
Band66	1.4	132322	1	#0	QPSK	23.91	-2.95	20.96	30.00	Pass
Band66	1.4	132322	1	#Mid	QPSK	23.91	-2.95	20.96	30.00	Pass
Band66	1.4	132322	1	#Max	QPSK	23.87	-2.95	20.92	30.00	Pass
Band66	1.4	132322	3	#0	QPSK	23.85	-2.95	20.90	30.00	Pass
Band66	1.4	132322	3	#Mid	QPSK	23.81	-2.95	20.86	30.00	Pass
Band66	1.4	132322	3	#Max	QPSK	23.83	-2.95	20.88	30.00	Pass
Band66	1.4	132322	6	#0	QPSK	22.89	-2.95	19.94	30.00	Pass
Band66	1.4	132322	1	#0	QAM16	23.13	-2.95	20.18	30.00	Pass
Band66	1.4	132322	1	#Mid	QAM16	23.08	-2.95	20.13	30.00	Pass
Band66	1.4	132322	1	#Max	QAM16	23.14	-2.95	20.19	30.00	Pass
Band66	1.4	132322	3	#0	QAM16	23.07	-2.95	20.12	30.00	Pass
Band66	1.4	132322	3	#Mid	QAM16	23.09	-2.95	20.14	30.00	Pass
Band66	1.4	132322	3	#Max	QAM16	23.05	-2.95	20.10	30.00	Pass
Band66	1.4	132322	6	#0	QAM16	22.04	-2.95	19.09	30.00	Pass
Band66	1.4	132665	1	#0	QPSK	23.99	-2.95	21.04	30.00	Pass
Band66	1.4	132665	1	#Mid	QPSK	24.01	-2.95	21.06	30.00	Pass
Band66	1.4	132665	1	#Max	QPSK	23.97	-2.95	21.02	30.00	Pass
Band66	1.4	132665	3	#0	QPSK	23.6	-2.95	20.65	30.00	Pass
Band66	1.4	132665	3	#Mid	QPSK	23.57	-2.95	20.62	30.00	Pass
Band66	1.4	132665	3	#Max	QPSK	23.54	-2.95	20.59	30.00	Pass
Band66	1.4	132665	6	#0	QPSK	22.96	-2.95	20.01	30.00	Pass
Band66	1.4	132665	1	#0	QAM16	23.12	-2.95	20.17	30.00	Pass
Band66	1.4	132665	1	#Mid	QAM16	23.05	-2.95	20.10	30.00	Pass

Band66	1.4	132665	1	#Max	QAM16	23.11	-2.95	20.16	30.00	Pass
Band66	1.4	132665	3	#0	QAM16	23.09	-2.95	20.14	30.00	Pass
Band66	1.4	132665	3	#Mid	QAM16	23.06	-2.95	20.11	30.00	Pass
Band66	1.4	132665	3	#Max	QAM16	23.1	-2.95	20.15	30.00	Pass
Band66	1.4	132665	6	#0	QAM16	22.09	-2.95	19.14	30.00	Pass
Band66	3	131987	1	#0	QPSK	23.43	-2.95	20.48	30.00	Pass
Band66	3	131987	1	#Mid	QPSK	23.46	-2.95	20.51	30.00	Pass
Band66	3	131987	1	#Max	QPSK	23.53	-2.95	20.58	30.00	Pass
Band66	3	131987	8	#0	QPSK	22.45	-2.95	19.50	30.00	Pass
Band66	3	131987	8	#Mid	QPSK	22.44	-2.95	19.49	30.00	Pass
Band66	3	131987	8	#Max	QPSK	22.46	-2.95	19.51	30.00	Pass
Band66	3	131987	15	#0	QPSK	22.47	-2.95	19.52	30.00	Pass
Band66	3	131987	1	#0	QAM16	22.39	-2.95	19.44	30.00	Pass
Band66	3	131987	1	#Mid	QAM16	22.37	-2.95	19.42	30.00	Pass
Band66	3	131987	1	#Max	QAM16	22.36	-2.95	19.41	30.00	Pass
Band66	3	131987	8	#0	QAM16	21.48	-2.95	18.53	30.00	Pass
Band66	3	131987	8	#Mid	QAM16	21.45	-2.95	18.50	30.00	Pass
Band66	3	131987	8	#Max	QAM16	21.5	-2.95	18.55	30.00	Pass
Band66	3	131987	15	#0	QAM16	21.56	-2.95	18.61	30.00	Pass
Band66	3	132322	1	#0	QPSK	23.92	-2.95	20.97	30.00	Pass
Band66	3	132322	1	#Mid	QPSK	23.99	-2.95	21.04	30.00	Pass
Band66	3	132322	1	#Max	QPSK	23.97	-2.95	21.02	30.00	Pass
Band66	3	132322	8	#0	QPSK	22.86	-2.95	19.91	30.00	Pass
Band66	3	132322	8	#Mid	QPSK	22.85	-2.95	19.90	30.00	Pass
Band66	3	132322	8	#Max	QPSK	22.9	-2.95	19.95	30.00	Pass
Band66	3	132322	15	#0	QPSK	22.89	-2.95	19.94	30.00	Pass
Band66	3	132322	1	#0	QAM16	23.23	-2.95	20.28	30.00	Pass
Band66	3	132322	1	#Mid	QAM16	23.25	-2.95	20.30	30.00	Pass
Band66	3	132322	1	#Max	QAM16	23.24	-2.95	20.29	30.00	Pass
Band66	3	132322	8	#0	QAM16	21.9	-2.95	18.95	30.00	Pass
Band66	3	132322	8	#Mid	QAM16	21.89	-2.95	18.94	30.00	Pass
Band66	3	132322	8	#Max	QAM16	21.97	-2.95	19.02	30.00	Pass
Band66	3	132322	15	#0	QAM16	21.94	-2.95	18.99	30.00	Pass
Band66	3	132657	1	#0	QPSK	23.96	-2.95	21.01	30.00	Pass
Band66	3	132657	1	#Mid	QPSK	23.9	-2.95	20.95	30.00	Pass
Band66	3	132657	1	#Max	QPSK	23.91	-2.95	20.96	30.00	Pass
Band66	3	132657	8	#0	QPSK	22.96	-2.95	20.01	30.00	Pass
Band66	3	132657	8	#Mid	QPSK	22.94	-2.95	19.99	30.00	Pass
Band66	3	132657	8	#Max	QPSK	22.97	-2.95	20.02	30.00	Pass
Band66	3	132657	15	#0	QPSK	22.97	-2.95	20.02	30.00	Pass
Band66	3	132657	1	#0	QAM16	23.21	-2.95	20.26	30.00	Pass
Band66	3	132657	1	#Mid	QAM16	23.16	-2.95	20.21	30.00	Pass
Band66	3	132657	1	#Max	QAM16	23.18	-2.95	20.23	30.00	Pass
Band66	3	132657	8	#0	QAM16	21.97	-2.95	19.02	30.00	Pass

Band66	3	132657	8	#Mid	QAM16	21.96	-2.95	19.01	30.00	Pass
Band66	3	132657	8	#Max	QAM16	21.99	-2.95	19.04	30.00	Pass
Band66	3	132657	15	#0	QAM16	21.94	-2.95	18.99	30.00	Pass
Band66	5	131997	1	#0	QPSK	23.61	-2.95	20.66	30.00	Pass
Band66	5	131997	1	#Mid	QPSK	23.72	-2.95	20.77	30.00	Pass
Band66	5	131997	1	#Max	QPSK	23.73	-2.95	20.78	30.00	Pass
Band66	5	131997	12	#0	QPSK	22.58	-2.95	19.63	30.00	Pass
Band66	5	131997	12	#Mid	QPSK	22.56	-2.95	19.61	30.00	Pass
Band66	5	131997	12	#Max	QPSK	22.58	-2.95	19.63	30.00	Pass
Band66	5	131997	25	#0	QPSK	22.63	-2.95	19.68	30.00	Pass
Band66	5	131997	1	#0	QAM16	23.02	-2.95	20.07	30.00	Pass
Band66	5	131997	1	#Mid	QAM16	23.02	-2.95	20.07	30.00	Pass
Band66	5	131997	1	#Max	QAM16	23.06	-2.95	20.11	30.00	Pass
Band66	5	131997	12	#0	QAM16	21.56	-2.95	18.61	30.00	Pass
Band66	5	131997	12	#Mid	QAM16	21.56	-2.95	18.61	30.00	Pass
Band66	5	131997	12	#Max	QAM16	21.57	-2.95	18.62	30.00	Pass
Band66	5	131997	25	#0	QAM16	21.57	-2.95	18.62	30.00	Pass
Band66	5	132322	1	#0	QPSK	24.14	-2.95	21.19	30.00	Pass
Band66	5	132322	1	#Mid	QPSK	24.04	-2.95	21.09	30.00	Pass
Band66	5	132322	1	#Max	QPSK	24.12	-2.95	21.17	30.00	Pass
Band66	5	132322	12	#0	QPSK	22.96	-2.95	20.01	30.00	Pass
Band66	5	132322	12	#Mid	QPSK	22.98	-2.95	20.03	30.00	Pass
Band66	5	132322	12	#Max	QPSK	23.04	-2.95	20.09	30.00	Pass
Band66	5	132322	25	#0	QPSK	23.05	-2.95	20.10	30.00	Pass
Band66	5	132322	1	#0	QAM16	23.27	-2.95	20.32	30.00	Pass
Band66	5	132322	1	#Mid	QAM16	23.32	-2.95	20.37	30.00	Pass
Band66	5	132322	1	#Max	QAM16	23.44	-2.95	20.49	30.00	Pass
Band66	5	132322	12	#0	QAM16	21.98	-2.95	19.03	30.00	Pass
Band66	5	132322	12	#Mid	QAM16	21.97	-2.95	19.02	30.00	Pass
Band66	5	132322	12	#Max	QAM16	22.01	-2.95	19.06	30.00	Pass
Band66	5	132322	25	#0	QAM16	22.06	-2.95	19.11	30.00	Pass
Band66	5	132647	1	#0	QPSK	24.1	-2.95	21.15	30.00	Pass
Band66	5	132647	1	#Mid	QPSK	23.87	-2.95	20.92	30.00	Pass
Band66	5	132647	1	#Max	QPSK	23.77	-2.95	20.82	30.00	Pass
Band66	5	132647	12	#0	QPSK	23.07	-2.95	20.12	30.00	Pass
Band66	5	132647	12	#Mid	QPSK	23.03	-2.95	20.08	30.00	Pass
Band66	5	132647	12	#Max	QPSK	23.05	-2.95	20.10	30.00	Pass
Band66	5	132647	25	#0	QPSK	23.09	-2.95	20.14	30.00	Pass
Band66	5	132647	1	#0	QAM16	23.33	-2.95	20.38	30.00	Pass
Band66	5	132647	1	#Mid	QAM16	23.42	-2.95	20.47	30.00	Pass
Band66	5	132647	1	#Max	QAM16	23.36	-2.95	20.41	30.00	Pass
Band66	5	132647	12	#0	QAM16	22.12	-2.95	19.17	30.00	Pass
Band66	5	132647	12	#Mid	QAM16	22.13	-2.95	19.18	30.00	Pass
Band66	5	132647	12	#Max	QAM16	22.12	-2.95	19.17	30.00	Pass

Band66	5	132647	25	#0	QAM16	22.06	-2.95	19.11	30.00	Pass
Band66	10	132022	1	#0	QPSK	23.76	-2.95	20.81	30.00	Pass
Band66	10	132022	1	#Mid	QPSK	23.66	-2.95	20.71	30.00	Pass
Band66	10	132022	1	#Max	QPSK	23.71	-2.95	20.76	30.00	Pass
Band66	10	132022	25	#0	QPSK	22.67	-2.95	19.72	30.00	Pass
Band66	10	132022	25	#Mid	QPSK	22.68	-2.95	19.73	30.00	Pass
Band66	10	132022	25	#Max	QPSK	22.69	-2.95	19.74	30.00	Pass
Band66	10	132022	50	#0	QPSK	22.7	-2.95	19.75	30.00	Pass
Band66	10	132022	1	#0	QAM16	23.03	-2.95	20.08	30.00	Pass
Band66	10	132022	1	#Mid	QAM16	22.98	-2.95	20.03	30.00	Pass
Band66	10	132022	1	#Max	QAM16	23.05	-2.95	20.10	30.00	Pass
Band66	10	132022	25	#0	QAM16	21.67	-2.95	18.72	30.00	Pass
Band66	10	132022	25	#Mid	QAM16	21.66	-2.95	18.71	30.00	Pass
Band66	10	132022	25	#Max	QAM16	21.69	-2.95	18.74	30.00	Pass
Band66	10	132022	50	#0	QAM16	21.68	-2.95	18.73	30.00	Pass
Band66	10	132322	1	#0	QPSK	23.94	-2.95	20.99	30.00	Pass
Band66	10	132322	1	#Mid	QPSK	24.01	-2.95	21.06	30.00	Pass
Band66	10	132322	1	#Max	QPSK	24.03	-2.95	21.08	30.00	Pass
Band66	10	132322	25	#0	QPSK	22.94	-2.95	19.99	30.00	Pass
Band66	10	132322	25	#Mid	QPSK	22.96	-2.95	20.01	30.00	Pass
Band66	10	132322	25	#Max	QPSK	23.01	-2.95	20.06	30.00	Pass
Band66	10	132322	50	#0	QPSK	23	-2.95	20.05	30.00	Pass
Band66	10	132322	1	#0	QAM16	23.38	-2.95	20.43	30.00	Pass
Band66	10	132322	1	#Mid	QAM16	23.29	-2.95	20.34	30.00	Pass
Band66	10	132322	1	#Max	QAM16	23.42	-2.95	20.47	30.00	Pass
Band66	10	132322	25	#0	QAM16	21.96	-2.95	19.01	30.00	Pass
Band66	10	132322	25	#Mid	QAM16	21.97	-2.95	19.02	30.00	Pass
Band66	10	132322	25	#Max	QAM16	22.02	-2.95	19.07	30.00	Pass
Band66	10	132322	50	#0	QAM16	21.97	-2.95	19.02	30.00	Pass
Band66	10	132622	1	#0	QPSK	24.08	-2.95	21.13	30.00	Pass
Band66	10	132622	1	#Mid	QPSK	23.97	-2.95	21.02	30.00	Pass
Band66	10	132622	1	#Max	QPSK	23.98	-2.95	21.03	30.00	Pass
Band66	10	132622	25	#0	QPSK	23.08	-2.95	20.13	30.00	Pass
Band66	10	132622	25	#Mid	QPSK	23.01	-2.95	20.06	30.00	Pass
Band66	10	132622	25	#Max	QPSK	23.03	-2.95	20.08	30.00	Pass
Band66	10	132622	50	#0	QPSK	23.06	-2.95	20.11	30.00	Pass
Band66	10	132622	1	#0	QAM16	23.29	-2.95	20.34	30.00	Pass
Band66	10	132622	1	#Mid	QAM16	23.19	-2.95	20.24	30.00	Pass
Band66	10	132622	1	#Max	QAM16	23.24	-2.95	20.29	30.00	Pass
Band66	10	132622	25	#0	QAM16	22.06	-2.95	19.11	30.00	Pass
Band66	10	132622	25	#Mid	QAM16	22	-2.95	19.05	30.00	Pass
Band66	10	132622	25	#Max	QAM16	22	-2.95	19.05	30.00	Pass
Band66	10	132622	50	#0	QAM16	22.07	-2.95	19.12	30.00	Pass
Band66	15	132047	1	#0	QPSK	23.68	-2.95	20.73	30.00	Pass

Band66	15	132047	1	#Mid	QPSK	23.63	-2.95	20.68	30.00	Pass
Band66	15	132047	1	#Max	QPSK	23.75	-2.95	20.80	30.00	Pass
Band66	15	132047	36	#0	QPSK	22.61	-2.95	19.66	30.00	Pass
Band66	15	132047	36	#Mid	QPSK	22.55	-2.95	19.60	30.00	Pass
Band66	15	132047	36	#Max	QPSK	22.6	-2.95	19.65	30.00	Pass
Band66	15	132047	75	#0	QPSK	22.62	-2.95	19.67	30.00	Pass
Band66	15	132047	1	#0	QAM16	22.96	-2.95	20.01	30.00	Pass
Band66	15	132047	1	#Mid	QAM16	22.98	-2.95	20.03	30.00	Pass
Band66	15	132047	1	#Max	QAM16	23.13	-2.95	20.18	30.00	Pass
Band66	15	132047	36	#0	QAM16	21.65	-2.95	18.70	30.00	Pass
Band66	15	132047	36	#Mid	QAM16	21.61	-2.95	18.66	30.00	Pass
Band66	15	132047	36	#Max	QAM16	21.67	-2.95	18.72	30.00	Pass
Band66	15	132047	75	#0	QAM16	21.63	-2.95	18.68	30.00	Pass
Band66	15	132322	1	#0	QPSK	24.02	-2.95	21.07	30.00	Pass
Band66	15	132322	1	#Mid	QPSK	24.01	-2.95	21.06	30.00	Pass
Band66	15	132322	1	#Max	QPSK	24.08	-2.95	21.13	30.00	Pass
Band66	15	132322	36	#0	QPSK	22.96	-2.95	20.01	30.00	Pass
Band66	15	132322	36	#Mid	QPSK	22.97	-2.95	20.02	30.00	Pass
Band66	15	132322	36	#Max	QPSK	23.01	-2.95	20.06	30.00	Pass
Band66	15	132322	75	#0	QPSK	22.99	-2.95	20.04	30.00	Pass
Band66	15	132322	1	#0	QAM16	23.2	-2.95	20.25	30.00	Pass
Band66	15	132322	1	#Mid	QAM16	23.26	-2.95	20.31	30.00	Pass
Band66	15	132322	1	#Max	QAM16	23.29	-2.95	20.34	30.00	Pass
Band66	15	132322	36	#0	QAM16	22.05	-2.95	19.10	30.00	Pass
Band66	15	132322	36	#Mid	QAM16	22.04	-2.95	19.09	30.00	Pass
Band66	15	132322	36	#Max	QAM16	22.09	-2.95	19.14	30.00	Pass
Band66	15	132322	75	#0	QAM16	22.02	-2.95	19.07	30.00	Pass
Band66	15	132597	1	#0	QPSK	24.25	-2.95	21.30	30.00	Pass
Band66	15	132597	1	#Mid	QPSK	24.23	-2.95	21.28	30.00	Pass
Band66	15	132597	1	#Max	QPSK	23.94	-2.95	20.99	30.00	Pass
Band66	15	132597	36	#0	QPSK	23.11	-2.95	20.16	30.00	Pass
Band66	15	132597	36	#Mid	QPSK	23.04	-2.95	20.09	30.00	Pass
Band66	15	132597	36	#Max	QPSK	23.02	-2.95	20.07	30.00	Pass
Band66	15	132597	75	#0	QPSK	23.09	-2.95	20.14	30.00	Pass
Band66	15	132597	1	#0	QAM16	23.3	-2.95	20.35	30.00	Pass
Band66	15	132597	1	#Mid	QAM16	23.25	-2.95	20.30	30.00	Pass
Band66	15	132597	1	#Max	QAM16	23.18	-2.95	20.23	30.00	Pass
Band66	15	132597	36	#0	QAM16	22.1	-2.95	19.15	30.00	Pass
Band66	15	132597	36	#Mid	QAM16	22.04	-2.95	19.09	30.00	Pass
Band66	15	132597	36	#Max	QAM16	22.01	-2.95	19.06	30.00	Pass
Band66	15	132597	75	#0	QAM16	22.14	-2.95	19.19	30.00	Pass
Band66	20	132072	1	#0	QPSK	23.7	-2.95	20.75	30.00	Pass
Band66	20	132072	1	#Mid	QPSK	23.71	-2.95	20.76	30.00	Pass
Band66	20	132072	1	#Max	QPSK	23.85	-2.95	20.90	30.00	Pass

Band66	20	132072	50	#0	QPSK	22.69	-2.95	19.74	30.00	Pass
Band66	20	132072	50	#Mid	QPSK	22.73	-2.95	19.78	30.00	Pass
Band66	20	132072	50	#Max	QPSK	22.79	-2.95	19.84	30.00	Pass
Band66	20	132072	100	#0	QPSK	22.73	-2.95	19.78	30.00	Pass
Band66	20	132072	1	#0	QAM16	23.02	-2.95	20.07	30.00	Pass
Band66	20	132072	1	#Mid	QAM16	23.04	-2.95	20.09	30.00	Pass
Band66	20	132072	1	#Max	QAM16	23.16	-2.95	20.21	30.00	Pass
Band66	20	132072	50	#0	QAM16	21.75	-2.95	18.80	30.00	Pass
Band66	20	132072	50	#Mid	QAM16	21.78	-2.95	18.83	30.00	Pass
Band66	20	132072	50	#Max	QAM16	21.83	-2.95	18.88	30.00	Pass
Band66	20	132072	100	#0	QAM16	21.75	-2.95	18.80	30.00	Pass
Band66	20	132322	1	#0	QPSK	24.03	-2.95	21.08	30.00	Pass
Band66	20	132322	1	#Mid	QPSK	24.07	-2.95	21.12	30.00	Pass
Band66	20	132322	1	#Max	QPSK	24.13	-2.95	21.18	30.00	Pass
Band66	20	132322	50	#0	QPSK	23.03	-2.95	20.08	30.00	Pass
Band66	20	132322	50	#Mid	QPSK	23.05	-2.95	20.10	30.00	Pass
Band66	20	132322	50	#Max	QPSK	23.08	-2.95	20.13	30.00	Pass
Band66	20	132322	100	#0	QPSK	23.07	-2.95	20.12	30.00	Pass
Band66	20	132322	1	#0	QAM16	23.36	-2.95	20.41	30.00	Pass
Band66	20	132322	1	#Mid	QAM16	23.39	-2.95	20.44	30.00	Pass
Band66	20	132322	1	#Max	QAM16	0	-2.95	-2.95	30.00	Pass
Band66	20	132322	50	#0	QAM16	0	-2.95	-2.95	30.00	Pass
Band66	20	132322	50	#Mid	QAM16	22.06	-2.95	19.11	30.00	Pass
Band66	20	132322	50	#Max	QAM16	22.13	-2.95	19.18	30.00	Pass
Band66	20	132322	100	#0	QAM16	22.08	-2.95	19.13	30.00	Pass
Band66	20	132572	1	#0	QPSK	24.35	-2.95	21.40	30.00	Pass
Band66	20	132572	1	#Mid	QPSK	24.19	-2.95	21.24	30.00	Pass
Band66	20	132572	1	#Max	QPSK	23.87	-2.95	20.92	30.00	Pass
Band66	20	132572	50	#0	QPSK	23.25	-2.95	20.30	30.00	Pass
Band66	20	132572	50	#Mid	QPSK	23.13	-2.95	20.18	30.00	Pass
Band66	20	132572	50	#Max	QPSK	23.07	-2.95	20.12	30.00	Pass
Band66	20	132572	100	#0	QPSK	23.17	-2.95	20.22	30.00	Pass
Band66	20	132572	1	#0	QAM16	23.56	-2.95	20.61	30.00	Pass
Band66	20	132572	1	#Mid	QAM16	23.64	-2.95	20.69	30.00	Pass
Band66	20	132572	1	#Max	QAM16	23.58	-2.95	20.63	30.00	Pass
Band66	20	132572	50	#0	QAM16	22.29	-2.95	19.34	30.00	Pass
Band66	20	132572	50	#Mid	QAM16	22.19	-2.95	19.24	30.00	Pass
Band66	20	132572	50	#Max	QAM16	22.11	-2.95	19.16	30.00	Pass
Band66	20	132572	100	#0	QAM16	22.15	-2.95	19.20	30.00	Pass

2 Frequency stability


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band66	20	132072	100	#0	QPSK	-1.40	-0.001	-2.5	2.5	PASS
Band66	20	132072	100	#0	QAM16	-3.01	-0.002	-2.5	2.5	PASS
Band66	20	132322	100	#0	QPSK	-4.36	-0.002	-2.5	2.5	PASS
Band66	20	132322	100	#0	QAM16	-3.70	-0.002	-2.5	2.5	PASS
Band66	20	132572	100	#0	QPSK	-10.29	-0.006	-2.5	2.5	PASS
Band66	20	132572	100	#0	QAM16	-8.72	-0.005	-2.5	2.5	PASS

Note: (Voltage: 3.91V, Temperature: 25°C) only reflect the worst mode.



3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band66	1.4	132322	1	#0	QPSK	3.61	13	PASS
Band66	1.4	132322	1	#0	QAM16	4.26	13	PASS
Band66	3	132322	1	#0	QPSK	3.73	13	PASS
Band66	3	132322	1	#0	QAM16	4.11	13	PASS
Band66	5	132322	1	#0	QPSK	3.60	13	PASS
Band66	5	132322	1	#0	QAM16	4.42	13	PASS
Band66	10	132322	1	#0	QPSK	3.67	13	PASS
Band66	10	132322	1	#0	QAM16	4.41	13	PASS
Band66	15	132322	1	#0	QPSK	3.70	13	PASS
Band66	15	132322	1	#0	QAM16	4.55	13	PASS
Band66	20	132322	1	#0	QPSK	3.99	13	PASS
Band66	20	132322	1	#0	QAM16	4.75	13	PASS

Band66 QAM16 BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=3MHz Channel=132322 RB Size=1 Position=#0



**Band66 QAM16 BW=15MHz Channel=132322 RB Size=1 Position=#0****Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=1 Position=#0**




Band66 QAM16 BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0


**Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0****Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0**




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 QAM16 BW=5MHz Channel=132322 RB Size=1 Position=#0



Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band66	1.4	131979	6	#0	QPSK	1.095	1.276	PASS
Band66	1.4	131979	6	#0	QAM16	1.104	1.287	PASS
Band66	1.4	132322	6	#0	QPSK	1.101	1.289	PASS
Band66	1.4	132322	6	#0	QAM16	1.095	1.276	PASS
Band66	1.4	132665	6	#0	QPSK	1.101	1.271	PASS
Band66	1.4	132665	6	#0	QAM16	1.099	1.290	PASS
Band66	3	131987	15	#0	QPSK	2.699	2.925	PASS
Band66	3	131987	15	#0	QAM16	2.684	2.935	PASS
Band66	3	132322	15	#0	QPSK	2.702	2.955	PASS
Band66	3	132322	15	#0	QAM16	2.691	2.970	PASS
Band66	3	132657	15	#0	QPSK	2.715	2.940	PASS
Band66	3	132657	15	#0	QAM16	2.696	2.953	PASS
Band66	5	131997	25	#0	QPSK	4.504	4.893	PASS
Band66	5	131997	25	#0	QAM16	4.507	4.924	PASS
Band66	5	132322	25	#0	QPSK	4.509	4.918	PASS
Band66	5	132322	25	#0	QAM16	4.518	4.981	PASS
Band66	5	132647	25	#0	QPSK	4.504	4.967	PASS
Band66	5	132647	25	#0	QAM16	4.512	4.979	PASS
Band66	10	132022	50	#0	QPSK	8.982	9.709	PASS
Band66	10	132022	50	#0	QAM16	8.978	9.627	PASS
Band66	10	132322	50	#0	QPSK	8.980	9.796	PASS
Band66	10	132322	50	#0	QAM16	8.994	9.835	PASS
Band66	10	132622	50	#0	QPSK	9.007	9.711	PASS
Band66	10	132622	50	#0	QAM16	9.000	9.755	PASS
Band66	15	132047	75	#0	QPSK	13.463	14.498	PASS
Band66	15	132047	75	#0	QAM16	13.453	14.531	PASS
Band66	15	132322	75	#0	QPSK	13.451	14.550	PASS
Band66	15	132322	75	#0	QAM16	13.466	14.497	PASS
Band66	15	132597	75	#0	QPSK	13.488	14.687	PASS
Band66	15	132597	75	#0	QAM16	13.508	14.650	PASS
Band66	20	132072	100	#0	QPSK	17.925	19.348	PASS
Band66	20	132072	100	#0	QAM16	18.005	19.347	PASS
Band66	20	132322	100	#0	QPSK	17.902	19.425	PASS
Band66	20	132322	100	#0	QAM16	17.950	19.411	PASS
Band66	20	132572	100	#0	QPSK	17.941	19.516	PASS
Band66	20	132572	100	#0	QAM16	17.988	19.499	PASS


Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132322 RB Size=6 Position=#0





Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0


**Band66 QAM16 BW=10MHz Channel=132322 RB Size=50 Position=#0****Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0**




Band66 QAM16 BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QAM16 BW=3MHz Channel=132322 RB Size=15 Position=#0





Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0


**Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0****Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0**




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0





Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0



**Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0****Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0**




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0


**Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0****Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0**




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0



5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	1709.99	-28.07	-13	PASS
Band66	1.4	131979	6	#0	QAM16	1710.00	-28.27	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1780.00	-27.80	-13	PASS
Band66	1.4	132665	6	#0	QAM16	1780.00	-28.57	-13	PASS
Band66	3	131987	15	#0	QPSK	1710.00	-27.99	-13	PASS
Band66	3	131987	15	#0	QAM16	1710.00	-29.71	-13	PASS
Band66	3	132657	15	#0	QPSK	1780.00	-28.29	-13	PASS
Band66	3	132657	15	#0	QAM16	1780.01	-29.81	-13	PASS
Band66	5	131997	25	#0	QPSK	1710.00	-29.30	-13	PASS
Band66	5	131997	25	#0	QAM16	1710.00	-28.26	-13	PASS
Band66	5	132647	25	#0	QPSK	1780.01	-28.79	-13	PASS
Band66	5	132647	25	#0	QAM16	1780.00	-26.68	-13	PASS
Band66	10	132022	50	#0	QPSK	1709.98	-32.72	-13	PASS
Band66	10	132022	50	#0	QAM16	1710.00	-33.84	-13	PASS
Band66	10	132622	50	#0	QPSK	1780.00	-31.51	-13	PASS
Band66	10	132622	50	#0	QAM16	1780.00	-33.18	-13	PASS
Band66	15	132047	75	#0	QPSK	1710.00	-33.26	-13	PASS
Band66	15	132047	75	#0	QAM16	1710.00	-35.96	-13	PASS
Band66	15	132597	75	#0	QPSK	1780.06	-32.70	-13	PASS
Band66	15	132597	75	#0	QAM16	1780.00	-35.16	-13	PASS
Band66	20	132072	100	#0	QPSK	1709.92	-34.54	-13	PASS
Band66	20	132072	100	#0	QAM16	1709.92	-35.50	-13	PASS
Band66	20	132572	100	#0	QPSK	1780.00	-32.52	-13	PASS
Band66	20	132572	100	#0	QAM16	1780.00	-34.35	-13	PASS


Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0



Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0



Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0




6 Out-of-band emissions

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band66	1.4	131979	6	#0	QPSK	5105.35	-37.95	-13	PASS
Band66	1.4	131979	6	#0	QAM16	3823.98	-37.72	-13	PASS
Band66	1.4	132665	6	#0	QPSK	3763.23	-37.17	-13	PASS
Band66	1.4	132665	6	#0	QAM16	3840.85	-37.44	-13	PASS
Band66	3	131987	15	#0	QPSK	1697.95	-35.67	-13	PASS
Band66	3	131987	15	#0	QAM16	3841.98	-38.10	-13	PASS
Band66	3	132657	15	#0	QPSK	3775.15	-37.74	-13	PASS
Band66	3	132657	15	#0	QAM16	3822.18	-36.98	-13	PASS
Band66	5	131997	25	#0	QPSK	3739.60	-38.36	-13	PASS
Band66	5	131997	25	#0	QAM16	3936.70	-38.12	-13	PASS
Band66	5	132647	25	#0	QPSK	3753.10	-38.62	-13	PASS
Band66	5	132647	25	#0	QAM16	3810.93	-37.88	-13	PASS
Band66	10	132022	50	#0	QPSK	3806.65	-37.20	-13	PASS
Band66	10	132022	50	#0	QAM16	3824.65	-36.76	-13	PASS
Band66	10	132622	50	#0	QPSK	3875.05	-37.96	-13	PASS
Band66	10	132622	50	#0	QAM16	3791.80	-37.92	-13	PASS
Band66	15	132047	75	#0	QPSK	4243.83	-37.99	-13	PASS
Band66	15	132047	75	#0	QAM16	3684.70	-37.90	-13	PASS
Band66	15	132597	75	#0	QPSK	3640.60	-38.41	-13	PASS
Band66	15	132597	75	#0	QAM16	4656.93	-38.30	-13	PASS
Band66	20	132072	100	#0	QPSK	3819.93	-38.16	-13	PASS
Band66	20	132072	100	#0	QAM16	3807.55	-38.22	-13	PASS
Band66	20	132572	100	#0	QPSK	3808.00	-38.72	-13	PASS
Band66	20	132572	100	#0	QAM16	3905.65	-37.46	-13	PASS


Band66 QAM16 BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QAM16 BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QAM16 BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QAM16 BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QAM16 BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QAM16 BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QAM16 BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QAM16 BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0



Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0

