

Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band41 120M


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.48	-25	Pass	2985
30	1000	0.1	RMS	937.794	-55.25	-25	Pass	9700
1000	2486	1	RMS	2457.981	-40.93	-25	Pass	1486
2486	2700	1	RMS	2535.577	19.37	60	Pass	601
2700	3000	1	RMS	2840	-40.13	-25	Pass	601
3000	12000	1	RMS	5767.307	-46.88	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.53	-25	Pass	15000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.63	-25	Pass	2985
30	1000	0.1	RMS	999.3	-55.23	-25	Pass	9700
1000	2486	1	RMS	2420.956	-40.94	-25	Pass	1486
2486	2700	1	RMS	2539.857	19.76	60	Pass	601
2700	3000	1	RMS	2839	-39.75	-25	Pass	601
3000	12000	1	RMS	11910.99	-48.16	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.36	-25	Pass	15000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.04	-25	Pass	2985
30	1000	0.1	RMS	899.29	-55.19	-25	Pass	9700
1000	2486	1	RMS	2409.949	-40.76	-25	Pass	1486
2486	2700	1	RMS	2535.22	19.29	60	Pass	601
2700	3000	1	RMS	2839	-39.62	-25	Pass	601
3000	12000	1	RMS	5771.308	-47.57	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.32	-25	Pass	15000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.63	-25	Pass	2985
30	1000	0.1	RMS	883.488	-55.4	-25	Pass	9700
1000	2486	1	RMS	2428.962	-40.95	-25	Pass	1486
2486	2700	1	RMS	2539.5	18.85	60	Pass	601
2700	3000	1	RMS	2839.5	-39.72	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.06	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.32	-25	Pass	15000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.22	-25	Pass	2985
30	1000	0.1	RMS	966.197	-55.32	-25	Pass	9700
1000	2486	1	RMS	2408.948	-39.36	-25	Pass	1486
2486	2700	1	RMS	2592.643	20.04	60	Pass	601
2700	3000	1	RMS	2839	-39.71	-25	Pass	601
3000	12000	1	RMS	11908.99	-48.02	-25	Pass	9000
12000	27000	1	RMS	26451.963	-28.23	-25	Pass	15000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.52	-25	Pass	2985
30	1000	0.1	RMS	985.098	-55.39	-25	Pass	9700
1000	2486	1	RMS	1752.506	-40.13	-25	Pass	1486
2486	2700	1	RMS	2597.28	19.98	60	Pass	601
2700	3000	1	RMS	2838.5	-39.69	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.99	-25	Pass	9000
12000	27000	1	RMS	26453.964	-28.32	-25	Pass	15000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.75	-25	Pass	2985
30	1000	0.1	RMS	899.99	-55.36	-25	Pass	9700
1000	2486	1	RMS	2408.948	-40.6	-25	Pass	1486
2486	2700	1	RMS	2592.643	19.05	60	Pass	601
2700	3000	1	RMS	2839.5	-39.71	-25	Pass	601
3000	12000	1	RMS	11909.99	-47.99	-25	Pass	9000
12000	27000	1	RMS	26453.964	-28.17	-25	Pass	15000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.55	-25	Pass	2985
30	1000	0.1	RMS	997.5	-55.37	-25	Pass	9700
1000	2486	1	RMS	2406.947	-40.42	-25	Pass	1486
2486	2700	1	RMS	2596.923	18.74	60	Pass	601
2700	3000	1	RMS	2840.5	-39.67	-25	Pass	601
3000	12000	1	RMS	11909.99	-47.97	-25	Pass	9000
12000	27000	1	RMS	26451.963	-28.2	-25	Pass	15000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.83	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.55	-25	Pass	2985
30	1000	0.1	RMS	899.09	-55.33	-25	Pass	9700
1000	2486	1	RMS	2420.956	-40.88	-25	Pass	1486
2486	2700	1	RMS	2650.423	19.9	60	Pass	601
2700	3000	1	RMS	2840	-39.68	-25	Pass	601
3000	12000	1	RMS	11913.99	-48	-25	Pass	9000
12000	27000	1	RMS	26458.964	-28.25	-25	Pass	15000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.07	-25	Pass	2985
30	1000	0.1	RMS	911.391	-55.3	-25	Pass	9700
1000	2486	1	RMS	2447.974	-40.89	-25	Pass	1486
2486	2700	1	RMS	2654.703	20.1	60	Pass	601
2700	3000	1	RMS	2840	-39.69	-25	Pass	601
3000	12000	1	RMS	11918.991	-48	-25	Pass	9000
12000	27000	1	RMS	26456.964	-28.21	-25	Pass	15000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49	-25	Pass	2985
30	1000	0.1	RMS	909.191	-55.26	-25	Pass	9700
1000	2486	1	RMS	2413.952	-40.87	-25	Pass	1486
2486	2700	1	RMS	2650.423	18.76	60	Pass	601
2700	3000	1	RMS	2839.5	-39.64	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.97	-25	Pass	9000
12000	27000	1	RMS	26460.964	-28.18	-25	Pass	15000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.58	-25	Pass	2985
30	1000	0.1	RMS	908.891	-55.26	-25	Pass	9700
1000	2486	1	RMS	2422.958	-40.85	-25	Pass	1486
2486	2700	1	RMS	2654.703	19.16	60	Pass	601
2700	3000	1	RMS	2840	-39.62	-25	Pass	601
3000	12000	1	RMS	11913.99	-48	-25	Pass	9000
12000	27000	1	RMS	26451.963	-28.2	-25	Pass	15000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.65	-25	Pass	2985
30	1000	0.1	RMS	892.489	-55.29	-25	Pass	9700
1000	2486	1	RMS	2409.949	-40.85	-25	Pass	1486
2486	2700	1	RMS	2535.577	19.54	60	Pass	601
2700	3000	1	RMS	2839.5	-39.64	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.92	-25	Pass	9000
12000	27000	1	RMS	26468.965	-28.21	-25	Pass	15000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.29	-25	Pass	2985
30	1000	0.1	RMS	904.79	-55.28	-25	Pass	9700
1000	2486	1	RMS	2451.977	-40.89	-25	Pass	1486
2486	2700	1	RMS	2544.493	20.15	60	Pass	601
2700	3000	1	RMS	2840	-39.66	-25	Pass	601
3000	12000	1	RMS	5768.308	-47.95	-25	Pass	9000
12000	27000	1	RMS	26456.964	-28.19	-25	Pass	15000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.95	-25	Pass	2985
30	1000	0.1	RMS	992.799	-55.29	-25	Pass	9700
1000	2486	1	RMS	2421.957	-40.87	-25	Pass	1486
2486	2700	1	RMS	2535.577	18.69	60	Pass	601
2700	3000	1	RMS	2840	-39.68	-25	Pass	601
3000	12000	1	RMS	11906.99	-47.96	-25	Pass	9000
12000	27000	1	RMS	26449.963	-28.23	-25	Pass	15000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.42	-25	Pass	2985
30	1000	0.1	RMS	894.789	-55.33	-25	Pass	9700
1000	2486	1	RMS	2454.979	-40.88	-25	Pass	1486
2486	2700	1	RMS	2544.493	19.53	60	Pass	601
2700	3000	1	RMS	2838.5	-39.66	-25	Pass	601
3000	12000	1	RMS	5770.308	-46.51	-25	Pass	9000
12000	27000	1	RMS	26460.964	-28.18	-25	Pass	15000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.58	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.7	-25	Pass	2985
30	1000	0.1	RMS	905.79	-55.34	-25	Pass	9700
1000	2486	1	RMS	2462.985	-40.86	-25	Pass	1486
2486	2700	1	RMS	2590.503	20.36	60	Pass	601
2700	3000	1	RMS	2839.5	-39.66	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.93	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.17	-25	Pass	15000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.63	-25	Pass	2985
30	1000	0.1	RMS	898.19	-47.32	-25	Pass	9700
1000	2486	1	RMS	2422.958	-40.86	-25	Pass	1486
2486	2700	1	RMS	2599.42	20.8	60	Pass	601
2700	3000	1	RMS	2839.5	-39.63	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.01	-25	Pass	9000
12000	27000	1	RMS	26451.963	-28.17	-25	Pass	15000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.18	-25	Pass	2985
30	1000	0.1	RMS	893.689	-55.27	-25	Pass	9700
1000	2486	1	RMS	2460.983	-40.83	-25	Pass	1486
2486	2700	1	RMS	2590.503	19.53	60	Pass	601
2700	3000	1	RMS	2839.5	-39.65	-25	Pass	601
3000	12000	1	RMS	11916.991	-47.96	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.14	-25	Pass	15000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.42	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.65	-25	Pass	2985
30	1000	0.1	RMS	888.589	-55.24	-25	Pass	9700
1000	2486	1	RMS	2422.958	-40.85	-25	Pass	1486
2486	2700	1	RMS	2599.42	19.44	60	Pass	601
2700	3000	1	RMS	2840	-39.6	-25	Pass	601
3000	12000	1	RMS	5768.308	-46.46	-25	Pass	9000
12000	27000	1	RMS	26447.963	-28.19	-25	Pass	15000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.18	-25	Pass	2985
30	1000	0.1	RMS	901.39	-55.2	-25	Pass	9700
1000	2486	1	RMS	2451.977	-40.9	-25	Pass	1486
2486	2700	1	RMS	2645.43	20.22	60	Pass	601
2700	3000	1	RMS	2840	-39.65	-25	Pass	601
3000	12000	1	RMS	5765.307	-47.93	-25	Pass	9000
12000	27000	1	RMS	26457.964	-28.22	-25	Pass	15000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.05	-25	Pass	2985
30	1000	0.1	RMS	977.698	-55.34	-25	Pass	9700
1000	2486	1	RMS	2422.958	-40.91	-25	Pass	1486
2486	2700	1	RMS	2654.347	20.05	60	Pass	601
2700	3000	1	RMS	2839.5	-39.68	-25	Pass	601
3000	12000	1	RMS	11911.99	-47.96	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.2	-25	Pass	15000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.11	-25	Pass	2985
30	1000	0.1	RMS	933.993	-55.36	-25	Pass	9700
1000	2486	1	RMS	2423.958	-40.85	-25	Pass	1486
2486	2700	1	RMS	2645.43	19.26	60	Pass	601
2700	3000	1	RMS	2840	-39.67	-25	Pass	601
3000	12000	1	RMS	11915.991	-47.93	-25	Pass	9000
12000	27000	1	RMS	26451.963	-28.2	-25	Pass	15000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-25	Pass	601
0.15	30	0.01	RMS	0.16	-50.51	-25	Pass	2985
30	1000	0.1	RMS	919.192	-55.22	-25	Pass	9700
1000	2486	1	RMS	2410.949	-40.84	-25	Pass	1486
2486	2700	1	RMS	2654.347	19.31	60	Pass	601
2700	3000	1	RMS	2840	-39.63	-25	Pass	601
3000	12000	1	RMS	11921.991	-47.95	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.25	-25	Pass	15000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.36	-25	Pass	2985
30	1000	0.1	RMS	913.491	-55.22	-25	Pass	9700
1000	2486	1	RMS	2449.976	-40.86	-25	Pass	1486
2486	2700	1	RMS	2535.933	20.28	60	Pass	601
2700	3000	1	RMS	2840	-39.66	-25	Pass	601
3000	12000	1	RMS	11914.991	-48.01	-25	Pass	9000
12000	27000	1	RMS	26457.964	-28.2	-25	Pass	15000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.45	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.17	-25	Pass	2985
30	1000	0.1	RMS	996.2	-55.28	-25	Pass	9700
1000	2486	1	RMS	2452.978	-40.87	-25	Pass	1486
2486	2700	1	RMS	2549.13	19.37	60	Pass	601
2700	3000	1	RMS	2840	-39.69	-25	Pass	601
3000	12000	1	RMS	11908.99	-47.99	-25	Pass	9000
12000	27000	1	RMS	26446.963	-28.19	-25	Pass	15000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.84	-25	Pass	2985
30	1000	0.1	RMS	899.29	-55.3	-25	Pass	9700
1000	2486	1	RMS	2428.962	-40.84	-25	Pass	1486
2486	2700	1	RMS	2535.933	19.31	60	Pass	601
2700	3000	1	RMS	2838	-39.69	-25	Pass	601
3000	12000	1	RMS	11918.991	-47.99	-25	Pass	9000
12000	27000	1	RMS	26453.964	-28.24	-25	Pass	15000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.33	-25	Pass	2985
30	1000	0.1	RMS	965.296	-55.35	-25	Pass	9700
1000	2486	1	RMS	2421.957	-40.85	-25	Pass	1486
2486	2700	1	RMS	2549.13	19.28	60	Pass	601
2700	3000	1	RMS	2839.5	-39.68	-25	Pass	601
3000	12000	1	RMS	11911.99	-47.94	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.16	-25	Pass	15000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.1	-25	Pass	2985
30	1000	0.1	RMS	919.592	-55.32	-25	Pass	9700
1000	2486	1	RMS	2427.961	-40.81	-25	Pass	1486
2486	2700	1	RMS	2588.363	20.6	60	Pass	601
2700	3000	1	RMS	2840	-39.66	-25	Pass	601
3000	12000	1	RMS	11904.989	-47.97	-25	Pass	9000
12000	27000	1	RMS	26457.964	-28.19	-25	Pass	15000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50	-25	Pass	2985
30	1000	0.1	RMS	914.991	-55.27	-25	Pass	9700
1000	2486	1	RMS	2452.978	-40.9	-25	Pass	1486
2486	2700	1	RMS	2601.917	19.93	60	Pass	601
2700	3000	1	RMS	2839.5	-39.66	-25	Pass	601
3000	12000	1	RMS	11912.99	-47.92	-25	Pass	9000
12000	27000	1	RMS	26453.964	-28.16	-25	Pass	15000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.43	-25	Pass	2985
30	1000	0.1	RMS	888.188	-55.21	-25	Pass	9700
1000	2486	1	RMS	2455.98	-40.91	-25	Pass	1486
2486	2700	1	RMS	2588.363	18.82	60	Pass	601
2700	3000	1	RMS	2840	-39.66	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.89	-25	Pass	9000
12000	27000	1	RMS	26449.963	-28.15	-25	Pass	15000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.63	-25	Pass	2985
30	1000	0.1	RMS	895.989	-55.25	-25	Pass	9700
1000	2486	1	RMS	2413.952	-40.72	-25	Pass	1486
2486	2700	1	RMS	2601.56	14.04	60	Pass	601
2700	3000	1	RMS	2839.5	-39.64	-25	Pass	601
3000	12000	1	RMS	5770.308	-47.73	-25	Pass	9000
12000	27000	1	RMS	26460.964	-28.15	-25	Pass	15000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.63	-25	Pass	2985
30	1000	0.1	RMS	1000	-55.38	-25	Pass	9700
1000	2486	1	RMS	2426.96	-40.84	-25	Pass	1486
2486	2700	1	RMS	2640.793	15.64	60	Pass	601
2700	3000	1	RMS	2839.5	-39.61	-25	Pass	601
3000	12000	1	RMS	5771.308	-47.66	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.14	-25	Pass	15000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50	-25	Pass	2985
30	1000	0.1	RMS	936.293	-55.22	-25	Pass	9700
1000	2486	1	RMS	2448.975	-40.9	-25	Pass	1486
2486	2700	1	RMS	2654.347	15.85	60	Pass	601
2700	3000	1	RMS	2840	-39.65	-25	Pass	601
3000	12000	1	RMS	11899.989	-48	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.17	-25	Pass	15000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.49	-25	Pass	2985
30	1000	0.1	RMS	883.988	-55.28	-25	Pass	9700
1000	2486	1	RMS	2447.974	-40.88	-25	Pass	1486
2486	2700	1	RMS	2640.793	15.37	60	Pass	601
2700	3000	1	RMS	2838.5	-39.69	-25	Pass	601
3000	12000	1	RMS	11912.99	-48	-25	Pass	9000
12000	27000	1	RMS	26447.963	-28.12	-25	Pass	15000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.87	-25	Pass	2985
30	1000	0.1	RMS	924.892	-55.32	-25	Pass	9700
1000	2486	1	RMS	2420.956	-40.9	-25	Pass	1486
2486	2700	1	RMS	2654.347	14.21	60	Pass	601
2700	3000	1	RMS	2840	-39.69	-25	Pass	601
3000	12000	1	RMS	11917.991	-48.01	-25	Pass	9000
12000	27000	1	RMS	26455.964	-28.18	-25	Pass	15000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.6	-25	Pass	2985
30	1000	0.1	RMS	910.591	-55.32	-25	Pass	9700
1000	2486	1	RMS	2454.979	-40.88	-25	Pass	1486
2486	2700	1	RMS	2535.933	15.32	60	Pass	601
2700	3000	1	RMS	2839	-39.71	-25	Pass	601
3000	12000	1	RMS	11903.989	-48	-25	Pass	9000
12000	27000	1	RMS	26448.963	-28.18	-25	Pass	15000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.21	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.63	-25	Pass	2985
30	1000	0.1	RMS	998.4	-55.3	-25	Pass	9700
1000	2486	1	RMS	2455.98	-40.88	-25	Pass	1486
2486	2700	1	RMS	2554.123	14.75	60	Pass	601
2700	3000	1	RMS	2840	-39.7	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.95	-25	Pass	9000
12000	27000	1	RMS	26449.963	-28.17	-25	Pass	15000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.24	-25	Pass	2985
30	1000	0.1	RMS	899.09	-55.36	-25	Pass	9700
1000	2486	1	RMS	2424.959	-40.9	-25	Pass	1486
2486	2700	1	RMS	2535.933	14.15	60	Pass	601
2700	3000	1	RMS	2839.5	-39.69	-25	Pass	601
3000	12000	1	RMS	11915.991	-47.99	-25	Pass	9000
12000	27000	1	RMS	26447.963	-28.17	-25	Pass	15000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.8	-25	Pass	2985
30	1000	0.1	RMS	991.499	-55.27	-25	Pass	9700
1000	2486	1	RMS	2418.955	-40.89	-25	Pass	1486
2486	2700	1	RMS	2553.767	14.79	60	Pass	601
2700	3000	1	RMS	2840	-39.68	-25	Pass	601
3000	12000	1	RMS	11910.99	-48	-25	Pass	9000
12000	27000	1	RMS	26463.964	-28.21	-25	Pass	15000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-33.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.56	-25	Pass	2985
30	1000	0.1	RMS	908.491	-55.34	-25	Pass	9700
1000	2486	1	RMS	2423.958	-40.89	-25	Pass	1486
2486	2700	1	RMS	2585.867	15.67	60	Pass	601
2700	3000	1	RMS	2838.5	-39.66	-25	Pass	601
3000	12000	1	RMS	11914.991	-47.98	-25	Pass	9000
12000	27000	1	RMS	26456.964	-28.12	-25	Pass	15000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.02	-25	Pass	2985
30	1000	0.1	RMS	993.499	-55.33	-25	Pass	9700
1000	2486	1	RMS	2409.949	-40.67	-25	Pass	1486
2486	2700	1	RMS	2604.057	14.96	60	Pass	601
2700	3000	1	RMS	2840	-39.68	-25	Pass	601
3000	12000	1	RMS	11913.99	-47.98	-25	Pass	9000
12000	27000	1	RMS	26449.963	-28.23	-25	Pass	15000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.33	-25	Pass	2985
30	1000	0.1	RMS	911.191	-55.38	-25	Pass	9700
1000	2486	1	RMS	2449.976	-40.9	-25	Pass	1486
2486	2700	1	RMS	2586.223	14.92	60	Pass	601
2700	3000	1	RMS	2840	-39.71	-25	Pass	601
3000	12000	1	RMS	11914.991	-47.99	-25	Pass	9000
12000	27000	1	RMS	26453.964	-28.2	-25	Pass	15000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.096	-30.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.05	-25	Pass	2985
30	1000	0.1	RMS	975.898	-55.3	-25	Pass	9700
1000	2486	1	RMS	2415.953	-40.89	-25	Pass	1486
2486	2700	1	RMS	2604.057	14.01	60	Pass	601
2700	3000	1	RMS	2840	-39.69	-25	Pass	601
3000	12000	1	RMS	11916.991	-47.97	-25	Pass	9000
12000	27000	1	RMS	26454.964	-28.17	-25	Pass	15000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.41	-25	Pass	2985
30	1000	0.1	RMS	909.391	-55.25	-25	Pass	9700
1000	2486	1	RMS	2420.956	-40.92	-25	Pass	1486
2486	2700	1	RMS	2636.157	14.87	60	Pass	601
2700	3000	1	RMS	2840	-39.65	-25	Pass	601
3000	12000	1	RMS	11915.991	-47.96	-25	Pass	9000
12000	27000	1	RMS	26452.964	-28.17	-25	Pass	15000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-50.69	-25	Pass	2985
30	1000	0.1	RMS	898.69	-55.36	-25	Pass	9700
1000	2486	1	RMS	2407.947	-40.79	-25	Pass	1486
2486	2700	1	RMS	2653.99	15.41	60	Pass	601
2700	3000	1	RMS	2840	-39.63	-25	Pass	601
3000	12000	1	RMS	5759.307	-46.97	-25	Pass	9000
12000	27000	1	RMS	26456.964	-28.25	-25	Pass	15000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.4	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.36	-25	Pass	2985
30	1000	0.1	RMS	949.295	-55.39	-25	Pass	9700
1000	2486	1	RMS	2447.974	-40.91	-25	Pass	1486
2486	2700	1	RMS	2636.157	13.96	60	Pass	601
2700	3000	1	RMS	2840.5	-39.68	-25	Pass	601
3000	12000	1	RMS	11916.991	-47.99	-25	Pass	9000
12000	27000	1	RMS	26449.963	-28.2	-25	Pass	15000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-25	Pass	601
0.15	30	0.01	RMS	0.15	-49.63	-25	Pass	2985
30	1000	0.1	RMS	923.592	-55.46	-25	Pass	9700
1000	2486	1	RMS	2453.978	-40.87	-25	Pass	1486
2486	2700	1	RMS	2653.99	14.08	60	Pass	601
2700	3000	1	RMS	2840	-39.69	-25	Pass	601
3000	12000	1	RMS	11922.991	-47.95	-25	Pass	9000
12000	27000	1	RMS	26449.963	-28.24	-25	Pass	15000



END