


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-32.77	-13	Pass	401
0.15	30	0.01	Peak	0.15	-32.91	-13	Pass	2986
30	500	0.1	Peak	393.5	-43.56	-13	Pass	4701
500	1000	0.1	Peak	824.2	32.44	-13	N/A	5001
1000	10000	1	Peak	7674	-19.53	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-33.45	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.61	-13	Pass	2986
30	500	0.1	Peak	464.1	-43.3	-13	Pass	4701
500	1000	0.1	Peak	836.6	32.57	-13	N/A	5001
1000	10000	1	Peak	7469	-20.06	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-33.02	-13	Pass	2986
30	500	0.1	Peak	425.9	-42.72	-13	Pass	4701
500	1000	0.1	Peak	848.8	32.31	-13	N/A	5001
1000	10000	1	Peak	8044	-19.54	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.43	-13	Pass	2986
30	1000	0.1	Peak	858.7	-46.62	-13	Pass	9701
1000	3000	1	Peak	1850	29.66	-13	N/A	2001
3000	20000	1	Peak	3700	-36.98	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.96	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.53	-13	Pass	2986
30	1000	0.1	Peak	963.9	-47.24	-13	Pass	9701
1000	3000	1	Peak	1880	30.71	-13	N/A	2001
3000	20000	1	Peak	3760	-35.65	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-38.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-40.34	-13	Pass	2986
30	1000	0.1	Peak	874.6	-46.46	-13	Pass	9701
1000	3000	1	Peak	1910	30.33	-13	N/A	2001
3000	20000	1	Peak	3820	-36.25	-13	Pass	17001



3. EGPRS_GSM850


3.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.65	-13	Pass	401
0.15	30	0.01	Peak	0.18	-33.93	-13	Pass	2986
30	500	0.1	Peak	485.3	-43.31	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.3	-13	N/A	5001
1000	10000	1	Peak	9487	-20.18	-13	Pass	9001




3.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-32.97	-13	Pass	401
0.15	30	0.01	Peak	0.16	-34.22	-13	Pass	2986
30	500	0.1	Peak	484.8	-42.34	-13	Pass	4701
500	1000	0.1	Peak	836.7	-27.6	-13	N/A	5001
1000	10000	1	Peak	9524	-20.28	-13	Pass	9001



3.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-30.16	-13	Pass	401
0.15	30	0.01	Peak	0.17	-33.44	-13	Pass	2986
30	500	0.1	Peak	472.2	-43.53	-13	Pass	4701
500	1000	0.1	Peak	848.9	21.89	-13	N/A	5001
1000	10000	1	Peak	7798	-20.27	-13	Pass	9001



4. EGPRS_PCS


4.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-38.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-39.45	-13	Pass	2986
30	1000	0.1	Peak	872.4	-47.19	-13	Pass	9701
1000	3000	1	Peak	1850	29.49	-13	N/A	2001
3000	20000	1	Peak	19758	-37.12	-13	Pass	17001




4.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.26	-13	Pass	401
0.15	30	0.01	Peak	0.17	-40.01	-13	Pass	2986
30	1000	0.1	Peak	836.4	-47.3	-13	Pass	9701
1000	3000	1	Peak	1880	29.24	-13	N/A	2001
3000	20000	1	Peak	19798	-37.41	-13	Pass	17001



4.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTLV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-37.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.92	-13	Pass	2986
30	1000	0.1	Peak	990.1	-47.29	-13	Pass	9701
1000	3000	1	Peak	1910	24.61	-13	N/A	2001
3000	20000	1	Peak	19760	-37.88	-13	Pass	17001



5. WCDMA_Band2


5.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.47	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.39	-13	Pass	2986
30	1000	0.1	Peak	961.7	-51.23	-13	Pass	9701
1000	3000	1	Peak	1854	22.92	-13	N/A	2001
3000	20000	1	Peak	19999	-24.87	-13	Pass	17001




5.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.68	-13	Pass	2986
30	1000	0.1	Peak	770.3	-51.36	-13	Pass	9701
1000	3000	1	Peak	1879	22.89	-13	N/A	2001
3000	20000	1	Peak	19982	-24.13	-13	Pass	17001



5.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-42.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.61	-13	Pass	2986
30	1000	0.1	Peak	885.2	-51.14	-13	Pass	9701
1000	3000	1	Peak	1906	23.17	-13	N/A	2001
3000	20000	1	Peak	19976	-25.09	-13	Pass	17001



6. WCDMA_Band4


6.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.48	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.09	-13	Pass	2986
30	1000	0.1	Peak	634.7	-51.01	-13	Pass	9701
1000	3000	1	Peak	1714	23.78	-13	N/A	2001
3000	20000	1	Peak	19355	-25.61	-13	Pass	17001




6.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-43.52	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.79	-13	Pass	2986
30	1000	0.1	Peak	804.3	-51.46	-13	Pass	9701
1000	3000	1	Peak	1734	23.54	-13	N/A	2001
3000	20000	1	Peak	19768	-25.15	-13	Pass	17001



6.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.23	-13	Pass	2986
30	1000	0.1	Peak	846.3	-51.04	-13	Pass	9701
1000	3000	1	Peak	1751	23.56	-13	N/A	2001
3000	20000	1	Peak	19945	-25.49	-13	Pass	17001



7. WCDMA_Band5


7.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.025	-66.14	-13	Pass	401
0.15	30	0.01	Peak	25.74	-60.22	-13	Pass	2986
30	500	0.1	Peak	352.1	-48.45	-13	Pass	4701
500	1000	0.1	Peak	826.7	17.77	-13	N/A	5001
1000	10000	1	Peak	7099	-23.4	-13	Pass	9002




7.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.047	-66.6	-13	Pass	401
0.15	30	0.01	Peak	19.41	-60.9	-13	Pass	2986
30	500	0.1	Peak	480	-48.09	-13	Pass	4701
500	1000	0.1	Peak	837.9	17.28	-13	N/A	5001
1000	10000	1	Peak	8594	-23.61	-13	Pass	9002



7.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.36	-13	Pass	401
0.15	30	0.01	Peak	0.9	-59.49	-13	Pass	2986
30	500	0.1	Peak	490.6	-47.3	-13	Pass	4701
500	1000	0.1	Peak	845.4	17.83	-13	N/A	5001
1000	10000	1	Peak	8630	-23.24	-13	Pass	9002



8. LTE_Band2


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.76	-13	Pass	2986
30	1000	0.1	RMS	914	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.41	-13	Pass	841
1840	1920	1	RMS	1850.2	22.34	60	Pass	401
1920	3000	1	RMS	2647	-46.55	-13	Pass	1081
3000	12000	1	RMS	11988	-39.01	-13	Pass	9001
12000	20000	1	RMS	20000	-26.15	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.61	-13	Pass	2986
30	1000	0.1	RMS	950.7	-62.34	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1920	1	RMS	1850.2	21.37	60	Pass	401
1920	3000	1	RMS	2650	-46.63	-13	Pass	1081
3000	12000	1	RMS	11995	-38.95	-13	Pass	9001
12000	20000	1	RMS	20000	-26.11	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.53	-13	Pass	2986
30	1000	0.1	RMS	929.4	-62.24	-13	Pass	9701
1000	1840	1	RMS	1839	-50.67	-13	Pass	841
1840	1920	1	RMS	1879.6	22.6	60	Pass	401
1920	3000	1	RMS	2650	-46.63	-13	Pass	1081
3000	12000	1	RMS	11999	-38.95	-13	Pass	9001
12000	20000	1	RMS	20000	-26.21	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.47	-13	Pass	2986
30	1000	0.1	RMS	927.2	-62.19	-13	Pass	9701
1000	1840	1	RMS	1836	-50.68	-13	Pass	841
1840	1920	1	RMS	1879.6	21.62	60	Pass	401
1920	3000	1	RMS	2650	-46.58	-13	Pass	1081
3000	12000	1	RMS	12000	-38.97	-13	Pass	9001
12000	20000	1	RMS	19993	-26.19	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.57	-13	Pass	2986
30	1000	0.1	RMS	987.2	-62.25	-13	Pass	9701
1000	1840	1	RMS	1839	-50.72	-13	Pass	841
1840	1920	1	RMS	1908.8	22.55	60	Pass	401
1920	3000	1	RMS	2649	-46.6	-13	Pass	1081
3000	12000	1	RMS	12000	-38.97	-13	Pass	9001
12000	20000	1	RMS	19996	-26.17	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.15	-13	Pass	2986
30	1000	0.1	RMS	916.1	-62.32	-13	Pass	9701
1000	1840	1	RMS	1821	-50.69	-13	Pass	841
1840	1920	1	RMS	1908.8	21.59	60	Pass	401
1920	3000	1	RMS	2649	-46.58	-13	Pass	1081
3000	12000	1	RMS	11997	-38.99	-13	Pass	9001
12000	20000	1	RMS	19999	-26.2	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.43	-13	Pass	2986
30	1000	0.1	RMS	942	-62.19	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1920	1	RMS	1850.2	22.2	60	Pass	401
1920	3000	1	RMS	2656	-46.62	-13	Pass	1081
3000	12000	1	RMS	11999	-38.99	-13	Pass	9001
12000	20000	1	RMS	19996	-26.3	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.09	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.29	-13	Pass	9701
1000	1840	1	RMS	1840	-50.36	-13	Pass	841
1840	1920	1	RMS	1850.2	21.4	60	Pass	401
1920	3000	1	RMS	2649	-46.59	-13	Pass	1081
3000	12000	1	RMS	11999	-38.96	-13	Pass	9001
12000	20000	1	RMS	19995	-26.18	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.25	-13	Pass	2986
30	1000	0.1	RMS	916.6	-62.29	-13	Pass	9701
1000	1840	1	RMS	1832	-50.68	-13	Pass	841
1840	1920	1	RMS	1878.8	22.44	60	Pass	401
1920	3000	1	RMS	2647	-46.62	-13	Pass	1081
3000	12000	1	RMS	11996	-38.99	-13	Pass	9001
12000	20000	1	RMS	20000	-26.18	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.27	-13	Pass	2986
30	1000	0.1	RMS	926.7	-62.15	-13	Pass	9701
1000	1840	1	RMS	1831	-50.78	-13	Pass	841
1840	1920	1	RMS	1878.8	21.5	60	Pass	401
1920	3000	1	RMS	2650	-46.62	-13	Pass	1081
3000	12000	1	RMS	11996	-39.02	-13	Pass	9001
12000	20000	1	RMS	19999	-26.14	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.44	-13	Pass	2986
30	1000	0.1	RMS	928.4	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-50.68	-13	Pass	841
1840	1920	1	RMS	1907.2	22.4	60	Pass	401
1920	3000	1	RMS	2647	-46.6	-13	Pass	1081
3000	12000	1	RMS	11998	-38.87	-13	Pass	9001
12000	20000	1	RMS	19996	-26.16	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.99	-13	Pass	2986
30	1000	0.1	RMS	992.9	-62.26	-13	Pass	9701
1000	1840	1	RMS	1836	-50.72	-13	Pass	841
1840	1920	1	RMS	1907.2	21.44	60	Pass	401
1920	3000	1	RMS	2649	-46.55	-13	Pass	1081
3000	12000	1	RMS	11990	-38.98	-13	Pass	9001
12000	20000	1	RMS	20000	-26.11	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.49	-13	Pass	2986
30	1000	0.1	RMS	962.4	-62.32	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1850.4	22.43	60	Pass	401
1920	3000	1	RMS	2650	-46.58	-13	Pass	1081
3000	12000	1	RMS	11999	-38.94	-13	Pass	9001
12000	20000	1	RMS	19989	-26.22	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-13	Pass	2986
30	1000	0.1	RMS	809.6	-62.29	-13	Pass	9701
1000	1840	1	RMS	1839	-50.56	-13	Pass	841
1840	1920	1	RMS	1850.4	21.5	60	Pass	401
1920	3000	1	RMS	2655	-46.66	-13	Pass	1081
3000	12000	1	RMS	11994	-39.02	-13	Pass	9001
12000	20000	1	RMS	20000	-26.17	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.73	-13	Pass	2986
30	1000	0.1	RMS	971.3	-62.38	-13	Pass	9701
1000	1840	1	RMS	1831	-50.69	-13	Pass	841
1840	1920	1	RMS	1877.8	22.69	60	Pass	401
1920	3000	1	RMS	2650	-46.63	-13	Pass	1081
3000	12000	1	RMS	11988	-39	-13	Pass	9001
12000	20000	1	RMS	20000	-26.2	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.05	-13	Pass	2986
30	1000	0.1	RMS	939.1	-62.24	-13	Pass	9701
1000	1840	1	RMS	1837	-50.72	-13	Pass	841
1840	1920	1	RMS	1877.8	21.91	60	Pass	401
1920	3000	1	RMS	2643	-46.64	-13	Pass	1081
3000	12000	1	RMS	12000	-38.91	-13	Pass	9001
12000	20000	1	RMS	19999	-26.05	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.68	-13	Pass	2986
30	1000	0.1	RMS	932.7	-62.37	-13	Pass	9701
1000	1840	1	RMS	1833	-50.73	-13	Pass	841
1840	1920	1	RMS	1905.4	22.53	60	Pass	401
1920	3000	1	RMS	2652	-46.59	-13	Pass	1081
3000	12000	1	RMS	11991	-38.94	-13	Pass	9001
12000	20000	1	RMS	19995	-26.19	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.19	-13	Pass	2986
30	1000	0.1	RMS	924.7	-62.24	-13	Pass	9701
1000	1840	1	RMS	1839	-50.75	-13	Pass	841
1840	1920	1	RMS	1905.4	21.74	60	Pass	401
1920	3000	1	RMS	2649	-46.64	-13	Pass	1081
3000	12000	1	RMS	11995	-38.99	-13	Pass	9001
12000	20000	1	RMS	19996	-26.16	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.58	-13	Pass	2986
30	1000	0.1	RMS	930.4	-62.16	-13	Pass	9701
1000	1840	1	RMS	1833	-46.15	-13	Pass	841
1840	1920	1	RMS	1850.6	22.55	60	Pass	401
1920	3000	1	RMS	2644	-46.62	-13	Pass	1081
3000	12000	1	RMS	12000	-38.94	-13	Pass	9001
12000	20000	1	RMS	19997	-26.16	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.68	-13	Pass	2986
30	1000	0.1	RMS	908.2	-62.3	-13	Pass	9701
1000	1840	1	RMS	1833	-46.77	-13	Pass	841
1840	1920	1	RMS	1850.6	21.72	60	Pass	401
1920	3000	1	RMS	2645	-46.62	-13	Pass	1081
3000	12000	1	RMS	12000	-38.97	-13	Pass	9001
12000	20000	1	RMS	19999	-26.2	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.72	-13	Pass	2986
30	1000	0.1	RMS	996.1	-62.22	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1920	1	RMS	1875.6	22.75	60	Pass	401
1920	3000	1	RMS	2642	-46.58	-13	Pass	1081
3000	12000	1	RMS	12000	-39	-13	Pass	9001
12000	20000	1	RMS	19997	-26.13	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.41	-13	Pass	2986
30	1000	0.1	RMS	944.2	-62.11	-13	Pass	9701
1000	1840	1	RMS	1835	-50.73	-13	Pass	841
1840	1920	1	RMS	1875.6	21.76	60	Pass	401
1920	3000	1	RMS	2648	-46.62	-13	Pass	1081
3000	12000	1	RMS	11989	-39.02	-13	Pass	9001
12000	20000	1	RMS	20000	-26.21	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.24	-13	Pass	2986
30	1000	0.1	RMS	908	-62.22	-13	Pass	9701
1000	1840	1	RMS	1834	-50.68	-13	Pass	841
1840	1920	1	RMS	1900.6	22.73	60	Pass	401
1920	3000	1	RMS	2644	-46.61	-13	Pass	1081
3000	12000	1	RMS	11686	-39.02	-13	Pass	9001
12000	20000	1	RMS	20000	-26.14	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.95	-13	Pass	2986
30	1000	0.1	RMS	938.9	-62.28	-13	Pass	9701
1000	1840	1	RMS	1828	-50.73	-13	Pass	841
1840	1920	1	RMS	1900.6	21.77	60	Pass	401
1920	3000	1	RMS	2652	-46.58	-13	Pass	1081
3000	12000	1	RMS	11997	-39	-13	Pass	9001
12000	20000	1	RMS	20000	-26.09	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.28	-13	Pass	2986
30	1000	0.1	RMS	933.7	-62.31	-13	Pass	9701
1000	1840	1	RMS	1840	-42.06	-13	Pass	841
1840	1920	1	RMS	1850.8	22.45	60	Pass	401
1920	3000	1	RMS	2649	-46.66	-13	Pass	1081
3000	12000	1	RMS	11999	-38.88	-13	Pass	9001
12000	20000	1	RMS	20000	-26.2	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.94	-13	Pass	2986
30	1000	0.1	RMS	917.6	-62.27	-13	Pass	9701
1000	1840	1	RMS	1840	-43.26	-13	Pass	841
1840	1920	1	RMS	1850.8	21.62	60	Pass	401
1920	3000	1	RMS	2650	-46.62	-13	Pass	1081
3000	12000	1	RMS	11994	-38.99	-13	Pass	9001
12000	20000	1	RMS	20000	-26.18	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.44	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.32	-13	Pass	9701
1000	1840	1	RMS	1836	-50.71	-13	Pass	841
1840	1920	1	RMS	1873.4	22.6	60	Pass	401
1920	3000	1	RMS	2650	-46.65	-13	Pass	1081
3000	12000	1	RMS	11995	-39.02	-13	Pass	9001
12000	20000	1	RMS	19998	-26.24	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.96	-13	Pass	2986
30	1000	0.1	RMS	957.2	-62.32	-13	Pass	9701
1000	1840	1	RMS	1835	-50.74	-13	Pass	841
1840	1920	1	RMS	1873.4	21.62	60	Pass	401
1920	3000	1	RMS	2657	-46.66	-13	Pass	1081
3000	12000	1	RMS	11997	-38.97	-13	Pass	9001
12000	20000	1	RMS	19998	-26.18	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.56	-13	Pass	2986
30	1000	0.1	RMS	904.1	-62.39	-13	Pass	9701
1000	1840	1	RMS	1835	-50.67	-13	Pass	841
1840	1920	1	RMS	1895.8	22.72	60	Pass	401
1920	3000	1	RMS	2648	-46.64	-13	Pass	1081
3000	12000	1	RMS	11999	-38.98	-13	Pass	9001
12000	20000	1	RMS	20000	-26.16	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.82	-13	Pass	2986
30	1000	0.1	RMS	940.1	-62.28	-13	Pass	9701
1000	1840	1	RMS	1839	-50.67	-13	Pass	841
1840	1920	1	RMS	1895.8	21.85	60	Pass	401
1920	3000	1	RMS	2650	-46.62	-13	Pass	1081
3000	12000	1	RMS	11992	-38.96	-13	Pass	9001
12000	20000	1	RMS	19999	-26.19	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.05	-13	Pass	2986
30	1000	0.1	RMS	934	-62.17	-13	Pass	9701
1000	1840	1	RMS	1840	-43.36	-13	Pass	841
1840	1920	1	RMS	1851	22.28	60	Pass	401
1920	3000	1	RMS	2640	-46.62	-13	Pass	1081
3000	12000	1	RMS	12000	-38.96	-13	Pass	9001
12000	20000	1	RMS	20000	-26.16	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.49	-13	Pass	2986
30	1000	0.1	RMS	932.1	-62.24	-13	Pass	9701
1000	1840	1	RMS	1839	-44.31	-13	Pass	841
1840	1920	1	RMS	1851	21.46	60	Pass	401
1920	3000	1	RMS	2646	-46.64	-13	Pass	1081
3000	12000	1	RMS	11998	-39.01	-13	Pass	9001
12000	20000	1	RMS	20000	-26.07	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.64	-13	Pass	2986
30	1000	0.1	RMS	914.3	-62.2	-13	Pass	9701
1000	1840	1	RMS	1835	-43.5	-13	Pass	841
1840	1920	1	RMS	1871	22.44	60	Pass	401
1920	3000	1	RMS	2643	-46.6	-13	Pass	1081
3000	12000	1	RMS	11996	-38.94	-13	Pass	9001
12000	20000	1	RMS	19999	-26.13	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.86	-13	Pass	2986
30	1000	0.1	RMS	939.9	-62.28	-13	Pass	9701
1000	1840	1	RMS	1835	-44.78	-13	Pass	841
1840	1920	1	RMS	1871	21.47	60	Pass	401
1920	3000	1	RMS	2646	-46.57	-13	Pass	1081
3000	12000	1	RMS	11995	-39	-13	Pass	9001
12000	20000	1	RMS	20000	-26.17	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.66	-13	Pass	2986
30	1000	0.1	RMS	952.9	-62.31	-13	Pass	9701
1000	1840	1	RMS	1831	-50.71	-13	Pass	841
1840	1920	1	RMS	1891	22.62	60	Pass	401
1920	3000	1	RMS	2647	-46.63	-13	Pass	1081
3000	12000	1	RMS	11990	-38.93	-13	Pass	9001
12000	20000	1	RMS	19997	-26.15	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.55	-13	Pass	2986
30	1000	0.1	RMS	991.6	-62.24	-13	Pass	9701
1000	1840	1	RMS	1840	-50.73	-13	Pass	841
1840	1920	1	RMS	1891.2	21.56	60	Pass	401
1920	3000	1	RMS	2654	-46.64	-13	Pass	1081
3000	12000	1	RMS	11995	-38.97	-13	Pass	9001
12000	20000	1	RMS	19999	-26.2	-13	Pass	8001



9. LTE_Band4


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.07	-13	Pass	2986
30	1000	0.1	RMS	994.6	-62.27	-13	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	Pass	701
1700	1765	1	RMS	1710.238	23.16	60	Pass	401
1765	3000	1	RMS	2648	-46.56	-13	Pass	1236
3000	12000	1	RMS	11997	-38.95	-13	Pass	9001
12000	20000	1	RMS	19995	-26.1	-13	Pass	8001




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.03	-13	Pass	2986
30	1000	0.1	RMS	934.4	-62.19	-13	Pass	9701
1000	1700	1	RMS	1700	-51.08	-13	Pass	701
1700	1765	1	RMS	1710.238	22.12	60	Pass	401
1765	3000	1	RMS	2650	-46.62	-13	Pass	1236
3000	12000	1	RMS	11998	-38.97	-13	Pass	9001
12000	20000	1	RMS	19997	-26.15	-13	Pass	8001




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-13	Pass	2986
30	1000	0.1	RMS	928.5	-62.28	-13	Pass	9701
1000	1700	1	RMS	1593	-51.19	-13	Pass	701
1700	1765	1	RMS	1732.013	23.23	60	Pass	401
1765	3000	1	RMS	2648	-46.6	-13	Pass	1236
3000	12000	1	RMS	11996	-38.95	-13	Pass	9001
12000	20000	1	RMS	20000	-26.13	-13	Pass	8001




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.55	-13	Pass	2986
30	1000	0.1	RMS	923.9	-62.27	-13	Pass	9701
1000	1700	1	RMS	1590	-51.18	-13	Pass	701
1700	1765	1	RMS	1732.013	22.18	60	Pass	401
1765	3000	1	RMS	2652	-46.65	-13	Pass	1236
3000	12000	1	RMS	11660	-39.05	-13	Pass	9001
12000	20000	1	RMS	19999	-26.15	-13	Pass	8001




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.38	-13	Pass	2986
30	1000	0.1	RMS	931.4	-62.2	-13	Pass	9701
1000	1700	1	RMS	1591	-51.19	-13	Pass	701
1700	1765	1	RMS	1753.788	23.1	60	Pass	401
1765	3000	1	RMS	2648	-46.61	-13	Pass	1236
3000	12000	1	RMS	11999	-39.01	-13	Pass	9001
12000	20000	1	RMS	20000	-26.2	-13	Pass	8001




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.62	-13	Pass	2986
30	1000	0.1	RMS	931.7	-62.26	-13	Pass	9701
1000	1700	1	RMS	1589	-51.21	-13	Pass	701
1700	1765	1	RMS	1753.788	22.18	60	Pass	401
1765	3000	1	RMS	2648	-46.56	-13	Pass	1236
3000	12000	1	RMS	11998	-39.02	-13	Pass	9001
12000	20000	1	RMS	19999	-26.13	-13	Pass	8001




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.91	-13	Pass	2986
30	1000	0.1	RMS	886.3	-62.26	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1765	1	RMS	1710.238	23.07	60	Pass	401
1765	3000	1	RMS	2651	-46.54	-13	Pass	1236
3000	12000	1	RMS	11997	-38.96	-13	Pass	9001
12000	20000	1	RMS	20000	-26.14	-13	Pass	8001




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.29	-13	Pass	2986
30	1000	0.1	RMS	902.8	-62.3	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1765	1	RMS	1710.238	22.17	60	Pass	401
1765	3000	1	RMS	2642	-46.62	-13	Pass	1236
3000	12000	1	RMS	12000	-38.96	-13	Pass	9001
12000	20000	1	RMS	20000	-26.14	-13	Pass	8001



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.86	-13	Pass	2986
30	1000	0.1	RMS	940.6	-62.2	-13	Pass	9701
1000	1700	1	RMS	1588	-51.19	-13	Pass	701
1700	1765	1	RMS	1731.2	23.14	60	Pass	401
1765	3000	1	RMS	2645	-46.61	-13	Pass	1236
3000	12000	1	RMS	11993	-38.94	-13	Pass	9001
12000	20000	1	RMS	19999	-26.15	-13	Pass	8001



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.34	-13	Pass	2986
30	1000	0.1	RMS	928.1	-62.27	-13	Pass	9701
1000	1700	1	RMS	1594	-51.2	-13	Pass	701
1700	1765	1	RMS	1731.2	22.12	60	Pass	401
1765	3000	1	RMS	2647	-46.62	-13	Pass	1236
3000	12000	1	RMS	11999	-38.98	-13	Pass	9001
12000	20000	1	RMS	19997	-26.22	-13	Pass	8001



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.24	-13	Pass	2986
30	1000	0.1	RMS	924.2	-62.21	-13	Pass	9701
1000	1700	1	RMS	1592	-51.17	-13	Pass	701
1700	1765	1	RMS	1752.163	23	60	Pass	401
1765	3000	1	RMS	2652	-46.59	-13	Pass	1236
3000	12000	1	RMS	11998	-38.92	-13	Pass	9001
12000	20000	1	RMS	19995	-26.25	-13	Pass	8001



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.12	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.27	-13	Pass	2986
30	1000	0.1	RMS	989.1	-62.3	-13	Pass	9701
1000	1700	1	RMS	1588	-51.2	-13	Pass	701
1700	1765	1	RMS	1752.163	22.03	60	Pass	401
1765	3000	1	RMS	2647	-46.59	-13	Pass	1236
3000	12000	1	RMS	11995	-38.99	-13	Pass	9001
12000	20000	1	RMS	20000	-26.13	-13	Pass	8001



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.24	-13	Pass	2986
30	1000	0.1	RMS	947.2	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-50.98	-13	Pass	701
1700	1765	1	RMS	1710.4	23.22	60	Pass	401
1765	3000	1	RMS	2645	-46.64	-13	Pass	1236
3000	12000	1	RMS	11996	-38.99	-13	Pass	9001
12000	20000	1	RMS	19998	-26.19	-13	Pass	8001



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.92	-13	Pass	2986
30	1000	0.1	RMS	942.7	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-51.03	-13	Pass	701
1700	1765	1	RMS	1710.4	22.21	60	Pass	401
1765	3000	1	RMS	2646	-46.65	-13	Pass	1236
3000	12000	1	RMS	11986	-38.97	-13	Pass	9001
12000	20000	1	RMS	20000	-26.23	-13	Pass	8001



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.44	-13	Pass	2986
30	1000	0.1	RMS	908.4	-62.25	-13	Pass	9701
1000	1700	1	RMS	1596	-51.19	-13	Pass	701
1700	1765	1	RMS	1730.388	23.34	60	Pass	401
1765	3000	1	RMS	2639	-46.61	-13	Pass	1236
3000	12000	1	RMS	11983	-38.99	-13	Pass	9001
12000	20000	1	RMS	19994	-26.23	-13	Pass	8001



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.84	-13	Pass	2986
30	1000	0.1	RMS	991.4	-62.3	-13	Pass	9701
1000	1700	1	RMS	1590	-51.19	-13	Pass	701
1700	1765	1	RMS	1730.388	22.48	60	Pass	401
1765	3000	1	RMS	2648	-46.58	-13	Pass	1236
3000	12000	1	RMS	11999	-38.97	-13	Pass	9001
12000	20000	1	RMS	20000	-26.23	-13	Pass	8001



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.09	-13	Pass	2986
30	1000	0.1	RMS	918.4	-62.32	-13	Pass	9701
1000	1700	1	RMS	1590	-51.19	-13	Pass	701
1700	1765	1	RMS	1750.375	23.27	60	Pass	401
1765	3000	1	RMS	2642	-46.59	-13	Pass	1236
3000	12000	1	RMS	12000	-38.94	-13	Pass	9001
12000	20000	1	RMS	20000	-26.21	-13	Pass	8001



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	1000	0.1	RMS	959.2	-62.19	-13	Pass	9701
1000	1700	1	RMS	1590	-51.18	-13	Pass	701
1700	1765	1	RMS	1750.375	22.46	60	Pass	401
1765	3000	1	RMS	2645	-46.59	-13	Pass	1236
3000	12000	1	RMS	12000	-38.92	-13	Pass	9001
12000	20000	1	RMS	19999	-26.12	-13	Pass	8001



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.99	-13	Pass	2986
30	1000	0.1	RMS	921.7	-62.27	-13	Pass	9701
1000	1700	1	RMS	1693	-46.5	-13	Pass	701
1700	1765	1	RMS	1710.563	23.37	60	Pass	401
1765	3000	1	RMS	2643	-46.59	-13	Pass	1236
3000	12000	1	RMS	11995	-38.98	-13	Pass	9001
12000	20000	1	RMS	20000	-26.16	-13	Pass	8001



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.23	-13	Pass	2986
30	1000	0.1	RMS	911.5	-62.23	-13	Pass	9701
1000	1700	1	RMS	1700	-47.35	-13	Pass	701
1700	1765	1	RMS	1710.563	22.53	60	Pass	401
1765	3000	1	RMS	2645	-46.59	-13	Pass	1236
3000	12000	1	RMS	11993	-38.99	-13	Pass	9001
12000	20000	1	RMS	19996	-26.09	-13	Pass	8001



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.67	-13	Pass	2986
30	1000	0.1	RMS	953.5	-62.3	-13	Pass	9701
1000	1700	1	RMS	1596	-51.18	-13	Pass	701
1700	1765	1	RMS	1728.113	23.47	60	Pass	401
1765	3000	1	RMS	2647	-46.51	-13	Pass	1236
3000	12000	1	RMS	12000	-38.9	-13	Pass	9001
12000	20000	1	RMS	20000	-26.17	-13	Pass	8001



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.96	-13	Pass	2986
30	1000	0.1	RMS	916.8	-62.22	-13	Pass	9701
1000	1700	1	RMS	1595	-51.17	-13	Pass	701
1700	1765	1	RMS	1728.113	22.46	60	Pass	401
1765	3000	1	RMS	2650	-46.62	-13	Pass	1236
3000	12000	1	RMS	11999	-38.95	-13	Pass	9001
12000	20000	1	RMS	19999	-26.22	-13	Pass	8001



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.51	-13	Pass	2986
30	1000	0.1	RMS	937.6	-62	-13	Pass	9701
1000	1700	1	RMS	1595	-51.2	-13	Pass	701
1700	1765	1	RMS	1745.663	23.34	60	Pass	401
1765	3000	1	RMS	2650	-46.61	-13	Pass	1236
3000	12000	1	RMS	11994	-38.99	-13	Pass	9001
12000	20000	1	RMS	20000	-26.2	-13	Pass	8001



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.74	-13	Pass	2986
30	1000	0.1	RMS	919.4	-62.27	-13	Pass	9701
1000	1700	1	RMS	1591	-51.22	-13	Pass	701
1700	1765	1	RMS	1745.663	22.35	60	Pass	401
1765	3000	1	RMS	2650	-46.63	-13	Pass	1236
3000	12000	1	RMS	12000	-38.97	-13	Pass	9001
12000	20000	1	RMS	19997	-26.15	-13	Pass	8001



9.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.3	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.29	-13	Pass	9701
1000	1700	1	RMS	1700	-39.78	-13	Pass	701
1700	1765	1	RMS	1710.888	23.25	60	Pass	401
1765	3000	1	RMS	2653	-46.59	-13	Pass	1236
3000	12000	1	RMS	11998	-39.01	-13	Pass	9001
12000	20000	1	RMS	20000	-26.18	-13	Pass	8001



9.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.47	-13	Pass	2986
30	1000	0.1	RMS	814.5	-62.32	-13	Pass	9701
1000	1700	1	RMS	1700	-41.64	-13	Pass	701
1700	1765	1	RMS	1710.888	22.36	60	Pass	401
1765	3000	1	RMS	2652	-46.57	-13	Pass	1236
3000	12000	1	RMS	11997	-38.92	-13	Pass	9001
12000	20000	1	RMS	19997	-26.23	-13	Pass	8001



9.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.48	-13	Pass	2986
30	1000	0.1	RMS	923.6	-62.27	-13	Pass	9701
1000	1700	1	RMS	1699	-42.97	-13	Pass	701
1700	1765	1	RMS	1725.838	23.39	60	Pass	401
1765	3000	1	RMS	2648	-46.61	-13	Pass	1236
3000	12000	1	RMS	11999	-38.93	-13	Pass	9001
12000	20000	1	RMS	19996	-26.2	-13	Pass	8001



9.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.96	-13	Pass	2986
30	1000	0.1	RMS	935.6	-62.22	-13	Pass	9701
1000	1700	1	RMS	1699	-44.89	-13	Pass	701
1700	1765	1	RMS	1725.838	22.39	60	Pass	401
1765	3000	1	RMS	2648	-46.6	-13	Pass	1236
3000	12000	1	RMS	11999	-38.95	-13	Pass	9001
12000	20000	1	RMS	19999	-26.16	-13	Pass	8001



9.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.91	-13	Pass	2986
30	1000	0.1	RMS	936.4	-62.29	-13	Pass	9701
1000	1700	1	RMS	1590	-51.12	-13	Pass	701
1700	1765	1	RMS	1740.788	23.34	60	Pass	401
1765	3000	1	RMS	1767	-32.98	-13	Pass	1236
3000	12000	1	RMS	11993	-38.98	-13	Pass	9001
12000	20000	1	RMS	19998	-26.14	-13	Pass	8001



9.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.34	-13	Pass	2986
30	1000	0.1	RMS	877	-62.23	-13	Pass	9701
1000	1700	1	RMS	1593	-51.2	-13	Pass	701
1700	1765	1	RMS	1740.788	22.38	60	Pass	401
1765	3000	1	RMS	1767	-33.84	-13	Pass	1236
3000	12000	1	RMS	11993	-38.98	-13	Pass	9001
12000	20000	1	RMS	19999	-26.18	-13	Pass	8001



9.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.93	-13	Pass	2986
30	1000	0.1	RMS	945	-62.17	-13	Pass	9701
1000	1700	1	RMS	1700	-40.96	-13	Pass	701
1700	1765	1	RMS	1711.05	23.23	60	Pass	401
1765	3000	1	RMS	2646	-46.58	-13	Pass	1236
3000	12000	1	RMS	11999	-38.99	-13	Pass	9001
12000	20000	1	RMS	20000	-26.14	-13	Pass	8001



9.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2986
30	1000	0.1	RMS	922.4	-62.18	-13	Pass	9701
1000	1700	1	RMS	1700	-42.82	-13	Pass	701
1700	1765	1	RMS	1711.05	22.36	60	Pass	401
1765	3000	1	RMS	2655	-46.6	-13	Pass	1236
3000	12000	1	RMS	11997	-39.02	-13	Pass	9001
12000	20000	1	RMS	20000	-26.13	-13	Pass	8001



9.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.55	-13	Pass	2986
30	1000	0.1	RMS	911.1	-62.31	-13	Pass	9701
1000	1700	1	RMS	1688	-48.05	-13	Pass	701
1700	1765	1	RMS	1723.563	23.32	60	Pass	401
1765	3000	1	RMS	2648	-46.65	-13	Pass	1236
3000	12000	1	RMS	11989	-38.94	-13	Pass	9001
12000	20000	1	RMS	20000	-26.14	-13	Pass	8001



9.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.05	-13	Pass	2986
30	1000	0.1	RMS	913.3	-62.31	-13	Pass	9701
1000	1700	1	RMS	1688	-48.99	-13	Pass	701
1700	1765	1	RMS	1723.563	22.25	60	Pass	401
1765	3000	1	RMS	2652	-46.63	-13	Pass	1236
3000	12000	1	RMS	12000	-38.95	-13	Pass	9001
12000	20000	1	RMS	19997	-26.22	-13	Pass	8001



9.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.05	-13	Pass	2986
30	1000	0.1	RMS	916.4	-62.21	-13	Pass	9701
1000	1700	1	RMS	1700	-43.17	-13	Pass	701
1700	1765	1	RMS	1736.075	23.25	60	Pass	401
1765	3000	1	RMS	1772	-31.18	-13	Pass	1236
3000	12000	1	RMS	11998	-38.99	-13	Pass	9001
12000	20000	1	RMS	19999	-26.23	-13	Pass	8001



9.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.22	-13	Pass	2986
30	1000	0.1	RMS	941.1	-62.38	-13	Pass	9701
1000	1700	1	RMS	1700	-44.76	-13	Pass	701
1700	1765	1	RMS	1736.075	22.16	60	Pass	401
1765	3000	1	RMS	1772	-32.17	-13	Pass	1236
3000	12000	1	RMS	11996	-39.02	-13	Pass	9001
12000	20000	1	RMS	19999	-26.26	-13	Pass	8001



10. LTE_Band5


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.43	-13	Pass	2986
30	814	0.1	RMS	812	-62.57	-13	Pass	7841
814	860	0.1	RMS	824.2	20.07	60	Pass	461
860	1000	0.1	RMS	990.5	-62.67	-13	Pass	1401
1000	3000	1	RMS	1648	-46.65	-13	Pass	2001
3000	10000	1	RMS	3297	-35.4	-13	Pass	7001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.76	-13	Pass	2986
30	814	0.1	RMS	806.8	-62.55	-13	Pass	7841
814	860	0.1	RMS	824.3	18.97	60	Pass	461
860	1000	0.1	RMS	902.9	-62.66	-13	Pass	1401
1000	3000	1	RMS	2647	-46.91	-13	Pass	2001
3000	10000	1	RMS	3297	-36.74	-13	Pass	7001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.93	-13	Pass	2986
30	814	0.1	RMS	798.3	-62.61	-13	Pass	7841
814	860	0.1	RMS	836.1	20.1	60	Pass	461
860	1000	0.1	RMS	867.1	-62.5	-13	Pass	1401
1000	3000	1	RMS	1672	-46.36	-13	Pass	2001
3000	10000	1	RMS	3344	-35.8	-13	Pass	7001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.92	-13	Pass	2986
30	814	0.1	RMS	801.5	-62.62	-13	Pass	7841
814	860	0.1	RMS	836.1	19.13	60	Pass	461
860	1000	0.1	RMS	915.8	-62.54	-13	Pass	1401
1000	3000	1	RMS	2649	-46.9	-13	Pass	2001
3000	10000	1	RMS	3344	-36.84	-13	Pass	7001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.69	-13	Pass	2986
30	814	0.1	RMS	778.8	-62.65	-13	Pass	7841
814	860	0.1	RMS	847.9	20.07	60	Pass	461
860	1000	0.1	RMS	956.8	-62.57	-13	Pass	1401
1000	3000	1	RMS	2650	-46.9	-13	Pass	2001
3000	10000	1	RMS	3391	-34.71	-13	Pass	7001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.69	-13	Pass	2986
30	814	0.1	RMS	791	-62.65	-13	Pass	7841
814	860	0.1	RMS	847.8	19.17	60	Pass	461
860	1000	0.1	RMS	918.8	-62.75	-13	Pass	1401
1000	3000	1	RMS	2650	-46.91	-13	Pass	2001
3000	10000	1	RMS	3391	-35.63	-13	Pass	7001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.58	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.71	-13	Pass	7841
814	860	0.1	RMS	824.2	20.17	60	Pass	461
860	1000	0.1	RMS	989.1	-62.73	-13	Pass	1401
1000	3000	1	RMS	1648	-46.71	-13	Pass	2001
3000	10000	1	RMS	3297	-35.88	-13	Pass	7001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.29	-13	Pass	2986
30	814	0.1	RMS	812.4	-62.58	-13	Pass	7841
814	860	0.1	RMS	824.2	19.17	60	Pass	461
860	1000	0.1	RMS	991.7	-62.75	-13	Pass	1401
1000	3000	1	RMS	2649	-46.89	-13	Pass	2001
3000	10000	1	RMS	3297	-36.66	-13	Pass	7001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.66	-13	Pass	2986
30	814	0.1	RMS	805.1	-62.66	-13	Pass	7841
814	860	0.1	RMS	835.2	20.21	60	Pass	461
860	1000	0.1	RMS	937.7	-62.61	-13	Pass	1401
1000	3000	1	RMS	2640	-46.91	-13	Pass	2001
3000	10000	1	RMS	3341	-35.86	-13	Pass	7001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.11	-13	Pass	2986
30	814	0.1	RMS	789.1	-62.69	-13	Pass	7841
814	860	0.1	RMS	835.2	19.2	60	Pass	461
860	1000	0.1	RMS	942.5	-62.66	-13	Pass	1401
1000	3000	1	RMS	2651	-46.9	-13	Pass	2001
3000	10000	1	RMS	3341	-37.08	-13	Pass	7001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.34	-13	Pass	2986
30	814	0.1	RMS	813.9	-62.71	-13	Pass	7841
814	860	0.1	RMS	846.2	20.2	60	Pass	461
860	1000	0.1	RMS	929.6	-62.53	-13	Pass	1401
1000	3000	1	RMS	2647	-46.89	-13	Pass	2001
3000	10000	1	RMS	3385	-34.21	-13	Pass	7001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.77	-13	Pass	2986
30	814	0.1	RMS	797.5	-62.72	-13	Pass	7841
814	860	0.1	RMS	846.2	19.31	60	Pass	461
860	1000	0.1	RMS	938.7	-62.73	-13	Pass	1401
1000	3000	1	RMS	2651	-46.94	-13	Pass	2001
3000	10000	1	RMS	3385	-35.58	-13	Pass	7001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.4	-13	Pass	2986
30	814	0.1	RMS	811.6	-62.6	-13	Pass	7841
814	860	0.1	RMS	824.3	20.34	60	Pass	461
860	1000	0.1	RMS	912.2	-62.7	-13	Pass	1401
1000	3000	1	RMS	1649	-45.89	-13	Pass	2001
3000	10000	1	RMS	3297	-36.01	-13	Pass	7001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.18	-13	Pass	2986
30	814	0.1	RMS	781.3	-62.64	-13	Pass	7841
814	860	0.1	RMS	824.3	19.33	60	Pass	461
860	1000	0.1	RMS	932	-62.65	-13	Pass	1401
1000	3000	1	RMS	1649	-46.83	-13	Pass	2001
3000	10000	1	RMS	3297	-37.74	-13	Pass	7001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.9	-13	Pass	2986
30	814	0.1	RMS	808.1	-62.64	-13	Pass	7841
814	860	0.1	RMS	834.3	20.42	60	Pass	461
860	1000	0.1	RMS	928	-62.67	-13	Pass	1401
1000	3000	1	RMS	2651	-46.92	-13	Pass	2001
3000	10000	1	RMS	3337	-36.48	-13	Pass	7001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.5	-13	Pass	2986
30	814	0.1	RMS	802	-62.71	-13	Pass	7841
814	860	0.1	RMS	834.3	19.72	60	Pass	461
860	1000	0.1	RMS	991	-62.52	-13	Pass	1401
1000	3000	1	RMS	2648	-46.94	-13	Pass	2001
3000	10000	1	RMS	3337	-37.36	-13	Pass	7001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.4	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.49	-13	Pass	2986
30	814	0.1	RMS	791.8	-62.65	-13	Pass	7841
814	860	0.1	RMS	844.3	20.52	60	Pass	461
860	1000	0.1	RMS	918.7	-62.55	-13	Pass	1401
1000	3000	1	RMS	1689	-46.82	-13	Pass	2001
3000	10000	1	RMS	3377	-34.43	-13	Pass	7001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.51	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.68	-13	Pass	7841
814	860	0.1	RMS	844.3	19.66	60	Pass	461
860	1000	0.1	RMS	980.2	-62.67	-13	Pass	1401
1000	3000	1	RMS	2646	-46.96	-13	Pass	2001
3000	10000	1	RMS	3377	-35.68	-13	Pass	7001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2986
30	814	0.1	RMS	809.3	-62.65	-13	Pass	7841
814	860	0.1	RMS	824.6	20.86	60	Pass	461
860	1000	0.1	RMS	930.9	-62.6	-13	Pass	1401
1000	3000	1	RMS	1649	-45.34	-13	Pass	2001
3000	10000	1	RMS	3298	-36.23	-13	Pass	7001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.99	-13	Pass	2986
30	814	0.1	RMS	783.7	-62.69	-13	Pass	7841
814	860	0.1	RMS	824.6	19.95	60	Pass	461
860	1000	0.1	RMS	929.2	-62.63	-13	Pass	1401
1000	3000	1	RMS	1649	-46.15	-13	Pass	2001
3000	10000	1	RMS	3298	-37.24	-13	Pass	7001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.03	-13	Pass	2986
30	814	0.1	RMS	813.4	-62.68	-13	Pass	7841
814	860	0.1	RMS	832.1	20.97	60	Pass	461
860	1000	0.1	RMS	901.2	-62.6	-13	Pass	1401
1000	3000	1	RMS	2654	-46.91	-13	Pass	2001
3000	10000	1	RMS	3328	-36.68	-13	Pass	7001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.31	-13	Pass	2986
30	814	0.1	RMS	808.8	-62.65	-13	Pass	7841
814	860	0.1	RMS	832.1	19.99	60	Pass	461
860	1000	0.1	RMS	997.3	-62.7	-13	Pass	1401
1000	3000	1	RMS	2651	-46.89	-13	Pass	2001
3000	10000	1	RMS	3328	-37.92	-13	Pass	7001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.29	-13	Pass	2986
30	814	0.1	RMS	805.8	-62.65	-13	Pass	7841
814	860	0.1	RMS	839.6	21.01	60	Pass	461
860	1000	0.1	RMS	925.8	-62.65	-13	Pass	1401
1000	3000	1	RMS	1679	-45.05	-13	Pass	2001
3000	10000	1	RMS	3358	-35.36	-13	Pass	7001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.61	-13	Pass	2986
30	814	0.1	RMS	802.5	-62.62	-13	Pass	7841
814	860	0.1	RMS	839.6	20.07	60	Pass	461
860	1000	0.1	RMS	925.1	-62.69	-13	Pass	1401
1000	3000	1	RMS	1679	-45.97	-13	Pass	2001
3000	10000	1	RMS	3358	-36.17	-13	Pass	7001



11. LTE_Band7


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.53	-25	Pass	2986
30	1000	0.1	RMS	920.2	-62.27	-25	Pass	9701
1000	2490	1	RMS	2490	-48.09	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.26	60	Pass	401
2580	3000	1	RMS	2653	-46.69	-25	Pass	421
3000	12000	1	RMS	11690	-62.54	-25	Pass	9001
12000	26000	1	RMS	25012	-39.93	-25	Pass	14001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.82	-25	Pass	2986
30	1000	0.1	RMS	933.1	-62.34	-25	Pass	9701
1000	2490	1	RMS	2490	-48.12	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.2	60	Pass	401
2580	3000	1	RMS	2650	-46.69	-25	Pass	421
3000	12000	1	RMS	11680	-62.57	-25	Pass	9001
12000	26000	1	RMS	25012	-39.94	-25	Pass	14001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.48	-25	Pass	2986
30	1000	0.1	RMS	919.1	-62.26	-25	Pass	9701
1000	2490	1	RMS	2489	-48.18	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.27	60	Pass	401
2580	3000	1	RMS	2654	-46.59	-25	Pass	421
3000	12000	1	RMS	11700	-62.53	-25	Pass	9001
12000	26000	1	RMS	25009	-39.9	-25	Pass	14001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freqen cy (MHz)	Stop Freqen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.73	-25	Pass	2986
30	1000	0.1	RMS	894.9	-62.32	-25	Pass	9701
1000	2490	1	RMS	2479	-48.24	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.3	60	Pass	401
2580	3000	1	RMS	2656	-46.63	-25	Pass	421
3000	12000	1	RMS	11650	-62.56	-25	Pass	9001
12000	26000	1	RMS	25014	-39.95	-25	Pass	14001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.98	-25	Pass	2986
30	1000	0.1	RMS	938	-62.35	-25	Pass	9701
1000	2490	1	RMS	2489	-48.25	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.17	60	Pass	401
2580	3000	1	RMS	2652	-46.69	-25	Pass	421
3000	12000	1	RMS	5131	-60.42	-25	Pass	9001
12000	26000	1	RMS	25011	-39.92	-25	Pass	14001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.57	-25	Pass	2986
30	1000	0.1	RMS	929.7	-62.44	-25	Pass	9701
1000	2490	1	RMS	2484	-48.24	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.4	60	Pass	401
2580	3000	1	RMS	2646	-46.66	-25	Pass	421
3000	12000	1	RMS	5131	-61.33	-25	Pass	9001
12000	26000	1	RMS	25014	-39.87	-25	Pass	14001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.23	-25	Pass	2986
30	1000	0.1	RMS	986.2	-62.2	-25	Pass	9701
1000	2490	1	RMS	2490	-46.35	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.36	60	Pass	401
2580	3000	1	RMS	2652	-46.66	-25	Pass	421
3000	12000	1	RMS	11674	-62.47	-25	Pass	9001
12000	26000	1	RMS	25013	-39.94	-25	Pass	14001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.23	-25	Pass	2986
30	1000	0.1	RMS	922.1	-62.32	-25	Pass	9701
1000	2490	1	RMS	2490	-46.49	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.36	60	Pass	401
2580	3000	1	RMS	2653	-46.69	-25	Pass	421
3000	12000	1	RMS	11681	-62.58	-25	Pass	9001
12000	26000	1	RMS	25012	-39.94	-25	Pass	14001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.43	-25	Pass	2986
30	1000	0.1	RMS	901.1	-62.3	-25	Pass	9701
1000	2490	1	RMS	2489	-48.25	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.31	60	Pass	401
2580	3000	1	RMS	2656	-46.54	-25	Pass	421
3000	12000	1	RMS	11656	-62.58	-25	Pass	9001
12000	26000	1	RMS	25012	-39.92	-25	Pass	14001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.68	-25	Pass	2986
30	1000	0.1	RMS	911.6	-62.27	-25	Pass	9701
1000	2490	1	RMS	2489	-48.2	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.27	60	Pass	401
2580	3000	1	RMS	2658	-46.59	-25	Pass	421
3000	12000	1	RMS	11688	-62.58	-25	Pass	9001
12000	26000	1	RMS	25012	-39.83	-25	Pass	14001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.75	-25	Pass	2986
30	1000	0.1	RMS	950.7	-62.29	-25	Pass	9701
1000	2490	1	RMS	2489	-48.14	-25	Pass	1491
2490	2580	1	RMS	2560.65	22.3	60	Pass	401
2580	3000	1	RMS	2648	-46.68	-25	Pass	421
3000	12000	1	RMS	5121	-60.07	-25	Pass	9001
12000	26000	1	RMS	25012	-39.84	-25	Pass	14001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.29	-25	Pass	2986
30	1000	0.1	RMS	941.2	-62.35	-25	Pass	9701
1000	2490	1	RMS	2486	-48.21	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.35	60	Pass	401
2580	3000	1	RMS	2651	-46.69	-25	Pass	421
3000	12000	1	RMS	5121	-61.55	-25	Pass	9001
12000	26000	1	RMS	25012	-40	-25	Pass	14001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.24	-25	Pass	2986
30	1000	0.1	RMS	921.2	-62.33	-25	Pass	9701
1000	2490	1	RMS	2490	-37.12	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.29	60	Pass	401
2580	3000	1	RMS	2653	-46.65	-25	Pass	421
3000	12000	1	RMS	11692	-62.53	-25	Pass	9001
12000	26000	1	RMS	25012	-39.96	-25	Pass	14001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.16	-25	Pass	2986
30	1000	0.1	RMS	955.7	-62.35	-25	Pass	9701
1000	2490	1	RMS	2490	-39.94	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.31	60	Pass	401
2580	3000	1	RMS	2652	-46.69	-25	Pass	421
3000	12000	1	RMS	11684	-62.53	-25	Pass	9001
12000	26000	1	RMS	25010	-39.9	-25	Pass	14001



11.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-25	Pass	2986
30	1000	0.1	RMS	930	-62.33	-25	Pass	9701
1000	2490	1	RMS	2488	-48.18	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.25	60	Pass	401
2580	3000	1	RMS	2653	-46.59	-25	Pass	421
3000	12000	1	RMS	11704	-62.58	-25	Pass	9001
12000	26000	1	RMS	25009	-39.93	-25	Pass	14001



11.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.21	-25	Pass	2986
30	1000	0.1	RMS	964.5	-62.25	-25	Pass	9701
1000	2490	1	RMS	2490	-48.2	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.21	60	Pass	401
2580	3000	1	RMS	2652	-46.59	-25	Pass	421
3000	12000	1	RMS	11670	-62.55	-25	Pass	9001
12000	26000	1	RMS	25009	-39.98	-25	Pass	14001



11.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.32	-25	Pass	2986
30	1000	0.1	RMS	914.4	-62.31	-25	Pass	9701
1000	2490	1	RMS	2486	-48.23	-25	Pass	1491
2490	2580	1	RMS	2555.925	22.21	60	Pass	401
2580	3000	1	RMS	2582	-36.96	-25	Pass	421
3000	12000	1	RMS	11704	-62.55	-25	Pass	9001
12000	26000	1	RMS	25014	-39.97	-25	Pass	14001



11.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.76	-25	Pass	2986
30	1000	0.1	RMS	932.1	-62.37	-25	Pass	9701
1000	2490	1	RMS	2489	-48.14	-25	Pass	1491
2490	2580	1	RMS	2555.925	21.31	60	Pass	401
2580	3000	1	RMS	2582	-38.07	-25	Pass	421
3000	12000	1	RMS	11688	-62.54	-25	Pass	9001
12000	26000	1	RMS	25009	-39.95	-25	Pass	14001



11.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.01	-25	Pass	2986
30	1000	0.1	RMS	930.2	-62.01	-25	Pass	9701
1000	2490	1	RMS	2490	-38.37	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.15	60	Pass	401
2580	3000	1	RMS	2639	-46.71	-25	Pass	421
3000	12000	1	RMS	11684	-62.57	-25	Pass	9001
12000	26000	1	RMS	25008	-40.06	-25	Pass	14001



11.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.46	-25	Pass	2986
30	1000	0.1	RMS	910.7	-62.06	-25	Pass	9701
1000	2490	1	RMS	2490	-41.15	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.24	60	Pass	401
2580	3000	1	RMS	2650	-46.65	-25	Pass	421
3000	12000	1	RMS	11687	-62.57	-25	Pass	9001
12000	26000	1	RMS	25011	-39.98	-25	Pass	14001



11.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.89	-25	Pass	2986
30	1000	0.1	RMS	929.9	-62.35	-25	Pass	9701
1000	2490	1	RMS	2490	-46.82	-25	Pass	1491
2490	2580	1	RMS	2526	22.14	60	Pass	401
2580	3000	1	RMS	2649	-46.61	-25	Pass	421
3000	12000	1	RMS	11714	-62.57	-25	Pass	9001
12000	26000	1	RMS	25012	-39.92	-25	Pass	14001



11.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.67	-25	Pass	2986
30	1000	0.1	RMS	918.6	-62.28	-25	Pass	9701
1000	2490	1	RMS	2490	-47.47	-25	Pass	1491
2490	2580	1	RMS	2526	21.08	60	Pass	401
2580	3000	1	RMS	2651	-46.61	-25	Pass	421
3000	12000	1	RMS	11685	-62.55	-25	Pass	9001
12000	26000	1	RMS	25013	-39.92	-25	Pass	14001



11.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.97	-25	Pass	2986
30	1000	0.1	RMS	935.5	-62.33	-25	Pass	9701
1000	2490	1	RMS	2488	-48.24	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.08	60	Pass	401
2580	3000	1	RMS	2587	-37.9	-25	Pass	421
3000	12000	1	RMS	5102	-62.04	-25	Pass	9001
12000	26000	1	RMS	25013	-39.89	-25	Pass	14001



11.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.99	-25	Pass	2986
30	1000	0.1	RMS	928	-62.35	-25	Pass	9701
1000	2490	1	RMS	2487	-48.21	-25	Pass	1491
2490	2580	1	RMS	2550.975	21	60	Pass	401
2580	3000	1	RMS	2587	-39.22	-25	Pass	421
3000	12000	1	RMS	11704	-62.55	-25	Pass	9001
12000	26000	1	RMS	25023	-39.86	-25	Pass	14001



12. LTE_Band38


12.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.63	-25	Pass	2986
30	1000	0.1	RMS	943	-58.32	-25	Pass	9701
1000	2560	1	RMS	2560	-43.34	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.59	60	Pass	401
2630	3000	1	RMS	2643.875	-42.68	-25	Pass	401
3000	12000	1	RMS	11697	-44.39	-25	Pass	9001
12000	26500	1	RMS	25010	-32.86	-25	Pass	14501




12.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.41	-25	Pass	2986
30	1000	0.1	RMS	910	-58.37	-25	Pass	9701
1000	2560	1	RMS	2558	-43.26	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.73	60	Pass	401
2630	3000	1	RMS	2651.275	-42.68	-25	Pass	401
3000	12000	1	RMS	11685	-44.4	-25	Pass	9001
12000	26500	1	RMS	25011	-32.87	-25	Pass	14501




12.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.86	-25	Pass	2986
30	1000	0.1	RMS	941.4	-58.23	-25	Pass	9701
1000	2560	1	RMS	2527	-43.72	-25	Pass	1561
2560	2630	1	RMS	2592.9	23.35	60	Pass	401
2630	3000	1	RMS	2650.35	-42.68	-25	Pass	401
3000	12000	1	RMS	11682	-44.34	-25	Pass	9001
12000	26500	1	RMS	25011	-32.85	-25	Pass	14501




12.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.24	-25	Pass	2986
30	1000	0.1	RMS	926.2	-58.3	-25	Pass	9701
1000	2560	1	RMS	2521	-43.74	-25	Pass	1561
2560	2630	1	RMS	2592.9	22.59	60	Pass	401
2630	3000	1	RMS	2652.2	-42.7	-25	Pass	401
3000	12000	1	RMS	11702	-44.43	-25	Pass	9001
12000	26500	1	RMS	25015	-32.87	-25	Pass	14501




12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.14	-25	Pass	2986
30	1000	0.1	RMS	948.8	-58.42	-25	Pass	9701
1000	2560	1	RMS	2554	-43.74	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.76	60	Pass	401
2630	3000	1	RMS	2650.35	-42.68	-25	Pass	401
3000	12000	1	RMS	11700	-44.41	-25	Pass	9001
12000	26500	1	RMS	25017	-32.82	-25	Pass	14501




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.39	-25	Pass	2986
30	1000	0.1	RMS	919.5	-58.21	-25	Pass	9701
1000	2560	1	RMS	2519	-43.72	-25	Pass	1561
2560	2630	1	RMS	2615.3	21.9	60	Pass	401
2630	3000	1	RMS	2647.575	-42.67	-25	Pass	401
3000	12000	1	RMS	11712	-44.38	-25	Pass	9001
12000	26500	1	RMS	25014	-32.89	-25	Pass	14501




12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.8	-25	Pass	2986
30	1000	0.1	RMS	934.2	-58.31	-25	Pass	9701
1000	2560	1	RMS	2560	-40.03	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.44	60	Pass	401
2630	3000	1	RMS	2650.35	-42.68	-25	Pass	401
3000	12000	1	RMS	11707	-44.3	-25	Pass	9001
12000	26500	1	RMS	25012	-32.86	-25	Pass	14501




12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.62	-25	Pass	2986
30	1000	0.1	RMS	926.3	-58.23	-25	Pass	9701
1000	2560	1	RMS	2560	-40.52	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.56	60	Pass	401
2630	3000	1	RMS	2648.5	-42.68	-25	Pass	401
3000	12000	1	RMS	11712	-44.43	-25	Pass	9001
12000	26500	1	RMS	25016	-32.93	-25	Pass	14501



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.11	-25	Pass	2986
30	1000	0.1	RMS	958.3	-58.32	-25	Pass	9701
1000	2560	1	RMS	2527	-43.74	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.7	60	Pass	401
2630	3000	1	RMS	2650.35	-42.7	-25	Pass	401
3000	12000	1	RMS	11696	-44.38	-25	Pass	9001
12000	26500	1	RMS	25018	-32.92	-25	Pass	14501



12.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-48.28	-25	Pass	2986
30	1000	0.1	RMS	918.5	-58.37	-25	Pass	9701
1000	2560	1	RMS	2521	-43.76	-25	Pass	1561
2560	2630	1	RMS	2590.45	21.75	60	Pass	401
2630	3000	1	RMS	2654.05	-42.71	-25	Pass	401
3000	12000	1	RMS	11696	-44.42	-25	Pass	9001
12000	26500	1	RMS	25013	-32.85	-25	Pass	14501



12.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.48	-25	Pass	2986
30	1000	0.1	RMS	828.1	-58.25	-25	Pass	9701
1000	2560	1	RMS	2550	-43.71	-25	Pass	1561
2560	2630	1	RMS	2610.75	23.12	60	Pass	401
2630	3000	1	RMS	2630	-42	-25	Pass	401
3000	12000	1	RMS	11684	-44.45	-25	Pass	9001
12000	26500	1	RMS	25012	-32.82	-25	Pass	14501



12.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.77	-25	Pass	2986
30	1000	0.1	RMS	929.6	-58.35	-25	Pass	9701
1000	2560	1	RMS	2528	-43.72	-25	Pass	1561
2560	2630	1	RMS	2610.75	22.02	60	Pass	401
2630	3000	1	RMS	2630	-42.24	-25	Pass	401
3000	12000	1	RMS	11667	-44.45	-25	Pass	9001
12000	26500	1	RMS	25016	-32.87	-25	Pass	14501



12.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.39	-25	Pass	2986
30	1000	0.1	RMS	892.7	-58.21	-25	Pass	9701
1000	2560	1	RMS	2559	-37.63	-25	Pass	1561
2560	2630	1	RMS	2570.675	22.98	60	Pass	401
2630	3000	1	RMS	2651.275	-42.7	-25	Pass	401
3000	12000	1	RMS	11697	-44.37	-25	Pass	9001
12000	26500	1	RMS	25015	-32.87	-25	Pass	14501



12.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.54	-25	Pass	2986
30	1000	0.1	RMS	981.7	-58.35	-25	Pass	9701
1000	2560	1	RMS	2559	-38.8	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.01	60	Pass	401
2630	3000	1	RMS	2647.575	-42.7	-25	Pass	401
3000	12000	1	RMS	11700	-44.39	-25	Pass	9001
12000	26500	1	RMS	25016	-32.83	-25	Pass	14501



12.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.48	-25	Pass	2986
30	1000	0.1	RMS	942.3	-58.31	-25	Pass	9701
1000	2560	1	RMS	2519	-43.71	-25	Pass	1561
2560	2630	1	RMS	2588.35	23.51	60	Pass	401
2630	3000	1	RMS	2651.275	-42.69	-25	Pass	401
3000	12000	1	RMS	11694	-44.41	-25	Pass	9001
12000	26500	1	RMS	25013	-32.89	-25	Pass	14501



12.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.96	-25	Pass	2986
30	1000	0.1	RMS	938.8	-58.35	-25	Pass	9701
1000	2560	1	RMS	2523	-43.75	-25	Pass	1561
2560	2630	1	RMS	2588.175	21.64	60	Pass	401
2630	3000	1	RMS	2649.425	-42.65	-25	Pass	401
3000	12000	1	RMS	11709	-44.46	-25	Pass	9001
12000	26500	1	RMS	25013	-32.88	-25	Pass	14501



12.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.43	-25	Pass	2986
30	1000	0.1	RMS	919	-58.2	-25	Pass	9701
1000	2560	1	RMS	2518	-43.84	-25	Pass	1561
2560	2630	1	RMS	2605.85	22.86	60	Pass	401
2630	3000	1	RMS	2632.775	-35.52	-25	Pass	401
3000	12000	1	RMS	11686	-44.45	-25	Pass	9001
12000	26500	1	RMS	25012	-32.68	-25	Pass	14501



12.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.96	-25	Pass	2986
30	1000	0.1	RMS	937.6	-58.33	-25	Pass	9701
1000	2560	1	RMS	2528	-43.83	-25	Pass	1561
2560	2630	1	RMS	2605.85	22.42	60	Pass	401
2630	3000	1	RMS	2632.775	-36.41	-25	Pass	401
3000	12000	1	RMS	11679	-44.52	-25	Pass	9001
12000	26500	1	RMS	25011	-32.79	-25	Pass	14501



12.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.71	-25	Pass	2986
30	1000	0.1	RMS	930.2	-58.3	-25	Pass	9701
1000	2560	1	RMS	2560	-38.71	-25	Pass	1561
2560	2630	1	RMS	2571.2	22.81	60	Pass	401
2630	3000	1	RMS	2650.35	-42.68	-25	Pass	401
3000	12000	1	RMS	11700	-44.36	-25	Pass	9001
12000	26500	1	RMS	25010	-32.96	-25	Pass	14501



12.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.68	-25	Pass	2986
30	1000	0.1	RMS	896.2	-58.32	-25	Pass	9701
1000	2560	1	RMS	2558	-39.85	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.25	60	Pass	401
2630	3000	1	RMS	2642.025	-42.7	-25	Pass	401
3000	12000	1	RMS	11700	-44.38	-25	Pass	9001
12000	26500	1	RMS	25011	-32.8	-25	Pass	14501



12.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.19	-25	Pass	2986
30	1000	0.1	RMS	922.1	-58.39	-25	Pass	9701
1000	2560	1	RMS	2550	-43.18	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.11	60	Pass	401
2630	3000	1	RMS	2648.5	-42.7	-25	Pass	401
3000	12000	1	RMS	11710	-44.36	-25	Pass	9001
12000	26500	1	RMS	25010	-32.83	-25	Pass	14501



12.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-45.58	-25	Pass	2986
30	1000	0.1	RMS	956.7	-58.22	-25	Pass	9701
1000	2560	1	RMS	2550	-43	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.84	60	Pass	401
2630	3000	1	RMS	2653.125	-42.68	-25	Pass	401
3000	12000	1	RMS	11685	-44.38	-25	Pass	9001
12000	26500	1	RMS	25018	-32.84	-25	Pass	14501



12.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.62	-25	Pass	2986
30	1000	0.1	RMS	912.1	-58.37	-25	Pass	9701
1000	2560	1	RMS	2521	-43.83	-25	Pass	1561
2560	2630	1	RMS	2601.125	23.23	60	Pass	401
2630	3000	1	RMS	2636.475	-34.53	-25	Pass	401
3000	12000	1	RMS	11692	-44.41	-25	Pass	9001
12000	26500	1	RMS	25011	-32.86	-25	Pass	14501



12.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.51	-25	Pass	2986
30	1000	0.1	RMS	942.1	-58.39	-25	Pass	9701
1000	2560	1	RMS	2521	-43.71	-25	Pass	1561
2560	2630	1	RMS	2600.95	22.25	60	Pass	401
2630	3000	1	RMS	2636.475	-35.69	-25	Pass	401
3000	12000	1	RMS	11680	-44.41	-25	Pass	9001
12000	26500	1	RMS	25013	-32.86	-25	Pass	14501



13. LTE_Band41 120M


13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.42	-25	Pass	2986
30	1000	0.1	RMS	919.1	-58.33	-25	Pass	9701
1000	2486	1	RMS	2486	-44.35	-25	Pass	1487
2486	2700	1	RMS	2535.22	22.46	60	Pass	401
2700	3000	1	RMS	2995.5	-42.84	-25	Pass	401
3000	12000	1	RMS	11680	-58.52	-25	Pass	9001
12000	27000	1	RMS	25017	-35.99	-25	Pass	15001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.31	-25	Pass	2986
30	1000	0.1	RMS	938.4	-58.4	-25	Pass	9701
1000	2486	1	RMS	2481	-44.27	-25	Pass	1487
2486	2700	1	RMS	2535.22	22.06	60	Pass	401
2700	3000	1	RMS	2999.25	-42.86	-25	Pass	401
3000	12000	1	RMS	11708	-58.6	-25	Pass	9001
12000	27000	1	RMS	25013	-35.98	-25	Pass	15001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.1	-25	Pass	2986
30	1000	0.1	RMS	920.8	-58.29	-25	Pass	9701
1000	2486	1	RMS	2486	-44.27	-25	Pass	1487
2486	2700	1	RMS	2592.465	21.72	60	Pass	401
2700	3000	1	RMS	2999.25	-42.83	-25	Pass	401
3000	12000	1	RMS	11691	-58.61	-25	Pass	9001
12000	27000	1	RMS	25012	-35.88	-25	Pass	15001




13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequen cy (MHz)	Stop Frequen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.79	-25	Pass	2986
30	1000	0.1	RMS	963.6	-58.33	-25	Pass	9701
1000	2486	1	RMS	2484	-44.33	-25	Pass	1487
2486	2700	1	RMS	2592.465	20.89	60	Pass	401
2700	3000	1	RMS	2999.25	-42.86	-25	Pass	401
3000	12000	1	RMS	11698	-58.5	-25	Pass	9001
12000	27000	1	RMS	25013	-35.96	-25	Pass	15001




13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.71	-25	Pass	2986
30	1000	0.1	RMS	925.6	-58.36	-25	Pass	9701
1000	2486	1	RMS	2484	-44.28	-25	Pass	1487
2486	2700	1	RMS	2650.245	21.46	60	Pass	401
2700	3000	1	RMS	2999.25	-42.81	-25	Pass	401
3000	12000	1	RMS	11692	-58.57	-25	Pass	9001
12000	27000	1	RMS	25012	-35.79	-25	Pass	15001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Freqen cy (MHz)	Stop Freqen cy (MHz)	RBW (MHz)	Detector	Frequen cy (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.53	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.74	-25	Pass	2986
30	1000	0.1	RMS	979.6	-58.35	-25	Pass	9701
1000	2486	1	RMS	2486	-44.4	-25	Pass	1487
2486	2700	1	RMS	2650.245	22.07	60	Pass	401
2700	3000	1	RMS	3000	-42.84	-25	Pass	401
3000	12000	1	RMS	11703	-58.52	-25	Pass	9001
12000	27000	1	RMS	25014	-35.84	-25	Pass	15001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.55	-25	Pass	2986
30	1000	0.1	RMS	937.9	-58.32	-25	Pass	9701
1000	2486	1	RMS	2485	-44.25	-25	Pass	1487
2486	2700	1	RMS	2535.22	21.86	60	Pass	401
2700	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	11703	-58.52	-25	Pass	9001
12000	27000	1	RMS	25018	-35.94	-25	Pass	15001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.52	-25	Pass	2986
30	1000	0.1	RMS	897.5	-58.35	-25	Pass	9701
1000	2486	1	RMS	2485	-44.33	-25	Pass	1487
2486	2700	1	RMS	2535.755	22.22	60	Pass	401
2700	3000	1	RMS	3000	-42.82	-25	Pass	401
3000	12000	1	RMS	11705	-58.51	-25	Pass	9001
12000	27000	1	RMS	25007	-35.92	-25	Pass	15001



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.12	-25	Pass	2986
30	1000	0.1	RMS	922.5	-58.36	-25	Pass	9701
1000	2486	1	RMS	2485	-44.33	-25	Pass	1487
2486	2700	1	RMS	2590.325	21.82	60	Pass	401
2700	3000	1	RMS	3000	-42.88	-25	Pass	401
3000	12000	1	RMS	11704	-58.58	-25	Pass	9001
12000	27000	1	RMS	25009	-35.9	-25	Pass	15001



13.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.87	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.41	-25	Pass	2986
30	1000	0.1	RMS	988.7	-58.39	-25	Pass	9701
1000	2486	1	RMS	2486	-44.32	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.44	60	Pass	401
2700	3000	1	RMS	3000	-42.89	-25	Pass	401
3000	12000	1	RMS	11679	-58.48	-25	Pass	9001
12000	27000	1	RMS	25011	-35.91	-25	Pass	15001



13.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.31	-25	Pass	2986
30	1000	0.1	RMS	992.3	-58.29	-25	Pass	9701
1000	2486	1	RMS	2486	-44.25	-25	Pass	1487
2486	2700	1	RMS	2645.43	21.95	60	Pass	401
2700	3000	1	RMS	3000	-42.87	-25	Pass	401
3000	12000	1	RMS	11700	-58.51	-25	Pass	9001
12000	27000	1	RMS	25013	-35.94	-25	Pass	15001



13.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.67	-25	Pass	2986
30	1000	0.1	RMS	936.9	-58.22	-25	Pass	9701
1000	2486	1	RMS	2486	-44.31	-25	Pass	1487
2486	2700	1	RMS	2645.43	21.01	60	Pass	401
2700	3000	1	RMS	2997.75	-42.86	-25	Pass	401
3000	12000	1	RMS	11699	-58.55	-25	Pass	9001
12000	27000	1	RMS	25014	-35.91	-25	Pass	15001



13.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.44	-25	Pass	2986
30	1000	0.1	RMS	936.1	-58.31	-25	Pass	9701
1000	2486	1	RMS	2486	-44.31	-25	Pass	1487
2486	2700	1	RMS	2535.755	23	60	Pass	401
2700	3000	1	RMS	2999.25	-42.83	-25	Pass	401
3000	12000	1	RMS	11703	-58.58	-25	Pass	9001
12000	27000	1	RMS	25013	-35.97	-25	Pass	15001



13.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.97	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.73	-25	Pass	2986
30	1000	0.1	RMS	921.4	-58.36	-25	Pass	9701
1000	2486	1	RMS	2480	-44.29	-25	Pass	1487
2486	2700	1	RMS	2535.755	22.02	60	Pass	401
2700	3000	1	RMS	3000	-42.87	-25	Pass	401
3000	12000	1	RMS	11704	-58.59	-25	Pass	9001
12000	27000	1	RMS	25011	-35.84	-25	Pass	15001



13.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.49	-25	Pass	2986
30	1000	0.1	RMS	944.3	-58.38	-25	Pass	9701
1000	2486	1	RMS	2485	-44.31	-25	Pass	1487
2486	2700	1	RMS	2588.185	22.86	60	Pass	401
2700	3000	1	RMS	2999.25	-42.84	-25	Pass	401
3000	12000	1	RMS	11694	-58.56	-25	Pass	9001
12000	27000	1	RMS	25012	-35.94	-25	Pass	15001



13.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.89	-25	Pass	2986
30	1000	0.1	RMS	933.6	-58.3	-25	Pass	9701
1000	2486	1	RMS	2483	-44.28	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.3	60	Pass	401
2700	3000	1	RMS	2999.25	-42.86	-25	Pass	401
3000	12000	1	RMS	11685	-58.54	-25	Pass	9001
12000	27000	1	RMS	25010	-35.89	-25	Pass	15001



13.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.77	-25	Pass	2986
30	1000	0.1	RMS	938.5	-58.24	-25	Pass	9701
1000	2486	1	RMS	2485	-44.27	-25	Pass	1487
2486	2700	1	RMS	2641.15	21.81	60	Pass	401
2700	3000	1	RMS	3000	-42.85	-25	Pass	401
3000	12000	1	RMS	11687	-58.5	-25	Pass	9001
12000	27000	1	RMS	25015	-35.89	-25	Pass	15001



13.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.64	-25	Pass	2986
30	1000	0.1	RMS	915.7	-58.24	-25	Pass	9701
1000	2486	1	RMS	2484	-44.26	-25	Pass	1487
2486	2700	1	RMS	2641.15	20.98	60	Pass	401
2700	3000	1	RMS	3000	-42.89	-25	Pass	401
3000	12000	1	RMS	11695	-58.58	-25	Pass	9001
12000	27000	1	RMS	25012	-35.94	-25	Pass	15001



13.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-43.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.61	-25	Pass	2986
30	1000	0.1	RMS	916.9	-58.35	-25	Pass	9701
1000	2486	1	RMS	2485	-44.26	-25	Pass	1487
2486	2700	1	RMS	2536.29	21.99	60	Pass	401
2700	3000	1	RMS	3000	-42.87	-25	Pass	401
3000	12000	1	RMS	11693	-58.47	-25	Pass	9001
12000	27000	1	RMS	25011	-36.01	-25	Pass	15001



13.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.54	-25	Pass	2986
30	1000	0.1	RMS	998.5	-58.41	-25	Pass	9701
1000	2486	1	RMS	2478	-44.33	-25	Pass	1487
2486	2700	1	RMS	2536.29	21.27	60	Pass	401
2700	3000	1	RMS	2999.25	-42.87	-25	Pass	401
3000	12000	1	RMS	11682	-58.47	-25	Pass	9001
12000	27000	1	RMS	25015	-35.97	-25	Pass	15001



13.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.06	-25	Pass	2986
30	1000	0.1	RMS	873.1	-58.44	-25	Pass	9701
1000	2486	1	RMS	2484	-44.21	-25	Pass	1487
2486	2700	1	RMS	2586.045	22.03	60	Pass	401
2700	3000	1	RMS	2997.75	-42.9	-25	Pass	401
3000	12000	1	RMS	11679	-58.57	-25	Pass	9001
12000	27000	1	RMS	25015	-35.97	-25	Pass	15001



13.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-46.8	-25	Pass	2986
30	1000	0.1	RMS	918.6	-58.4	-25	Pass	9701
1000	2486	1	RMS	2485	-44.27	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.61	60	Pass	401
2700	3000	1	RMS	2999.25	-42.87	-25	Pass	401
3000	12000	1	RMS	11696	-58.55	-25	Pass	9001
12000	27000	1	RMS	25021	-36.02	-25	Pass	15001



13.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-47.28	-25	Pass	2986
30	1000	0.1	RMS	928.6	-58.26	-25	Pass	9701
1000	2486	1	RMS	2480	-44.32	-25	Pass	1487
2486	2700	1	RMS	2635.8	22.06	60	Pass	401
2700	3000	1	RMS	2997.75	-42.83	-25	Pass	401
3000	12000	1	RMS	11701	-58.53	-25	Pass	9001
12000	27000	1	RMS	25016	-35.95	-25	Pass	15001



13.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.37	-25	Pass	401
0.15	30	0.01	RMS	0.16	-47.01	-25	Pass	2986
30	1000	0.1	RMS	884.7	-58.34	-25	Pass	9701
1000	2486	1	RMS	2485	-44.31	-25	Pass	1487
2486	2700	1	RMS	2635.8	20.58	60	Pass	401
2700	3000	1	RMS	3000	-42.88	-25	Pass	401
3000	12000	1	RMS	11680	-58.55	-25	Pass	9001
12000	27000	1	RMS	25014	-35.95	-25	Pass	15001



--BLANK BELOW--