

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band7	5	20775	1	#0	QPSK	22.89	-2.42	20.47	33.01	PASS
Band7	5	20775	1	#Mid	QPSK	22.97	-2.42	20.55	33.01	PASS
Band7	5	20775	1	#Max	QPSK	23.11	-2.42	20.69	33.01	PASS
Band7	5	20775	12	#0	QPSK	21.85	-2.42	19.43	33.01	PASS
Band7	5	20775	12	#Mid	QPSK	21.87	-2.42	19.45	33.01	PASS
Band7	5	20775	12	#Max	QPSK	21.94	-2.42	19.52	33.01	PASS
Band7	5	20775	25	#0	QPSK	21.93	-2.42	19.51	33.01	PASS
Band7	5	20775	1	#0	QAM16	22.36	-2.42	19.94	33.01	PASS
Band7	5	20775	1	#Mid	QAM16	22.49	-2.42	20.07	33.01	PASS
Band7	5	20775	1	#Max	QAM16	22.52	-2.42	20.1	33.01	PASS
Band7	5	20775	12	#0	QAM16	20.84	-2.42	18.42	33.01	PASS
Band7	5	20775	12	#Mid	QAM16	20.84	-2.42	18.42	33.01	PASS
Band7	5	20775	12	#Max	QAM16	20.90	-2.42	18.48	33.01	PASS
Band7	5	20775	25	#0	QAM16	20.93	-2.42	18.51	33.01	PASS
Band7	5	21100	1	#0	QPSK	23.18	-2.42	20.76	33.01	PASS
Band7	5	21100	1	#Mid	QPSK	23.21	-2.42	20.79	33.01	PASS
Band7	5	21100	1	#Max	QPSK	23.16	-2.42	20.74	33.01	PASS
Band7	5	21100	12	#0	QPSK	22.26	-2.42	19.84	33.01	PASS
Band7	5	21100	12	#Mid	QPSK	22.20	-2.42	19.78	33.01	PASS
Band7	5	21100	12	#Max	QPSK	22.21	-2.42	19.79	33.01	PASS
Band7	5	21100	25	#0	QPSK	22.26	-2.42	19.84	33.01	PASS
Band7	5	21100	1	#0	QAM16	22.51	-2.42	20.09	33.01	PASS
Band7	5	21100	1	#Mid	QAM16	22.57	-2.42	20.15	33.01	PASS
Band7	5	21100	1	#Max	QAM16	22.50	-2.42	20.08	33.01	PASS
Band7	5	21100	12	#0	QAM16	21.32	-2.42	18.9	33.01	PASS
Band7	5	21100	12	#Mid	QAM16	21.29	-2.42	18.87	33.01	PASS
Band7	5	21100	12	#Max	QAM16	21.26	-2.42	18.84	33.01	PASS
Band7	5	21100	25	#0	QAM16	21.24	-2.42	18.82	33.01	PASS
Band7	5	21425	1	#0	QPSK	23.05	-2.42	20.63	33.01	PASS
Band7	5	21425	1	#Mid	QPSK	23.06	-2.42	20.64	33.01	PASS
Band7	5	21425	1	#Max	QPSK	23.16	-2.42	20.74	33.01	PASS
Band7	5	21425	12	#0	QPSK	22.00	-2.42	19.58	33.01	PASS
Band7	5	21425	12	#Mid	QPSK	21.98	-2.42	19.56	33.01	PASS
Band7	5	21425	12	#Max	QPSK	22.07	-2.42	19.65	33.01	PASS
Band7	5	21425	25	#0	QPSK	22.05	-2.42	19.63	33.01	PASS
Band7	5	21425	1	#0	QAM16	22.47	-2.42	20.05	33.01	PASS
Band7	5	21425	1	#Mid	QAM16	22.48	-2.42	20.06	33.01	PASS
Band7	5	21425	1	#Max	QAM16	22.54	-2.42	20.12	33.01	PASS

Band7	5	21425	12	#0	QAM16	21.01	-2.42	18.59	33.01	PASS
Band7	5	21425	12	#Mid	QAM16	20.98	-2.42	18.56	33.01	PASS
Band7	5	21425	12	#Max	QAM16	21.03	-2.42	18.61	33.01	PASS
Band7	5	21425	25	#0	QAM16	20.99	-2.42	18.57	33.01	PASS
Band7	10	20800	1	#0	QPSK	22.90	-2.42	20.48	33.01	PASS
Band7	10	20800	1	#Mid	QPSK	22.99	-2.42	20.57	33.01	PASS
Band7	10	20800	1	#Max	QPSK	23.10	-2.42	20.68	33.01	PASS
Band7	10	20800	25	#0	QPSK	21.92	-2.42	19.5	33.01	PASS
Band7	10	20800	25	#Mid	QPSK	21.97	-2.42	19.55	33.01	PASS
Band7	10	20800	25	#Max	QPSK	22.03	-2.42	19.61	33.01	PASS
Band7	10	20800	50	#0	QPSK	21.96	-2.42	19.54	33.01	PASS
Band7	10	20800	1	#0	QAM16	22.34	-2.42	19.92	33.01	PASS
Band7	10	20800	1	#Mid	QAM16	22.44	-2.42	20.02	33.01	PASS
Band7	10	20800	1	#Max	QAM16	22.51	-2.42	20.09	33.01	PASS
Band7	10	20800	25	#0	QAM16	20.93	-2.42	18.51	33.01	PASS
Band7	10	20800	25	#Mid	QAM16	20.96	-2.42	18.54	33.01	PASS
Band7	10	20800	25	#Max	QAM16	21.03	-2.42	18.61	33.01	PASS
Band7	10	20800	50	#0	QAM16	20.95	-2.42	18.53	33.01	PASS
Band7	10	21100	1	#0	QPSK	23.22	-2.42	20.8	33.01	PASS
Band7	10	21100	1	#Mid	QPSK	23.17	-2.42	20.75	33.01	PASS
Band7	10	21100	1	#Max	QPSK	23.16	-2.42	20.74	33.01	PASS
Band7	10	21100	25	#0	QPSK	22.27	-2.42	19.85	33.01	PASS
Band7	10	21100	25	#Mid	QPSK	22.23	-2.42	19.81	33.01	PASS
Band7	10	21100	25	#Max	QPSK	22.26	-2.42	19.84	33.01	PASS
Band7	10	21100	50	#0	QPSK	22.29	-2.42	19.87	33.01	PASS
Band7	10	21100	1	#0	QAM16	22.45	-2.42	20.03	33.01	PASS
Band7	10	21100	1	#Mid	QAM16	22.37	-2.42	19.95	33.01	PASS
Band7	10	21100	1	#Max	QAM16	22.39	-2.42	19.97	33.01	PASS
Band7	10	21100	25	#0	QAM16	21.25	-2.42	18.83	33.01	PASS
Band7	10	21100	25	#Mid	QAM16	21.21	-2.42	18.79	33.01	PASS
Band7	10	21100	25	#Max	QAM16	21.23	-2.42	18.81	33.01	PASS
Band7	10	21100	50	#0	QAM16	21.27	-2.42	18.85	33.01	PASS
Band7	10	21400	1	#0	QPSK	23.06	-2.42	20.64	33.01	PASS
Band7	10	21400	1	#Mid	QPSK	22.94	-2.42	20.52	33.01	PASS
Band7	10	21400	1	#Max	QPSK	23.12	-2.42	20.7	33.01	PASS
Band7	10	21400	25	#0	QPSK	21.96	-2.42	19.54	33.01	PASS
Band7	10	21400	25	#Mid	QPSK	21.95	-2.42	19.53	33.01	PASS
Band7	10	21400	25	#Max	QPSK	22.01	-2.42	19.59	33.01	PASS
Band7	10	21400	50	#0	QPSK	21.99	-2.42	19.57	33.01	PASS
Band7	10	21400	1	#0	QAM16	22.04	-2.42	19.62	33.01	PASS
Band7	10	21400	1	#Mid	QAM16	21.91	-2.42	19.49	33.01	PASS
Band7	10	21400	1	#Max	QAM16	22.13	-2.42	19.71	33.01	PASS
Band7	10	21400	25	#0	QAM16	20.95	-2.42	18.53	33.01	PASS
Band7	10	21400	25	#Mid	QAM16	20.94	-2.42	18.52	33.01	PASS

Band7	10	21400	25	#Max	QAM16	20.98	-2.42	18.56	33.01	PASS
Band7	10	21400	50	#0	QAM16	20.96	-2.42	18.54	33.01	PASS
Band7	15	20825	1	#0	QPSK	22.89	-2.42	20.47	33.01	PASS
Band7	15	20825	1	#Mid	QPSK	23.08	-2.42	20.66	33.01	PASS
Band7	15	20825	1	#Max	QPSK	23.13	-2.42	20.71	33.01	PASS
Band7	15	20825	36	#0	QPSK	21.96	-2.42	19.54	33.01	PASS
Band7	15	20825	36	#Mid	QPSK	21.99	-2.42	19.57	33.01	PASS
Band7	15	20825	36	#Max	QPSK	22.05	-2.42	19.63	33.01	PASS
Band7	15	20825	75	#0	QPSK	22.06	-2.42	19.64	33.01	PASS
Band7	15	20825	1	#0	QAM16	22.25	-2.42	19.83	33.01	PASS
Band7	15	20825	1	#Mid	QAM16	22.41	-2.42	19.99	33.01	PASS
Band7	15	20825	1	#Max	QAM16	22.51	-2.42	20.09	33.01	PASS
Band7	15	20825	36	#0	QAM16	21.01	-2.42	18.59	33.01	PASS
Band7	15	20825	36	#Mid	QAM16	21.05	-2.42	18.63	33.01	PASS
Band7	15	20825	36	#Max	QAM16	21.09	-2.42	18.67	33.01	PASS
Band7	15	20825	75	#0	QAM16	21.04	-2.42	18.62	33.01	PASS
Band7	15	21100	1	#0	QPSK	23.19	-2.42	20.77	33.01	PASS
Band7	15	21100	1	#Mid	QPSK	23.22	-2.42	20.8	33.01	PASS
Band7	15	21100	1	#Max	QPSK	23.08	-2.42	20.66	33.01	PASS
Band7	15	21100	36	#0	QPSK	22.21	-2.42	19.79	33.01	PASS
Band7	15	21100	36	#Mid	QPSK	22.22	-2.42	19.8	33.01	PASS
Band7	15	21100	36	#Max	QPSK	22.19	-2.42	19.77	33.01	PASS
Band7	15	21100	75	#0	QPSK	22.23	-2.42	19.81	33.01	PASS
Band7	15	21100	1	#0	QAM16	22.48	-2.42	20.06	33.01	PASS
Band7	15	21100	1	#Mid	QAM16	22.52	-2.42	20.1	33.01	PASS
Band7	15	21100	1	#Max	QAM16	22.40	-2.42	19.98	33.01	PASS
Band7	15	21100	36	#0	QAM16	21.32	-2.42	18.9	33.01	PASS
Band7	15	21100	36	#Mid	QAM16	21.31	-2.42	18.89	33.01	PASS
Band7	15	21100	36	#Max	QAM16	21.27	-2.42	18.85	33.01	PASS
Band7	15	21100	75	#0	QAM16	21.24	-2.42	18.82	33.01	PASS
Band7	15	21375	1	#0	QPSK	23.07	-2.42	20.65	33.01	PASS
Band7	15	21375	1	#Mid	QPSK	23.03	-2.42	20.61	33.01	PASS
Band7	15	21375	1	#Max	QPSK	23.08	-2.42	20.66	33.01	PASS
Band7	15	21375	36	#0	QPSK	21.99	-2.42	19.57	33.01	PASS
Band7	15	21375	36	#Mid	QPSK	21.92	-2.42	19.5	33.01	PASS
Band7	15	21375	36	#Max	QPSK	21.97	-2.42	19.55	33.01	PASS
Band7	15	21375	75	#0	QPSK	22.00	-2.42	19.58	33.01	PASS
Band7	15	21375	1	#0	QAM16	22.19	-2.42	19.77	33.01	PASS
Band7	15	21375	1	#Mid	QAM16	22.15	-2.42	19.73	33.01	PASS
Band7	15	21375	1	#Max	QAM16	22.20	-2.42	19.78	33.01	PASS
Band7	15	21375	36	#0	QAM16	20.99	-2.42	18.57	33.01	PASS
Band7	15	21375	36	#Mid	QAM16	20.92	-2.42	18.5	33.01	PASS
Band7	15	21375	36	#Max	QAM16	20.97	-2.42	18.55	33.01	PASS
Band7	15	21375	75	#0	QAM16	21.06	-2.42	18.64	33.01	PASS

Band7	20	20850	1	#0	QPSK	22.84	-2.42	20.42	33.01	PASS
Band7	20	20850	1	#Mid	QPSK	23.03	-2.42	20.61	33.01	PASS
Band7	20	20850	1	#Max	QPSK	23.19	-2.42	20.77	33.01	PASS
Band7	20	20850	50	#0	QPSK	22.03	-2.42	19.61	33.01	PASS
Band7	20	20850	50	#Mid	QPSK	22.08	-2.42	19.66	33.01	PASS
Band7	20	20850	50	#Max	QPSK	22.12	-2.42	19.7	33.01	PASS
Band7	20	20850	100	#0	QPSK	22.04	-2.42	19.62	33.01	PASS
Band7	20	20850	1	#0	QAM16	22.22	-2.42	19.8	33.01	PASS
Band7	20	20850	1	#Mid	QAM16	22.38	-2.42	19.96	33.01	PASS
Band7	20	20850	1	#Max	QAM16	22.51	-2.42	20.09	33.01	PASS
Band7	20	20850	50	#0	QAM16	21.05	-2.42	18.63	33.01	PASS
Band7	20	20850	50	#Mid	QAM16	21.10	-2.42	18.68	33.01	PASS
Band7	20	20850	50	#Max	QAM16	21.16	-2.42	18.74	33.01	PASS
Band7	20	20850	100	#0	QAM16	21.02	-2.42	18.6	33.01	PASS
Band7	20	21100	1	#0	QPSK	23.37	-2.42	20.95	33.01	PASS
Band7	20	21100	1	#Mid	QPSK	23.41	-2.42	20.99	33.01	PASS
Band7	20	21100	1	#Max	QPSK	23.24	-2.42	20.82	33.01	PASS
Band7	20	21100	50	#0	QPSK	22.30	-2.42	19.88	33.01	PASS
Band7	20	21100	50	#Mid	QPSK	22.31	-2.42	19.89	33.01	PASS
Band7	20	21100	50	#Max	QPSK	22.23	-2.42	19.81	33.01	PASS
Band7	20	21100	100	#0	QPSK	22.27	-2.42	19.85	33.01	PASS
Band7	20	21100	1	#0	QAM16	22.48	-2.42	20.06	33.01	PASS
Band7	20	21100	1	#Mid	QAM16	22.50	-2.42	20.08	33.01	PASS
Band7	20	21100	1	#Max	QAM16	22.33	-2.42	19.91	33.01	PASS
Band7	20	21100	50	#0	QAM16	21.27	-2.42	18.85	33.01	PASS
Band7	20	21100	50	#Mid	QAM16	21.26	-2.42	18.84	33.01	PASS
Band7	20	21100	50	#Max	QAM16	21.20	-2.42	18.78	33.01	PASS
Band7	20	21100	100	#0	QAM16	21.22	-2.42	18.8	33.01	PASS
Band7	20	21350	1	#0	QPSK	23.02	-2.42	20.6	33.01	PASS
Band7	20	21350	1	#Mid	QPSK	23.03	-2.42	20.61	33.01	PASS
Band7	20	21350	1	#Max	QPSK	22.99	-2.42	20.57	33.01	PASS
Band7	20	21350	50	#0	QPSK	22.05	-2.42	19.63	33.01	PASS
Band7	20	21350	50	#Mid	QPSK	22.01	-2.42	19.59	33.01	PASS
Band7	20	21350	50	#Max	QPSK	22.01	-2.42	19.59	33.01	PASS
Band7	20	21350	100	#0	QPSK	22.00	-2.42	19.58	33.01	PASS
Band7	20	21350	1	#0	QAM16	22.32	-2.42	19.9	33.01	PASS
Band7	20	21350	1	#Mid	QAM16	22.28	-2.42	19.86	33.01	PASS
Band7	20	21350	1	#Max	QAM16	22.27	-2.42	19.85	33.01	PASS
Band7	20	21350	50	#0	QAM16	21.05	-2.42	18.63	33.01	PASS
Band7	20	21350	50	#Mid	QAM16	21.02	-2.42	18.6	33.01	PASS
Band7	20	21350	50	#Max	QAM16	21.01	-2.42	18.59	33.01	PASS
Band7	20	21350	100	#0	QAM16	20.98	-2.42	18.56	33.01	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band7	20	20850	100	#0	QPSK	-0.35	0.000	-2.5	2.5	PASS
Band7	20	20850	100	#0	QAM16	-0.40	0.000	-2.5	2.5	PASS
Band7	20	21100	100	#0	QPSK	-1.91	-0.001	-2.5	2.5	PASS
Band7	20	21100	100	#0	QAM16	2.16	0.001	-2.5	2.5	PASS
Band7	20	21350	100	#0	QPSK	-4.97	-0.002	-2.5	2.5	PASS
Band7	20	21350	100	#0	QAM16	-4.46	-0.002	-2.5	2.5	PASS


3 Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band7	5	21100	1	#0	QPSK	4.40	13	PASS
Band7	5	21100	1	#0	QAM16	5.00	13	PASS
Band7	10	21100	1	#0	QPSK	4.07	13	PASS
Band7	10	21100	1	#0	QAM16	4.97	13	PASS
Band7	15	21100	1	#0	QPSK	4.00	13	PASS
Band7	15	21100	1	#0	QAM16	4.89	13	PASS
Band7	20	21100	1	#0	QPSK	4.00	13	PASS
Band7	20	21100	1	#0	QAM16	4.63	13	PASS


Band7 QAM16 BW=10MHz Channel=21100 RB Size=1 Position=#0





Band7 QAM16 BW=5MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=1 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=1 Position=#0


**Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0****Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0**



Band7 QPSK BW=10MHz Channel=21100 RB Size=1 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=1 Position=#0




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band7	5	20775	25	#0	QPSK	4.511	4.996	PASS
Band7	5	20775	25	#0	QAM16	4.511	4.946	PASS
Band7	5	21100	25	#0	QPSK	4.514	4.951	PASS
Band7	5	21100	25	#0	QAM16	4.505	4.956	PASS
Band7	5	21425	25	#0	QPSK	4.508	4.965	PASS
Band7	5	21425	25	#0	QAM16	4.513	4.939	PASS
Band7	10	20800	50	#0	QPSK	9.011	9.680	PASS
Band7	10	20800	50	#0	QAM16	8.976	9.721	PASS
Band7	10	21100	50	#0	QPSK	8.973	9.701	PASS
Band7	10	21100	50	#0	QAM16	8.976	9.728	PASS
Band7	10	21400	50	#0	QPSK	8.991	9.737	PASS
Band7	10	21400	50	#0	QAM16	9.003	9.703	PASS
Band7	15	20825	75	#0	QPSK	13.459	14.545	PASS
Band7	15	20825	75	#0	QAM16	13.497	14.538	PASS
Band7	15	21100	75	#0	QPSK	13.451	14.574	PASS
Band7	15	21100	75	#0	QAM16	13.483	14.530	PASS
Band7	15	21375	75	#0	QPSK	13.455	14.601	PASS
Band7	15	21375	75	#0	QAM16	13.495	14.618	PASS
Band7	20	20850	100	#0	QPSK	17.977	19.289	PASS
Band7	20	20850	100	#0	QAM16	17.948	19.353	PASS
Band7	20	21100	100	#0	QPSK	17.911	19.252	PASS
Band7	20	21100	100	#0	QAM16	17.938	19.347	PASS
Band7	20	21350	100	#0	QPSK	17.943	19.396	PASS
Band7	20	21350	100	#0	QAM16	17.941	19.447	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21100 RB Size=75 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0





Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0







Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0


**Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0****Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0**

**Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0****Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0**



**Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0****Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0**




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0

**Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0****Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0**




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	2498.99	-15.39	-10	PASS
Band7	5	20775	25	#0	QAM16	2499.00	-15.78	-10	PASS
Band7	5	21425	25	#0	QPSK	2571.00	-15.75	-10	PASS
Band7	5	21425	25	#0	QAM16	2571.00	-16.02	-10	PASS
Band7	10	20800	50	#0	QPSK	2489.91	-39.82	-25	PASS
Band7	10	20800	50	#0	QAM16	2489.90	-40.93	-25	PASS
Band7	10	21400	50	#0	QPSK	2580.02	-36.34	-25	PASS
Band7	10	21400	50	#0	QAM16	2580.30	-37.74	-25	PASS
Band7	15	20825	75	#0	QPSK	2484.88	-40.07	-25	PASS
Band7	15	20825	75	#0	QAM16	2484.98	-40.89	-25	PASS
Band7	15	21375	75	#0	QPSK	2585.28	-38.41	-25	PASS
Band7	15	21375	75	#0	QAM16	2585.32	-39.15	-25	PASS
Band7	20	20850	100	#0	QPSK	2479.53	-41.18	-25	PASS
Band7	20	20850	100	#0	QAM16	2479.98	-41.43	-25	PASS
Band7	20	21350	100	#0	QPSK	2590.02	-39.37	-25	PASS
Band7	20	21350	100	#0	QAM16	2590.67	-40.37	-25	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0





Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0


**Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0****Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0**




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band7	5	20775	25	#0	QPSK	3847.38	-37.35	-25	PASS
Band7	5	20775	25	#0	QAM16	3696.63	-36.64	-25	PASS
Band7	5	21425	25	#0	QPSK	5135.50	-35.87	-25	PASS
Band7	5	21425	25	#0	QAM16	3839.73	-37.21	-25	PASS
Band7	10	20800	50	#0	QPSK	3784.38	-36.81	-25	PASS
Band7	10	20800	50	#0	QAM16	4713.18	-37.17	-25	PASS
Band7	10	21400	50	#0	QPSK	3803.50	-35.98	-25	PASS
Band7	10	21400	50	#0	QAM16	3815.43	-37.58	-25	PASS
Band7	15	20825	75	#0	QPSK	3789.33	-36.33	-25	PASS
Band7	15	20825	75	#0	QAM16	3784.38	-37.27	-25	PASS
Band7	15	21375	75	#0	QPSK	3867.40	-36.48	-25	PASS
Band7	15	21375	75	#0	QAM16	3816.55	-36.06	-25	PASS
Band7	20	20850	100	#0	QPSK	3797.43	-36.95	-25	PASS
Band7	20	20850	100	#0	QAM16	3815.88	-37.33	-25	PASS
Band7	20	21350	100	#0	QPSK	3891.48	-36.64	-25	PASS
Band7	20	21350	100	#0	QAM16	3796.75	-37.33	-25	PASS


Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=15MHz Channel=21375 RB Size=75 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0

