

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	4
3 Peak-to-Average Ratio for NR FR1	6
4 Occupied bandwidth for NR FR1	38
5 Band edge for NR FR1	49
6 Out-of-band emissions for NR FR1	59

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	1@1	DFT_BPSK	22.43	-5.26	-7.41	15.02	34.77	PASS
n71	15	5	133100	25@0	DFT_QPSK	21.64	-5.26	-7.41	14.23	34.77	PASS
n71	15	5	133100	12@6	DFT_QPSK	22.71	-5.26	-7.41	15.3	34.77	PASS
n71	15	5	133100	1@1	DFT_QPSK	22.88	-5.26	-7.41	15.47	34.77	PASS
n71	15	5	133100	1@23	DFT_QPSK	22.95	-5.26	-7.41	15.54	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM16	21.37	-5.26	-7.41	13.96	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM64	19.87	-5.26	-7.41	12.46	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM256	18.08	-5.26	-7.41	10.67	34.77	PASS
n71	15	5	133100	1@1	CP_QPSK	21.14	-5.26	-7.41	13.73	34.77	PASS
n71	15	5	136100	1@1	DFT_BPSK	22.59	-5.26	-7.41	15.18	34.77	PASS
n71	15	5	136100	25@0	DFT_QPSK	21.62	-5.26	-7.41	14.21	34.77	PASS
n71	15	5	136100	12@6	DFT_QPSK	22.6	-5.26	-7.41	15.19	34.77	PASS
n71	15	5	136100	1@1	DFT_QPSK	22.78	-5.26	-7.41	15.37	34.77	PASS
n71	15	5	136100	1@23	DFT_QPSK	22.78	-5.26	-7.41	15.37	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM16	21.79	-5.26	-7.41	14.38	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM64	20.11	-5.26	-7.41	12.7	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM256	18.06	-5.26	-7.41	10.65	34.77	PASS
n71	15	5	136100	1@1	CP_QPSK	21.24	-5.26	-7.41	13.83	34.77	PASS
n71	15	5	139100	1@1	DFT_BPSK	22.57	-5.26	-7.41	15.16	34.77	PASS
n71	15	5	139100	25@0	DFT_QPSK	21.62	-5.26	-7.41	14.21	34.77	PASS
n71	15	5	139100	12@6	DFT_QPSK	22.66	-5.26	-7.41	15.25	34.77	PASS
n71	15	5	139100	1@1	DFT_QPSK	22.72	-5.26	-7.41	15.31	34.77	PASS
n71	15	5	139100	1@23	DFT_QPSK	22.68	-5.26	-7.41	15.27	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM16	21.81	-5.26	-7.41	14.4	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM64	19.77	-5.26	-7.41	12.36	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM256	18.51	-5.26	-7.41	11.1	34.77	PASS
n71	15	5	139100	1@1	CP_QPSK	21.6	-5.26	-7.41	14.19	34.77	PASS
n71	15	15	134100	1@1	DFT_BPSK	22.71	-5.26	-7.41	15.3	34.77	PASS
n71	15	15	134100	75@0	DFT_QPSK	21.66	-5.26	-7.41	14.25	34.77	PASS
n71	15	15	134100	36@18	DFT_QPSK	22.65	-5.26	-7.41	15.24	34.77	PASS
n71	15	15	134100	1@1	DFT_QPSK	22.46	-5.26	-7.41	15.05	34.77	PASS
n71	15	15	134100	1@77	DFT_QPSK	22.51	-5.26	-7.41	15.1	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM16	21.72	-5.26	-7.41	14.31	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM64	20.06	-5.26	-7.41	12.65	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM256	17.83	-5.26	-7.41	10.42	34.77	PASS
n71	15	15	134100	1@1	CP_QPSK	20.73	-5.26	-7.41	13.32	34.77	PASS
n71	15	15	136100	1@1	DFT_BPSK	22.72	-5.26	-7.41	15.31	34.77	PASS

n71	15	15	136100	75@0	DFT_QPSK	21.64	-5.26	-7.41	14.23	34.77	PASS
n71	15	15	136100	36@18	DFT_QPSK	22.66	-5.26	-7.41	15.25	34.77	PASS
n71	15	15	136100	1@1	DFT_QPSK	22.48	-5.26	-7.41	15.07	34.77	PASS
n71	15	15	136100	1@77	DFT_QPSK	22.4	-5.26	-7.41	14.99	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM16	21.75	-5.26	-7.41	14.34	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM64	20.4	-5.26	-7.41	12.99	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM256	18.38	-5.26	-7.41	10.97	34.77	PASS
n71	15	15	136100	1@1	CP_QPSK	21.16	-5.26	-7.41	13.75	34.77	PASS
n71	15	15	138100	1@1	DFT_BPSK	22.49	-5.26	-7.41	15.08	34.77	PASS
n71	15	15	138100	75@0	DFT_QPSK	21.57	-5.26	-7.41	14.16	34.77	PASS
n71	15	15	138100	36@18	DFT_QPSK	22.6	-5.26	-7.41	15.19	34.77	PASS
n71	15	15	138100	1@1	DFT_QPSK	22.2	-5.26	-7.41	14.79	34.77	PASS
n71	15	15	138100	1@77	DFT_QPSK	22.24	-5.26	-7.41	14.83	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM16	21.88	-5.26	-7.41	14.47	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM64	20.42	-5.26	-7.41	13.01	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM256	18.08	-5.26	-7.41	10.67	34.77	PASS
n71	15	15	138100	1@1	CP_QPSK	21.37	-5.26	-7.41	13.96	34.77	PASS
n71	15	20	134600	1@1	DFT_BPSK	22.34	-5.26	-7.41	14.93	34.77	PASS
n71	15	20	134600	100@0	DFT_QPSK	21.6	-5.26	-7.41	14.19	34.77	PASS
n71	15	20	134600	50@25	DFT_QPSK	22.7	-5.26	-7.41	15.29	34.77	PASS
n71	15	20	134600	1@1	DFT_QPSK	22.4	-5.26	-7.41	14.99	34.77	PASS
n71	15	20	134600	1@104	DFT_QPSK	22.52	-5.26	-7.41	15.11	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM16	21.66	-5.26	-7.41	14.25	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM64	20.09	-5.26	-7.41	12.68	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM256	18.01	-5.26	-7.41	10.6	34.77	PASS
n71	15	20	134600	1@1	CP_QPSK	21.19	-5.26	-7.41	13.78	34.77	PASS
n71	15	20	136100	1@1	DFT_BPSK	22.49	-5.26	-7.41	15.08	34.77	PASS
n71	15	20	136100	100@0	DFT_QPSK	21.61	-5.26	-7.41	14.2	34.77	PASS
n71	15	20	136100	50@25	DFT_QPSK	22.59	-5.26	-7.41	15.18	34.77	PASS
n71	15	20	136100	1@1	DFT_QPSK	22.67	-5.26	-7.41	15.26	34.77	PASS
n71	15	20	136100	1@104	DFT_QPSK	22.59	-5.26	-7.41	15.18	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM16	21.43	-5.26	-7.41	14.02	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM64	19.99	-5.26	-7.41	12.58	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM256	18.11	-5.26	-7.41	10.7	34.77	PASS
n71	15	20	136100	1@1	CP_QPSK	21.63	-5.26	-7.41	14.22	34.77	PASS
n71	15	20	137600	1@1	DFT_BPSK	22.5	-5.26	-7.41	15.09	34.77	PASS
n71	15	20	137600	100@0	DFT_QPSK	21.61	-5.26	-7.41	14.2	34.77	PASS
n71	15	20	137600	50@25	DFT_QPSK	22.62	-5.26	-7.41	15.21	34.77	PASS
n71	15	20	137600	1@1	DFT_QPSK	22.49	-5.26	-7.41	15.08	34.77	PASS
n71	15	20	137600	1@104	DFT_QPSK	22.55	-5.26	-7.41	15.14	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM16	21.51	-5.26	-7.41	14.1	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM64	20.2	-5.26	-7.41	12.79	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM256	18.26	-5.26	-7.41	10.85	34.77	PASS
n71	15	20	137600	1@1	CP_QPSK	20.95	-5.26	-7.41	13.54	34.77	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n71	15	5	133100	12@6	DFT_BPSK	-2.60	-0.00391	-2.5	2.5	PASS
n71	15	5	133100	1@1	DFT_BPSK	-5.82	-0.00875	-2.5	2.5	PASS
n71	15	5	133100	1@23	DFT_BPSK	-3.52	-0.00529	-2.5	2.5	PASS
n71	15	5	133100	12@6	DFT_QPSK	-2.99	-0.00449	-2.5	2.5	PASS
n71	15	5	133100	1@1	DFT_QPSK	-1.26	-0.00189	-2.5	2.5	PASS
n71	15	5	133100	1@23	DFT_QPSK	-1.86	-0.00279	-2.5	2.5	PASS
n71	15	5	136100	12@6	DFT_BPSK	-2.13	-0.00313	-2.5	2.5	PASS
n71	15	5	136100	1@1	DFT_BPSK	-3.09	-0.00454	-2.5	2.5	PASS
n71	15	5	136100	1@23	DFT_BPSK	-1.85	-0.00272	-2.5	2.5	PASS
n71	15	5	136100	12@6	DFT_QPSK	-2.35	-0.00345	-2.5	2.5	PASS
n71	15	5	136100	1@1	DFT_QPSK	-1.56	-0.00229	-2.5	2.5	PASS
n71	15	5	136100	1@23	DFT_QPSK	-1.87	-0.00275	-2.5	2.5	PASS
n71	15	5	139100	12@6	DFT_BPSK	-1.63	-0.00234	-2.5	2.5	PASS
n71	15	5	139100	1@1	DFT_BPSK	-1.80	-0.00259	-2.5	2.5	PASS
n71	15	5	139100	1@23	DFT_BPSK	-1.97	-0.00283	-2.5	2.5	PASS
n71	15	5	139100	12@6	DFT_QPSK	-2.77	-0.00398	-2.5	2.5	PASS
n71	15	5	139100	1@1	DFT_QPSK	-3.74	-0.00538	-2.5	2.5	PASS
n71	15	5	139100	1@23	DFT_QPSK	-2.39	-0.00344	-2.5	2.5	PASS
n71	15	15	134100	36@18	DFT_BPSK	-2.45	-0.00365	-2.5	2.5	PASS
n71	15	15	134100	1@1	DFT_BPSK	-2.53	-0.00377	-2.5	2.5	PASS
n71	15	15	134100	1@77	DFT_BPSK	-2.10	-0.00313	-2.5	2.5	PASS
n71	15	15	134100	36@18	DFT_QPSK	-4.61	-0.00688	-2.5	2.5	PASS
n71	15	15	134100	1@1	DFT_QPSK	-3.41	-0.00509	-2.5	2.5	PASS
n71	15	15	134100	1@77	DFT_QPSK	-3.78	-0.00564	-2.5	2.5	PASS
n71	15	15	136100	36@18	DFT_BPSK	-2.12	-0.00312	-2.5	2.5	PASS
n71	15	15	136100	1@1	DFT_BPSK	-2.55	-0.00375	-2.5	2.5	PASS
n71	15	15	136100	1@77	DFT_BPSK	-2.11	-0.00310	-2.5	2.5	PASS
n71	15	15	136100	36@18	DFT_QPSK	-2.93	-0.00431	-2.5	2.5	PASS
n71	15	15	136100	1@1	DFT_QPSK	-4.42	-0.00650	-2.5	2.5	PASS
n71	15	15	136100	1@77	DFT_QPSK	-3.14	-0.00461	-2.5	2.5	PASS
n71	15	15	138100	36@18	DFT_BPSK	-1.65	-0.00239	-2.5	2.5	PASS
n71	15	15	138100	1@1	DFT_BPSK	-4.10	-0.00594	-2.5	2.5	PASS
n71	15	15	138100	1@77	DFT_BPSK	-4.06	-0.00588	-2.5	2.5	PASS
n71	15	15	138100	36@18	DFT_QPSK	-5.50	-0.00797	-2.5	2.5	PASS
n71	15	15	138100	1@1	DFT_QPSK	-4.56	-0.00660	-2.5	2.5	PASS
n71	15	15	138100	1@77	DFT_QPSK	-4.60	-0.00666	-2.5	2.5	PASS
n71	15	20	134600	50@25	DFT_BPSK	-3.04	-0.00452	-2.5	2.5	PASS
n71	15	20	134600	1@1	DFT_BPSK	-2.89	-0.00429	-2.5	2.5	PASS


n71	15	20	134600	1@104	DFT_BPSK	-2.13	-0.00316	-2.5	2.5	PASS
n71	15	20	134600	50@25	DFT_QPSK	-3.27	-0.00486	-2.5	2.5	PASS
n71	15	20	134600	1@1	DFT_QPSK	-2.46	-0.00366	-2.5	2.5	PASS
n71	15	20	134600	1@104	DFT_QPSK	-1.37	-0.00204	-2.5	2.5	PASS
n71	15	20	136100	50@25	DFT_BPSK	-2.39	-0.00351	-2.5	2.5	PASS
n71	15	20	136100	1@1	DFT_BPSK	-2.85	-0.00419	-2.5	2.5	PASS
n71	15	20	136100	1@104	DFT_BPSK	-1.31	-0.00193	-2.5	2.5	PASS
n71	15	20	136100	50@25	DFT_QPSK	-2.20	-0.00323	-2.5	2.5	PASS
n71	15	20	136100	1@1	DFT_QPSK	-4.34	-0.00638	-2.5	2.5	PASS
n71	15	20	136100	1@104	DFT_QPSK	-4.05	-0.00595	-2.5	2.5	PASS
n71	15	20	137600	50@25	DFT_BPSK	-2.84	-0.00413	-2.5	2.5	PASS
n71	15	20	137600	1@1	DFT_BPSK	-1.93	-0.00281	-2.5	2.5	PASS
n71	15	20	137600	1@104	DFT_BPSK	-3.56	-0.00517	-2.5	2.5	PASS
n71	15	20	137600	50@25	DFT_QPSK	-0.84	-0.00122	-2.5	2.5	PASS
n71	15	20	137600	1@1	DFT_QPSK	-0.08	-0.00012	-2.5	2.5	PASS
n71	15	20	137600	1@104	DFT_QPSK	-0.74	-0.00108	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n71	15	5	133100	25@0	DFT_BPSK	3.85	13	PASS
n71	15	5	133100	25@0	DFT_QPSK	4.84	13	PASS
n71	15	5	133100	25@0	DFT_QAM16	5.60	13	PASS
n71	15	5	133100	25@0	DFT_QAM64	5.95	13	PASS
n71	15	5	133100	25@0	DFT_QAM256	6.75	13	PASS
n71	15	5	136100	25@0	DFT_BPSK	4.12	13	PASS
n71	15	5	136100	25@0	DFT_QPSK	5.02	13	PASS
n71	15	5	136100	25@0	DFT_QAM16	5.82	13	PASS
n71	15	5	136100	25@0	DFT_QAM64	6.28	13	PASS
n71	15	5	136100	25@0	DFT_QAM256	6.74	13	PASS
n71	15	5	139100	25@0	DFT_BPSK	4.24	13	PASS
n71	15	5	139100	25@0	DFT_QPSK	4.93	13	PASS
n71	15	5	139100	25@0	DFT_QAM16	5.60	13	PASS
n71	15	5	139100	25@0	DFT_QAM64	6.02	13	PASS
n71	15	5	139100	25@0	DFT_QAM256	6.57	13	PASS
n71	15	10	133600	50@0	DFT_BPSK	4.56	13	PASS
n71	15	10	133600	50@0	DFT_QPSK	5.01	13	PASS
n71	15	10	133600	50@0	DFT_QAM16	5.84	13	PASS
n71	15	10	133600	50@0	DFT_QAM64	6.16	13	PASS
n71	15	10	133600	50@0	DFT_QAM256	6.67	13	PASS
n71	15	10	136100	50@0	DFT_BPSK	4.05	13	PASS
n71	15	10	136100	50@0	DFT_QPSK	5.00	13	PASS
n71	15	10	136100	50@0	DFT_QAM16	5.88	13	PASS
n71	15	10	136100	50@0	DFT_QAM64	6.16	13	PASS
n71	15	10	136100	50@0	DFT_QAM256	6.52	13	PASS
n71	15	10	138600	50@0	DFT_BPSK	4.52	13	PASS
n71	15	10	138600	50@0	DFT_QPSK	4.94	13	PASS
n71	15	10	138600	50@0	DFT_QAM16	5.86	13	PASS
n71	15	10	138600	50@0	DFT_QAM64	6.19	13	PASS
n71	15	10	138600	50@0	DFT_QAM256	6.53	13	PASS
n71	15	15	134100	75@0	DFT_BPSK	4.63	13	PASS
n71	15	15	134100	75@0	DFT_QPSK	5.18	13	PASS
n71	15	15	134100	75@0	DFT_QAM16	5.95	13	PASS
n71	15	15	134100	75@0	DFT_QAM64	6.35	13	PASS
n71	15	15	134100	75@0	DFT_QAM256	6.70	13	PASS
n71	15	15	136100	75@0	DFT_BPSK	4.16	13	PASS
n71	15	15	136100	75@0	DFT_QPSK	5.09	13	PASS
n71	15	15	136100	75@0	DFT_QAM16	5.94	13	PASS
n71	15	15	136100	75@0	DFT_QAM64	6.31	13	PASS
n71	15	15	136100	75@0	DFT_QAM256	6.63	13	PASS

n71	15	15	138100	75@0	DFT_BPSK	4.18	13	PASS
n71	15	15	138100	75@0	DFT_QPSK	5.00	13	PASS
n71	15	15	138100	75@0	DFT_QAM16	5.88	13	PASS
n71	15	15	138100	75@0	DFT_QAM64	6.15	13	PASS
n71	15	15	138100	75@0	DFT_QAM256	6.49	13	PASS
n71	15	20	134600	100@0	DFT_BPSK	4.16	13	PASS
n71	15	20	134600	100@0	DFT_QPSK	5.30	13	PASS
n71	15	20	134600	100@0	DFT_QAM16	6.14	13	PASS
n71	15	20	134600	100@0	DFT_QAM64	6.29	13	PASS
n71	15	20	134600	100@0	DFT_QAM256	6.85	13	PASS
n71	15	20	136100	100@0	DFT_BPSK	4.11	13	PASS
n71	15	20	136100	100@0	DFT_QPSK	5.24	13	PASS
n71	15	20	136100	100@0	DFT_QAM16	5.95	13	PASS
n71	15	20	136100	100@0	DFT_QAM64	6.25	13	PASS
n71	15	20	136100	100@0	DFT_QAM256	6.58	13	PASS
n71	15	20	137600	100@0	DFT_BPSK	5.23	13	PASS
n71	15	20	137600	100@0	DFT_QPSK	5.54	13	PASS
n71	15	20	137600	100@0	DFT_QAM16	6.17	13	PASS
n71	15	20	137600	100@0	DFT_QAM64	6.30	13	PASS
n71	15	20	137600	100@0	DFT_QAM256	6.60	13	PASS


n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=25@0



n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=25@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n71	15	5	136100	25@0	DFT_BPSK	4.450	4.660	PASS
n71	15	5	136100	25@0	DFT_QPSK	4.460	4.670	PASS
n71	15	5	136100	25@0	DFT_QAM16	4.450	4.640	PASS
n71	15	5	136100	25@0	DFT_QAM64	4.450	4.690	PASS
n71	15	5	136100	25@0	DFT_QAM256	4.460	4.620	PASS
n71	15	10	136100	50@0	DFT_BPSK	9.150	9.140	PASS
n71	15	10	136100	50@0	DFT_QPSK	9.200	9.140	PASS
n71	15	10	136100	50@0	DFT_QAM16	9.230	9.130	PASS
n71	15	10	136100	50@0	DFT_QAM64	9.240	9.140	PASS
n71	15	10	136100	50@0	DFT_QAM256	9.150	9.140	PASS
n71	15	15	136100	75@0	DFT_BPSK	13.950	13.660	PASS
n71	15	15	136100	75@0	DFT_QPSK	14.010	13.620	PASS
n71	15	15	136100	75@0	DFT_QAM16	13.960	13.630	PASS
n71	15	15	136100	75@0	DFT_QAM64	13.990	13.620	PASS
n71	15	15	136100	75@0	DFT_QAM256	13.900	13.670	PASS
n71	15	20	136100	100@0	DFT_BPSK	18.810	18.120	PASS
n71	15	20	136100	100@0	DFT_QPSK	18.750	18.110	PASS
n71	15	20	136100	100@0	DFT_QAM16	18.730	18.090	PASS
n71	15	20	136100	100@0	DFT_QAM64	18.780	18.130	PASS
n71	15	20	136100	100@0	DFT_QAM256	18.670	18.090	PASS

n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=136100 RB=50@0



Measurement

BLER/Tput

UE Info.

Msg. Summary

NR UE Power: 20 dBm

DL BLER: 0 %

Duplex: FDD

Port: RFIO1

Freq: 680.5 MHz

EIP: 25 dBm

Measuring

Acquiring

Avg: 2/2

Occupied Bandwidth

Amplitude (dBm)

6.82

0.00

-6.82

-13.65

-20.47

-27.29

-34.12

-40.94

-47.77

-54.59

Frequency (MHz)

672.000

674.000

676.000

678.000

680.000

682.000

684.000

686.000

688.000

690.000

Pass/Fail

Pass

OBW

9.230 MHz

Tx Freq Err

0.00 Hz

X dB BW

9.13 MHz

Total Power

20.57 dBm

Meas Cell NR1

Meas Mode Basic

Meas Select

Meas Channel PUSCH

Average Count 2

Continuous Off

Restart

Ready BSE.CONFIG.NR5G[Selected].OBAND Copy Current Log 2024-12-09 23:11:54

n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=136100 RB=75@0



Measurement

BLER/Tput

UE Info.

Msg. Summary

NR UE Power: -- dBm

DL BLER: 0 %

Duplex: FDD

Port: RFIO1

Freq: 680.5 MHz

EIP: 24 dBm

Measuring

Acquiring

Avg: 2/2

Occupied Bandwidth

Amplitude (dBm)

7.07

0.00

-7.07

-14.14

-21.22

-28.29

-35.36

-42.43

-49.51

-56.58

Frequency (MHz)

666.000

669.000

672.000

675.000

678.000

681.000

684.000

687.000

690.000

693.000

Pass/Fail

Pass

OBW

13.965 MHz

Tx Freq Err

0.00 Hz

X dB BW

13.63 MHz

Total Power

20.56 dBm

Meas Cell NR1

Meas Mode Basic

Meas Select

Meas Channel PUSCH

Average Count 2

Continuous Off

Restart

Ready BSE.CONFIG.NR5G[Selected].OBAND Copy Current Log 2024-12-09 23:12:17

n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0