

TABLE OF CONTENTS

1 Conducted output power2

2 Frequency stability6

3 Peak-to-Average Ratio7

4 Occupied bandwidth12

5 Band edge25

6 Out-of-band emissions34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	24.52	-5.2	-7.35	17.17	38.45	PASS
Band5	1.4	20407	1	#Mid	QPSK	24.50	-5.2	-7.35	17.15	38.45	PASS
Band5	1.4	20407	1	#Max	QPSK	24.54	-5.2	-7.35	17.19	38.45	PASS
Band5	1.4	20407	3	#0	QPSK	24.47	-5.2	-7.35	17.12	38.45	PASS
Band5	1.4	20407	3	#Mid	QPSK	24.45	-5.2	-7.35	17.1	38.45	PASS
Band5	1.4	20407	3	#Max	QPSK	24.58	-5.2	-7.35	17.23	38.45	PASS
Band5	1.4	20407	6	#0	QPSK	23.53	-5.2	-7.35	16.18	38.45	PASS
Band5	1.4	20407	1	#0	QAM16	23.82	-5.2	-7.35	16.47	38.45	PASS
Band5	1.4	20407	1	#Mid	QAM16	23.73	-5.2	-7.35	16.38	38.45	PASS
Band5	1.4	20407	1	#Max	QAM16	23.80	-5.2	-7.35	16.45	38.45	PASS
Band5	1.4	20407	3	#0	QAM16	23.78	-5.2	-7.35	16.43	38.45	PASS
Band5	1.4	20407	3	#Mid	QAM16	23.81	-5.2	-7.35	16.46	38.45	PASS
Band5	1.4	20407	3	#Max	QAM16	23.84	-5.2	-7.35	16.49	38.45	PASS
Band5	1.4	20407	6	#0	QAM16	22.74	-5.2	-7.35	15.39	38.45	PASS
Band5	1.4	20525	1	#0	QPSK	24.82	-5.2	-7.35	17.47	38.45	PASS
Band5	1.4	20525	1	#Mid	QPSK	24.82	-5.2	-7.35	17.47	38.45	PASS
Band5	1.4	20525	1	#Max	QPSK	24.82	-5.2	-7.35	17.47	38.45	PASS
Band5	1.4	20525	3	#0	QPSK	24.74	-5.2	-7.35	17.39	38.45	PASS
Band5	1.4	20525	3	#Mid	QPSK	24.74	-5.2	-7.35	17.39	38.45	PASS
Band5	1.4	20525	3	#Max	QPSK	24.74	-5.2	-7.35	17.39	38.45	PASS
Band5	1.4	20525	6	#0	QPSK	23.75	-5.2	-7.35	16.4	38.45	PASS
Band5	1.4	20525	1	#0	QAM16	23.84	-5.2	-7.35	16.49	38.45	PASS
Band5	1.4	20525	1	#Mid	QAM16	23.81	-5.2	-7.35	16.46	38.45	PASS
Band5	1.4	20525	1	#Max	QAM16	23.87	-5.2	-7.35	16.52	38.45	PASS
Band5	1.4	20525	3	#0	QAM16	23.96	-5.2	-7.35	16.61	38.45	PASS
Band5	1.4	20525	3	#Mid	QAM16	23.98	-5.2	-7.35	16.63	38.45	PASS
Band5	1.4	20525	3	#Max	QAM16	23.95	-5.2	-7.35	16.6	38.45	PASS
Band5	1.4	20525	6	#0	QAM16	22.95	-5.2	-7.35	15.6	38.45	PASS
Band5	1.4	20643	1	#0	QPSK	24.65	-5.2	-7.35	17.3	38.45	PASS
Band5	1.4	20643	1	#Mid	QPSK	24.64	-5.2	-7.35	17.29	38.45	PASS
Band5	1.4	20643	1	#Max	QPSK	24.66	-5.2	-7.35	17.31	38.45	PASS
Band5	1.4	20643	3	#0	QPSK	24.65	-5.2	-7.35	17.3	38.45	PASS
Band5	1.4	20643	3	#Mid	QPSK	24.65	-5.2	-7.35	17.3	38.45	PASS
Band5	1.4	20643	3	#Max	QPSK	24.66	-5.2	-7.35	17.31	38.45	PASS
Band5	1.4	20643	6	#0	QPSK	23.66	-5.2	-7.35	16.31	38.45	PASS
Band5	1.4	20643	1	#0	QAM16	23.66	-5.2	-7.35	16.31	38.45	PASS
Band5	1.4	20643	1	#Mid	QAM16	23.59	-5.2	-7.35	16.24	38.45	PASS

Band5	1.4	20643	1	#Max	QAM16	23.65	-5.2	-7.35	16.3	38.45	PASS
Band5	1.4	20643	3	#0	QAM16	23.90	-5.2	-7.35	16.55	38.45	PASS
Band5	1.4	20643	3	#Mid	QAM16	23.91	-5.2	-7.35	16.56	38.45	PASS
Band5	1.4	20643	3	#Max	QAM16	23.87	-5.2	-7.35	16.52	38.45	PASS
Band5	1.4	20643	6	#0	QAM16	22.82	-5.2	-7.35	15.47	38.45	PASS
Band5	3	20415	1	#0	QPSK	24.54	-5.2	-7.35	17.19	38.45	PASS
Band5	3	20415	1	#Mid	QPSK	24.58	-5.2	-7.35	17.23	38.45	PASS
Band5	3	20415	1	#Max	QPSK	24.62	-5.2	-7.35	17.27	38.45	PASS
Band5	3	20415	8	#0	QPSK	23.53	-5.2	-7.35	16.18	38.45	PASS
Band5	3	20415	8	#Mid	QPSK	23.54	-5.2	-7.35	16.19	38.45	PASS
Band5	3	20415	8	#Max	QPSK	23.54	-5.2	-7.35	16.19	38.45	PASS
Band5	3	20415	15	#0	QPSK	23.55	-5.2	-7.35	16.2	38.45	PASS
Band5	3	20415	1	#0	QAM16	23.63	-5.2	-7.35	16.28	38.45	PASS
Band5	3	20415	1	#Mid	QAM16	23.65	-5.2	-7.35	16.3	38.45	PASS
Band5	3	20415	1	#Max	QAM16	23.70	-5.2	-7.35	16.35	38.45	PASS
Band5	3	20415	8	#0	QAM16	22.58	-5.2	-7.35	15.23	38.45	PASS
Band5	3	20415	8	#Mid	QAM16	22.55	-5.2	-7.35	15.2	38.45	PASS
Band5	3	20415	8	#Max	QAM16	22.57	-5.2	-7.35	15.22	38.45	PASS
Band5	3	20415	15	#0	QAM16	22.63	-5.2	-7.35	15.28	38.45	PASS
Band5	3	20525	1	#0	QPSK	24.82	-5.2	-7.35	17.47	38.45	PASS
Band5	3	20525	1	#Mid	QPSK	24.82	-5.2	-7.35	17.47	38.45	PASS
Band5	3	20525	1	#Max	QPSK	24.83	-5.2	-7.35	17.48	38.45	PASS
Band5	3	20525	8	#0	QPSK	23.81	-5.2	-7.35	16.46	38.45	PASS
Band5	3	20525	8	#Mid	QPSK	23.79	-5.2	-7.35	16.44	38.45	PASS
Band5	3	20525	8	#Max	QPSK	23.81	-5.2	-7.35	16.46	38.45	PASS
Band5	3	20525	15	#0	QPSK	23.80	-5.2	-7.35	16.45	38.45	PASS
Band5	3	20525	1	#0	QAM16	24.19	-5.2	-7.35	16.84	38.45	PASS
Band5	3	20525	1	#Mid	QAM16	24.27	-5.2	-7.35	16.92	38.45	PASS
Band5	3	20525	1	#Max	QAM16	24.31	-5.2	-7.35	16.96	38.45	PASS
Band5	3	20525	8	#0	QAM16	22.83	-5.2	-7.35	15.48	38.45	PASS
Band5	3	20525	8	#Mid	QAM16	22.82	-5.2	-7.35	15.47	38.45	PASS
Band5	3	20525	8	#Max	QAM16	22.82	-5.2	-7.35	15.47	38.45	PASS
Band5	3	20525	15	#0	QAM16	22.85	-5.2	-7.35	15.5	38.45	PASS
Band5	3	20635	1	#0	QPSK	24.71	-5.2	-7.35	17.36	38.45	PASS
Band5	3	20635	1	#Mid	QPSK	24.65	-5.2	-7.35	17.3	38.45	PASS
Band5	3	20635	1	#Max	QPSK	24.69	-5.2	-7.35	17.34	38.45	PASS
Band5	3	20635	8	#0	QPSK	23.66	-5.2	-7.35	16.31	38.45	PASS
Band5	3	20635	8	#Mid	QPSK	23.63	-5.2	-7.35	16.28	38.45	PASS
Band5	3	20635	8	#Max	QPSK	23.64	-5.2	-7.35	16.29	38.45	PASS
Band5	3	20635	15	#0	QPSK	23.69	-5.2	-7.35	16.34	38.45	PASS
Band5	3	20635	1	#0	QAM16	23.82	-5.2	-7.35	16.47	38.45	PASS
Band5	3	20635	1	#Mid	QAM16	23.76	-5.2	-7.35	16.41	38.45	PASS
Band5	3	20635	1	#Max	QAM16	23.84	-5.2	-7.35	16.49	38.45	PASS
Band5	3	20635	8	#0	QAM16	22.71	-5.2	-7.35	15.36	38.45	PASS

Band5	3	20635	8	#Mid	QAM16	22.65	-5.2	-7.35	15.3	38.45	PASS
Band5	3	20635	8	#Max	QAM16	22.67	-5.2	-7.35	15.32	38.45	PASS
Band5	3	20635	15	#0	QAM16	22.77	-5.2	-7.35	15.42	38.45	PASS
Band5	5	20425	1	#0	QPSK	24.61	-5.2	-7.35	17.26	38.45	PASS
Band5	5	20425	1	#Mid	QPSK	24.59	-5.2	-7.35	17.24	38.45	PASS
Band5	5	20425	1	#Max	QPSK	24.63	-5.2	-7.35	17.28	38.45	PASS
Band5	5	20425	12	#0	QPSK	23.61	-5.2	-7.35	16.26	38.45	PASS
Band5	5	20425	12	#Mid	QPSK	23.65	-5.2	-7.35	16.3	38.45	PASS
Band5	5	20425	12	#Max	QPSK	23.68	-5.2	-7.35	16.33	38.45	PASS
Band5	5	20425	25	#0	QPSK	23.70	-5.2	-7.35	16.35	38.45	PASS
Band5	5	20425	1	#0	QAM16	23.85	-5.2	-7.35	16.5	38.45	PASS
Band5	5	20425	1	#Mid	QAM16	23.92	-5.2	-7.35	16.57	38.45	PASS
Band5	5	20425	1	#Max	QAM16	24.01	-5.2	-7.35	16.66	38.45	PASS
Band5	5	20425	12	#0	QAM16	22.66	-5.2	-7.35	15.31	38.45	PASS
Band5	5	20425	12	#Mid	QAM16	22.73	-5.2	-7.35	15.38	38.45	PASS
Band5	5	20425	12	#Max	QAM16	22.73	-5.2	-7.35	15.38	38.45	PASS
Band5	5	20425	25	#0	QAM16	22.66	-5.2	-7.35	15.31	38.45	PASS
Band5	5	20525	1	#0	QPSK	24.89	-5.2	-7.35	17.54	38.45	PASS
Band5	5	20525	1	#Mid	QPSK	24.93	-5.2	-7.35	17.58	38.45	PASS
Band5	5	20525	1	#Max	QPSK	24.99	-5.2	-7.35	17.64	38.45	PASS
Band5	5	20525	12	#0	QPSK	23.81	-5.2	-7.35	16.46	38.45	PASS
Band5	5	20525	12	#Mid	QPSK	23.81	-5.2	-7.35	16.46	38.45	PASS
Band5	5	20525	12	#Max	QPSK	23.84	-5.2	-7.35	16.49	38.45	PASS
Band5	5	20525	25	#0	QPSK	23.87	-5.2	-7.35	16.52	38.45	PASS
Band5	5	20525	1	#0	QAM16	24.40	-5.2	-7.35	17.05	38.45	PASS
Band5	5	20525	1	#Mid	QAM16	24.42	-5.2	-7.35	17.07	38.45	PASS
Band5	5	20525	1	#Max	QAM16	24.21	-5.2	-7.35	16.86	38.45	PASS
Band5	5	20525	12	#0	QAM16	22.81	-5.2	-7.35	15.46	38.45	PASS
Band5	5	20525	12	#Mid	QAM16	22.82	-5.2	-7.35	15.47	38.45	PASS
Band5	5	20525	12	#Max	QAM16	22.81	-5.2	-7.35	15.46	38.45	PASS
Band5	5	20525	25	#0	QAM16	22.90	-5.2	-7.35	15.55	38.45	PASS
Band5	5	20625	1	#0	QPSK	24.73	-5.2	-7.35	17.38	38.45	PASS
Band5	5	20625	1	#Mid	QPSK	24.68	-5.2	-7.35	17.33	38.45	PASS
Band5	5	20625	1	#Max	QPSK	24.64	-5.2	-7.35	17.29	38.45	PASS
Band5	5	20625	12	#0	QPSK	23.78	-5.2	-7.35	16.43	38.45	PASS
Band5	5	20625	12	#Mid	QPSK	23.73	-5.2	-7.35	16.38	38.45	PASS
Band5	5	20625	12	#Max	QPSK	23.70	-5.2	-7.35	16.35	38.45	PASS
Band5	5	20625	25	#0	QPSK	23.77	-5.2	-7.35	16.42	38.45	PASS
Band5	5	20625	1	#0	QAM16	24.08	-5.2	-7.35	16.73	38.45	PASS
Band5	5	20625	1	#Mid	QAM16	24.03	-5.2	-7.35	16.68	38.45	PASS
Band5	5	20625	1	#Max	QAM16	23.96	-5.2	-7.35	16.61	38.45	PASS
Band5	5	20625	12	#0	QAM16	22.85	-5.2	-7.35	15.5	38.45	PASS
Band5	5	20625	12	#Mid	QAM16	22.76	-5.2	-7.35	15.41	38.45	PASS
Band5	5	20625	12	#Max	QAM16	22.77	-5.2	-7.35	15.42	38.45	PASS

Band5	5	20625	25	#0	QAM16	22.73	-5.2	-7.35	15.38	38.45	PASS
Band5	10	20450	1	#0	QPSK	24.63	-5.2	-7.35	17.28	38.45	PASS
Band5	10	20450	1	#Mid	QPSK	24.69	-5.2	-7.35	17.34	38.45	PASS
Band5	10	20450	1	#Max	QPSK	24.82	-5.2	-7.35	17.47	38.45	PASS
Band5	10	20450	25	#0	QPSK	23.69	-5.2	-7.35	16.34	38.45	PASS
Band5	10	20450	25	#Mid	QPSK	23.75	-5.2	-7.35	16.4	38.45	PASS
Band5	10	20450	25	#Max	QPSK	23.81	-5.2	-7.35	16.46	38.45	PASS
Band5	10	20450	50	#0	QPSK	23.77	-5.2	-7.35	16.42	38.45	PASS
Band5	10	20450	1	#0	QAM16	23.78	-5.2	-7.35	16.43	38.45	PASS
Band5	10	20450	1	#Mid	QAM16	23.86	-5.2	-7.35	16.51	38.45	PASS
Band5	10	20450	1	#Max	QAM16	23.98	-5.2	-7.35	16.63	38.45	PASS
Band5	10	20450	25	#0	QAM16	22.69	-5.2	-7.35	15.34	38.45	PASS
Band5	10	20450	25	#Mid	QAM16	22.74	-5.2	-7.35	15.39	38.45	PASS
Band5	10	20450	25	#Max	QAM16	22.81	-5.2	-7.35	15.46	38.45	PASS
Band5	10	20450	50	#0	QAM16	22.77	-5.2	-7.35	15.42	38.45	PASS
Band5	10	20525	1	#0	QPSK	24.87	-5.2	-7.35	17.52	38.45	PASS
Band5	10	20525	1	#Mid	QPSK	24.92	-5.2	-7.35	17.57	38.45	PASS
Band5	10	20525	1	#Max	QPSK	25.01	-5.2	-7.35	17.66	38.45	PASS
Band5	10	20525	25	#0	QPSK	23.83	-5.2	-7.35	16.48	38.45	PASS
Band5	10	20525	25	#Mid	QPSK	23.86	-5.2	-7.35	16.51	38.45	PASS
Band5	10	20525	25	#Max	QPSK	23.90	-5.2	-7.35	16.55	38.45	PASS
Band5	10	20525	50	#0	QPSK	23.89	-5.2	-7.35	16.54	38.45	PASS
Band5	10	20525	1	#0	QAM16	23.89	-5.2	-7.35	16.54	38.45	PASS
Band5	10	20525	1	#Mid	QAM16	23.90	-5.2	-7.35	16.55	38.45	PASS
Band5	10	20525	1	#Max	QAM16	24.03	-5.2	-7.35	16.68	38.45	PASS
Band5	10	20525	25	#0	QAM16	22.83	-5.2	-7.35	15.48	38.45	PASS
Band5	10	20525	25	#Mid	QAM16	22.86	-5.2	-7.35	15.51	38.45	PASS
Band5	10	20525	25	#Max	QAM16	22.89	-5.2	-7.35	15.54	38.45	PASS
Band5	10	20525	50	#0	QAM16	22.86	-5.2	-7.35	15.51	38.45	PASS
Band5	10	20600	1	#0	QPSK	24.97	-5.2	-7.35	17.62	38.45	PASS
Band5	10	20600	1	#Mid	QPSK	24.80	-5.2	-7.35	17.45	38.45	PASS
Band5	10	20600	1	#Max	QPSK	24.73	-5.2	-7.35	17.38	38.45	PASS
Band5	10	20600	25	#0	QPSK	23.92	-5.2	-7.35	16.57	38.45	PASS
Band5	10	20600	25	#Mid	QPSK	23.84	-5.2	-7.35	16.49	38.45	PASS
Band5	10	20600	25	#Max	QPSK	23.82	-5.2	-7.35	16.47	38.45	PASS
Band5	10	20600	50	#0	QPSK	23.85	-5.2	-7.35	16.5	38.45	PASS
Band5	10	20600	1	#0	QAM16	24.30	-5.2	-7.35	16.95	38.45	PASS
Band5	10	20600	1	#Mid	QAM16	24.14	-5.2	-7.35	16.79	38.45	PASS
Band5	10	20600	1	#Max	QAM16	24.04	-5.2	-7.35	16.69	38.45	PASS
Band5	10	20600	25	#0	QAM16	22.92	-5.2	-7.35	15.57	38.45	PASS
Band5	10	20600	25	#Mid	QAM16	22.85	-5.2	-7.35	15.5	38.45	PASS
Band5	10	20600	25	#Max	QAM16	22.79	-5.2	-7.35	15.44	38.45	PASS
Band5	10	20600	50	#0	QAM16	22.82	-5.2	-7.35	15.47	38.45	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band5	10	20450	50	#0	QPSK	-0.85	-0.001	-2.5	2.5	PASS
Band5	10	20450	50	#0	QAM16	-1.45	-0.002	-2.5	2.5	PASS
Band5	10	20525	50	#0	QPSK	-0.24	0.000	-2.5	2.5	PASS
Band5	10	20525	50	#0	QAM16	-1.21	-0.001	-2.5	2.5	PASS
Band5	10	20600	50	#0	QPSK	-3.69	-0.004	-2.5	2.5	PASS
Band5	10	20600	50	#0	QAM16	-1.60	-0.002	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band5	1.4	20525	1	#0	QPSK	3.98	13	PASS
Band5	1.4	20525	1	#0	QAM16	4.85	13	PASS
Band5	3	20525	1	#0	QPSK	3.89	13	PASS
Band5	3	20525	1	#0	QAM16	4.72	13	PASS
Band5	5	20525	1	#0	QPSK	3.85	13	PASS
Band5	5	20525	1	#0	QAM16	4.78	13	PASS
Band5	10	20525	1	#0	QPSK	3.89	13	PASS
Band5	10	20525	1	#0	QAM16	4.69	13	PASS



Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0

**Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0****Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0**

**Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0****Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0**


**Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0****Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band5	1.4	20407	6	#0	QPSK	1.096	1.272	PASS
Band5	1.4	20407	6	#0	QAM16	1.096	1.296	PASS
Band5	1.4	20525	6	#0	QPSK	1.097	1.286	PASS
Band5	1.4	20525	6	#0	QAM16	1.098	1.296	PASS
Band5	1.4	20643	6	#0	QPSK	1.095	1.338	PASS
Band5	1.4	20643	6	#0	QAM16	1.092	1.273	PASS
Band5	3	20415	15	#0	QPSK	2.697	2.945	PASS
Band5	3	20415	15	#0	QAM16	2.687	2.922	PASS
Band5	3	20525	15	#0	QPSK	2.700	2.924	PASS
Band5	3	20525	15	#0	QAM16	2.690	2.942	PASS
Band5	3	20635	15	#0	QPSK	2.700	2.934	PASS
Band5	3	20635	15	#0	QAM16	2.695	2.983	PASS
Band5	5	20425	25	#0	QPSK	4.536	4.902	PASS
Band5	5	20425	25	#0	QAM16	4.500	4.934	PASS
Band5	5	20525	25	#0	QPSK	4.512	4.892	PASS
Band5	5	20525	25	#0	QAM16	4.499	4.964	PASS
Band5	5	20625	25	#0	QPSK	4.508	4.911	PASS
Band5	5	20625	25	#0	QAM16	4.511	4.902	PASS
Band5	10	20450	50	#0	QPSK	8.971	9.722	PASS
Band5	10	20450	50	#0	QAM16	8.969	9.710	PASS
Band5	10	20525	50	#0	QPSK	8.976	9.831	PASS
Band5	10	20525	50	#0	QAM16	8.984	9.848	PASS
Band5	10	20600	50	#0	QPSK	8.983	9.685	PASS
Band5	10	20600	50	#0	QAM16	9.006	9.758	PASS



Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0



**Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0****Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0**






Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0

**Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0****Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0**



**Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0****Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0**




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0


**Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0****Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0**




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0





Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0


**Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0****Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0**




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	823.99	-25.33	-13	PASS
Band5	1.4	20407	6	#0	QAM16	824.00	-26.98	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.00	-24.06	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.00	-25.26	-13	PASS
Band5	3	20415	15	#0	QPSK	823.98	-26.17	-13	PASS
Band5	3	20415	15	#0	QAM16	824.00	-28.22	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-25.22	-13	PASS
Band5	3	20635	15	#0	QAM16	849.01	-27.27	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-25.49	-13	PASS
Band5	5	20425	25	#0	QAM16	824.00	-26.75	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-26.15	-13	PASS
Band5	5	20625	25	#0	QAM16	849.00	-26.47	-13	PASS
Band5	10	20450	50	#0	QPSK	823.90	-28.36	-13	PASS
Band5	10	20450	50	#0	QAM16	823.98	-29.46	-13	PASS
Band5	10	20600	50	#0	QPSK	849.04	-28.05	-13	PASS
Band5	10	20600	50	#0	QAM16	849.00	-29.57	-13	PASS


Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




6 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	2474.20	-35.79	-13	PASS
Band5	1.4	20407	6	#0	QAM16	3846.93	-38.40	-13	PASS
Band5	1.4	20643	6	#0	QPSK	3814.98	-38.18	-13	PASS
Band5	1.4	20643	6	#0	QAM16	2545.08	-38.19	-13	PASS
Band5	3	20415	15	#0	QPSK	3900.70	-38.02	-13	PASS
Band5	3	20415	15	#0	QAM16	3815.88	-38.85	-13	PASS
Band5	3	20635	15	#0	QPSK	5040.10	-38.22	-13	PASS
Band5	3	20635	15	#0	QAM16	3769.98	-38.12	-13	PASS
Band5	5	20425	25	#0	QPSK	4684.38	-38.80	-13	PASS
Band5	5	20425	25	#0	QAM16	3865.83	-38.29	-13	PASS
Band5	5	20625	25	#0	QPSK	3789.33	-37.98	-13	PASS
Band5	5	20625	25	#0	QAM16	3798.10	-38.32	-13	PASS
Band5	10	20450	50	#0	QPSK	3753.33	-38.31	-13	PASS
Band5	10	20450	50	#0	QAM16	3781.68	-37.39	-13	PASS
Band5	10	20600	50	#0	QPSK	3888.33	-37.82	-13	PASS
Band5	10	20600	50	#0	QAM16	3809.80	-38.10	-13	PASS


Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0

