

Test Information:

Serial No.:	2KR0-1	Test Date:	2024/05/22~2024/06/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Arthur Su	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.7-26.1	Relative Humidity: (%)	56-60	ATM Pressure: (kPa)	99.9-100.4
----------------------	-----------	---------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101591	2024/04/01	2025/03/31
R&S	Spectrum Analyzer	FSU26	200256	2024/04/01	2025/03/31
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060301	Each time	N/A
Unknown	Coaxial tee connector	Unknown	2204004	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	143458	2024/04/01	2025/03/31
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2024/04/01	2025/03/31
UNI-T	Multimeter	UT39A+	C210582554	2023/09/28	2024/09/27
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Frequency stability

FCC Part 22H

B5 , Normal

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	0.96	0.001	±2.5	Pass

B5 , T1/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	0.37	0.0004	±2.5	Pass

B5 , T2/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	1.32	0.002	±2.5	Pass

B5 , T3/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	0.46	0.001	±2.5	Pass

B5 , T4/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	-0.23	-0.0003	±2.5	Pass

B5 , T5/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	-2.50	-0.003	±2.5	Pass

B5 , T6/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	-2.80	-0.003	±2.5	Pass

B5 , T7/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	0.47	0.001	±2.5	Pass

B5 , T8/VN

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	-1.40	-0.002	±2.5	Pass

B5 , TN/VL

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	-1.46	-0.002	±2.5	Pass

B5 , TN/VH

Mode	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)	Result
B5_10MHz_Middle_QPSK_50@0	-0.33	-0.0004	±2.5	Pass

Note:

Frequency Error(ppm)= Frequency Error(Hz) / Test Channel(MHz)

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 24E

B2 , Normal

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1868.95	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.9	1850 ~ 1910	Pass

B2 , T1/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1868.95	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.95	1850 ~ 1910	Pass

B2 , T2/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1868.95	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.9	1850 ~ 1910	Pass

B2 , T3/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1868.95	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.95	1850 ~ 1910	Pass

B2 , T4/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1869	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.95	1850 ~ 1910	Pass

B2 , T5/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1868.95	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.9	1850 ~ 1910	Pass

B2 , T6/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1868.95	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.9	1850 ~ 1910	Pass

B2 , T7/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1869	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.9	1850 ~ 1910	Pass

B2 , T8/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
------	-------------------------	-------------------------	----------------	--------

B2_20MHz_Low_QPSK_100@0	1851.05	1869	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.9	1850 ~ 1910	Pass

B2 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1868.95	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.9	1850 ~ 1910	Pass

B2 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B2_20MHz_Low_QPSK_100@0	1851.10	1868.95	1850 ~ 1910	Pass
B2_20MHz_High_QPSK_100@0	1891.10	1908.9	1850 ~ 1910	Pass

Note:
TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.
VN: Normal Voltage; VL: Low Voltage; VH: High Voltage.

FCC Part 27

B42_1 , Normal

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.10	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.10	3548.95	3450 ~ 3550	Pass

B4 , Normal

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1754	1710 ~ 1755	Pass

B7 , Normal

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.10	2519	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.05	2568.95	2500 ~ 2570	Pass

B12 , Normal

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , Normal

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.53	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , Normal

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.10	2588.95	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.10	2618.9	2570 ~ 2620	Pass

B41 , Normal

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.10	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.10	2688.95	2496 ~ 2690	Pass

B66 , Normal

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.15	1729	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.10	1778.95	1710 ~ 1780	Pass

B42_1 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
------	--------------	--------------	----------------	--------

B42_1_20MHz_Low_QPSK_100@0	3451.05	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.05	3548.95	3450 ~ 3550	Pass

B4 , T1/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1753.95	1710 ~ 1755	Pass

B7 , T1/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.05	2518.95	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.10	2568.95	2500 ~ 2570	Pass

B12 , T1/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , T1/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.53	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , T1/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.05	2588.95	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.05	2618.95	2570 ~ 2620	Pass

B41 , T1/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.10	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.10	2688.95	2496 ~ 2690	Pass

B66 , T1/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.10	1778.95	1710 ~ 1780	Pass

B42_1 , T2/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.05	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.05	3548.95	3450 ~ 3550	Pass

B4 , T2/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1754	1710 ~ 1755	Pass

B7 , T2/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.10	2518.95	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.10	2568.95	2500 ~ 2570	Pass

B12 , T2/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.50	715.475	699 ~ 716	Pass

B17 , T2/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.53	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , T2/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.10	2588.95	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.10	2618.95	2570 ~ 2620	Pass

B41 , T2/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.10	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.10	2688.95	2496 ~ 2690	Pass

B66 , T2/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.15	1728.95	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.05	1778.9	1710 ~ 1780	Pass

B42_1 , T3/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.10	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.10	3548.95	3450 ~ 3550	Pass

B4 , T3/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.15	1728.95	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1753.95	1710 ~ 1755	Pass

B7 , T3/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.05	2518.95	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.05	2568.95	2500 ~ 2570	Pass

B12 , T3/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , T3/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.53	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , T3/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.05	2588.95	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.10	2618.95	2570 ~ 2620	Pass

B41 , T3/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.10	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.15	2689	2496 ~ 2690	Pass

B66 , T3/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.15	1729	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.10	1778.95	1710 ~ 1780	Pass

B42_1 , T4/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.05	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.05	3548.95	3450 ~ 3550	Pass

B4 , T4/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1753.95	1710 ~ 1755	Pass

B7 , T4/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.05	2518.95	2500 ~ 2570	Pass

B7_20MHz_High_QPSK_100@0	2551.05	2568.95	2500 ~ 2570	Pass
--------------------------	---------	---------	-------------	------

B12 , T4/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.55	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , T4/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.53	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , T4/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.10	2588.95	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.05	2618.95	2570 ~ 2620	Pass

B41 , T4/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.10	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.10	2689	2496 ~ 2690	Pass

B66 , T4/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.10	1729	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.05	1778.9	1710 ~ 1780	Pass

B42_1 , T5/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.10	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.05	3548.95	3450 ~ 3550	Pass

B4 , T5/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.15	1728.95	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1754	1710 ~ 1755	Pass

B7 , T5/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.10	2518.95	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.10	2568.95	2500 ~ 2570	Pass

B12 , T5/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
------	-------------------------	-------------------------	----------------	--------

B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , T5/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.53	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , T5/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.10	2588.95	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.10	2618.95	2570 ~ 2620	Pass

B41 , T5/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.05	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.05	2688.95	2496 ~ 2690	Pass

B66 , T5/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.10	1778.95	1710 ~ 1780	Pass

B42_1 , T6/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.10	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.05	3548.95	3450 ~ 3550	Pass

B4 , T6/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.15	1728.95	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.05	1754	1710 ~ 1755	Pass

B7 , T6/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.10	2518.95	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.10	2568.95	2500 ~ 2570	Pass

B12 , T6/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , T6/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.55	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , T6/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.10	2588.95	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.10	2618.95	2570 ~ 2620	Pass

B41 , T6/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.10	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.10	2688.95	2496 ~ 2690	Pass

B66 , T6/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.15	1729	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.05	1778.95	1710 ~ 1780	Pass

B42_1 , T7/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.05	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.05	3548.95	3450 ~ 3550	Pass

B4 , T7/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1753.95	1710 ~ 1755	Pass

B7 , T7/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.10	2518.95	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.10	2568.95	2500 ~ 2570	Pass

B12 , T7/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , T7/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.53	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , T7/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.10	2588.95	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.05	2618.95	2570 ~ 2620	Pass

B41 , T7/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.10	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.10	2689	2496 ~ 2690	Pass

B66 , T7/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.05	1778.95	1710 ~ 1780	Pass

B42_1 , T8/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.05	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.05	3548.95	3450 ~ 3550	Pass

B4 , T8/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.10	1729	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1753.95	1710 ~ 1755	Pass

B7 , T8/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.10	2518.95	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.05	2568.95	2500 ~ 2570	Pass

B12 , T8/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , T8/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.53	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , T8/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.05	2588.95	2570 ~ 2620	Pass

B38_20MHz_High_QPSK_100@0	2601.05	2618.95	2570 ~ 2620	Pass
---------------------------	---------	---------	-------------	------

B41 , T8/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.10	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.10	2689	2496 ~ 2690	Pass

B66 , T8/VN

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.15	1728.95	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.05	1778.95	1710 ~ 1780	Pass

B42_1 , TN/VL

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.05	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.05	3548.95	3450 ~ 3550	Pass

B4 , TN/VL

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1754	1710 ~ 1755	Pass

B7 , TN/VL

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.05	2518.95	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.05	2568.95	2500 ~ 2570	Pass

B12 , TN/VL

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , TN/VL

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.53	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.53	715.475	704 ~ 716	Pass

B38 , TN/VL

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.10	2589	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.10	2618.95	2570 ~ 2620	Pass

B41 , TN/VL

Mode	F _L (MHz)	F _H (MHz)	Limit (MHz)	Result
------	-------------------------	-------------------------	----------------	--------

B41_20MHz_Low_QPSK_100@0	2497.10	2515	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.10	2689	2496 ~ 2690	Pass

B66 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.10	1728.95	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.05	1778.9	1710 ~ 1780	Pass

B42_1 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B42_1_20MHz_Low_QPSK_100@0	3451.05	3468.95	3450 ~ 3550	Pass
B42_1_20MHz_High_QPSK_100@0	3531.10	3548.95	3450 ~ 3550	Pass

B4 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B4_20MHz_Low_QPSK_100@0	1711.10	1729	1710 ~ 1755	Pass
B4_20MHz_High_QPSK_100@0	1736.10	1753.95	1710 ~ 1755	Pass

B7 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B7_20MHz_Low_QPSK_100@0	2501.10	2519	2500 ~ 2570	Pass
B7_20MHz_High_QPSK_100@0	2551.10	2568.95	2500 ~ 2570	Pass

B12 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B12_10MHz_Low_QPSK_50@0	699.53	708.475	699 ~ 716	Pass
B12_10MHz_High_QPSK_50@0	706.53	715.475	699 ~ 716	Pass

B17 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B17_10MHz_Low_QPSK_50@0	704.55	713.475	704 ~ 716	Pass
B17_10MHz_High_QPSK_50@0	706.50	715.475	704 ~ 716	Pass

B38 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B38_20MHz_Low_QPSK_100@0	2571.05	2588.95	2570 ~ 2620	Pass
B38_20MHz_High_QPSK_100@0	2601.05	2619	2570 ~ 2620	Pass

B41 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B41_20MHz_Low_QPSK_100@0	2497.05	2514.95	2496 ~ 2690	Pass
B41_20MHz_High_QPSK_100@0	2671.10	2688.95	2496 ~ 2690	Pass

B66 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Result
B66_20MHz_Low_QPSK_100@0	1711.15	1728.95	1710 ~ 1780	Pass
B66_20MHz_High_QPSK_100@0	1761.10	1778.9	1710 ~ 1780	Pass

Note:
TN: 20°C; **T1:** -30°C; **T2:** -20°C; **T3:** -10°C; **T4:** 0°C; **T5:** 10°C; **T6:** 30°C; **T7:** 40°C; **T8:** 50°C.
VN: Normal Voltage; **VL:** Low Voltage; **VH:** High Voltage.


Occupied Bandwidth**FCC Part 22H****B5 , Normal**

Mode	99% OBW (MHz)	EBW (MHz)
B5_1.4MHz_Low_16QAM_6@0	1.095	1.306
B5_1.4MHz_Low_QPSK_6@0	1.078	1.256
B5_1.4MHz_Middle_16QAM_6@0	1.081	1.284
B5_1.4MHz_Middle_QPSK_6@0	1.092	1.287
B5_1.4MHz_High_16QAM_6@0	1.086	1.281
B5_1.4MHz_High_QPSK_6@0	1.078	1.259
B5_3MHz_Low_16QAM_15@0	2.688	2.919
B5_3MHz_Low_QPSK_15@0	2.688	2.913
B5_3MHz_Middle_16QAM_15@0	2.682	2.907
B5_3MHz_Middle_QPSK_15@0	2.682	2.913
B5_3MHz_High_16QAM_15@0	2.676	2.907
B5_3MHz_High_QPSK_15@0	2.688	2.901
B5_5MHz_Low_16QAM_25@0	4.470	4.875
B5_5MHz_Low_QPSK_25@0	4.470	4.805
B5_5MHz_Middle_16QAM_25@0	4.480	4.845
B5_5MHz_Middle_QPSK_25@0	4.480	4.835
B5_5MHz_High_16QAM_25@0	4.460	4.795
B5_5MHz_High_QPSK_25@0	4.460	4.855
B5_10MHz_Low_16QAM_50@0	8.940	9.59
B5_10MHz_Low_QPSK_50@0	8.920	9.73
B5_10MHz_Middle_16QAM_50@0	8.940	9.65
B5_10MHz_Middle_QPSK_50@0	8.940	9.71
B5_10MHz_High_16QAM_50@0	8.940	9.61
B5_10MHz_High_QPSK_50@0	8.920	9.61

B5 , Normal


1.4MHz_Low_16QAM_6@0

99% Occupied Bandwidth 1.10 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:13:34


26dB Bandwidth 1.306MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:13:53


1.4MHz_Low_QPSK_6@0

99% Occupied Bandwidth 1.08 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:12:19


26dB Bandwidth 1.256MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:12:39


1.4MHz_Middle_16QAM_6@0

99% Occupied Bandwidth 1.08 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:16:30


26dB Bandwidth 1.284MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:16:55


1.4MHz_Middle_QPSK_6@0

99% Occupied Bandwidth 1.09 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:14:59


26dB Bandwidth 1.287MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:15:25


1.4MHz_High_16QAM_6@0

99% Occupied Bandwidth 1.09 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:19:02


26dB Bandwidth 1.281MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:19:21


1.4MHz_High_QPSK_6@0

99% Occupied Bandwidth 1.08 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:17:49

26dB Bandwidth 1.259MHz





ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:18:08

3MHz_Low_16QAM_15@0

99% Occupied Bandwidth 2.69 MHz

26dB Bandwidth 2.919MHz





ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:21:21

ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:21:42

3MHz_Low_QPSK_15@0

99% Occupied Bandwidth 2.69 MHz

26dB Bandwidth 2.913MHz





ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:20:26

ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:20:46

3MHz_Middle_16QAM_15@0

99% Occupied Bandwidth 2.68 MHz


26dB Bandwidth 2.907MHz




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:23:24

ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:23:49

3MHz_Middle_QPSK_15@0




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:22:20




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:22:46

3MHz_High_16QAM_15@0




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:25:17




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:25:38

3MHz_High_QPSK_15@0




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:24:23



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:24:44


5MHz_Low_16QAM_25@0

99% Occupied Bandwidth 4.47 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:27:24


26dB Bandwidth 4.875MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:27:41


5MHz_Low_QPSK_25@0

99% Occupied Bandwidth 4.47 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:26:38


26dB Bandwidth 4.805MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:26:55


5MHz Middle 16QAM 25@0

99% Occupied Bandwidth 4.48 MHz




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:29:20

26dB Bandwidth 4.845MHz




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:29:45

5MHz_Middle_QPSK_25@0




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:28:18




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:28:43

5MHz_High_16QAM_25@0




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:31:03




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:31:21

5MHz_High_QPSK_25@0




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:30:15



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:30:33


10MHz_Low_16QAM_50@0

99% Occupied Bandwidth 8.94 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:33:32


26dB Bandwidth 9.590MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:33:57


10MHz_Low_QPSK_50@0

99% Occupied Bandwidth 8.92 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:32:29


26dB Bandwidth 9.730MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:32:54


10MHz_Middle_16QAM_50@0

99% Occupied Bandwidth 8.94 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:35:43


26dB Bandwidth 9.650MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:36:11


10MHz Middle QPSK 50@0

99% Occupied Bandwidth 8.94 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:34:37


26dB Bandwidth 9.710MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:35:04


10MHz High 16QAM 50@0

99% Occupied Bandwidth 8.94 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:38:01


26dB Bandwidth 9.610MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:38:29


10MHz High QPSK 50@0

99% Occupied Bandwidth 8.92 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:36:52

26dB Bandwidth 9.610MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 11:37:20

FCC Part 24E


B2 , Normal

Mode	99% OBW (MHz)	EBW (MHz)
B2_1.4MHz_Low_16QAM_6@0	1.086	1.287
B2_1.4MHz_Low_QPSK_6@0	1.089	1.284
B2_1.4MHz_Middle_16QAM_6@0	1.086	1.281
B2_1.4MHz_Middle_QPSK_6@0	1.078	1.259
B2_1.4MHz_High_16QAM_6@0	1.095	1.312
B2_1.4MHz_High_QPSK_6@0	1.081	1.256
B2_3MHz_Low_16QAM_15@0	2.682	2.919
B2_3MHz_Low_QPSK_15@0	2.688	2.907
B2_3MHz_Middle_16QAM_15@0	2.682	2.907
B2_3MHz_Middle_QPSK_15@0	2.682	2.913
B2_3MHz_High_16QAM_15@0	2.682	2.919
B2_3MHz_High_QPSK_15@0	2.682	2.907
B2_5MHz_Low_16QAM_25@0	4.470	4.875
B2_5MHz_Low_QPSK_25@0	4.460	4.845
B2_5MHz_Middle_16QAM_25@0	4.460	4.855
B2_5MHz_Middle_QPSK_25@0	4.480	4.875
B2_5MHz_High_16QAM_25@0	4.470	4.845
B2_5MHz_High_QPSK_25@0	4.470	4.845
B2_10MHz_Low_16QAM_50@0	8.940	9.73
B2_10MHz_Low_QPSK_50@0	8.940	9.71
B2_10MHz_Middle_16QAM_50@0	8.940	9.63
B2_10MHz_Middle_QPSK_50@0	8.960	9.71
B2_10MHz_High_16QAM_50@0	8.940	9.69
B2_10MHz_High_QPSK_50@0	8.940	9.63
B2_15MHz_Low_16QAM_75@0	13.470	14.565
B2_15MHz_Low_QPSK_75@0	13.470	14.595
B2_15MHz_Middle_16QAM_75@0	13.440	14.535
B2_15MHz_Middle_QPSK_75@0	13.440	14.416
B2_15MHz_High_16QAM_75@0	13.410	14.505
B2_15MHz_High_QPSK_75@0	13.440	14.505
B2_20MHz_Low_16QAM_100@0	17.880	19.181
B2_20MHz_Low_QPSK_100@0	17.920	19.221
B2_20MHz_Middle_16QAM_100@0	17.920	19.261
B2_20MHz_Middle_QPSK_100@0	17.880	19.221
B2_20MHz_High_16QAM_100@0	17.840	19.021
B2_20MHz_High_QPSK_100@0	17.840	19.141

B2 , Normal


1.4MHz_Low_16QAM_6@0

99% Occupied Bandwidth 1.09 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:35:10


26dB Bandwidth 1.287MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:35:29


1.4MHz_Low_QPSK_6@0

99% Occupied Bandwidth 1.09 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:33:57


26dB Bandwidth 1.284MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:34:17


1.4MHz_Middle_16QAM_6@0

99% Occupied Bandwidth 1.09 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:37:37


26dB Bandwidth 1.281MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:37:56


1.4MHz_Middle_QPSK_6@0

99% Occupied Bandwidth 1.08 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:36:23


26dB Bandwidth 1.259MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:36:43


1.4MHz_High_16QAM_6@0

99% Occupied Bandwidth 1.10 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:40:20


26dB Bandwidth 1.312MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:40:43


1.4MHz_High_QPSK_6@0

99% Occupied Bandwidth 1.08 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:38:56

26dB Bandwidth 1.256MHz





ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:39:20

3MHz_Low_16QAM_15@0

99% Occupied Bandwidth 2.68 MHz

26dB Bandwidth 2.919MHz





ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:43:15

ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:43:36

3MHz_Low_QPSK_15@0

99% Occupied Bandwidth 2.69 MHz

26dB Bandwidth 2.907MHz





ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:42:19

ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:42:40

3MHz_Middle_16QAM_15@0

99% Occupied Bandwidth 2.68 MHz


26dB Bandwidth 2.907MHz




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:45:02

ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:45:21

3MHz_Middle_QPSK_15@0




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:44:09




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:44:29

3MHz_High_16QAM_15@0




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:47:01




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:47:26

3MHz_High_QPSK_15@0




ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:45:58



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:46:23


5MHz_Low_16QAM_25@0

99% Occupied Bandwidth 4.47 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:49:50


26dB Bandwidth 4.875MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:50:07


5MHz_Low_QPSK_25@0

99% Occupied Bandwidth 4.46 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:49:04


26dB Bandwidth 4.845MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:49:20


5MHz_Middle_16QAM_25@0

99% Occupied Bandwidth 4.46 MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:51:22

26dB Bandwidth 4.855MHz



ProjectNo.:2403S73382E-RF Tester:Arthur Su
Date: 22.MAY.2024 15:51:38