

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Power (dBm)	Gain (dBm)	ERP (dBm)	ERP Limit (dBm)	Verdict
n71	30	10	133600	12@6	DFT_BPSK	23.75	-8.56	13.04	34.77	PASS
n71	30	10	133600	1@1	DFT_BPSK	23.67	-8.56	12.96	34.77	PASS
n71	30	10	133600	1@22	DFT_BPSK	23.78	-8.56	13.07	34.77	PASS
n71	30	10	133600	24@0	DFT_BPSK	23.23	-8.56	12.52	34.77	PASS
n71	30	10	133600	12@6	DFT_QPSK	23.74	-8.56	13.03	34.77	PASS
n71	30	10	133600	1@1	DFT_QPSK	23.57	-8.56	12.86	34.77	PASS
n71	30	10	133600	1@22	DFT_QPSK	23.68	-8.56	12.97	34.77	PASS
n71	30	10	133600	24@0	DFT_QPSK	22.67	-8.56	11.96	34.77	PASS
n71	30	10	133600	12@6	DFT_QAM16	22.77	-8.56	12.06	34.77	PASS
n71	30	10	133600	1@1	DFT_QAM16	22.69	-8.56	11.98	34.77	PASS
n71	30	10	133600	1@22	DFT_QAM16	22.77	-8.56	12.06	34.77	PASS
n71	30	10	133600	24@0	DFT_QAM16	21.75	-8.56	11.04	34.77	PASS
n71	30	10	133600	12@6	DFT_QAM64	21.44	-8.56	10.73	34.77	PASS
n71	30	10	133600	1@1	DFT_QAM64	21.22	-8.56	10.51	34.77	PASS
n71	30	10	133600	1@22	DFT_QAM64	21.05	-8.56	10.34	34.77	PASS
n71	30	10	133600	24@0	DFT_QAM64	21.18	-8.56	10.47	34.77	PASS
n71	30	10	133600	12@6	DFT_QAM256	19.19	-8.56	8.48	34.77	PASS
n71	30	10	133600	1@1	DFT_QAM256	19.05	-8.56	8.34	34.77	PASS
n71	30	10	133600	1@22	DFT_QAM256	19.09	-8.56	8.38	34.77	PASS
n71	30	10	133600	24@0	DFT_QAM256	19.25	-8.56	8.54	34.77	PASS
n71	30	10	133600	12@6	CP_QPSK	22.20	-8.56	11.49	34.77	PASS
n71	30	10	133600	1@1	CP_QPSK	22.16	-8.56	11.45	34.77	PASS
n71	30	10	133600	1@22	CP_QPSK	22.20	-8.56	11.49	34.77	PASS
n71	30	10	133600	24@0	CP_QPSK	20.64	-8.56	9.93	34.77	PASS
n71	30	10	133600	12@6	CP_QAM16	21.65	-8.56	10.94	34.77	PASS
n71	30	10	133600	1@1	CP_QAM16	22.18	-8.56	11.47	34.77	PASS
n71	30	10	133600	1@22	CP_QAM16	21.61	-8.56	10.90	34.77	PASS
n71	30	10	133600	24@0	CP_QAM16	20.64	-8.56	9.93	34.77	PASS
n71	30	10	133600	12@6	CP_QAM64	20.35	-8.56	9.64	34.77	PASS
n71	30	10	133600	1@1	CP_QAM64	20.26	-8.56	9.55	34.77	PASS
n71	30	10	133600	1@22	CP_QAM64	20.42	-8.56	9.71	34.77	PASS
n71	30	10	133600	24@0	CP_QAM64	20.29	-8.56	9.58	34.77	PASS
n71	30	10	133600	12@6	CP_QAM256	17.47	-8.56	6.76	34.77	PASS
n71	30	10	133600	1@1	CP_QAM256	17.29	-8.56	6.58	34.77	PASS
n71	30	10	133600	1@22	CP_QAM256	17.28	-8.56	6.57	34.77	PASS
n71	30	10	133600	24@0	CP_QAM256	17.33	-8.56	6.62	34.77	PASS
n71	30	10	136100	12@6	DFT_BPSK	23.87	-8.56	13.16	34.77	PASS
n71	30	10	136100	1@1	DFT_BPSK	23.80	-8.56	13.09	34.77	PASS

n71	30	10	136100	1@22	DFT_BPSK	23.79	-8.56	13.08	34.77	PASS
n71	30	10	136100	24@0	DFT_BPSK	23.32	-8.56	12.61	34.77	PASS
n71	30	10	136100	12@6	DFT_QPSK	23.76	-8.56	13.05	34.77	PASS
n71	30	10	136100	1@1	DFT_QPSK	23.71	-8.56	13.00	34.77	PASS
n71	30	10	136100	1@22	DFT_QPSK	23.71	-8.56	13.00	34.77	PASS
n71	30	10	136100	24@0	DFT_QPSK	22.77	-8.56	12.06	34.77	PASS
n71	30	10	136100	12@6	DFT_QAM16	22.75	-8.56	12.04	34.77	PASS
n71	30	10	136100	1@1	DFT_QAM16	22.80	-8.56	12.09	34.77	PASS
n71	30	10	136100	1@22	DFT_QAM16	23.15	-8.56	12.44	34.77	PASS
n71	30	10	136100	24@0	DFT_QAM16	21.77	-8.56	11.06	34.77	PASS
n71	30	10	136100	12@6	DFT_QAM64	21.35	-8.56	10.64	34.77	PASS
n71	30	10	136100	1@1	DFT_QAM64	21.08	-8.56	10.37	34.77	PASS
n71	30	10	136100	1@22	DFT_QAM64	21.16	-8.56	10.45	34.77	PASS
n71	30	10	136100	24@0	DFT_QAM64	21.28	-8.56	10.57	34.77	PASS
n71	30	10	136100	12@6	DFT_QAM256	19.34	-8.56	8.63	34.77	PASS
n71	30	10	136100	1@1	DFT_QAM256	19.15	-8.56	8.44	34.77	PASS
n71	30	10	136100	1@22	DFT_QAM256	19.32	-8.56	8.61	34.77	PASS
n71	30	10	136100	24@0	DFT_QAM256	19.37	-8.56	8.66	34.77	PASS
n71	30	10	136100	12@6	CP_QPSK	22.28	-8.56	11.57	34.77	PASS
n71	30	10	136100	1@1	CP_QPSK	22.25	-8.56	11.54	34.77	PASS
n71	30	10	136100	1@22	CP_QPSK	22.19	-8.56	11.48	34.77	PASS
n71	30	10	136100	24@0	CP_QPSK	20.66	-8.56	9.95	34.77	PASS
n71	30	10	136100	12@6	CP_QAM16	21.75	-8.56	11.04	34.77	PASS
n71	30	10	136100	1@1	CP_QAM16	21.69	-8.56	10.98	34.77	PASS
n71	30	10	136100	1@22	CP_QAM16	21.67	-8.56	10.96	34.77	PASS
n71	30	10	136100	24@0	CP_QAM16	20.75	-8.56	10.04	34.77	PASS
n71	30	10	136100	12@6	CP_QAM64	20.31	-8.56	9.60	34.77	PASS
n71	30	10	136100	1@1	CP_QAM64	20.46	-8.56	9.75	34.77	PASS
n71	30	10	136100	1@22	CP_QAM64	20.45	-8.56	9.74	34.77	PASS
n71	30	10	136100	24@0	CP_QAM64	20.32	-8.56	9.61	34.77	PASS
n71	30	10	136100	12@6	CP_QAM256	17.34	-8.56	6.63	34.77	PASS
n71	30	10	136100	1@1	CP_QAM256	17.31	-8.56	6.60	34.77	PASS
n71	30	10	136100	1@22	CP_QAM256	17.27	-8.56	6.56	34.77	PASS
n71	30	10	136100	24@0	CP_QAM256	17.25	-8.56	6.54	34.77	PASS
n71	30	10	138600	12@6	DFT_BPSK	23.72	-8.56	13.01	34.77	PASS
n71	30	10	138600	1@1	DFT_BPSK	23.80	-8.56	13.09	34.77	PASS
n71	30	10	138600	1@22	DFT_BPSK	23.80	-8.56	13.09	34.77	PASS
n71	30	10	138600	24@0	DFT_BPSK	23.21	-8.56	12.50	34.77	PASS
n71	30	10	138600	12@6	DFT_QPSK	23.76	-8.56	13.05	34.77	PASS
n71	30	10	138600	1@1	DFT_QPSK	23.72	-8.56	13.01	34.77	PASS
n71	30	10	138600	1@22	DFT_QPSK	23.70	-8.56	12.99	34.77	PASS
n71	30	10	138600	24@0	DFT_QPSK	22.70	-8.56	11.99	34.77	PASS
n71	30	10	138600	12@6	DFT_QAM16	22.69	-8.56	11.98	34.77	PASS

n71	30	10	138600	1@1	DFT_QAM16	22.80	-8.56	12.09	34.77	PASS
n71	30	10	138600	1@22	DFT_QAM16	22.71	-8.56	12.00	34.77	PASS
n71	30	10	138600	24@0	DFT_QAM16	21.80	-8.56	11.09	34.77	PASS
n71	30	10	138600	12@6	DFT_QAM64	21.28	-8.56	10.57	34.77	PASS
n71	30	10	138600	1@1	DFT_QAM64	21.23	-8.56	10.52	34.77	PASS
n71	30	10	138600	1@22	DFT_QAM64	21.26	-8.56	10.55	34.77	PASS
n71	30	10	138600	24@0	DFT_QAM64	21.38	-8.56	10.67	34.77	PASS
n71	30	10	138600	12@6	DFT_QAM256	19.24	-8.56	8.53	34.77	PASS
n71	30	10	138600	1@1	DFT_QAM256	19.16	-8.56	8.45	34.77	PASS
n71	30	10	138600	1@22	DFT_QAM256	19.13	-8.56	8.42	34.77	PASS
n71	30	10	138600	24@0	DFT_QAM256	19.29	-8.56	8.58	34.77	PASS
n71	30	10	138600	12@6	CP_QPSK	22.26	-8.56	11.55	34.77	PASS
n71	30	10	138600	1@1	CP_QPSK	22.24	-8.56	11.53	34.77	PASS
n71	30	10	138600	1@22	CP_QPSK	22.22	-8.56	11.51	34.77	PASS
n71	30	10	138600	24@0	CP_QPSK	20.69	-8.56	9.98	34.77	PASS
n71	30	10	138600	12@6	CP_QAM16	21.63	-8.56	10.92	34.77	PASS
n71	30	10	138600	1@1	CP_QAM16	21.66	-8.56	10.95	34.77	PASS
n71	30	10	138600	1@22	CP_QAM16	21.64	-8.56	10.93	34.77	PASS
n71	30	10	138600	24@0	CP_QAM16	20.78	-8.56	10.07	34.77	PASS
n71	30	10	138600	12@6	CP_QAM64	20.37	-8.56	9.66	34.77	PASS
n71	30	10	138600	1@1	CP_QAM64	20.90	-8.56	10.19	34.77	PASS
n71	30	10	138600	1@22	CP_QAM64	20.53	-8.56	9.82	34.77	PASS
n71	30	10	138600	24@0	CP_QAM64	20.35	-8.56	9.64	34.77	PASS
n71	30	10	138600	12@6	CP_QAM256	17.39	-8.56	6.68	34.77	PASS
n71	30	10	138600	1@1	CP_QAM256	17.31	-8.56	6.60	34.77	PASS
n71	30	10	138600	1@22	CP_QAM256	17.44	-8.56	6.73	34.77	PASS
n71	30	10	138600	24@0	CP_QAM256	17.30	-8.56	6.59	34.77	PASS
n71	30	15	134100	18@9	DFT_BPSK	23.65	-8.56	12.94	34.77	PASS
n71	30	15	134100	1@1	DFT_BPSK	23.60	-8.56	12.89	34.77	PASS
n71	30	15	134100	1@36	DFT_BPSK	23.73	-8.56	13.02	34.77	PASS
n71	30	15	134100	36@0	DFT_BPSK	23.15	-8.56	12.44	34.77	PASS
n71	30	15	134100	18@9	DFT_QPSK	23.69	-8.56	12.98	34.77	PASS
n71	30	15	134100	1@1	DFT_QPSK	23.50	-8.56	12.79	34.77	PASS
n71	30	15	134100	1@36	DFT_QPSK	23.60	-8.56	12.89	34.77	PASS
n71	30	15	134100	36@0	DFT_QPSK	22.69	-8.56	11.98	34.77	PASS
n71	30	15	134100	18@9	DFT_QAM16	22.86	-8.56	12.15	34.77	PASS
n71	30	15	134100	1@1	DFT_QAM16	22.71	-8.56	12.00	34.77	PASS
n71	30	15	134100	1@36	DFT_QAM16	23.08	-8.56	12.37	34.77	PASS
n71	30	15	134100	36@0	DFT_QAM16	21.82	-8.56	11.11	34.77	PASS
n71	30	15	134100	18@9	DFT_QAM64	21.47	-8.56	10.76	34.77	PASS
n71	30	15	134100	1@1	DFT_QAM64	20.98	-8.56	10.27	34.77	PASS
n71	30	15	134100	1@36	DFT_QAM64	20.94	-8.56	10.23	34.77	PASS
n71	30	15	134100	36@0	DFT_QAM64	21.27	-8.56	10.56	34.77	PASS

n71	30	15	134100	18@9	DFT_QAM256	19.20	-8.56	8.49	34.77	PASS
n71	30	15	134100	1@1	DFT_QAM256	19.09	-8.56	8.38	34.77	PASS
n71	30	15	134100	1@36	DFT_QAM256	19.10	-8.56	8.39	34.77	PASS
n71	30	15	134100	36@0	DFT_QAM256	19.12	-8.56	8.41	34.77	PASS
n71	30	15	134100	19@9	CP_QPSK	22.27	-8.56	11.56	34.77	PASS
n71	30	15	134100	1@1	CP_QPSK	22.03	-8.56	11.32	34.77	PASS
n71	30	15	134100	1@36	CP_QPSK	22.16	-8.56	11.45	34.77	PASS
n71	30	15	134100	38@0	CP_QPSK	20.67	-8.56	9.96	34.77	PASS
n71	30	15	134100	19@9	CP_QAM16	21.72	-8.56	11.01	34.77	PASS
n71	30	15	134100	1@1	CP_QAM16	21.55	-8.56	10.84	34.77	PASS
n71	30	15	134100	1@36	CP_QAM16	22.06	-8.56	11.35	34.77	PASS
n71	30	15	134100	38@0	CP_QAM16	20.81	-8.56	10.10	34.77	PASS
n71	30	15	134100	19@9	CP_QAM64	20.40	-8.56	9.69	34.77	PASS
n71	30	15	134100	1@1	CP_QAM64	20.22	-8.56	9.51	34.77	PASS
n71	30	15	134100	1@36	CP_QAM64	20.40	-8.56	9.69	34.77	PASS
n71	30	15	134100	38@0	CP_QAM64	20.28	-8.56	9.57	34.77	PASS
n71	30	15	134100	19@9	CP_QAM256	17.32	-8.56	6.61	34.77	PASS
n71	30	15	134100	1@1	CP_QAM256	17.08	-8.56	6.37	34.77	PASS
n71	30	15	134100	1@36	CP_QAM256	17.22	-8.56	6.51	34.77	PASS
n71	30	15	134100	38@0	CP_QAM256	17.24	-8.56	6.53	34.77	PASS
n71	30	15	136100	18@9	DFT_BPSK	23.72	-8.56	13.01	34.77	PASS
n71	30	15	136100	1@1	DFT_BPSK	23.69	-8.56	12.98	34.77	PASS
n71	30	15	136100	1@36	DFT_BPSK	23.68	-8.56	12.97	34.77	PASS
n71	30	15	136100	36@0	DFT_BPSK	23.30	-8.56	12.59	34.77	PASS
n71	30	15	136100	18@9	DFT_QPSK	23.73	-8.56	13.02	34.77	PASS
n71	30	15	136100	1@1	DFT_QPSK	23.63	-8.56	12.92	34.77	PASS
n71	30	15	136100	1@36	DFT_QPSK	23.59	-8.56	12.88	34.77	PASS
n71	30	15	136100	36@0	DFT_QPSK	22.77	-8.56	12.06	34.77	PASS
n71	30	15	136100	18@9	DFT_QAM16	22.93	-8.56	12.22	34.77	PASS
n71	30	15	136100	1@1	DFT_QAM16	22.77	-8.56	12.06	34.77	PASS
n71	30	15	136100	1@36	DFT_QAM16	22.75	-8.56	12.04	34.77	PASS
n71	30	15	136100	36@0	DFT_QAM16	21.72	-8.56	11.01	34.77	PASS
n71	30	15	136100	18@9	DFT_QAM64	21.40	-8.56	10.69	34.77	PASS
n71	30	15	136100	1@1	DFT_QAM64	21.45	-8.56	10.74	34.77	PASS
n71	30	15	136100	1@36	DFT_QAM64	21.03	-8.56	10.32	34.77	PASS
n71	30	15	136100	36@0	DFT_QAM64	21.34	-8.56	10.63	34.77	PASS
n71	30	15	136100	18@9	DFT_QAM256	19.27	-8.56	8.56	34.77	PASS
n71	30	15	136100	1@1	DFT_QAM256	19.26	-8.56	8.55	34.77	PASS
n71	30	15	136100	1@36	DFT_QAM256	19.21	-8.56	8.50	34.77	PASS
n71	30	15	136100	36@0	DFT_QAM256	19.27	-8.56	8.56	34.77	PASS
n71	30	15	136100	19@9	CP_QPSK	22.24	-8.56	11.53	34.77	PASS
n71	30	15	136100	1@1	CP_QPSK	22.14	-8.56	11.43	34.77	PASS
n71	30	15	136100	1@36	CP_QPSK	22.13	-8.56	11.42	34.77	PASS

n71	30	15	136100	38@0	CP_QPSK	20.74	-8.56	10.03	34.77	PASS
n71	30	15	136100	19@9	CP_QAM16	21.77	-8.56	11.06	34.77	PASS
n71	30	15	136100	1@1	CP_QAM16	22.05	-8.56	11.34	34.77	PASS
n71	30	15	136100	1@36	CP_QAM16	22.04	-8.56	11.33	34.77	PASS
n71	30	15	136100	38@0	CP_QAM16	20.80	-8.56	10.09	34.77	PASS
n71	30	15	136100	19@9	CP_QAM64	20.51	-8.56	9.80	34.77	PASS
n71	30	15	136100	1@1	CP_QAM64	20.52	-8.56	9.81	34.77	PASS
n71	30	15	136100	1@36	CP_QAM64	20.29	-8.56	9.58	34.77	PASS
n71	30	15	136100	38@0	CP_QAM64	20.43	-8.56	9.72	34.77	PASS
n71	30	15	136100	19@9	CP_QAM256	17.33	-8.56	6.62	34.77	PASS
n71	30	15	136100	1@1	CP_QAM256	17.21	-8.56	6.50	34.77	PASS
n71	30	15	136100	1@36	CP_QAM256	17.23	-8.56	6.52	34.77	PASS
n71	30	15	136100	38@0	CP_QAM256	17.24	-8.56	6.53	34.77	PASS
n71	30	15	138100	18@9	DFT_BPSK	23.70	-8.56	12.99	34.77	PASS
n71	30	15	138100	1@1	DFT_BPSK	23.73	-8.56	13.02	34.77	PASS
n71	30	15	138100	1@36	DFT_BPSK	23.65	-8.56	12.94	34.77	PASS
n71	30	15	138100	36@0	DFT_BPSK	23.30	-8.56	12.59	34.77	PASS
n71	30	15	138100	18@9	DFT_QPSK	23.71	-8.56	13.00	34.77	PASS
n71	30	15	138100	1@1	DFT_QPSK	23.65	-8.56	12.94	34.77	PASS
n71	30	15	138100	1@36	DFT_QPSK	23.55	-8.56	12.84	34.77	PASS
n71	30	15	138100	36@0	DFT_QPSK	22.75	-8.56	12.04	34.77	PASS
n71	30	15	138100	18@9	DFT_QAM16	22.85	-8.56	12.14	34.77	PASS
n71	30	15	138100	1@1	DFT_QAM16	22.75	-8.56	12.04	34.77	PASS
n71	30	15	138100	1@36	DFT_QAM16	22.64	-8.56	11.93	34.77	PASS
n71	30	15	138100	36@0	DFT_QAM16	21.83	-8.56	11.12	34.77	PASS
n71	30	15	138100	18@9	DFT_QAM64	21.37	-8.56	10.66	34.77	PASS
n71	30	15	138100	1@1	DFT_QAM64	21.11	-8.56	10.40	34.77	PASS
n71	30	15	138100	1@36	DFT_QAM64	21.10	-8.56	10.39	34.77	PASS
n71	30	15	138100	36@0	DFT_QAM64	21.40	-8.56	10.69	34.77	PASS
n71	30	15	138100	18@9	DFT_QAM256	19.26	-8.56	8.55	34.77	PASS
n71	30	15	138100	1@1	DFT_QAM256	19.19	-8.56	8.48	34.77	PASS
n71	30	15	138100	1@36	DFT_QAM256	19.11	-8.56	8.40	34.77	PASS
n71	30	15	138100	36@0	DFT_QAM256	19.27	-8.56	8.56	34.77	PASS
n71	30	15	138100	19@9	CP_QPSK	22.19	-8.56	11.48	34.77	PASS
n71	30	15	138100	1@1	CP_QPSK	22.23	-8.56	11.52	34.77	PASS
n71	30	15	138100	1@36	CP_QPSK	22.09	-8.56	11.38	34.77	PASS
n71	30	15	138100	38@0	CP_QPSK	20.78	-8.56	10.07	34.77	PASS
n71	30	15	138100	19@9	CP_QAM16	21.84	-8.56	11.13	34.77	PASS
n71	30	15	138100	1@1	CP_QAM16	22.15	-8.56	11.44	34.77	PASS
n71	30	15	138100	1@36	CP_QAM16	21.78	-8.56	11.07	34.77	PASS
n71	30	15	138100	38@0	CP_QAM16	20.87	-8.56	10.16	34.77	PASS
n71	30	15	138100	19@9	CP_QAM64	20.49	-8.56	9.78	34.77	PASS
n71	30	15	138100	1@1	CP_QAM64	20.76	-8.56	10.05	34.77	PASS

n71	30	15	138100	1@36	CP_QAM64	20.64	-8.56	9.93	34.77	PASS
n71	30	15	138100	38@0	CP_QAM64	20.40	-8.56	9.69	34.77	PASS
n71	30	15	138100	19@9	CP_QAM256	17.38	-8.56	6.67	34.77	PASS
n71	30	15	138100	1@1	CP_QAM256	17.31	-8.56	6.60	34.77	PASS
n71	30	15	138100	1@36	CP_QAM256	17.38	-8.56	6.67	34.77	PASS
n71	30	15	138100	38@0	CP_QAM256	17.28	-8.56	6.57	34.77	PASS
n71	30	20	134600	25@12	DFT_BPSK	23.79	-8.56	13.08	34.77	PASS
n71	30	20	134600	1@1	DFT_BPSK	23.63	-8.56	12.92	34.77	PASS
n71	30	20	134600	1@49	DFT_BPSK	23.62	-8.56	12.91	34.77	PASS
n71	30	20	134600	50@0	DFT_BPSK	23.23	-8.56	12.52	34.77	PASS
n71	30	20	134600	25@12	DFT_QPSK	23.79	-8.56	13.08	34.77	PASS
n71	30	20	134600	1@1	DFT_QPSK	23.51	-8.56	12.80	34.77	PASS
n71	30	20	134600	1@49	DFT_QPSK	23.56	-8.56	12.85	34.77	PASS
n71	30	20	134600	50@0	DFT_QPSK	22.71	-8.56	12.00	34.77	PASS
n71	30	20	134600	25@12	DFT_QAM16	22.81	-8.56	12.10	34.77	PASS
n71	30	20	134600	1@1	DFT_QAM16	22.96	-8.56	12.25	34.77	PASS
n71	30	20	134600	1@49	DFT_QAM16	22.71	-8.56	12.00	34.77	PASS
n71	30	20	134600	50@0	DFT_QAM16	21.77	-8.56	11.06	34.77	PASS
n71	30	20	134600	25@12	DFT_QAM64	21.29	-8.56	10.58	34.77	PASS
n71	30	20	134600	1@1	DFT_QAM64	21.18	-8.56	10.47	34.77	PASS
n71	30	20	134600	1@49	DFT_QAM64	21.02	-8.56	10.31	34.77	PASS
n71	30	20	134600	50@0	DFT_QAM64	21.24	-8.56	10.53	34.77	PASS
n71	30	20	134600	25@12	DFT_QAM256	19.27	-8.56	8.56	34.77	PASS
n71	30	20	134600	1@1	DFT_QAM256	19.19	-8.56	8.48	34.77	PASS
n71	30	20	134600	1@49	DFT_QAM256	19.08	-8.56	8.37	34.77	PASS
n71	30	20	134600	50@0	DFT_QAM256	19.23	-8.56	8.52	34.77	PASS
n71	30	20	134600	25@12	CP_QPSK	22.37	-8.56	11.66	34.77	PASS
n71	30	20	134600	1@1	CP_QPSK	22.07	-8.56	11.36	34.77	PASS
n71	30	20	134600	1@49	CP_QPSK	22.13	-8.56	11.42	34.77	PASS
n71	30	20	134600	51@0	CP_QPSK	20.71	-8.56	10.00	34.77	PASS
n71	30	20	134600	25@12	CP_QAM16	21.85	-8.56	11.14	34.77	PASS
n71	30	20	134600	1@1	CP_QAM16	21.66	-8.56	10.95	34.77	PASS
n71	30	20	134600	1@49	CP_QAM16	22.12	-8.56	11.41	34.77	PASS
n71	30	20	134600	51@0	CP_QAM16	20.70	-8.56	9.99	34.77	PASS
n71	30	20	134600	25@12	CP_QAM64	20.47	-8.56	9.76	34.77	PASS
n71	30	20	134600	1@1	CP_QAM64	20.73	-8.56	10.02	34.77	PASS
n71	30	20	134600	1@49	CP_QAM64	20.45	-8.56	9.74	34.77	PASS
n71	30	20	134600	51@0	CP_QAM64	20.21	-8.56	9.50	34.77	PASS
n71	30	20	134600	25@12	CP_QAM256	17.31	-8.56	6.60	34.77	PASS
n71	30	20	134600	1@1	CP_QAM256	17.04	-8.56	6.33	34.77	PASS
n71	30	20	134600	1@49	CP_QAM256	17.22	-8.56	6.51	34.77	PASS
n71	30	20	134600	51@0	CP_QAM256	17.20	-8.56	6.49	34.77	PASS
n71	30	20	136100	25@12	DFT_BPSK	23.82	-8.56	13.11	34.77	PASS

n71	30	20	136100	1@1	DFT_BPSK	23.69	-8.56	12.98	34.77	PASS
n71	30	20	136100	1@49	DFT_BPSK	23.72	-8.56	13.01	34.77	PASS
n71	30	20	136100	50@0	DFT_BPSK	23.25	-8.56	12.54	34.77	PASS
n71	30	20	136100	25@12	DFT_QPSK	23.77	-8.56	13.06	34.77	PASS
n71	30	20	136100	1@1	DFT_QPSK	23.60	-8.56	12.89	34.77	PASS
n71	30	20	136100	1@49	DFT_QPSK	23.59	-8.56	12.88	34.77	PASS
n71	30	20	136100	50@0	DFT_QPSK	22.72	-8.56	12.01	34.77	PASS
n71	30	20	136100	25@12	DFT_QAM16	22.79	-8.56	12.08	34.77	PASS
n71	30	20	136100	1@1	DFT_QAM16	22.96	-8.56	12.25	34.77	PASS
n71	30	20	136100	1@49	DFT_QAM16	22.95	-8.56	12.24	34.77	PASS
n71	30	20	136100	50@0	DFT_QAM16	21.75	-8.56	11.04	34.77	PASS
n71	30	20	136100	25@12	DFT_QAM64	21.34	-8.56	10.63	34.77	PASS
n71	30	20	136100	1@1	DFT_QAM64	21.21	-8.56	10.50	34.77	PASS
n71	30	20	136100	1@49	DFT_QAM64	21.15	-8.56	10.44	34.77	PASS
n71	30	20	136100	50@0	DFT_QAM64	21.27	-8.56	10.56	34.77	PASS
n71	30	20	136100	25@12	DFT_QAM256	19.29	-8.56	8.58	34.77	PASS
n71	30	20	136100	1@1	DFT_QAM256	19.05	-8.56	8.34	34.77	PASS
n71	30	20	136100	1@49	DFT_QAM256	19.24	-8.56	8.53	34.77	PASS
n71	30	20	136100	50@0	DFT_QAM256	19.20	-8.56	8.49	34.77	PASS
n71	30	20	136100	25@12	CP_QPSK	22.41	-8.56	11.70	34.77	PASS
n71	30	20	136100	1@1	CP_QPSK	22.18	-8.56	11.47	34.77	PASS
n71	30	20	136100	1@49	CP_QPSK	22.16	-8.56	11.45	34.77	PASS
n71	30	20	136100	51@0	CP_QPSK	20.70	-8.56	9.99	34.77	PASS
n71	30	20	136100	25@12	CP_QAM16	21.88	-8.56	11.17	34.77	PASS
n71	30	20	136100	1@1	CP_QAM16	22.22	-8.56	11.51	34.77	PASS
n71	30	20	136100	1@49	CP_QAM16	22.14	-8.56	11.43	34.77	PASS
n71	30	20	136100	51@0	CP_QAM16	20.76	-8.56	10.05	34.77	PASS
n71	30	20	136100	25@12	CP_QAM64	20.50	-8.56	9.79	34.77	PASS
n71	30	20	136100	1@1	CP_QAM64	21.03	-8.56	10.32	34.77	PASS
n71	30	20	136100	1@49	CP_QAM64	20.74	-8.56	10.03	34.77	PASS
n71	30	20	136100	51@0	CP_QAM64	20.22	-8.56	9.51	34.77	PASS
n71	30	20	136100	25@12	CP_QAM256	17.33	-8.56	6.62	34.77	PASS
n71	30	20	136100	1@1	CP_QAM256	17.17	-8.56	6.46	34.77	PASS
n71	30	20	136100	1@49	CP_QAM256	17.16	-8.56	6.45	34.77	PASS
n71	30	20	136100	51@0	CP_QAM256	17.17	-8.56	6.46	34.77	PASS
n71	30	20	137600	25@12	DFT_BPSK	23.81	-8.56	13.10	34.77	PASS
n71	30	20	137600	1@1	DFT_BPSK	23.80	-8.56	13.09	34.77	PASS
n71	30	20	137600	1@49	DFT_BPSK	23.65	-8.56	12.94	34.77	PASS
n71	30	20	137600	50@0	DFT_BPSK	23.27	-8.56	12.56	34.77	PASS
n71	30	20	137600	25@12	DFT_QPSK	23.80	-8.56	13.09	34.77	PASS
n71	30	20	137600	1@1	DFT_QPSK	23.68	-8.56	12.97	34.77	PASS
n71	30	20	137600	1@49	DFT_QPSK	23.58	-8.56	12.87	34.77	PASS
n71	30	20	137600	50@0	DFT_QPSK	22.70	-8.56	11.99	34.77	PASS

n71	30	20	137600	25@12	DFT_QAM16	22.91	-8.56	12.20	34.77	PASS
n71	30	20	137600	1@1	DFT_QAM16	22.77	-8.56	12.06	34.77	PASS
n71	30	20	137600	1@49	DFT_QAM16	22.68	-8.56	11.97	34.77	PASS
n71	30	20	137600	50@0	DFT_QAM16	21.77	-8.56	11.06	34.77	PASS
n71	30	20	137600	25@12	DFT_QAM64	21.36	-8.56	10.65	34.77	PASS
n71	30	20	137600	1@1	DFT_QAM64	21.63	-8.56	10.92	34.77	PASS
n71	30	20	137600	1@49	DFT_QAM64	21.04	-8.56	10.33	34.77	PASS
n71	30	20	137600	50@0	DFT_QAM64	21.27	-8.56	10.56	34.77	PASS
n71	30	20	137600	25@12	DFT_QAM256	19.34	-8.56	8.63	34.77	PASS
n71	30	20	137600	1@1	DFT_QAM256	19.42	-8.56	8.71	34.77	PASS
n71	30	20	137600	1@49	DFT_QAM256	19.06	-8.56	8.35	34.77	PASS
n71	30	20	137600	50@0	DFT_QAM256	19.30	-8.56	8.59	34.77	PASS
n71	30	20	137600	25@12	CP_QPSK	22.44	-8.56	11.73	34.77	PASS
n71	30	20	137600	1@1	CP_QPSK	22.32	-8.56	11.61	34.77	PASS
n71	30	20	137600	1@49	CP_QPSK	22.20	-8.56	11.49	34.77	PASS
n71	30	20	137600	51@0	CP_QPSK	20.84	-8.56	10.13	34.77	PASS
n71	30	20	137600	25@12	CP_QAM16	21.90	-8.56	11.19	34.77	PASS
n71	30	20	137600	1@1	CP_QAM16	22.13	-8.56	11.42	34.77	PASS
n71	30	20	137600	1@49	CP_QAM16	21.40	-8.56	10.69	34.77	PASS
n71	30	20	137600	51@0	CP_QAM16	20.80	-8.56	10.09	34.77	PASS
n71	30	20	137600	25@12	CP_QAM64	20.44	-8.56	9.73	34.77	PASS
n71	30	20	137600	1@1	CP_QAM64	20.72	-8.56	10.01	34.77	PASS
n71	30	20	137600	1@49	CP_QAM64	20.50	-8.56	9.79	34.77	PASS
n71	30	20	137600	51@0	CP_QAM64	20.33	-8.56	9.62	34.77	PASS
n71	30	20	137600	25@12	CP_QAM256	17.34	-8.56	6.63	34.77	PASS
n71	30	20	137600	1@1	CP_QAM256	17.26	-8.56	6.55	34.77	PASS
n71	30	20	137600	1@49	CP_QAM256	17.18	-8.56	6.47	34.77	PASS
n71	30	20	137600	51@0	CP_QAM256	17.27	-8.56	6.56	34.77	PASS

2 Frequency stability for NR FR1

NT:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Voltage (Vdc)	Result(H z)	Result (ppm)	Limit (ppm)	Verdict
n71	30	20	136100	25@12	DFT_BPSK	3.91	-0.63	0.00	Within authorized band for 5G NR n71	PASS
n71	30	20	136100	25@12	DFT_BPSK	3.45	-3.42	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	4.50	-4.67	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	3.91	-1.88	0.00		PASS
n71	30	20	136100	25@12	DFT_QPSK	3.45	0.17	0.00		PASS
n71	30	20	136100	25@12	DFT_QPSK	4.50	-2.62	0.00		PASS

Note: Only the worst case shown in the report.

NV:

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Temper ature(℃)	Result(H z)	Result (ppm)	Limit (ppm)	Verdict
n71	30	20	136100	25@12	DFT_BPSK	-30	-3.79	-0.01	Within authorized band for 5G NR n71	PASS
n71	30	20	136100	25@12	DFT_BPSK	-20	-2.26	0.00		PASS
n71	30	20	136100	25@12	DFT_BPSK	-10	-5.23	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	0	-2.99	0.00		PASS
n71	30	20	136100	25@12	DFT_BPSK	10	-4.72	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	20	-3.96	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	30	-6.18	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	40	-3.77	-0.01		PASS
n71	30	20	136100	25@12	DFT_BPSK	50	-5.2	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	-30	-5.24	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	-20	-3.04	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	-10	-1.4	0.00		PASS
n71	30	20	136100	25@12	DFT_QPSK	0	-2.66	0.00		PASS
n71	30	20	136100	25@12	DFT_QPSK	10	-5.62	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	20	-2.46	0.00		PASS
n71	30	20	136100	25@12	DFT_QPSK	30	-3.02	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	40	-3	-0.01		PASS
n71	30	20	136100	25@12	DFT_QPSK	50	-2.17	0.00		PASS


Note: Only the worst case shown in the report.

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n71	30	10	133600	24@0	DFT_BPSK	4.44	13	PASS
n71	30	10	133600	24@0	DFT_QPSK	5.49	13	PASS
n71	30	10	133600	24@0	DFT_QAM16	6.19	13	PASS
n71	30	10	133600	24@0	DFT_QAM64	6.67	13	PASS
n71	30	10	133600	24@0	DFT_QAM256	7.16	13	PASS
n71	30	10	136100	24@0	DFT_BPSK	4.51	13	PASS
n71	30	10	136100	24@0	DFT_QPSK	5.50	13	PASS
n71	30	10	136100	24@0	DFT_QAM16	6.21	13	PASS
n71	30	10	136100	24@0	DFT_QAM64	6.64	13	PASS
n71	30	10	136100	24@0	DFT_QAM256	7.17	13	PASS
n71	30	10	138600	24@0	DFT_BPSK	4.45	13	PASS
n71	30	10	138600	24@0	DFT_QPSK	5.45	13	PASS
n71	30	10	138600	24@0	DFT_QAM16	6.14	13	PASS
n71	30	10	138600	24@0	DFT_QAM64	6.53	13	PASS
n71	30	10	138600	24@0	DFT_QAM256	7.09	13	PASS
n71	30	15	134100	36@0	DFT_BPSK	4.40	13	PASS
n71	30	15	134100	36@0	DFT_QPSK	5.57	13	PASS
n71	30	15	134100	36@0	DFT_QAM16	6.27	13	PASS
n71	30	15	134100	36@0	DFT_QAM64	6.53	13	PASS
n71	30	15	134100	36@0	DFT_QAM256	7.01	13	PASS
n71	30	15	136100	36@0	DFT_BPSK	4.32	13	PASS
n71	30	15	136100	36@0	DFT_QPSK	5.40	13	PASS
n71	30	15	136100	36@0	DFT_QAM16	6.24	13	PASS
n71	30	15	136100	36@0	DFT_QAM64	6.51	13	PASS
n71	30	15	136100	36@0	DFT_QAM256	7.05	13	PASS
n71	30	15	138100	36@0	DFT_BPSK	4.44	13	PASS
n71	30	15	138100	36@0	DFT_QPSK	5.51	13	PASS
n71	30	15	138100	36@0	DFT_QAM16	6.24	13	PASS
n71	30	15	138100	36@0	DFT_QAM64	6.50	13	PASS
n71	30	15	138100	36@0	DFT_QAM256	7.05	13	PASS
n71	30	20	134600	50@0	DFT_BPSK	4.54	13	PASS
n71	30	20	134600	50@0	DFT_QPSK	5.63	13	PASS
n71	30	20	134600	50@0	DFT_QAM16	6.30	13	PASS
n71	30	20	134600	50@0	DFT_QAM64	6.75	13	PASS
n71	30	20	134600	50@0	DFT_QAM256	7.03	13	PASS
n71	30	20	136100	50@0	DFT_BPSK	4.33	13	PASS
n71	30	20	136100	50@0	DFT_QPSK	5.45	13	PASS
n71	30	20	136100	50@0	DFT_QAM16	6.13	13	PASS
n71	30	20	136100	50@0	DFT_QAM64	6.55	13	PASS
n71	30	20	136100	50@0	DFT_QAM256	6.96	13	PASS

n71	30	20	137600	50@0	DFT_BPSK	4.52	13	PASS
n71	30	20	137600	50@0	DFT_QPSK	5.54	13	PASS
n71	30	20	137600	50@0	DFT_QAM16	6.19	13	PASS
n71	30	20	137600	50@0	DFT_QAM64	6.61	13	PASS
n71	30	20	137600	50@0	DFT_QAM256	6.98	13	PASS


n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=133600 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=138600 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=134100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=136100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_QAM256 BW=15MHz Channel=138100 RB=36@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=134600 RB=50@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=136100 RB=50@0




n71 SCS=30kHz DFT_BPSK BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_QPSK BW=20MHz Channel=137600 RB=50@0




n71 SCS=30kHz DFT_QAM16 BW=20MHz Channel=137600 RB=50@0



n71 SCS=30kHz DFT_QAM64 BW=20MHz Channel=137600 RB=50@0



n71 SCS=30kHz DFT_QAM256 BW=20MHz Channel=137600 RB=50@0




4 Occupied bandwidth for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n71	30	10	133600	24@0	DFT_BPSK	8.559	9.263	PASS
n71	30	10	133600	24@0	DFT_QPSK	8.524	9.275	PASS
n71	30	10	133600	24@0	DFT_QAM16	8.623	9.177	PASS
n71	30	10	133600	24@0	DFT_QAM64	8.603	9.145	PASS
n71	30	10	133600	24@0	DFT_QAM256	8.639	9.116	PASS
n71	30	10	133600	24@0	CP_QPSK	8.627	9.208	PASS
n71	30	10	136100	24@0	DFT_BPSK	8.627	9.292	PASS
n71	30	10	136100	24@0	DFT_QPSK	8.647	9.285	PASS
n71	30	10	136100	24@0	DFT_QAM16	8.535	9.363	PASS
n71	30	10	136100	24@0	DFT_QAM64	8.619	9.279	PASS
n71	30	10	136100	24@0	DFT_QAM256	8.569	9.224	PASS
n71	30	10	136100	24@0	CP_QPSK	8.588	9.427	PASS
n71	30	10	138600	24@0	DFT_BPSK	8.581	9.231	PASS
n71	30	10	138600	24@0	DFT_QPSK	8.558	9.242	PASS
n71	30	10	138600	24@0	DFT_QAM16	8.567	9.221	PASS
n71	30	10	138600	24@0	DFT_QAM64	8.623	9.091	PASS
n71	30	10	138600	24@0	DFT_QAM256	8.562	9.210	PASS
n71	30	10	138600	24@0	CP_QPSK	8.606	9.324	PASS
n71	30	15	134100	36@0	DFT_BPSK	12.950	13.634	PASS
n71	30	15	134100	36@0	DFT_QPSK	12.900	13.627	PASS
n71	30	15	134100	36@0	DFT_QAM16	12.875	13.719	PASS
n71	30	15	134100	36@0	DFT_QAM64	12.885	13.681	PASS
n71	30	15	134100	36@0	DFT_QAM256	12.787	13.757	PASS
n71	30	15	134100	38@0	CP_QPSK	13.642	14.290	PASS
n71	30	15	136100	36@0	DFT_BPSK	12.848	13.806	PASS
n71	30	15	136100	36@0	DFT_QPSK	12.934	13.657	PASS
n71	30	15	136100	36@0	DFT_QAM16	12.869	13.751	PASS
n71	30	15	136100	36@0	DFT_QAM64	12.904	13.697	PASS
n71	30	15	136100	36@0	DFT_QAM256	12.860	13.661	PASS
n71	30	15	136100	38@0	CP_QPSK	13.540	14.467	PASS
n71	30	15	138100	36@0	DFT_BPSK	12.963	13.574	PASS
n71	30	15	138100	36@0	DFT_QPSK	12.936	13.716	PASS
n71	30	15	138100	36@0	DFT_QAM16	12.979	13.772	PASS
n71	30	15	138100	36@0	DFT_QAM64	12.960	13.822	PASS
n71	30	15	138100	36@0	DFT_QAM256	12.816	13.711	PASS
n71	30	15	138100	38@0	CP_QPSK	13.571	14.306	PASS
n71	30	20	134600	50@0	DFT_BPSK	17.926	18.931	PASS
n71	30	20	134600	50@0	DFT_QPSK	17.958	19.014	PASS
n71	30	20	134600	50@0	DFT_QAM16	17.977	18.908	PASS

n71	30	20	134600	50@0	DFT_QAM64	18.033	18.939	PASS
n71	30	20	134600	50@0	DFT_QAM256	17.948	18.840	PASS
n71	30	20	134600	51@0	CP_QPSK	18.325	19.273	PASS
n71	30	20	136100	50@0	DFT_BPSK	17.964	18.968	PASS
n71	30	20	136100	50@0	DFT_QPSK	17.996	18.944	PASS
n71	30	20	136100	50@0	DFT_QAM16	17.883	19.040	PASS
n71	30	20	136100	50@0	DFT_QAM64	17.901	18.849	PASS
n71	30	20	136100	50@0	DFT_QAM256	17.892	18.858	PASS
n71	30	20	136100	51@0	CP_QPSK	18.197	19.295	PASS
n71	30	20	137600	50@0	DFT_BPSK	17.904	18.987	PASS
n71	30	20	137600	50@0	DFT_QPSK	17.990	18.897	PASS
n71	30	20	137600	50@0	DFT_QAM16	17.937	18.911	PASS
n71	30	20	137600	50@0	DFT_QAM64	17.981	18.896	PASS
n71	30	20	137600	50@0	DFT_QAM256	17.925	18.963	PASS
n71	30	20	137600	51@0	CP_QPSK	18.312	19.327	PASS


n71 SCS=30kHz DFT_BPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM16 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM64 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_QAM256 BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz CP_QPSK BW=10MHz Channel=136100 RB=24@0




n71 SCS=30kHz DFT_BPSK BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_QPSK BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_QAM16 BW=15MHz Channel=136100 RB=36@0



n71 SCS=30kHz DFT_QAM64 BW=15MHz Channel=136100 RB=36@0

