

TABLE OF CONTENTS

1 Conducted output power for NR FR12

2 Frequency stability for NR FR14

3 Peak-to-Average Ratio for NR FR16

4 Occupied bandwidth for NR FR138

5 Band edge for NR FR149

6 Out-of-band emissions for NR FR159

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
n71	15	5	133100	1@1	DFT_BPSK	24.2	-10.5	-12.65	11.55	34.77	PASS
n71	15	5	133100	25@0	DFT_QPSK	23.23	-10.5	-12.65	10.58	34.77	PASS
n71	15	5	133100	12@6	DFT_QPSK	24.25	-10.5	-12.65	11.6	34.77	PASS
n71	15	5	133100	1@1	DFT_QPSK	24.34	-10.5	-12.65	11.69	34.77	PASS
n71	15	5	133100	1@23	DFT_QPSK	24.43	-10.5	-12.65	11.78	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM16	23.33	-10.5	-12.65	10.68	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM64	21.35	-10.5	-12.65	8.7	34.77	PASS
n71	15	5	133100	1@1	DFT_QAM256	19.99	-10.5	-12.65	7.34	34.77	PASS
n71	15	5	133100	1@1	CP_QPSK	23.12	-10.5	-12.65	10.47	34.77	PASS
n71	15	5	136100	1@1	DFT_BPSK	24.47	-10.5	-12.65	11.82	34.77	PASS
n71	15	5	136100	25@0	DFT_QPSK	23.37	-10.5	-12.65	10.72	34.77	PASS
n71	15	5	136100	12@6	DFT_QPSK	24.37	-10.5	-12.65	11.72	34.77	PASS
n71	15	5	136100	1@1	DFT_QPSK	24.41	-10.5	-12.65	11.76	34.77	PASS
n71	15	5	136100	1@23	DFT_QPSK	24.35	-10.5	-12.65	11.7	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM16	23.31	-10.5	-12.65	10.66	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM64	21.85	-10.5	-12.65	9.2	34.77	PASS
n71	15	5	136100	1@1	DFT_QAM256	20.08	-10.5	-12.65	7.43	34.77	PASS
n71	15	5	136100	1@1	CP_QPSK	22.96	-10.5	-12.65	10.31	34.77	PASS
n71	15	5	139100	1@1	DFT_BPSK	24.37	-10.5	-12.65	11.72	34.77	PASS
n71	15	5	139100	25@0	DFT_QPSK	23.36	-10.5	-12.65	10.71	34.77	PASS
n71	15	5	139100	12@6	DFT_QPSK	24.34	-10.5	-12.65	11.69	34.77	PASS
n71	15	5	139100	1@1	DFT_QPSK	24.48	-10.5	-12.65	11.83	34.77	PASS
n71	15	5	139100	1@23	DFT_QPSK	24.43	-10.5	-12.65	11.78	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM16	23.81	-10.5	-12.65	11.16	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM64	22.12	-10.5	-12.65	9.47	34.77	PASS
n71	15	5	139100	1@1	DFT_QAM256	20.54	-10.5	-12.65	7.89	34.77	PASS
n71	15	5	139100	1@1	CP_QPSK	23.39	-10.5	-12.65	10.74	34.77	PASS
n71	15	15	134100	1@1	DFT_BPSK	24.19	-10.5	-12.65	11.54	34.77	PASS
n71	15	15	134100	75@0	DFT_QPSK	23.35	-10.5	-12.65	10.7	34.77	PASS
n71	15	15	134100	36@18	DFT_QPSK	24.34	-10.5	-12.65	11.69	34.77	PASS
n71	15	15	134100	1@1	DFT_QPSK	23.83	-10.5	-12.65	11.18	34.77	PASS
n71	15	15	134100	1@77	DFT_QPSK	23.95	-10.5	-12.65	11.3	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM16	23.48	-10.5	-12.65	10.83	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM64	22.02	-10.5	-12.65	9.37	34.77	PASS
n71	15	15	134100	1@1	DFT_QAM256	19.71	-10.5	-12.65	7.06	34.77	PASS
n71	15	15	134100	1@1	CP_QPSK	22.73	-10.5	-12.65	10.08	34.77	PASS
n71	15	15	136100	1@1	DFT_BPSK	24.24	-10.5	-12.65	11.59	34.77	PASS

n71	15	15	136100	75@0	DFT_QPSK	23.34	-10.5	-12.65	10.69	34.77	PASS
n71	15	15	136100	36@18	DFT_QPSK	24.36	-10.5	-12.65	11.71	34.77	PASS
n71	15	15	136100	1@1	DFT_QPSK	24.21	-10.5	-12.65	11.56	34.77	PASS
n71	15	15	136100	1@77	DFT_QPSK	24.16	-10.5	-12.65	11.51	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM16	23.34	-10.5	-12.65	10.69	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM64	22.12	-10.5	-12.65	9.47	34.77	PASS
n71	15	15	136100	1@1	DFT_QAM256	19.81	-10.5	-12.65	7.16	34.77	PASS
n71	15	15	136100	1@1	CP_QPSK	23.3	-10.5	-12.65	10.65	34.77	PASS
n71	15	15	138100	1@1	DFT_BPSK	24.3	-10.5	-12.65	11.65	34.77	PASS
n71	15	15	138100	75@0	DFT_QPSK	23.37	-10.5	-12.65	10.72	34.77	PASS
n71	15	15	138100	36@18	DFT_QPSK	24.35	-10.5	-12.65	11.7	34.77	PASS
n71	15	15	138100	1@1	DFT_QPSK	24.36	-10.5	-12.65	11.71	34.77	PASS
n71	15	15	138100	1@77	DFT_QPSK	24.31	-10.5	-12.65	11.66	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM16	23.44	-10.5	-12.65	10.79	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM64	21.73	-10.5	-12.65	9.08	34.77	PASS
n71	15	15	138100	1@1	DFT_QAM256	19.95	-10.5	-12.65	7.3	34.77	PASS
n71	15	15	138100	1@1	CP_QPSK	23.04	-10.5	-12.65	10.39	34.77	PASS
n71	15	20	134600	1@1	DFT_BPSK	24.24	-10.5	-12.65	11.59	34.77	PASS
n71	15	20	134600	100@0	DFT_QPSK	23.38	-10.5	-12.65	10.73	34.77	PASS
n71	15	20	134600	50@25	DFT_QPSK	24.4	-10.5	-12.65	11.75	34.77	PASS
n71	15	20	134600	1@1	DFT_QPSK	24.18	-10.5	-12.65	11.53	34.77	PASS
n71	15	20	134600	1@104	DFT_QPSK	24.31	-10.5	-12.65	11.66	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM16	23.25	-10.5	-12.65	10.6	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM64	21.94	-10.5	-12.65	9.29	34.77	PASS
n71	15	20	134600	1@1	DFT_QAM256	20.03	-10.5	-12.65	7.38	34.77	PASS
n71	15	20	134600	1@1	CP_QPSK	22.76	-10.5	-12.65	10.11	34.77	PASS
n71	15	20	136100	1@1	DFT_BPSK	24.18	-10.5	-12.65	11.53	34.77	PASS
n71	15	20	136100	100@0	DFT_QPSK	23.32	-10.5	-12.65	10.67	34.77	PASS
n71	15	20	136100	50@25	DFT_QPSK	24.41	-10.5	-12.65	11.76	34.77	PASS
n71	15	20	136100	1@1	DFT_QPSK	24.48	-10.5	-12.65	11.83	34.77	PASS
n71	15	20	136100	1@104	DFT_QPSK	24.46	-10.5	-12.65	11.81	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM16	23.63	-10.5	-12.65	10.98	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM64	22.19	-10.5	-12.65	9.54	34.77	PASS
n71	15	20	136100	1@1	DFT_QAM256	20	-10.5	-12.65	7.35	34.77	PASS
n71	15	20	136100	1@1	CP_QPSK	22.92	-10.5	-12.65	10.27	34.77	PASS
n71	15	20	137600	1@1	DFT_BPSK	24.56	-10.5	-12.65	11.91	34.77	PASS
n71	15	20	137600	100@0	DFT_QPSK	23.34	-10.5	-12.65	10.69	34.77	PASS
n71	15	20	137600	50@25	DFT_QPSK	24.36	-10.5	-12.65	11.71	34.77	PASS
n71	15	20	137600	1@1	DFT_QPSK	24.49	-10.5	-12.65	11.84	34.77	PASS
n71	15	20	137600	1@104	DFT_QPSK	24.43	-10.5	-12.65	11.78	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM16	23.87	-10.5	-12.65	11.22	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM64	21.93	-10.5	-12.65	9.28	34.77	PASS
n71	15	20	137600	1@1	DFT_QAM256	19.95	-10.5	-12.65	7.3	34.77	PASS
n71	15	20	137600	1@1	CP_QPSK	22.85	-10.5	-12.65	10.2	34.77	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n71	15	5	133100	12@6	DFT_BPSK	-1.18	-0.00177	-2.5	2.5	PASS
n71	15	5	133100	1@1	DFT_BPSK	-2.27	-0.00341	-2.5	2.5	PASS
n71	15	5	133100	1@23	DFT_BPSK	-3.10	-0.00466	-2.5	2.5	PASS
n71	15	5	133100	12@6	DFT_QPSK	-1.26	-0.00189	-2.5	2.5	PASS
n71	15	5	133100	1@1	DFT_QPSK	-2.42	-0.00364	-2.5	2.5	PASS
n71	15	5	133100	1@23	DFT_QPSK	-3.28	-0.00493	-2.5	2.5	PASS
n71	15	5	136100	12@6	DFT_BPSK	-3.38	-0.00497	-2.5	2.5	PASS
n71	15	5	136100	1@1	DFT_BPSK	-3.23	-0.00475	-2.5	2.5	PASS
n71	15	5	136100	1@23	DFT_BPSK	-1.81	-0.00266	-2.5	2.5	PASS
n71	15	5	136100	12@6	DFT_QPSK	-3.80	-0.00558	-2.5	2.5	PASS
n71	15	5	136100	1@1	DFT_QPSK	-3.39	-0.00498	-2.5	2.5	PASS
n71	15	5	136100	1@23	DFT_QPSK	-2.71	-0.00398	-2.5	2.5	PASS
n71	15	5	139100	12@6	DFT_BPSK	0.35	0.00050	-2.5	2.5	PASS
n71	15	5	139100	1@1	DFT_BPSK	-1.61	-0.00231	-2.5	2.5	PASS
n71	15	5	139100	1@23	DFT_BPSK	-2.43	-0.00349	-2.5	2.5	PASS
n71	15	5	139100	12@6	DFT_QPSK	-1.42	-0.00204	-2.5	2.5	PASS
n71	15	5	139100	1@1	DFT_QPSK	-2.64	-0.00380	-2.5	2.5	PASS
n71	15	5	139100	1@23	DFT_QPSK	-2.70	-0.00388	-2.5	2.5	PASS
n71	15	15	134100	36@18	DFT_BPSK	-2.64	-0.00394	-2.5	2.5	PASS
n71	15	15	134100	1@1	DFT_BPSK	-3.79	-0.00565	-2.5	2.5	PASS
n71	15	15	134100	1@77	DFT_BPSK	-4.15	-0.00619	-2.5	2.5	PASS
n71	15	15	134100	36@18	DFT_QPSK	-3.35	-0.00500	-2.5	2.5	PASS
n71	15	15	134100	1@1	DFT_QPSK	-4.49	-0.00670	-2.5	2.5	PASS
n71	15	15	134100	1@77	DFT_QPSK	-2.98	-0.00444	-2.5	2.5	PASS
n71	15	15	136100	36@18	DFT_BPSK	-2.42	-0.00356	-2.5	2.5	PASS
n71	15	15	136100	1@1	DFT_BPSK	-1.89	-0.00278	-2.5	2.5	PASS
n71	15	15	136100	1@77	DFT_BPSK	-3.78	-0.00555	-2.5	2.5	PASS
n71	15	15	136100	36@18	DFT_QPSK	-3.01	-0.00442	-2.5	2.5	PASS
n71	15	15	136100	1@1	DFT_QPSK	-4.11	-0.00604	-2.5	2.5	PASS
n71	15	15	136100	1@77	DFT_QPSK	-5.02	-0.00738	-2.5	2.5	PASS
n71	15	15	138100	36@18	DFT_BPSK	-1.13	-0.00164	-2.5	2.5	PASS
n71	15	15	138100	1@1	DFT_BPSK	-0.22	-0.00032	-2.5	2.5	PASS
n71	15	15	138100	1@77	DFT_BPSK	-1.66	-0.00240	-2.5	2.5	PASS
n71	15	15	138100	36@18	DFT_QPSK	-2.44	-0.00353	-2.5	2.5	PASS
n71	15	15	138100	1@1	DFT_QPSK	-1.87	-0.00271	-2.5	2.5	PASS
n71	15	15	138100	1@77	DFT_QPSK	-2.90	-0.00420	-2.5	2.5	PASS
n71	15	20	134600	50@25	DFT_BPSK	-1.78	-0.00264	-2.5	2.5	PASS
n71	15	20	134600	1@1	DFT_BPSK	-2.08	-0.00309	-2.5	2.5	PASS


n71	15	20	134600	1@104	DFT_BPSK	-0.92	-0.00137	-2.5	2.5	PASS
n71	15	20	134600	50@25	DFT_QPSK	-2.48	-0.00368	-2.5	2.5	PASS
n71	15	20	134600	1@1	DFT_QPSK	-4.21	-0.00626	-2.5	2.5	PASS
n71	15	20	134600	1@104	DFT_QPSK	-1.79	-0.00266	-2.5	2.5	PASS
n71	15	20	136100	50@25	DFT_BPSK	-0.47	-0.00069	-2.5	2.5	PASS
n71	15	20	136100	1@1	DFT_BPSK	-1.00	-0.00147	-2.5	2.5	PASS
n71	15	20	136100	1@104	DFT_BPSK	-1.64	-0.00241	-2.5	2.5	PASS
n71	15	20	136100	50@25	DFT_QPSK	-3.78	-0.00555	-2.5	2.5	PASS
n71	15	20	136100	1@1	DFT_QPSK	-2.57	-0.00378	-2.5	2.5	PASS
n71	15	20	136100	1@104	DFT_QPSK	-3.48	-0.00511	-2.5	2.5	PASS
n71	15	20	137600	50@25	DFT_BPSK	-2.56	-0.00372	-2.5	2.5	PASS
n71	15	20	137600	1@1	DFT_BPSK	-0.34	-0.00049	-2.5	2.5	PASS
n71	15	20	137600	1@104	DFT_BPSK	-1.47	-0.00214	-2.5	2.5	PASS
n71	15	20	137600	50@25	DFT_QPSK	-1.20	-0.00174	-2.5	2.5	PASS
n71	15	20	137600	1@1	DFT_QPSK	-1.39	-0.00202	-2.5	2.5	PASS
n71	15	20	137600	1@104	DFT_QPSK	-3.80	-0.00552	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n71	15	5	133100	25@0	DFT_BPSK	5.26	13	PASS
n71	15	5	133100	25@0	DFT_QPSK	5.70	13	PASS
n71	15	5	133100	25@0	DFT_QAM16	6.36	13	PASS
n71	15	5	133100	25@0	DFT_QAM64	6.85	13	PASS
n71	15	5	133100	25@0	DFT_QAM256	6.62	13	PASS
n71	15	5	136100	25@0	DFT_BPSK	4.68	13	PASS
n71	15	5	136100	25@0	DFT_QPSK	6.12	13	PASS
n71	15	5	136100	25@0	DFT_QAM16	6.49	13	PASS
n71	15	5	136100	25@0	DFT_QAM64	7.03	13	PASS
n71	15	5	136100	25@0	DFT_QAM256	7.24	13	PASS
n71	15	5	139100	25@0	DFT_BPSK	4.53	13	PASS
n71	15	5	139100	25@0	DFT_QPSK	5.60	13	PASS
n71	15	5	139100	25@0	DFT_QAM16	6.43	13	PASS
n71	15	5	139100	25@0	DFT_QAM64	6.61	13	PASS
n71	15	5	139100	25@0	DFT_QAM256	6.72	13	PASS
n71	15	10	133600	50@0	DFT_BPSK	5.05	13	PASS
n71	15	10	133600	50@0	DFT_QPSK	5.92	13	PASS
n71	15	10	133600	50@0	DFT_QAM16	6.61	13	PASS
n71	15	10	133600	50@0	DFT_QAM64	6.71	13	PASS
n71	15	10	133600	50@0	DFT_QAM256	7.15	13	PASS
n71	15	10	136100	50@0	DFT_BPSK	4.62	13	PASS
n71	15	10	136100	50@0	DFT_QPSK	5.89	13	PASS
n71	15	10	136100	50@0	DFT_QAM16	6.74	13	PASS
n71	15	10	136100	50@0	DFT_QAM64	6.83	13	PASS
n71	15	10	136100	50@0	DFT_QAM256	6.91	13	PASS
n71	15	10	138600	50@0	DFT_BPSK	4.84	13	PASS
n71	15	10	138600	50@0	DFT_QPSK	5.65	13	PASS
n71	15	10	138600	50@0	DFT_QAM16	6.61	13	PASS
n71	15	10	138600	50@0	DFT_QAM64	6.86	13	PASS
n71	15	10	138600	50@0	DFT_QAM256	6.90	13	PASS
n71	15	15	134100	75@0	DFT_BPSK	5.29	13	PASS
n71	15	15	134100	75@0	DFT_QPSK	5.89	13	PASS
n71	15	15	134100	75@0	DFT_QAM16	6.74	13	PASS
n71	15	15	134100	75@0	DFT_QAM64	6.89	13	PASS
n71	15	15	134100	75@0	DFT_QAM256	7.07	13	PASS
n71	15	15	136100	75@0	DFT_BPSK	4.54	13	PASS
n71	15	15	136100	75@0	DFT_QPSK	5.80	13	PASS
n71	15	15	136100	75@0	DFT_QAM16	6.72	13	PASS
n71	15	15	136100	75@0	DFT_QAM64	7.07	13	PASS

n71	15	15	136100	75@0	DFT_QAM256	7.04	13	PASS
n71	15	15	138100	75@0	DFT_BPSK	4.67	13	PASS
n71	15	15	138100	75@0	DFT_QPSK	5.92	13	PASS
n71	15	15	138100	75@0	DFT_QAM16	6.58	13	PASS
n71	15	15	138100	75@0	DFT_QAM64	6.90	13	PASS
n71	15	15	138100	75@0	DFT_QAM256	7.11	13	PASS
n71	15	20	134600	100@0	DFT_BPSK	4.78	13	PASS
n71	15	20	134600	100@0	DFT_QPSK	5.99	13	PASS
n71	15	20	134600	100@0	DFT_QAM16	6.78	13	PASS
n71	15	20	134600	100@0	DFT_QAM64	6.90	13	PASS
n71	15	20	134600	100@0	DFT_QAM256	7.03	13	PASS
n71	15	20	136100	100@0	DFT_BPSK	5.15	13	PASS
n71	15	20	136100	100@0	DFT_QPSK	5.85	13	PASS
n71	15	20	136100	100@0	DFT_QAM16	6.47	13	PASS
n71	15	20	136100	100@0	DFT_QAM64	6.84	13	PASS
n71	15	20	136100	100@0	DFT_QAM256	6.83	13	PASS
n71	15	20	137600	100@0	DFT_BPSK	4.70	13	PASS
n71	15	20	137600	100@0	DFT_QPSK	5.89	13	PASS
n71	15	20	137600	100@0	DFT_QAM16	6.72	13	PASS
n71	15	20	137600	100@0	DFT_QAM64	6.91	13	PASS
n71	15	20	137600	100@0	DFT_QAM256	7.19	13	PASS


n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=136100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=139100 RB=25@0




n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=137600 RB=100@0




n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=133600 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=134100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=136100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=136100 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=138600 RB=50@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=134600 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=138100 RB=75@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0




n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=133100 RB=25@0




n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=137600 RB=100@0



n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=139100 RB=25@0



n71 SCS=15kHz DFT_QPSK BW=5MHz Channel=136100 RB=25@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n71	15	5	136100	25@0	DFT_BPSK	4.460	4.670	PASS
n71	15	5	136100	25@0	DFT_QPSK	4.450	4.610	PASS
n71	15	5	136100	25@0	DFT_QAM16	4.450	4.640	PASS
n71	15	5	136100	25@0	DFT_QAM64	4.450	4.660	PASS
n71	15	5	136100	25@0	DFT_QAM256	4.460	4.620	PASS
n71	15	10	136100	50@0	DFT_BPSK	9.240	9.130	PASS
n71	15	10	136100	50@0	DFT_QPSK	9.230	9.170	PASS
n71	15	10	136100	50@0	DFT_QAM16	9.200	9.140	PASS
n71	15	10	136100	50@0	DFT_QAM64	9.190	9.140	PASS
n71	15	10	136100	50@0	DFT_QAM256	9.190	9.080	PASS
n71	15	15	136100	75@0	DFT_BPSK	13.910	13.600	PASS
n71	15	15	136100	75@0	DFT_QPSK	13.950	13.610	PASS
n71	15	15	136100	75@0	DFT_QAM16	13.910	13.620	PASS
n71	15	15	136100	75@0	DFT_QAM64	13.930	13.610	PASS
n71	15	15	136100	75@0	DFT_QAM256	13.880	13.600	PASS
n71	15	20	136100	100@0	DFT_BPSK	18.620	18.110	PASS
n71	15	20	136100	100@0	DFT_QPSK	18.650	18.150	PASS
n71	15	20	136100	100@0	DFT_QAM16	18.650	18.140	PASS
n71	15	20	136100	100@0	DFT_QAM64	18.730	18.130	PASS
n71	15	20	136100	100@0	DFT_QAM256	18.650	18.210	PASS

n71 SCS=15kHz DFT_BPSK BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_BPSK BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_BPSK BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_BPSK BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM16 BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_QAM16 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM16 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM16 BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM256 BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_QAM256 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM256 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM256 BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QAM64 BW=15MHz Channel=136100 RB=75@0



n71 SCS=15kHz DFT_QAM64 BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_QAM64 BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QAM64 BW=5MHz Channel=136100 RB=25@0



n71 SCS=15kHz DFT_QPSK BW=10MHz Channel=136100 RB=50@0



n71 SCS=15kHz DFT_QPSK BW=20MHz Channel=136100 RB=100@0



n71 SCS=15kHz DFT_QPSK BW=15MHz Channel=136100 RB=75@0