

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band41	5	39675	1	#0	QPSK	22.71	-0.8	21.66	33.01	PASS
Band41	5	39675	1	#Mid	QPSK	22.67	-0.8	21.66	33.01	PASS
Band41	5	39675	1	#Max	QPSK	22.62	-0.8	20.64	33.01	PASS
Band41	5	39675	12	#0	QPSK	21.50	-0.8	20.63	33.01	PASS
Band41	5	39675	12	#Mid	QPSK	21.46	-0.8	20.61	33.01	PASS
Band41	5	39675	12	#Max	QPSK	21.43	-0.8	20.68	33.01	PASS
Band41	5	39675	25	#0	QPSK	21.51	-0.8	21.67	33.01	PASS
Band41	5	39675	1	#0	QAM64	22.68	-0.8	21.67	33.01	PASS
Band41	5	39675	1	#Mid	QAM64	22.65	-0.8	21.67	33.01	PASS
Band41	5	39675	1	#Max	QAM64	22.62	-0.8	20.65	33.01	PASS
Band41	5	39675	12	#0	QAM64	21.49	-0.8	20.63	33.01	PASS
Band41	5	39675	12	#Mid	QAM64	21.44	-0.8	20.62	33.01	PASS
Band41	5	39675	12	#Max	QAM64	21.44	-0.8	20.68	33.01	PASS
Band41	5	39675	25	#0	QAM64	21.51	-0.8	21.6	33.01	PASS
Band41	5	40620	1	#0	QPSK	22.45	-0.8	21.61	33.01	PASS
Band41	5	40620	1	#Mid	QPSK	22.46	-0.8	21.66	33.01	PASS
Band41	5	40620	1	#Max	QPSK	22.46	-0.8	21.66	33.01	PASS
Band41	5	40620	12	#0	QPSK	21.44	-0.8	20.64	33.01	PASS
Band41	5	40620	12	#Mid	QPSK	21.43	-0.8	20.63	33.01	PASS
Band41	5	40620	12	#Max	QPSK	21.41	-0.8	20.61	33.01	PASS
Band41	5	40620	25	#0	QPSK	21.48	-0.8	20.68	33.01	PASS
Band41	5	40620	1	#0	QAM64	22.47	-0.8	21.67	33.01	PASS
Band41	5	40620	1	#Mid	QAM64	22.47	-0.8	21.67	33.01	PASS
Band41	5	40620	1	#Max	QAM64	22.47	-0.8	21.67	33.01	PASS
Band41	5	40620	12	#0	QAM64	21.45	-0.8	20.65	33.01	PASS
Band41	5	40620	12	#Mid	QAM64	21.43	-0.8	20.63	33.01	PASS
Band41	5	40620	12	#Max	QAM64	21.42	-0.8	20.62	33.01	PASS
Band41	5	40620	25	#0	QAM64	21.48	-0.8	20.68	33.01	PASS
Band41	5	41565	1	#0	QPSK	22.40	-0.8	21.6	33.01	PASS
Band41	5	41565	1	#Mid	QPSK	22.41	-0.8	21.61	33.01	PASS
Band41	5	41565	1	#Max	QPSK	22.48	-0.8	21.68	33.01	PASS
Band41	5	41565	12	#0	QPSK	21.46	-0.8	20.66	33.01	PASS
Band41	5	41565	12	#Mid	QPSK	21.42	-0.8	20.62	33.01	PASS
Band41	5	41565	12	#Max	QPSK	21.45	-0.8	20.65	33.01	PASS
Band41	5	41565	25	#0	QPSK	21.53	-0.8	20.73	33.01	PASS
Band41	5	41565	1	#0	QAM64	22.42	-0.8	21.62	33.01	PASS
Band41	5	41565	1	#Mid	QAM64	22.42	-0.8	21.62	33.01	PASS

Band41	5	41565	1	#Max	QAM64	22.47	-0.8	21.67	33.01	PASS
Band41	5	41565	12	#0	QAM64	21.48	-0.8	20.68	33.01	PASS
Band41	5	41565	12	#Mid	QAM64	21.47	-0.8	20.67	33.01	PASS
Band41	5	41565	12	#Max	QAM64	21.48	-0.8	20.68	33.01	PASS
Band41	5	41565	25	#0	QAM64	21.52	-0.8	20.72	33.01	PASS
Band41	10	39700	1	#0	QPSK	22.63	-0.8	21.83	33.01	PASS
Band41	10	39700	1	#Mid	QPSK	22.49	-0.8	21.69	33.01	PASS
Band41	10	39700	1	#Max	QPSK	22.45	-0.8	21.65	33.01	PASS
Band41	10	39700	25	#0	QPSK	21.52	-0.8	20.72	33.01	PASS
Band41	10	39700	25	#Mid	QPSK	21.44	-0.8	20.64	33.01	PASS
Band41	10	39700	25	#Max	QPSK	21.42	-0.8	20.62	33.01	PASS
Band41	10	39700	50	#0	QPSK	21.46	-0.8	20.66	33.01	PASS
Band41	10	39700	1	#0	QAM64	22.60	-0.8	21.8	33.01	PASS
Band41	10	39700	1	#Mid	QAM64	22.48	-0.8	21.68	33.01	PASS
Band41	10	39700	1	#Max	QAM64	22.46	-0.8	21.66	33.01	PASS
Band41	10	39700	25	#0	QAM64	21.51	-0.8	20.71	33.01	PASS
Band41	10	39700	25	#Mid	QAM64	21.44	-0.8	20.64	33.01	PASS
Band41	10	39700	25	#Max	QAM64	21.43	-0.8	20.63	33.01	PASS
Band41	10	39700	50	#0	QAM64	21.46	-0.8	20.66	33.01	PASS
Band41	10	40620	1	#0	QPSK	22.54	-0.8	21.74	33.01	PASS
Band41	10	40620	1	#Mid	QPSK	22.42	-0.8	21.62	33.01	PASS
Band41	10	40620	1	#Max	QPSK	22.45	-0.8	21.65	33.01	PASS
Band41	10	40620	25	#0	QPSK	21.46	-0.8	20.66	33.01	PASS
Band41	10	40620	25	#Mid	QPSK	21.46	-0.8	20.66	33.01	PASS
Band41	10	40620	25	#Max	QPSK	21.43	-0.8	20.63	33.01	PASS
Band41	10	40620	50	#0	QPSK	21.46	-0.8	20.66	33.01	PASS
Band41	10	40620	1	#0	QAM64	22.50	-0.8	21.7	33.01	PASS
Band41	10	40620	1	#Mid	QAM64	22.44	-0.8	21.64	33.01	PASS
Band41	10	40620	1	#Max	QAM64	22.43	-0.8	21.63	33.01	PASS
Band41	10	40620	25	#0	QAM64	21.45	-0.8	20.65	33.01	PASS
Band41	10	40620	25	#Mid	QAM64	21.43	-0.8	20.63	33.01	PASS
Band41	10	40620	25	#Max	QAM64	21.44	-0.8	20.64	33.01	PASS
Band41	10	40620	50	#0	QAM64	21.46	-0.8	20.66	33.01	PASS
Band41	10	41540	1	#0	QPSK	22.41	-0.8	21.61	33.01	PASS
Band41	10	41540	1	#Mid	QPSK	22.40	-0.8	21.6	33.01	PASS
Band41	10	41540	1	#Max	QPSK	22.54	-0.8	21.74	33.01	PASS
Band41	10	41540	25	#0	QPSK	21.41	-0.8	20.61	33.01	PASS
Band41	10	41540	25	#Mid	QPSK	21.44	-0.8	20.64	33.01	PASS
Band41	10	41540	25	#Max	QPSK	21.50	-0.8	20.7	33.01	PASS
Band41	10	41540	50	#0	QPSK	21.47	-0.8	20.67	33.01	PASS
Band41	10	41540	1	#0	QAM64	22.39	-0.8	21.59	33.01	PASS
Band41	10	41540	1	#Mid	QAM64	22.38	-0.8	21.58	33.01	PASS
Band41	10	41540	1	#Max	QAM64	22.53	-0.8	21.73	33.01	PASS
Band41	10	41540	25	#0	QAM64	21.40	-0.8	20.6	33.01	PASS

Band41	10	41540	25	#Mid	QAM64	21.44	-0.8	20.64	33.01	PASS
Band41	10	41540	25	#Max	QAM64	21.49	-0.8	20.69	33.01	PASS
Band41	10	41540	50	#0	QAM64	21.48	-0.8	20.68	33.01	PASS
Band41	15	39725	1	#0	QPSK	22.62	-0.8	21.82	33.01	PASS
Band41	15	39725	1	#Mid	QPSK	22.51	-0.8	21.71	33.01	PASS
Band41	15	39725	1	#Max	QPSK	22.31	-0.8	21.51	33.01	PASS
Band41	15	39725	36	#0	QPSK	21.46	-0.8	20.66	33.01	PASS
Band41	15	39725	36	#Mid	QPSK	21.36	-0.8	20.56	33.01	PASS
Band41	15	39725	36	#Max	QPSK	21.29	-0.8	20.49	33.01	PASS
Band41	15	39725	75	#0	QPSK	21.38	-0.8	20.58	33.01	PASS
Band41	15	39725	1	#0	QAM64	22.62	-0.8	21.82	33.01	PASS
Band41	15	39725	1	#Mid	QAM64	22.53	-0.8	21.73	33.01	PASS
Band41	15	39725	1	#Max	QAM64	22.32	-0.8	21.52	33.01	PASS
Band41	15	39725	36	#0	QAM64	21.45	-0.8	20.65	33.01	PASS
Band41	15	39725	36	#Mid	QAM64	21.36	-0.8	20.56	33.01	PASS
Band41	15	39725	36	#Max	QAM64	21.30	-0.8	20.5	33.01	PASS
Band41	15	39725	75	#0	QAM64	21.39	-0.8	20.59	33.01	PASS
Band41	15	40620	1	#0	QPSK	22.44	-0.8	21.64	33.01	PASS
Band41	15	40620	1	#Mid	QPSK	22.50	-0.8	21.7	33.01	PASS
Band41	15	40620	1	#Max	QPSK	22.46	-0.8	21.66	33.01	PASS
Band41	15	40620	36	#0	QPSK	21.43	-0.8	20.63	33.01	PASS
Band41	15	40620	36	#Mid	QPSK	21.43	-0.8	20.63	33.01	PASS
Band41	15	40620	36	#Max	QPSK	21.39	-0.8	20.59	33.01	PASS
Band41	15	40620	75	#0	QPSK	21.43	-0.8	20.63	33.01	PASS
Band41	15	40620	1	#0	QAM64	22.40	-0.8	21.6	33.01	PASS
Band41	15	40620	1	#Mid	QAM64	22.54	-0.8	21.74	33.01	PASS
Band41	15	40620	1	#Max	QAM64	22.36	-0.8	21.56	33.01	PASS
Band41	15	40620	36	#0	QAM64	21.43	-0.8	20.63	33.01	PASS
Band41	15	40620	36	#Mid	QAM64	21.44	-0.8	20.64	33.01	PASS
Band41	15	40620	36	#Max	QAM64	21.39	-0.8	20.59	33.01	PASS
Band41	15	40620	75	#0	QAM64	21.42	-0.8	20.62	33.01	PASS
Band41	15	41515	1	#0	QPSK	22.52	-0.8	21.72	33.01	PASS
Band41	15	41515	1	#Mid	QPSK	22.64	-0.8	21.84	33.01	PASS
Band41	15	41515	1	#Max	QPSK	22.68	-0.8	21.88	33.01	PASS
Band41	15	41515	36	#0	QPSK	21.35	-0.8	20.55	33.01	PASS
Band41	15	41515	36	#Mid	QPSK	21.37	-0.8	20.57	33.01	PASS
Band41	15	41515	36	#Max	QPSK	21.48	-0.8	20.68	33.01	PASS
Band41	15	41515	75	#0	QPSK	21.41	-0.8	20.61	33.01	PASS
Band41	15	41515	1	#0	QAM64	22.52	-0.8	21.72	33.01	PASS
Band41	15	41515	1	#Mid	QAM64	22.58	-0.8	21.78	33.01	PASS
Band41	15	41515	1	#Max	QAM64	22.67	-0.8	21.87	33.01	PASS
Band41	15	41515	36	#0	QAM64	21.36	-0.8	20.56	33.01	PASS
Band41	15	41515	36	#Mid	QAM64	21.40	-0.8	20.6	33.01	PASS
Band41	15	41515	36	#Max	QAM64	21.47	-0.8	20.67	33.01	PASS

Band41	15	41515	75	#0	QAM64	21.41	-0.8	20.61	33.01	PASS
Band41	20	39750	1	#0	QPSK	22.47	-0.8	21.67	33.01	PASS
Band41	20	39750	1	#Mid	QPSK	22.31	-0.8	21.51	33.01	PASS
Band41	20	39750	1	#Max	QPSK	22.19	-0.8	21.39	33.01	PASS
Band41	20	39750	50	#0	QPSK	21.49	-0.8	20.69	33.01	PASS
Band41	20	39750	50	#Mid	QPSK	21.39	-0.8	20.59	33.01	PASS
Band41	20	39750	50	#Max	QPSK	21.33	-0.8	20.53	33.01	PASS
Band41	20	39750	100	#0	QPSK	21.40	-0.8	20.6	33.01	PASS
Band41	20	39750	1	#0	QAM64	22.51	-0.8	21.71	33.01	PASS
Band41	20	39750	1	#Mid	QAM64	22.35	-0.8	21.55	33.01	PASS
Band41	20	39750	1	#Max	QAM64	22.17	-0.8	21.37	33.01	PASS
Band41	20	39750	50	#0	QAM64	21.49	-0.8	20.69	33.01	PASS
Band41	20	39750	50	#Mid	QAM64	21.39	-0.8	20.59	33.01	PASS
Band41	20	39750	50	#Max	QAM64	21.34	-0.8	20.54	33.01	PASS
Band41	20	39750	100	#0	QAM64	21.39	-0.8	20.59	33.01	PASS
Band41	20	40620	1	#0	QPSK	22.47	-0.8	21.67	33.01	PASS
Band41	20	40620	1	#Mid	QPSK	22.57	-0.8	21.77	33.01	PASS
Band41	20	40620	1	#Max	QPSK	22.42	-0.8	21.62	33.01	PASS
Band41	20	40620	50	#0	QPSK	21.49	-0.8	20.69	33.01	PASS
Band41	20	40620	50	#Mid	QPSK	21.49	-0.8	20.69	33.01	PASS
Band41	20	40620	50	#Max	QPSK	21.45	-0.8	20.65	33.01	PASS
Band41	20	40620	100	#0	QPSK	21.45	-0.8	20.65	33.01	PASS
Band41	20	40620	1	#0	QAM64	22.47	-0.8	21.67	33.01	PASS
Band41	20	40620	1	#Mid	QAM64	22.52	-0.8	21.72	33.01	PASS
Band41	20	40620	1	#Max	QAM64	22.41	-0.8	21.61	33.01	PASS
Band41	20	40620	50	#0	QAM64	21.48	-0.8	20.68	33.01	PASS
Band41	20	40620	50	#Mid	QAM64	21.47	-0.8	20.67	33.01	PASS
Band41	20	40620	50	#Max	QAM64	21.44	-0.8	20.64	33.01	PASS
Band41	20	40620	100	#0	QAM64	21.45	-0.8	20.65	33.01	PASS
Band41	20	41490	1	#0	QPSK	22.34	-0.8	21.54	33.01	PASS
Band41	20	41490	1	#Mid	QPSK	22.36	-0.8	21.56	33.01	PASS
Band41	20	41490	1	#Max	QPSK	22.46	-0.8	21.66	33.01	PASS
Band41	20	41490	50	#0	QPSK	21.34	-0.8	20.54	33.01	PASS
Band41	20	41490	50	#Mid	QPSK	21.40	-0.8	20.6	33.01	PASS
Band41	20	41490	50	#Max	QPSK	21.48	-0.8	20.68	33.01	PASS
Band41	20	41490	100	#0	QPSK	21.41	-0.8	20.61	33.01	PASS
Band41	20	41490	1	#0	QAM64	22.35	-0.8	21.55	33.01	PASS
Band41	20	41490	1	#Mid	QAM64	22.39	-0.8	21.59	33.01	PASS
Band41	20	41490	1	#Max	QAM64	22.46	-0.8	21.66	33.01	PASS
Band41	20	41490	50	#0	QAM64	21.34	-0.8	20.54	33.01	PASS
Band41	20	41490	50	#Mid	QAM64	21.41	-0.8	20.61	33.01	PASS
Band41	20	41490	50	#Max	QAM64	21.47	-0.8	20.67	33.01	PASS
Band41	20	41490	100	#0	QAM64	21.41	-0.8	20.61	33.01	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band41	20	39750	100	#0	QPSK	-0.30	0.000	-2.5	2.5	PASS
Band41	20	39750	100	#0	QAM64	0.60	0.000	-2.5	2.5	PASS
Band41	20	40620	100	#0	QPSK	-2.41	-0.001	-2.5	2.5	PASS
Band41	20	40620	100	#0	QAM64	-4.13	-0.002	-2.5	2.5	PASS
Band41	20	41490	100	#0	QPSK	-0.82	0.000	-2.5	2.5	PASS
Band41	20	41490	100	#0	QAM64	-1.77	-0.001	-2.5	2.5	PASS


3 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41	5	40620	1	#0	QPSK	7.16	13	PASS
Band41	5	40620	1	#0	QAM64	9.32	13	PASS
Band41	10	40620	1	#0	QPSK	8.39	13	PASS
Band41	10	40620	1	#0	QAM64	7.64	13	PASS
Band41	15	40620	1	#0	QPSK	6.96	13	PASS
Band41	15	40620	1	#0	QAM64	7.95	13	PASS
Band41	20	40620	1	#0	QPSK	8.06	13	PASS
Band41	20	40620	1	#0	QAM64	8.79	13	PASS



Band41 QAM64 BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 QAM64 BW=10MHz Channel=40620 RB Size=1 Position=#0

**Band41 QAM64 BW=5MHz Channel=40620 RB Size=1 Position=#0****Band41 QAM64 BW=20MHz Channel=40620 RB Size=1 Position=#0**

**Band41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0**


**Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0****Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band41	5	39675	25	#0	QPSK	4.506	5.241	PASS
Band41	5	39675	25	#0	QAM64	4.498	4.975	PASS
Band41	5	40620	25	#0	QPSK	4.481	4.903	PASS
Band41	5	40620	25	#0	QAM64	4.509	5.271	PASS
Band41	5	41565	25	#0	QPSK	4.516	5.434	PASS
Band41	5	41565	25	#0	QAM64	4.508	5.137	PASS
Band41	10	39700	50	#0	QPSK	8.990	10.007	PASS
Band41	10	39700	50	#0	QAM64	8.986	9.824	PASS
Band41	10	40620	50	#0	QPSK	9.009	10.368	PASS
Band41	10	40620	50	#0	QAM64	8.986	9.770	PASS
Band41	10	41540	50	#0	QPSK	9.009	10.895	PASS
Band41	10	41540	50	#0	QAM64	8.994	9.777	PASS
Band41	15	39725	75	#0	QPSK	13.436	14.499	PASS
Band41	15	39725	75	#0	QAM64	13.485	14.617	PASS
Band41	15	40620	75	#0	QPSK	13.455	18.531	PASS
Band41	15	40620	75	#0	QAM64	13.472	17.839	PASS
Band41	15	41515	75	#0	QPSK	13.454	16.889	PASS
Band41	15	41515	75	#0	QAM64	13.419	16.859	PASS
Band41	20	39750	100	#0	QPSK	17.903	19.294	PASS
Band41	20	39750	100	#0	QAM64	17.982	21.095	PASS
Band41	20	40620	100	#0	QPSK	17.965	21.353	PASS
Band41	20	40620	100	#0	QAM64	17.946	21.574	PASS
Band41	20	41490	100	#0	QPSK	18.011	24.447	PASS
Band41	20	41490	100	#0	QAM64	17.999	20.822	PASS


Band41 QAM64 BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QAM64 BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QAM64 BW=15MHz Channel=41515 RB Size=75 Position=#0




Band41 QAM64 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM64 BW=10MHz Channel=40620 RB Size=50 Position=#0




Band41 QAM64 BW=10MHz Channel=41540 RB Size=50 Position=#0





Band41 QAM64 BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QAM64 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QAM64 BW=20MHz Channel=40620 RB Size=100 Position=#0



**Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0****Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0**




Band41 QAM64 BW=5MHz Channel=41565 RB Size=25 Position=#0




Band41 QAM64 BW=5MHz Channel=39675 RB Size=25 Position=#0


**Band41 QAM64 BW=5MHz Channel=40620 RB Size=25 Position=#0****Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0**




Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0




Band41 QPSK BW=20MHz Channel=40620 RB Size=100 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0





Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0

**Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0****Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0**




Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0





5 Band edge



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	2494.97	-14.27	-13	PASS
Band41	5	39675	25	#0	QAM64	2494.99	-18.25	-13	PASS
Band41	5	41565	25	#0	QPSK	2696.08	-31.43	-25	PASS
Band41	5	41565	25	#0	QAM64	2696.19	-31.29	-25	PASS
Band41	10	39700	50	#0	QPSK	2485.02	-35.72	-25	PASS
Band41	10	39700	50	#0	QAM64	2485.92	-35.87	-25	PASS
Band41	10	41540	50	#0	QPSK	2700.29	-32.24	-25	PASS
Band41	10	41540	50	#0	QAM64	2700.06	-33.26	-25	PASS
Band41	15	39725	75	#0	QPSK	2480.73	-38.61	-25	PASS
Band41	15	39725	75	#0	QAM64	2493.95	-23.19	-13	PASS
Band41	15	41515	75	#0	QPSK	2690.00	-20.82	-10	PASS
Band41	15	41515	75	#0	QAM64	2691.29	-20.07	-10	PASS
Band41	20	39750	100	#0	QPSK	2494.26	-22.88	-13	PASS
Band41	20	39750	100	#0	QAM64	2493.39	-22.47	-13	PASS
Band41	20	41490	100	#0	QPSK	2710.40	-36.76	-25	PASS
Band41	20	41490	100	#0	QAM64	2711.22	-37.67	-25	PASS


Band41 QAM64 BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM64 BW=15MHz Channel=41515 RB Size=75 Position=#0

**Band41 QAM64 BW=15MHz Channel=39725 RB Size=75 Position=#0****Band41 QAM64 BW=10MHz Channel=41540 RB Size=50 Position=#0**


**Band41 QAM64 BW=20MHz Channel=39750 RB Size=100 Position=#0****Band41 QAM64 BW=5MHz Channel=39675 RB Size=25 Position=#0**




Band41 QAM64 BW=20MHz Channel=41490 RB Size=100 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Band41 QAM64 BW=5MHz Channel=41565 RB Size=25 Position=#0





Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0






Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0



Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0

**Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0****Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0**

**Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0**




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.017	-29.82	-10
2	2691	2695	1000	2691.004	-16.84	-10
3	2695	2696	1000	2695.317	-26.83	-13
4	2696	2700	1000	2696.084	-31.43	-25



6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41	5	39675	25	#0	QPSK	3873.48	-36.86	-25	PASS
Band41	5	39675	25	#0	QAM64	4009.83	-37.10	-25	PASS
Band41	5	41565	25	#0	QPSK	5372.88	-35.89	-25	PASS
Band41	5	41565	25	#0	QAM64	5372.43	-36.26	-25	PASS
Band41	10	39700	50	#0	QPSK	3793.83	-37.94	-25	PASS
Band41	10	39700	50	#0	QAM64	3763.00	-38.07	-25	PASS
Band41	10	41540	50	#0	QPSK	5362.08	-36.91	-25	PASS
Band41	10	41540	50	#0	QAM64	5374.68	-36.47	-25	PASS
Band41	15	39725	75	#0	QPSK	3862.23	-37.61	-25	PASS
Band41	15	39725	75	#0	QAM64	3758.95	-38.42	-25	PASS
Band41	15	41515	75	#0	QPSK	3867.18	-37.91	-25	PASS
Band41	15	41515	75	#0	QAM64	5365.23	-37.16	-25	PASS
Band41	20	39750	100	#0	QPSK	4754.80	-37.88	-25	PASS
Band41	20	39750	100	#0	QAM64	3648.70	-37.90	-25	PASS
Band41	20	41490	100	#0	QPSK	5030.88	-37.45	-25	PASS
Band41	20	41490	100	#0	QAM64	3773.80	-37.61	-25	PASS



Band41 QAM64 BW=15MHz Channel=39725 RB Size=75 Position=#0







Band41 QAM64 BW=10MHz Channel=41540 RB Size=50 Position=#0



**Band41 QAM64 BW=10MHz Channel=39700 RB Size=50 Position=#0****Band41 QAM64 BW=5MHz Channel=39675 RB Size=25 Position=#0**



**Band41 QAM64 BW=5MHz Channel=41565 RB Size=25 Position=#0****Band41 QAM64 BW=20MHz Channel=41490 RB Size=100 Position=#0**


**Band41 QAM64 BW=15MHz Channel=41515 RB Size=75 Position=#0****Band41 QAM64 BW=20MHz Channel=39750 RB Size=100 Position=#0**

**Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0****Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0**

**Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0****Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0**

**Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0****Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0**

**Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0****Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0**



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-44.66	-25
2	0.15	30	10	0.15	-55.9	-25
3	30	1000	100	950.55425	-52.57	-25
4	1000	10000	1000	5030.875	-37.45	-25