

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	5
3 Peak-to-Average Ratio for NR FR1	7
4 Occupied bandwidth for NR FR1	31
5 Band edge for NR FR1	39
6 Out-of-band emissions for NR FR1	49

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	1@1	DFT_BPSK	25.13	-6.3	-8.45	16.68	34.77	PASS
n12	15	5	140300	25@0	DFT_QPSK	24.1	-6.3	-8.45	15.65	34.77	PASS
n12	15	5	140300	12@6	DFT_QPSK	25.12	-6.3	-8.45	16.67	34.77	PASS
n12	15	5	140300	1@1	DFT_QPSK	25.23	-6.3	-8.45	16.78	34.77	PASS
n12	15	5	140300	1@23	DFT_QPSK	25.24	-6.3	-8.45	16.79	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM16	24.3	-6.3	-8.45	15.85	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM64	22.24	-6.3	-8.45	13.79	34.77	PASS
n12	15	5	140300	1@1	DFT_QAM256	21	-6.3	-8.45	12.55	34.77	PASS
n12	15	5	140300	1@1	CP_QPSK	24.06	-6.3	-8.45	15.61	34.77	PASS
n12	15	5	141500	1@1	DFT_BPSK	25.26	-6.3	-8.45	16.81	34.77	PASS
n12	15	5	141500	25@0	DFT_QPSK	24.09	-6.3	-8.45	15.64	34.77	PASS
n12	15	5	141500	12@6	DFT_QPSK	25.08	-6.3	-8.45	16.63	34.77	PASS
n12	15	5	141500	1@1	DFT_QPSK	25.1	-6.3	-8.45	16.65	34.77	PASS
n12	15	5	141500	1@23	DFT_QPSK	25.09	-6.3	-8.45	16.64	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM16	24.09	-6.3	-8.45	15.64	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM64	22.5	-6.3	-8.45	14.05	34.77	PASS
n12	15	5	141500	1@1	DFT_QAM256	20.68	-6.3	-8.45	12.23	34.77	PASS
n12	15	5	141500	1@1	CP_QPSK	23.74	-6.3	-8.45	15.29	34.77	PASS
n12	15	5	142700	1@1	DFT_BPSK	25.08	-6.3	-8.45	16.63	34.77	PASS
n12	15	5	142700	25@0	DFT_QPSK	24.07	-6.3	-8.45	15.62	34.77	PASS
n12	15	5	142700	12@6	DFT_QPSK	25.05	-6.3	-8.45	16.6	34.77	PASS
n12	15	5	142700	1@1	DFT_QPSK	25.2	-6.3	-8.45	16.75	34.77	PASS
n12	15	5	142700	1@23	DFT_QPSK	25.17	-6.3	-8.45	16.72	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM16	24.5	-6.3	-8.45	16.05	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM64	22.89	-6.3	-8.45	14.44	34.77	PASS
n12	15	5	142700	1@1	DFT_QAM256	21.2	-6.3	-8.45	12.75	34.77	PASS
n12	15	5	142700	1@1	CP_QPSK	24.15	-6.3	-8.45	15.7	34.77	PASS
n12	15	10	140800	1@1	DFT_BPSK	25.18	-6.3	-8.45	16.73	34.77	PASS
n12	15	10	140800	50@0	DFT_QPSK	24.1	-6.3	-8.45	15.65	34.77	PASS
n12	15	10	140800	25@12	DFT_QPSK	25.09	-6.3	-8.45	16.64	34.77	PASS
n12	15	10	140800	1@1	DFT_QPSK	24.99	-6.3	-8.45	16.54	34.77	PASS
n12	15	10	140800	1@50	DFT_QPSK	24.95	-6.3	-8.45	16.5	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM16	24.07	-6.3	-8.45	15.62	34.77	PASS
n12	15	10	140800	1@1	DFT_QAM64	22.78	-6.3	-8.45	14.33	34.77	PASS

n12	15	10	140800	1@1	DFT_QAM25 6	20.19	-6.3	-8.45	11.74	34.77	PASS
n12	15	10	140800	1@1	CP_QPSK	23.7	-6.3	-8.45	15.25	34.77	PASS
n12	15	10	141500	1@1	DFT_BPSK	25.01	-6.3	-8.45	16.56	34.77	PASS
n12	15	10	141500	50@0	DFT_QPSK	24.05	-6.3	-8.45	15.6	34.77	PASS
n12	15	10	141500	25@12	DFT_QPSK	25.05	-6.3	-8.45	16.6	34.77	PASS
n12	15	10	141500	1@1	DFT_QPSK	24.89	-6.3	-8.45	16.44	34.77	PASS
n12	15	10	141500	1@50	DFT_QPSK	24.88	-6.3	-8.45	16.43	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM16	24.03	-6.3	-8.45	15.58	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM64	22.23	-6.3	-8.45	13.78	34.77	PASS
n12	15	10	141500	1@1	DFT_QAM25 6	20.36	-6.3	-8.45	11.91	34.77	PASS
n12	15	10	141500	1@1	CP_QPSK	23.35	-6.3	-8.45	14.9	34.77	PASS
n12	15	10	142200	1@1	DFT_BPSK	24.96	-6.3	-8.45	16.51	34.77	PASS
n12	15	10	142200	50@0	DFT_QPSK	24.03	-6.3	-8.45	15.58	34.77	PASS
n12	15	10	142200	25@12	DFT_QPSK	25.08	-6.3	-8.45	16.63	34.77	PASS
n12	15	10	142200	1@1	DFT_QPSK	25.31	-6.3	-8.45	16.86	34.77	PASS
n12	15	10	142200	1@50	DFT_QPSK	25.3	-6.3	-8.45	16.85	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM16	23.56	-6.3	-8.45	15.11	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM64	22.36	-6.3	-8.45	13.91	34.77	PASS
n12	15	10	142200	1@1	DFT_QAM25 6	20.44	-6.3	-8.45	11.99	34.77	PASS
n12	15	10	142200	1@1	CP_QPSK	23.65	-6.3	-8.45	15.2	34.77	PASS
n12	15	15	141300	1@1	DFT_BPSK	25.37	-6.3	-8.45	16.92	34.77	PASS
n12	15	15	141300	75@0	DFT_QPSK	24.07	-6.3	-8.45	15.62	34.77	PASS
n12	15	15	141300	36@18	DFT_QPSK	25.08	-6.3	-8.45	16.63	34.77	PASS
n12	15	15	141300	1@1	DFT_QPSK	25.43	-6.3	-8.45	16.98	34.77	PASS
n12	15	15	141300	1@77	DFT_QPSK	25.35	-6.3	-8.45	16.9	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM16	24.56	-6.3	-8.45	16.11	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM64	23.05	-6.3	-8.45	14.6	34.77	PASS
n12	15	15	141300	1@1	DFT_QAM25 6	21.15	-6.3	-8.45	12.7	34.77	PASS
n12	15	15	141300	1@1	CP_QPSK	23.29	-6.3	-8.45	14.84	34.77	PASS
n12	15	15	141500	1@1	DFT_BPSK	25.2	-6.3	-8.45	16.75	34.77	PASS
n12	15	15	141500	75@0	DFT_QPSK	24.09	-6.3	-8.45	15.64	34.77	PASS
n12	15	15	141500	36@18	DFT_QPSK	25.09	-6.3	-8.45	16.64	34.77	PASS
n12	15	15	141500	1@1	DFT_QPSK	25.02	-6.3	-8.45	16.57	34.77	PASS
n12	15	15	141500	1@77	DFT_QPSK	24.96	-6.3	-8.45	16.51	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM16	24.19	-6.3	-8.45	15.74	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM64	22.71	-6.3	-8.45	14.26	34.77	PASS
n12	15	15	141500	1@1	DFT_QAM25 6	20.84	-6.3	-8.45	12.39	34.77	PASS
n12	15	15	141500	1@1	CP_QPSK	23.78	-6.3	-8.45	15.33	34.77	PASS
n12	15	15	141700	1@1	DFT_BPSK	25.03	-6.3	-8.45	16.58	34.77	PASS

n12	15	15	141700	75@0	DFT_QPSK	24.03	-6.3	-8.45	15.58	34.77	PASS
n12	15	15	141700	36@18	DFT_QPSK	25.06	-6.3	-8.45	16.61	34.77	PASS
n12	15	15	141700	1@1	DFT_QPSK	25.11	-6.3	-8.45	16.66	34.77	PASS
n12	15	15	141700	1@77	DFT_QPSK	25.04	-6.3	-8.45	16.59	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM16	24.66	-6.3	-8.45	16.21	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM64	22.79	-6.3	-8.45	14.34	34.77	PASS
n12	15	15	141700	1@1	DFT_QAM25 6	20.77	-6.3	-8.45	12.32	34.77	PASS
n12	15	15	141700	1@1	CP_QPSK	24	-6.3	-8.45	15.55	34.77	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n12	15	5	140300	12@6	DFT_BPSK	-1.15	-0.00164	-2.5	2.5	PASS
n12	15	5	140300	1@1	DFT_BPSK	-0.31	-0.00044	-2.5	2.5	PASS
n12	15	5	140300	1@23	DFT_BPSK	-1.45	-0.00207	-2.5	2.5	PASS
n12	15	5	140300	12@6	DFT_QPSK	-2.65	-0.00378	-2.5	2.5	PASS
n12	15	5	140300	1@1	DFT_QPSK	-3.78	-0.00539	-2.5	2.5	PASS
n12	15	5	140300	1@23	DFT_QPSK	-2.65	-0.00378	-2.5	2.5	PASS
n12	15	5	141500	12@6	DFT_BPSK	-1.17	-0.00165	-2.5	2.5	PASS
n12	15	5	141500	1@1	DFT_BPSK	-1.83	-0.00259	-2.5	2.5	PASS
n12	15	5	141500	1@23	DFT_BPSK	-2.61	-0.00369	-2.5	2.5	PASS
n12	15	5	141500	12@6	DFT_QPSK	-1.92	-0.00271	-2.5	2.5	PASS
n12	15	5	141500	1@1	DFT_QPSK	-1.37	-0.00194	-2.5	2.5	PASS
n12	15	5	141500	1@23	DFT_QPSK	-3.21	-0.00454	-2.5	2.5	PASS
n12	15	5	142700	12@6	DFT_BPSK	-1.99	-0.00279	-2.5	2.5	PASS
n12	15	5	142700	1@1	DFT_BPSK	-1.62	-0.00227	-2.5	2.5	PASS
n12	15	5	142700	1@23	DFT_BPSK	-2.92	-0.00409	-2.5	2.5	PASS
n12	15	5	142700	12@6	DFT_QPSK	-1.47	-0.00206	-2.5	2.5	PASS
n12	15	5	142700	1@1	DFT_QPSK	-2.70	-0.00378	-2.5	2.5	PASS
n12	15	5	142700	1@23	DFT_QPSK	-1.47	-0.00206	-2.5	2.5	PASS
n12	15	10	140800	25@12	DFT_BPSK	-2.95	-0.00419	-2.5	2.5	PASS
n12	15	10	140800	1@1	DFT_BPSK	-2.55	-0.00362	-2.5	2.5	PASS
n12	15	10	140800	1@50	DFT_BPSK	-2.84	-0.00403	-2.5	2.5	PASS
n12	15	10	140800	25@12	DFT_QPSK	-1.75	-0.00249	-2.5	2.5	PASS
n12	15	10	140800	1@1	DFT_QPSK	-1.08	-0.00153	-2.5	2.5	PASS
n12	15	10	140800	1@50	DFT_QPSK	-2.10	-0.00298	-2.5	2.5	PASS
n12	15	10	141500	25@12	DFT_BPSK	-2.16	-0.00305	-2.5	2.5	PASS
n12	15	10	141500	1@1	DFT_BPSK	-2.49	-0.00352	-2.5	2.5	PASS
n12	15	10	141500	1@50	DFT_BPSK	-1.78	-0.00252	-2.5	2.5	PASS
n12	15	10	141500	25@12	DFT_QPSK	-2.77	-0.00392	-2.5	2.5	PASS
n12	15	10	141500	1@1	DFT_QPSK	-2.36	-0.00334	-2.5	2.5	PASS
n12	15	10	141500	1@50	DFT_QPSK	-2.27	-0.00321	-2.5	2.5	PASS
n12	15	10	142200	25@12	DFT_BPSK	-0.86	-0.00121	-2.5	2.5	PASS
n12	15	10	142200	1@1	DFT_BPSK	-1.22	-0.00172	-2.5	2.5	PASS
n12	15	10	142200	1@50	DFT_BPSK	-1.87	-0.00263	-2.5	2.5	PASS
n12	15	10	142200	25@12	DFT_QPSK	-1.93	-0.00271	-2.5	2.5	PASS
n12	15	10	142200	1@1	DFT_QPSK	-0.65	-0.00091	-2.5	2.5	PASS
n12	15	10	142200	1@50	DFT_QPSK	-0.24	-0.00034	-2.5	2.5	PASS
n12	15	15	141300	36@18	DFT_BPSK	-1.97	-0.00279	-2.5	2.5	PASS
n12	15	15	141300	1@1	DFT_BPSK	-3.48	-0.00493	-2.5	2.5	PASS
n12	15	15	141300	1@77	DFT_BPSK	-3.43	-0.00485	-2.5	2.5	PASS


n12	15	15	141300	36@18	DFT_QPSK	-2.04	-0.00289	-2.5	2.5	PASS
n12	15	15	141300	1@1	DFT_QPSK	-1.83	-0.00259	-2.5	2.5	PASS
n12	15	15	141300	1@77	DFT_QPSK	-4.54	-0.00643	-2.5	2.5	PASS
n12	15	15	141500	36@18	DFT_BPSK	-1.10	-0.00155	-2.5	2.5	PASS
n12	15	15	141500	1@1	DFT_BPSK	-0.69	-0.00098	-2.5	2.5	PASS
n12	15	15	141500	1@77	DFT_BPSK	-1.88	-0.00266	-2.5	2.5	PASS
n12	15	15	141500	36@18	DFT_QPSK	-2.03	-0.00287	-2.5	2.5	PASS
n12	15	15	141500	1@1	DFT_QPSK	-3.31	-0.00468	-2.5	2.5	PASS
n12	15	15	141500	1@77	DFT_QPSK	-1.64	-0.00232	-2.5	2.5	PASS
n12	15	15	141700	36@18	DFT_BPSK	-2.27	-0.00320	-2.5	2.5	PASS
n12	15	15	141700	1@1	DFT_BPSK	-0.93	-0.00131	-2.5	2.5	PASS
n12	15	15	141700	1@77	DFT_BPSK	-4.49	-0.00634	-2.5	2.5	PASS
n12	15	15	141700	36@18	DFT_QPSK	-3.61	-0.00510	-2.5	2.5	PASS
n12	15	15	141700	1@1	DFT_QPSK	-4.32	-0.00610	-2.5	2.5	PASS
n12	15	15	141700	1@77	DFT_QPSK	-4.55	-0.00642	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
n12	15	5	140300	25@0	DFT_BPSK	5.70	13	PASS
n12	15	5	140300	25@0	DFT_QPSK	6.05	13	PASS
n12	15	5	140300	25@0	DFT_QAM16	6.69	13	PASS
n12	15	5	140300	25@0	DFT_QAM64	6.89	13	PASS
n12	15	5	140300	25@0	DFT_QAM256	6.97	13	PASS
n12	15	5	141500	25@0	DFT_BPSK	4.86	13	PASS
n12	15	5	141500	25@0	DFT_QPSK	5.51	13	PASS
n12	15	5	141500	25@0	DFT_QAM16	6.23	13	PASS
n12	15	5	141500	25@0	DFT_QAM64	6.57	13	PASS
n12	15	5	141500	25@0	DFT_QAM256	6.72	13	PASS
n12	15	5	142700	25@0	DFT_BPSK	4.56	13	PASS
n12	15	5	142700	25@0	DFT_QPSK	5.71	13	PASS
n12	15	5	142700	25@0	DFT_QAM16	6.34	13	PASS
n12	15	5	142700	25@0	DFT_QAM64	6.83	13	PASS
n12	15	5	142700	25@0	DFT_QAM256	7.17	13	PASS
n12	15	10	140800	50@0	DFT_BPSK	5.51	13	PASS
n12	15	10	140800	50@0	DFT_QPSK	5.80	13	PASS
n12	15	10	140800	50@0	DFT_QAM16	6.42	13	PASS
n12	15	10	140800	50@0	DFT_QAM64	6.71	13	PASS
n12	15	10	140800	50@0	DFT_QAM256	6.87	13	PASS
n12	15	10	141500	50@0	DFT_BPSK	4.80	13	PASS
n12	15	10	141500	50@0	DFT_QPSK	5.70	13	PASS
n12	15	10	141500	50@0	DFT_QAM16	6.44	13	PASS
n12	15	10	141500	50@0	DFT_QAM64	6.53	13	PASS
n12	15	10	141500	50@0	DFT_QAM256	6.87	13	PASS
n12	15	10	142200	50@0	DFT_BPSK	4.47	13	PASS
n12	15	10	142200	50@0	DFT_QPSK	5.64	13	PASS
n12	15	10	142200	50@0	DFT_QAM16	6.47	13	PASS
n12	15	10	142200	50@0	DFT_QAM64	6.52	13	PASS
n12	15	10	142200	50@0	DFT_QAM256	6.60	13	PASS
n12	15	15	141300	75@0	DFT_BPSK	4.63	13	PASS
n12	15	15	141300	75@0	DFT_QPSK	5.68	13	PASS
n12	15	15	141300	75@0	DFT_QAM16	6.64	13	PASS
n12	15	15	141300	75@0	DFT_QAM64	6.62	13	PASS
n12	15	15	141300	75@0	DFT_QAM256	6.78	13	PASS
n12	15	15	141500	75@0	DFT_BPSK	5.04	13	PASS
n12	15	15	141500	75@0	DFT_QPSK	5.55	13	PASS
n12	15	15	141500	75@0	DFT_QAM16	6.38	13	PASS
n12	15	15	141500	75@0	DFT_QAM64	6.62	13	PASS

n12	15	15	141500	75@0	DFT_QAM256	6.76	13	PASS
n12	15	15	141700	75@0	DFT_BPSK	4.46	13	PASS
n12	15	15	141700	75@0	DFT_QPSK	5.57	13	PASS
n12	15	15	141700	75@0	DFT_QAM16	6.49	13	PASS
n12	15	15	141700	75@0	DFT_QAM64	6.85	13	PASS
n12	15	15	141700	75@0	DFT_QAM256	6.76	13	PASS


n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=140800 RB=50@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=141500 RB=50@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=141500 RB=25@0




n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141700 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=142200 RB=50@0




n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141300 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=140300 RB=25@0



n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=142700 RB=25@0



n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=141500 RB=25@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n12	15	5	141500	25@0	DFT_BPSK	4.460	4.670	PASS
n12	15	5	141500	25@0	DFT_QPSK	4.460	4.690	PASS
n12	15	5	141500	25@0	DFT_QAM16	4.450	4.630	PASS
n12	15	5	141500	25@0	DFT_QAM64	4.450	4.670	PASS
n12	15	5	141500	25@0	DFT_QAM256	4.460	4.600	PASS
n12	15	10	141500	50@0	DFT_BPSK	9.250	9.130	PASS
n12	15	10	141500	50@0	DFT_QPSK	9.230	9.190	PASS
n12	15	10	141500	50@0	DFT_QAM16	9.200	9.130	PASS
n12	15	10	141500	50@0	DFT_QAM64	9.180	9.100	PASS
n12	15	10	141500	50@0	DFT_QAM256	9.190	9.120	PASS
n12	15	15	141500	75@0	DFT_BPSK	13.960	13.660	PASS
n12	15	15	141500	75@0	DFT_QPSK	13.990	13.610	PASS
n12	15	15	141500	75@0	DFT_QAM16	13.950	13.620	PASS
n12	15	15	141500	75@0	DFT_QAM64	13.970	13.580	PASS
n12	15	15	141500	75@0	DFT_QAM256	13.920	13.610	PASS

n12 SCS=15kHz DFT_BPSK BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_BPSK BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_BPSK BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT_QAM16 BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_QAM16 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_QAM16 BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT_QAM256 BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_QAM256 BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_QAM256 BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT_QPSK BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_QPSK BW=15MHz Channel=141500 RB=75@0



n12 SCS=15kHz DFT_QAM64 BW=5MHz Channel=141500 RB=25@0



n12 SCS=15kHz DFT_QAM64 BW=10MHz Channel=141500 RB=50@0



n12 SCS=15kHz DFT_QAM64 BW=15MHz Channel=141500 RB=75@0




n12 SCS=15kHz DFT_QPSK BW=5MHz Channel=141500 RB=25@0




5 Band edge for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	CP_QPSK	698.98	-39.76	-13	PASS
n12	15	5	140300	1@0	CP_QPSK	698.99	-31.25	-13	PASS
n12	15	5	140300	1@24	CP_QPSK	703.70	4.53	30	PASS
n12	15	5	142700	25@0	CP_QPSK	716.11	-43.61	-13	PASS
n12	15	5	142700	1@0	CP_QPSK	711.35	4.94	30	PASS
n12	15	5	142700	1@24	CP_QPSK	716.00	-35.87	-13	PASS
n12	15	10	140800	52@0	CP_QPSK	698.70	-46.00	-13	PASS
n12	15	10	140800	1@0	CP_QPSK	699.39	5.30	30	PASS
n12	15	10	140800	1@51	CP_QPSK	708.64	5.24	30	PASS
n12	15	10	142200	52@0	CP_QPSK	716.24	-46.40	-13	PASS
n12	15	10	142200	1@0	CP_QPSK	706.39	5.10	30	PASS
n12	15	10	142200	1@51	CP_QPSK	715.63	4.97	30	PASS
n12	15	15	141300	79@0	CP_QPSK	698.23	-46.73	-13	PASS
n12	15	15	141300	1@0	CP_QPSK	699.49	5.25	30	PASS
n12	15	15	141300	1@78	CP_QPSK	713.46	4.75	30	PASS
n12	15	15	141700	79@0	CP_QPSK	716.88	-47.47	-13	PASS
n12	15	15	141700	1@0	CP_QPSK	701.47	4.95	30	PASS
n12	15	15	141700	1@78	CP_QPSK	715.48	5.18	30	PASS


n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=1@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=1@51




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=52@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=1@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=1@51




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=52@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=1@78




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=79@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=79@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=1@78




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=1@24




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=1@0



n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=25@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=1@24




6 Out-of-band emissions for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
n12	15	5	140300	25@0	CP_QPSK	3797.20	-36.64	-13	PASS
n12	15	5	140300	1@0	CP_QPSK	3868.30	-37.42	-13	PASS
n12	15	5	140300	1@24	CP_QPSK	3814.08	-37.70	-13	PASS
n12	15	5	142700	25@0	CP_QPSK	5089.60	-37.95	-13	PASS
n12	15	5	142700	1@0	CP_QPSK	2134.45	-38.19	-13	PASS
n12	15	5	142700	1@24	CP_QPSK	5100.18	-37.77	-13	PASS
n12	15	10	140800	52@0	CP_QPSK	3764.58	-37.68	-13	PASS
n12	15	10	140800	1@0	CP_QPSK	1399.15	-36.84	-13	PASS
n12	15	10	140800	1@51	CP_QPSK	2126.13	-33.03	-13	PASS
n12	15	10	142200	52@0	CP_QPSK	3811.38	-37.14	-13	PASS
n12	15	10	142200	1@0	CP_QPSK	8965.23	-37.37	-13	PASS
n12	15	10	142200	1@51	CP_QPSK	5045.28	-37.78	-13	PASS
n12	15	15	141300	79@0	CP_QPSK	5007.48	-37.58	-13	PASS
n12	15	15	141300	1@0	CP_QPSK	2098.90	-35.22	-13	PASS
n12	15	15	141300	1@78	CP_QPSK	2140.98	-34.82	-13	PASS
n12	15	15	141700	79@0	CP_QPSK	3868.53	-37.32	-13	PASS
n12	15	15	141700	1@0	CP_QPSK	1402.98	-36.22	-13	PASS
n12	15	15	141700	1@78	CP_QPSK	3701.13	-37.55	-13	PASS


n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=1@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=1@51




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=1@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=140800 RB=52@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=1@51




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=1@0




n12 SCS=15kHz CP_QPSK BW=10MHz Channel=142200 RB=52@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=1@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=79@0




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141300 RB=1@78




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=1@78




n12 SCS=15kHz CP_QPSK BW=15MHz Channel=141700 RB=79@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=25@0




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=1@24




n12 SCS=15kHz CP_QPSK BW=5MHz Channel=140300 RB=1@0



n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=25@0



n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=1@24



n12 SCS=15kHz CP_QPSK BW=5MHz Channel=142700 RB=1@0

