



**15.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26047,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.35	-13	27.35	Pass	401
1848	1849	1	RMS	1849	-36.08	-13	23.08	Pass	2
1849	1850	0.02	RMS	1850	-25.03	-13	12.03	Pass	401
1850	1852	0.1	RMS	1850.25 5	18.85	30	11.15	Pass	401




**15.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26047,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.87	-13	19.87	Pass	401
1848	1849	1	RMS	1849	-26.77	-13	13.77	Pass	2
1849	1850	0.02	RMS	1850	-33.18	-13	20.18	Pass	401
1850	1852	0.1	RMS	1850.61	10.56	30	19.44	Pass	401




**15.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:26683,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.74 5	19.69	30	10.31	Pass	401
1915	1916	0.02	RMS	1915	-23.95	-13	10.95	Pass	401
1916	1917	1	RMS	1916	-36.32	-13	23.32	Pass	2
1917	1925	1	RMS	1917	-40.81	-13	27.81	Pass	401




**15.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:26683,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.24 5	11.34	30	18.66	Pass	401
1915	1916	0.02	RMS	1915	-31.82	-13	18.82	Pass	401
1916	1917	1	RMS	1916	-27.28	-13	14.28	Pass	2
1917	1925	1	RMS	1917	-33.29	-13	20.29	Pass	401




**15.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:26683,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.745	18.59	30	11.41	Pass	401
1915	1916	0.02	RMS	1915	-24.77	-13	11.77	Pass	401
1916	1917	1	RMS	1916	-36.97	-13	23.97	Pass	2
1917	1925	1	RMS	1917	-41.07	-13	28.07	Pass	401




**15.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:26683,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1913	1915	0.1	RMS	1914.325	10.44	30	19.56	Pass	401
1915	1916	0.02	RMS	1915	-32.97	-13	19.97	Pass	401
1916	1917	1	RMS	1916	-28.16	-13	15.16	Pass	2
1917	1925	1	RMS	1917	-34.72	-13	21.72	Pass	401




15.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.12	-13	28.12	Pass	401
1848	1849	1	RMS	1849	-35.25	-13	22.25	Pass	2
1849	1850	0.03	RMS	1850	-23.44	-13	10.44	Pass	401
1850	1853	0.1	RMS	1850.233	19.76	30	10.24	Pass	401




15.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-29.98	-13	16.98	Pass	401
1848	1849	1	RMS	1849	-28.34	-13	15.34	Pass	2
1849	1850	0.03	RMS	1850	-34.65	-13	21.65	Pass	401
1850	1853	0.1	RMS	1851.433	7.61	30	22.39	Pass	401




15.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-42.06	-13	29.06	Pass	401
1848	1849	1	RMS	1849	-35.92	-13	22.92	Pass	2
1849	1850	0.03	RMS	1850	-23.96	-13	10.96	Pass	401
1850	1853	0.1	RMS	1850.24	18.94	30	11.06	Pass	401




15.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-29.77	-13	16.77	Pass	401
1848	1849	1	RMS	1849	-27.68	-13	14.68	Pass	2
1849	1850	0.03	RMS	1850	-35.91	-13	22.91	Pass	401
1850	1853	0.1	RMS	1851.238	6.6	30	23.4	Pass	401




15.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	19.73	30	10.27	Pass	401
1915	1916	0.03	RMS	1915	-23.01	-13	10.01	Pass	401
1916	1917	1	RMS	1916	-36.71	-13	23.71	Pass	2
1917	1925	1	RMS	1917	-42.2	-13	29.2	Pass	401




15.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.088	7.64	30	22.36	Pass	401
1915	1916	0.03	RMS	1915.003	-35.67	-13	22.67	Pass	401
1916	1917	1	RMS	1916	-27.5	-13	14.5	Pass	2
1917	1925	1	RMS	1917	-30.64	-13	17.64	Pass	401




15.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1914.753	18.72	30	11.28	Pass	401
1915	1916	0.03	RMS	1915	-24.71	-13	11.71	Pass	35
1916	1917	1	RMS	1916	-37.28	-13	24.28	Pass	2
1917	1925	1	RMS	1917.06	-42.75	-13	29.75	Pass	401




15.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1912	1915	0.1	RMS	1913.613	6.42	30	23.58	Pass	401
1915	1916	0.03	RMS	1915	-36.43	-13	23.43	Pass	401
1916	1917	1	RMS	1916	-27.71	-13	14.71	Pass	2
1917	1925	1	RMS	1917	-30.9	-13	17.9	Pass	401




15.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-40.24	-13	27.24	Pass	401
1848	1849	1	RMS	1849	-35.28	-13	22.28	Pass	2
1849	1850	0.051	RMS	1849.998	-14.92	-13	1.92	Pass*	401
1850	1855	0.1	RMS	1850.338	19.46	30	10.54	Pass	401




15.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.8	-13	17.8	Pass	401
1848	1849	1	RMS	1849	-28.86	-13	15.86	Pass	2
1849	1850	0.051	RMS	1850	-27.5	-13	14.5	Pass	401
1850	1855	0.1	RMS	1852.738	5.21	30	24.79	Pass	401




15.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-40.75	-13	27.75	Pass	401
1848	1849	1	RMS	1849	-35.61	-13	22.61	Pass	2
1849	1850	0.051	RMS	1850	-15.05	-13	2.05	Pass*	401
1850	1855	0.1	RMS	1850.338	18.77	30	11.23	Pass	401




15.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-30.21	-13	17.21	Pass	401
1848	1849	1	RMS	1849	-28.74	-13	15.74	Pass	2
1849	1850	0.051	RMS	1849.998	-28.23	-13	15.23	Pass	401
1850	1855	0.1	RMS	1853.313	4.28	30	25.72	Pass	401




15.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.663	19.56	30	10.44	Pass	401
1915	1916	0.051	RMS	1915	-15.16	-13	2.16	Pass*	401
1916	1917	1	RMS	1916	-36.49	-13	23.49	Pass	2
1917	1925	1	RMS	1917.2	-40.46	-13	27.46	Pass	401




15.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1911.85	5.28	30	24.72	Pass	401
1915	1916	0.051	RMS	1915	-27.92	-13	14.92	Pass	401
1916	1917	1	RMS	1916	-28.14	-13	15.14	Pass	2
1917	1925	1	RMS	1917	-30.07	-13	17.07	Pass	401




15.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1914.65	18.68	30	11.32	Pass	401
1915	1916	0.051	RMS	1915.005	-14.91	-13	1.91	Pass*	401
1916	1917	1	RMS	1916	-36.55	-13	23.55	Pass	2
1917	1925	1	RMS	1917	-41	-13	28	Pass	401




15.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1910	1915	0.1	RMS	1910.575	4.34	30	25.66	Pass	401
1915	1916	0.051	RMS	1915	-29.17	-13	16.17	Pass	401
1916	1917	1	RMS	1916	-28.74	-13	15.74	Pass	2
1917	1925	1	RMS	1917	-30.48	-13	17.48	Pass	401




**15.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26090,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.67	-13	28.67	Pass	401
1848	1849	1	RMS	1849	-31.42	-13	18.42	Pass	2
1849	1850	0.1	RMS	1850	-17.75	-13	4.75	Pass*	401
1850	1860	0.1	RMS	1850.575	19.69	30	10.31	Pass	401




15.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-31.52	-13	18.52	Pass	401
1848	1849	1	RMS	1849	-30.91	-13	17.91	Pass	2
1849	1850	0.1	RMS	1849.993	-31.76	-13	18.76	Pass	401
1850	1860	0.1	RMS	1851.9	2.44	30	27.56	Pass	401




**15.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26090,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.87	-13	28.87	Pass	401
1848	1849	1	RMS	1849	-31.83	-13	18.83	Pass	2
1849	1850	0.1	RMS	1849.99 5	-18.74	-13	5.74	Pass*	401
1850	1860	0.1	RMS	1850.6	18.96	30	11.04	Pass	401




15.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.98	-31.37	-13	18.37	Pass	401
1848	1849	1	RMS	1849	-31.04	-13	18.04	Pass	2
1849	1850	0.1	RMS	1850	-32.69	-13	19.69	Pass	401
1850	1860	0.1	RMS	1852.075	1.37	30	28.63	Pass	401




15.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	19.62	30	10.38	Pass	401
1915	1916	0.1	RMS	1915	-17.54	-13	4.54	Pass*	401
1916	1917	1	RMS	1916	-31.5	-13	18.5	Pass	2
1917	1925	1	RMS	1917.86	-42.49	-13	29.49	Pass	401




15.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1905.675	2.54	30	27.46	Pass	401
1915	1916	0.1	RMS	1915.008	-33.56	-13	20.56	Pass	401
1916	1917	1	RMS	1916	-31.14	-13	18.14	Pass	2
1917	1925	1	RMS	1917	-31.76	-13	18.76	Pass	401




**15.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26640,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1914.4	18.65	30	11.35	Pass	401
1915	1916	0.1	RMS	1915.00 3	-18.64	-13	5.64	Pass*	401
1916	1917	1	RMS	1916	-32.3	-13	19.3	Pass	2
1917	1925	1	RMS	1917	-43.15	-13	30.15	Pass	401




15.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1905	1915	0.1	RMS	1906.25	1.69	30	28.31	Pass	401
1915	1916	0.1	RMS	1915.005	-34.23	-13	21.23	Pass	401
1916	1917	1	RMS	1916	-31.57	-13	18.57	Pass	2
1917	1925	1	RMS	1917	-32.18	-13	19.18	Pass	401




15.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-41.79	-13	28.79	Pass	401
1848	1849	1	RMS	1849	-28.47	-13	15.47	Pass	2
1849	1850	0.15	RMS	1849.995	-18.73	-13	5.73	Pass*	401
1850	1865	0.1	RMS	1850.825	19.52	30	10.48	Pass	401




15.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-31.51	-13	18.51	Pass	401
1848	1849	1	RMS	1848	-31.56	-13	18.56	Pass	2
1849	1850	0.15	RMS	1850	-34.01	-13	21.01	Pass	401
1850	1865	0.1	RMS	1863.388	0.85	30	29.15	Pass	401




**15.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26115,
Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-37.63	-13	24.63	Pass	401
1848	1849	1	RMS	1849	-28.73	-13	15.73	Pass	2
1849	1850	0.15	RMS	1850	-18.93	-13	5.93	Pass*	401
1850	1865	0.1	RMS	1850.82 5	18.71	30	11.29	Pass	401




15.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1848	-32.13	-13	19.13	Pass	401
1848	1849	1	RMS	1849	-31.28	-13	18.28	Pass	2
1849	1850	0.15	RMS	1849.995	-34.37	-13	21.37	Pass	401
1850	1865	0.1	RMS	1864.1	-0.24	30	30.24	Pass	401




15.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	19.55	30	10.45	Pass	401
1915	1916	0.15	RMS	1915	-19.49	-13	6.49	Pass	401
1916	1917	1	RMS	1916	-29.3	-13	16.3	Pass	2
1917	1925	1	RMS	1917	-40.86	-13	27.86	Pass	401




15.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1903.938	0.81	30	29.19	Pass	401
1915	1916	0.15	RMS	1915.008	-34.88	-13	21.88	Pass	401
1916	1917	1	RMS	1916	-31.9	-13	18.9	Pass	2
1917	1925	1	RMS	1917.54	-32.69	-13	19.69	Pass	401




15.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1914.175	18.55	30	11.45	Pass	401
1915	1916	0.15	RMS	1915.003	-19.66	-13	6.66	Pass	401
1916	1917	1	RMS	1916	-29.59	-13	16.59	Pass	2
1917	1925	1	RMS	1917	-43.08	-13	30.08	Pass	401




15.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1900	1915	0.1	RMS	1902.625	-0.16	30	30.16	Pass	401
1915	1916	0.15	RMS	1915.008	-35.55	-13	22.55	Pass	401
1916	1917	1	RMS	1916	-32.3	-13	19.3	Pass	2
1917	1925	1	RMS	1917.02	-33.76	-13	20.76	Pass	401




15.41 LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-39.99	-13	26.99	Pass	401
1848	1849	1	RMS	1849	-32.22	-13	19.22	Pass	2
1849	1850	0.2	RMS	1850	-21.98	-13	8.98	Pass	401
1850	1870	0.1	RMS	1851.1	19.36	30	10.64	Pass	401




15.42 LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.94	-33.54	-13	20.54	Pass	401
1848	1849	1	RMS	1849	-33.23	-13	20.23	Pass	2
1849	1850	0.2	RMS	1850	-36.33	-13	23.33	Pass	401
1850	1870	0.1	RMS	1868.35	-0.23	30	30.23	Pass	401




15.43 LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.92	-42.03	-13	29.03	Pass	401
1848	1849	1	RMS	1849	-31.96	-13	18.96	Pass	2
1849	1850	0.2	RMS	1849.995	-21.83	-13	8.83	Pass	401
1850	1870	0.1	RMS	1851.1	18.63	30	11.37	Pass	401




15.44 LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1840	1848	1	RMS	1847.96	-33.54	-13	20.54	Pass	401
1848	1849	1	RMS	1849	-33.31	-13	20.31	Pass	2
1849	1850	0.2	RMS	1849.993	-36.49	-13	23.49	Pass	401
1850	1870	0.1	RMS	1868.55	-1.22	30	31.22	Pass	401




**15.45 LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:26590,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	19.31	30	10.69	Pass	401
1915	1916	0.2	RMS	1915.00 3	-22.03	-13	9.03	Pass	401
1916	1917	1	RMS	1916	-32.7	-13	19.7	Pass	2
1917	1925	1	RMS	1917	-43.82	-13	30.82	Pass	401




15.46 LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1901.25	-0.6	30	30.6	Pass	401
1915	1916	0.2	RMS	1915	-36.71	-13	23.71	Pass	401
1916	1917	1	RMS	1916	-33.28	-13	20.28	Pass	2
1917	1925	1	RMS	1917.04	-34.13	-13	21.13	Pass	401




**15.47 LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:26590,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1913.9	18.29	30	11.71	Pass	401
1915	1916	0.2	RMS	1915	-22.35	-13	9.35	Pass	401
1916	1917	1	RMS	1916	-32.9	-13	19.9	Pass	2
1917	1925	1	RMS	1917.04	-40.75	-13	27.75	Pass	401



**15.48 LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:26590,
Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
1895	1915	0.1	RMS	1902.7	-1.55	30	31.55	Pass	401
1915	1916	0.2	RMS	1915	-37.68	-13	24.68	Pass	401
1916	1917	1	RMS	1916	-33.72	-13	20.72	Pass	2
1917	1925	1	RMS	1917	-34.38	-13	21.38	Pass	401



16. LTE_Band26(part22)


**16.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:26797,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-47.32	-13	34.32	Pass	401
823	824	0.02	RMS	824	-20.78	-13	7.78	Pass	401
824	826	0.1	RMS	824.245	19.96	30	10.04	Pass	401




**16.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:26797,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-32.8	-13	19.8	Pass	401
823	824	0.02	RMS	824	-25.06	-13	12.06	Pass	401
824	826	0.1	RMS	824.765	11.69	30	18.31	Pass	401




**16.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:26797,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.94	-47.78	-13	34.78	Pass	401
823	824	0.02	RMS	824	-22.57	-13	9.57	Pass	401
824	826	0.1	RMS	824.26	18.84	30	11.16	Pass	401




**16.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:26797,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-35.01	-13	22.01	Pass	401
823	824	0.02	RMS	824	-27.29	-13	14.29	Pass	401
824	826	0.1	RMS	824.695	10.61	30	19.39	Pass	401




**16.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:27033,
Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.745	19.96	30	10.04	Pass	401
849	850	0.02	RMS	849	-21.52	-13	8.52	Pass	401
850	860	0.1	RMS	850.1	-48.63	-13	35.63	Pass	401




**16.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:27033,
Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.245	11.6	30	18.4	Pass	401
849	850	0.02	RMS	849	-30.29	-13	17.29	Pass	401
850	860	0.1	RMS	850	-34.81	-13	21.81	Pass	401




**16.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:27033,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.75	18.78	30	11.22	Pass	401
849	850	0.02	RMS	849	-23.17	-13	10.17	Pass	401
850	860	0.1	RMS	850.025	-48.74	-13	35.74	Pass	401




**16.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:27033,
Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
847	849	0.1	RMS	848.325	10.67	30	19.33	Pass	401
849	850	0.02	RMS	849	-32.61	-13	19.61	Pass	401
850	860	0.1	RMS	850	-37.47	-13	24.47	Pass	401




16.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.74	-39.05	-13	26.05	Pass	401
823	824	0.03	RMS	824	-18.52	-13	5.52	Pass*	401
824	827	0.1	RMS	824.24	20.04	30	9.96	Pass	401




16.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-26.1	-13	13.1	Pass	401
823	824	0.03	RMS	824	-27.25	-13	14.25	Pass	401
824	827	0.1	RMS	824.93	7.8	30	22.2	Pass	401




16.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	821.74	-41.61	-13	28.61	Pass	401
823	824	0.03	RMS	824	-20.35	-13	7.35	Pass	401
824	827	0.1	RMS	824.24	18.97	30	11.03	Pass	401




16.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-28.58	-13	15.58	Pass	401
823	824	0.03	RMS	824	-30.24	-13	17.24	Pass	401
824	827	0.1	RMS	825.2	6.81	30	23.19	Pass	401



16.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	20.04	30	9.96	Pass	401
849	850	0.03	RMS	849	-19.75	-13	6.75	Pass	401
850	860	0.1	RMS	851.3	-44.21	-13	31.21	Pass	401



16.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.065	7.91	30	22.09	Pass	401
849	850	0.03	RMS	849	-34.45	-13	21.45	Pass	401
850	860	0.1	RMS	850	-34.38	-13	21.38	Pass	401

