



16.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	848.753	18.95	30	11.05	Pass	401
849	850	0.03	RMS	849	-22.67	-13	9.67	Pass	401
850	860	0.1	RMS	851.25	-47.25	-13	34.25	Pass	401




16.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
846	849	0.1	RMS	847.598	6.73	30	23.27	Pass	401
849	850	0.03	RMS	849	-35.18	-13	22.18	Pass	401
850	860	0.1	RMS	850	-35.21	-13	22.21	Pass	401




16.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.04	-41.08	-13	28.08	Pass	401
823	824	0.051	RMS	824	-20.34	-13	7.34	Pass	401
824	829	0.1	RMS	824.338	19.68	30	10.32	Pass	401




16.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-27.56	-13	14.56	Pass	401
823	824	0.051	RMS	824	-27.85	-13	14.85	Pass	401
824	829	0.1	RMS	825.663	5.58	30	24.42	Pass	401




16.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	820.02	-43.72	-13	30.72	Pass	401
823	824	0.051	RMS	824	-21.04	-13	8.04	Pass	401
824	829	0.1	RMS	824.338	18.79	30	11.21	Pass	401




16.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-29.73	-13	16.73	Pass	401
823	824	0.051	RMS	823.995	-30.02	-13	17.02	Pass	401
824	829	0.1	RMS	824.363	4.62	30	25.38	Pass	401




16.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	19.82	30	10.18	Pass	401
849	850	0.051	RMS	849	-20.83	-13	7.83	Pass	401
850	860	0.1	RMS	852.975	-48.22	-13	35.22	Pass	401




16.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	845.863	5.55	30	24.45	Pass	401
849	850	0.051	RMS	849.005	-32.7	-13	19.7	Pass	401
850	860	0.1	RMS	850	-34.43	-13	21.43	Pass	401




16.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	848.65	18.94	30	11.06	Pass	401
849	850	0.051	RMS	849	-20.89	-13	7.89	Pass	401
850	860	0.1	RMS	850.025	-46.53	-13	33.53	Pass	401




16.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
844	849	0.1	RMS	844.613	4.66	30	25.34	Pass	401
849	850	0.051	RMS	849.003	-33.94	-13	20.94	Pass	401
850	860	0.1	RMS	850	-36.33	-13	23.33	Pass	401




**16.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.78	-40.47	-13	27.47	Pass	401
823	824	0.1	RMS	824	-22.97	-13	9.97	Pass	401
824	834	0.1	RMS	824.6	19.95	30	10.05	Pass	401




**16.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.88	-32.24	-13	19.24	Pass	401
823	824	0.1	RMS	823.988	-30.86	-13	17.86	Pass	401
824	834	0.1	RMS	824.9	2.93	30	27.07	Pass	401




**16.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	815.8	-43	-13	30	Pass	401
823	824	0.1	RMS	824	-24.37	-13	11.37	Pass	401
824	834	0.1	RMS	824.575	18.92	30	11.08	Pass	401




**16.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.9	-34.19	-13	21.19	Pass	401
823	824	0.1	RMS	824	-33.01	-13	20.01	Pass	401
824	834	0.1	RMS	824.775	1.85	30	28.15	Pass	401




**16.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.425	19.93	30	10.07	Pass	401
849	850	0.1	RMS	849	-23.42	-13	10.42	Pass	401
850	860	0.1	RMS	850	-51.13	-13	38.13	Pass	401




**16.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990,
Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	841.025	3.07	30	26.93	Pass	401
849	850	0.1	RMS	849	-35	-13	22	Pass	401
850	860	0.1	RMS	850.025	-37.09	-13	24.09	Pass	401




**16.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990,
Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	18.87	30	11.13	Pass	401
849	850	0.1	RMS	849.003	-24.62	-13	11.62	Pass	401
850	860	0.1	RMS	850.05	-51.69	-13	38.69	Pass	401




**16.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
839	849	0.1	RMS	840.2	2.13	30	27.87	Pass	401
849	850	0.1	RMS	849	-36.6	-13	23.6	Pass	401
850	860	0.1	RMS	850.075	-39.07	-13	26.07	Pass	401




16.33 LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-50.11	-13	37.11	Pass	401
823	824	0.15	RMS	824	-23.73	-13	10.73	Pass	401
824	839	0.1	RMS	824.825	19.81	30	10.19	Pass	401




16.34 LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-33.88	-13	20.88	Pass	401
823	824	0.15	RMS	823.648	-31.69	-13	18.69	Pass	401
824	839	0.1	RMS	837.35	1.67	30	28.33	Pass	401




16.35 LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	823	-49.49	-13	36.49	Pass	401
823	824	0.15	RMS	824	-24.51	-13	11.51	Pass	401
824	839	0.1	RMS	824.825	18.79	30	11.21	Pass	401




16.36 LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
815	823	0.1	RMS	822.84	-36.92	-13	23.92	Pass	401
823	824	0.15	RMS	823.733	-34.61	-13	21.61	Pass	401
824	839	0.1	RMS	837.2	0.53	30	29.47	Pass	401




16.37 LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	19.87	30	10.13	Pass	401
849	850	0.15	RMS	849.003	-25.18	-13	12.18	Pass	401
850	860	0.1	RMS	850.05	-53.12	-13	40.12	Pass	401




16.38 LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	838.688	1.13	30	28.87	Pass	401
849	850	0.15	RMS	849.31	-34.56	-13	21.56	Pass	401
850	860	0.1	RMS	850	-37.74	-13	24.74	Pass	401




16.39 LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	848.138	18.77	30	11.23	Pass	401
849	850	0.15	RMS	849.005	-25.69	-13	12.69	Pass	401
850	860	0.1	RMS	850	-53.55	-13	40.55	Pass	401



16.40 LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
834	849	0.1	RMS	839.4	0.06	30	29.94	Pass	401
849	850	0.15	RMS	849.008	-36.94	-13	23.94	Pass	401
850	860	0.1	RMS	850	-40.48	-13	27.48	Pass	401



17. LTE_Band26(part90)


17.1 LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9125	0.1	RMS	813.913	-22.89	-13	9.89	Pass	401
813.9625	814	0.002	RMS	813.999	-29.38	-20	9.38	Pass	401
814	819	0.1	RMS	814.25	19.94	30	10.06	Pass	401




17.2 LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-21.54	-13	8.54	Pass	401
813.9625	814	0.02	RMS	813.999	-27.95	-20	7.95	Pass	401
814	819	0.1	RMS	814.625	11.54	30	18.46	Pass	401




17.3 LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.7	-13	4.7	Pass	401
813.9625	814	0.002	RMS	813.995	-32.16	-20	12.16	Pass	401
814	819	0.1	RMS	814.263	18.72	30	11.28	Pass	401




17.4 LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.19	-13	10.19	Pass	401
813.9625	814	0.02	RMS	814	-29.73	-20	9.73	Pass	401
814	819	0.1	RMS	814.7	10.57	30	19.43	Pass	401




17.5 LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	19.97	30	10.03	Pass	401
824	824.0375	0.002	RMS	824.003	-28.02	-20	8.02	Pass	401
824.0875	829	0.1	RMS	824.088	-22.51	-13	9.51	Pass	401




17.6 LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.3	11.61	30	18.39	Pass	401
824	824.0375	0.02	RMS	824	-25.92	-20	5.92	Pass	401
824.0375	829	0.1	RMS	824.038	-19.61	-13	6.61	Pass	401




17.7 LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.738	18.77	30	11.23	Pass	401
824	824.0375	0.002	RMS	824.002	-33.19	-20	13.19	Pass	401
824.0875	829	0.1	RMS	824.088	-24.46	-13	11.46	Pass	401




17.8 LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.325	10.71	30	19.29	Pass	401
824	824.0375	0.02	RMS	824	-28.79	-20	8.79	Pass	401
824.0375	829	0.1	RMS	824.038	-22.33	-13	9.33	Pass	401




17.9 LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-16.77	-13	3.77	Pass	401
813.9625	814	0.002	RMS	813.986	-31.03	-20	11.03	Pass	401
814	819	0.1	RMS	814.238	20.01	30	9.99	Pass	401




17.10 LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.6	-13	13.6	Pass	401
813.9625	814	0.03	RMS	814	-31.28	-20	11.28	Pass	401
814	819	0.1	RMS	815.8	7.74	30	22.26	Pass	401




17.11 LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-17.83	-13	4.83	Pass	401
813.9625	814	0.002	RMS	814	-32.26	-20	12.26	Pass	401
814	819	0.1	RMS	814.25	18.98	30	11.02	Pass	401




17.12 LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-28.09	-13	15.09	Pass	401
813.9625	814	0.03	RMS	814	-32.95	-20	12.95	Pass	401
814	819	0.1	RMS	815.225	6.65	30	23.35	Pass	401




17.13 LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.05	30	9.95	Pass	401
824	824.0375	0.002	RMS	824.01	-29.33	-20	9.33	Pass	401
824.0875	829	0.1	RMS	824.088	-22.3	-13	9.3	Pass	401




17.14 LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.075	7.77	30	22.23	Pass	401
824	824.0375	0.03	RMS	824	-29.37	-20	9.37	Pass	401
824.0375	829	0.1	RMS	824.038	-24.52	-13	11.52	Pass	401




17.15 LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	18.85	30	11.15	Pass	401
824	824.0375	0.002	RMS	824.001	-32.48	-20	12.48	Pass	401
824.0375	829	0.1	RMS	824.038	-19.95	-13	6.95	Pass	51




17.16 LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	822.6	6.54	30	23.46	Pass	401
824	824.0375	0.03	RMS	824.007	-31.05	-20	11.05	Pass	401
824.0375	829	0.1	RMS	824.038	-26.66	-13	13.66	Pass	401




17.17 LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-19.74	-13	6.74	Pass	401
813.9625	814	0.002	RMS	813.998	-33.87	-20	13.87	Pass	401
814	819	0.1	RMS	814.338	19.66	30	10.34	Pass	401




17.18 LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-29.28	-13	16.28	Pass	401
813.9625	814	0.051	RMS	813.999	-31.15	-20	11.15	Pass	401
814	819	0.1	RMS	818.575	5.61	30	24.39	Pass	401




17.19 LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-20.13	-13	7.13	Pass	401
813.9625	814	0.002	RMS	813.99	-34.25	-20	14.25	Pass	401
814	819	0.1	RMS	814.338	18.79	30	11.21	Pass	401




17.20 LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.58	-13	17.58	Pass	401
813.9625	814	0.051	RMS	813.999	-32.43	-20	12.43	Pass	401
814	819	0.1	RMS	817.7	4.49	30	25.51	Pass	401




17.21 LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	19.88	30	10.12	Pass	401
824	824.0375	0.002	RMS	824.001	-33.61	-20	13.61	Pass	401
824.0375	829	0.1	RMS	824.038	-19.5	-13	6.5	Pass	401




17.22 LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.838	5.51	30	24.49	Pass	401
824	824.0375	0.051	RMS	824.003	-29.78	-20	9.78	Pass	401
824.0375	829	0.1	RMS	824.038	-27.33	-13	14.33	Pass	401




17.23 LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.663	18.81	30	11.19	Pass	401
824	824.0375	0.002	RMS	824.01	-32.94	-20	12.94	Pass	401
824.0375	829	0.1	RMS	824.038	-19.36	-13	6.36	Pass	401




17.24 LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.275	4.52	30	25.48	Pass	401
824	824.0375	0.051	RMS	824.001	-31.48	-20	11.48	Pass	401
824.0375	829	0.1	RMS	824.038	-29.48	-13	16.48	Pass	401




17.25 LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.12	-13	12.12	Pass	401
813.9625	814	0.02	RMS	814	-30.65	-20	10.65	Pass	401
814	819	0.1	RMS	814.588	19.94	30	10.06	Pass	401




17.26 LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.59	-13	19.59	Pass	401
813.9625	814	0.1	RMS	814	-32.21	-20	12.21	Pass	401
814	819	0.1	RMS	818.238	2.37	30	27.63	Pass	401




17.27 LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-26.14	-13	13.14	Pass	401
813.9625	814	0.02	RMS	814	-31.7	-20	11.7	Pass	401
814	819	0.1	RMS	814.588	19.01	30	10.99	Pass	401




17.28 LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.35	-13	21.35	Pass	401
813.9625	814	0.1	RMS	814	-34.02	-20	14.02	Pass	401
814	819	0.1	RMS	818.988	1.35	30	28.65	Pass	401




17.29 LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	19.89	30	10.11	Pass	401
824	824.0375	0.02	RMS	824	-29.94	-20	9.94	Pass	401
824.0375	829	0.1	RMS	824.038	-24.3	-13	11.3	Pass	401




17.30 LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	821.275	2.54	30	27.46	Pass	401
824	824.0375	0.1	RMS	824	-30.7	-20	10.7	Pass	401
824.0375	829	0.1	RMS	824.038	-30.84	-13	17.84	Pass	401




17.31 LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	823.4	18.86	30	11.14	Pass	401
824	824.0375	0.02	RMS	824	-30.66	-20	10.66	Pass	401
824.0375	829	0.1	RMS	824.038	-25.17	-13	12.17	Pass	401



17.32 LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
819	824	0.1	RMS	820.588	1.58	30	28.42	Pass	401
824	824.0375	0.1	RMS	824.003	-32.64	-20	12.64	Pass	401
824.0375	829	0.1	RMS	824.05	-32.74	-13	19.74	Pass	401



18. LTE_Band38

18.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2561.53	-42.89	-25	17.89	Pass	401
2564	2565	1	RMS	2564.995	-40.44	-13	27.44	Pass	401
2565	2569	1	RMS	2569	-29.22	-10	19.22	Pass	5
2569	2570	0.051	RMS	2569.995	-17.76	-10	7.76	Pass	401
2570	2575	0.1	RMS	2570.325	20.18	30	9.82	Pass	401



18.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-36.1	-25	11.1	Pass	20
2564	2565	1	RMS	2565	-33.88	-13	20.88	Pass	2
2565	2569	1	RMS	2569	-26.2	-10	16.2	Pass	5
2569	2570	0.1	RMS	2570	-27.98	-10	17.98	Pass	401
2570	2575	0.1	RMS	2574.238	6.41	30	23.59	Pass	401

