

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	8
3 Peak-to-Average Ratio	9
4 Occupied bandwidth	16
5 Band edge	35
6 Out-of-band emissions	48

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	23.15	0.68	23.83	33.01	PASS
Band2	1.4	18607	1	#Mid	QPSK	23.12	0.68	23.8	33.01	PASS
Band2	1.4	18607	1	#Max	QPSK	23.14	0.68	23.82	33.01	PASS
Band2	1.4	18607	3	#0	QPSK	23.04	0.68	23.72	33.01	PASS
Band2	1.4	18607	3	#Mid	QPSK	23.08	0.68	23.76	33.01	PASS
Band2	1.4	18607	3	#Max	QPSK	23.03	0.68	23.71	33.01	PASS
Band2	1.4	18607	6	#0	QPSK	22.12	0.68	22.8	33.01	PASS
Band2	1.4	18607	1	#0	QAM16	23.54	0.68	24.22	33.01	PASS
Band2	1.4	18607	1	#Mid	QAM16	23.54	0.68	24.22	33.01	PASS
Band2	1.4	18607	1	#Max	QAM16	23.56	0.68	24.24	33.01	PASS
Band2	1.4	18607	3	#0	QAM16	22.34	0.68	23.02	33.01	PASS
Band2	1.4	18607	3	#Mid	QAM16	22.34	0.68	23.02	33.01	PASS
Band2	1.4	18607	3	#Max	QAM16	22.35	0.68	23.03	33.01	PASS
Band2	1.4	18607	6	#0	QAM16	21.25	0.68	21.93	33.01	PASS
Band2	1.4	18900	1	#0	QPSK	23.07	0.68	23.75	33.01	PASS
Band2	1.4	18900	1	#Mid	QPSK	23.10	0.68	23.78	33.01	PASS
Band2	1.4	18900	1	#Max	QPSK	23.07	0.68	23.75	33.01	PASS
Band2	1.4	18900	3	#0	QPSK	23.12	0.68	23.8	33.01	PASS
Band2	1.4	18900	3	#Mid	QPSK	23.16	0.68	23.84	33.01	PASS
Band2	1.4	18900	3	#Max	QPSK	23.16	0.68	23.84	33.01	PASS
Band2	1.4	18900	6	#0	QPSK	22.11	0.68	22.79	33.01	PASS
Band2	1.4	18900	1	#0	QAM16	22.03	0.68	22.71	33.01	PASS
Band2	1.4	18900	1	#Mid	QAM16	22.05	0.68	22.73	33.01	PASS
Band2	1.4	18900	1	#Max	QAM16	22.05	0.68	22.73	33.01	PASS
Band2	1.4	18900	3	#0	QAM16	22.04	0.68	22.72	33.01	PASS
Band2	1.4	18900	3	#Mid	QAM16	22.08	0.68	22.76	33.01	PASS
Band2	1.4	18900	3	#Max	QAM16	21.99	0.68	22.67	33.01	PASS
Band2	1.4	18900	6	#0	QAM16	21.38	0.68	22.06	33.01	PASS
Band2	1.4	19193	1	#0	QPSK	23.06	0.68	23.74	33.01	PASS
Band2	1.4	19193	1	#Mid	QPSK	23.03	0.68	23.71	33.01	PASS
Band2	1.4	19193	1	#Max	QPSK	23.03	0.68	23.71	33.01	PASS
Band2	1.4	19193	3	#0	QPSK	23.02	0.68	23.7	33.01	PASS
Band2	1.4	19193	3	#Mid	QPSK	22.94	0.68	23.62	33.01	PASS
Band2	1.4	19193	3	#Max	QPSK	22.98	0.68	23.66	33.01	PASS
Band2	1.4	19193	6	#0	QPSK	21.97	0.68	22.65	33.01	PASS
Band2	1.4	19193	1	#0	QAM16	22.44	0.68	23.12	33.01	PASS
Band2	1.4	19193	1	#Mid	QAM16	22.44	0.68	23.12	33.01	PASS

Band2	1.4	19193	1	#Max	QAM16	22.53	0.68	23.21	33.01	PASS
Band2	1.4	19193	3	#0	QAM16	21.98	0.68	22.66	33.01	PASS
Band2	1.4	19193	3	#Mid	QAM16	21.98	0.68	22.66	33.01	PASS
Band2	1.4	19193	3	#Max	QAM16	21.93	0.68	22.61	33.01	PASS
Band2	1.4	19193	6	#0	QAM16	21.06	0.68	21.74	33.01	PASS
Band2	3	18615	1	#0	QPSK	23.07	0.68	23.75	33.01	PASS
Band2	3	18615	1	#Mid	QPSK	23.10	0.68	23.78	33.01	PASS
Band2	3	18615	1	#Max	QPSK	23.04	0.68	23.72	33.01	PASS
Band2	3	18615	8	#0	QPSK	22.09	0.68	22.77	33.01	PASS
Band2	3	18615	8	#Mid	QPSK	22.04	0.68	22.72	33.01	PASS
Band2	3	18615	8	#Max	QPSK	22.05	0.68	22.73	33.01	PASS
Band2	3	18615	15	#0	QPSK	21.98	0.68	22.66	33.01	PASS
Band2	3	18615	1	#0	QAM16	23.64	0.68	24.32	33.01	PASS
Band2	3	18615	1	#Mid	QAM16	23.63	0.68	24.31	33.01	PASS
Band2	3	18615	1	#Max	QAM16	23.70	0.68	24.38	33.01	PASS
Band2	3	18615	8	#0	QAM16	20.98	0.68	21.66	33.01	PASS
Band2	3	18615	8	#Mid	QAM16	20.91	0.68	21.59	33.01	PASS
Band2	3	18615	8	#Max	QAM16	20.93	0.68	21.61	33.01	PASS
Band2	3	18615	15	#0	QAM16	21.18	0.68	21.86	33.01	PASS
Band2	3	18900	1	#0	QPSK	23.11	0.68	23.79	33.01	PASS
Band2	3	18900	1	#Mid	QPSK	23.06	0.68	23.74	33.01	PASS
Band2	3	18900	1	#Max	QPSK	23.02	0.68	23.7	33.01	PASS
Band2	3	18900	8	#0	QPSK	22.09	0.68	22.77	33.01	PASS
Band2	3	18900	8	#Mid	QPSK	22.09	0.68	22.77	33.01	PASS
Band2	3	18900	8	#Max	QPSK	22.19	0.68	22.87	33.01	PASS
Band2	3	18900	15	#0	QPSK	22.23	0.68	22.91	33.01	PASS
Band2	3	18900	1	#0	QAM16	22.08	0.68	22.76	33.01	PASS
Band2	3	18900	1	#Mid	QAM16	22.06	0.68	22.74	33.01	PASS
Band2	3	18900	1	#Max	QAM16	22.01	0.68	22.69	33.01	PASS
Band2	3	18900	8	#0	QAM16	21.11	0.68	21.79	33.01	PASS
Band2	3	18900	8	#Mid	QAM16	21.10	0.68	21.78	33.01	PASS
Band2	3	18900	8	#Max	QAM16	21.10	0.68	21.78	33.01	PASS
Band2	3	18900	15	#0	QAM16	21.12	0.68	21.8	33.01	PASS
Band2	3	19185	1	#0	QPSK	23.09	0.68	23.77	33.01	PASS
Band2	3	19185	1	#Mid	QPSK	23.08	0.68	23.76	33.01	PASS
Band2	3	19185	1	#Max	QPSK	23.10	0.68	23.78	33.01	PASS
Band2	3	19185	8	#0	QPSK	21.96	0.68	22.64	33.01	PASS
Band2	3	19185	8	#Mid	QPSK	22.02	0.68	22.7	33.01	PASS
Band2	3	19185	8	#Max	QPSK	21.94	0.68	22.62	33.01	PASS
Band2	3	19185	15	#0	QPSK	21.96	0.68	22.64	33.01	PASS
Band2	3	19185	1	#0	QAM16	22.52	0.68	23.2	33.01	PASS
Band2	3	19185	1	#Mid	QAM16	22.49	0.68	23.17	33.01	PASS
Band2	3	19185	1	#Max	QAM16	22.49	0.68	23.17	33.01	PASS
Band2	3	19185	8	#0	QAM16	21.07	0.68	21.75	33.01	PASS

Band2	3	19185	8	#Mid	QAM16	21.10	0.68	21.78	33.01	PASS
Band2	3	19185	8	#Max	QAM16	21.08	0.68	21.76	33.01	PASS
Band2	3	19185	15	#0	QAM16	21.16	0.68	21.84	33.01	PASS
Band2	5	18625	1	#0	QPSK	22.99	0.68	23.67	33.01	PASS
Band2	5	18625	1	#Mid	QPSK	23.02	0.68	23.7	33.01	PASS
Band2	5	18625	1	#Max	QPSK	23.06	0.68	23.74	33.01	PASS
Band2	5	18625	12	#0	QPSK	22.09	0.68	22.77	33.01	PASS
Band2	5	18625	12	#Mid	QPSK	22.09	0.68	22.77	33.01	PASS
Band2	5	18625	12	#Max	QPSK	22.12	0.68	22.8	33.01	PASS
Band2	5	18625	25	#0	QPSK	22.08	0.68	22.76	33.01	PASS
Band2	5	18625	1	#0	QAM16	22.64	0.68	23.32	33.01	PASS
Band2	5	18625	1	#Mid	QAM16	22.75	0.68	23.43	33.01	PASS
Band2	5	18625	1	#Max	QAM16	22.69	0.68	23.37	33.01	PASS
Band2	5	18625	12	#0	QAM16	21.06	0.68	21.74	33.01	PASS
Band2	5	18625	12	#Mid	QAM16	21.03	0.68	21.71	33.01	PASS
Band2	5	18625	12	#Max	QAM16	21.01	0.68	21.69	33.01	PASS
Band2	5	18625	25	#0	QAM16	21.27	0.68	21.95	33.01	PASS
Band2	5	18900	1	#0	QPSK	23.21	0.68	23.89	33.01	PASS
Band2	5	18900	1	#Mid	QPSK	23.18	0.68	23.86	33.01	PASS
Band2	5	18900	1	#Max	QPSK	23.19	0.68	23.87	33.01	PASS
Band2	5	18900	12	#0	QPSK	22.16	0.68	22.84	33.01	PASS
Band2	5	18900	12	#Mid	QPSK	22.15	0.68	22.83	33.01	PASS
Band2	5	18900	12	#Max	QPSK	22.07	0.68	22.75	33.01	PASS
Band2	5	18900	25	#0	QPSK	22.20	0.68	22.88	33.01	PASS
Band2	5	18900	1	#0	QAM16	22.76	0.68	23.44	33.01	PASS
Band2	5	18900	1	#Mid	QAM16	22.71	0.68	23.39	33.01	PASS
Band2	5	18900	1	#Max	QAM16	22.86	0.68	23.54	33.01	PASS
Band2	5	18900	12	#0	QAM16	21.04	0.68	21.72	33.01	PASS
Band2	5	18900	12	#Mid	QAM16	21.07	0.68	21.75	33.01	PASS
Band2	5	18900	12	#Max	QAM16	21.02	0.68	21.7	33.01	PASS
Band2	5	18900	25	#0	QAM16	21.22	0.68	21.9	33.01	PASS
Band2	5	19175	1	#0	QPSK	22.88	0.68	23.56	33.01	PASS
Band2	5	19175	1	#Mid	QPSK	22.82	0.68	23.5	33.01	PASS
Band2	5	19175	1	#Max	QPSK	22.75	0.68	23.43	33.01	PASS
Band2	5	19175	12	#0	QPSK	22.03	0.68	22.71	33.01	PASS
Band2	5	19175	12	#Mid	QPSK	22.03	0.68	22.71	33.01	PASS
Band2	5	19175	12	#Max	QPSK	22.05	0.68	22.73	33.01	PASS
Band2	5	19175	25	#0	QPSK	21.98	0.68	22.66	33.01	PASS
Band2	5	19175	1	#0	QAM16	23.13	0.68	23.81	33.01	PASS
Band2	5	19175	1	#Mid	QAM16	23.09	0.68	23.77	33.01	PASS
Band2	5	19175	1	#Max	QAM16	23.02	0.68	23.7	33.01	PASS
Band2	5	19175	12	#0	QAM16	21.05	0.68	21.73	33.01	PASS
Band2	5	19175	12	#Mid	QAM16	21.05	0.68	21.73	33.01	PASS
Band2	5	19175	12	#Max	QAM16	20.99	0.68	21.67	33.01	PASS

Band2	5	19175	25	#0	QAM16	21.23	0.68	21.91	33.01	PASS
Band2	10	18650	1	#0	QPSK	23.01	0.68	23.69	33.01	PASS
Band2	10	18650	1	#Mid	QPSK	22.99	0.68	23.67	33.01	PASS
Band2	10	18650	1	#Max	QPSK	23.13	0.68	23.81	33.01	PASS
Band2	10	18650	25	#0	QPSK	22.14	0.68	22.82	33.01	PASS
Band2	10	18650	25	#Mid	QPSK	22.07	0.68	22.75	33.01	PASS
Band2	10	18650	25	#Max	QPSK	22.15	0.68	22.83	33.01	PASS
Band2	10	18650	50	#0	QPSK	22.14	0.68	22.82	33.01	PASS
Band2	10	18650	1	#0	QAM16	23.65	0.68	24.33	33.01	PASS
Band2	10	18650	1	#Mid	QAM16	23.66	0.68	24.34	33.01	PASS
Band2	10	18650	1	#Max	QAM16	23.67	0.68	24.35	33.01	PASS
Band2	10	18650	25	#0	QAM16	21.20	0.68	21.88	33.01	PASS
Band2	10	18650	25	#Mid	QAM16	21.60	0.68	22.28	33.01	PASS
Band2	10	18650	25	#Max	QAM16	21.21	0.68	21.89	33.01	PASS
Band2	10	18650	50	#0	QAM16	21.56	0.68	22.24	33.01	PASS
Band2	10	18900	1	#0	QPSK	23.08	0.68	23.76	33.01	PASS
Band2	10	18900	1	#Mid	QPSK	23.13	0.68	23.81	33.01	PASS
Band2	10	18900	1	#Max	QPSK	23.17	0.68	23.85	33.01	PASS
Band2	10	18900	25	#0	QPSK	22.21	0.68	22.89	33.01	PASS
Band2	10	18900	25	#Mid	QPSK	22.14	0.68	22.82	33.01	PASS
Band2	10	18900	25	#Max	QPSK	22.17	0.68	22.85	33.01	PASS
Band2	10	18900	50	#0	QPSK	22.22	0.68	22.9	33.01	PASS
Band2	10	18900	1	#0	QAM16	23.44	0.68	24.12	33.01	PASS
Band2	10	18900	1	#Mid	QAM16	23.46	0.68	24.14	33.01	PASS
Band2	10	18900	1	#Max	QAM16	23.43	0.68	24.11	33.01	PASS
Band2	10	18900	25	#0	QAM16	21.33	0.68	22.01	33.01	PASS
Band2	10	18900	25	#Mid	QAM16	21.26	0.68	21.94	33.01	PASS
Band2	10	18900	25	#Max	QAM16	21.32	0.68	22	33.01	PASS
Band2	10	18900	50	#0	QAM16	21.25	0.68	21.93	33.01	PASS
Band2	10	19150	1	#0	QPSK	23.10	0.68	23.78	33.01	PASS
Band2	10	19150	1	#Mid	QPSK	23.05	0.68	23.73	33.01	PASS
Band2	10	19150	1	#Max	QPSK	22.96	0.68	23.64	33.01	PASS
Band2	10	19150	25	#0	QPSK	22.11	0.68	22.79	33.01	PASS
Band2	10	19150	25	#Mid	QPSK	22.10	0.68	22.78	33.01	PASS
Band2	10	19150	25	#Max	QPSK	22.02	0.68	22.7	33.01	PASS
Band2	10	19150	50	#0	QPSK	22.06	0.68	22.74	33.01	PASS
Band2	10	19150	1	#0	QAM16	22.95	0.68	23.63	33.01	PASS
Band2	10	19150	1	#Mid	QAM16	22.85	0.68	23.53	33.01	PASS
Band2	10	19150	1	#Max	QAM16	22.77	0.68	23.45	33.01	PASS
Band2	10	19150	25	#0	QAM16	21.15	0.68	21.83	33.01	PASS
Band2	10	19150	25	#Mid	QAM16	21.17	0.68	21.85	33.01	PASS
Band2	10	19150	25	#Max	QAM16	21.13	0.68	21.81	33.01	PASS
Band2	10	19150	50	#0	QAM16	21.14	0.68	21.82	33.01	PASS
Band2	15	18675	1	#0	QPSK	23.08	0.68	23.76	33.01	PASS

Band2	15	18675	1	#Mid	QPSK	23.12	0.68	23.8	33.01	PASS
Band2	15	18675	1	#Max	QPSK	23.10	0.68	23.78	33.01	PASS
Band2	15	18675	36	#0	QPSK	22.11	0.68	22.79	33.01	PASS
Band2	15	18675	36	#Mid	QPSK	22.10	0.68	22.78	33.01	PASS
Band2	15	18675	36	#Max	QPSK	22.14	0.68	22.82	33.01	PASS
Band2	15	18675	75	#0	QPSK	22.07	0.68	22.75	33.01	PASS
Band2	15	18675	1	#0	QAM16	23.61	0.68	24.29	33.01	PASS
Band2	15	18675	1	#Mid	QAM16	23.58	0.68	24.26	33.01	PASS
Band2	15	18675	1	#Max	QAM16	23.59	0.68	24.27	33.01	PASS
Band2	15	18675	36	#0	QAM16	21.63	0.68	22.31	33.01	PASS
Band2	15	18675	36	#Mid	QAM16	21.25	0.68	21.93	33.01	PASS
Band2	15	18675	36	#Max	QAM16	21.19	0.68	21.87	33.01	PASS
Band2	15	18675	75	#0	QAM16	21.23	0.68	21.91	33.01	PASS
Band2	15	18900	1	#0	QPSK	23.19	0.68	23.87	33.01	PASS
Band2	15	18900	1	#Mid	QPSK	23.15	0.68	23.83	33.01	PASS
Band2	15	18900	1	#Max	QPSK	23.27	0.68	23.95	33.01	PASS
Band2	15	18900	36	#0	QPSK	22.21	0.68	22.89	33.01	PASS
Band2	15	18900	36	#Mid	QPSK	22.21	0.68	22.89	33.01	PASS
Band2	15	18900	36	#Max	QPSK	22.24	0.68	22.92	33.01	PASS
Band2	15	18900	75	#0	QPSK	22.26	0.68	22.94	33.01	PASS
Band2	15	18900	1	#0	QAM16	23.45	0.68	24.13	33.01	PASS
Band2	15	18900	1	#Mid	QAM16	23.43	0.68	24.11	33.01	PASS
Band2	15	18900	1	#Max	QAM16	23.44	0.68	24.12	33.01	PASS
Band2	15	18900	36	#0	QAM16	21.38	0.68	22.06	33.01	PASS
Band2	15	18900	36	#Mid	QAM16	21.36	0.68	22.04	33.01	PASS
Band2	15	18900	36	#Max	QAM16	21.44	0.68	22.12	33.01	PASS
Band2	15	18900	75	#0	QAM16	21.18	0.68	21.86	33.01	PASS
Band2	15	19125	1	#0	QPSK	23.26	0.68	23.94	33.01	PASS
Band2	15	19125	1	#Mid	QPSK	23.08	0.68	23.76	33.01	PASS
Band2	15	19125	1	#Max	QPSK	22.96	0.68	23.64	33.01	PASS
Band2	15	19125	36	#0	QPSK	22.24	0.68	22.92	33.01	PASS
Band2	15	19125	36	#Mid	QPSK	22.06	0.68	22.74	33.01	PASS
Band2	15	19125	36	#Max	QPSK	22.09	0.68	22.77	33.01	PASS
Band2	15	19125	75	#0	QPSK	22.08	0.68	22.76	33.01	PASS
Band2	15	19125	1	#0	QAM16	23.59	0.68	24.27	33.01	PASS
Band2	15	19125	1	#Mid	QAM16	23.45	0.68	24.13	33.01	PASS
Band2	15	19125	1	#Max	QAM16	23.33	0.68	24.01	33.01	PASS
Band2	15	19125	36	#0	QAM16	21.12	0.68	21.8	33.01	PASS
Band2	15	19125	36	#Mid	QAM16	21.09	0.68	21.77	33.01	PASS
Band2	15	19125	36	#Max	QAM16	21.06	0.68	21.74	33.01	PASS
Band2	15	19125	75	#0	QAM16	21.21	0.68	21.89	33.01	PASS
Band2	20	18700	1	#0	QPSK	23.24	0.68	23.92	33.01	PASS
Band2	20	18700	1	#Mid	QPSK	23.30	0.68	23.98	33.01	PASS
Band2	20	18700	1	#Max	QPSK	23.23	0.68	23.91	33.01	PASS

Band2	20	18700	50	#0	QPSK	22.23	0.68	22.91	33.01	PASS
Band2	20	18700	50	#Mid	QPSK	22.22	0.68	22.9	33.01	PASS
Band2	20	18700	50	#Max	QPSK	22.05	0.68	22.73	33.01	PASS
Band2	20	18700	100	#0	QPSK	22.05	0.68	22.73	33.01	PASS
Band2	20	18700	1	#0	QAM16	22.72	0.68	23.4	33.01	PASS
Band2	20	18700	1	#Mid	QAM16	22.75	0.68	23.43	33.01	PASS
Band2	20	18700	1	#Max	QAM16	22.64	0.68	23.32	33.01	PASS
Band2	20	18700	50	#0	QAM16	21.68	0.68	22.36	33.01	PASS
Band2	20	18700	50	#Mid	QAM16	21.24	0.68	21.92	33.01	PASS
Band2	20	18700	50	#Max	QAM16	21.37	0.68	22.05	33.01	PASS
Band2	20	18700	100	#0	QAM16	21.27	0.68	21.95	33.01	PASS
Band2	20	18900	1	#0	QPSK	23.40	0.68	24.08	33.01	PASS
Band2	20	18900	1	#Mid	QPSK	23.41	0.68	24.09	33.01	PASS
Band2	20	18900	1	#Max	QPSK	23.53	0.68	24.21	33.01	PASS
Band2	20	18900	50	#0	QPSK	22.22	0.68	22.9	33.01	PASS
Band2	20	18900	50	#Mid	QPSK	22.21	0.68	22.89	33.01	PASS
Band2	20	18900	50	#Max	QPSK	22.25	0.68	22.93	33.01	PASS
Band2	20	18900	100	#0	QPSK	22.04	0.68	22.72	33.01	PASS
Band2	20	18900	1	#0	QAM16	22.21	0.68	22.89	33.01	PASS
Band2	20	18900	1	#Mid	QAM16	22.23	0.68	22.91	33.01	PASS
Band2	20	18900	1	#Max	QAM16	22.33	0.68	23.01	33.01	PASS
Band2	20	18900	50	#0	QAM16	21.15	0.68	21.83	33.01	PASS
Band2	20	18900	50	#Mid	QAM16	21.18	0.68	21.86	33.01	PASS
Band2	20	18900	50	#Max	QAM16	21.23	0.68	21.91	33.01	PASS
Band2	20	18900	100	#0	QAM16	21.19	0.68	21.87	33.01	PASS
Band2	20	19100	1	#0	QPSK	23.40	0.68	24.08	33.01	PASS
Band2	20	19100	1	#Mid	QPSK	23.26	0.68	23.94	33.01	PASS
Band2	20	19100	1	#Max	QPSK	23.12	0.68	23.8	33.01	PASS
Band2	20	19100	50	#0	QPSK	22.27	0.68	22.95	33.01	PASS
Band2	20	19100	50	#Mid	QPSK	22.12	0.68	22.8	33.01	PASS
Band2	20	19100	50	#Max	QPSK	21.98	0.68	22.66	33.01	PASS
Band2	20	19100	100	#0	QPSK	22.05	0.68	22.73	33.01	PASS
Band2	20	19100	1	#0	QAM16	23.17	0.68	23.85	33.01	PASS
Band2	20	19100	1	#Mid	QAM16	22.91	0.68	23.59	33.01	PASS
Band2	20	19100	1	#Max	QAM16	22.79	0.68	23.47	33.01	PASS
Band2	20	19100	50	#0	QAM16	21.30	0.68	21.98	33.01	PASS
Band2	20	19100	50	#Mid	QAM16	21.25	0.68	21.93	33.01	PASS
Band2	20	19100	50	#Max	QAM16	21.20	0.68	21.88	33.01	PASS
Band2	20	19100	100	#0	QAM16	21.23	0.68	21.91	33.01	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band2	20	18700	100	#0	QPSK	-5.76	-0.003	-2.5	2.5	PASS
Band2	20	18700	100	#0	QAM16	-16.88	-0.009	-2.5	2.5	PASS
Band2	20	18900	100	#0	QPSK	-6.38	-0.003	-2.5	2.5	PASS
Band2	20	18900	100	#0	QAM16	-11.74	-0.006	-2.5	2.5	PASS
Band2	20	19100	100	#0	QPSK	7.72	0.004	-2.5	2.5	PASS
Band2	20	19100	100	#0	QAM16	11.67	0.006	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18900	1	#0	QPSK	5.25	13	PASS
Band2	1.4	18900	1	#0	QAM16	5.54	13	PASS
Band2	3	18900	1	#0	QPSK	5.23	13	PASS
Band2	3	18900	1	#0	QAM16	6.17	13	PASS
Band2	5	18900	1	#0	QPSK	5.33	13	PASS
Band2	5	18900	1	#0	QAM16	5.94	13	PASS
Band2	10	18900	1	#0	QPSK	5.19	13	PASS
Band2	10	18900	1	#0	QAM16	5.77	13	PASS
Band2	15	18900	1	#0	QPSK	5.16	13	PASS
Band2	15	18900	1	#0	QAM16	5.81	13	PASS
Band2	20	18900	1	#0	QPSK	4.90	13	PASS
Band2	20	18900	1	#0	QAM16	5.23	13	PASS



Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=1 Position=#0







Band2 QAM16 BW=10MHz Channel=18900 RB Size=1 Position=#0


**Band2 QAM16 BW=15MHz Channel=18900 RB Size=1 Position=#0****Band2 QAM16 BW=5MHz Channel=18900 RB Size=1 Position=#0**

**Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0****Band2 QAM16 BW=20MHz Channel=18900 RB Size=1 Position=#0**

**Band2 QAM16 BW=3MHz Channel=18900 RB Size=1 Position=#0****Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0**

**Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0****Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0**


**Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0****Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0**




4 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band2	1.4	18607	6	#0	QPSK	1.088	1.248	PASS
Band2	1.4	18607	6	#0	QAM16	1.094	1.238	PASS
Band2	1.4	18900	6	#0	QPSK	1.090	1.237	PASS
Band2	1.4	18900	6	#0	QAM16	1.098	1.229	PASS
Band2	1.4	19193	6	#0	QPSK	1.093	1.242	PASS
Band2	1.4	19193	6	#0	QAM16	1.097	1.242	PASS
Band2	3	18615	15	#0	QPSK	2.711	3.010	PASS
Band2	3	18615	15	#0	QAM16	2.701	2.970	PASS
Band2	3	18900	15	#0	QPSK	2.715	3.034	PASS
Band2	3	18900	15	#0	QAM16	2.707	2.974	PASS
Band2	3	19185	15	#0	QPSK	2.727	3.034	PASS
Band2	3	19185	15	#0	QAM16	2.702	3.044	PASS
Band2	5	18625	25	#0	QPSK	4.499	4.937	PASS
Band2	5	18625	25	#0	QAM16	4.509	4.978	PASS
Band2	5	18900	25	#0	QPSK	4.500	4.942	PASS
Band2	5	18900	25	#0	QAM16	4.502	4.908	PASS
Band2	5	19175	25	#0	QPSK	4.503	4.929	PASS
Band2	5	19175	25	#0	QAM16	4.526	4.944	PASS
Band2	10	18650	50	#0	QPSK	8.997	9.788	PASS
Band2	10	18650	50	#0	QAM16	8.981	9.754	PASS
Band2	10	18900	50	#0	QPSK	8.984	9.790	PASS
Band2	10	18900	50	#0	QAM16	9.012	9.624	PASS
Band2	10	19150	50	#0	QPSK	8.998	9.789	PASS
Band2	10	19150	50	#0	QAM16	8.976	9.801	PASS
Band2	15	18675	75	#0	QPSK	13.478	14.667	PASS
Band2	15	18675	75	#0	QAM16	13.454	14.370	PASS
Band2	15	18900	75	#0	QPSK	13.438	14.933	PASS
Band2	15	18900	75	#0	QAM16	13.435	14.500	PASS
Band2	15	19125	75	#0	QPSK	13.433	14.814	PASS
Band2	15	19125	75	#0	QAM16	13.448	14.554	PASS
Band2	20	18700	100	#0	QPSK	17.997	19.424	PASS
Band2	20	18700	100	#0	QAM16	17.926	19.424	PASS
Band2	20	18900	100	#0	QPSK	18.048	19.314	PASS
Band2	20	18900	100	#0	QAM16	18.066	19.329	PASS
Band2	20	19100	100	#0	QPSK	17.945	19.661	PASS
Band2	20	19100	100	#0	QAM16	17.979	19.293	PASS



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0



**Band2 QAM16 BW=1.4MHz Channel=18900 RB Size=6 Position=#0****Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0**







Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0







Band2 QAM16 BW=20MHz Channel=18900 RB Size=100 Position=#0



**Band2 QAM16 BW=15MHz Channel=18900 RB Size=75 Position=#0****Band2 QAM16 BW=10MHz Channel=18900 RB Size=50 Position=#0**



**Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0****Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0**



**Band2 QAM16 BW=5MHz Channel=18900 RB Size=25 Position=#0****Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0**



**Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0****Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0**



**Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0****Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0**



**Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0****Band2 QAM16 BW=3MHz Channel=18900 RB Size=15 Position=#0**



**Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0****Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0**



**Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0****Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0**



**Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0****Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0**



**Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0****Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0**

**Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0****Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0**

**Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0****Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0**

**Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0****Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0**


**Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0****Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0**

**Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0**

5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	1850.00	-30.85	-13	PASS
Band2	1.4	18607	6	#0	QAM16	1850.00	-32.03	-13	PASS
Band2	1.4	19193	6	#0	QPSK	1910.00	-32.15	-13	PASS
Band2	1.4	19193	6	#0	QAM16	1910.02	-32.12	-13	PASS
Band2	3	18615	15	#0	QPSK	1850.00	-23.38	-13	PASS
Band2	3	18615	15	#0	QAM16	1849.98	-26.52	-13	PASS
Band2	3	19185	15	#0	QPSK	1910.00	-24.22	-13	PASS
Band2	3	19185	15	#0	QAM16	1910.00	-24.93	-13	PASS
Band2	5	18625	25	#0	QPSK	1850.00	-30.33	-13	PASS
Band2	5	18625	25	#0	QAM16	1850.00	-30.82	-13	PASS
Band2	5	19175	25	#0	QPSK	1910.00	-31.18	-13	PASS
Band2	5	19175	25	#0	QAM16	1910.00	-31.48	-13	PASS
Band2	10	18650	50	#0	QPSK	1850.00	-33.02	-13	PASS
Band2	10	18650	50	#0	QAM16	1850.00	-33.80	-13	PASS
Band2	10	19150	50	#0	QPSK	1910.04	-34.13	-13	PASS
Band2	10	19150	50	#0	QAM16	1910.00	-33.26	-13	PASS
Band2	15	18675	75	#0	QPSK	1850.00	-33.02	-13	PASS
Band2	15	18675	75	#0	QAM16	1849.88	-34.35	-13	PASS
Band2	15	19125	75	#0	QPSK	1910.03	-32.69	-13	PASS
Band2	15	19125	75	#0	QAM16	1910.00	-35.07	-13	PASS
Band2	20	18700	100	#0	QPSK	1850.00	-36.88	-13	PASS
Band2	20	18700	100	#0	QAM16	1849.96	-34.97	-13	PASS
Band2	20	19100	100	#0	QPSK	1910.00	-35.22	-13	PASS
Band2	20	19100	100	#0	QAM16	1910.08	-35.55	-13	PASS


Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0



Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0




Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0



Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0




Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0



Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0



Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0



Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0




Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0




Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0



Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0





Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0






6 Out-of-band emissions

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band2	1.4	18607	6	#0	QPSK	3701.58	-35.29	-13	PASS
Band2	1.4	18607	6	#0	QAM16	3700.90	-35.01	-13	PASS
Band2	1.4	19193	6	#0	QPSK	3818.58	-30.97	-13	PASS
Band2	1.4	19193	6	#0	QAM16	3817.90	-30.07	-13	PASS
Band2	3	18615	15	#0	QPSK	3880.45	-37.64	-13	PASS
Band2	3	18615	15	#0	QAM16	3819.70	-37.14	-13	PASS
Band2	3	19185	15	#0	QPSK	3816.55	-34.12	-13	PASS
Band2	3	19185	15	#0	QAM16	3816.10	-33.61	-13	PASS
Band2	5	18625	25	#0	QPSK	3817.90	-37.75	-13	PASS
Band2	5	18625	25	#0	QAM16	3702.70	-38.26	-13	PASS
Band2	5	19175	25	#0	QPSK	3814.53	-33.65	-13	PASS
Band2	5	19175	25	#0	QAM16	3812.73	-35.22	-13	PASS
Band2	10	18650	50	#0	QPSK	3767.73	-37.77	-13	PASS
Band2	10	18650	50	#0	QAM16	2431.68	-37.36	-13	PASS
Band2	10	19150	50	#0	QPSK	3813.85	-34.47	-13	PASS
Band2	10	19150	50	#0	QAM16	3809.58	-36.93	-13	PASS
Band2	15	18675	75	#0	QPSK	3714.40	-37.36	-13	PASS
Band2	15	18675	75	#0	QAM16	3756.48	-37.28	-13	PASS
Band2	15	19125	75	#0	QPSK	3801.25	-36.99	-13	PASS
Band2	15	19125	75	#0	QAM16	3812.95	-37.05	-13	PASS
Band2	20	18700	100	#0	QPSK	3765.70	-37.84	-13	PASS
Band2	20	18700	100	#0	QAM16	3770.65	-38.16	-13	PASS
Band2	20	19100	100	#0	QPSK	3793.83	-36.85	-13	PASS
Band2	20	19100	100	#0	QAM16	3801.03	-36.76	-13	PASS


Band2 QAM16 BW=10MHz Channel=18650 RB Size=50 Position=#0

**Band2 QAM16 BW=10MHz Channel=19150 RB Size=50 Position=#0****Band2 QAM16 BW=1.4MHz Channel=18607 RB Size=6 Position=#0**



**Band2 QAM16 BW=1.4MHz Channel=19193 RB Size=6 Position=#0****Band2 QAM16 BW=20MHz Channel=19100 RB Size=100 Position=#0**






Band2 QAM16 BW=3MHz Channel=18615 RB Size=15 Position=#0




Band2 QAM16 BW=20MHz Channel=18700 RB Size=100 Position=#0

**Band2 QAM16 BW=15MHz Channel=18675 RB Size=75 Position=#0****Band2 QAM16 BW=15MHz Channel=19125 RB Size=75 Position=#0**



**Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0****Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0**







Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0







Band2 QAM16 BW=3MHz Channel=19185 RB Size=15 Position=#0


**Band2 QAM16 BW=5MHz Channel=18625 RB Size=25 Position=#0****Band2 QAM16 BW=5MHz Channel=19175 RB Size=25 Position=#0**

**Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0****Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0**

**Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0****Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0**

**Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0****Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0**

**Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0****Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0**



Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0

