

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	6
3 Peak-to-Average Ratio	7
4 Occupied bandwidth	12
5 Band edge	25
6 Out-of-band emissions	34

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	23.28	0.7	-1.45	21.83	38.45	PASS
Band5	1.4	20407	1	#Mid	QPSK	23.26	0.7	-1.45	21.81	38.45	PASS
Band5	1.4	20407	1	#Max	QPSK	23.26	0.7	-1.45	21.81	38.45	PASS
Band5	1.4	20407	3	#0	QPSK	23.29	0.7	-1.45	21.84	38.45	PASS
Band5	1.4	20407	3	#Mid	QPSK	23.25	0.7	-1.45	21.8	38.45	PASS
Band5	1.4	20407	3	#Max	QPSK	23.23	0.7	-1.45	21.78	38.45	PASS
Band5	1.4	20407	6	#0	QPSK	22.22	0.7	-1.45	20.77	38.45	PASS
Band5	1.4	20407	1	#0	QAM16	23.97	0.7	-1.45	22.52	38.45	PASS
Band5	1.4	20407	1	#Mid	QAM16	23.91	0.7	-1.45	22.46	38.45	PASS
Band5	1.4	20407	1	#Max	QAM16	23.86	0.7	-1.45	22.41	38.45	PASS
Band5	1.4	20407	3	#0	QAM16	22.47	0.7	-1.45	21.02	38.45	PASS
Band5	1.4	20407	3	#Mid	QAM16	22.52	0.7	-1.45	21.07	38.45	PASS
Band5	1.4	20407	3	#Max	QAM16	22.49	0.7	-1.45	21.04	38.45	PASS
Band5	1.4	20407	6	#0	QAM16	21.70	0.7	-1.45	20.25	38.45	PASS
Band5	1.4	20525	1	#0	QPSK	23.54	0.7	-1.45	22.09	38.45	PASS
Band5	1.4	20525	1	#Mid	QPSK	23.56	0.7	-1.45	22.11	38.45	PASS
Band5	1.4	20525	1	#Max	QPSK	23.55	0.7	-1.45	22.1	38.45	PASS
Band5	1.4	20525	3	#0	QPSK	23.47	0.7	-1.45	22.02	38.45	PASS
Band5	1.4	20525	3	#Mid	QPSK	23.50	0.7	-1.45	22.05	38.45	PASS
Band5	1.4	20525	3	#Max	QPSK	23.49	0.7	-1.45	22.04	38.45	PASS
Band5	1.4	20525	6	#0	QPSK	22.55	0.7	-1.45	21.1	38.45	PASS
Band5	1.4	20525	1	#0	QAM16	23.08	0.7	-1.45	21.63	38.45	PASS
Band5	1.4	20525	1	#Mid	QAM16	23.10	0.7	-1.45	21.65	38.45	PASS
Band5	1.4	20525	1	#Max	QAM16	23.07	0.7	-1.45	21.62	38.45	PASS
Band5	1.4	20525	3	#0	QAM16	22.55	0.7	-1.45	21.1	38.45	PASS
Band5	1.4	20525	3	#Mid	QAM16	22.57	0.7	-1.45	21.12	38.45	PASS
Band5	1.4	20525	3	#Max	QAM16	22.60	0.7	-1.45	21.15	38.45	PASS
Band5	1.4	20525	6	#0	QAM16	21.77	0.7	-1.45	20.32	38.45	PASS
Band5	1.4	20643	1	#0	QPSK	23.58	0.7	-1.45	22.13	38.45	PASS
Band5	1.4	20643	1	#Mid	QPSK	23.66	0.7	-1.45	22.21	38.45	PASS
Band5	1.4	20643	1	#Max	QPSK	23.60	0.7	-1.45	22.15	38.45	PASS
Band5	1.4	20643	3	#0	QPSK	23.52	0.7	-1.45	22.07	38.45	PASS
Band5	1.4	20643	3	#Mid	QPSK	23.55	0.7	-1.45	22.1	38.45	PASS
Band5	1.4	20643	3	#Max	QPSK	23.60	0.7	-1.45	22.15	38.45	PASS
Band5	1.4	20643	6	#0	QPSK	22.57	0.7	-1.45	21.12	38.45	PASS
Band5	1.4	20643	1	#0	QAM16	24.09	0.7	-1.45	22.64	38.45	PASS
Band5	1.4	20643	1	#Mid	QAM16	24.02	0.7	-1.45	22.57	38.45	PASS

Band5	1.4	20643	1	#Max	QAM16	24.04	0.7	-1.45	22.59	38.45	PASS
Band5	1.4	20643	3	#0	QAM16	22.88	0.7	-1.45	21.43	38.45	PASS
Band5	1.4	20643	3	#Mid	QAM16	22.86	0.7	-1.45	21.41	38.45	PASS
Band5	1.4	20643	3	#Max	QAM16	22.82	0.7	-1.45	21.37	38.45	PASS
Band5	1.4	20643	6	#0	QAM16	21.68	0.7	-1.45	20.23	38.45	PASS
Band5	3	20415	1	#0	QPSK	23.19	0.7	-1.45	21.74	38.45	PASS
Band5	3	20415	1	#Mid	QPSK	23.16	0.7	-1.45	21.71	38.45	PASS
Band5	3	20415	1	#Max	QPSK	23.17	0.7	-1.45	21.72	38.45	PASS
Band5	3	20415	8	#0	QPSK	22.19	0.7	-1.45	20.74	38.45	PASS
Band5	3	20415	8	#Mid	QPSK	22.15	0.7	-1.45	20.7	38.45	PASS
Band5	3	20415	8	#Max	QPSK	22.29	0.7	-1.45	20.84	38.45	PASS
Band5	3	20415	15	#0	QPSK	22.19	0.7	-1.45	20.74	38.45	PASS
Band5	3	20415	1	#0	QAM16	23.77	0.7	-1.45	22.32	38.45	PASS
Band5	3	20415	1	#Mid	QAM16	23.77	0.7	-1.45	22.32	38.45	PASS
Band5	3	20415	1	#Max	QAM16	23.84	0.7	-1.45	22.39	38.45	PASS
Band5	3	20415	8	#0	QAM16	21.43	0.7	-1.45	19.98	38.45	PASS
Band5	3	20415	8	#Mid	QAM16	21.44	0.7	-1.45	19.99	38.45	PASS
Band5	3	20415	8	#Max	QAM16	21.18	0.7	-1.45	19.73	38.45	PASS
Band5	3	20415	15	#0	QAM16	21.61	0.7	-1.45	20.16	38.45	PASS
Band5	3	20525	1	#0	QPSK	23.61	0.7	-1.45	22.16	38.45	PASS
Band5	3	20525	1	#Mid	QPSK	23.57	0.7	-1.45	22.12	38.45	PASS
Band5	3	20525	1	#Max	QPSK	23.76	0.7	-1.45	22.31	38.45	PASS
Band5	3	20525	8	#0	QPSK	22.52	0.7	-1.45	21.07	38.45	PASS
Band5	3	20525	8	#Mid	QPSK	22.50	0.7	-1.45	21.05	38.45	PASS
Band5	3	20525	8	#Max	QPSK	22.51	0.7	-1.45	21.06	38.45	PASS
Band5	3	20525	15	#0	QPSK	22.45	0.7	-1.45	21	38.45	PASS
Band5	3	20525	1	#0	QAM16	23.05	0.7	-1.45	21.6	38.45	PASS
Band5	3	20525	1	#Mid	QAM16	23.15	0.7	-1.45	21.7	38.45	PASS
Band5	3	20525	1	#Max	QAM16	23.14	0.7	-1.45	21.69	38.45	PASS
Band5	3	20525	8	#0	QAM16	21.85	0.7	-1.45	20.4	38.45	PASS
Band5	3	20525	8	#Mid	QAM16	21.58	0.7	-1.45	20.13	38.45	PASS
Band5	3	20525	8	#Max	QAM16	21.61	0.7	-1.45	20.16	38.45	PASS
Band5	3	20525	15	#0	QAM16	21.58	0.7	-1.45	20.13	38.45	PASS
Band5	3	20635	1	#0	QPSK	23.67	0.7	-1.45	22.22	38.45	PASS
Band5	3	20635	1	#Mid	QPSK	23.65	0.7	-1.45	22.2	38.45	PASS
Band5	3	20635	1	#Max	QPSK	23.61	0.7	-1.45	22.16	38.45	PASS
Band5	3	20635	8	#0	QPSK	22.59	0.7	-1.45	21.14	38.45	PASS
Band5	3	20635	8	#Mid	QPSK	22.50	0.7	-1.45	21.05	38.45	PASS
Band5	3	20635	8	#Max	QPSK	22.47	0.7	-1.45	21.02	38.45	PASS
Band5	3	20635	15	#0	QPSK	22.52	0.7	-1.45	21.07	38.45	PASS
Band5	3	20635	1	#0	QAM16	23.96	0.7	-1.45	22.51	38.45	PASS
Band5	3	20635	1	#Mid	QAM16	23.97	0.7	-1.45	22.52	38.45	PASS
Band5	3	20635	1	#Max	QAM16	23.87	0.7	-1.45	22.42	38.45	PASS
Band5	3	20635	8	#0	QAM16	21.56	0.7	-1.45	20.11	38.45	PASS

Band5	3	20635	8	#Mid	QAM16	21.49	0.7	-1.45	20.04	38.45	PASS
Band5	3	20635	8	#Max	QAM16	21.58	0.7	-1.45	20.13	38.45	PASS
Band5	3	20635	15	#0	QAM16	21.52	0.7	-1.45	20.07	38.45	PASS
Band5	5	20425	1	#0	QPSK	23.22	0.7	-1.45	21.77	38.45	PASS
Band5	5	20425	1	#Mid	QPSK	23.21	0.7	-1.45	21.76	38.45	PASS
Band5	5	20425	1	#Max	QPSK	23.29	0.7	-1.45	21.84	38.45	PASS
Band5	5	20425	12	#0	QPSK	22.18	0.7	-1.45	20.73	38.45	PASS
Band5	5	20425	12	#Mid	QPSK	22.18	0.7	-1.45	20.73	38.45	PASS
Band5	5	20425	12	#Max	QPSK	22.26	0.7	-1.45	20.81	38.45	PASS
Band5	5	20425	25	#0	QPSK	22.21	0.7	-1.45	20.76	38.45	PASS
Band5	5	20425	1	#0	QAM16	22.86	0.7	-1.45	21.41	38.45	PASS
Band5	5	20425	1	#Mid	QAM16	22.91	0.7	-1.45	21.46	38.45	PASS
Band5	5	20425	1	#Max	QAM16	22.88	0.7	-1.45	21.43	38.45	PASS
Band5	5	20425	12	#0	QAM16	21.50	0.7	-1.45	20.05	38.45	PASS
Band5	5	20425	12	#Mid	QAM16	21.24	0.7	-1.45	19.79	38.45	PASS
Band5	5	20425	12	#Max	QAM16	21.19	0.7	-1.45	19.74	38.45	PASS
Band5	5	20425	25	#0	QAM16	21.49	0.7	-1.45	20.04	38.45	PASS
Band5	5	20525	1	#0	QPSK	23.58	0.7	-1.45	22.13	38.45	PASS
Band5	5	20525	1	#Mid	QPSK	23.57	0.7	-1.45	22.12	38.45	PASS
Band5	5	20525	1	#Max	QPSK	23.56	0.7	-1.45	22.11	38.45	PASS
Band5	5	20525	12	#0	QPSK	22.54	0.7	-1.45	21.09	38.45	PASS
Band5	5	20525	12	#Mid	QPSK	22.64	0.7	-1.45	21.19	38.45	PASS
Band5	5	20525	12	#Max	QPSK	22.61	0.7	-1.45	21.16	38.45	PASS
Band5	5	20525	25	#0	QPSK	22.52	0.7	-1.45	21.07	38.45	PASS
Band5	5	20525	1	#0	QAM16	23.06	0.7	-1.45	21.61	38.45	PASS
Band5	5	20525	1	#Mid	QAM16	23.14	0.7	-1.45	21.69	38.45	PASS
Band5	5	20525	1	#Max	QAM16	23.20	0.7	-1.45	21.75	38.45	PASS
Band5	5	20525	12	#0	QAM16	21.70	0.7	-1.45	20.25	38.45	PASS
Band5	5	20525	12	#Mid	QAM16	21.41	0.7	-1.45	19.96	38.45	PASS
Band5	5	20525	12	#Max	QAM16	21.43	0.7	-1.45	19.98	38.45	PASS
Band5	5	20525	25	#0	QAM16	21.62	0.7	-1.45	20.17	38.45	PASS
Band5	5	20625	1	#0	QPSK	23.56	0.7	-1.45	22.11	38.45	PASS
Band5	5	20625	1	#Mid	QPSK	23.56	0.7	-1.45	22.11	38.45	PASS
Band5	5	20625	1	#Max	QPSK	23.50	0.7	-1.45	22.05	38.45	PASS
Band5	5	20625	12	#0	QPSK	22.50	0.7	-1.45	21.05	38.45	PASS
Band5	5	20625	12	#Mid	QPSK	22.64	0.7	-1.45	21.19	38.45	PASS
Band5	5	20625	12	#Max	QPSK	22.48	0.7	-1.45	21.03	38.45	PASS
Band5	5	20625	25	#0	QPSK	22.45	0.7	-1.45	21	38.45	PASS
Band5	5	20625	1	#0	QAM16	22.72	0.7	-1.45	21.27	38.45	PASS
Band5	5	20625	1	#Mid	QAM16	22.72	0.7	-1.45	21.27	38.45	PASS
Band5	5	20625	1	#Max	QAM16	22.72	0.7	-1.45	21.27	38.45	PASS
Band5	5	20625	12	#0	QAM16	21.45	0.7	-1.45	20	38.45	PASS
Band5	5	20625	12	#Mid	QAM16	21.51	0.7	-1.45	20.06	38.45	PASS
Band5	5	20625	12	#Max	QAM16	21.39	0.7	-1.45	19.94	38.45	PASS

Band5	5	20625	25	#0	QAM16	21.60	0.7	-1.45	20.15	38.45	PASS
Band5	10	20450	1	#0	QPSK	23.10	0.7	-1.45	21.65	38.45	PASS
Band5	10	20450	1	#Mid	QPSK	23.29	0.7	-1.45	21.84	38.45	PASS
Band5	10	20450	1	#Max	QPSK	23.37	0.7	-1.45	21.92	38.45	PASS
Band5	10	20450	25	#0	QPSK	22.23	0.7	-1.45	20.78	38.45	PASS
Band5	10	20450	25	#Mid	QPSK	22.28	0.7	-1.45	20.83	38.45	PASS
Band5	10	20450	25	#Max	QPSK	22.46	0.7	-1.45	21.01	38.45	PASS
Band5	10	20450	50	#0	QPSK	22.37	0.7	-1.45	20.92	38.45	PASS
Band5	10	20450	1	#0	QAM16	23.73	0.7	-1.45	22.28	38.45	PASS
Band5	10	20450	1	#Mid	QAM16	23.78	0.7	-1.45	22.33	38.45	PASS
Band5	10	20450	1	#Max	QAM16	24.07	0.7	-1.45	22.62	38.45	PASS
Band5	10	20450	25	#0	QAM16	21.34	0.7	-1.45	19.89	38.45	PASS
Band5	10	20450	25	#Mid	QAM16	21.26	0.7	-1.45	19.81	38.45	PASS
Band5	10	20450	25	#Max	QAM16	21.79	0.7	-1.45	20.34	38.45	PASS
Band5	10	20450	50	#0	QAM16	21.35	0.7	-1.45	19.9	38.45	PASS
Band5	10	20525	1	#0	QPSK	23.42	0.7	-1.45	21.97	38.45	PASS
Band5	10	20525	1	#Mid	QPSK	23.51	0.7	-1.45	22.06	38.45	PASS
Band5	10	20525	1	#Max	QPSK	23.58	0.7	-1.45	22.13	38.45	PASS
Band5	10	20525	25	#0	QPSK	22.38	0.7	-1.45	20.93	38.45	PASS
Band5	10	20525	25	#Mid	QPSK	22.42	0.7	-1.45	20.97	38.45	PASS
Band5	10	20525	25	#Max	QPSK	22.58	0.7	-1.45	21.13	38.45	PASS
Band5	10	20525	50	#0	QPSK	22.49	0.7	-1.45	21.04	38.45	PASS
Band5	10	20525	1	#0	QAM16	23.56	0.7	-1.45	22.11	38.45	PASS
Band5	10	20525	1	#Mid	QAM16	23.77	0.7	-1.45	22.32	38.45	PASS
Band5	10	20525	1	#Max	QAM16	23.74	0.7	-1.45	22.29	38.45	PASS
Band5	10	20525	25	#0	QAM16	21.94	0.7	-1.45	20.49	38.45	PASS
Band5	10	20525	25	#Mid	QAM16	21.60	0.7	-1.45	20.15	38.45	PASS
Band5	10	20525	25	#Max	QAM16	21.69	0.7	-1.45	20.24	38.45	PASS
Band5	10	20525	50	#0	QAM16	21.64	0.7	-1.45	20.19	38.45	PASS
Band5	10	20600	1	#0	QPSK	23.57	0.7	-1.45	22.12	38.45	PASS
Band5	10	20600	1	#Mid	QPSK	23.57	0.7	-1.45	22.12	38.45	PASS
Band5	10	20600	1	#Max	QPSK	23.58	0.7	-1.45	22.13	38.45	PASS
Band5	10	20600	25	#0	QPSK	22.62	0.7	-1.45	21.17	38.45	PASS
Band5	10	20600	25	#Mid	QPSK	22.60	0.7	-1.45	21.15	38.45	PASS
Band5	10	20600	25	#Max	QPSK	22.68	0.7	-1.45	21.23	38.45	PASS
Band5	10	20600	50	#0	QPSK	22.59	0.7	-1.45	21.14	38.45	PASS
Band5	10	20600	1	#0	QAM16	23.55	0.7	-1.45	22.1	38.45	PASS
Band5	10	20600	1	#Mid	QAM16	23.45	0.7	-1.45	22	38.45	PASS
Band5	10	20600	1	#Max	QAM16	23.23	0.7	-1.45	21.78	38.45	PASS
Band5	10	20600	25	#0	QAM16	22.01	0.7	-1.45	20.56	38.45	PASS
Band5	10	20600	25	#Mid	QAM16	22.06	0.7	-1.45	20.61	38.45	PASS
Band5	10	20600	25	#Max	QAM16	21.63	0.7	-1.45	20.18	38.45	PASS
Band5	10	20600	50	#0	QAM16	21.97	0.7	-1.45	20.52	38.45	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band5	10	20450	50	#0	QPSK	0.47	0.001	-2.5	2.5	PASS
Band5	10	20450	50	#0	QAM16	-19.34	-0.023	-2.5	2.5	PASS
Band5	10	20525	50	#0	QPSK	-10.85	-0.013	-2.5	2.5	PASS
Band5	10	20525	50	#0	QAM16	-19.86	-0.024	-2.5	2.5	PASS
Band5	10	20600	50	#0	QPSK	7.08	0.008	-2.5	2.5	PASS
Band5	10	20600	50	#0	QAM16	28.83	0.034	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band5	1.4	20525	1	#0	QPSK	5.16	13	PASS
Band5	1.4	20525	1	#0	QAM16	5.28	13	PASS
Band5	3	20525	1	#0	QPSK	4.92	13	PASS
Band5	3	20525	1	#0	QAM16	5.68	13	PASS
Band5	5	20525	1	#0	QPSK	4.78	13	PASS
Band5	5	20525	1	#0	QAM16	5.59	13	PASS
Band5	10	20525	1	#0	QPSK	4.25	13	PASS
Band5	10	20525	1	#0	QAM16	4.76	13	PASS



Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0

**Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0****Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0**

**Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0****Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0**



**Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0****Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0**







4 Occupied bandwidth



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band5	1.4	20407	6	#0	QPSK	1.088	1.252	PASS
Band5	1.4	20407	6	#0	QAM16	1.099	1.248	PASS
Band5	1.4	20525	6	#0	QPSK	1.090	1.247	PASS
Band5	1.4	20525	6	#0	QAM16	1.097	1.245	PASS
Band5	1.4	20643	6	#0	QPSK	1.100	1.251	PASS
Band5	1.4	20643	6	#0	QAM16	1.092	1.240	PASS
Band5	3	20415	15	#0	QPSK	2.706	3.054	PASS
Band5	3	20415	15	#0	QAM16	2.707	3.054	PASS
Band5	3	20525	15	#0	QPSK	2.713	3.030	PASS
Band5	3	20525	15	#0	QAM16	2.702	3.050	PASS
Band5	3	20635	15	#0	QPSK	2.708	3.046	PASS
Band5	3	20635	15	#0	QAM16	2.709	3.051	PASS
Band5	5	20425	25	#0	QPSK	4.523	4.968	PASS
Band5	5	20425	25	#0	QAM16	4.504	4.964	PASS
Band5	5	20525	25	#0	QPSK	4.507	4.973	PASS
Band5	5	20525	25	#0	QAM16	4.504	5.002	PASS
Band5	5	20625	25	#0	QPSK	4.501	4.955	PASS
Band5	5	20625	25	#0	QAM16	4.529	4.955	PASS
Band5	10	20450	50	#0	QPSK	8.994	9.833	PASS
Band5	10	20450	50	#0	QAM16	8.986	9.902	PASS
Band5	10	20525	50	#0	QPSK	8.973	9.764	PASS
Band5	10	20525	50	#0	QAM16	9.019	9.769	PASS
Band5	10	20600	50	#0	QPSK	9.003	9.786	PASS
Band5	10	20600	50	#0	QAM16	8.971	9.772	PASS



Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0



**Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0****Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0**



**Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0****Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0**



**Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0****Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0**



**Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0****Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0**



**Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0****Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0**



**Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0****Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0**


**Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0****Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0**

**Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0****Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0**


**Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0****Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0**

**Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0****Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0**

**Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0****Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0**




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0



5 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	823.99	-34.90	-13	PASS
Band5	1.4	20407	6	#0	QAM16	823.97	-36.05	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.03	-33.76	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.11	-34.83	-13	PASS
Band5	3	20415	15	#0	QPSK	823.99	-24.36	-13	PASS
Band5	3	20415	15	#0	QAM16	823.99	-26.08	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-25.37	-13	PASS
Band5	3	20635	15	#0	QAM16	849.00	-25.93	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-29.94	-13	PASS
Band5	5	20425	25	#0	QAM16	823.98	-31.89	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-29.21	-13	PASS
Band5	5	20625	25	#0	QAM16	849.00	-31.74	-13	PASS
Band5	10	20450	50	#0	QPSK	824.00	-32.93	-13	PASS
Band5	10	20450	50	#0	QAM16	823.96	-35.80	-13	PASS
Band5	10	20600	50	#0	QPSK	849.04	-34.46	-13	PASS
Band5	10	20600	50	#0	QAM16	849.02	-32.89	-13	PASS


Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0





6 Out-of-band emissions



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band5	1.4	20407	6	#0	QPSK	3840.85	-38.48	-13	PASS
Band5	1.4	20407	6	#0	QAM16	3781.90	-38.83	-13	PASS
Band5	1.4	20643	6	#0	QPSK	3877.30	-38.81	-13	PASS
Band5	1.4	20643	6	#0	QAM16	1717.08	-37.37	-13	PASS
Band5	3	20415	15	#0	QPSK	4784.73	-38.05	-13	PASS
Band5	3	20415	15	#0	QAM16	3756.70	-38.02	-13	PASS
Band5	3	20635	15	#0	QPSK	3775.15	-39.09	-13	PASS
Band5	3	20635	15	#0	QAM16	3982.83	-38.82	-13	PASS
Band5	5	20425	25	#0	QPSK	3851.88	-39.29	-13	PASS
Band5	5	20425	25	#0	QAM16	3756.25	-37.68	-13	PASS
Band5	5	20625	25	#0	QPSK	5893.08	-39.33	-13	PASS
Band5	5	20625	25	#0	QAM16	5099.05	-39.19	-13	PASS
Band5	10	20450	50	#0	QPSK	3825.55	-38.04	-13	PASS
Band5	10	20450	50	#0	QAM16	3780.55	-38.64	-13	PASS
Band5	10	20600	50	#0	QPSK	3852.33	-39.28	-13	PASS
Band5	10	20600	50	#0	QAM16	3876.18	-39.27	-13	PASS


Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0

**Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0****Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0**


**Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0****Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0**




Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0





Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



**Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0****Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0**



Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0

**Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0****Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0**

