

TABLE OF CONTENTS

1 Conducted output power	2
2 Frequency stability	7
3 Peak-to-Average Ratio	8
4 Occupied bandwidth	14
5 Band edge	30
6 Out-of-band emissions	41

1 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	Limit (dBm)	Verdict
Band26(824-849)	1.4	26797	1	#0	QPSK	23.37	-2	-4.15	19.22	50.00	PASS
Band26(824-849)	1.4	26797	1	#Mid	QPSK	23.34	-2	-4.15	19.19	50.00	PASS
Band26(824-849)	1.4	26797	1	#Max	QPSK	23.37	-2	-4.15	19.22	50.00	PASS
Band26(824-849)	1.4	26797	3	#0	QPSK	23.30	-2	-4.15	19.15	50.00	PASS
Band26(824-849)	1.4	26797	3	#Mid	QPSK	23.22	-2	-4.15	19.07	50.00	PASS
Band26(824-849)	1.4	26797	3	#Max	QPSK	23.24	-2	-4.15	19.09	50.00	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	22.19	-2	-4.15	18.04	50.00	PASS
Band26(824-849)	1.4	26797	1	#0	QAM16	24.10	-2	-4.15	19.95	50.00	PASS
Band26(824-849)	1.4	26797	1	#Mid	QAM16	24.00	-2	-4.15	19.85	50.00	PASS
Band26(824-849)	1.4	26797	1	#Max	QAM16	23.99	-2	-4.15	19.84	50.00	PASS
Band26(824-849)	1.4	26797	3	#0	QAM16	22.54	-2	-4.15	18.39	50.00	PASS
Band26(824-849)	1.4	26797	3	#Mid	QAM16	22.65	-2	-4.15	18.5	50.00	PASS
Band26(824-849)	1.4	26797	3	#Max	QAM16	22.64	-2	-4.15	18.49	50.00	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	21.45	-2	-4.15	17.3	50.00	PASS
Band26(824-849)	1.4	26915	1	#0	QPSK	23.76	-2	-4.15	19.61	50.00	PASS
Band26(824-849)	1.4	26915	1	#Mid	QPSK	23.61	-2	-4.15	19.46	50.00	PASS
Band26(824-849)	1.4	26915	1	#Max	QPSK	23.71	-2	-4.15	19.56	50.00	PASS
Band26(824-849)	1.4	26915	3	#0	QPSK	23.54	-2	-4.15	19.39	50.00	PASS
Band26(824-849)	1.4	26915	3	#Mid	QPSK	23.62	-2	-4.15	19.47	50.00	PASS
Band26(824-849)	1.4	26915	3	#Max	QPSK	23.57	-2	-4.15	19.42	50.00	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	22.55	-2	-4.15	18.4	50.00	PASS
Band26(824-849)	1.4	26915	1	#0	QAM16	23.10	-2	-4.15	18.95	50.00	PASS
Band26(824-849)	1.4	26915	1	#Mid	QAM16	23.10	-2	-4.15	18.95	50.00	PASS
Band26(824-849)	1.4	26915	1	#Max	QAM16	23.15	-2	-4.15	19	50.00	PASS
Band26(824-849)	1.4	26915	3	#0	QAM16	22.67	-2	-4.15	18.52	50.00	PASS
Band26(824-849)	1.4	26915	3	#Mid	QAM16	22.63	-2	-4.15	18.48	50.00	PASS
Band26(824-849)	1.4	26915	3	#Max	QAM16	22.64	-2	-4.15	18.49	50.00	PASS
Band26(824-849)	1.4	26915	6	#0	QAM16	21.78	-2	-4.15	17.63	50.00	PASS
Band26(824-849)	1.4	27033	1	#0	QPSK	23.54	-2	-4.15	19.39	50.00	PASS
Band26(824-849)	1.4	27033	1	#Mid	QPSK	23.78	-2	-4.15	19.63	50.00	PASS
Band26(824-849)	1.4	27033	1	#Max	QPSK	23.69	-2	-4.15	19.54	50.00	PASS
Band26(824-849)	1.4	27033	3	#0	QPSK	23.65	-2	-4.15	19.5	50.00	PASS
Band26(824-849)	1.4	27033	3	#Mid	QPSK	23.55	-2	-4.15	19.4	50.00	PASS
Band26(824-849)	1.4	27033	3	#Max	QPSK	23.56	-2	-4.15	19.41	50.00	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	22.36	-2	-4.15	18.21	50.00	PASS
Band26(824-849)	1.4	27033	1	#0	QAM16	23.19	-2	-4.15	19.04	50.00	PASS
Band26(824-849)	1.4	27033	1	#Mid	QAM16	23.17	-2	-4.15	19.02	50.00	PASS

Band26(824-849)	1.4	27033	1	#Max	QAM16	23.23	-2	-4.15	19.08	50.00	PASS
Band26(824-849)	1.4	27033	3	#0	QAM16	22.55	-2	-4.15	18.4	50.00	PASS
Band26(824-849)	1.4	27033	3	#Mid	QAM16	22.42	-2	-4.15	18.27	50.00	PASS
Band26(824-849)	1.4	27033	3	#Max	QAM16	22.48	-2	-4.15	18.33	50.00	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	21.54	-2	-4.15	17.39	50.00	PASS
Band26(824-849)	3	26805	1	#0	QPSK	23.26	-2	-4.15	19.11	50.00	PASS
Band26(824-849)	3	26805	1	#Mid	QPSK	23.27	-2	-4.15	19.12	50.00	PASS
Band26(824-849)	3	26805	1	#Max	QPSK	23.30	-2	-4.15	19.15	50.00	PASS
Band26(824-849)	3	26805	8	#0	QPSK	22.24	-2	-4.15	18.09	50.00	PASS
Band26(824-849)	3	26805	8	#Mid	QPSK	22.21	-2	-4.15	18.06	50.00	PASS
Band26(824-849)	3	26805	8	#Max	QPSK	22.35	-2	-4.15	18.2	50.00	PASS
Band26(824-849)	3	26805	15	#0	QPSK	22.32	-2	-4.15	18.17	50.00	PASS
Band26(824-849)	3	26805	1	#0	QAM16	23.92	-2	-4.15	19.77	50.00	PASS
Band26(824-849)	3	26805	1	#Mid	QAM16	23.91	-2	-4.15	19.76	50.00	PASS
Band26(824-849)	3	26805	1	#Max	QAM16	23.91	-2	-4.15	19.76	50.00	PASS
Band26(824-849)	3	26805	8	#0	QAM16	21.23	-2	-4.15	17.08	50.00	PASS
Band26(824-849)	3	26805	8	#Mid	QAM16	21.22	-2	-4.15	17.07	50.00	PASS
Band26(824-849)	3	26805	8	#Max	QAM16	21.23	-2	-4.15	17.08	50.00	PASS
Band26(824-849)	3	26805	15	#0	QAM16	21.48	-2	-4.15	17.33	50.00	PASS
Band26(824-849)	3	26915	1	#0	QPSK	23.71	-2	-4.15	19.56	50.00	PASS
Band26(824-849)	3	26915	1	#Mid	QPSK	23.71	-2	-4.15	19.56	50.00	PASS
Band26(824-849)	3	26915	1	#Max	QPSK	23.72	-2	-4.15	19.57	50.00	PASS
Band26(824-849)	3	26915	8	#0	QPSK	22.64	-2	-4.15	18.49	50.00	PASS
Band26(824-849)	3	26915	8	#Mid	QPSK	22.63	-2	-4.15	18.48	50.00	PASS
Band26(824-849)	3	26915	8	#Max	QPSK	22.63	-2	-4.15	18.48	50.00	PASS
Band26(824-849)	3	26915	15	#0	QPSK	22.58	-2	-4.15	18.43	50.00	PASS
Band26(824-849)	3	26915	1	#0	QAM16	23.19	-2	-4.15	19.04	50.00	PASS
Band26(824-849)	3	26915	1	#Mid	QAM16	23.14	-2	-4.15	18.99	50.00	PASS
Band26(824-849)	3	26915	1	#Max	QAM16	23.22	-2	-4.15	19.07	50.00	PASS
Band26(824-849)	3	26915	8	#0	QAM16	21.71	-2	-4.15	17.56	50.00	PASS
Band26(824-849)	3	26915	8	#Mid	QAM16	21.70	-2	-4.15	17.55	50.00	PASS
Band26(824-849)	3	26915	8	#Max	QAM16	21.70	-2	-4.15	17.55	50.00	PASS
Band26(824-849)	3	26915	15	#0	QAM16	21.61	-2	-4.15	17.46	50.00	PASS
Band26(824-849)	3	27025	1	#0	QPSK	23.75	-2	-4.15	19.6	50.00	PASS
Band26(824-849)	3	27025	1	#Mid	QPSK	23.78	-2	-4.15	19.63	50.00	PASS
Band26(824-849)	3	27025	1	#Max	QPSK	23.59	-2	-4.15	19.44	50.00	PASS
Band26(824-849)	3	27025	8	#0	QPSK	22.59	-2	-4.15	18.44	50.00	PASS
Band26(824-849)	3	27025	8	#Mid	QPSK	22.51	-2	-4.15	18.36	50.00	PASS
Band26(824-849)	3	27025	8	#Max	QPSK	22.46	-2	-4.15	18.31	50.00	PASS
Band26(824-849)	3	27025	15	#0	QPSK	22.63	-2	-4.15	18.48	50.00	PASS
Band26(824-849)	3	27025	1	#0	QAM16	23.25	-2	-4.15	19.1	50.00	PASS
Band26(824-849)	3	27025	1	#Mid	QAM16	23.21	-2	-4.15	19.06	50.00	PASS
Band26(824-849)	3	27025	1	#Max	QAM16	23.16	-2	-4.15	19.01	50.00	PASS
Band26(824-849)	3	27025	8	#0	QAM16	21.65	-2	-4.15	17.5	50.00	PASS

Band26(824-849)	3	27025	8	#Mid	QAM16	21.68	-2	-4.15	17.53	50.00	PASS
Band26(824-849)	3	27025	8	#Max	QAM16	21.61	-2	-4.15	17.46	50.00	PASS
Band26(824-849)	3	27025	15	#0	QAM16	21.63	-2	-4.15	17.48	50.00	PASS
Band26(824-849)	5	26815	1	#0	QPSK	23.20	-2	-4.15	19.05	50.00	PASS
Band26(824-849)	5	26815	1	#Mid	QPSK	23.32	-2	-4.15	19.17	50.00	PASS
Band26(824-849)	5	26815	1	#Max	QPSK	23.30	-2	-4.15	19.15	50.00	PASS
Band26(824-849)	5	26815	12	#0	QPSK	22.35	-2	-4.15	18.2	50.00	PASS
Band26(824-849)	5	26815	12	#Mid	QPSK	22.35	-2	-4.15	18.2	50.00	PASS
Band26(824-849)	5	26815	12	#Max	QPSK	22.43	-2	-4.15	18.28	50.00	PASS
Band26(824-849)	5	26815	25	#0	QPSK	22.37	-2	-4.15	18.22	50.00	PASS
Band26(824-849)	5	26815	1	#0	QAM16	22.98	-2	-4.15	18.83	50.00	PASS
Band26(824-849)	5	26815	1	#Mid	QAM16	22.93	-2	-4.15	18.78	50.00	PASS
Band26(824-849)	5	26815	1	#Max	QAM16	22.97	-2	-4.15	18.82	50.00	PASS
Band26(824-849)	5	26815	12	#0	QAM16	21.35	-2	-4.15	17.2	50.00	PASS
Band26(824-849)	5	26815	12	#Mid	QAM16	21.22	-2	-4.15	17.07	50.00	PASS
Band26(824-849)	5	26815	12	#Max	QAM16	21.24	-2	-4.15	17.09	50.00	PASS
Band26(824-849)	5	26815	25	#0	QAM16	21.51	-2	-4.15	17.36	50.00	PASS
Band26(824-849)	5	26915	1	#0	QPSK	23.67	-2	-4.15	19.52	50.00	PASS
Band26(824-849)	5	26915	1	#Mid	QPSK	23.66	-2	-4.15	19.51	50.00	PASS
Band26(824-849)	5	26915	1	#Max	QPSK	23.67	-2	-4.15	19.52	50.00	PASS
Band26(824-849)	5	26915	12	#0	QPSK	22.59	-2	-4.15	18.44	50.00	PASS
Band26(824-849)	5	26915	12	#Mid	QPSK	22.60	-2	-4.15	18.45	50.00	PASS
Band26(824-849)	5	26915	12	#Max	QPSK	22.57	-2	-4.15	18.42	50.00	PASS
Band26(824-849)	5	26915	25	#0	QPSK	22.61	-2	-4.15	18.46	50.00	PASS
Band26(824-849)	5	26915	1	#0	QAM16	23.17	-2	-4.15	19.02	50.00	PASS
Band26(824-849)	5	26915	1	#Mid	QAM16	23.15	-2	-4.15	19	50.00	PASS
Band26(824-849)	5	26915	1	#Max	QAM16	23.24	-2	-4.15	19.09	50.00	PASS
Band26(824-849)	5	26915	12	#0	QAM16	21.50	-2	-4.15	17.35	50.00	PASS
Band26(824-849)	5	26915	12	#Mid	QAM16	21.49	-2	-4.15	17.34	50.00	PASS
Band26(824-849)	5	26915	12	#Max	QAM16	21.43	-2	-4.15	17.28	50.00	PASS
Band26(824-849)	5	26915	25	#0	QAM16	21.68	-2	-4.15	17.53	50.00	PASS
Band26(824-849)	5	27015	1	#0	QPSK	23.47	-2	-4.15	19.32	50.00	PASS
Band26(824-849)	5	27015	1	#Mid	QPSK	23.46	-2	-4.15	19.31	50.00	PASS
Band26(824-849)	5	27015	1	#Max	QPSK	23.33	-2	-4.15	19.18	50.00	PASS
Band26(824-849)	5	27015	12	#0	QPSK	22.62	-2	-4.15	18.47	50.00	PASS
Band26(824-849)	5	27015	12	#Mid	QPSK	22.54	-2	-4.15	18.39	50.00	PASS
Band26(824-849)	5	27015	12	#Max	QPSK	22.52	-2	-4.15	18.37	50.00	PASS
Band26(824-849)	5	27015	25	#0	QPSK	22.62	-2	-4.15	18.47	50.00	PASS
Band26(824-849)	5	27015	1	#0	QAM16	23.75	-2	-4.15	19.6	50.00	PASS
Band26(824-849)	5	27015	1	#Mid	QAM16	23.70	-2	-4.15	19.55	50.00	PASS
Band26(824-849)	5	27015	1	#Max	QAM16	23.60	-2	-4.15	19.45	50.00	PASS
Band26(824-849)	5	27015	12	#0	QAM16	21.43	-2	-4.15	17.28	50.00	PASS
Band26(824-849)	5	27015	12	#Mid	QAM16	21.59	-2	-4.15	17.44	50.00	PASS
Band26(824-849)	5	27015	12	#Max	QAM16	21.56	-2	-4.15	17.41	50.00	PASS

Band26(824-849)	5	27015	25	#0	QAM16	21.76	-2	-4.15	17.61	50.00	PASS
Band26(824-849)	10	26840	1	#0	QPSK	23.26	-2	-4.15	19.11	50.00	PASS
Band26(824-849)	10	26840	1	#Mid	QPSK	23.28	-2	-4.15	19.13	50.00	PASS
Band26(824-849)	10	26840	1	#Max	QPSK	23.57	-2	-4.15	19.42	50.00	PASS
Band26(824-849)	10	26840	25	#0	QPSK	22.22	-2	-4.15	18.07	50.00	PASS
Band26(824-849)	10	26840	25	#Mid	QPSK	22.42	-2	-4.15	18.27	50.00	PASS
Band26(824-849)	10	26840	25	#Max	QPSK	22.50	-2	-4.15	18.35	50.00	PASS
Band26(824-849)	10	26840	50	#0	QPSK	22.40	-2	-4.15	18.25	50.00	PASS
Band26(824-849)	10	26840	1	#0	QAM16	23.90	-2	-4.15	19.75	50.00	PASS
Band26(824-849)	10	26840	1	#Mid	QAM16	23.95	-2	-4.15	19.8	50.00	PASS
Band26(824-849)	10	26840	1	#Max	QAM16	24.17	-2	-4.15	20.02	50.00	PASS
Band26(824-849)	10	26840	25	#0	QAM16	21.37	-2	-4.15	17.22	50.00	PASS
Band26(824-849)	10	26840	25	#Mid	QAM16	21.92	-2	-4.15	17.77	50.00	PASS
Band26(824-849)	10	26840	25	#Max	QAM16	21.59	-2	-4.15	17.44	50.00	PASS
Band26(824-849)	10	26840	50	#0	QAM16	21.83	-2	-4.15	17.68	50.00	PASS
Band26(824-849)	10	26915	1	#0	QPSK	23.51	-2	-4.15	19.36	50.00	PASS
Band26(824-849)	10	26915	1	#Mid	QPSK	23.58	-2	-4.15	19.43	50.00	PASS
Band26(824-849)	10	26915	1	#Max	QPSK	23.62	-2	-4.15	19.47	50.00	PASS
Band26(824-849)	10	26915	25	#0	QPSK	22.57	-2	-4.15	18.42	50.00	PASS
Band26(824-849)	10	26915	25	#Mid	QPSK	22.52	-2	-4.15	18.37	50.00	PASS
Band26(824-849)	10	26915	25	#Max	QPSK	22.63	-2	-4.15	18.48	50.00	PASS
Band26(824-849)	10	26915	50	#0	QPSK	22.63	-2	-4.15	18.48	50.00	PASS
Band26(824-849)	10	26915	1	#0	QAM16	23.64	-2	-4.15	19.49	50.00	PASS
Band26(824-849)	10	26915	1	#Mid	QAM16	23.81	-2	-4.15	19.66	50.00	PASS
Band26(824-849)	10	26915	1	#Max	QAM16	23.88	-2	-4.15	19.73	50.00	PASS
Band26(824-849)	10	26915	25	#0	QAM16	21.65	-2	-4.15	17.5	50.00	PASS
Band26(824-849)	10	26915	25	#Mid	QAM16	21.69	-2	-4.15	17.54	50.00	PASS
Band26(824-849)	10	26915	25	#Max	QAM16	21.76	-2	-4.15	17.61	50.00	PASS
Band26(824-849)	10	26915	50	#0	QAM16	21.72	-2	-4.15	17.57	50.00	PASS
Band26(824-849)	10	26990	1	#0	QPSK	23.66	-2	-4.15	19.51	50.00	PASS
Band26(824-849)	10	26990	1	#Mid	QPSK	23.73	-2	-4.15	19.58	50.00	PASS
Band26(824-849)	10	26990	1	#Max	QPSK	23.58	-2	-4.15	19.43	50.00	PASS
Band26(824-849)	10	26990	25	#0	QPSK	22.68	-2	-4.15	18.53	50.00	PASS
Band26(824-849)	10	26990	25	#Mid	QPSK	22.67	-2	-4.15	18.52	50.00	PASS
Band26(824-849)	10	26990	25	#Max	QPSK	22.61	-2	-4.15	18.46	50.00	PASS
Band26(824-849)	10	26990	50	#0	QPSK	22.57	-2	-4.15	18.42	50.00	PASS
Band26(824-849)	10	26990	1	#0	QAM16	23.62	-2	-4.15	19.47	50.00	PASS
Band26(824-849)	10	26990	1	#Mid	QAM16	23.47	-2	-4.15	19.32	50.00	PASS
Band26(824-849)	10	26990	1	#Max	QAM16	23.32	-2	-4.15	19.17	50.00	PASS
Band26(824-849)	10	26990	25	#0	QAM16	21.79	-2	-4.15	17.64	50.00	PASS
Band26(824-849)	10	26990	25	#Mid	QAM16	21.68	-2	-4.15	17.53	50.00	PASS
Band26(824-849)	10	26990	25	#Max	QAM16	21.70	-2	-4.15	17.55	50.00	PASS
Band26(824-849)	10	26990	50	#0	QAM16	21.61	-2	-4.15	17.46	50.00	PASS
Band26(824-849)	15	26865	1	#0	QPSK	23.22	-2	-4.15	19.07	50.00	PASS

Band26(824-849)	15	26865	1	#Mid	QPSK	23.49	-2	-4.15	19.34	50.00	PASS
Band26(824-849)	15	26865	1	#Max	QPSK	23.61	-2	-4.15	19.46	50.00	PASS
Band26(824-849)	15	26865	36	#0	QPSK	22.32	-2	-4.15	18.17	50.00	PASS
Band26(824-849)	15	26865	36	#Mid	QPSK	22.51	-2	-4.15	18.36	50.00	PASS
Band26(824-849)	15	26865	36	#Max	QPSK	22.66	-2	-4.15	18.51	50.00	PASS
Band26(824-849)	15	26865	75	#0	QPSK	22.45	-2	-4.15	18.3	50.00	PASS
Band26(824-849)	15	26865	1	#0	QAM16	23.93	-2	-4.15	19.78	50.00	PASS
Band26(824-849)	15	26865	1	#Mid	QAM16	24.06	-2	-4.15	19.91	50.00	PASS
Band26(824-849)	15	26865	1	#Max	QAM16	24.31	-2	-4.15	20.16	50.00	PASS
Band26(824-849)	15	26865	36	#0	QAM16	21.88	-2	-4.15	17.73	50.00	PASS
Band26(824-849)	15	26865	36	#Mid	QAM16	21.55	-2	-4.15	17.4	50.00	PASS
Band26(824-849)	15	26865	36	#Max	QAM16	21.74	-2	-4.15	17.59	50.00	PASS
Band26(824-849)	15	26865	75	#0	QAM16	21.51	-2	-4.15	17.36	50.00	PASS
Band26(824-849)	15	26915	1	#0	QPSK	23.39	-2	-4.15	19.24	50.00	PASS
Band26(824-849)	15	26915	1	#Mid	QPSK	23.57	-2	-4.15	19.42	50.00	PASS
Band26(824-849)	15	26915	1	#Max	QPSK	23.56	-2	-4.15	19.41	50.00	PASS
Band26(824-849)	15	26915	36	#0	QPSK	22.68	-2	-4.15	18.53	50.00	PASS
Band26(824-849)	15	26915	36	#Mid	QPSK	22.57	-2	-4.15	18.42	50.00	PASS
Band26(824-849)	15	26915	36	#Max	QPSK	22.73	-2	-4.15	18.58	50.00	PASS
Band26(824-849)	15	26915	75	#0	QPSK	22.62	-2	-4.15	18.47	50.00	PASS
Band26(824-849)	15	26915	1	#0	QAM16	23.57	-2	-4.15	19.42	50.00	PASS
Band26(824-849)	15	26915	1	#Mid	QAM16	23.82	-2	-4.15	19.67	50.00	PASS
Band26(824-849)	15	26915	1	#Max	QAM16	23.83	-2	-4.15	19.68	50.00	PASS
Band26(824-849)	15	26915	36	#0	QAM16	21.73	-2	-4.15	17.58	50.00	PASS
Band26(824-849)	15	26915	36	#Mid	QAM16	21.74	-2	-4.15	17.59	50.00	PASS
Band26(824-849)	15	26915	36	#Max	QAM16	21.84	-2	-4.15	17.69	50.00	PASS
Band26(824-849)	15	26915	75	#0	QAM16	21.68	-2	-4.15	17.53	50.00	PASS
Band26(824-849)	15	26965	1	#0	QPSK	23.55	-2	-4.15	19.4	50.00	PASS
Band26(824-849)	15	26965	1	#Mid	QPSK	23.55	-2	-4.15	19.4	50.00	PASS
Band26(824-849)	15	26965	1	#Max	QPSK	23.51	-2	-4.15	19.36	50.00	PASS
Band26(824-849)	15	26965	36	#0	QPSK	22.76	-2	-4.15	18.61	50.00	PASS
Band26(824-849)	15	26965	36	#Mid	QPSK	22.71	-2	-4.15	18.56	50.00	PASS
Band26(824-849)	15	26965	36	#Max	QPSK	22.66	-2	-4.15	18.51	50.00	PASS
Band26(824-849)	15	26965	75	#0	QPSK	22.66	-2	-4.15	18.51	50.00	PASS
Band26(824-849)	15	26965	1	#0	QAM16	24.01	-2	-4.15	19.86	50.00	PASS
Band26(824-849)	15	26965	1	#Mid	QAM16	23.96	-2	-4.15	19.81	50.00	PASS
Band26(824-849)	15	26965	1	#Max	QAM16	23.88	-2	-4.15	19.73	50.00	PASS
Band26(824-849)	15	26965	36	#0	QAM16	21.76	-2	-4.15	17.61	50.00	PASS
Band26(824-849)	15	26965	36	#Mid	QAM16	21.68	-2	-4.15	17.53	50.00	PASS
Band26(824-849)	15	26965	36	#Max	QAM16	21.67	-2	-4.15	17.52	50.00	PASS
Band26(824-849)	15	26965	75	#0	QAM16	21.74	-2	-4.15	17.59	50.00	PASS


2 Frequency stability

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Result(Hz)</i>	<i>Result (ppm)</i>	<i>Low Limit (ppm)</i>	<i>high Limit (ppm)</i>	<i>Verdict</i>
Band26(824-849)	15	26865	75	#0	QPSK	10.60	0.013	-2.5	2.5	PASS
Band26(824-849)	15	26865	75	#0	QAM16	15.74	0.019	-2.5	2.5	PASS
Band26(824-849)	15	26915	75	#0	QPSK	19.64	0.023	-2.5	2.5	PASS
Band26(824-849)	15	26915	75	#0	QAM16	29.25	0.035	-2.5	2.5	PASS
Band26(824-849)	15	26965	75	#0	QPSK	16.52	0.020	-2.5	2.5	PASS
Band26(824-849)	15	26965	75	#0	QAM16	20.59	0.024	-2.5	2.5	PASS



3 Peak-to-Average Ratio



Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band26(824-849)	1.4	26915	1	#0	QPSK	5.06	13	PASS
Band26(824-849)	1.4	26915	1	#0	QAM16	5.19	13	PASS
Band26(824-849)	3	26915	1	#0	QPSK	4.79	13	PASS
Band26(824-849)	3	26915	1	#0	QAM16	5.38	13	PASS
Band26(824-849)	5	26915	1	#0	QPSK	4.72	13	PASS
Band26(824-849)	5	26915	1	#0	QAM16	5.45	13	PASS
Band26(824-849)	10	26915	1	#0	QPSK	4.26	13	PASS
Band26(824-849)	10	26915	1	#0	QAM16	4.86	13	PASS
Band26(824-849)	15	26915	1	#0	QPSK	4.39	13	PASS
Band26(824-849)	15	26915	1	#0	QAM16	4.86	13	PASS



Band26(824-849) QAM16 BW=1.4MHz Channel=26915 RB Size=1 Position=#0






Band26(824-849) QAM16 BW=15MHz Channel=26915 RB Size=1 Position=#0

**Band26(824-849) QAM16 BW=10MHz Channel=26915 RB Size=1 Position=#0****Band26(824-849) QAM16 BW=5MHz Channel=26915 RB Size=1 Position=#0**

**Band26(824-849) QAM16 BW=3MHz Channel=26915 RB Size=1 Position=#0****Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=1 Position=#0**

**Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=1 Position=#0****Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=1 Position=#0**


**Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=1 Position=#0****Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=1 Position=#0**




4 Occupied bandwidth

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>99% OBW (MHz)</i>	<i>-26dB EBW (MHz)</i>	<i>Verdict</i>
Band26(824-849)	1.4	26797	6	#0	QPSK	1.099	1.249	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	1.098	1.256	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	1.095	1.243	PASS
Band26(824-849)	1.4	26915	6	#0	QAM16	1.096	1.241	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	1.104	1.247	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	1.104	1.250	PASS
Band26(824-849)	3	26805	15	#0	QPSK	2.716	3.054	PASS
Band26(824-849)	3	26805	15	#0	QAM16	2.705	3.026	PASS
Band26(824-849)	3	26915	15	#0	QPSK	2.715	3.031	PASS
Band26(824-849)	3	26915	15	#0	QAM16	2.711	3.050	PASS
Band26(824-849)	3	27025	15	#0	QPSK	2.710	3.063	PASS
Band26(824-849)	3	27025	15	#0	QAM16	2.712	3.053	PASS
Band26(824-849)	5	26815	25	#0	QPSK	4.512	4.967	PASS
Band26(824-849)	5	26815	25	#0	QAM16	4.498	4.926	PASS
Band26(824-849)	5	26915	25	#0	QPSK	4.506	4.970	PASS
Band26(824-849)	5	26915	25	#0	QAM16	4.521	4.939	PASS
Band26(824-849)	5	27015	25	#0	QPSK	4.510	4.929	PASS
Band26(824-849)	5	27015	25	#0	QAM16	4.505	4.930	PASS
Band26(824-849)	10	26840	50	#0	QPSK	8.988	9.829	PASS
Band26(824-849)	10	26840	50	#0	QAM16	8.991	9.885	PASS
Band26(824-849)	10	26915	50	#0	QPSK	8.986	9.724	PASS
Band26(824-849)	10	26915	50	#0	QAM16	9.001	9.758	PASS
Band26(824-849)	10	26990	50	#0	QPSK	8.958	9.764	PASS
Band26(824-849)	10	26990	50	#0	QAM16	9.005	9.808	PASS
Band26(824-849)	15	26865	75	#0	QPSK	13.473	14.718	PASS
Band26(824-849)	15	26865	75	#0	QAM16	13.513	14.788	PASS
Band26(824-849)	15	26915	75	#0	QPSK	13.462	14.921	PASS
Band26(824-849)	15	26915	75	#0	QAM16	13.443	14.844	PASS
Band26(824-849)	15	26965	75	#0	QPSK	13.448	14.907	PASS
Band26(824-849)	15	26965	75	#0	QAM16	13.442	14.591	PASS



Band26(824-849) QAM16 BW=1.4MHz Channel=26915 RB Size=6 Position=#0







Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0


**Band26(824-849) QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0****Band26(824-849) QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0**

**Band26(824-849) QAM16 BW=10MHz Channel=26915 RB Size=50 Position=#0****Band26(824-849) QAM16 BW=15MHz Channel=26915 RB Size=75 Position=#0**



**Band26(824-849) QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0****Band26(824-849) QAM16 BW=3MHz Channel=26915 RB Size=15 Position=#0**







Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0







Band26(824-849) QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0


**Band26(824-849) QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0****Band26(824-849) QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0**

**Band26(824-849) QAM16 BW=5MHz Channel=26915 RB Size=25 Position=#0****Band26(824-849) QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0**


**Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0****Band26(824-849) QPSK BW=1.4MHz Channel=26915 RB Size=6 Position=#0**

**Band26(824-849) QPSK BW=10MHz Channel=26915 RB Size=50 Position=#0****Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0**


**Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0****Band26(824-849) QPSK BW=15MHz Channel=26915 RB Size=75 Position=#0**




Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26915 RB Size=15 Position=#0





Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0

**Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0****Band26(824-849) QPSK BW=5MHz Channel=26915 RB Size=25 Position=#0**




Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0



5 Band edge

<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band26(824-849)	1.4	26797	6	#0	QPSK	823.97	-33.46	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	823.92	-33.90	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	849.01	-33.05	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	849.09	-34.01	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	824.00	-27.12	-13	PASS
Band26(824-849)	3	26805	15	#0	QAM16	824.00	-29.20	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	849.03	-27.82	-13	PASS
Band26(824-849)	3	27025	15	#0	QAM16	849.00	-27.63	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	824.00	-32.61	-13	PASS
Band26(824-849)	5	26815	25	#0	QAM16	824.00	-31.95	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	849.00	-30.11	-13	PASS
Band26(824-849)	5	27015	25	#0	QAM16	849.07	-35.02	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	824.00	-31.96	-13	PASS
Band26(824-849)	10	26840	50	#0	QAM16	824.00	-34.58	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	849.48	-34.20	-13	PASS
Band26(824-849)	10	26990	50	#0	QAM16	850.16	-35.80	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	823.91	-33.75	-13	PASS
Band26(824-849)	15	26865	75	#0	QAM16	823.67	-33.69	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	849.12	-32.81	-13	PASS
Band26(824-849)	15	26965	75	#0	QAM16	849.12	-34.75	-13	PASS

Band26(824-849) QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0




Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0



Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0




Band26(824-849) QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0



Band26(824-849) QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0




Band26(824-849) QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0



Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0



Band26(824-849) QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0




Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0



Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0




Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0



Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0




Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0




Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0



Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0




Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0



Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0





Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0







6 Out-of-band emissions


<i>Band</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Size</i>	<i>RB Position</i>	<i>Modulation</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
Band26(824-849)	1.4	26797	6	#0	QPSK	816.02	-30.99	-13	PASS
Band26(824-849)	1.4	26797	6	#0	QAM16	3800.58	-37.59	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	2545.53	-38.30	-13	PASS
Band26(824-849)	1.4	27033	6	#0	QAM16	3901.60	-39.37	-13	PASS
Band26(824-849)	3	26805	15	#0	QPSK	3853.90	-39.18	-13	PASS
Band26(824-849)	3	26805	15	#0	QAM16	3827.35	-39.29	-13	PASS
Band26(824-849)	3	27025	15	#0	QPSK	3740.05	-39.24	-13	PASS
Band26(824-849)	3	27025	15	#0	QAM16	6314.73	-39.39	-13	PASS
Band26(824-849)	5	26815	25	#0	QPSK	3750.63	-39.40	-13	PASS
Band26(824-849)	5	26815	25	#0	QAM16	3705.40	-38.99	-13	PASS
Band26(824-849)	5	27015	25	#0	QPSK	3728.80	-38.35	-13	PASS
Band26(824-849)	5	27015	25	#0	QAM16	3849.40	-39.65	-13	PASS
Band26(824-849)	10	26840	50	#0	QPSK	3850.30	-38.85	-13	PASS
Band26(824-849)	10	26840	50	#0	QAM16	3965.73	-38.64	-13	PASS
Band26(824-849)	10	26990	50	#0	QPSK	5058.55	-39.80	-13	PASS
Band26(824-849)	10	26990	50	#0	QAM16	3823.98	-38.39	-13	PASS
Band26(824-849)	15	26865	75	#0	QPSK	3741.18	-38.61	-13	PASS
Band26(824-849)	15	26865	75	#0	QAM16	9782.65	-39.41	-13	PASS
Band26(824-849)	15	26965	75	#0	QPSK	3796.98	-39.17	-13	PASS
Band26(824-849)	15	26965	75	#0	QAM16	3813.18	-39.25	-13	PASS

Band26(824-849) QAM16 BW=10MHz Channel=26840 RB Size=50 Position=#0


**Band26(824-849) QAM16 BW=1.4MHz Channel=27033 RB Size=6 Position=#0****Band26(824-849) QAM16 BW=1.4MHz Channel=26797 RB Size=6 Position=#0**

**Band26(824-849) QAM16 BW=10MHz Channel=26990 RB Size=50 Position=#0****Band26(824-849) QAM16 BW=3MHz Channel=26805 RB Size=15 Position=#0**



**Band26(824-849) QAM16 BW=15MHz Channel=26965 RB Size=75 Position=#0****Band26(824-849) QAM16 BW=15MHz Channel=26865 RB Size=75 Position=#0**







Band26(824-849) QAM16 BW=5MHz Channel=27015 RB Size=25 Position=#0







Band26(824-849) QPSK BW=1.4MHz Channel=26797 RB Size=6 Position=#0


**Band26(824-849) QAM16 BW=3MHz Channel=27025 RB Size=15 Position=#0****Band26(824-849) QAM16 BW=5MHz Channel=26815 RB Size=25 Position=#0**

**Band26(824-849) QPSK BW=15MHz Channel=26865 RB Size=75 Position=#0****Band26(824-849) QPSK BW=15MHz Channel=26965 RB Size=75 Position=#0**

**Band26(824-849) QPSK BW=10MHz Channel=26990 RB Size=50 Position=#0****Band26(824-849) QPSK BW=1.4MHz Channel=27033 RB Size=6 Position=#0**

**Band26(824-849) QPSK BW=10MHz Channel=26840 RB Size=50 Position=#0****Band26(824-849) QPSK BW=5MHz Channel=26815 RB Size=25 Position=#0**

**Band26(824-849) QPSK BW=5MHz Channel=27015 RB Size=25 Position=#0****Band26(824-849) QPSK BW=3MHz Channel=26805 RB Size=15 Position=#0**



Band26(824-849) QPSK BW=3MHz Channel=27025 RB Size=15 Position=#0

