



**16.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.83	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.62	-25	Pass	2986
30	1000	0.1	RMS	1000	-61.22	-25	Pass	9701
1000	2560	1	RMS	2501	-47.72	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.13	60	Pass	401
2630	3000	1	RMS	2999.075	-46.67	-25	Pass	401
3000	12000	1	RMS	11979	-47.96	-25	Pass	9002
12000	26500	1	RMS	25502	-38.15	-25	Pass	14502




**16.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.16	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.87	-25	Pass	2986
30	1000	0.1	RMS	869.113	-61.2	-25	Pass	9701
1000	2560	1	RMS	2558	-40.02	-25	Pass	1561
2560	2630	1	RMS	2570.85	22.57	60	Pass	401
2630	3000	1	RMS	3000	-46.64	-25	Pass	401
3000	12000	1	RMS	11983	-47.96	-25	Pass	9002
12000	26500	1	RMS	25507	-38.09	-25	Pass	14502




**16.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.7	-25	Pass	2986
30	1000	0.1	RMS	997.799	-61.01	-25	Pass	9701
1000	2560	1	RMS	2557	-38.94	-25	Pass	1561
2560	2630	1	RMS	2570.85	21.74	60	Pass	401
2630	3000	1	RMS	3000	-46.65	-25	Pass	401
3000	12000	1	RMS	11977	-47.95	-25	Pass	9002
12000	26500	1	RMS	25497	-38.16	-25	Pass	14502




**16.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.68	-25	Pass	2986
30	1000	0.1	RMS	937.959	-60.99	-25	Pass	9701
1000	2560	1	RMS	2527	-47.26	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.59	60	Pass	401
2630	3000	1	RMS	2649.425	-46.4	-25	Pass	401
3000	12000	1	RMS	11977	-47.92	-25	Pass	9002
12000	26500	1	RMS	25504	-38.06	-25	Pass	14502




**16.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-67.45	-25	Pass	401
0.15	30	0.01	RMS	0.27	-68.69	-25	Pass	2986
30	1000	0.1	RMS	848	-61.25	-25	Pass	9701
1000	2560	1	RMS	2527	-47.22	-25	Pass	1561
2560	2630	1	RMS	2588.175	21.72	60	Pass	401
2630	3000	1	RMS	2649.425	-46.46	-25	Pass	401
3000	12000	1	RMS	11981	-47.88	-25	Pass	9002
12000	26500	1	RMS	25502	-38.15	-25	Pass	14502




**16.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.22	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.51	-25	Pass	2986
30	1000	0.1	RMS	972.882	-61.15	-25	Pass	9701
1000	2560	1	RMS	2545	-47.63	-25	Pass	1561
2560	2630	1	RMS	2605.675	21.94	60	Pass	401
2630	3000	1	RMS	2631.85	-35.69	-25	Pass	401
3000	12000	1	RMS	11978	-47.81	-25	Pass	9002
12000	26500	1	RMS	25506	-38.08	-25	Pass	14502




**16.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.59	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.15	-25	Pass	2986
30	1000	0.1	RMS	924.85	-61.22	-25	Pass	9701
1000	2560	1	RMS	2545	-47.64	-25	Pass	1561
2560	2630	1	RMS	2605.85	20.91	60	Pass	401
2630	3000	1	RMS	2631.85	-34.14	-25	Pass	401
3000	12000	1	RMS	11973	-47.94	-25	Pass	9002
12000	26500	1	RMS	25502	-38.08	-25	Pass	14502




**16.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.1	-25	Pass	2986
30	1000	0.1	RMS	973.683	-61.22	-25	Pass	9701
1000	2560	1	RMS	2554	-40.41	-25	Pass	1561
2560	2630	1	RMS	2571.2	22.15	60	Pass	401
2630	3000	1	RMS	2636.475	-42.89	-25	Pass	401
3000	12000	1	RMS	11979	-47.94	-25	Pass	9002
12000	26500	1	RMS	25502	-38.12	-25	Pass	14502




**16.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.47	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.93	-25	Pass	2986
30	1000	0.1	RMS	934.256	-61.11	-25	Pass	9701
1000	2560	1	RMS	2554	-40.45	-25	Pass	1561
2560	2630	1	RMS	2571.025	21.8	60	Pass	401
2630	3000	1	RMS	2636.475	-42.64	-25	Pass	401
3000	12000	1	RMS	11982	-47.97	-25	Pass	9002
12000	26500	1	RMS	25500	-38.09	-25	Pass	14502




**16.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.61	-25	Pass	2986
30	1000	0.1	RMS	999.199	-61.18	-25	Pass	9701
1000	2560	1	RMS	2525	-45.21	-25	Pass	1561
2560	2630	1	RMS	2586.075	22.28	60	Pass	401
2630	3000	1	RMS	2646.65	-42.34	-25	Pass	401
3000	12000	1	RMS	11973	-47.97	-25	Pass	9002
12000	26500	1	RMS	25501	-38.16	-25	Pass	14502




**16.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.19	-25	Pass	2986
30	1000	0.1	RMS	971.381	-61.23	-25	Pass	9701
1000	2560	1	RMS	2550	-45.36	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.35	60	Pass	401
2630	3000	1	RMS	2647.575	-41.92	-25	Pass	401
3000	12000	1	RMS	11978	-47.93	-25	Pass	9002
12000	26500	1	RMS	25495	-38.14	-25	Pass	14502




**16.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.3	-25	Pass	2986
30	1000	0.1	RMS	884.523	-61.23	-25	Pass	9701
1000	2560	1	RMS	2540	-45.29	-25	Pass	1561
2560	2630	1	RMS	2600.95	21.77	60	Pass	401
2630	3000	1	RMS	2636.475	-37.65	-25	Pass	401
3000	12000	1	RMS	11979	-47.94	-25	Pass	9002
12000	26500	1	RMS	25500	-38.03	-25	Pass	14502



**16.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-68.3	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.31	-25	Pass	2986
30	1000	0.1	RMS	942.062	-61.13	-25	Pass	9701
1000	2560	1	RMS	2540	-45.96	-25	Pass	1561
2560	2630	1	RMS	2601.125	21.99	60	Pass	401
2630	3000	1	RMS	2636.475	-35.74	-25	Pass	401
3000	12000	1	RMS	11976	-47.91	-25	Pass	9002
12000	26500	1	RMS	25507	-38.14	-25	Pass	14502



17. LTE_Band41 120M


17.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	Pass	2986
30	1000	0.1	RMS	933.256	-61.11	-25	Pass	9701
1000	2486	1	RMS	2481	-47.78	-25	Pass	1487
2486	2700	1	RMS	2535.22	20.84	60	Pass	401
2700	3000	1	RMS	3000	-46.6	-25	Pass	401
3000	12000	1	RMS	11978	-47.93	-25	Pass	9002
12000	26500	1	RMS	25510	-38.15	-25	Pass	14502




**17.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:40065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.91	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.94	-25	Pass	2986
30	1000	0.1	RMS	995.397	-61.21	-25	Pass	9701
1000	2486	1	RMS	2484	-47.86	-25	Pass	1487
2486	2700	1	RMS	2535.22	21.48	60	Pass	401
2700	3000	1	RMS	2997.75	-46.62	-25	Pass	401
3000	12000	1	RMS	11978	-47.88	-25	Pass	9002
12000	26500	1	RMS	25514	-38.13	-25	Pass	14502




**17.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	Pass	2986
30	1000	0.1	RMS	916.244	-61.19	-25	Pass	9701
1000	2486	1	RMS	2486	-47.78	-25	Pass	1487
2486	2700	1	RMS	2593	20.69	60	Pass	401
2700	3000	1	RMS	2997.75	-46.55	-25	Pass	401
3000	12000	1	RMS	11977	-47.96	-25	Pass	9002
12000	26500	1	RMS	25499	-38.17	-25	Pass	14502




**17.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40640, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.64	-25	Pass	2986
30	1000	0.1	RMS	932.856	-61.14	-25	Pass	9701
1000	2486	1	RMS	2486	-47.84	-25	Pass	1487
2486	2700	1	RMS	2593	19.95	60	Pass	401
2700	3000	1	RMS	2999.25	-46.57	-25	Pass	401
3000	12000	1	RMS	11983	-47.87	-25	Pass	9002
12000	26500	1	RMS	25503	-38.04	-25	Pass	14502




**17.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.74	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.47	-25	Pass	2986
30	1000	0.1	RMS	991.394	-61.15	-25	Pass	9701
1000	2486	1	RMS	2482	-47.74	-25	Pass	1487
2486	2700	1	RMS	2650.245	21.86	60	Pass	401
2700	3000	1	RMS	3000	-46.6	-25	Pass	401
3000	12000	1	RMS	11980	-47.85	-25	Pass	9002
12000	26500	1	RMS	25494	-38.07	-25	Pass	14502




**17.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.3	-25	Pass	2986
30	1000	0.1	RMS	939.56	-61.23	-25	Pass	9701
1000	2486	1	RMS	2484	-47.84	-25	Pass	1487
2486	2700	1	RMS	2650.245	21.64	60	Pass	401
2700	3000	1	RMS	2994.75	-46.63	-25	Pass	401
3000	12000	1	RMS	11977	-47.89	-25	Pass	9002
12000	26500	1	RMS	25504	-38.07	-25	Pass	14502




**17.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.65	-25	Pass	2986
30	1000	0.1	RMS	853.603	-61.15	-25	Pass	9701
1000	2486	1	RMS	2485	-47.83	-25	Pass	1487
2486	2700	1	RMS	2535.22	20.74	60	Pass	401
2700	3000	1	RMS	2999.25	-46.59	-25	Pass	401
3000	12000	1	RMS	11980	-47.86	-25	Pass	9002
12000	26500	1	RMS	25497	-38.08	-25	Pass	14502




**17.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.97	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.06	-25	Pass	2986
30	1000	0.1	RMS	978.386	-61.12	-25	Pass	9701
1000	2486	1	RMS	2484	-47.81	-25	Pass	1487
2486	2700	1	RMS	2535.22	20.44	60	Pass	401
2700	3000	1	RMS	3000	-46.61	-25	Pass	401
3000	12000	1	RMS	11974	-47.92	-25	Pass	9002
12000	26500	1	RMS	25507	-38.17	-25	Pass	14502




**17.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.96	-25	Pass	401
0.15	30	0.01	RMS	0.21	-68.03	-25	Pass	2986
30	1000	0.1	RMS	984.39	-61.18	-25	Pass	9701
1000	2486	1	RMS	2485	-47.82	-25	Pass	1487
2486	2700	1	RMS	2590.325	22.29	60	Pass	401
2700	3000	1	RMS	2999.25	-46.62	-25	Pass	401
3000	12000	1	RMS	11977	-47.95	-25	Pass	9002
12000	26500	1	RMS	25509	-38.14	-25	Pass	14502




**17.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:40640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.01	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.73	-25	Pass	2986
30	1000	0.1	RMS	938.059	-61.07	-25	Pass	9701
1000	2486	1	RMS	2481	-47.8	-25	Pass	1487
2486	2700	1	RMS	2590.325	21.71	60	Pass	401
2700	3000	1	RMS	3000	-46.6	-25	Pass	401
3000	12000	1	RMS	11976	-47.89	-25	Pass	9002
12000	26500	1	RMS	25498	-38.1	-25	Pass	14502




**17.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.52	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.85	-25	Pass	2986
30	1000	0.1	RMS	973.182	-61.09	-25	Pass	9701
1000	2486	1	RMS	2483	-47.84	-25	Pass	1487
2486	2700	1	RMS	2645.43	22.39	60	Pass	401
2700	3000	1	RMS	3000	-46.63	-25	Pass	401
3000	12000	1	RMS	11982	-47.91	-25	Pass	9002
12000	26500	1	RMS	25498	-38.11	-25	Pass	14502




**17.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.96	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.88	-25	Pass	2986
30	1000	0.1	RMS	931.355	-61.05	-25	Pass	9701
1000	2486	1	RMS	2486	-47.79	-25	Pass	1487
2486	2700	1	RMS	2645.43	21.84	60	Pass	401
2700	3000	1	RMS	2997	-46.63	-25	Pass	401
3000	12000	1	RMS	11978	-47.9	-25	Pass	9002
12000	26500	1	RMS	25499	-38.11	-25	Pass	14502




**17.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.85	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.68	-25	Pass	2986
30	1000	0.1	RMS	974.383	-61.2	-25	Pass	9701
1000	2486	1	RMS	2482	-47.81	-25	Pass	1487
2486	2700	1	RMS	2535.755	21.14	60	Pass	401
2700	3000	1	RMS	2997.75	-46.58	-25	Pass	401
3000	12000	1	RMS	11975	-47.96	-25	Pass	9002
12000	26500	1	RMS	25500	-38.12	-25	Pass	14502




**17.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.39	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.58	-25	Pass	2986
30	1000	0.1	RMS	967.579	-61.16	-25	Pass	9701
1000	2486	1	RMS	2483	-47.82	-25	Pass	1487
2486	2700	1	RMS	2535.755	19.74	60	Pass	401
2700	3000	1	RMS	2999.25	-46.57	-25	Pass	401
3000	12000	1	RMS	11981	-47.94	-25	Pass	9002
12000	26500	1	RMS	25499	-38.12	-25	Pass	14502




**17.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.9	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.48	-25	Pass	2986
30	1000	0.1	RMS	946.765	-61.12	-25	Pass	9701
1000	2486	1	RMS	2480	-47.83	-25	Pass	1487
2486	2700	1	RMS	2588.185	21.63	60	Pass	401
2700	3000	1	RMS	3000	-46.59	-25	Pass	401
3000	12000	1	RMS	11983	-47.83	-25	Pass	9002
12000	26500	1	RMS	25488	-38.06	-25	Pass	14502




**17.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40640, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.35	-25	Pass	2986
30	1000	0.1	RMS	998.999	-61.1	-25	Pass	9701
1000	2486	1	RMS	2423	-46.67	-25	Pass	1487
2486	2700	1	RMS	2588.185	20.45	60	Pass	401
2700	3000	1	RMS	2999.25	-46.57	-25	Pass	401
3000	12000	1	RMS	11983	-47.9	-25	Pass	9002
12000	26500	1	RMS	25498	-37.99	-25	Pass	14502




**17.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.86	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.54	-25	Pass	2986
30	1000	0.1	RMS	870.414	-60.99	-25	Pass	9701
1000	2486	1	RMS	2485	-47.77	-25	Pass	1487
2486	2700	1	RMS	2640.615	21.58	60	Pass	401
2700	3000	1	RMS	3000	-46.6	-25	Pass	401
3000	12000	1	RMS	11974	-47.91	-25	Pass	9002
12000	26500	1	RMS	25500	-38.14	-25	Pass	14502




**17.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.48	-25	Pass	401
0.15	30	0.01	RMS	0.18	-68.62	-25	Pass	2986
30	1000	0.1	RMS	970.18	-61.1	-25	Pass	9701
1000	2486	1	RMS	2485	-47.74	-25	Pass	1487
2486	2700	1	RMS	2640.615	22.04	60	Pass	401
2700	3000	1	RMS	2998.5	-46.61	-25	Pass	401
3000	12000	1	RMS	11979	-47.9	-25	Pass	9002
12000	26500	1	RMS	25501	-38.13	-25	Pass	14502




**17.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.58	-25	Pass	401
0.15	30	0.01	RMS	0.17	-68.69	-25	Pass	2986
30	1000	0.1	RMS	869.614	-61.13	-25	Pass	9701
1000	2486	1	RMS	2479	-47.81	-25	Pass	1487
2486	2700	1	RMS	2535.755	21.32	60	Pass	401
2700	3000	1	RMS	2997.75	-46.56	-25	Pass	401
3000	12000	1	RMS	11985	-47.88	-25	Pass	9002
12000	26500	1	RMS	25505	-38.05	-25	Pass	14502




**17.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.93	-25	Pass	2986
30	1000	0.1	RMS	854.904	-61.16	-25	Pass	9701
1000	2486	1	RMS	2476	-47.78	-25	Pass	1487
2486	2700	1	RMS	2535.755	21.15	60	Pass	401
2700	3000	1	RMS	3000	-46.53	-25	Pass	401
3000	12000	1	RMS	11975	-47.86	-25	Pass	9002
12000	26500	1	RMS	25518	-38.1	-25	Pass	14502




**17.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.17	-25	Pass	401
0.15	30	0.01	RMS	0.19	-68.24	-25	Pass	2986
30	1000	0.1	RMS	937.659	-61.15	-25	Pass	9701
1000	2486	1	RMS	2483	-47.8	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.59	60	Pass	401
2700	3000	1	RMS	2999.25	-46.58	-25	Pass	401
3000	12000	1	RMS	11976	-47.88	-25	Pass	9002
12000	26500	1	RMS	25501	-38.06	-25	Pass	14502




**17.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.64	-25	Pass	401
0.15	30	0.01	RMS	0.26	-68.38	-25	Pass	2986
30	1000	0.1	RMS	837.3	-61.05	-25	Pass	9701
1000	2486	1	RMS	2486	-47.79	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.15	60	Pass	401
2700	3000	1	RMS	2998.5	-46.61	-25	Pass	401
3000	12000	1	RMS	11974	-47.89	-25	Pass	9002
12000	26500	1	RMS	25498	-38.03	-25	Pass	14502




**17.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.79	-25	Pass	401
0.15	30	0.01	RMS	0.16	-65.84	-25	Pass	2986
30	1000	0.1	RMS	981.388	-59.87	-25	Pass	9701
1000	2486	1	RMS	2482	-46.81	-25	Pass	1477
2486	2700	1	RMS	2635.8	24.13	60	Pass	401
2700	3000	1	RMS	3000	-44.86	-25	Pass	401
3000	12000	1	RMS	3204	-54.35	-25	Pass	9002
12000	26500	1	RMS	25500	-46.75	-25	Pass	14502



**17.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-66.79	-25	Pass	401
0.15	30	0.01	RMS	0.15	-65.84	-25	Pass	2986
30	1000	0.1	RMS	975.584	-59.87	-25	Pass	9701
1000	2486	1	RMS	2484	-46.81	-25	Pass	1477
2486	2700	1	RMS	2635.8	24.13	60	Pass	401
2700	3000	1	RMS	2999.25	-44.86	-25	Pass	401
3000	12000	1	RMS	3029	-54.35	-25	Pass	9002
12000	26500	1	RMS	25497	-46.75	-25	Pass	14502



18. LTE_Band66


**18.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	1000	0.1	RMS	982.388	-65.13	-13	Pass	9701
1000	1700	1	RMS	1700	-52.24	-13	Pass	701
1700	1790	1	RMS	1710.125	22.49	60	Pass	401
1790	3000	1	RMS	2999	-50.53	-13	Pass	1211
3000	12000	1	RMS	11975	-41.88	-13	Pass	9002
12000	20000	1	RMS	19318	-35.12	-13	Pass	8001




**18.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	Pass	2986
30	1000	0.1	RMS	960.274	-65.09	-13	Pass	9701
1000	1700	1	RMS	1700	-52.1	-13	Pass	701
1700	1790	1	RMS	1710.125	22.82	60	Pass	401
1790	3000	1	RMS	3000	-50.57	-13	Pass	1211
3000	12000	1	RMS	11982	-41.92	-13	Pass	9002
12000	20000	1	RMS	19450	-35.15	-13	Pass	8001




18.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	Pass	2986
30	1000	0.1	RMS	875.518	-65.14	-13	Pass	9701
1000	1700	1	RMS	1684	-53.53	-13	Pass	701
1700	1790	1	RMS	1744.55	22.69	60	Pass	401
1790	3000	1	RMS	2999	-50.55	-13	Pass	1211
3000	12000	1	RMS	11985	-41.83	-13	Pass	9002
12000	20000	1	RMS	19293	-35.12	-13	Pass	8001




**18.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.65	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	Pass	2986
30	1000	0.1	RMS	844.1	-65.06	-13	Pass	9701
1000	1700	1	RMS	1677	-53.53	-13	Pass	701
1700	1790	1	RMS	1744.55	22.7	60	Pass	401
1790	3000	1	RMS	3000	-50.51	-13	Pass	1211
3000	12000	1	RMS	11989	-41.86	-13	Pass	9002
12000	20000	1	RMS	19368	-35.14	-13	Pass	8001




**18.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.24	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.36	-13	Pass	2986
30	1000	0.1	RMS	868.613	-65.05	-13	Pass	9701
1000	1700	1	RMS	1680	-53.52	-13	Pass	701
1700	1790	1	RMS	1778.75	22.85	60	Pass	401
1790	3000	1	RMS	2971	-50.54	-13	Pass	1211
3000	12000	1	RMS	11983	-41.84	-13	Pass	9002
12000	20000	1	RMS	19371	-35.13	-13	Pass	8001




**18.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	Pass	2986
30	1000	0.1	RMS	966.178	-65.12	-13	Pass	9701
1000	1700	1	RMS	1678	-53.52	-13	Pass	701
1700	1790	1	RMS	1778.75	22.25	60	Pass	401
1790	3000	1	RMS	2953	-50.55	-13	Pass	1211
3000	12000	1	RMS	11981	-41.89	-13	Pass	9002
12000	20000	1	RMS	19346	-35.18	-13	Pass	8001




**18.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.48	-13	Pass	2986
30	1000	0.1	RMS	994.797	-65.01	-13	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	Pass	701
1700	1790	1	RMS	1710.125	22.44	60	Pass	401
1790	3000	1	RMS	2999	-50.55	-13	Pass	1211
3000	12000	1	RMS	11979	-41.92	-13	Pass	9002
12000	20000	1	RMS	19420	-35.17	-13	Pass	8001




**18.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.65	-13	Pass	2986
30	1000	0.1	RMS	816.5	-65.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.81	-13	Pass	701
1700	1790	1	RMS	1710.125	22	60	Pass	401
1790	3000	1	RMS	2981	-50.58	-13	Pass	1211
3000	12000	1	RMS	11974	-41.87	-13	Pass	9002
12000	20000	1	RMS	19401	-35.12	-13	Pass	8001




**18.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	1000	0.1	RMS	953.969	-65.11	-13	Pass	9701
1000	1700	1	RMS	1698	-53.46	-13	Pass	701
1700	1790	1	RMS	1743.65	22.7	60	Pass	401
1790	3000	1	RMS	2997	-50.51	-13	Pass	1211
3000	12000	1	RMS	11986	-41.79	-13	Pass	9002
12000	20000	1	RMS	19274	-35.1	-13	Pass	8001




**18.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-13	Pass	2986
30	1000	0.1	RMS	978.386	-65.12	-13	Pass	9701
1000	1700	1	RMS	1696	-53.5	-13	Pass	701
1700	1790	1	RMS	1743.65	22.4	60	Pass	401
1790	3000	1	RMS	2973	-50.53	-13	Pass	1211
3000	12000	1	RMS	11977	-41.83	-13	Pass	9002
12000	20000	1	RMS	19336	-35.13	-13	Pass	8001




**18.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	Pass	2986
30	1000	0.1	RMS	966.978	-64.98	-13	Pass	9701
1000	1700	1	RMS	1682	-53.56	-13	Pass	701
1700	1790	1	RMS	1777.175	22.77	60	Pass	401
1790	3000	1	RMS	2998	-50.44	-13	Pass	1211
3000	12000	1	RMS	11983	-41.84	-13	Pass	9002
12000	20000	1	RMS	19340	-35.09	-13	Pass	8001




**18.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	Pass	2986
30	1000	0.1	RMS	926.952	-65.12	-13	Pass	9701
1000	1700	1	RMS	1680	-53.55	-13	Pass	701
1700	1790	1	RMS	1777.175	21.78	60	Pass	401
1790	3000	1	RMS	2970	-50.52	-13	Pass	1211
3000	12000	1	RMS	11984	-41.78	-13	Pass	9002
12000	20000	1	RMS	19420	-35.15	-13	Pass	8001




**18.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	Pass	2986
30	1000	0.1	RMS	954.37	-65.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.71	-13	Pass	701
1700	1790	1	RMS	1710.35	22.32	60	Pass	401
1790	3000	1	RMS	2963	-50.51	-13	Pass	1211
3000	12000	1	RMS	11974	-41.87	-13	Pass	9002
12000	20000	1	RMS	19441	-35.09	-13	Pass	8001




**18.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	1000	0.1	RMS	949.967	-65.15	-13	Pass	9701
1000	1700	1	RMS	1700	-50.82	-13	Pass	701
1700	1790	1	RMS	1710.35	21.96	60	Pass	401
1790	3000	1	RMS	2999	-50.49	-13	Pass	1211
3000	12000	1	RMS	11978	-41.81	-13	Pass	9002
12000	20000	1	RMS	19412	-35.08	-13	Pass	8001




**18.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	Pass	2986
30	1000	0.1	RMS	979.987	-64.96	-13	Pass	9701
1000	1700	1	RMS	1697	-53.46	-13	Pass	701
1700	1790	1	RMS	1742.75	22.77	60	Pass	401
1790	3000	1	RMS	2982	-50.52	-13	Pass	1211
3000	12000	1	RMS	11988	-41.84	-13	Pass	9002
12000	20000	1	RMS	19302	-35.11	-13	Pass	8001




**18.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	Pass	2986
30	1000	0.1	RMS	969.48	-65.06	-13	Pass	9701
1000	1700	1	RMS	1700	-53.48	-13	Pass	701
1700	1790	1	RMS	1742.75	21.63	60	Pass	401
1790	3000	1	RMS	3000	-50.52	-13	Pass	1211
3000	12000	1	RMS	11980	-41.79	-13	Pass	9002
12000	20000	1	RMS	19331	-35.06	-13	Pass	8001




**18.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	1000	0.1	RMS	998.599	-65.01	-13	Pass	9701
1000	1700	1	RMS	1695	-53.55	-13	Pass	701
1700	1790	1	RMS	1775.375	22.6	60	Pass	401
1790	3000	1	RMS	2996	-50.52	-13	Pass	1211
3000	12000	1	RMS	11972	-41.82	-13	Pass	9002
12000	20000	1	RMS	19322	-35.11	-13	Pass	8001




**18.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	Pass	2986
30	1000	0.1	RMS	847.3	-64.99	-13	Pass	9701
1000	1700	1	RMS	1680	-53.54	-13	Pass	701
1700	1790	1	RMS	1775.375	22.27	60	Pass	401
1790	3000	1	RMS	2943	-50.51	-13	Pass	1211
3000	12000	1	RMS	11982	-41.87	-13	Pass	9002
12000	20000	1	RMS	19369	-35.1	-13	Pass	8001




**18.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	Pass	2986
30	1000	0.1	RMS	931.054	-65.06	-13	Pass	9701
1000	1700	1	RMS	1693	-41.86	-13	Pass	701
1700	1790	1	RMS	1710.575	22.57	60	Pass	401
1790	3000	1	RMS	2974	-50.55	-13	Pass	1211
3000	12000	1	RMS	11978	-41.88	-13	Pass	9002
12000	20000	1	RMS	19396	-35.14	-13	Pass	8001




**18.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-13	Pass	2986
30	1000	0.1	RMS	859.607	-65.1	-13	Pass	9701
1000	1700	1	RMS	1693	-42.61	-13	Pass	701
1700	1790	1	RMS	1710.575	22.16	60	Pass	401
1790	3000	1	RMS	2997	-50.47	-13	Pass	1211
3000	12000	1	RMS	11979	-41.79	-13	Pass	9002
12000	20000	1	RMS	19301	-35.11	-13	Pass	8001




**18.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2986
30	1000	0.1	RMS	974.583	-65.12	-13	Pass	9701
1000	1700	1	RMS	1700	-53.42	-13	Pass	701
1700	1790	1	RMS	1740.5	22.79	60	Pass	401
1790	3000	1	RMS	2957	-50.5	-13	Pass	1211
3000	12000	1	RMS	11976	-41.84	-13	Pass	9002
12000	20000	1	RMS	19376	-35.14	-13	Pass	8001




**18.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	1000	0.1	RMS	995.497	-65.11	-13	Pass	9701
1000	1700	1	RMS	1700	-53.47	-13	Pass	701
1700	1790	1	RMS	1740.5	22.66	60	Pass	401
1790	3000	1	RMS	2997	-50.51	-13	Pass	1211
3000	12000	1	RMS	11984	-41.89	-13	Pass	9002
12000	20000	1	RMS	19372	-35.12	-13	Pass	8001



**18.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.41	-13	Pass	2986
30	1000	0.1	RMS	987.992	-65	-13	Pass	9701
1000	1700	1	RMS	1697	-53.53	-13	Pass	701
1700	1790	1	RMS	1770.65	22.64	60	Pass	401
1790	3000	1	RMS	2999	-50.58	-13	Pass	1211
3000	12000	1	RMS	11980	-41.9	-13	Pass	9002
12000	20000	1	RMS	19304	-35.11	-13	Pass	8001



**18.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	Pass	2986