


EXHIBIT C. Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.94	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.04	-13	Pass	2986
30	500	0.1	Peak	450.6	-42.84	-13	Pass	4701
500	1000	0.1	Peak	824.2	33.54	-13	N/A	5001
1000	10000	1	Peak	9924	-23.16	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-37	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.27	-13	Pass	2986
30	500	0.1	Peak	322.5	-42.8	-13	Pass	4701
500	1000	0.1	Peak	836.5	33.86	-13	N/A	5001
1000	10000	1	Peak	5761	-23.07	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.58	-13	Pass	2986
30	500	0.1	Peak	379.6	-42.92	-13	Pass	4701
500	1000	0.1	Peak	848.8	33.39	-13	N/A	5001
1000	10000	1	Peak	9946	-22.66	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.66	-13	Pass	401
0.15	30	0.01	Peak	0.15	-45.15	-13	Pass	2986
30	1000	0.1	Peak	812.8	-47.13	-13	Pass	9701
1000	3000	1	Peak	1850	24.55	-13	N/A	2001
3000	20000	1	Peak	18943	-15.52	-13	Pass*	17001




2.2. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-42.28	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.75	-13	Pass	2986
30	1000	0.1	Peak	921	-46.71	-13	Pass	9701
1000	3000	1	Peak	1880	29.48	-13	N/A	2001
3000	20000	1	Peak	19008	-15.96	-13	Pass*	17001



2.3. GSM Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.65	-13	Pass	2986
30	1000	0.1	Peak	899.7	-47.33	-13	Pass	9701
1000	3000	1	Peak	1910	29.74	-13	N/A	2001
3000	20000	1	Peak	19014	-15.69	-13	Pass*	17001



3. GPRS_GSM850


3.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.6	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.98	-13	Pass	2986
30	500	0.1	Peak	422.6	-43.31	-13	Pass	4701
500	1000	0.1	Peak	824.1	33.83	-13	N/A	5001
1000	10000	1	Peak	9832	-23.05	-13	Pass	9001




3.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-36.5	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.59	-13	Pass	2986
30	500	0.1	Peak	380.4	-43.12	-13	Pass	4701
500	1000	0.1	Peak	836.7	33.8	-13	N/A	5001
1000	10000	1	Peak	9796	-23.3	-13	Pass	9001



3.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-36.57	-13	Pass	2986
30	500	0.1	Peak	402.9	-43.39	-13	Pass	4701
500	1000	0.1	Peak	848.7	33.58	-13	N/A	5001
1000	10000	1	Peak	9800	-23.32	-13	Pass	9001



4. GPRS_PCS


4.1. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42	-13	Pass	401
0.15	30	0.01	Peak	0.16	-42.99	-13	Pass	2986
30	1000	0.1	Peak	786.9	-47.06	-13	Pass	9701
1000	3000	1	Peak	1850	29.55	-13	N/A	2001
3000	20000	1	Peak	18945	-15.26	-13	Pass*	17001




4.2. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.37	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.95	-13	Pass	2986
30	1000	0.1	Peak	977.3	-47.04	-13	Pass	9701
1000	3000	1	Peak	1880	28.1	-13	N/A	2001
3000	20000	1	Peak	19483	-15.98	-13	Pass*	17001



4.3. GPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-41.7	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.6	-13	Pass	2986
30	1000	0.1	Peak	912.7	-47.29	-13	Pass	9701
1000	3000	1	Peak	1910	29.46	-13	N/A	2001
3000	20000	1	Peak	18946	-16.08	-13	Pass	17001



5. EGPRS_GSM850


5.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-34.72	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.07	-13	Pass	2986
30	500	0.1	Peak	467.6	-42.98	-13	Pass	4701
500	1000	0.1	Peak	824.2	30.04	-13	N/A	5001
1000	10000	1	Peak	9662	-23.49	-13	Pass	9001




5.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-37	-13	Pass	401
0.15	30	0.01	Peak	0.16	-38.38	-13	Pass	2986
30	500	0.1	Peak	444.3	-42.93	-13	Pass	4701
500	1000	0.1	Peak	836.7	28.11	-13	N/A	5001
1000	10000	1	Peak	9957	-22.79	-13	Pass	9001



5.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.39	-13	Pass	2986
30	500	0.1	Peak	437.3	-41.82	-13	Pass	4701
500	1000	0.1	Peak	848.8	29.47	-13	N/A	5001
1000	10000	1	Peak	9933	-22.26	-13	Pass	9001



6. EGPRS_PCS


6.1. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.52	-13	Pass	401
0.15	30	0.01	Peak	0.17	-44.37	-13	Pass	2986
30	1000	0.1	Peak	916.7	-47.23	-13	Pass	9701
1000	3000	1	Peak	1850	26.4	-13	N/A	2001
3000	20000	1	Peak	19017	-15.74	-13	Pass*	17001




6.2. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.47	-13	Pass	401
0.15	30	0.01	Peak	0.15	-43.89	-13	Pass	2986
30	1000	0.1	Peak	787.2	-47.9	-13	Pass	9701
1000	3000	1	Peak	1880	27.99	-13	N/A	2001
3000	20000	1	Peak	18780	-15.46	-13	Pass*	17001



6.3. EGPRS Spurious Emission at Antenna Terminals(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.51	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.3	-13	Pass	2986
30	1000	0.1	Peak	915.8	-47.5	-13	Pass	9701
1000	3000	1	Peak	1910	23.42	-13	N/A	2001
3000	20000	1	Peak	18870	-16	-13	Pass	17001



7. WCDMA_Band2


7.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.46	-13	Pass	401
0.15	30	0.01	Peak	0.17	-49.14	-13	Pass	2986
30	1000	0.1	Peak	718.7	-51.31	-13	Pass	9701
1000	3000	1	Peak	1851	23.97	-13	N/A	2001
3000	20000	1	Peak	18927	-19.89	-13	Pass	17001




7.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.92	-13	Pass	401
0.15	30	0.01	Peak	0.16	-46.94	-13	Pass	2986
30	1000	0.1	Peak	894.5	-51.62	-13	Pass	9701
1000	3000	1	Peak	1881	23.85	-13	N/A	2001
3000	20000	1	Peak	19545	-19.7	-13	Pass	17001



7.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.21	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.11	-13	Pass	2986
30	1000	0.1	Peak	925.7	-51.29	-13	Pass	9701
1000	3000	1	Peak	1909	23.6	-13	N/A	2001
3000	20000	1	Peak	18720	-19.85	-13	Pass	17001



8. WCDMA_Band4


8.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2986
30	1000	0.1	RMS	931.6	-62.62	-13	Pass	9701
1000	3000	1	RMS	1712	18.35	-13	N/A	2001
3000	20000	1	RMS	18939	-31.47	-13	Pass	17001




8.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	1000	0.1	RMS	913.3	-62.6	-13	Pass	9701
1000	3000	1	RMS	1732	18.17	-13	N/A	2001
3000	20000	1	RMS	18919	-31.51	-13	Pass	17001



8.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	923.2	-62.61	-13	Pass	9701
1000	3000	1	RMS	1753	18.39	-13	N/A	2001
3000	20000	1	RMS	18922	-31.53	-13	Pass	17001



9. WCDMA_Band5


9.1. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.27	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.94	-13	Pass	2986
30	500	0.1	Peak	445	-53.04	-13	Pass	4701
500	1000	0.1	Peak	825.6	19.83	-13	N/A	5001
1000	10000	1	Peak	7223	-33.07	-13	Pass	9001




9.2. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-48.08	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.04	-13	Pass	2986
30	500	0.1	Peak	412.6	-52.42	-13	Pass	4701
500	1000	0.1	Peak	837.6	18.6	-13	N/A	5001
1000	10000	1	Peak	9855	-33.41	-13	Pass	9001



9.3. WCDMA Spurious Emission at Antenna Terminals(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.02	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.23	-13	Pass	2986
30	500	0.1	Peak	345.3	-53	-13	Pass	4701
500	1000	0.1	Peak	847.8	18.56	-13	N/A	5001
1000	10000	1	Peak	9923	-33.34	-13	Pass	9001



10. LTE_Band2


**10.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2986
30	1000	0.1	RMS	917.7	-62.66	-13	Pass	9701
1000	1840	1	RMS	1831	-51.55	-13	Pass	841
1840	1920	1	RMS	1850.2	22.56	60	Pass	401
1920	3000	1	RMS	2671	-48.39	-13	Pass	1081
3000	12000	1	RMS	11973	-41.82	-13	Pass	9001
12000	20000	1	RMS	18872	-31.69	-13	Pass	8001




10.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	1000	0.1	RMS	912	-62.81	-13	Pass	9701
1000	1840	1	RMS	1831	-51.65	-13	Pass	841
1840	1920	1	RMS	1850.2	21.81	60	Pass	401
1920	3000	1	RMS	2678	-48.42	-13	Pass	1081
3000	12000	1	RMS	11968	-41.84	-13	Pass	9001
12000	20000	1	RMS	18898	-31.72	-13	Pass	8001




10.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	921.2	-62.83	-13	Pass	9701
1000	1840	1	RMS	1839	-51.83	-13	Pass	841
1840	1920	1	RMS	1879.6	22.13	60	Pass	401
1920	3000	1	RMS	2680	-48.37	-13	Pass	1081
3000	12000	1	RMS	3759	-39.03	-13	Pass	9001
12000	20000	1	RMS	19021	-31.69	-13	Pass	8001




10.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	1000	0.1	RMS	930.4	-62.84	-13	Pass	9701
1000	1840	1	RMS	1839	-51.83	-13	Pass	841
1840	1920	1	RMS	1879.6	21.84	60	Pass	401
1920	3000	1	RMS	2680	-48.39	-13	Pass	1081
3000	12000	1	RMS	3759	-39.46	-13	Pass	9001
12000	20000	1	RMS	18880	-31.75	-13	Pass	8001




10.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.27	-13	Pass	2986
30	1000	0.1	RMS	934.5	-62.78	-13	Pass	9701
1000	1840	1	RMS	1840	-51.82	-13	Pass	841
1840	1920	1	RMS	1908.8	22.25	60	Pass	401
1920	3000	1	RMS	2678	-48.38	-13	Pass	1081
3000	12000	1	RMS	3818	-33.53	-13	Pass	9001
12000	20000	1	RMS	18907	-31.71	-13	Pass	8001




10.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	1000	0.1	RMS	924.1	-62.68	-13	Pass	9701
1000	1840	1	RMS	1832	-51.78	-13	Pass	841
1840	1920	1	RMS	1908.8	21.31	60	Pass	401
1920	3000	1	RMS	2675	-48.41	-13	Pass	1081
3000	12000	1	RMS	3818	-34.66	-13	Pass	9001
12000	20000	1	RMS	18931	-31.72	-13	Pass	8001




10.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2986
30	1000	0.1	RMS	914	-62.8	-13	Pass	9701
1000	1840	1	RMS	1831	-51.54	-13	Pass	841
1840	1920	1	RMS	1850.2	22.37	60	Pass	401
1920	3000	1	RMS	2676	-48.4	-13	Pass	1081
3000	12000	1	RMS	11976	-41.85	-13	Pass	9001
12000	20000	1	RMS	18926	-31.73	-13	Pass	8001




10.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-13	Pass	2986
30	1000	0.1	RMS	899.1	-62.87	-13	Pass	9701
1000	1840	1	RMS	1840	-51.6	-13	Pass	841
1840	1920	1	RMS	1850.2	21.31	60	Pass	401
1920	3000	1	RMS	2678	-48.37	-13	Pass	1081
3000	12000	1	RMS	11970	-41.9	-13	Pass	9001
12000	20000	1	RMS	18921	-31.72	-13	Pass	8001




10.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	958.2	-62.8	-13	Pass	9701
1000	1840	1	RMS	1840	-51.78	-13	Pass	841
1840	1920	1	RMS	1878.8	22.08	60	Pass	401
1920	3000	1	RMS	2680	-48.39	-13	Pass	1081
3000	12000	1	RMS	3757	-40.55	-13	Pass	9001
12000	20000	1	RMS	18869	-31.72	-13	Pass	8001




10.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	920.7	-62.68	-13	Pass	9701
1000	1840	1	RMS	1840	-51.68	-13	Pass	841
1840	1920	1	RMS	1878.8	21.66	60	Pass	401
1920	3000	1	RMS	2670	-48.39	-13	Pass	1081
3000	12000	1	RMS	3757	-41.15	-13	Pass	9001
12000	20000	1	RMS	18892	-31.76	-13	Pass	8001




10.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2986
30	1000	0.1	RMS	930	-62.86	-13	Pass	9701
1000	1840	1	RMS	1837	-51.81	-13	Pass	841
1840	1920	1	RMS	1907.2	22.33	60	Pass	401
1920	3000	1	RMS	2666	-48.39	-13	Pass	1081
3000	12000	1	RMS	3814	-34.53	-13	Pass	9001
12000	20000	1	RMS	19024	-31.73	-13	Pass	8001




10.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-13	Pass	2986
30	1000	0.1	RMS	913.7	-62.84	-13	Pass	9701
1000	1840	1	RMS	1840	-51.77	-13	Pass	841
1840	1920	1	RMS	1907.2	21.3	60	Pass	401
1920	3000	1	RMS	2659	-48.42	-13	Pass	1081
3000	12000	1	RMS	3814	-35.66	-13	Pass	9001
12000	20000	1	RMS	18932	-31.73	-13	Pass	8001




10.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.63	-13	Pass	2986
30	1000	0.1	RMS	959.9	-62.68	-13	Pass	9701
1000	1840	1	RMS	1840	-51.31	-13	Pass	841
1840	1920	1	RMS	1850.4	21.93	60	Pass	401
1920	3000	1	RMS	2670	-48.4	-13	Pass	1081
3000	12000	1	RMS	11973	-41.8	-13	Pass	9001
12000	20000	1	RMS	18933	-31.73	-13	Pass	8001




10.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	1000	0.1	RMS	921.1	-62.7	-13	Pass	9701
1000	1840	1	RMS	1840	-51.7	-13	Pass	841
1840	1920	1	RMS	1850.4	20.74	60	Pass	401
1920	3000	1	RMS	2680	-48.41	-13	Pass	1081
3000	12000	1	RMS	11967	-41.77	-13	Pass	9001
12000	20000	1	RMS	18879	-31.7	-13	Pass	8001




10.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	937.1	-62.88	-13	Pass	9701
1000	1840	1	RMS	1840	-51.78	-13	Pass	841
1840	1920	1	RMS	1877.8	21.91	60	Pass	401
1920	3000	1	RMS	2677	-48.39	-13	Pass	1081
3000	12000	1	RMS	3756	-39.95	-13	Pass	9001
12000	20000	1	RMS	18866	-31.73	-13	Pass	8001




10.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	1000	0.1	RMS	943.4	-62.83	-13	Pass	9701
1000	1840	1	RMS	1838	-51.76	-13	Pass	841
1840	1920	1	RMS	1877.8	21.6	60	Pass	401
1920	3000	1	RMS	2676	-48.44	-13	Pass	1081
3000	12000	1	RMS	3756	-40.3	-13	Pass	9001
12000	20000	1	RMS	18899	-31.72	-13	Pass	8001




10.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.37	-13	Pass	2986
30	1000	0.1	RMS	928	-62.86	-13	Pass	9701
1000	1840	1	RMS	1837	-51.8	-13	Pass	841
1840	1920	1	RMS	1905.4	22.02	60	Pass	401
1920	3000	1	RMS	2680	-48.38	-13	Pass	1081
3000	12000	1	RMS	3811	-34.43	-13	Pass	9001
12000	20000	1	RMS	18932	-31.72	-13	Pass	8001




10.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	936.8	-62.77	-13	Pass	9701
1000	1840	1	RMS	1840	-51.81	-13	Pass	841
1840	1920	1	RMS	1905.4	21.1	60	Pass	401
1920	3000	1	RMS	2667	-48.45	-13	Pass	1081
3000	12000	1	RMS	3811	-35.59	-13	Pass	9001
12000	20000	1	RMS	18873	-31.71	-13	Pass	8001




10.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-13	Pass	2986
30	1000	0.1	RMS	957.4	-62.77	-13	Pass	9701
1000	1840	1	RMS	1833	-49.64	-13	Pass	841
1840	1920	1	RMS	1850.6	22.34	60	Pass	401
1920	3000	1	RMS	2680	-48.43	-13	Pass	1081
3000	12000	1	RMS	3701	-41.39	-13	Pass	9001
12000	20000	1	RMS	18894	-31.71	-13	Pass	8001




10.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2986
30	1000	0.1	RMS	960.2	-62.71	-13	Pass	9701
1000	1840	1	RMS	1833	-49.75	-13	Pass	841
1840	1920	1	RMS	1850.6	21.57	60	Pass	401
1920	3000	1	RMS	2677	-48.36	-13	Pass	1081
3000	12000	1	RMS	11972	-41.86	-13	Pass	9001
12000	20000	1	RMS	18928	-31.73	-13	Pass	8001




10.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2986
30	1000	0.1	RMS	916	-62.78	-13	Pass	9701
1000	1840	1	RMS	1839	-51.76	-13	Pass	841
1840	1920	1	RMS	1875.6	22.16	60	Pass	401
1920	3000	1	RMS	2676	-48.39	-13	Pass	1081
3000	12000	1	RMS	3751	-38.88	-13	Pass	9001
12000	20000	1	RMS	18886	-31.73	-13	Pass	8001




10.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	1000	0.1	RMS	954	-62.69	-13	Pass	9701
1000	1840	1	RMS	1839	-51.81	-13	Pass	841
1840	1920	1	RMS	1875.6	21.95	60	Pass	401
1920	3000	1	RMS	2675	-48.35	-13	Pass	1081
3000	12000	1	RMS	3751	-39.14	-13	Pass	9001
12000	20000	1	RMS	18919	-31.68	-13	Pass	8001




10.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	1000	0.1	RMS	935.4	-62.74	-13	Pass	9701
1000	1840	1	RMS	1837	-51.76	-13	Pass	841
1840	1920	1	RMS	1900.6	22.27	60	Pass	401
1920	3000	1	RMS	2680	-48.43	-13	Pass	1081
3000	12000	1	RMS	3801	-34.81	-13	Pass	9001
12000	20000	1	RMS	18900	-31.77	-13	Pass	8001




10.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2986
30	1000	0.1	RMS	966.2	-62.83	-13	Pass	9701
1000	1840	1	RMS	1839	-51.8	-13	Pass	841
1840	1920	1	RMS	1900.6	21.59	60	Pass	401
1920	3000	1	RMS	2679	-48.39	-13	Pass	1081
3000	12000	1	RMS	3801	-35.73	-13	Pass	9001
12000	20000	1	RMS	19032	-31.77	-13	Pass	8001




10.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	1000	0.1	RMS	937.6	-62.79	-13	Pass	9701
1000	1840	1	RMS	1838	-49.66	-13	Pass	841
1840	1920	1	RMS	1850.8	22.34	60	Pass	401
1920	3000	1	RMS	2694	-48.41	-13	Pass	1081
3000	12000	1	RMS	11964	-41.84	-13	Pass	9001
12000	20000	1	RMS	18886	-31.75	-13	Pass	8001




10.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.19	-13	Pass	2986
30	1000	0.1	RMS	919.3	-62.67	-13	Pass	9701
1000	1840	1	RMS	1832	-51.65	-13	Pass	841
1840	1920	1	RMS	1850.8	21.63	60	Pass	401
1920	3000	1	RMS	2677	-48.42	-13	Pass	1081
3000	12000	1	RMS	11970	-41.86	-13	Pass	9001
12000	20000	1	RMS	18931	-31.63	-13	Pass	8001




**10.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	1000	0.1	RMS	966.6	-62.84	-13	Pass	9701
1000	1840	1	RMS	1840	-51.77	-13	Pass	841
1840	1920	1	RMS	1873.4	21.75	60	Pass	401
1920	3000	1	RMS	2676	-48.4	-13	Pass	1081
3000	12000	1	RMS	3747	-39.85	-13	Pass	9001
12000	20000	1	RMS	18873	-31.7	-13	Pass	8001




10.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	1000	0.1	RMS	929.5	-62.87	-13	Pass	9701
1000	1840	1	RMS	1840	-51.82	-13	Pass	841
1840	1920	1	RMS	1873.4	21.79	60	Pass	401
1920	3000	1	RMS	2673	-48.42	-13	Pass	1081
3000	12000	1	RMS	3747	-39.7	-13	Pass	9001
12000	20000	1	RMS	18875	-31.79	-13	Pass	8001




10.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.76	-13	Pass	2986
30	1000	0.1	RMS	925.1	-62.85	-13	Pass	9701
1000	1840	1	RMS	1840	-51.84	-13	Pass	841
1840	1920	1	RMS	1895.8	22.36	60	Pass	401
1920	3000	1	RMS	2674	-48.4	-13	Pass	1081
3000	12000	1	RMS	3792	-37.5	-13	Pass	9001
12000	20000	1	RMS	18880	-31.77	-13	Pass	8001




10.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.16	-13	Pass	2986
30	1000	0.1	RMS	923.7	-62.71	-13	Pass	9701
1000	1840	1	RMS	1839	-51.85	-13	Pass	841
1840	1920	1	RMS	1895.8	21.46	60	Pass	401
1920	3000	1	RMS	2662	-48.42	-13	Pass	1081
3000	12000	1	RMS	3792	-38.52	-13	Pass	9001
12000	20000	1	RMS	18911	-31.76	-13	Pass	8001




10.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	1000	0.1	RMS	926.6	-62.76	-13	Pass	9701
1000	1840	1	RMS	1832	-51.45	-13	Pass	841
1840	1920	1	RMS	1851	22.23	60	Pass	401
1920	3000	1	RMS	2681	-48.38	-13	Pass	1081
3000	12000	1	RMS	3702	-41.63	-13	Pass	9001
12000	20000	1	RMS	18942	-31.8	-13	Pass	8001




10.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.03	-13	Pass	2986
30	1000	0.1	RMS	911	-62.94	-13	Pass	9701
1000	1840	1	RMS	1832	-51.65	-13	Pass	841
1840	1920	1	RMS	1851	21.42	60	Pass	401
1920	3000	1	RMS	2678	-48.46	-13	Pass	1081
3000	12000	1	RMS	11972	-41.92	-13	Pass	9001
12000	20000	1	RMS	18932	-31.77	-13	Pass	8001




10.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.87	-13	Pass	2986
30	1000	0.1	RMS	965.9	-62.76	-13	Pass	9701
1000	1840	1	RMS	1839	-51.84	-13	Pass	841
1840	1920	1	RMS	1871	21.49	60	Pass	401
1920	3000	1	RMS	2686	-48.45	-13	Pass	1081
3000	12000	1	RMS	3742	-39.86	-13	Pass	9001
12000	20000	1	RMS	18940	-31.81	-13	Pass	8001




10.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	1000	0.1	RMS	943.7	-62.94	-13	Pass	9701
1000	1840	1	RMS	1836	-51.85	-13	Pass	841
1840	1920	1	RMS	1871	21.2	60	Pass	401
1920	3000	1	RMS	2675	-48.44	-13	Pass	1081
3000	12000	1	RMS	3742	-40.04	-13	Pass	9001
12000	20000	1	RMS	19023	-31.78	-13	Pass	8001




10.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.67	-13	Pass	2986
30	1000	0.1	RMS	946.6	-62.84	-13	Pass	9701
1000	1840	1	RMS	1838	-51.79	-13	Pass	841
1840	1920	1	RMS	1891	22.5	60	Pass	401
1920	3000	1	RMS	2680	-48.35	-13	Pass	1081
3000	12000	1	RMS	3782	-37.81	-13	Pass	9001
12000	20000	1	RMS	19020	-31.79	-13	Pass	8001



10.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.63	-13	Pass	2986
30	1000	0.1	RMS	920.4	-62.8	-13	Pass	9701
1000	1840	1	RMS	1835	-51.83	-13	Pass	841
1840	1920	1	RMS	1891	21.64	60	Pass	401
1920	3000	1	RMS	2675	-48.45	-13	Pass	1081
3000	12000	1	RMS	3782	-38.57	-13	Pass	9001
12000	20000	1	RMS	18880	-31.73	-13	Pass	8001



11. LTE_Band4


**11.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	1000	0.1	RMS	956.4	-62.76	-13	Pass	9701
1000	1700	1	RMS	1691	-51.82	-13	Pass	701
1700	1765	1	RMS	1710.238	22.27	60	Pass	401
1765	3000	1	RMS	2681	-48.48	-13	Pass	1236
3000	12000	1	RMS	11967	-42.07	-13	Pass	9001
12000	20000	1	RMS	19014	-31.87	-13	Pass	8001




11.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	973.1	-62.75	-13	Pass	9701
1000	1700	1	RMS	1700	-51.96	-13	Pass	701
1700	1765	1	RMS	1710.238	21.35	60	Pass	401
1765	3000	1	RMS	2683	-48.48	-13	Pass	1236
3000	12000	1	RMS	11972	-41.99	-13	Pass	9001
12000	20000	1	RMS	18866	-31.89	-13	Pass	8001




11.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	920.3	-62.9	-13	Pass	9701
1000	1700	1	RMS	1699	-52.22	-13	Pass	701
1700	1765	1	RMS	1732.013	21.93	60	Pass	401
1765	3000	1	RMS	2675	-48.48	-13	Pass	1236
3000	12000	1	RMS	11972	-41.95	-13	Pass	9001
12000	20000	1	RMS	18917	-31.91	-13	Pass	8001




11.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2986
30	1000	0.1	RMS	967.4	-62.89	-13	Pass	9701
1000	1700	1	RMS	1620	-52.22	-13	Pass	701
1700	1765	1	RMS	1732.013	21.86	60	Pass	401
1765	3000	1	RMS	2686	-48.46	-13	Pass	1236
3000	12000	1	RMS	11964	-41.99	-13	Pass	9001
12000	20000	1	RMS	18872	-31.89	-13	Pass	8001




11.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	1000	0.1	RMS	920.9	-62.92	-13	Pass	9701
1000	1700	1	RMS	1696	-52.12	-13	Pass	701
1700	1765	1	RMS	1753.788	21.93	60	Pass	401
1765	3000	1	RMS	1773	-47.42	-13	Pass	1236
3000	12000	1	RMS	11972	-41.93	-13	Pass	9001
12000	20000	1	RMS	19013	-31.86	-13	Pass	8001




11.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	1000	0.1	RMS	960.7	-62.9	-13	Pass	9701
1000	1700	1	RMS	1696	-52.24	-13	Pass	701
1700	1765	1	RMS	1753.788	21.26	60	Pass	401
1765	3000	1	RMS	1773	-47.28	-13	Pass	1236
3000	12000	1	RMS	11968	-42.02	-13	Pass	9001
12000	20000	1	RMS	19021	-31.86	-13	Pass	8001




11.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	1000	0.1	RMS	904.1	-62.82	-13	Pass	9701
1000	1700	1	RMS	1700	-51.29	-13	Pass	701
1700	1765	1	RMS	1710.238	22.29	60	Pass	401
1765	3000	1	RMS	2689	-48.48	-13	Pass	1236
3000	12000	1	RMS	11972	-42.02	-13	Pass	9001
12000	20000	1	RMS	19016	-31.84	-13	Pass	8001




11.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.52	-13	Pass	2986
30	1000	0.1	RMS	975.3	-62.83	-13	Pass	9701
1000	1700	1	RMS	1700	-51.93	-13	Pass	701
1700	1765	1	RMS	1710.238	20.83	60	Pass	401
1765	3000	1	RMS	2675	-48.48	-13	Pass	1236
3000	12000	1	RMS	11973	-41.9	-13	Pass	9001
12000	20000	1	RMS	18893	-31.89	-13	Pass	8001




11.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	1000	0.1	RMS	915.4	-62.81	-13	Pass	9701
1000	1700	1	RMS	1617	-52.19	-13	Pass	701
1700	1765	1	RMS	1731.2	22.09	60	Pass	401
1765	3000	1	RMS	2675	-48.46	-13	Pass	1236
3000	12000	1	RMS	11970	-41.97	-13	Pass	9001
12000	20000	1	RMS	18925	-31.83	-13	Pass	8001




11.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	1000	0.1	RMS	923	-62.87	-13	Pass	9701
1000	1700	1	RMS	1696	-52.2	-13	Pass	701
1700	1765	1	RMS	1731.2	21.85	60	Pass	401
1765	3000	1	RMS	2676	-48.48	-13	Pass	1236
3000	12000	1	RMS	11972	-41.98	-13	Pass	9001
12000	20000	1	RMS	19021	-31.83	-13	Pass	8001




11.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	1000	0.1	RMS	921.3	-62.68	-13	Pass	9701
1000	1700	1	RMS	1618	-52.19	-13	Pass	701
1700	1765	1	RMS	1752.163	22.02	60	Pass	401
1765	3000	1	RMS	1771	-47.98	-13	Pass	1236
3000	12000	1	RMS	11978	-42.02	-13	Pass	9001
12000	20000	1	RMS	19020	-31.88	-13	Pass	8001




11.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	909.7	-62.92	-13	Pass	9701
1000	1700	1	RMS	1618	-52.19	-13	Pass	701
1700	1765	1	RMS	1752.163	20.96	60	Pass	401
1765	3000	1	RMS	1771	-48.2	-13	Pass	1236
3000	12000	1	RMS	11971	-42.01	-13	Pass	9001
12000	20000	1	RMS	18881	-31.86	-13	Pass	8001




11.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	1000	0.1	RMS	968	-62.95	-13	Pass	9701
1000	1700	1	RMS	1700	-51.46	-13	Pass	701
1700	1765	1	RMS	1710.4	21.84	60	Pass	401
1765	3000	1	RMS	2680	-48.47	-13	Pass	1236
3000	12000	1	RMS	11963	-42.02	-13	Pass	9001
12000	20000	1	RMS	19022	-31.86	-13	Pass	8001




11.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	907.4	-62.88	-13	Pass	9701
1000	1700	1	RMS	1700	-51.97	-13	Pass	701
1700	1765	1	RMS	1710.4	20.95	60	Pass	401
1765	3000	1	RMS	2676	-48.52	-13	Pass	1236
3000	12000	1	RMS	11973	-41.9	-13	Pass	9001
12000	20000	1	RMS	18944	-31.8	-13	Pass	8001




11.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.85	-13	Pass	2986
30	1000	0.1	RMS	928.8	-62.88	-13	Pass	9701
1000	1700	1	RMS	1620	-52.23	-13	Pass	701
1700	1765	1	RMS	1730.388	21.83	60	Pass	401
1765	3000	1	RMS	2679	-48.46	-13	Pass	1236
3000	12000	1	RMS	11972	-42	-13	Pass	9001
12000	20000	1	RMS	18937	-31.86	-13	Pass	8001




11.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-13	Pass	2986
30	1000	0.1	RMS	930.8	-62.9	-13	Pass	9701
1000	1700	1	RMS	1616	-52.19	-13	Pass	701
1700	1765	1	RMS	1730.388	21.4	60	Pass	401
1765	3000	1	RMS	2674	-48.45	-13	Pass	1236
3000	12000	1	RMS	11968	-41.96	-13	Pass	9001
12000	20000	1	RMS	19013	-31.91	-13	Pass	8001




11.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.63	-13	Pass	2986
30	1000	0.1	RMS	999.1	-62.88	-13	Pass	9701
1000	1700	1	RMS	1615	-52.25	-13	Pass	701
1700	1765	1	RMS	1750.375	21.92	60	Pass	401
1765	3000	1	RMS	1770	-47.84	-13	Pass	1236
3000	12000	1	RMS	11975	-42.04	-13	Pass	9001
12000	20000	1	RMS	18870	-31.91	-13	Pass	8001




11.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	928.9	-62.94	-13	Pass	9701
1000	1700	1	RMS	1620	-52.24	-13	Pass	701
1700	1765	1	RMS	1750.375	21.01	60	Pass	401
1765	3000	1	RMS	2680	-48.48	-13	Pass	1236
3000	12000	1	RMS	11973	-42	-13	Pass	9001
12000	20000	1	RMS	18914	-31.88	-13	Pass	8001




11.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2986
30	1000	0.1	RMS	936.5	-62.87	-13	Pass	9701
1000	1700	1	RMS	1693	-50.15	-13	Pass	701
1700	1765	1	RMS	1710.563	22.19	60	Pass	401
1765	3000	1	RMS	2680	-48.51	-13	Pass	1236
3000	12000	1	RMS	11965	-42.04	-13	Pass	9001
12000	20000	1	RMS	18868	-31.84	-13	Pass	8001




11.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.19	-13	Pass	2986
30	1000	0.1	RMS	905.5	-62.88	-13	Pass	9701
1000	1700	1	RMS	1693	-50.27	-13	Pass	701
1700	1765	1	RMS	1710.563	21.42	60	Pass	401
1765	3000	1	RMS	2672	-48.49	-13	Pass	1236
3000	12000	1	RMS	11972	-41.92	-13	Pass	9001
12000	20000	1	RMS	18916	-31.85	-13	Pass	8001




11.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	1000	0.1	RMS	921.6	-62.85	-13	Pass	9701
1000	1700	1	RMS	1620	-52.18	-13	Pass	701
1700	1765	1	RMS	1728.113	21.98	60	Pass	401
1765	3000	1	RMS	2680	-48.44	-13	Pass	1236
3000	12000	1	RMS	11968	-42.01	-13	Pass	9001
12000	20000	1	RMS	19011	-31.84	-13	Pass	8001




11.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	1000	0.1	RMS	966.1	-62.86	-13	Pass	9701
1000	1700	1	RMS	1699	-52.23	-13	Pass	701
1700	1765	1	RMS	1728.113	21.49	60	Pass	401
1765	3000	1	RMS	2677	-48.49	-13	Pass	1236
3000	12000	1	RMS	11965	-42.02	-13	Pass	9001
12000	20000	1	RMS	18933	-31.89	-13	Pass	8001




11.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-54.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	1000	0.1	RMS	958.7	-62.83	-13	Pass	9701
1000	1700	1	RMS	1658	-52.26	-13	Pass	701
1700	1765	1	RMS	1745.5	22.22	60	Pass	401
1765	3000	1	RMS	1765	-46.94	-13	Pass	1236
3000	12000	1	RMS	11975	-41.92	-13	Pass	9001
12000	20000	1	RMS	18867	-31.87	-13	Pass	8001




11.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	1000	0.1	RMS	927.1	-62.91	-13	Pass	9701
1000	1700	1	RMS	1628	-52.24	-13	Pass	701
1700	1765	1	RMS	1745.663	21.36	60	Pass	401
1765	3000	1	RMS	1765	-47.5	-13	Pass	1236
3000	12000	1	RMS	11971	-41.92	-13	Pass	9001
12000	20000	1	RMS	19019	-31.86	-13	Pass	8001




11.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	911.2	-62.83	-13	Pass	9701
1000	1700	1	RMS	1698	-45.68	-13	Pass	701
1700	1765	1	RMS	1710.888	22.14	60	Pass	401
1765	3000	1	RMS	2679	-48.46	-13	Pass	1236
3000	12000	1	RMS	11976	-42.03	-13	Pass	9001
12000	20000	1	RMS	19038	-31.88	-13	Pass	8001




11.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.3	-13	Pass	2986
30	1000	0.1	RMS	965.1	-62.97	-13	Pass	9701
1000	1700	1	RMS	1698	-46.74	-13	Pass	701
1700	1765	1	RMS	1710.888	21.44	60	Pass	401
1765	3000	1	RMS	2683	-48.42	-13	Pass	1236
3000	12000	1	RMS	11970	-41.99	-13	Pass	9001
12000	20000	1	RMS	18927	-31.81	-13	Pass	8001




11.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.35	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.78	-13	Pass	2986
30	1000	0.1	RMS	920.9	-62.85	-13	Pass	9701
1000	1700	1	RMS	1699	-50.17	-13	Pass	701
1700	1765	1	RMS	1725.838	22.04	60	Pass	401
1765	3000	1	RMS	2671	-48.45	-13	Pass	1236
3000	12000	1	RMS	11972	-41.97	-13	Pass	9001
12000	20000	1	RMS	18941	-31.86	-13	Pass	8001




11.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.72	-13	Pass	2986
30	1000	0.1	RMS	928	-62.83	-13	Pass	9701
1000	1700	1	RMS	1699	-51.36	-13	Pass	701
1700	1765	1	RMS	1725.838	21.69	60	Pass	401
1765	3000	1	RMS	2680	-48.46	-13	Pass	1236
3000	12000	1	RMS	11976	-41.99	-13	Pass	9001
12000	20000	1	RMS	18921	-31.84	-13	Pass	8001




11.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	1000	0.1	RMS	900.7	-62.9	-13	Pass	9701
1000	1700	1	RMS	1620	-52.18	-13	Pass	701
1700	1765	1	RMS	1740.788	22.01	60	Pass	401
1765	3000	1	RMS	1767	-36.25	-13	Pass	1236
3000	12000	1	RMS	11969	-41.92	-13	Pass	9001
12000	20000	1	RMS	18948	-31.75	-13	Pass	8001




11.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	934.1	-62.69	-13	Pass	9701
1000	1700	1	RMS	1698	-52.12	-13	Pass	701
1700	1765	1	RMS	1740.788	21.24	60	Pass	401
1765	3000	1	RMS	1767	-36.79	-13	Pass	1236
3000	12000	1	RMS	11965	-41.94	-13	Pass	9001
12000	20000	1	RMS	19017	-31.82	-13	Pass	8001




11.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.74	-13	Pass	2986
30	1000	0.1	RMS	933.6	-62.68	-13	Pass	9701
1000	1700	1	RMS	1693	-49.83	-13	Pass	701
1700	1765	1	RMS	1711.05	21.85	60	Pass	401
1765	3000	1	RMS	2683	-48.49	-13	Pass	1236
3000	12000	1	RMS	11968	-41.92	-13	Pass	9001
12000	20000	1	RMS	18894	-31.78	-13	Pass	8001




11.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.31	-13	Pass	2986
30	1000	0.1	RMS	925.4	-62.9	-13	Pass	9701
1000	1700	1	RMS	1693	-50.42	-13	Pass	701
1700	1765	1	RMS	1711.05	21.09	60	Pass	401
1765	3000	1	RMS	2673	-48.42	-13	Pass	1236
3000	12000	1	RMS	11977	-41.95	-13	Pass	9001
12000	20000	1	RMS	18917	-31.78	-13	Pass	8001




11.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	929.4	-62.82	-13	Pass	9701
1000	1700	1	RMS	1688	-51.98	-13	Pass	701
1700	1765	1	RMS	1723.563	22.1	60	Pass	401
1765	3000	1	RMS	2677	-48.44	-13	Pass	1236
3000	12000	1	RMS	11976	-41.96	-13	Pass	9001
12000	20000	1	RMS	18898	-31.79	-13	Pass	8001




11.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	918	-62.83	-13	Pass	9701
1000	1700	1	RMS	1619	-52.12	-13	Pass	701
1700	1765	1	RMS	1723.563	20.97	60	Pass	401
1765	3000	1	RMS	2677	-48.36	-13	Pass	1236
3000	12000	1	RMS	11970	-41.87	-13	Pass	9001
12000	20000	1	RMS	18883	-31.78	-13	Pass	8001




11.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	1000	0.1	RMS	911.1	-62.87	-13	Pass	9701
1000	1700	1	RMS	1700	-50.41	-13	Pass	701
1700	1765	1	RMS	1736.075	21.95	60	Pass	401
1765	3000	1	RMS	1772	-33.19	-13	Pass	1236
3000	12000	1	RMS	11972	-41.81	-13	Pass	9001
12000	20000	1	RMS	19013	-31.72	-13	Pass	8001



11.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.28	-13	Pass	2986
30	1000	0.1	RMS	946.3	-62.76	-13	Pass	9701
1000	1700	1	RMS	1700	-48.27	-13	Pass	701
1700	1765	1	RMS	1736.075	21.44	60	Pass	401
1765	3000	1	RMS	1772	-33.79	-13	Pass	1236
3000	12000	1	RMS	11975	-41.81	-13	Pass	9001
12000	20000	1	RMS	18904	-31.78	-13	Pass	8001



12. LTE_Band5


**12.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-13	Pass	2986
30	814	0.1	RMS	812.6	-63.12	-13	Pass	7841
814	860	0.1	RMS	824.2	19.1	60	Pass	461
860	1000	0.1	RMS	923.2	-63.07	-13	Pass	1401
1000	3000	1	RMS	2675	-48.52	-13	Pass	2001
3000	10000	1	RMS	9930	-45.2	-13	Pass	7001




12.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.31	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.96	-13	Pass	7841
814	860	0.1	RMS	824.3	18.38	60	Pass	461
860	1000	0.1	RMS	912.7	-63.24	-13	Pass	1401
1000	3000	1	RMS	2677	-48.47	-13	Pass	2001
3000	10000	1	RMS	9930	-45.16	-13	Pass	7001




12.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	814	0.1	RMS	803.6	-63.13	-13	Pass	7841
814	860	0.1	RMS	836.1	18.76	60	Pass	461
860	1000	0.1	RMS	933	-63.08	-13	Pass	1401
1000	3000	1	RMS	2677	-48.46	-13	Pass	2001
3000	10000	1	RMS	9927	-45.14	-13	Pass	7001




12.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2986
30	814	0.1	RMS	801.3	-63.02	-13	Pass	7841
814	860	0.1	RMS	836	17.9	60	Pass	461
860	1000	0.1	RMS	927.1	-63.07	-13	Pass	1401
1000	3000	1	RMS	2680	-48.4	-13	Pass	2001
3000	10000	1	RMS	9931	-45.19	-13	Pass	7001




12.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	814	0.1	RMS	811.4	-62.92	-13	Pass	7841
814	860	0.1	RMS	847.8	18.84	60	Pass	461
860	1000	0.1	RMS	923.8	-63.07	-13	Pass	1401
1000	3000	1	RMS	2673	-48.36	-13	Pass	2001
3000	10000	1	RMS	9932	-45.07	-13	Pass	7001




12.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.51	-13	Pass	2986
30	814	0.1	RMS	812.2	-62.94	-13	Pass	7841
814	860	0.1	RMS	847.8	17.5	60	Pass	461
860	1000	0.1	RMS	966.8	-63.11	-13	Pass	1401
1000	3000	1	RMS	2679	-48.36	-13	Pass	2001
3000	10000	1	RMS	9924	-45.16	-13	Pass	7001




12.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.06	-13	Pass	2986
30	814	0.1	RMS	805.8	-62.92	-13	Pass	7841
814	860	0.1	RMS	824.2	19.21	60	Pass	461
860	1000	0.1	RMS	918.6	-63	-13	Pass	1401
1000	3000	1	RMS	2676	-48.29	-13	Pass	2001
3000	10000	1	RMS	9930	-45.15	-13	Pass	7001




12.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.1	-13	Pass	7841
814	860	0.1	RMS	824.2	18.11	60	Pass	461
860	1000	0.1	RMS	916.7	-63.08	-13	Pass	1401
1000	3000	1	RMS	2669	-48.33	-13	Pass	2001
3000	10000	1	RMS	9933	-45.16	-13	Pass	7001




12.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-13	Pass	2986
30	814	0.1	RMS	804.8	-62.94	-13	Pass	7841
814	860	0.1	RMS	835.2	19.07	60	Pass	461
860	1000	0.1	RMS	903	-62.98	-13	Pass	1401
1000	3000	1	RMS	2680	-48.3	-13	Pass	2001
3000	10000	1	RMS	9931	-45.14	-13	Pass	7001




12.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	814	0.1	RMS	795.3	-62.95	-13	Pass	7841
814	860	0.1	RMS	835.2	18.15	60	Pass	461
860	1000	0.1	RMS	928.6	-63.01	-13	Pass	1401
1000	3000	1	RMS	2672	-48.26	-13	Pass	2001
3000	10000	1	RMS	9932	-44.84	-13	Pass	7001




12.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.47	-13	Pass	2986
30	814	0.1	RMS	789.7	-62.89	-13	Pass	7841
814	860	0.1	RMS	846.2	19.15	60	Pass	461
860	1000	0.1	RMS	917.3	-62.85	-13	Pass	1401
1000	3000	1	RMS	2678	-48.23	-13	Pass	2001
3000	10000	1	RMS	9930	-44.89	-13	Pass	7001




12.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	814	0.1	RMS	800.7	-62.86	-13	Pass	7841
814	860	0.1	RMS	846.2	18.13	60	Pass	461
860	1000	0.1	RMS	919.1	-62.94	-13	Pass	1401
1000	3000	1	RMS	2676	-48.29	-13	Pass	2001
3000	10000	1	RMS	9931	-44.9	-13	Pass	7001




12.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	814	0.1	RMS	812.6	-62.86	-13	Pass	7841
814	860	0.1	RMS	824.3	19.07	60	Pass	461
860	1000	0.1	RMS	917.7	-62.85	-13	Pass	1401
1000	3000	1	RMS	2670	-48.3	-13	Pass	2001
3000	10000	1	RMS	9928	-44.84	-13	Pass	7001




12.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	814	0.1	RMS	813.2	-62.86	-13	Pass	7841
814	860	0.1	RMS	824.3	17.97	60	Pass	461
860	1000	0.1	RMS	884.9	-62.93	-13	Pass	1401
1000	3000	1	RMS	2674	-48.25	-13	Pass	2001
3000	10000	1	RMS	9926	-44.89	-13	Pass	7001




12.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	814	0.1	RMS	811.7	-62.85	-13	Pass	7841
814	860	0.1	RMS	834.3	18.92	60	Pass	461
860	1000	0.1	RMS	937	-63	-13	Pass	1401
1000	3000	1	RMS	2672	-48.29	-13	Pass	2001
3000	10000	1	RMS	9931	-44.86	-13	Pass	7001




12.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	814	0.1	RMS	810	-62.7	-13	Pass	7841
814	860	0.1	RMS	834.3	18.63	60	Pass	461
860	1000	0.1	RMS	910.3	-62.93	-13	Pass	1401
1000	3000	1	RMS	2681	-48.28	-13	Pass	2001
3000	10000	1	RMS	9931	-44.83	-13	Pass	7001




12.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	814	0.1	RMS	809.9	-62.87	-13	Pass	7841
814	860	0.1	RMS	844.3	19.3	60	Pass	461
860	1000	0.1	RMS	952.6	-62.97	-13	Pass	1401
1000	3000	1	RMS	2677	-48.26	-13	Pass	2001
3000	10000	1	RMS	9923	-44.78	-13	Pass	7001




12.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	814	0.1	RMS	799.9	-63	-13	Pass	7841
814	860	0.1	RMS	844.3	18.19	60	Pass	461
860	1000	0.1	RMS	905.5	-62.93	-13	Pass	1401
1000	3000	1	RMS	2676	-48.27	-13	Pass	2001
3000	10000	1	RMS	9938	-44.86	-13	Pass	7001




12.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.66	-13	Pass	2986
30	814	0.1	RMS	811.9	-62.83	-13	Pass	7841
814	860	0.1	RMS	824.6	19.76	60	Pass	461
860	1000	0.1	RMS	921.2	-62.89	-13	Pass	1401
1000	3000	1	RMS	2678	-48.28	-13	Pass	2001
3000	10000	1	RMS	9928	-44.83	-13	Pass	7001




12.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	814	0.1	RMS	782.5	-62.96	-13	Pass	7841
814	860	0.1	RMS	824.6	18.75	60	Pass	461
860	1000	0.1	RMS	923.5	-63.03	-13	Pass	1401
1000	3000	1	RMS	2680	-48.28	-13	Pass	2001
3000	10000	1	RMS	9928	-44.79	-13	Pass	7001




12.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2986
30	814	0.1	RMS	814	-62.63	-13	Pass	7841
814	860	0.1	RMS	832.1	19.66	60	Pass	461
860	1000	0.1	RMS	919	-62.77	-13	Pass	1401
1000	3000	1	RMS	2677	-48.24	-13	Pass	2001
3000	10000	1	RMS	9926	-44.88	-13	Pass	7001




12.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	814	0.1	RMS	812.9	-62.56	-13	Pass	7841
814	860	0.1	RMS	832.1	19.37	60	Pass	461
860	1000	0.1	RMS	899.4	-62.7	-13	Pass	1401
1000	3000	1	RMS	2671	-48.31	-13	Pass	2001
3000	10000	1	RMS	9935	-44.8	-13	Pass	7001




12.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	814	0.1	RMS	811.8	-62.92	-13	Pass	7841
814	860	0.1	RMS	839.6	19.7	60	Pass	461
860	1000	0.1	RMS	908.1	-62.93	-13	Pass	1401
1000	3000	1	RMS	2678	-48.28	-13	Pass	2001
3000	10000	1	RMS	9924	-44.79	-13	Pass	7001



12.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.28	-13	Pass	2986
30	814	0.1	RMS	803	-62.97	-13	Pass	7841
814	860	0.1	RMS	839.6	18.78	60	Pass	461
860	1000	0.1	RMS	927.1	-62.93	-13	Pass	1401
1000	3000	1	RMS	2676	-48.29	-13	Pass	2001
3000	10000	1	RMS	9916	-44.84	-13	Pass	7001



13. LTE_Band7


13.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-25	Pass	2986
30	1000	0.1	RMS	955.4	-62.78	-25	Pass	9701
1000	2490	1	RMS	2481	-47.79	-25	Pass	1491
2490	2580	1	RMS	2500.35	20.88	60	Pass	401
2580	3000	1	RMS	2672	-48.41	-25	Pass	421
3000	12000	1	RMS	11976	-51.78	-25	Pass	9001
12000	27000	1	RMS	24858	-39.52	-25	Pass	15001




13.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-25	Pass	2986
30	1000	0.1	RMS	923	-62.71	-25	Pass	9701
1000	2490	1	RMS	2481	-48.1	-25	Pass	1491
2490	2580	1	RMS	2500.35	19.72	60	Pass	401
2580	3000	1	RMS	2674	-48.45	-25	Pass	421
3000	12000	1	RMS	11970	-51.74	-25	Pass	9001
12000	27000	1	RMS	24893	-39.5	-25	Pass	15001




13.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-25	Pass	2986
30	1000	0.1	RMS	917.8	-62.76	-25	Pass	9701
1000	2490	1	RMS	2437	-49.87	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.55	60	Pass	401
2580	3000	1	RMS	2657	-48.46	-25	Pass	421
3000	12000	1	RMS	11969	-51.62	-25	Pass	9001
12000	27000	1	RMS	24905	-39.51	-25	Pass	15001




13.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-25	Pass	2986
30	1000	0.1	RMS	911.3	-62.78	-25	Pass	9701
1000	2490	1	RMS	2414	-49.79	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.37	60	Pass	401
2580	3000	1	RMS	2679	-48.45	-25	Pass	421
3000	12000	1	RMS	11970	-51.68	-25	Pass	9001
12000	27000	1	RMS	24878	-39.53	-25	Pass	15001




13.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-25	Pass	2986
30	1000	0.1	RMS	934.9	-62.76	-25	Pass	9701
1000	2490	1	RMS	2424	-49.89	-25	Pass	1491
2490	2580	1	RMS	2565.375	20.62	60	Pass	401
2580	3000	1	RMS	2585	-47.22	-25	Pass	421
3000	12000	1	RMS	11974	-51.77	-25	Pass	9001
12000	27000	1	RMS	24920	-39.55	-25	Pass	15001




13.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.58	-25	Pass	2986
30	1000	0.1	RMS	952.9	-62.74	-25	Pass	9701
1000	2490	1	RMS	2408	-49.79	-25	Pass	1491
2490	2580	1	RMS	2565.375	19.85	60	Pass	401
2580	3000	1	RMS	2585	-47.44	-25	Pass	421
3000	12000	1	RMS	11970	-51.72	-25	Pass	9001
12000	27000	1	RMS	24915	-39.43	-25	Pass	15001




13.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-25	Pass	2986
30	1000	0.1	RMS	949.5	-62.8	-25	Pass	9701
1000	2490	1	RMS	2481	-48.06	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.02	60	Pass	401
2580	3000	1	RMS	2677	-48.35	-25	Pass	421
3000	12000	1	RMS	11975	-51.66	-25	Pass	9001
12000	27000	1	RMS	24907	-39.58	-25	Pass	15001




13.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.35	-25	Pass	2986
30	1000	0.1	RMS	919.5	-62.77	-25	Pass	9701
1000	2490	1	RMS	2482	-48.56	-25	Pass	1491
2490	2580	1	RMS	2500.575	20.08	60	Pass	401
2580	3000	1	RMS	2673	-48.42	-25	Pass	421
3000	12000	1	RMS	11967	-51.76	-25	Pass	9001
12000	27000	1	RMS	24850	-39.55	-25	Pass	15001




13.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-25	Pass	2986
30	1000	0.1	RMS	904.9	-62.72	-25	Pass	9701
1000	2490	1	RMS	2439	-49.79	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.86	60	Pass	401
2580	3000	1	RMS	2677	-48.45	-25	Pass	421
3000	12000	1	RMS	11973	-51.76	-25	Pass	9001
12000	27000	1	RMS	24879	-39.46	-25	Pass	15001




13.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56	-25	Pass	2986
30	1000	0.1	RMS	918	-62.82	-25	Pass	9701
1000	2490	1	RMS	2487	-49.84	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.56	60	Pass	401
2580	3000	1	RMS	2659	-48.44	-25	Pass	421
3000	12000	1	RMS	11970	-51.73	-25	Pass	9001
12000	27000	1	RMS	24857	-39.46	-25	Pass	15001




13.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-25	Pass	2986
30	1000	0.1	RMS	955.4	-62.72	-25	Pass	9701
1000	2490	1	RMS	2413	-49.85	-25	Pass	1491
2490	2580	1	RMS	2560.65	20.92	60	Pass	401
2580	3000	1	RMS	2580	-44.77	-25	Pass	421
3000	12000	1	RMS	11969	-51.73	-25	Pass	9001
12000	27000	1	RMS	24867	-39.57	-25	Pass	15001




13.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.85	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.72	-25	Pass	2986
30	1000	0.1	RMS	968.9	-62.85	-25	Pass	9701
1000	2490	1	RMS	2427	-49.84	-25	Pass	1491
2490	2580	1	RMS	2560.65	19.96	60	Pass	401
2580	3000	1	RMS	2580	-44.98	-25	Pass	421
3000	12000	1	RMS	11971	-51.79	-25	Pass	9001
12000	27000	1	RMS	24887	-39.55	-25	Pass	15001




13.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-25	Pass	2986
30	1000	0.1	RMS	919.9	-62.8	-25	Pass	9701
1000	2490	1	RMS	2488	-44.4	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.16	60	Pass	401
2580	3000	1	RMS	2677	-48.43	-25	Pass	421
3000	12000	1	RMS	11973	-51.77	-25	Pass	9001
12000	27000	1	RMS	24857	-39.56	-25	Pass	15001




13.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-25	Pass	2986
30	1000	0.1	RMS	929	-62.77	-25	Pass	9701
1000	2490	1	RMS	2488	-45.56	-25	Pass	1491
2490	2580	1	RMS	2500.8	20.13	60	Pass	401
2580	3000	1	RMS	2677	-48.45	-25	Pass	421
3000	12000	1	RMS	11971	-51.73	-25	Pass	9001
12000	27000	1	RMS	24845	-39.58	-25	Pass	15001




13.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-25	Pass	2986
30	1000	0.1	RMS	931.1	-62.81	-25	Pass	9701
1000	2490	1	RMS	2490	-49.76	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.91	60	Pass	401
2580	3000	1	RMS	2681	-48.41	-25	Pass	421
3000	12000	1	RMS	11969	-51.74	-25	Pass	9001
12000	27000	1	RMS	24906	-39.41	-25	Pass	15001




13.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-25	Pass	2986
30	1000	0.1	RMS	913.7	-62.76	-25	Pass	9701
1000	2490	1	RMS	2490	-49.72	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.66	60	Pass	401
2580	3000	1	RMS	2673	-48.43	-25	Pass	421
3000	12000	1	RMS	11973	-51.75	-25	Pass	9001
12000	27000	1	RMS	24868	-39.6	-25	Pass	15001




13.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-25	Pass	2986
30	1000	0.1	RMS	915	-62.68	-25	Pass	9701
1000	2490	1	RMS	2485	-49.84	-25	Pass	1491
2490	2580	1	RMS	2555.925	20.9	60	Pass	401
2580	3000	1	RMS	2582	-35.71	-25	Pass	421
3000	12000	1	RMS	11971	-51.73	-25	Pass	9001
12000	27000	1	RMS	24904	-39.47	-25	Pass	15001




13.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.58	-25	Pass	2986
30	1000	0.1	RMS	952.4	-62.74	-25	Pass	9701
1000	2490	1	RMS	2426	-49.78	-25	Pass	1491
2490	2580	1	RMS	2555.925	19.86	60	Pass	401
2580	3000	1	RMS	2582	-33.72	-25	Pass	421
3000	12000	1	RMS	11971	-51.77	-25	Pass	9001
12000	27000	1	RMS	24911	-39.51	-25	Pass	15001




13.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-25	Pass	2986
30	1000	0.1	RMS	928	-62.57	-25	Pass	9701
1000	2490	1	RMS	2483	-47.09	-25	Pass	1491
2490	2580	1	RMS	2501.025	20.8	60	Pass	401
2580	3000	1	RMS	2680	-48.4	-25	Pass	421
3000	12000	1	RMS	11972	-51.76	-25	Pass	9001
12000	27000	1	RMS	24892	-39.57	-25	Pass	15001




13.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.44	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-25	Pass	2986
30	1000	0.1	RMS	926.9	-62.7	-25	Pass	9701
1000	2490	1	RMS	2483	-47.26	-25	Pass	1491
2490	2580	1	RMS	2501.025	20.42	60	Pass	401
2580	3000	1	RMS	2675	-48.36	-25	Pass	421
3000	12000	1	RMS	11974	-51.76	-25	Pass	9001
12000	27000	1	RMS	24884	-39.54	-25	Pass	15001




13.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-54.5	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.28	-25	Pass	2986
30	1000	0.1	RMS	910.6	-62.88	-25	Pass	9701
1000	2490	1	RMS	2490	-49.24	-25	Pass	1491
2490	2580	1	RMS	2526	21.33	60	Pass	401
2580	3000	1	RMS	2661	-48.4	-25	Pass	421
3000	12000	1	RMS	11970	-51.69	-25	Pass	9001
12000	27000	1	RMS	24921	-39.58	-25	Pass	15001




13.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-25	Pass	2986
30	1000	0.1	RMS	925.6	-62.74	-25	Pass	9701
1000	2490	1	RMS	2438	-49.77	-25	Pass	1491
2490	2580	1	RMS	2526	19.51	60	Pass	401
2580	3000	1	RMS	2659	-48.36	-25	Pass	421
3000	12000	1	RMS	11968	-51.75	-25	Pass	9001
12000	27000	1	RMS	24919	-39.51	-25	Pass	15001




13.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.29	-25	Pass	2986
30	1000	0.1	RMS	956.9	-62.7	-25	Pass	9701
1000	2490	1	RMS	2489	-49.76	-25	Pass	1491
2490	2580	1	RMS	2550.975	20.81	60	Pass	401
2580	3000	1	RMS	2587	-39.73	-25	Pass	421
3000	12000	1	RMS	11968	-51.71	-25	Pass	9001
12000	27000	1	RMS	24869	-39.52	-25	Pass	15001



13.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-25	Pass	2986
30	1000	0.1	RMS	947.5	-62.77	-25	Pass	9701
1000	2490	1	RMS	2487	-49.76	-25	Pass	1491
2490	2580	1	RMS	2550.975	20.22	60	Pass	401
2580	3000	1	RMS	2587	-40.2	-25	Pass	421
3000	12000	1	RMS	11968	-51.67	-25	Pass	9001
12000	27000	1	RMS	24910	-39.54	-25	Pass	15001



14. LTE_Band38


**14.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1,
Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-25	Pass	2986
30	1000	0.1	RMS	926.9	-62.86	-25	Pass	9701
1000	2550	1	RMS	2550	-48.89	-25	Pass	1551
2550	2640	1	RMS	2570.475	17.81	60	Pass	401
2640	3000	1	RMS	2672.4	-48.46	-25	Pass	401
3000	12000	1	RMS	11967	-51.8	-25	Pass	9001
12000	26500	1	RMS	24904	-39.6	-25	Pass	14501




14.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.54	-25	Pass	2986
30	1000	0.1	RMS	929.7	-62.82	-25	Pass	9701
1000	2550	1	RMS	2549	-49.1	-25	Pass	1551
2550	2640	1	RMS	2570.25	17.34	60	Pass	401
2640	3000	1	RMS	2671.5	-48.48	-25	Pass	401
3000	12000	1	RMS	11980	-51.87	-25	Pass	9001
12000	26500	1	RMS	24889	-39.59	-25	Pass	14501




14.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	911.5	-62.93	-25	Pass	9701
1000	2550	1	RMS	2536	-49.26	-25	Pass	1551
2550	2640	1	RMS	2592.75	18.71	60	Pass	401
2640	3000	1	RMS	2678.7	-48.45	-25	Pass	401
3000	12000	1	RMS	11971	-51.81	-25	Pass	9001
12000	26500	1	RMS	24915	-39.65	-25	Pass	14501




14.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-25	Pass	2986
30	1000	0.1	RMS	938.9	-62.89	-25	Pass	9701
1000	2550	1	RMS	2535	-49.25	-25	Pass	1551
2550	2640	1	RMS	2592.75	18.36	60	Pass	401
2640	3000	1	RMS	2668.8	-48.46	-25	Pass	401
3000	12000	1	RMS	11980	-51.81	-25	Pass	9001
12000	26500	1	RMS	24879	-39.68	-25	Pass	14501




14.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-25	Pass	2986
30	1000	0.1	RMS	923.3	-62.82	-25	Pass	9701
1000	2550	1	RMS	2543	-49.28	-25	Pass	1551
2550	2640	1	RMS	2615.475	18.44	60	Pass	401
2640	3000	1	RMS	2677.8	-48.4	-25	Pass	401
3000	12000	1	RMS	11970	-51.8	-25	Pass	9001
12000	26500	1	RMS	24860	-39.63	-25	Pass	14501




14.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-25	Pass	2986
30	1000	0.1	RMS	954.8	-62.96	-25	Pass	9701
1000	2550	1	RMS	2549	-49.31	-25	Pass	1551
2550	2640	1	RMS	2615.475	18.06	60	Pass	401
2640	3000	1	RMS	2673.3	-48.42	-25	Pass	401
3000	12000	1	RMS	11970	-51.77	-25	Pass	9001
12000	26500	1	RMS	24915	-39.61	-25	Pass	14501




14.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.14	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-25	Pass	2986
30	1000	0.1	RMS	912.2	-62.8	-25	Pass	9701
1000	2550	1	RMS	2544	-44.73	-25	Pass	1551
2550	2640	1	RMS	2570.475	18.63	60	Pass	401
2640	3000	1	RMS	2674.2	-48.45	-25	Pass	401
3000	12000	1	RMS	11976	-51.78	-25	Pass	9001
12000	26500	1	RMS	24890	-39.52	-25	Pass	14501




14.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-25	Pass	2986
30	1000	0.1	RMS	908.6	-62.8	-25	Pass	9701
1000	2550	1	RMS	2549	-44.6	-25	Pass	1551
2550	2640	1	RMS	2570.7	17.59	60	Pass	401
2640	3000	1	RMS	2677.8	-48.44	-25	Pass	401
3000	12000	1	RMS	11976	-51.76	-25	Pass	9001
12000	26500	1	RMS	24894	-39.53	-25	Pass	14501




14.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-25	Pass	2986
30	1000	0.1	RMS	919.6	-62.91	-25	Pass	9701
1000	2550	1	RMS	2549	-49.13	-25	Pass	1551
2550	2640	1	RMS	2590.5	19.13	60	Pass	401
2640	3000	1	RMS	2676	-48.44	-25	Pass	401
3000	12000	1	RMS	11973	-51.87	-25	Pass	9001
12000	26500	1	RMS	24902	-39.62	-25	Pass	14501




14.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.43	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-25	Pass	2986
30	1000	0.1	RMS	901.6	-62.77	-25	Pass	9701
1000	2550	1	RMS	2533	-49.15	-25	Pass	1551
2550	2640	1	RMS	2590.725	17.89	60	Pass	401
2640	3000	1	RMS	2677.8	-48.42	-25	Pass	401
3000	12000	1	RMS	11972	-51.81	-25	Pass	9001
12000	26500	1	RMS	24904	-39.51	-25	Pass	14501




14.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-25	Pass	2986
30	1000	0.1	RMS	908.5	-62.72	-25	Pass	9701
1000	2550	1	RMS	2550	-49.29	-25	Pass	1551
2550	2640	1	RMS	2610.75	18.47	60	Pass	401
2640	3000	1	RMS	2648.1	-45.85	-25	Pass	401
3000	12000	1	RMS	11971	-51.85	-25	Pass	9001
12000	26500	1	RMS	24909	-39.56	-25	Pass	14501




14.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.72	-25	Pass	2986
30	1000	0.1	RMS	910.1	-62.77	-25	Pass	9701
1000	2550	1	RMS	2543	-49.33	-25	Pass	1551
2550	2640	1	RMS	2610.525	18.06	60	Pass	401
2640	3000	1	RMS	2640	-46.42	-25	Pass	401
3000	12000	1	RMS	11968	-51.83	-25	Pass	9001
12000	26500	1	RMS	24914	-39.66	-25	Pass	14501




14.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-25	Pass	2986
30	1000	0.1	RMS	907.4	-62.81	-25	Pass	9701
1000	2550	1	RMS	2546	-38.9	-25	Pass	1551
2550	2640	1	RMS	2570.7	18.5	60	Pass	401
2640	3000	1	RMS	2679.6	-48.44	-25	Pass	401
3000	12000	1	RMS	11968	-51.77	-25	Pass	9001
12000	26500	1	RMS	24851	-39.64	-25	Pass	14501




14.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-25	Pass	2986
30	1000	0.1	RMS	920	-62.91	-25	Pass	9701
1000	2550	1	RMS	2545	-42.71	-25	Pass	1551
2550	2640	1	RMS	2570.925	17.71	60	Pass	401
2640	3000	1	RMS	2678.7	-48.42	-25	Pass	401
3000	12000	1	RMS	11968	-51.79	-25	Pass	9001
12000	26500	1	RMS	24833	-39.64	-25	Pass	14501




14.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-25	Pass	2986
30	1000	0.1	RMS	924.3	-62.94	-25	Pass	9701
1000	2550	1	RMS	2550	-48.55	-25	Pass	1551
2550	2640	1	RMS	2588.25	19.15	60	Pass	401
2640	3000	1	RMS	2642.7	-47.84	-25	Pass	401
3000	12000	1	RMS	11973	-51.81	-25	Pass	9001
12000	26500	1	RMS	24915	-39.58	-25	Pass	14501




14.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-25	Pass	2986
30	1000	0.1	RMS	918.1	-62.69	-25	Pass	9701
1000	2550	1	RMS	2538	-48.6	-25	Pass	1551
2550	2640	1	RMS	2588.25	18.01	60	Pass	401
2640	3000	1	RMS	2646.3	-48.31	-25	Pass	401
3000	12000	1	RMS	11968	-51.87	-25	Pass	9001
12000	26500	1	RMS	24889	-39.59	-25	Pass	14501




14.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-25	Pass	2986
30	1000	0.1	RMS	959.3	-62.74	-25	Pass	9701
1000	2550	1	RMS	2548	-49.01	-25	Pass	1551
2550	2640	1	RMS	2605.8	18.44	60	Pass	401
2640	3000	1	RMS	2642.7	-46.71	-25	Pass	401
3000	12000	1	RMS	11978	-51.9	-25	Pass	9001
12000	26500	1	RMS	24894	-39.65	-25	Pass	14501




14.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-25	Pass	2986
30	1000	0.1	RMS	933.1	-62.78	-25	Pass	9701
1000	2550	1	RMS	2546	-49.18	-25	Pass	1551
2550	2640	1	RMS	2605.8	18.38	60	Pass	401
2640	3000	1	RMS	2640	-44.44	-25	Pass	401
3000	12000	1	RMS	11971	-51.87	-25	Pass	9001
12000	26500	1	RMS	24850	-39.64	-25	Pass	14501




14.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-25	Pass	2986
30	1000	0.1	RMS	949.7	-62.93	-25	Pass	9701
1000	2550	1	RMS	2533	-43.59	-25	Pass	1551
2550	2640	1	RMS	2571.15	18.42	60	Pass	401
2640	3000	1	RMS	2646.3	-48.11	-25	Pass	401
3000	12000	1	RMS	11965	-51.89	-25	Pass	9001
12000	26500	1	RMS	24923	-39.59	-25	Pass	14501




14.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-25	Pass	2986
30	1000	0.1	RMS	912	-62.87	-25	Pass	9701
1000	2550	1	RMS	2540	-42.81	-25	Pass	1551
2550	2640	1	RMS	2571.15	18.61	60	Pass	401
2640	3000	1	RMS	2677.8	-48.39	-25	Pass	401
3000	12000	1	RMS	11976	-51.85	-25	Pass	9001
12000	26500	1	RMS	24884	-39.63	-25	Pass	14501




14.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-25	Pass	2986
30	1000	0.1	RMS	930.8	-62.69	-25	Pass	9701
1000	2550	1	RMS	2549	-48.15	-25	Pass	1551
2550	2640	1	RMS	2586.225	18.08	60	Pass	401
2640	3000	1	RMS	2658.9	-48.44	-25	Pass	401
3000	12000	1	RMS	11969	-51.71	-25	Pass	9001
12000	26500	1	RMS	24914	-39.67	-25	Pass	14501




14.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-25	Pass	2986
30	1000	0.1	RMS	918.8	-62.84	-25	Pass	9701
1000	2550	1	RMS	2547	-45.95	-25	Pass	1551
2550	2640	1	RMS	2586.225	17.31	60	Pass	401
2640	3000	1	RMS	2645.4	-48.25	-25	Pass	401
3000	12000	1	RMS	11967	-51.89	-25	Pass	9001
12000	26500	1	RMS	24902	-39.69	-25	Pass	14501




14.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-25	Pass	2986
30	1000	0.1	RMS	913.6	-62.87	-25	Pass	9701
1000	2550	1	RMS	2545	-48.85	-25	Pass	1551
2550	2640	1	RMS	2601.075	19.1	60	Pass	401
2640	3000	1	RMS	2640	-46.11	-25	Pass	401
3000	12000	1	RMS	11970	-51.79	-25	Pass	9001
12000	26500	1	RMS	24892	-39.65	-25	Pass	14501



14.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-25	Pass	2986
30	1000	0.1	RMS	919	-62.58	-25	Pass	9701
1000	2550	1	RMS	2545	-48.79	-25	Pass	1551
2550	2640	1	RMS	2601.075	18	60	Pass	401
2640	3000	1	RMS	2640	-46.34	-25	Pass	401
3000	12000	1	RMS	11976	-51.83	-25	Pass	9001
12000	26500	1	RMS	24905	-39.66	-25	Pass	14501



15. LTE_Band41 full


15.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-25	Pass	2986
30	1000	0.1	RMS	914	-62.76	-25	Pass	9701
1000	2486	1	RMS	2477	-48.17	-25	Pass	1487
2486	2700	1	RMS	2496.165	17.03	60	Pass	401
2700	3000	1	RMS	2700	-48.65	-25	Pass	401
3000	12000	1	RMS	4993	-57.38	-25	Pass	9001
12000	27000	1	RMS	24913	-59.96	-25	Pass	15001




15.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-25	Pass	2986
30	1000	0.1	RMS	919.3	-62.93	-25	Pass	9701
1000	2486	1	RMS	2477	-48.63	-25	Pass	1487
2486	2700	1	RMS	2496.165	15.99	60	Pass	401
2700	3000	1	RMS	2700.75	-48.64	-25	Pass	401
3000	12000	1	RMS	4993	-54.69	-25	Pass	9001
12000	27000	1	RMS	24846	-60.02	-25	Pass	15001




15.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.89	-25	Pass	2986
30	1000	0.1	RMS	920.1	-62.77	-25	Pass	9701
1000	2486	1	RMS	2444	-49.87	-25	Pass	1487
2486	2700	1	RMS	2590.86	18.29	60	Pass	401
2700	3000	1	RMS	2700	-48.66	-25	Pass	401
3000	12000	1	RMS	10363	-72.16	-25	Pass	9001
12000	27000	1	RMS	24869	-60.01	-25	Pass	15001




15.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.95	-25	Pass	2986
30	1000	0.1	RMS	919.8	-62.87	-25	Pass	9701
1000	2486	1	RMS	2427	-49.85	-25	Pass	1487
2486	2700	1	RMS	2590.86	17.45	60	Pass	401
2700	3000	1	RMS	2702.25	-48.66	-25	Pass	401
3000	12000	1	RMS	11971	-72.31	-25	Pass	9001
12000	27000	1	RMS	24875	-60.04	-25	Pass	15001




15.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.59	-25	Pass	2986
30	1000	0.1	RMS	901.1	-62.85	-25	Pass	9701
1000	2486	1	RMS	2424	-49.87	-25	Pass	1487
2486	2700	1	RMS	2685.555	17.8	60	Pass	401
2700	3000	1	RMS	2704.5	-47.65	-25	Pass	401
3000	12000	1	RMS	8056	-71.91	-25	Pass	9001
12000	27000	1	RMS	24897	-59.91	-25	Pass	15001




15.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.37	-25	Pass	2986
30	1000	0.1	RMS	968.6	-62.9	-25	Pass	9701
1000	2486	1	RMS	2447	-49.85	-25	Pass	1487
2486	2700	1	RMS	2685.02	16.58	60	Pass	401
2700	3000	1	RMS	2704.5	-47.32	-25	Pass	401
3000	12000	1	RMS	11969	-72.22	-25	Pass	9001
12000	27000	1	RMS	24906	-59.97	-25	Pass	15001




15.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.29	-25	Pass	2986
30	1000	0.1	RMS	915.6	-62.79	-25	Pass	9701
1000	2486	1	RMS	2477	-43.58	-25	Pass	1487
2486	2700	1	RMS	2496.7	17.59	60	Pass	401
2700	3000	1	RMS	2701.5	-48.6	-25	Pass	401
3000	12000	1	RMS	4993	-54.37	-25	Pass	9001
12000	27000	1	RMS	24914	-60.05	-25	Pass	15001




15.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.95	-25	Pass	2986
30	1000	0.1	RMS	934.6	-62.86	-25	Pass	9701
1000	2486	1	RMS	2486	-46.87	-25	Pass	1487
2486	2700	1	RMS	2496.7	16.81	60	Pass	401
2700	3000	1	RMS	2700	-48.64	-25	Pass	401
3000	12000	1	RMS	4993	-63.58	-25	Pass	9001
12000	27000	1	RMS	24896	-60.02	-25	Pass	15001




15.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.13	-25	Pass	2986
30	1000	0.1	RMS	927.3	-62.84	-25	Pass	9701
1000	2486	1	RMS	2413	-49.85	-25	Pass	1487
2486	2700	1	RMS	2588.72	17.74	60	Pass	401
2700	3000	1	RMS	2700.75	-48.66	-25	Pass	401
3000	12000	1	RMS	11971	-72.28	-25	Pass	9001
12000	27000	1	RMS	24877	-60.03	-25	Pass	15001




15.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.3	-25	Pass	2986
30	1000	0.1	RMS	970.6	-62.78	-25	Pass	9701
1000	2486	1	RMS	2423	-49.8	-25	Pass	1487
2486	2700	1	RMS	2588.72	17.99	60	Pass	401
2700	3000	1	RMS	2700	-48.62	-25	Pass	401
3000	12000	1	RMS	10355	-71.99	-25	Pass	9001
12000	27000	1	RMS	24870	-60.04	-25	Pass	15001




**15.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,
Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.46	-25	Pass	2986
30	1000	0.1	RMS	917	-62.91	-25	Pass	9701
1000	2486	1	RMS	2443	-49.84	-25	Pass	1487
2486	2700	1	RMS	2680.205	16.98	60	Pass	401
2700	3000	1	RMS	2700	-39.86	-25	Pass	401
3000	12000	1	RMS	11968	-72.24	-25	Pass	9001
12000	27000	1	RMS	24842	-60.03	-25	Pass	15001




15.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.65	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.25	-25	Pass	2986
30	1000	0.1	RMS	929.2	-62.89	-25	Pass	9701
1000	2486	1	RMS	2452	-49.89	-25	Pass	1487
2486	2700	1	RMS	2680.205	16.72	60	Pass	401
2700	3000	1	RMS	2700	-40.08	-25	Pass	401
3000	12000	1	RMS	11968	-72.35	-25	Pass	9001
12000	27000	1	RMS	24841	-59.99	-25	Pass	15001




**15.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,
Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-25	Pass	2986
30	1000	0.1	RMS	933.6	-62.81	-25	Pass	9701
1000	2486	1	RMS	2483	-42.98	-25	Pass	1487
2486	2700	1	RMS	2496.7	18.16	60	Pass	401
2700	3000	1	RMS	2701.5	-48.68	-25	Pass	401
3000	12000	1	RMS	4993	-58.81	-25	Pass	9001
12000	27000	1	RMS	24857	-59.98	-25	Pass	15001




15.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-25	Pass	2986
30	1000	0.1	RMS	948.3	-62.85	-25	Pass	9701
1000	2486	1	RMS	2484	-46.22	-25	Pass	1487
2486	2700	1	RMS	2497.235	15.47	60	Pass	401
2700	3000	1	RMS	2700.75	-48.6	-25	Pass	401
3000	12000	1	RMS	4994	-54	-25	Pass	9001
12000	27000	1	RMS	24840	-60.07	-25	Pass	15001




**15.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,
Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-25	Pass	2986
30	1000	0.1	RMS	900.1	-62.86	-25	Pass	9701
1000	2486	1	RMS	2424	-49.81	-25	Pass	1487
2486	2700	1	RMS	2586.58	17.72	60	Pass	401
2700	3000	1	RMS	2700	-48.63	-25	Pass	401
3000	12000	1	RMS	11970	-72.31	-25	Pass	9001
12000	27000	1	RMS	24866	-59.95	-25	Pass	15001




15.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-25	Pass	2986
30	1000	0.1	RMS	913.2	-62.84	-25	Pass	9701
1000	2486	1	RMS	2432	-49.77	-25	Pass	1487
2486	2700	1	RMS	2586.045	17.44	60	Pass	401
2700	3000	1	RMS	2700	-48.62	-25	Pass	401
3000	12000	1	RMS	11971	-72.31	-25	Pass	9001
12000	27000	1	RMS	24906	-59.92	-25	Pass	15001




**15.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,
Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-55.82	-25	Pass	2986
30	1000	0.1	RMS	928.9	-62.86	-25	Pass	9701
1000	2486	1	RMS	2441	-49.91	-25	Pass	1487
2486	2700	1	RMS	2675.925	17.26	60	Pass	401
2700	3000	1	RMS	2702.25	-41.55	-25	Pass	401
3000	12000	1	RMS	11969	-72.3	-25	Pass	9001
12000	27000	1	RMS	24904	-59.99	-25	Pass	15001




15.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.1	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-25	Pass	2986
30	1000	0.1	RMS	910.3	-62.85	-25	Pass	9701
1000	2486	1	RMS	2441	-49.82	-25	Pass	1487
2486	2700	1	RMS	2675.925	17.7	60	Pass	401
2700	3000	1	RMS	2702.25	-42.16	-25	Pass	401
3000	12000	1	RMS	11970	-72.29	-25	Pass	9001
12000	27000	1	RMS	24909	-60	-25	Pass	15001




**15.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,
Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	935.1	-62.77	-25	Pass	9701
1000	2486	1	RMS	2480	-46.16	-25	Pass	1487
2486	2700	1	RMS	2497.235	17.28	60	Pass	401
2700	3000	1	RMS	2703.75	-48.65	-25	Pass	401
3000	12000	1	RMS	4994	-52.24	-25	Pass	9001
12000	27000	1	RMS	24886	-59.98	-25	Pass	15001




15.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.89	-25	Pass	401
0.15	30	0.01	RMS	0.17	-56.54	-25	Pass	2986
30	1000	0.1	RMS	921.8	-62.89	-25	Pass	9701
1000	2486	1	RMS	2479	-45.35	-25	Pass	1487
2486	2700	1	RMS	2497.235	17.35	60	Pass	401
2700	3000	1	RMS	2700.75	-48.61	-25	Pass	401
3000	12000	1	RMS	4995	-62	-25	Pass	9001
12000	27000	1	RMS	24907	-59.97	-25	Pass	15001




**15.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21,
Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-25	Pass	2986
30	1000	0.1	RMS	966.7	-62.78	-25	Pass	9701
1000	2486	1	RMS	2427	-49.84	-25	Pass	1487
2486	2700	1	RMS	2583.905	17.12	60	Pass	401
2700	3000	1	RMS	2700	-48.64	-25	Pass	401
3000	12000	1	RMS	11971	-72.18	-25	Pass	9001
12000	27000	1	RMS	24849	-59.94	-25	Pass	15001




15.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-25	Pass	2986
30	1000	0.1	RMS	970.8	-62.73	-25	Pass	9701
1000	2486	1	RMS	2419	-49.87	-25	Pass	1487
2486	2700	1	RMS	2583.905	16.86	60	Pass	401
2700	3000	1	RMS	2703	-48.65	-25	Pass	401
3000	12000	1	RMS	11966	-72.3	-25	Pass	9001
12000	27000	1	RMS	24861	-60	-25	Pass	15001



**15.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23,
Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-25	Pass	2986
30	1000	0.1	RMS	953.8	-62.89	-25	Pass	9701
1000	2486	1	RMS	2443	-49.85	-25	Pass	1487
2486	2700	1	RMS	2671.11	17.28	60	Pass	401
2700	3000	1	RMS	2706.75	-39.09	-25	Pass	401
3000	12000	1	RMS	5342	-66.26	-25	Pass	9001
12000	27000	1	RMS	24849	-60	-25	Pass	15001



15.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.4	-25	Pass	2986
30	1000	0.1	RMS	934	-62.89	-25	Pass	9701
1000	2486	1	RMS	2449	-49.87	-25	Pass	1487
2486	2700	1	RMS	2671.11	17.01	60	Pass	401
2700	3000	1	RMS	2706.75	-43.2	-25	Pass	401
3000	12000	1	RMS	11971	-72.34	-25	Pass	9001
12000	27000	1	RMS	24909	-59.98	-25	Pass	15001

