



14.14 LTE Band Edge(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2617.625	4.5	30	25.5	Pass	401
2620	2621	0.2	RMS	2620.003	-26.49	-10	16.49	Pass	401
2621	2625	1	RMS	2621	-23.49	-10	13.49	Pass	5
2625	2630	1	RMS	2625	-26.84	-13	13.84	Pass	401
2630	2645	1	RMS	2630.075	-39.95	-25	14.95	Pass	401




14.15 LTE Band Edge(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.5	20.07	30	9.93	Pass	401
2620	2621	0.2	RMS	2620	-14.32	-10	4.32	Pass	401
2621	2625	1	RMS	2621	-30.5	-10	20.5	Pass	5
2625	2630	1	RMS	2625.063	-38.92	-13	25.92	Pass	401
2630	2645	1	RMS	2637.088	-40.07	-25	15.07	Pass	401




14.16 LTE Band Edge(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2618.875	3.31	30	26.69	Pass	401
2620	2621	0.2	RMS	2620	-26.3	-10	16.3	Pass	401
2621	2625	1	RMS	2621	-23.13	-10	13.13	Pass	5
2625	2630	1	RMS	2625	-26.47	-13	13.47	Pass	401
2630	2645	1	RMS	2630.038	-39.04	-25	14.04	Pass	401




14.17 LTE Band Edge(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2545	-45.05	-25	20.05	Pass	401
2555	2565	1	RMS	2564.425	-36.38	-13	23.38	Pass	401
2565	2569	1	RMS	2569	-30.31	-10	20.31	Pass	5
2569	2570	0.3	RMS	2569.993	-21.39	-10	11.39	Pass	401
2570	2585	0.1	RMS	2570.938	21.52	30	8.48	Pass	401




14.18 LTE Band Edge(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.975	-37.54	-25	12.54	Pass	401
2555	2565	1	RMS	2563.85	-24.18	-13	11.18	Pass	401
2565	2569	1	RMS	2569	-22.3	-10	12.3	Pass	5
2569	2570	0.3	RMS	2569.983	-26.62	-10	16.62	Pass	401
2570	2585	0.1	RMS	2573.675	2.72	30	27.28	Pass	401




14.19 LTE Band Edge(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2545.025	-45.3	-25	20.3	Pass	401
2555	2565	1	RMS	2564.35	-37.42	-13	24.42	Pass	401
2565	2569	1	RMS	2569	-32.23	-10	22.23	Pass	5
2569	2570	0.3	RMS	2569.993	-21.55	-10	11.55	Pass	401
2570	2585	0.1	RMS	2570.938	20.81	30	9.19	Pass	401




14.20 LTE Band Edge(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2555	-36.9	-25	11.9	Pass	401
2555	2565	1	RMS	2563.975	-24.01	-13	11.01	Pass	401
2565	2569	1	RMS	2568	-21.89	-10	11.89	Pass	5
2569	2570	0.3	RMS	2569.993	-25.58	-10	15.58	Pass	401
2570	2585	0.1	RMS	2583.35	1.41	30	28.59	Pass	401




14.21 LTE Band Edge(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.25	21.38	30	8.62	Pass	401
2620	2621	0.3	RMS	2620.008	-16.53	-10	6.53	Pass	401
2621	2625	1	RMS	2621	-30.31	-10	20.31	Pass	5
2625	2635	1	RMS	2625.725	-38.55	-13	25.55	Pass	401
2635	2645	1	RMS	2644.975	-45.22	-25	20.22	Pass	401




14.22 LTE Band Edge(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2606.538	2.77	30	27.23	Pass	401
2620	2621	0.3	RMS	2620.068	-27.13	-10	17.13	Pass	401
2621	2625	1	RMS	2621	-24.49	-10	14.49	Pass	5
2625	2635	1	RMS	2626.175	-26.82	-13	13.82	Pass	401
2635	2645	1	RMS	2635.05	-40.18	-25	15.18	Pass	401




14.23 LTE Band Edge(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.25	20.34	30	9.66	Pass	401
2620	2621	0.3	RMS	2620.003	-17.38	-10	7.38	Pass	401
2621	2625	1	RMS	2621	-30.52	-10	20.52	Pass	5
2625	2635	1	RMS	2625.7	-38.32	-13	25.32	Pass	401
2635	2645	1	RMS	2645	-45.51	-25	20.51	Pass	401




14.24 LTE Band Edge(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2606.013	1.88	30	28.12	Pass	401
2620	2621	0.3	RMS	2620.003	-27.08	-10	17.08	Pass	401
2621	2625	1	RMS	2621	-24.3	-10	14.3	Pass	5
2625	2635	1	RMS	2626.075	-26.02	-13	13.02	Pass	401
2635	2645	1	RMS	2635.025	-40.35	-25	15.35	Pass	401




14.25 LTE Band Edge(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-46.73	-25	21.73	Pass	401
2550	2565	1	RMS	2564.813	-36.78	-13	23.78	Pass	401
2565	2569	1	RMS	2569	-29.8	-10	19.8	Pass	5
2569	2570	0.51	RMS	2570	-20.78	-10	10.78	Pass	401
2570	2590	0.1	RMS	2571.2	21.07	30	8.93	Pass	401




14.26 LTE Band Edge(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-40.26	-25	15.26	Pass	401
2550	2565	1	RMS	2564.963	-25.76	-13	12.76	Pass	401
2565	2569	1	RMS	2569	-23.61	-10	13.61	Pass	5
2569	2570	0.51	RMS	2569.968	-24.42	-10	14.42	Pass	401
2570	2590	0.1	RMS	2575.9	0.91	30	29.09	Pass	401




14.27 LTE Band Edge(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.913	-46.86	-25	21.86	Pass	401
2550	2565	1	RMS	2564.925	-37	-13	24	Pass	401
2565	2569	1	RMS	2569	-30.26	-10	20.26	Pass	5
2569	2570	0.51	RMS	2569.998	-20.15	-10	10.15	Pass	401
2570	2590	0.1	RMS	2571.2	20.37	30	9.63	Pass	401




14.28 LTE Band Edge(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.963	-39.25	-25	14.25	Pass	401
2550	2565	1	RMS	2564.963	-24.66	-13	11.66	Pass	401
2565	2569	1	RMS	2569	-23.39	-10	13.39	Pass	5
2569	2570	0.51	RMS	2569.933	-24.42	-10	14.42	Pass	401
2570	2590	0.1	RMS	2572.55	0.52	30	29.48	Pass	401




14.29 LTE Band Edge(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2619	20.55	30	9.45	Pass	401
2620	2621	0.51	RMS	2620	-17.14	-10	7.14	Pass	401
2621	2625	1	RMS	2621	-32.69	-10	22.69	Pass	5
2625	2640	1	RMS	2625	-39.59	-13	26.59	Pass	401
2640	2645	1	RMS	2640.075	-46.95	-25	21.95	Pass	401




14.30 LTE Band Edge(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.4	1.77	30	28.23	Pass	401
2620	2621	0.51	RMS	2620	-25.87	-10	15.87	Pass	401
2621	2625	1	RMS	2621	-25.59	-10	15.59	Pass	5
2625	2640	1	RMS	2625.6	-27.8	-13	14.8	Pass	401
2640	2645	1	RMS	2640.038	-42.26	-25	17.26	Pass	401




14.31 LTE Band Edge(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2619	20.57	30	9.43	Pass	401
2620	2621	0.51	RMS	2620.008	-16.95	-10	6.95	Pass	401
2621	2625	1	RMS	2621	-31.53	-10	21.53	Pass	5
2625	2640	1	RMS	2625.113	-38.67	-13	25.67	Pass	401
2640	2645	1	RMS	2640.075	-46.86	-25	21.86	Pass	401



14.32 LTE Band Edge(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2606.1	0.09	30	29.91	Pass	401
2620	2621	0.51	RMS	2620.013	-26.37	-10	16.37	Pass	401
2621	2625	1	RMS	2621	-25.37	-10	15.37	Pass	5
2625	2640	1	RMS	2625.038	-26.74	-13	13.74	Pass	401
2640	2645	1	RMS	2640.075	-41.51	-25	16.51	Pass	401



15. LTE_Band41 120M


15.1 LTE Band Edge(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-28.35	-13	15.35	Pass	45
2534	2535	0.01	RMS	2535	-32.55	-13	19.55	Pass	101
2535	2540	0.1	RMS	2535.438	21.17	30	8.83	Pass	401




15.2 LTE Band Edge(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-19.68	-13	6.68	Pass	45
2534	2535	0.051	RMS	2534.803	-29.12	-13	16.12	Pass	401
2535	2540	0.1	RMS	2536.375	7.27	30	22.73	Pass	401




15.3 LTE Band Edge(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-28.5	-13	15.5	Pass	45
2534	2535	0.051	RMS	2535	-26.94	-13	13.94	Pass	21
2535	2540	0.1	RMS	2535.425	20.68	30	9.32	Pass	401




15.4 LTE Band Edge(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-18.7	-13	5.7	Pass	45
2534	2535	0.051	RMS	2534.965	-28.58	-13	15.58	Pass	401
2535	2540	0.1	RMS	2538.763	5.82	30	24.18	Pass	401




15.5 LTE Band Edge(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.75	20.39	30	9.61	Pass	401
2655	2656	0.1	RMS	2655	-10.1	-10	0.1	Pass*	11
2656	2660	1	RMS	2656	-26.96	-10	16.96	Pass	5
2660	2661	1	RMS	2660.015	-39.43	-13	26.43	Pass	401
2661	2680	1	RMS	2663.47	-37.8	-25	12.8	Pass	401




15.6 LTE Band Edge(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2651.925	6.96	30	23.04	Pass	401
2655	2656	0.1	RMS	2655	-22.61	-10	12.61	Pass	401
2656	2660	1	RMS	2656	-23.26	-10	13.26	Pass	5
2660	2661	1	RMS	2660.048	-35.05	-13	22.05	Pass	401
2661	2680	1	RMS	2661.095	-39.52	-25	14.52	Pass	401




15.7 LTE Band Edge(NTNV)(Subtest:7, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.763	20.43	30	9.57	Pass	401
2655	2656	0.1	RMS	2655	-10.34	-10	0.34	Pass*	11
2656	2660	1	RMS	2656	-27.62	-10	17.62	Pass	5
2660	2661	1	RMS	2660.008	-39.63	-13	26.63	Pass	401
2661	2680	1	RMS	2663.423	-39.78	-25	14.78	Pass	401




15.8 LTE Band Edge(NTNV)(Subtest:8, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2650	2655	0.1	RMS	2654.075	6.32	30	23.68	Pass	401
2655	2656	0.1	RMS	2655.003	-23.51	-10	13.51	Pass	401
2656	2660	1	RMS	2656	-22.43	-10	12.43	Pass	5
2660	2661	1	RMS	2660.03	-36.02	-13	23.02	Pass	401
2661	2680	1	RMS	2661	-39.72	-25	14.72	Pass	401




15.9 LTE Band Edge(NTNV)(Subtest:9, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-29.22	-13	16.22	Pass	45
2534	2535	0.1	RMS	2534.998	-25.21	-13	12.21	Pass	401
2535	2545	0.1	RMS	2535.7	21.72	30	8.28	Pass	401




15.10 LTE Band Edge(NTNV)(Subtest:10, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-21.39	-13	8.39	Pass	45
2534	2535	0.1	RMS	2535	-29.78	-13	16.78	Pass	401
2535	2545	0.1	RMS	2544.4	4.39	30	25.61	Pass	401




15.11 LTE Band Edge(NTNV)(Subtest:11, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-31.22	-13	18.22	Pass	45
2534	2535	0.1	RMS	2535	-25.56	-13	12.56	Pass	401
2535	2545	0.1	RMS	2535.675	20.83	30	9.17	Pass	401




15.12 LTE Band Edge(NTNV)(Subtest:12, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-20.9	-13	7.9	Pass	45
2534	2535	0.1	RMS	2534.973	-29.34	-13	16.34	Pass	401
2535	2545	0.1	RMS	2542.15	3.05	30	26.95	Pass	401




15.13 LTE Band Edge(NTNV)(Subtest:13, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.5	21.6	30	8.4	Pass	401
2655	2656	0.2	RMS	2655.003	-13.1	-10	3.1	Pass	401
2656	2660	1	RMS	2656	-29.44	-10	19.44	Pass	5
2660	2665	1	RMS	2660.038	-39.11	-13	26.11	Pass	401
2665	2680	1	RMS	2672.088	-37.68	-25	12.68	Pass	401




15.14 LTE Band Edge(NTNV)(Subtest:14, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2647.875	4.67	30	25.33	Pass	401
2655	2656	0.2	RMS	2655.005	-28.3	-10	18.3	Pass	401
2656	2660	1	RMS	2656	-25.55	-10	15.55	Pass	5
2660	2665	1	RMS	2660.138	-28.76	-13	15.76	Pass	401
2665	2680	1	RMS	2665	-40.27	-25	15.27	Pass	401




15.15 LTE Band Edge(NTNV)(Subtest:15, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2654.5	20.88	30	9.12	Pass	401
2655	2656	0.2	RMS	2655	-14.7	-10	4.7	Pass	401
2656	2660	1	RMS	2656	-30	-10	20	Pass	5
2660	2665	1	RMS	2660.013	-38.45	-13	25.45	Pass	401
2665	2680	1	RMS	2672.013	-40.05	-25	15.05	Pass	401




15.16 LTE Band Edge(NTNV)(Subtest:16, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2645	2655	0.1	RMS	2648.35	3.88	30	26.12	Pass	401
2655	2656	0.2	RMS	2655.005	-27.94	-10	17.94	Pass	401
2656	2660	1	RMS	2656	-24.91	-10	14.91	Pass	5
2660	2665	1	RMS	2660.1	-28.34	-13	15.34	Pass	401
2665	2680	1	RMS	2665	-40.19	-25	15.19	Pass	401




15.17 LTE Band Edge(NTNV)(Subtest:17, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-30.34	-13	17.34	Pass	45
2534	2535	0.15	RMS	2534.998	-24.91	-13	11.91	Pass	401
2535	2550	0.1	RMS	2535.938	21.05	30	8.95	Pass	401




15.18 LTE Band Edge(NTNV)(Subtest:18, Channel:40115, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2533	-22.42	-13	9.42	Pass	45
2534	2535	0.15	RMS	2534.813	-29.15	-13	16.15	Pass	401
2535	2550	0.1	RMS	2548.875	2.3	30	27.7	Pass	401




15.19 LTE Band Edge(NTNV)(Subtest:19, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-32.36	-13	19.36	Pass	45
2534	2535	0.15	RMS	2534.995	-25.66	-13	12.66	Pass	401
2535	2550	0.1	RMS	2535.9	19.98	30	10.02	Pass	401




15.20 LTE Band Edge(NTNV)(Subtest:20, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2533	-21.69	-13	8.69	Pass	45
2534	2535	0.15	RMS	2534.945	-29.08	-13	16.08	Pass	401
2535	2550	0.1	RMS	2548.313	1.85	30	28.15	Pass	401




15.21 LTE Band Edge(NTNV)(Subtest:21, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.288	21.61	30	8.39	Pass	401
2655	2656	0.3	RMS	2655	-16.45	-10	6.45	Pass	401
2656	2660	1	RMS	2656	-30.07	-10	20.07	Pass	5
2660	2670	1	RMS	2660.325	-37.82	-13	24.82	Pass	401
2670	2680	1	RMS	2679.825	-46.59	-25	21.59	Pass	401




15.22 LTE Band Edge(NTNV)(Subtest:22, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2655	0.1	RMS	2643.263	3	30	27	Pass	401
2655	2656	0.3	RMS	2655	-28.15	-10	18.15	Pass	401
2656	2660	1	RMS	2656	-26.12	-10	16.12	Pass	5
2660	2670	1	RMS	2660.6	-27.97	-13	14.97	Pass	401
2670	2680	1	RMS	2670.05	-40.82	-25	15.82	Pass	401




15.23 LTE Band Edge(NTNV)(Subtest:23, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2655	0.1	RMS	2654.25	20.28	30	9.72	Pass	401
2655	2656	0.3	RMS	2655.008	-17.63	-10	7.63	Pass	401
2656	2660	1	RMS	2656	-30.65	-10	20.65	Pass	5
2660	2670	1	RMS	2660.725	-37.79	-13	24.79	Pass	401
2670	2680	1	RMS	2680	-46.23	-25	21.23	Pass	401




15.24 LTE Band Edge(NTNV)(Subtest:24, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2640	2655	0.1	RMS	2641.013	2.14	30	27.86	Pass	401
2655	2656	0.3	RMS	2655.003	-28.4	-10	18.4	Pass	401
2656	2660	1	RMS	2656	-25.76	-10	15.76	Pass	5
2660	2670	1	RMS	2660.7	-27.68	-13	14.68	Pass	401
2670	2680	1	RMS	2670.075	-41.56	-25	16.56	Pass	401




15.25 LTE Band Edge(NTNV)(Subtest:25, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-29.96	-13	16.96	Pass	45
2534	2535	0.2	RMS	2535	-26.51	-13	13.51	Pass	401
2535	2555	0.1	RMS	2536.15	20.75	30	9.25	Pass	401




15.26 LTE Band Edge(NTNV)(Subtest:26, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-23.51	-13	10.51	Pass	45
2534	2535	0.2	RMS	2534.985	-28.33	-13	15.33	Pass	401
2535	2555	0.1	RMS	2544.1	1.33	30	28.67	Pass	401




15.27 LTE Band Edge(NTNV)(Subtest:27, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-30.37	-13	17.37	Pass	45
2534	2535	0.2	RMS	2534.998	-25.92	-13	12.92	Pass	401
2535	2555	0.1	RMS	2536.2	20.15	30	9.85	Pass	401




15.28 LTE Band Edge(NTNV)(Subtest:28, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2490	2534	1	RMS	2534	-23.02	-13	10.02	Pass	45
2534	2535	0.2	RMS	2534.938	-28.35	-13	15.35	Pass	401
2535	2555	0.1	RMS	2552.15	0.48	30	29.52	Pass	401




15.29 LTE Band Edge(NTNV)(Subtest:29, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2635	2655	0.1	RMS	2654	20.62	30	9.38	Pass	401
2655	2656	0.51	RMS	2655.003	-17.06	-10	7.06	Pass	401
2656	2660	1	RMS	2656	-32.76	-10	22.76	Pass	5
2660	2675	1	RMS	2660.225	-39.79	-13	26.79	Pass	401
2675	2680	1	RMS	2675.125	-47.16	-25	22.16	Pass	401




15.30 LTE Band Edge(NTNV)(Subtest:30, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2635	2655	0.1	RMS	2641.4	2.04	30	27.96	Pass	401
2655	2656	0.51	RMS	2655.005	-27.41	-10	17.41	Pass	401
2656	2660	1	RMS	2656	-27.4	-10	17.4	Pass	5
2660	2675	1	RMS	2660.113	-29.39	-13	16.39	Pass	401
2675	2680	1	RMS	2675.013	-43.35	-25	18.35	Pass	401




15.31 LTE Band Edge(NTNV)(Subtest:31, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2635	2655	0.1	RMS	2654.05	20.35	30	9.65	Pass	401
2655	2656	0.51	RMS	2655.005	-16.54	-10	6.54	Pass	401
2656	2660	1	RMS	2656	-31.22	-10	21.22	Pass	5
2660	2675	1	RMS	2660	-38.49	-13	25.49	Pass	401
2675	2680	1	RMS	2675.125	-47.17	-25	22.17	Pass	401



15.32 LTE Band Edge(NTNV)(Subtest:32, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2635	2655	0.1	RMS	2638.4	0.57	30	29.43	Pass	401
2655	2656	0.51	RMS	2655.005	-27.34	-10	17.34	Pass	401
2656	2660	1	RMS	2656	-27.07	-10	17.07	Pass	5
2660	2675	1	RMS	2660	-28.34	-13	15.34	Pass	401
2675	2680	1	RMS	2675.025	-43.52	-25	18.52	Pass	401



--BLANK BELOW--