



RF TEST REPORT

Product Name: 4G WIFI Router

Model Name: M11, M12, M13, M14, M15, M16, M17, M18, M19, M20

FCC ID: 2AK8BM11

Issued For : IQSIM

Les Algorithmes Aristote A-2000 Route des Lucioles, BIOT 06410,
France

Issued By : Shenzhen LGT Test Service Co., Ltd.

Room 205, Building 13, Zone B, Zhenxiong Industrial Park,
No.177, Renmin West Road, Jinsha, Kengzi Street, Pingshan
District, Shenzhen, Guangdong, China

Report Number: LGT24F036RF02

Sample Received Date: Jun.07, 2024

Date of Test: Jun.07, 2024 – Jul.01, 2024

Date of Issue: Jul.01, 2024

The test report is effective only with both signature and specialized stamp. This report shall not be reproduced except in full without the written approval of the Laboratory. The results in this report only apply to the tested sample.

TEST REPORT CERTIFICATION

Applicant: IQSIM

Address: Les Algorithmes Aristote A-2000 Route des Lucioles, BIOT 06410, France

Manufacturer: Huizhou Chuangjing Technology Co., Ltd.

Address: Floors 8-9, Building 8, Tonghu Intelligent Manufacturing Industrial Park,
Yingguang Village, Lilin Town, Zhongkai High-tech Zone, Huizhou

Product Name: 4G WIFI Router

Trademark: N/A

Model Name: M11, M12, M13, M14, M15, M16, M17, M18, M19, M20

Sample Status: Normal

APPLICABLE STANDARDS	
STANDARD	TEST RESULTS
FCC Part 22H and 24E, 27, 90 KDB 971168 D01 v03r01, ANSI C63.26(2015)	PASS

Prepared by:

Zane Shan

Zane Shan
Engineer

Approved by:

Vita Li

Vita Li
Technical Director



Table of Contents	Page
1. TEST FACTORY & MEASUREMENT UNCERTAINTY	5
2. GENERAL INFORMATION	6
3. CONDUCTED OUTPUT POWER	13
4. RADIATED POWER AND EFFECTIVE ISOTROPIC RADIATED POWER	14
5. RADIATED SPURIOUS EMISSION	16
6. FREQUENCY STABILITY	18
APPENDIX I-PHOTOS OF TEST SETUP	19
APPENDIX II-TEST DATA	19
CONDUCTED OUTPUT POWER	19
FREQUENCY STABILITY	50
PEAK-TO-AVERAGE RATIO	59
OCCUPIED BANDWIDTH	140
BAND EDGE	221
OUT-OF-BAND EMISSIONS	475
RADIATED SPURIOUS EMISSION	556
APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS	564

Revision History

Rev.	Issue Date	Revisions
00	Jul.01, 2024	Initial Issue

1. TEST FACTORY & MEASUREMENT UNCERTAINTY

1.1 TEST FACTORY

Company Name:	Shenzhen LGT Test Service Co., Ltd.
Address:	Room 205, Building 13, Zone B, Zhenxiong Industrial Park, No.177, Renmin West Road, Jinsha, Kengzi Street, Pingshan District, Shenzhen, Guangdong, China
Accreditation Certificate	A2LA Certificate No.: 6727.01
	FCC Registration No.: 746540
	CAB ID: CN0136

1.2 MEASUREMENT UNCERTAINTY

The reported uncertainty of measurement $y \pm U$, where expanded uncertainty U is based on a standard uncertainty multiplied by a coverage factor of $k=2$, providing a level of confidence of approximately 95 %.

Parameter	Uncertainty
Occupied Channel Bandwidth	$\pm 3.2 \%$
RF Output Power, Conducted	$\pm 0.87\text{dB}$
Power Spectral Density, Conducted	$\pm 2.11 \text{ dB}$
Unwanted Emission, Conducted	$\pm 0.86\text{dB}$
All Emissions, Radiated (Below 1GHz)	$\pm 3.54\text{dB}$
All Emissions, Radiated (1GHz-18GHz)	$\pm 4.22\text{dB}$
All Emissions, Radiated (18GHz-25GHz)	$\pm 4.81\text{dB}$
Temperature	$\pm 0.5^{\circ}\text{C}$
Humidity	$\pm 2\%$

Note: The measurement uncertainty is not included in the test result.

2. GENERAL INFORMATION

2.1 TECHNICAL SPECIFICATIONS AND REGULATIONS

2.1.1 PRODUCT DESCRIPTION

A major technical description of EUT is described as following:

Product Name:	4G WIFI Router
Trademark:	N/A
Model Name:	M11
Series Model:	M12, M13, M14, M15, M16, M17, M18, M19, M20
Model Difference:	Only the model is different
Frequency Bands:	Band 2/4/5/12/17/26/38/41
SIM Card:	Only support single SIM Card
Antenna:	FPC
Antenna gain:	Band 2:0.73dBi, Band 4:0.65dBi, Band 5:-0.72dBi, Band 12:-2.41dBi, Band 17:-2.41dBi, Band 26:-0.72dBi, Band 38:2.52dBi, Band 41: 2.52dBi
Battery:	Rated Capacity: 5000mAh Rated Voltage: 3.8V
Extreme Vol. Limits:	3.4V to 4.35V (Nominal 3.8V)
Extreme Temp. Tolerance:	-0℃ to +40℃
Hardware Version:	SP965-V10
Software Version:	IQSim 4.00.056

Note: The antenna information refer the manufacturer provide report, applicable only to the tested sample identified in the report.

2.1.2 PRODUCT SPECIFICATION SUBJECTIVE TO THIS STANDARD

Product Specification Subjective To This Standard	
Tx Frequency	LTE Band 2:1850~1910MHz LTE Band 4:1710~1755MHz LTE Band 5: 824~849MHz LTE Band 12: 699-716MHz LTE Band 17:704~716MHz LTE Band 26: 824-849MHz 814-824MHz LTE Band 38: 2570-2620MHz LTE Band 41: 2496-2690MHz
Rx Frequency	LTE Band 2: 1930-1990MHz LTE Band 4: 2110-2155MHz LTE Band 5: 869-894MHz LTE Band 12: 729-746MHz LTE Band 17: 734-746MHz LTE Band 26: 869-894MHz 859-869MHz LTE Band 38: 2570-2620MHz LTE Band 41: 2496-2690MHz
Bandwidth	LTE Band 2: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz / 20MHz LTE Band 4: 1.4MHz / 3MHz / 5MHz / 10MHz / 15MHz /20MHz LTE Band 5: 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 12: 1.4MHz / 3MHz / 5MHz / 10MHz LTE Band 17: 5MHz / 10MHz LTE Band 26: 1.4MHz / 3MHz / 5MHz / 10MHz/15MHz LTE Band 38: 5MHz / 10MHz / 15MHz /20MHz LTE Band 41: 5MHz / 10MHz / 15MHz /20MHz
Type of Modulation	QPSK /16QAM

2.1.3 TEST CONFIGURATION OF EQUIPMENT UNDER TEST

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 v03r01 and ANSI C63.26 2015 Power Meas. License Digital Systems with maximum output power. Radiated measurements are performed by rotating the EUT in three different orthogonal test planes to find the maximum emission.

Remark:

1. The mark 'v' means that this configuration is chosen for testing
2. The mark '-' means that this bandwidth is not supported.
3. The device is investigated from 30MHz to 10 times of fundamental signal for radiated.

ITEMS	Band	Bandwidth (MHz)						Modulation		RB #			Test Channel		
		1.4	3	5	10	15	20	QPSK	16QAM	1	Half	Full	L	M	H
E.R.P.& E.I.R.P.	2	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	4	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	5	v	v	v	v			v	v	v	v	v	v	v	v
	12	v	v	v	v			v	v	v	v	v	v	v	v
	17			v	v			v	v	v	v	v	v	v	v
	26	v	v	v	v	v		v	v	v	v	v	v	v	v
	38	v	v	v	v	v	v	v	v	v	v	v	v	v	v
	41	v	v	v	v	v	v	v	v	v	v	v	v	v	v
Peak&Avera Ratio	2	v	v	v	v	v	v	v	v	v			v	v	v
	4	v	v	v	v	v	v	v	v	v			v	v	v
	5	v	v	v	v			v	v	v			v	v	v
	12	v	v	v	v			v	v	v			v	v	v
	17			v	v			v	v	v			v	v	v
	26	v	v	v	v	v		v	v	v			v	v	v
	38	v	v	v	v	v	v	v	v	v			v	v	v
	41	v	v	v	v	v	v	v	v	v			v	v	v
26dB&99% Bandwidth	2	v	v	v	v	v	v	v	v			v	v	v	v
	4	v	v	v	v	v	v	v	v			v	v	v	v
	5	v	v	v	v			v	v			v	v	v	v
	12	v	v	v	v			v	v			v	v	v	v
	17			v	v			v	v			v	v	v	v
	26	v	v	v	v	v		v	v			v	v	v	v
	38	v	v	v	v	v	v	v	v			v	v	v	v
	41	v	v	v	v	v	v	v	v			v	v	v	v
Conducted Band Edge	2	v	v	v	v	v	v	v	v	v		v	v	v	v
	4	v	v	v	v	v	v	v	v	v		v	v	v	v
	5	v	v	v	v			v	v	v		v	v	v	v
	12	v	v	v	v			v	v	v		v	v	v	v
	17			v	v			v	v	v		v	v	v	v
	26	v	v	v	v	v		v	v	v		v	v	v	v
	38	v	v	v	v	v	v	v	v	v		v	v	v	v
	41	v	v	v	v	v	v	v	v	v		v	v	v	v
Conducted	2	v	v	v	v	v	v	v	v			v	v	v	v

Spurious Emission	4	v	v	v	v	v	v	v	v			v	v	v	v
	5	v	v	v	v			v	v			v	v	v	v
	12	v	v	v	v			v	v			v	v	v	v
	17			v	v			v	v			v	v	v	v
	26	v	v	v	v	v		v	v			v	v	v	v
	38	v	v	v	v	v	v	v	v			v	v	v	v
	41	v	v	v	v	v	v	v	v			v	v	v	v
Frequency Stability	2						v	v	v			v		v	
	4						v	v	v			v		v	
	5				v			v	v			v		v	
	12				v			v	v			v		v	
	17				v			v	v			v		v	
	26				v	v		v	v			v		v	
	38						v	v	v			v		v	
	41						v	v	v			v		v	
Radiated Spurious Emission	2						v	v		v			v	v	v
	4						v	v		v			v	v	v
	5				v			v		v			v	v	v
	12				v			v		v			v	v	v
	17				v			v		v			v	v	v
	26				v	v		v		v			v	v	v
	38						v	v		v			v	v	v
	41						v	v		v			v	v	v

2.1.4 RELATED SUBMITTAL(S) / GRANT (S)

This submittal(s) (test report) is intended for filing to comply with the 47 CFR Part 2, 22H, 24(E), 27, 90.

2.1.5 SPECIAL ACCESSORIES

The battery and the charger, earphone supplied by the applicant were used as accessories and being tested with eut intended for fcc grant together.

2.1.6 EUT CONFIGURATION

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.1.7 EUT EXERCISE

The Transmitter was operated in the maximum output power mode through Communication Tester. The TX frequency was fixed which was for the purpose of the measurements.

2.1.8 CONFIGURATION OF EUT SYSTEM

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.




Table 2-1 Equipment Used in EUT System

Item	Equipment	Model No.	Length	Note
N/A				N/A

Note:

- (1) For detachable type I/O cable should be specified the length in cm in 『Length』 column.
- (2) “YES” is means “with core”; “NO” is means “without core”.

2.1.9 MEASUREMENT INSTRUMENTS

The radiated emission testing was performed according to the procedures of ANSI C63.26 2015 and FCC CFR 47 rules of 2.1046, 2.1047, 2.1049, 2.1051, 2.1053, 2.1055, 2.1057.

Radiated Test equipment					
Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Until
EMI Test Receiver	R&S	ESU8	100372	2024.03.09	2025.03.08
Active loop Antenna	ETS	6502	00049544	2023.10.13	2025.10.12
Spectrum Analyzer	Keysight	N9010B	MY60242508	2023.08.14	2024.08.13
Bilog Antenna(30M-1G)	SCHWARZBECK	VULB 9168	2705	2022.12.12	2025.12.11
Horn Antenna(1-18G)	SCHWARZBECK	3115	10SL0060	2022.06.02	2025.06.01
Horn Antenna(18-40G)	A-INFO	LB-180400-KF	J211060273	2022.06.08	2025.06.07
Pre-amplifier(30M-1G)	EMtrace	RP01A	02019	2024.03.09	2025.03.08
Pre-amplifier(1-26.5G)	Agilent	8449B	3008A4722	2024.03.09	2025.03.08
Pre-amplifier(18-40G)	com-mw	LNPA_18-40-01	18050003	2024.03.09	2025.03.08
Wireless Communications Test Set	R&S	CMW 500	137737	2024.03.09	2025.03.08
Temperature & Humidity	JINGCHUANG	BT-3	N.A	2024.03.11	2025.03.10
Testing Software	EMC-I_V1.4.0.3_SKET				

RF Conducted Test equipment					
Equipment	Manufacturer	Model No.	Serial No.	Cal. Date	Cal. Until
Signal Analyzer	Keysight	N9010B	MY60242508	2023.08.14	2024.08.13
Signal Analyzer	Keysight	N9020A	MY50530994	2024.03.09	2025.03.08
RF Automatic Test system	MW	MW100-RFCB	MW220322LG-033	2024.03.09	2025.03.08
MXG Vector Signal Generator	Keysight	N5182B	MY59100717	2024.03.09	2025.03.08
Temperature & Humidity test chamber	AISRY	LX-1000L	171200018	2024.03.09	2025.03.08
Attenuator	eastsheep	90db	N.A	2024.03.09	2025.03.08
Temperature & Humidity	JINGCHUANG	BT-3	N.A	2024.03.11	2025.03.10
Digital multimeter	MASTECH	MS8261	MBGBC83053	2024.03.09	2025.03.08
Testing Software	MTS8310_V2.0.0.0_MW				

3. CONDUCTED OUTPUT POWER

3.1 DESCRIPTION OF THE CONDUCTED OUTPUT POWER MEASUREMENT

3.1.1 MEASUREMENT METHOD

A system simulator was used to establish communication with the eut. Its parameters were set to force the eut transmitting at maximum output power. The measured power in the radio frequency on the transmitter output terminals shall be reported.

Configuration follows KDB 971168 D01 v03r01.

3.1.2 TEST SETUP



3.1.3 TEST PROCEDURES

1. The transmitter output port was connected to system simulator.
2. Set EUT at maximum power through the system simulator.
3. Select lowest/middle/highest channels for each band and different modulation.
4. Measure and record the power level from the system simulator.

3.1.4 TEST RESULTS

Note: Test chart See Appendix II

4. RADIATED POWER AND EFFECTIVE ISOTROPIC RADIATED POWER

4.1 DESCRIPTION OF THE ERP/EIRP MEASUREMENT


4.1.1 MEASUREMENT METHOD

Effective radiated power output measurements by substitution method according to ANSI C63.26 2015, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas. License Digital Systems. Mobile and portable (hand-held) stations operating are limited to average ERP, Equivalent isotropic radiated power output measurements by substitution method according to ANSI C63.26 2015, and the spectrum analyzer configuration follows KDB 971168 D01 Power Meas, Mobile and portable (hand-held) stations operating are limited to average EIRP.


4.1.2 TEST SETUP

The procedure of radiated spurious emissions is as follows:

a) Pre-calibration With pre-calibration method, the Radiated Spurious Emissions(RSE) is calculated as, $RSE = R_x \text{ (dBuV)} + CL \text{ (dB)} + SA \text{ (dB)} + \text{Gain (dBi)} - 107 \text{ (dBuV to dBm)}$ The SA is calibrated using following setup.



b) EUT was placed on a 1.5m non-conductive stand at a 3 m test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 m from the test item for emission measurements. The height of receiving antenna is 0.8m. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the test item and adjusting the receiving antenna polarization. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic measured with peak detector and 1MHz bandwidth.



Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies. It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of any band into any of the other blocks.

The substitution method is used. Substitution values at each frequency are measured before and saved to the test software. A "reference path loss" is established and the ARpl is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable loss and the air loss. The measurement results are obtained as described below:

$$\text{Power} = \text{PMea} + \text{ARpl}$$

4.1.3 TEST PROCEDURES

1. The testing follows FCC KDB 971168 D01v03r01 Section 5.6 and ANSI C63.26 2015 Section 5.2.
2. The EUT was placed on a non-conductive rotating platform 1.5 meters high in a semi-anechoic chamber. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and a spectrum analyzer with Peak detector.
3. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power. The maximum emission was recorded from analyzer power level (LVL) from the 360 degrees rotation of the turntable and the test antenna raised and lowered over a range from 1 to 4 m in both horizontally and vertically polarized orientations.
4. Effective Isotropic Radiated Power (EIRP) was measured by substitution method according to ANSI C63.26 2015. The EUT was replaced by dipole antenna (substitution antenna) at same location and then a known power from S.G. was applied into the dipole antenna through a Tx cable, and then recorded the maximum Analyzer reading through raised and lowered the test antenna. $EIRP = S.G \text{ Level} + \text{Gain} - \text{Cable loss}$; $ERP = S.G \text{ Level} + \text{Gain} - \text{Cable loss} - 2.15$.
5. RB Set greater than bandwidth, VB Set spectrum analyzer Maximum support.

4.1.4 TEST RESULTS

Note: Test is divided into three directions, X/Y/Z. X pattern for the worst.

Note: Test chart See Appendix II

5. RADIATED SPURIOUS EMISSION

5.1 DESCRIPTION OF RADIATED SPURIOUS EMISSION

5.1.1 MEASUREMENT METHOD

The radiated spurious emission was measured by substitution method according to ANSI C63.26 2015. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $43 + 10 \log (P)$ dB.

For Band 7 The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitter power (P) by a factor of at least $55 + 10 \log (P)$ dB. The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

5.1.2 TEST SETUP


The procedure of radiated spurious emissions is as follows:

a) Pre-calibration With pre-calibration method, the Radiated Spurious Emissions(RSE) is calculated as, $RSE = Rx \text{ (dBuV)} + CL \text{ (dB)} + SA \text{ (dB)} + Gain \text{ (dBi)} - 107 \text{ (dBuV to dBm)}$ The SA is calibrated using following setup.


b) EUT was placed on 1.5 m non-conductive stand at a 3 m test distance from the receive antenna. A receiving antenna was placed on the antenna mast 3 m from the test item for emission measurements. The height of receiving antenna is 0.8m. The test setup refers to figure below. Detected emissions were maximized at each frequency by rotating the test item and adjusting the receiving antenna polarization. The radiated emission measurements of all non-harmonic and harmonics of the transmit frequency through the 10th harmonic measured with peak detector and 1MHz bandwidth.

Radiated emissions measurements were made only at the upper, middle, and lower carrier frequencies It was decided that measurements at these three carrier frequencies would be sufficient to demonstrate compliance with emissions limits because it was seen that all the significant spurs occur well outside the band and no radiation was seen from a carrier in one block of any band into any of the other blocks.

The substitution method is used. Substitution values at each frequency are measured before and saved to the test software. A "reference path loss" is established and the ARpl is the attenuation of "reference path loss", and including the gain of receive antenna, the gain of the preamplifier, the cable loss and the air loss. The measurement results are obtained as described below: $Power = P_{Mea} + AR_{pl}$ For radiated test from 30MHz to 1GHz



For radiated test from above 1GHz



5.1.3 TEST PROCEDURES

1. The testing FCC KDB 971168 D01 Section 7 and ANSI C63.26 2015 Section 5.5.
2. The EUT was placed on a rotatable wooden table with 1.5 meter above ground.
3. The EUT was set 3 meters from the receiving antenna, which was mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between one meter and four meters to search the maximum spurious emission for both horizontal and vertical polarizations
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
7. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
8. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
9. Taking the record of output power at antenna port.
10. Repeat step 7 to step 8 for another polarization.
11. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

The limit line is derived from $43 + 10\log(P)$ dB below the transmitter power P(Watts)

$$= P(W) - [43 + 10\log(P)] \text{ (dB)}$$

$$= [30 + 10\log(P)] \text{ (dBm)} - [43 + 10\log(P)] \text{ (dB)}$$

$$= -13\text{dBm}$$

For Band 7:

The limit line is derived from $55 + 10\log(P)$ dB below the transmitter power P(Watts)

$$= [30 + 10\log(P)] \text{ (dBm)} - [55 + 10\log(P)] \text{ (dB)}$$

$$= -25\text{dBm}$$

$$P_{\text{Mea}} = S.G \text{ Level} + \text{Ant-Cable loss}; \text{Margin} = P_{\text{Mea}} - \text{Limit}.$$

5.1.4 TEST RESULTS

Note: Test chart See Appendix II


6. FREQUENCY STABILITY

6.1 DESCRIPTION OF FREQUENCY STABILITY MEASUREMENT

6.1.1 MEASUREMENT METHOD

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ ($\pm 2.5\text{ppm}$) of the center frequency.

6.1.2 TEST SETUP



6.1.3 TEST PROCEDURES FOR TEMPERATURE VARIATION

1. The EUT was set up in the thermal chamber and connected with the system simulator.
2. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
3. With power OFF, the temperature was raised in 10°C step up to 50°C . The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

6.1.4 TEST PROCEDURES FOR VOLTAGE VARIATION

1. The testing follows FCC KDB 971168 D01v01r03 Section 9.
2. The EUT was placed in a temperature chamber at $25 \pm 5^{\circ}\text{C}$ and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value measured at the input to the EUT.
4. The variation in frequency was measured for the worst case.

6.1.5 TEST RESULTS

Note: Test chart See Appendix II

APPENDIX I-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

APPENDIX II-TEST DATA

Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
Band2	1.4	18607	1	#0	QPSK	25.17	0.73	25.90	33.01	PASS
Band2	1.4	18607	1	#Mid	QPSK	25.30	0.73	26.03	33.01	PASS
Band2	1.4	18607	1	#Max	QPSK	25.18	0.73	25.91	33.01	PASS
Band2	1.4	18607	3	#0	QPSK	24.97	0.73	25.70	33.01	PASS
Band2	1.4	18607	3	#Mid	QPSK	25.13	0.73	25.86	33.01	PASS
Band2	1.4	18607	3	#Max	QPSK	25.14	0.73	25.87	33.01	PASS
Band2	1.4	18607	6	#0	QPSK	24.16	0.73	24.89	33.01	PASS
Band2	1.4	18607	1	#0	16QAM	24.07	0.73	24.80	33.01	PASS
Band2	1.4	18607	1	#Mid	16QAM	24.51	0.73	25.24	33.01	PASS
Band2	1.4	18607	1	#Max	16QAM	24.14	0.73	24.87	33.01	PASS
Band2	1.4	18607	3	#0	16QAM	24.27	0.73	25.00	33.01	PASS
Band2	1.4	18607	3	#Mid	16QAM	24.32	0.73	25.05	33.01	PASS
Band2	1.4	18607	3	#Max	16QAM	24.23	0.73	24.96	33.01	PASS
Band2	1.4	18607	6	#0	16QAM	23.11	0.73	23.84	33.01	PASS
Band2	1.4	18900	1	#0	QPSK	24.04	0.73	24.77	33.01	PASS
Band2	1.4	18900	1	#Mid	QPSK	24.18	0.73	24.91	33.01	PASS
Band2	1.4	18900	1	#Max	QPSK	24.08	0.73	24.81	33.01	PASS
Band2	1.4	18900	3	#0	QPSK	24.34	0.73	25.07	33.01	PASS
Band2	1.4	18900	3	#Mid	QPSK	24.35	0.73	25.08	33.01	PASS
Band2	1.4	18900	3	#Max	QPSK	24.30	0.73	25.03	33.01	PASS
Band2	1.4	18900	6	#0	QPSK	23.26	0.73	23.99	33.01	PASS
Band2	1.4	18900	1	#0	16QAM	23.06	0.73	23.79	33.01	PASS
Band2	1.4	18900	1	#Mid	16QAM	22.99	0.73	23.72	33.01	PASS
Band2	1.4	18900	1	#Max	16QAM	22.97	0.73	23.70	33.01	PASS
Band2	1.4	18900	3	#0	16QAM	23.19	0.73	23.92	33.01	PASS
Band2	1.4	18900	3	#Mid	16QAM	22.84	0.73	23.57	33.01	PASS
Band2	1.4	18900	3	#Max	16QAM	23.19	0.73	23.92	33.01	PASS
Band2	1.4	18900	6	#0	16QAM	22.32	0.73	23.05	33.01	PASS
Band2	1.4	19193	1	#0	QPSK	23.24	0.73	23.97	33.01	PASS
Band2	1.4	19193	1	#Mid	QPSK	23.37	0.73	24.10	33.01	PASS
Band2	1.4	19193	1	#Max	QPSK	23.26	0.73	23.99	33.01	PASS
Band2	1.4	19193	3	#0	QPSK	23.14	0.73	23.87	33.01	PASS
Band2	1.4	19193	3	#Mid	QPSK	23.24	0.73	23.97	33.01	PASS
Band2	1.4	19193	3	#Max	QPSK	23.20	0.73	23.93	33.01	PASS
Band2	1.4	19193	6	#0	QPSK	22.12	0.73	22.85	33.01	PASS
Band2	1.4	19193	1	#0	16QAM	22.01	0.73	22.74	33.01	PASS
Band2	1.4	19193	1	#Mid	16QAM	22.16	0.73	22.89	33.01	PASS
Band2	1.4	19193	1	#Max	16QAM	21.93	0.73	22.66	33.01	PASS
Band2	1.4	19193	3	#0	16QAM	22.31	0.73	23.04	33.01	PASS
Band2	1.4	19193	3	#Mid	16QAM	22.27	0.73	23.00	33.01	PASS
Band2	1.4	19193	3	#Max	16QAM	22.17	0.73	22.90	33.01	PASS
Band2	1.4	19193	6	#0	16QAM	21.11	0.73	21.84	33.01	PASS
Band2	3	18615	1	#0	QPSK	25.23	0.73	25.96	33.01	PASS
Band2	3	18615	1	#Mid	QPSK	25.03	0.73	25.76	33.01	PASS
Band2	3	18615	1	#Max	QPSK	25.08	0.73	25.81	33.01	PASS
Band2	3	18615	8	#0	QPSK	24.14	0.73	24.87	33.01	PASS
Band2	3	18615	8	#Mid	QPSK	24.16	0.73	24.89	33.01	PASS
Band2	3	18615	8	#Max	QPSK	24.08	0.73	24.81	33.01	PASS
Band2	3	18615	15	#0	QPSK	24.09	0.73	24.82	33.01	PASS

Band2	3	18615	1	#0	16QAM	24.61	0.73	25.34	33.01	PASS
Band2	3	18615	1	#Mid	16QAM	24.48	0.73	25.21	33.01	PASS
Band2	3	18615	1	#Max	16QAM	24.50	0.73	25.23	33.01	PASS
Band2	3	18615	8	#0	16QAM	23.52	0.73	24.25	33.01	PASS
Band2	3	18615	8	#Mid	16QAM	23.42	0.73	24.15	33.01	PASS
Band2	3	18615	8	#Max	16QAM	23.42	0.73	24.15	33.01	PASS
Band2	3	18615	15	#0	16QAM	23.20	0.73	23.93	33.01	PASS
Band2	3	18900	1	#0	QPSK	24.39	0.73	25.12	33.01	PASS
Band2	3	18900	1	#Mid	QPSK	24.42	0.73	25.15	33.01	PASS
Band2	3	18900	1	#Max	QPSK	24.52	0.73	25.25	33.01	PASS
Band2	3	18900	8	#0	QPSK	23.31	0.73	24.04	33.01	PASS
Band2	3	18900	8	#Mid	QPSK	23.33	0.73	24.06	33.01	PASS
Band2	3	18900	8	#Max	QPSK	23.30	0.73	24.03	33.01	PASS
Band2	3	18900	15	#0	QPSK	23.31	0.73	24.04	33.01	PASS
Band2	3	18900	1	#0	16QAM	23.92	0.73	24.65	33.01	PASS
Band2	3	18900	1	#Mid	16QAM	23.26	0.73	23.99	33.01	PASS
Band2	3	18900	1	#Max	16QAM	23.00	0.73	23.73	33.01	PASS
Band2	3	18900	8	#0	16QAM	22.20	0.73	22.93	33.01	PASS
Band2	3	18900	8	#Mid	16QAM	22.15	0.73	22.88	33.01	PASS
Band2	3	18900	8	#Max	16QAM	22.11	0.73	22.84	33.01	PASS
Band2	3	18900	15	#0	16QAM	22.17	0.73	22.90	33.01	PASS
Band2	3	19185	1	#0	QPSK	23.08	0.73	23.81	33.01	PASS
Band2	3	19185	1	#Mid	QPSK	23.23	0.73	23.96	33.01	PASS
Band2	3	19185	1	#Max	QPSK	23.34	0.73	24.07	33.01	PASS
Band2	3	19185	8	#0	QPSK	22.11	0.73	22.84	33.01	PASS
Band2	3	19185	8	#Mid	QPSK	22.13	0.73	22.86	33.01	PASS
Band2	3	19185	8	#Max	QPSK	22.08	0.73	22.81	33.01	PASS
Band2	3	19185	15	#0	QPSK	22.12	0.73	22.85	33.01	PASS
Band2	3	19185	1	#0	16QAM	21.96	0.73	22.69	33.01	PASS
Band2	3	19185	1	#Mid	16QAM	22.20	0.73	22.93	33.01	PASS
Band2	3	19185	1	#Max	16QAM	22.05	0.73	22.78	33.01	PASS
Band2	3	19185	8	#0	16QAM	20.93	0.73	21.66	33.01	PASS
Band2	3	19185	8	#Mid	16QAM	20.96	0.73	21.69	33.01	PASS
Band2	3	19185	8	#Max	16QAM	20.91	0.73	21.64	33.01	PASS
Band2	3	19185	15	#0	16QAM	21.18	0.73	21.91	33.01	PASS
Band2	5	18625	1	#0	QPSK	25.17	0.73	25.90	33.01	PASS
Band2	5	18625	1	#Mid	QPSK	24.99	0.73	25.72	33.01	PASS
Band2	5	18625	1	#Max	QPSK	25.00	0.73	25.73	33.01	PASS
Band2	5	18625	12	#0	QPSK	24.22	0.73	24.95	33.01	PASS
Band2	5	18625	12	#Mid	QPSK	24.16	0.73	24.89	33.01	PASS
Band2	5	18625	12	#Max	QPSK	24.12	0.73	24.85	33.01	PASS
Band2	5	18625	25	#0	QPSK	24.16	0.73	24.89	33.01	PASS
Band2	5	18625	1	#0	16QAM	23.98	0.73	24.71	33.01	PASS
Band2	5	18625	1	#Mid	16QAM	23.98	0.73	24.71	33.01	PASS
Band2	5	18625	1	#Max	16QAM	23.76	0.73	24.49	33.01	PASS
Band2	5	18625	12	#0	16QAM	23.23	0.73	23.96	33.01	PASS
Band2	5	18625	12	#Mid	16QAM	23.23	0.73	23.96	33.01	PASS
Band2	5	18625	12	#Max	16QAM	23.19	0.73	23.92	33.01	PASS
Band2	5	18625	25	#0	16QAM	23.28	0.73	24.01	33.01	PASS
Band2	5	18900	1	#0	QPSK	24.39	0.73	25.12	33.01	PASS
Band2	5	18900	1	#Mid	QPSK	24.65	0.73	25.38	33.01	PASS
Band2	5	18900	1	#Max	QPSK	24.41	0.73	25.14	33.01	PASS
Band2	5	18900	12	#0	QPSK	23.47	0.73	24.20	33.01	PASS
Band2	5	18900	12	#Mid	QPSK	23.31	0.73	24.04	33.01	PASS
Band2	5	18900	12	#Max	QPSK	23.39	0.73	24.12	33.01	PASS
Band2	5	18900	25	#0	QPSK	23.40	0.73	24.13	33.01	PASS
Band2	5	18900	1	#0	16QAM	23.22	0.73	23.95	33.01	PASS
Band2	5	18900	1	#Mid	16QAM	22.78	0.73	23.51	33.01	PASS
Band2	5	18900	1	#Max	16QAM	22.68	0.73	23.41	33.01	PASS
Band2	5	18900	12	#0	16QAM	22.27	0.73	23.00	33.01	PASS
Band2	5	18900	12	#Mid	16QAM	21.99	0.73	22.72	33.01	PASS

Band2	5	18900	12	#Max	16QAM	22.19	0.73	22.92	33.01	PASS
Band2	5	18900	25	#0	16QAM	22.43	0.73	23.16	33.01	PASS
Band2	5	19175	1	#0	QPSK	23.24	0.73	23.97	33.01	PASS
Band2	5	19175	1	#Mid	QPSK	23.24	0.73	23.97	33.01	PASS
Band2	5	19175	1	#Max	QPSK	23.23	0.73	23.96	33.01	PASS
Band2	5	19175	12	#0	QPSK	22.13	0.73	22.86	33.01	PASS
Band2	5	19175	12	#Mid	QPSK	22.05	0.73	22.78	33.01	PASS
Band2	5	19175	12	#Max	QPSK	22.12	0.73	22.85	33.01	PASS
Band2	5	19175	25	#0	QPSK	22.13	0.73	22.86	33.01	PASS
Band2	5	19175	1	#0	16QAM	22.29	0.73	23.02	33.01	PASS
Band2	5	19175	1	#Mid	16QAM	21.96	0.73	22.69	33.01	PASS
Band2	5	19175	1	#Max	16QAM	22.23	0.73	22.96	33.01	PASS
Band2	5	19175	12	#0	16QAM	20.96	0.73	21.69	33.01	PASS
Band2	5	19175	12	#Mid	16QAM	20.90	0.73	21.63	33.01	PASS
Band2	5	19175	12	#Max	16QAM	21.17	0.73	21.90	33.01	PASS
Band2	5	19175	25	#0	16QAM	21.31	0.73	22.04	33.01	PASS
Band2	10	18650	1	#0	QPSK	25.16	0.73	25.89	33.01	PASS
Band2	10	18650	1	#Mid	QPSK	24.72	0.73	25.45	33.01	PASS
Band2	10	18650	1	#Max	QPSK	24.71	0.73	25.44	33.01	PASS
Band2	10	18650	25	#0	QPSK	24.21	0.73	24.94	33.01	PASS
Band2	10	18650	25	#Mid	QPSK	24.06	0.73	24.79	33.01	PASS
Band2	10	18650	25	#Max	QPSK	24.10	0.73	24.83	33.01	PASS
Band2	10	18650	50	#0	QPSK	24.07	0.73	24.80	33.01	PASS
Band2	10	18650	1	#0	16QAM	24.61	0.73	25.34	33.01	PASS
Band2	10	18650	1	#Mid	16QAM	24.71	0.73	25.44	33.01	PASS
Band2	10	18650	1	#Max	16QAM	24.18	0.73	24.91	33.01	PASS
Band2	10	18650	25	#0	16QAM	23.12	0.73	23.85	33.01	PASS
Band2	10	18650	25	#Mid	16QAM	22.98	0.73	23.71	33.01	PASS
Band2	10	18650	25	#Max	16QAM	22.89	0.73	23.62	33.01	PASS
Band2	10	18650	50	#0	16QAM	22.99	0.73	23.72	33.01	PASS
Band2	10	18900	1	#0	QPSK	24.66	0.73	25.39	33.01	PASS
Band2	10	18900	1	#Mid	QPSK	24.38	0.73	25.11	33.01	PASS
Band2	10	18900	1	#Max	QPSK	24.11	0.73	24.84	33.01	PASS
Band2	10	18900	25	#0	QPSK	23.65	0.73	24.38	33.01	PASS
Band2	10	18900	25	#Mid	QPSK	23.47	0.73	24.20	33.01	PASS
Band2	10	18900	25	#Max	QPSK	23.36	0.73	24.09	33.01	PASS
Band2	10	18900	50	#0	QPSK	23.34	0.73	24.07	33.01	PASS
Band2	10	18900	1	#0	16QAM	23.29	0.73	24.02	33.01	PASS
Band2	10	18900	1	#Mid	16QAM	23.05	0.73	23.78	33.01	PASS
Band2	10	18900	1	#Max	16QAM	22.99	0.73	23.72	33.01	PASS
Band2	10	18900	25	#0	16QAM	22.86	0.73	23.59	33.01	PASS
Band2	10	18900	25	#Mid	16QAM	22.58	0.73	23.31	33.01	PASS
Band2	10	18900	25	#Max	16QAM	22.59	0.73	23.32	33.01	PASS
Band2	10	18900	50	#0	16QAM	22.37	0.73	23.10	33.01	PASS
Band2	10	19150	1	#0	QPSK	23.28	0.73	24.01	33.01	PASS
Band2	10	19150	1	#Mid	QPSK	23.32	0.73	24.05	33.01	PASS
Band2	10	19150	1	#Max	QPSK	23.12	0.73	23.85	33.01	PASS
Band2	10	19150	25	#0	QPSK	22.29	0.73	23.02	33.01	PASS
Band2	10	19150	25	#Mid	QPSK	22.19	0.73	22.92	33.01	PASS
Band2	10	19150	25	#Max	QPSK	22.24	0.73	22.97	33.01	PASS
Band2	10	19150	50	#0	QPSK	22.28	0.73	23.01	33.01	PASS
Band2	10	19150	1	#0	16QAM	22.11	0.73	22.84	33.01	PASS
Band2	10	19150	1	#Mid	16QAM	22.14	0.73	22.87	33.01	PASS
Band2	10	19150	1	#Max	16QAM	22.10	0.73	22.83	33.01	PASS
Band2	10	19150	25	#0	16QAM	21.39	0.73	22.12	33.01	PASS
Band2	10	19150	25	#Mid	16QAM	21.28	0.73	22.01	33.01	PASS
Band2	10	19150	25	#Max	16QAM	21.36	0.73	22.09	33.01	PASS
Band2	10	19150	50	#0	16QAM	21.27	0.73	22.00	33.01	PASS
Band2	15	18675	1	#0	QPSK	24.93	0.73	25.66	33.01	PASS
Band2	15	18675	1	#Mid	QPSK	24.84	0.73	25.57	33.01	PASS
Band2	15	18675	1	#Max	QPSK	24.90	0.73	25.63	33.01	PASS

Band2	15	18675	36	#0	QPSK	23.96	0.73	24.69	33.01	PASS
Band2	15	18675	36	#Mid	QPSK	23.97	0.73	24.70	33.01	PASS
Band2	15	18675	36	#Max	QPSK	23.92	0.73	24.65	33.01	PASS
Band2	15	18675	75	#0	QPSK	24.03	0.73	24.76	33.01	PASS
Band2	15	18675	1	#0	16QAM	25.25	0.73	25.98	33.01	PASS
Band2	15	18675	1	#Mid	16QAM	24.66	0.73	25.39	33.01	PASS
Band2	15	18675	1	#Max	16QAM	24.58	0.73	25.31	33.01	PASS
Band2	15	18675	36	#0	16QAM	23.07	0.73	23.80	33.01	PASS
Band2	15	18675	36	#Mid	16QAM	22.89	0.73	23.62	33.01	PASS
Band2	15	18675	36	#Max	16QAM	22.93	0.73	23.66	33.01	PASS
Band2	15	18675	75	#0	16QAM	22.90	0.73	23.63	33.01	PASS
Band2	15	18900	1	#0	QPSK	24.62	0.73	25.35	33.01	PASS
Band2	15	18900	1	#Mid	QPSK	24.56	0.73	25.29	33.01	PASS
Band2	15	18900	1	#Max	QPSK	23.95	0.73	24.68	33.01	PASS
Band2	15	18900	36	#0	QPSK	23.68	0.73	24.41	33.01	PASS
Band2	15	18900	36	#Mid	QPSK	23.45	0.73	24.18	33.01	PASS
Band2	15	18900	36	#Max	QPSK	23.20	0.73	23.93	33.01	PASS
Band2	15	18900	75	#0	QPSK	23.27	0.73	24.00	33.01	PASS
Band2	15	18900	1	#0	16QAM	23.46	0.73	24.19	33.01	PASS
Band2	15	18900	1	#Mid	16QAM	22.99	0.73	23.72	33.01	PASS
Band2	15	18900	1	#Max	16QAM	22.76	0.73	23.49	33.01	PASS
Band2	15	18900	36	#0	16QAM	22.65	0.73	23.38	33.01	PASS
Band2	15	18900	36	#Mid	16QAM	22.54	0.73	23.27	33.01	PASS
Band2	15	18900	36	#Max	16QAM	22.29	0.73	23.02	33.01	PASS
Band2	15	18900	75	#0	16QAM	22.53	0.73	23.26	33.01	PASS
Band2	15	19125	1	#0	QPSK	23.36	0.73	24.09	33.01	PASS
Band2	15	19125	1	#Mid	QPSK	23.30	0.73	24.03	33.01	PASS
Band2	15	19125	1	#Max	QPSK	23.16	0.73	23.89	33.01	PASS
Band2	15	19125	36	#0	QPSK	22.27	0.73	23.00	33.01	PASS
Band2	15	19125	36	#Mid	QPSK	22.24	0.73	22.97	33.01	PASS
Band2	15	19125	36	#Max	QPSK	22.12	0.73	22.85	33.01	PASS
Band2	15	19125	75	#0	QPSK	22.21	0.73	22.94	33.01	PASS
Band2	15	19125	1	#0	16QAM	22.41	0.73	23.14	33.01	PASS
Band2	15	19125	1	#Mid	16QAM	22.31	0.73	23.04	33.01	PASS
Band2	15	19125	1	#Max	16QAM	22.16	0.73	22.89	33.01	PASS
Band2	15	19125	36	#0	16QAM	21.14	0.73	21.87	33.01	PASS
Band2	15	19125	36	#Mid	16QAM	21.12	0.73	21.85	33.01	PASS
Band2	15	19125	36	#Max	16QAM	21.01	0.73	21.74	33.01	PASS
Band2	15	19125	75	#0	16QAM	21.25	0.73	21.98	33.01	PASS
Band2	20	18700	1	#0	QPSK	25.63	0.73	26.36	33.01	PASS
Band2	20	18700	1	#Mid	QPSK	25.22	0.73	25.95	33.01	PASS
Band2	20	18700	1	#Max	QPSK	25.12	0.73	25.85	33.01	PASS
Band2	20	18700	50	#0	QPSK	24.50	0.73	25.23	33.01	PASS
Band2	20	18700	50	#Mid	QPSK	24.40	0.73	25.13	33.01	PASS
Band2	20	18700	50	#Max	QPSK	24.38	0.73	25.11	33.01	PASS
Band2	20	18700	100	#0	QPSK	24.33	0.73	25.06	33.01	PASS
Band2	20	18700	1	#0	16QAM	24.54	0.73	25.27	33.01	PASS
Band2	20	18700	1	#Mid	16QAM	24.18	0.73	24.91	33.01	PASS
Band2	20	18700	1	#Max	16QAM	24.01	0.73	24.74	33.01	PASS
Band2	20	18700	50	#0	16QAM	23.61	0.73	24.34	33.01	PASS
Band2	20	18700	50	#Mid	16QAM	23.54	0.73	24.27	33.01	PASS
Band2	20	18700	50	#Max	16QAM	23.53	0.73	24.26	33.01	PASS
Band2	20	18700	100	#0	16QAM	23.39	0.73	24.12	33.01	PASS
Band2	20	18900	1	#0	QPSK	25.27	0.73	26.00	33.01	PASS
Band2	20	18900	1	#Mid	QPSK	24.87	0.73	25.60	33.01	PASS
Band2	20	18900	1	#Max	QPSK	24.37	0.73	25.10	33.01	PASS
Band2	20	18900	50	#0	QPSK	24.12	0.73	24.85	33.01	PASS
Band2	20	18900	50	#Mid	QPSK	23.93	0.73	24.66	33.01	PASS
Band2	20	18900	50	#Max	QPSK	23.69	0.73	24.42	33.01	PASS
Band2	20	18900	100	#0	QPSK	23.94	0.73	24.67	33.01	PASS
Band2	20	18900	1	#0	16QAM	24.42	0.73	25.15	33.01	PASS

Band2	20	18900	1	#Mid	16QAM	23.94	0.73	24.67	33.01	PASS
Band2	20	18900	1	#Max	16QAM	23.26	0.73	23.99	33.01	PASS
Band2	20	18900	50	#0	16QAM	23.31	0.73	24.04	33.01	PASS
Band2	20	18900	50	#Mid	16QAM	23.04	0.73	23.77	33.01	PASS
Band2	20	18900	50	#Max	16QAM	22.90	0.73	23.63	33.01	PASS
Band2	20	18900	100	#0	16QAM	22.96	0.73	23.69	33.01	PASS
Band2	20	19100	1	#0	QPSK	24.14	0.73	24.87	33.01	PASS
Band2	20	19100	1	#Mid	QPSK	23.80	0.73	24.53	33.01	PASS
Band2	20	19100	1	#Max	QPSK	23.58	0.73	24.31	33.01	PASS
Band2	20	19100	50	#0	QPSK	22.97	0.73	23.70	33.01	PASS
Band2	20	19100	50	#Mid	QPSK	22.81	0.73	23.54	33.01	PASS
Band2	20	19100	50	#Max	QPSK	22.72	0.73	23.45	33.01	PASS
Band2	20	19100	100	#0	QPSK	22.85	0.73	23.58	33.01	PASS
Band2	20	19100	1	#0	16QAM	22.95	0.73	23.68	33.01	PASS
Band2	20	19100	1	#Mid	16QAM	22.31	0.73	23.04	33.01	PASS
Band2	20	19100	1	#Max	16QAM	22.41	0.73	23.14	33.01	PASS
Band2	20	19100	50	#0	16QAM	21.92	0.73	22.65	33.01	PASS
Band2	20	19100	50	#Mid	16QAM	21.75	0.73	22.48	33.01	PASS
Band2	20	19100	50	#Max	16QAM	21.78	0.73	22.51	33.01	PASS
Band2	20	19100	100	#0	16QAM	21.78	0.73	22.51	33.01	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
Band4	1.4	19957	1	#0	QPSK	22.63	0.65	23.28	30	PASS
Band4	1.4	19957	1	#Mid	QPSK	22.75	0.65	23.40	30	PASS
Band4	1.4	19957	1	#Max	QPSK	22.63	0.65	23.28	30	PASS
Band4	1.4	19957	3	#0	QPSK	22.64	0.65	23.29	30	PASS
Band4	1.4	19957	3	#Mid	QPSK	22.66	0.65	23.31	30	PASS
Band4	1.4	19957	3	#Max	QPSK	22.61	0.65	23.26	30	PASS
Band4	1.4	19957	6	#0	QPSK	21.56	0.65	22.21	30	PASS
Band4	1.4	19957	1	#0	16QAM	21.60	0.65	22.25	30	PASS
Band4	1.4	19957	1	#Mid	16QAM	21.74	0.65	22.39	30	PASS
Band4	1.4	19957	1	#Max	16QAM	21.56	0.65	22.21	30	PASS
Band4	1.4	19957	3	#0	16QAM	21.68	0.65	22.33	30	PASS
Band4	1.4	19957	3	#Mid	16QAM	21.69	0.65	22.34	30	PASS
Band4	1.4	19957	3	#Max	16QAM	21.63	0.65	22.28	30	PASS
Band4	1.4	19957	6	#0	16QAM	20.69	0.65	21.34	30	PASS
Band4	1.4	20175	1	#0	QPSK	21.89	0.65	22.54	30	PASS
Band4	1.4	20175	1	#Mid	QPSK	21.98	0.65	22.63	30	PASS
Band4	1.4	20175	1	#Max	QPSK	21.78	0.65	22.43	30	PASS
Band4	1.4	20175	3	#0	QPSK	22.04	0.65	22.69	30	PASS
Band4	1.4	20175	3	#Mid	QPSK	22.24	0.65	22.89	30	PASS
Band4	1.4	20175	3	#Max	QPSK	22.09	0.65	22.74	30	PASS
Band4	1.4	20175	6	#0	QPSK	21.10	0.65	21.75	30	PASS
Band4	1.4	20175	1	#0	16QAM	20.80	0.65	21.45	30	PASS
Band4	1.4	20175	1	#Mid	16QAM	20.83	0.65	21.48	30	PASS
Band4	1.4	20175	1	#Max	16QAM	20.70	0.65	21.35	30	PASS
Band4	1.4	20175	3	#0	16QAM	20.94	0.65	21.59	30	PASS
Band4	1.4	20175	3	#Mid	16QAM	20.99	0.65	21.64	30	PASS
Band4	1.4	20175	3	#Max	16QAM	20.94	0.65	21.59	30	PASS
Band4	1.4	20175	6	#0	16QAM	19.95	0.65	20.60	30	PASS
Band4	1.4	20393	1	#0	QPSK	23.31	0.65	23.96	30	PASS
Band4	1.4	20393	1	#Mid	QPSK	23.44	0.65	24.09	30	PASS
Band4	1.4	20393	1	#Max	QPSK	23.29	0.65	23.94	30	PASS
Band4	1.4	20393	3	#0	QPSK	23.29	0.65	23.94	30	PASS
Band4	1.4	20393	3	#Mid	QPSK	23.30	0.65	23.95	30	PASS
Band4	1.4	20393	3	#Max	QPSK	23.34	0.65	23.99	30	PASS
Band4	1.4	20393	6	#0	QPSK	22.40	0.65	23.05	30	PASS
Band4	1.4	20393	1	#0	16QAM	22.16	0.65	22.81	30	PASS
Band4	1.4	20393	1	#Mid	16QAM	22.35	0.65	23.00	30	PASS
Band4	1.4	20393	1	#Max	16QAM	22.12	0.65	22.77	30	PASS
Band4	1.4	20393	3	#0	16QAM	22.40	0.65	23.05	30	PASS
Band4	1.4	20393	3	#Mid	16QAM	22.54	0.65	23.19	30	PASS
Band4	1.4	20393	3	#Max	16QAM	22.48	0.65	23.13	30	PASS
Band4	1.4	20393	6	#0	16QAM	21.21	0.65	21.86	30	PASS
Band4	3	19965	1	#0	QPSK	22.32	0.65	22.97	30	PASS
Band4	3	19965	1	#Mid	QPSK	22.47	0.65	23.12	30	PASS
Band4	3	19965	1	#Max	QPSK	22.66	0.65	23.31	30	PASS
Band4	3	19965	8	#0	QPSK	21.47	0.65	22.12	30	PASS
Band4	3	19965	8	#Mid	QPSK	21.49	0.65	22.14	30	PASS
Band4	3	19965	8	#Max	QPSK	21.63	0.65	22.28	30	PASS
Band4	3	19965	15	#0	QPSK	21.54	0.65	22.19	30	PASS
Band4	3	19965	1	#0	16QAM	21.72	0.65	22.37	30	PASS
Band4	3	19965	1	#Mid	16QAM	21.87	0.65	22.52	30	PASS
Band4	3	19965	1	#Max	16QAM	22.38	0.65	23.03	30	PASS
Band4	3	19965	8	#0	16QAM	20.14	0.65	20.79	30	PASS
Band4	3	19965	8	#Mid	16QAM	20.17	0.65	20.82	30	PASS
Band4	3	19965	8	#Max	16QAM	20.30	0.65	20.95	30	PASS
Band4	3	19965	15	#0	16QAM	20.43	0.65	21.08	30	PASS
Band4	3	20175	1	#0	QPSK	21.99	0.65	22.64	30	PASS
Band4	3	20175	1	#Mid	QPSK	22.15	0.65	22.80	30	PASS
Band4	3	20175	1	#Max	QPSK	22.15	0.65	22.80	30	PASS

Band4	3	20175	8	#0	QPSK	21.17	0.65	21.82	30	PASS
Band4	3	20175	8	#Mid	QPSK	21.02	0.65	21.67	30	PASS
Band4	3	20175	8	#Max	QPSK	21.01	0.65	21.66	30	PASS
Band4	3	20175	15	#0	QPSK	21.09	0.65	21.74	30	PASS
Band4	3	20175	1	#0	16QAM	20.81	0.65	21.46	30	PASS
Band4	3	20175	1	#Mid	16QAM	21.00	0.65	21.65	30	PASS
Band4	3	20175	1	#Max	16QAM	20.88	0.65	21.53	30	PASS
Band4	3	20175	8	#0	16QAM	19.87	0.65	20.52	30	PASS
Band4	3	20175	8	#Mid	16QAM	19.84	0.65	20.49	30	PASS
Band4	3	20175	8	#Max	16QAM	19.72	0.65	20.37	30	PASS
Band4	3	20175	15	#0	16QAM	19.85	0.65	20.50	30	PASS
Band4	3	20385	1	#0	QPSK	23.06	0.65	23.71	30	PASS
Band4	3	20385	1	#Mid	QPSK	23.48	0.65	24.13	30	PASS
Band4	3	20385	1	#Max	QPSK	23.78	0.65	24.43	30	PASS
Band4	3	20385	8	#0	QPSK	22.20	0.65	22.85	30	PASS
Band4	3	20385	8	#Mid	QPSK	22.18	0.65	22.83	30	PASS
Band4	3	20385	8	#Max	QPSK	22.21	0.65	22.86	30	PASS
Band4	3	20385	15	#0	QPSK	22.26	0.65	22.91	30	PASS
Band4	3	20385	1	#0	16QAM	22.08	0.65	22.73	30	PASS
Band4	3	20385	1	#Mid	16QAM	22.14	0.65	22.79	30	PASS
Band4	3	20385	1	#Max	16QAM	22.44	0.65	23.09	30	PASS
Band4	3	20385	8	#0	16QAM	20.79	0.65	21.44	30	PASS
Band4	3	20385	8	#Mid	16QAM	20.79	0.65	21.44	30	PASS
Band4	3	20385	8	#Max	16QAM	20.95	0.65	21.60	30	PASS
Band4	3	20385	15	#0	16QAM	21.27	0.65	21.92	30	PASS
Band4	5	19975	1	#0	QPSK	22.30	0.65	22.95	30	PASS
Band4	5	19975	1	#Mid	QPSK	22.69	0.65	23.34	30	PASS
Band4	5	19975	1	#Max	QPSK	22.64	0.65	23.29	30	PASS
Band4	5	19975	12	#0	QPSK	21.49	0.65	22.14	30	PASS
Band4	5	19975	12	#Mid	QPSK	21.54	0.65	22.19	30	PASS
Band4	5	19975	12	#Max	QPSK	21.63	0.65	22.28	30	PASS
Band4	5	19975	25	#0	QPSK	21.57	0.65	22.22	30	PASS
Band4	5	19975	1	#0	16QAM	21.56	0.65	22.21	30	PASS
Band4	5	19975	1	#Mid	16QAM	21.71	0.65	22.36	30	PASS
Band4	5	19975	1	#Max	16QAM	21.69	0.65	22.34	30	PASS
Band4	5	19975	12	#0	16QAM	20.23	0.65	20.88	30	PASS
Band4	5	19975	12	#Mid	16QAM	20.51	0.65	21.16	30	PASS
Band4	5	19975	12	#Max	16QAM	20.50	0.65	21.15	30	PASS
Band4	5	19975	25	#0	16QAM	20.60	0.65	21.25	30	PASS
Band4	5	20175	1	#0	QPSK	22.08	0.65	22.73	30	PASS
Band4	5	20175	1	#Mid	QPSK	22.26	0.65	22.91	30	PASS
Band4	5	20175	1	#Max	QPSK	22.41	0.65	23.06	30	PASS
Band4	5	20175	12	#0	QPSK	21.07	0.65	21.72	30	PASS
Band4	5	20175	12	#Mid	QPSK	21.05	0.65	21.70	30	PASS
Band4	5	20175	12	#Max	QPSK	21.07	0.65	21.72	30	PASS
Band4	5	20175	25	#0	QPSK	21.14	0.65	21.79	30	PASS
Band4	5	20175	1	#0	16QAM	21.05	0.65	21.70	30	PASS
Band4	5	20175	1	#Mid	16QAM	20.69	0.65	21.34	30	PASS
Band4	5	20175	1	#Max	16QAM	20.87	0.65	21.52	30	PASS
Band4	5	20175	12	#0	16QAM	19.83	0.65	20.48	30	PASS
Band4	5	20175	12	#Mid	16QAM	19.61	0.65	20.26	30	PASS
Band4	5	20175	12	#Max	16QAM	19.61	0.65	20.26	30	PASS
Band4	5	20175	25	#0	16QAM	19.93	0.65	20.58	30	PASS
Band4	5	20375	1	#0	QPSK	23.20	0.65	23.85	30	PASS
Band4	5	20375	1	#Mid	QPSK	23.42	0.65	24.07	30	PASS
Band4	5	20375	1	#Max	QPSK	23.72	0.65	24.37	30	PASS
Band4	5	20375	12	#0	QPSK	22.10	0.65	22.75	30	PASS
Band4	5	20375	12	#Mid	QPSK	22.18	0.65	22.83	30	PASS
Band4	5	20375	12	#Max	QPSK	22.43	0.65	23.08	30	PASS
Band4	5	20375	25	#0	QPSK	22.26	0.65	22.91	30	PASS
Band4	5	20375	1	#0	16QAM	22.29	0.65	22.94	30	PASS

Band4	5	20375	1	#Mid	16QAM	21.85	0.65	22.50	30	PASS
Band4	5	20375	1	#Max	16QAM	22.33	0.65	22.98	30	PASS
Band4	5	20375	12	#0	16QAM	21.10	0.65	21.75	30	PASS
Band4	5	20375	12	#Mid	16QAM	21.18	0.65	21.83	30	PASS
Band4	5	20375	12	#Max	16QAM	21.42	0.65	22.07	30	PASS
Band4	5	20375	25	#0	16QAM	20.93	0.65	21.58	30	PASS
Band4	10	20000	1	#0	QPSK	22.63	0.65	23.28	30	PASS
Band4	10	20000	1	#Mid	QPSK	22.72	0.65	23.37	30	PASS
Band4	10	20000	1	#Max	QPSK	22.50	0.65	23.15	30	PASS
Band4	10	20000	25	#0	QPSK	21.62	0.65	22.27	30	PASS
Band4	10	20000	25	#Mid	QPSK	21.68	0.65	22.33	30	PASS
Band4	10	20000	25	#Max	QPSK	21.63	0.65	22.28	30	PASS
Band4	10	20000	50	#0	QPSK	21.57	0.65	22.22	30	PASS
Band4	10	20000	1	#0	16QAM	21.94	0.65	22.59	30	PASS
Band4	10	20000	1	#Mid	16QAM	22.02	0.65	22.67	30	PASS
Band4	10	20000	1	#Max	16QAM	21.94	0.65	22.59	30	PASS
Band4	10	20000	25	#0	16QAM	20.50	0.65	21.15	30	PASS
Band4	10	20000	25	#Mid	16QAM	20.43	0.65	21.08	30	PASS
Band4	10	20000	25	#Max	16QAM	20.40	0.65	21.05	30	PASS
Band4	10	20000	50	#0	16QAM	20.43	0.65	21.08	30	PASS
Band4	10	20175	1	#0	QPSK	22.09	0.65	22.74	30	PASS
Band4	10	20175	1	#Mid	QPSK	22.00	0.65	22.65	30	PASS
Band4	10	20175	1	#Max	QPSK	21.96	0.65	22.61	30	PASS
Band4	10	20175	25	#0	QPSK	21.19	0.65	21.84	30	PASS
Band4	10	20175	25	#Mid	QPSK	21.02	0.65	21.67	30	PASS
Band4	10	20175	25	#Max	QPSK	21.06	0.65	21.71	30	PASS
Band4	10	20175	50	#0	QPSK	21.19	0.65	21.84	30	PASS
Band4	10	20175	1	#0	16QAM	21.08	0.65	21.73	30	PASS
Band4	10	20175	1	#Mid	16QAM	20.64	0.65	21.29	30	PASS
Band4	10	20175	1	#Max	16QAM	20.81	0.65	21.46	30	PASS
Band4	10	20175	25	#0	16QAM	20.17	0.65	20.82	30	PASS
Band4	10	20175	25	#Mid	16QAM	20.01	0.65	20.66	30	PASS
Band4	10	20175	25	#Max	16QAM	19.95	0.65	20.60	30	PASS
Band4	10	20175	50	#0	16QAM	20.09	0.65	20.74	30	PASS
Band4	10	20350	1	#0	QPSK	23.09	0.65	23.74	30	PASS
Band4	10	20350	1	#Mid	QPSK	23.21	0.65	23.86	30	PASS
Band4	10	20350	1	#Max	QPSK	23.71	0.65	24.36	30	PASS
Band4	10	20350	25	#0	QPSK	22.15	0.65	22.80	30	PASS
Band4	10	20350	25	#Mid	QPSK	22.25	0.65	22.90	30	PASS
Band4	10	20350	25	#Max	QPSK	22.28	0.65	22.93	30	PASS
Band4	10	20350	50	#0	QPSK	22.13	0.65	22.78	30	PASS
Band4	10	20350	1	#0	16QAM	21.90	0.65	22.55	30	PASS
Band4	10	20350	1	#Mid	16QAM	22.25	0.65	22.90	30	PASS
Band4	10	20350	1	#Max	16QAM	22.40	0.65	23.05	30	PASS
Band4	10	20350	25	#0	16QAM	20.89	0.65	21.54	30	PASS
Band4	10	20350	25	#Mid	16QAM	21.09	0.65	21.74	30	PASS
Band4	10	20350	25	#Max	16QAM	21.25	0.65	21.90	30	PASS
Band4	10	20350	50	#0	16QAM	20.92	0.65	21.57	30	PASS
Band4	15	20025	1	#0	QPSK	22.60	0.65	23.25	30	PASS
Band4	15	20025	1	#Mid	QPSK	22.46	0.65	23.11	30	PASS
Band4	15	20025	1	#Max	QPSK	22.65	0.65	23.30	30	PASS
Band4	15	20025	36	#0	QPSK	21.51	0.65	22.16	30	PASS
Band4	15	20025	36	#Mid	QPSK	21.49	0.65	22.14	30	PASS
Band4	15	20025	36	#Max	QPSK	21.58	0.65	22.23	30	PASS
Band4	15	20025	75	#0	QPSK	21.54	0.65	22.19	30	PASS
Band4	15	20025	1	#0	16QAM	22.08	0.65	22.73	30	PASS
Band4	15	20025	1	#Mid	16QAM	22.00	0.65	22.65	30	PASS
Band4	15	20025	1	#Max	16QAM	22.07	0.65	22.72	30	PASS
Band4	15	20025	36	#0	16QAM	20.40	0.65	21.05	30	PASS
Band4	15	20025	36	#Mid	16QAM	20.39	0.65	21.04	30	PASS
Band4	15	20025	36	#Max	16QAM	20.35	0.65	21.00	30	PASS

Band4	15	20025	75	#0	16QAM	20.28	0.65	20.93	30	PASS
Band4	15	20175	1	#0	QPSK	22.00	0.65	22.65	30	PASS
Band4	15	20175	1	#Mid	QPSK	22.16	0.65	22.81	30	PASS
Band4	15	20175	1	#Max	QPSK	22.32	0.65	22.97	30	PASS
Band4	15	20175	36	#0	QPSK	21.21	0.65	21.86	30	PASS
Band4	15	20175	36	#Mid	QPSK	20.95	0.65	21.60	30	PASS
Band4	15	20175	36	#Max	QPSK	21.16	0.65	21.81	30	PASS
Band4	15	20175	75	#0	QPSK	21.14	0.65	21.79	30	PASS
Band4	15	20175	1	#0	16QAM	21.09	0.65	21.74	30	PASS
Band4	15	20175	1	#Mid	16QAM	21.12	0.65	21.77	30	PASS
Band4	15	20175	1	#Max	16QAM	21.08	0.65	21.73	30	PASS
Band4	15	20175	36	#0	16QAM	20.14	0.65	20.79	30	PASS
Band4	15	20175	36	#Mid	16QAM	20.02	0.65	20.67	30	PASS
Band4	15	20175	36	#Max	16QAM	20.13	0.65	20.78	30	PASS
Band4	15	20175	75	#0	16QAM	20.24	0.65	20.89	30	PASS
Band4	15	20325	1	#0	QPSK	22.53	0.65	23.18	30	PASS
Band4	15	20325	1	#Mid	QPSK	23.10	0.65	23.75	30	PASS
Band4	15	20325	1	#Max	QPSK	23.50	0.65	24.15	30	PASS
Band4	15	20325	36	#0	QPSK	21.71	0.65	22.36	30	PASS
Band4	15	20325	36	#Mid	QPSK	22.07	0.65	22.72	30	PASS
Band4	15	20325	36	#Max	QPSK	22.01	0.65	22.66	30	PASS
Band4	15	20325	75	#0	QPSK	21.91	0.65	22.56	30	PASS
Band4	15	20325	1	#0	16QAM	22.30	0.65	22.95	30	PASS
Band4	15	20325	1	#Mid	16QAM	22.28	0.65	22.93	30	PASS
Band4	15	20325	1	#Max	16QAM	23.02	0.65	23.67	30	PASS
Band4	15	20325	36	#0	16QAM	20.54	0.65	21.19	30	PASS
Band4	15	20325	36	#Mid	16QAM	20.87	0.65	21.52	30	PASS
Band4	15	20325	36	#Max	16QAM	20.80	0.65	21.45	30	PASS
Band4	15	20325	75	#0	16QAM	20.91	0.65	21.56	30	PASS
Band4	20	20050	1	#0	QPSK	22.99	0.65	23.64	30	PASS
Band4	20	20050	1	#Mid	QPSK	23.17	0.65	23.82	30	PASS
Band4	20	20050	1	#Max	QPSK	22.43	0.65	23.08	30	PASS
Band4	20	20050	50	#0	QPSK	21.89	0.65	22.54	30	PASS
Band4	20	20050	50	#Mid	QPSK	21.90	0.65	22.55	30	PASS
Band4	20	20050	50	#Max	QPSK	21.74	0.65	22.39	30	PASS
Band4	20	20050	100	#0	QPSK	21.85	0.65	22.50	30	PASS
Band4	20	20050	1	#0	16QAM	21.17	0.65	21.82	30	PASS
Band4	20	20050	1	#Mid	16QAM	21.91	0.65	22.56	30	PASS
Band4	20	20050	1	#Max	16QAM	21.09	0.65	21.74	30	PASS
Band4	20	20050	50	#0	16QAM	20.80	0.65	21.45	30	PASS
Band4	20	20050	50	#Mid	16QAM	20.91	0.65	21.56	30	PASS
Band4	20	20050	50	#Max	16QAM	20.85	0.65	21.50	30	PASS
Band4	20	20050	100	#0	16QAM	20.72	0.65	21.37	30	PASS
Band4	20	20175	1	#0	QPSK	22.97	0.65	23.62	30	PASS
Band4	20	20175	1	#Mid	QPSK	22.55	0.65	23.20	30	PASS
Band4	20	20175	1	#Max	QPSK	23.40	0.65	24.05	30	PASS
Band4	20	20175	50	#0	QPSK	21.65	0.65	22.30	30	PASS
Band4	20	20175	50	#Mid	QPSK	21.48	0.65	22.13	30	PASS
Band4	20	20175	50	#Max	QPSK	21.64	0.65	22.29	30	PASS
Band4	20	20175	100	#0	QPSK	21.59	0.65	22.24	30	PASS
Band4	20	20175	1	#0	16QAM	21.56	0.65	22.21	30	PASS
Band4	20	20175	1	#Mid	16QAM	21.18	0.65	21.83	30	PASS
Band4	20	20175	1	#Max	16QAM	21.13	0.65	21.78	30	PASS
Band4	20	20175	50	#0	16QAM	20.61	0.65	21.26	30	PASS
Band4	20	20175	50	#Mid	16QAM	20.24	0.65	20.89	30	PASS
Band4	20	20175	50	#Max	16QAM	20.43	0.65	21.08	30	PASS
Band4	20	20175	100	#0	16QAM	20.57	0.65	21.22	30	PASS
Band4	20	20300	1	#0	QPSK	22.56	0.65	23.21	30	PASS
Band4	20	20300	1	#Mid	QPSK	23.56	0.65	24.21	30	PASS
Band4	20	20300	1	#Max	QPSK	24.01	0.65	24.66	30	PASS
Band4	20	20300	50	#0	QPSK	22.00	0.65	22.65	30	PASS

Band4	20	20300	50	#Mid	QPSK	22.33	0.65	22.98	30	PASS
Band4	20	20300	50	#Max	QPSK	22.47	0.65	23.12	30	PASS
Band4	20	20300	100	#0	QPSK	22.26	0.65	22.91	30	PASS
Band4	20	20300	1	#0	16QAM	21.73	0.65	22.38	30	PASS
Band4	20	20300	1	#Mid	16QAM	21.86	0.65	22.51	30	PASS
Band4	20	20300	1	#Max	16QAM	22.58	0.65	23.23	30	PASS
Band4	20	20300	50	#0	16QAM	20.91	0.65	21.56	30	PASS
Band4	20	20300	50	#Mid	16QAM	21.25	0.65	21.90	30	PASS
Band4	20	20300	50	#Max	16QAM	21.45	0.65	22.10	30	PASS
Band4	20	20300	100	#0	16QAM	21.14	0.65	21.79	30	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	ERP (dBm)	ERP Limit (dBm)	Verdict
Band5	1.4	20407	1	#0	QPSK	23.14	-0.72	20.27	38.45	PASS
Band5	1.4	20407	1	#Mid	QPSK	23.05	-0.72	20.18	38.45	PASS
Band5	1.4	20407	1	#Max	QPSK	22.89	-0.72	20.02	38.45	PASS
Band5	1.4	20407	3	#0	QPSK	22.85	-0.72	19.98	38.45	PASS
Band5	1.4	20407	3	#Mid	QPSK	22.96	-0.72	20.09	38.45	PASS
Band5	1.4	20407	3	#Max	QPSK	22.87	-0.72	20.00	38.45	PASS
Band5	1.4	20407	6	#0	QPSK	21.77	-0.72	18.90	38.45	PASS
Band5	1.4	20407	1	#0	16QAM	21.75	-0.72	18.88	38.45	PASS
Band5	1.4	20407	1	#Mid	16QAM	21.73	-0.72	18.86	38.45	PASS
Band5	1.4	20407	1	#Max	16QAM	21.86	-0.72	18.99	38.45	PASS
Band5	1.4	20407	3	#0	16QAM	21.91	-0.72	19.04	38.45	PASS
Band5	1.4	20407	3	#Mid	16QAM	21.88	-0.72	19.01	38.45	PASS
Band5	1.4	20407	3	#Max	16QAM	21.92	-0.72	19.05	38.45	PASS
Band5	1.4	20407	6	#0	16QAM	20.72	-0.72	17.85	38.45	PASS
Band5	1.4	20525	1	#0	QPSK	22.64	-0.72	19.77	38.45	PASS
Band5	1.4	20525	1	#Mid	QPSK	22.59	-0.72	19.72	38.45	PASS
Band5	1.4	20525	1	#Max	QPSK	22.45	-0.72	19.58	38.45	PASS
Band5	1.4	20525	3	#0	QPSK	22.77	-0.72	19.90	38.45	PASS
Band5	1.4	20525	3	#Mid	QPSK	22.78	-0.72	19.91	38.45	PASS
Band5	1.4	20525	3	#Max	QPSK	22.69	-0.72	19.82	38.45	PASS
Band5	1.4	20525	6	#0	QPSK	21.65	-0.72	18.78	38.45	PASS
Band5	1.4	20525	1	#0	16QAM	21.64	-0.72	18.77	38.45	PASS
Band5	1.4	20525	1	#Mid	16QAM	21.78	-0.72	18.91	38.45	PASS
Band5	1.4	20525	1	#Max	16QAM	21.64	-0.72	18.77	38.45	PASS
Band5	1.4	20525	3	#0	16QAM	21.80	-0.72	18.93	38.45	PASS
Band5	1.4	20525	3	#Mid	16QAM	21.71	-0.72	18.84	38.45	PASS
Band5	1.4	20525	3	#Max	16QAM	21.75	-0.72	18.88	38.45	PASS
Band5	1.4	20525	6	#0	16QAM	20.72	-0.72	17.85	38.45	PASS
Band5	1.4	20643	1	#0	QPSK	22.93	-0.72	20.06	38.45	PASS
Band5	1.4	20643	1	#Mid	QPSK	23.24	-0.72	20.37	38.45	PASS
Band5	1.4	20643	1	#Max	QPSK	23.03	-0.72	20.16	38.45	PASS
Band5	1.4	20643	3	#0	QPSK	22.92	-0.72	20.05	38.45	PASS
Band5	1.4	20643	3	#Mid	QPSK	22.87	-0.72	20.00	38.45	PASS
Band5	1.4	20643	3	#Max	QPSK	22.89	-0.72	20.02	38.45	PASS
Band5	1.4	20643	6	#0	QPSK	21.98	-0.72	19.11	38.45	PASS
Band5	1.4	20643	1	#0	16QAM	21.82	-0.72	18.95	38.45	PASS
Band5	1.4	20643	1	#Mid	16QAM	21.89	-0.72	19.02	38.45	PASS
Band5	1.4	20643	1	#Max	16QAM	21.82	-0.72	18.95	38.45	PASS
Band5	1.4	20643	3	#0	16QAM	22.20	-0.72	19.33	38.45	PASS
Band5	1.4	20643	3	#Mid	16QAM	21.79	-0.72	18.92	38.45	PASS
Band5	1.4	20643	3	#Max	16QAM	21.75	-0.72	18.88	38.45	PASS
Band5	1.4	20643	6	#0	16QAM	21.08	-0.72	18.21	38.45	PASS
Band5	3	20415	1	#0	QPSK	22.71	-0.72	19.84	38.45	PASS
Band5	3	20415	1	#Mid	QPSK	22.64	-0.72	19.77	38.45	PASS
Band5	3	20415	1	#Max	QPSK	22.62	-0.72	19.75	38.45	PASS
Band5	3	20415	8	#0	QPSK	21.78	-0.72	18.91	38.45	PASS
Band5	3	20415	8	#Mid	QPSK	21.90	-0.72	19.03	38.45	PASS
Band5	3	20415	8	#Max	QPSK	21.87	-0.72	19.00	38.45	PASS
Band5	3	20415	15	#0	QPSK	21.76	-0.72	18.89	38.45	PASS
Band5	3	20415	1	#0	16QAM	22.54	-0.72	19.67	38.45	PASS
Band5	3	20415	1	#Mid	16QAM	22.18	-0.72	19.31	38.45	PASS
Band5	3	20415	1	#Max	16QAM	22.37	-0.72	19.50	38.45	PASS
Band5	3	20415	8	#0	16QAM	20.43	-0.72	17.56	38.45	PASS
Band5	3	20415	8	#Mid	16QAM	20.46	-0.72	17.59	38.45	PASS
Band5	3	20415	8	#Max	16QAM	20.41	-0.72	17.54	38.45	PASS
Band5	3	20415	15	#0	16QAM	20.72	-0.72	17.85	38.45	PASS
Band5	3	20525	1	#0	QPSK	22.57	-0.72	19.70	38.45	PASS
Band5	3	20525	1	#Mid	QPSK	22.85	-0.72	19.98	38.45	PASS
Band5	3	20525	1	#Max	QPSK	22.74	-0.72	19.87	38.45	PASS

Band5	3	20525	8	#0	QPSK	21.68	-0.72	18.81	38.45	PASS
Band5	3	20525	8	#Mid	QPSK	21.69	-0.72	18.82	38.45	PASS
Band5	3	20525	8	#Max	QPSK	21.65	-0.72	18.78	38.45	PASS
Band5	3	20525	15	#0	QPSK	21.72	-0.72	18.85	38.45	PASS
Band5	3	20525	1	#0	16QAM	21.27	-0.72	18.40	38.45	PASS
Band5	3	20525	1	#Mid	16QAM	21.70	-0.72	18.83	38.45	PASS
Band5	3	20525	1	#Max	16QAM	21.43	-0.72	18.56	38.45	PASS
Band5	3	20525	8	#0	16QAM	20.64	-0.72	17.77	38.45	PASS
Band5	3	20525	8	#Mid	16QAM	20.56	-0.72	17.69	38.45	PASS
Band5	3	20525	8	#Max	16QAM	20.51	-0.72	17.64	38.45	PASS
Band5	3	20525	15	#0	16QAM	20.63	-0.72	17.76	38.45	PASS
Band5	3	20635	1	#0	QPSK	23.04	-0.72	20.17	38.45	PASS
Band5	3	20635	1	#Mid	QPSK	22.98	-0.72	20.11	38.45	PASS
Band5	3	20635	1	#Max	QPSK	22.99	-0.72	20.12	38.45	PASS
Band5	3	20635	8	#0	QPSK	21.96	-0.72	19.09	38.45	PASS
Band5	3	20635	8	#Mid	QPSK	21.99	-0.72	19.12	38.45	PASS
Band5	3	20635	8	#Max	QPSK	21.92	-0.72	19.05	38.45	PASS
Band5	3	20635	15	#0	QPSK	21.96	-0.72	19.09	38.45	PASS
Band5	3	20635	1	#0	16QAM	21.81	-0.72	18.94	38.45	PASS
Band5	3	20635	1	#Mid	16QAM	21.54	-0.72	18.67	38.45	PASS
Band5	3	20635	1	#Max	16QAM	21.82	-0.72	18.95	38.45	PASS
Band5	3	20635	8	#0	16QAM	20.66	-0.72	17.79	38.45	PASS
Band5	3	20635	8	#Mid	16QAM	20.80	-0.72	17.93	38.45	PASS
Band5	3	20635	8	#Max	16QAM	20.76	-0.72	17.89	38.45	PASS
Band5	3	20635	15	#0	16QAM	20.93	-0.72	18.06	38.45	PASS
Band5	5	20425	1	#0	QPSK	22.88	-0.72	20.01	38.45	PASS
Band5	5	20425	1	#Mid	QPSK	22.91	-0.72	20.04	38.45	PASS
Band5	5	20425	1	#Max	QPSK	22.62	-0.72	19.75	38.45	PASS
Band5	5	20425	12	#0	QPSK	21.72	-0.72	18.85	38.45	PASS
Band5	5	20425	12	#Mid	QPSK	21.77	-0.72	18.90	38.45	PASS
Band5	5	20425	12	#Max	QPSK	21.76	-0.72	18.89	38.45	PASS
Band5	5	20425	25	#0	QPSK	21.79	-0.72	18.92	38.45	PASS
Band5	5	20425	1	#0	16QAM	22.11	-0.72	19.24	38.45	PASS
Band5	5	20425	1	#Mid	16QAM	21.87	-0.72	19.00	38.45	PASS
Band5	5	20425	1	#Max	16QAM	21.54	-0.72	18.67	38.45	PASS
Band5	5	20425	12	#0	16QAM	20.62	-0.72	17.75	38.45	PASS
Band5	5	20425	12	#Mid	16QAM	20.69	-0.72	17.82	38.45	PASS
Band5	5	20425	12	#Max	16QAM	20.59	-0.72	17.72	38.45	PASS
Band5	5	20425	25	#0	16QAM	20.87	-0.72	18.00	38.45	PASS
Band5	5	20525	1	#0	QPSK	22.52	-0.72	19.65	38.45	PASS
Band5	5	20525	1	#Mid	QPSK	22.55	-0.72	19.68	38.45	PASS
Band5	5	20525	1	#Max	QPSK	22.53	-0.72	19.66	38.45	PASS
Band5	5	20525	12	#0	QPSK	21.62	-0.72	18.75	38.45	PASS
Band5	5	20525	12	#Mid	QPSK	21.65	-0.72	18.78	38.45	PASS
Band5	5	20525	12	#Max	QPSK	21.72	-0.72	18.85	38.45	PASS
Band5	5	20525	25	#0	QPSK	21.76	-0.72	18.89	38.45	PASS
Band5	5	20525	1	#0	16QAM	21.46	-0.72	18.59	38.45	PASS
Band5	5	20525	1	#Mid	16QAM	21.29	-0.72	18.42	38.45	PASS
Band5	5	20525	1	#Max	16QAM	21.21	-0.72	18.34	38.45	PASS
Band5	5	20525	12	#0	16QAM	20.54	-0.72	17.67	38.45	PASS
Band5	5	20525	12	#Mid	16QAM	20.46	-0.72	17.59	38.45	PASS
Band5	5	20525	12	#Max	16QAM	20.53	-0.72	17.66	38.45	PASS
Band5	5	20525	25	#0	16QAM	20.69	-0.72	17.82	38.45	PASS
Band5	5	20625	1	#0	QPSK	22.83	-0.72	19.96	38.45	PASS
Band5	5	20625	1	#Mid	QPSK	23.05	-0.72	20.18	38.45	PASS
Band5	5	20625	1	#Max	QPSK	22.97	-0.72	20.10	38.45	PASS
Band5	5	20625	12	#0	QPSK	21.90	-0.72	19.03	38.45	PASS
Band5	5	20625	12	#Mid	QPSK	21.97	-0.72	19.10	38.45	PASS
Band5	5	20625	12	#Max	QPSK	21.95	-0.72	19.08	38.45	PASS
Band5	5	20625	25	#0	QPSK	21.85	-0.72	18.98	38.45	PASS
Band5	5	20625	1	#0	16QAM	21.91	-0.72	19.04	38.45	PASS

Band5	5	20625	1	#Mid	16QAM	21.85	-0.72	18.98	38.45	PASS
Band5	5	20625	1	#Max	16QAM	21.84	-0.72	18.97	38.45	PASS
Band5	5	20625	12	#0	16QAM	20.86	-0.72	17.99	38.45	PASS
Band5	5	20625	12	#Mid	16QAM	20.84	-0.72	17.97	38.45	PASS
Band5	5	20625	12	#Max	16QAM	20.91	-0.72	18.04	38.45	PASS
Band5	5	20625	25	#0	16QAM	20.91	-0.72	18.04	38.45	PASS
Band5	10	20450	1	#0	QPSK	23.26	-0.72	20.39	38.45	PASS
Band5	10	20450	1	#Mid	QPSK	23.19	-0.72	20.32	38.45	PASS
Band5	10	20450	1	#Max	QPSK	23.11	-0.72	20.24	38.45	PASS
Band5	10	20450	25	#0	QPSK	22.21	-0.72	19.34	38.45	PASS
Band5	10	20450	25	#Mid	QPSK	22.24	-0.72	19.37	38.45	PASS
Band5	10	20450	25	#Max	QPSK	22.26	-0.72	19.39	38.45	PASS
Band5	10	20450	50	#0	QPSK	22.32	-0.72	19.45	38.45	PASS
Band5	10	20450	1	#0	16QAM	22.60	-0.72	19.73	38.45	PASS
Band5	10	20450	1	#Mid	16QAM	22.43	-0.72	19.56	38.45	PASS
Band5	10	20450	1	#Max	16QAM	22.56	-0.72	19.69	38.45	PASS
Band5	10	20450	25	#0	16QAM	21.24	-0.72	18.37	38.45	PASS
Band5	10	20450	25	#Mid	16QAM	21.27	-0.72	18.40	38.45	PASS
Band5	10	20450	25	#Max	16QAM	21.28	-0.72	18.41	38.45	PASS
Band5	10	20450	50	#0	16QAM	21.42	-0.72	18.55	38.45	PASS
Band5	10	20525	1	#0	QPSK	23.00	-0.72	20.13	38.45	PASS
Band5	10	20525	1	#Mid	QPSK	23.13	-0.72	20.26	38.45	PASS
Band5	10	20525	1	#Max	QPSK	23.28	-0.72	20.41	38.45	PASS
Band5	10	20525	25	#0	QPSK	22.10	-0.72	19.23	38.45	PASS
Band5	10	20525	25	#Mid	QPSK	22.15	-0.72	19.28	38.45	PASS
Band5	10	20525	25	#Max	QPSK	22.25	-0.72	19.38	38.45	PASS
Band5	10	20525	50	#0	QPSK	22.29	-0.72	19.42	38.45	PASS
Band5	10	20525	1	#0	16QAM	21.72	-0.72	18.85	38.45	PASS
Band5	10	20525	1	#Mid	16QAM	21.86	-0.72	18.99	38.45	PASS
Band5	10	20525	1	#Max	16QAM	22.04	-0.72	19.17	38.45	PASS
Band5	10	20525	25	#0	16QAM	21.12	-0.72	18.25	38.45	PASS
Band5	10	20525	25	#Mid	16QAM	21.09	-0.72	18.22	38.45	PASS
Band5	10	20525	25	#Max	16QAM	21.09	-0.72	18.22	38.45	PASS
Band5	10	20525	50	#0	16QAM	21.24	-0.72	18.37	38.45	PASS
Band5	10	20600	1	#0	QPSK	23.29	-0.72	20.42	38.45	PASS
Band5	10	20600	1	#Mid	QPSK	23.45	-0.72	20.58	38.45	PASS
Band5	10	20600	1	#Max	QPSK	23.49	-0.72	20.62	38.45	PASS
Band5	10	20600	25	#0	QPSK	22.41	-0.72	19.54	38.45	PASS
Band5	10	20600	25	#Mid	QPSK	22.38	-0.72	19.51	38.45	PASS
Band5	10	20600	25	#Max	QPSK	22.41	-0.72	19.54	38.45	PASS
Band5	10	20600	50	#0	QPSK	22.36	-0.72	19.49	38.45	PASS
Band5	10	20600	1	#0	16QAM	22.15	-0.72	19.28	38.45	PASS
Band5	10	20600	1	#Mid	16QAM	22.21	-0.72	19.34	38.45	PASS
Band5	10	20600	1	#Max	16QAM	22.41	-0.72	19.54	38.45	PASS
Band5	10	20600	25	#0	16QAM	21.25	-0.72	18.38	38.45	PASS
Band5	10	20600	25	#Mid	16QAM	21.39	-0.72	18.52	38.45	PASS
Band5	10	20600	25	#Max	16QAM	21.43	-0.72	18.56	38.45	PASS
Band5	10	20600	50	#0	16QAM	21.29	-0.72	18.42	38.45	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	ERP (dBm)	ERP Limit (dBm)	Verdict
Band12	1.4	23017	1	#0	QPSK	23.87	-2.41	19.31	34.77	PASS
Band12	1.4	23017	1	#Mid	QPSK	24.20	-2.41	19.64	34.77	PASS
Band12	1.4	23017	1	#Max	QPSK	23.95	-2.41	19.39	34.77	PASS
Band12	1.4	23017	3	#0	QPSK	23.98	-2.41	19.42	34.77	PASS
Band12	1.4	23017	3	#Mid	QPSK	24.06	-2.41	19.50	34.77	PASS
Band12	1.4	23017	3	#Max	QPSK	23.97	-2.41	19.41	34.77	PASS
Band12	1.4	23017	6	#0	QPSK	23.08	-2.41	18.52	34.77	PASS
Band12	1.4	23017	1	#0	16QAM	22.84	-2.41	18.28	34.77	PASS
Band12	1.4	23017	1	#Mid	16QAM	23.15	-2.41	18.59	34.77	PASS
Band12	1.4	23017	1	#Max	16QAM	22.84	-2.41	18.28	34.77	PASS
Band12	1.4	23017	3	#0	16QAM	23.19	-2.41	18.63	34.77	PASS
Band12	1.4	23017	3	#Mid	16QAM	23.21	-2.41	18.65	34.77	PASS
Band12	1.4	23017	3	#Max	16QAM	23.14	-2.41	18.58	34.77	PASS
Band12	1.4	23017	6	#0	16QAM	22.00	-2.41	17.44	34.77	PASS
Band12	1.4	23095	1	#0	QPSK	23.90	-2.41	19.34	34.77	PASS
Band12	1.4	23095	1	#Mid	QPSK	23.85	-2.41	19.29	34.77	PASS
Band12	1.4	23095	1	#Max	QPSK	24.04	-2.41	19.48	34.77	PASS
Band12	1.4	23095	3	#0	QPSK	23.97	-2.41	19.41	34.77	PASS
Band12	1.4	23095	3	#Mid	QPSK	24.02	-2.41	19.46	34.77	PASS
Band12	1.4	23095	3	#Max	QPSK	23.98	-2.41	19.42	34.77	PASS
Band12	1.4	23095	6	#0	QPSK	23.03	-2.41	18.47	34.77	PASS
Band12	1.4	23095	1	#0	16QAM	23.21	-2.41	18.65	34.77	PASS
Band12	1.4	23095	1	#Mid	16QAM	23.38	-2.41	18.82	34.77	PASS
Band12	1.4	23095	1	#Max	16QAM	23.31	-2.41	18.75	34.77	PASS
Band12	1.4	23095	3	#0	16QAM	23.34	-2.41	18.78	34.77	PASS
Band12	1.4	23095	3	#Mid	16QAM	23.39	-2.41	18.83	34.77	PASS
Band12	1.4	23095	3	#Max	16QAM	23.44	-2.41	18.88	34.77	PASS
Band12	1.4	23095	6	#0	16QAM	22.30	-2.41	17.74	34.77	PASS
Band12	1.4	23173	1	#0	QPSK	23.57	-2.41	19.01	34.77	PASS
Band12	1.4	23173	1	#Mid	QPSK	23.73	-2.41	19.17	34.77	PASS
Band12	1.4	23173	1	#Max	QPSK	23.69	-2.41	19.13	34.77	PASS
Band12	1.4	23173	3	#0	QPSK	23.80	-2.41	19.24	34.77	PASS
Band12	1.4	23173	3	#Mid	QPSK	24.01	-2.41	19.45	34.77	PASS
Band12	1.4	23173	3	#Max	QPSK	23.90	-2.41	19.34	34.77	PASS
Band12	1.4	23173	6	#0	QPSK	22.84	-2.41	18.28	34.77	PASS
Band12	1.4	23173	1	#0	16QAM	22.66	-2.41	18.10	34.77	PASS
Band12	1.4	23173	1	#Mid	16QAM	22.69	-2.41	18.13	34.77	PASS
Band12	1.4	23173	1	#Max	16QAM	22.62	-2.41	18.06	34.77	PASS
Band12	1.4	23173	3	#0	16QAM	22.63	-2.41	18.07	34.77	PASS
Band12	1.4	23173	3	#Mid	16QAM	22.68	-2.41	18.12	34.77	PASS
Band12	1.4	23173	3	#Max	16QAM	22.66	-2.41	18.10	34.77	PASS
Band12	1.4	23173	6	#0	16QAM	21.95	-2.41	17.39	34.77	PASS
Band12	3	23025	1	#0	QPSK	23.82	-2.41	19.26	34.77	PASS
Band12	3	23025	1	#Mid	QPSK	23.84	-2.41	19.28	34.77	PASS
Band12	3	23025	1	#Max	QPSK	24.03	-2.41	19.47	34.77	PASS
Band12	3	23025	8	#0	QPSK	22.98	-2.41	18.42	34.77	PASS
Band12	3	23025	8	#Mid	QPSK	23.05	-2.41	18.49	34.77	PASS
Band12	3	23025	8	#Max	QPSK	23.08	-2.41	18.52	34.77	PASS
Band12	3	23025	15	#0	QPSK	23.08	-2.41	18.52	34.77	PASS
Band12	3	23025	1	#0	16QAM	23.34	-2.41	18.78	34.77	PASS
Band12	3	23025	1	#Mid	16QAM	23.64	-2.41	19.08	34.77	PASS
Band12	3	23025	1	#Max	16QAM	23.65	-2.41	19.09	34.77	PASS
Band12	3	23025	8	#0	16QAM	22.13	-2.41	17.57	34.77	PASS
Band12	3	23025	8	#Mid	16QAM	22.13	-2.41	17.57	34.77	PASS
Band12	3	23025	8	#Max	16QAM	22.14	-2.41	17.58	34.77	PASS
Band12	3	23025	15	#0	16QAM	22.16	-2.41	17.60	34.77	PASS
Band12	3	23095	1	#0	QPSK	24.04	-2.41	19.48	34.77	PASS
Band12	3	23095	1	#Mid	QPSK	24.14	-2.41	19.58	34.77	PASS
Band12	3	23095	1	#Max	QPSK	24.12	-2.41	19.56	34.77	PASS

Band12	3	23095	8	#0	QPSK	23.07	-2.41	18.51	34.77	PASS
Band12	3	23095	8	#Mid	QPSK	23.00	-2.41	18.44	34.77	PASS
Band12	3	23095	8	#Max	QPSK	23.01	-2.41	18.45	34.77	PASS
Band12	3	23095	15	#0	QPSK	23.05	-2.41	18.49	34.77	PASS
Band12	3	23095	1	#0	16QAM	22.78	-2.41	18.22	34.77	PASS
Band12	3	23095	1	#Mid	16QAM	23.01	-2.41	18.45	34.77	PASS
Band12	3	23095	1	#Max	16QAM	22.73	-2.41	18.17	34.77	PASS
Band12	3	23095	8	#0	16QAM	21.82	-2.41	17.26	34.77	PASS
Band12	3	23095	8	#Mid	16QAM	21.86	-2.41	17.30	34.77	PASS
Band12	3	23095	8	#Max	16QAM	21.85	-2.41	17.29	34.77	PASS
Band12	3	23095	15	#0	16QAM	21.86	-2.41	17.30	34.77	PASS
Band12	3	23165	1	#0	QPSK	24.01	-2.41	19.45	34.77	PASS
Band12	3	23165	1	#Mid	QPSK	23.93	-2.41	19.37	34.77	PASS
Band12	3	23165	1	#Max	QPSK	23.93	-2.41	19.37	34.77	PASS
Band12	3	23165	8	#0	QPSK	23.05	-2.41	18.49	34.77	PASS
Band12	3	23165	8	#Mid	QPSK	23.08	-2.41	18.52	34.77	PASS
Band12	3	23165	8	#Max	QPSK	23.03	-2.41	18.47	34.77	PASS
Band12	3	23165	15	#0	QPSK	23.07	-2.41	18.51	34.77	PASS
Band12	3	23165	1	#0	16QAM	22.99	-2.41	18.43	34.77	PASS
Band12	3	23165	1	#Mid	16QAM	22.95	-2.41	18.39	34.77	PASS
Band12	3	23165	1	#Max	16QAM	22.78	-2.41	18.22	34.77	PASS
Band12	3	23165	8	#0	16QAM	21.74	-2.41	17.18	34.77	PASS
Band12	3	23165	8	#Mid	16QAM	21.85	-2.41	17.29	34.77	PASS
Band12	3	23165	8	#Max	16QAM	21.90	-2.41	17.34	34.77	PASS
Band12	3	23165	15	#0	16QAM	21.99	-2.41	17.43	34.77	PASS
Band12	5	23035	1	#0	QPSK	23.93	-2.41	19.37	34.77	PASS
Band12	5	23035	1	#Mid	QPSK	24.04	-2.41	19.48	34.77	PASS
Band12	5	23035	1	#Max	QPSK	23.83	-2.41	19.27	34.77	PASS
Band12	5	23035	12	#0	QPSK	23.06	-2.41	18.50	34.77	PASS
Band12	5	23035	12	#Mid	QPSK	22.93	-2.41	18.37	34.77	PASS
Band12	5	23035	12	#Max	QPSK	22.99	-2.41	18.43	34.77	PASS
Band12	5	23035	25	#0	QPSK	22.95	-2.41	18.39	34.77	PASS
Band12	5	23035	1	#0	16QAM	23.17	-2.41	18.61	34.77	PASS
Band12	5	23035	1	#Mid	16QAM	23.13	-2.41	18.57	34.77	PASS
Band12	5	23035	1	#Max	16QAM	22.92	-2.41	18.36	34.77	PASS
Band12	5	23035	12	#0	16QAM	21.82	-2.41	17.26	34.77	PASS
Band12	5	23035	12	#Mid	16QAM	21.71	-2.41	17.15	34.77	PASS
Band12	5	23035	12	#Max	16QAM	21.95	-2.41	17.39	34.77	PASS
Band12	5	23035	25	#0	16QAM	22.06	-2.41	17.50	34.77	PASS
Band12	5	23095	1	#0	QPSK	23.83	-2.41	19.27	34.77	PASS
Band12	5	23095	1	#Mid	QPSK	24.12	-2.41	19.56	34.77	PASS
Band12	5	23095	1	#Max	QPSK	23.61	-2.41	19.05	34.77	PASS
Band12	5	23095	12	#0	QPSK	22.99	-2.41	18.43	34.77	PASS
Band12	5	23095	12	#Mid	QPSK	23.02	-2.41	18.46	34.77	PASS
Band12	5	23095	12	#Max	QPSK	22.98	-2.41	18.42	34.77	PASS
Band12	5	23095	25	#0	QPSK	22.90	-2.41	18.34	34.77	PASS
Band12	5	23095	1	#0	16QAM	23.13	-2.41	18.57	34.77	PASS
Band12	5	23095	1	#Mid	16QAM	22.57	-2.41	18.01	34.77	PASS
Band12	5	23095	1	#Max	16QAM	22.69	-2.41	18.13	34.77	PASS
Band12	5	23095	12	#0	16QAM	21.70	-2.41	17.14	34.77	PASS
Band12	5	23095	12	#Mid	16QAM	21.73	-2.41	17.17	34.77	PASS
Band12	5	23095	12	#Max	16QAM	21.63	-2.41	17.07	34.77	PASS
Band12	5	23095	25	#0	16QAM	21.93	-2.41	17.37	34.77	PASS
Band12	5	23155	1	#0	QPSK	23.73	-2.41	19.17	34.77	PASS
Band12	5	23155	1	#Mid	QPSK	24.05	-2.41	19.49	34.77	PASS
Band12	5	23155	1	#Max	QPSK	23.98	-2.41	19.42	34.77	PASS
Band12	5	23155	12	#0	QPSK	22.99	-2.41	18.43	34.77	PASS
Band12	5	23155	12	#Mid	QPSK	22.99	-2.41	18.43	34.77	PASS
Band12	5	23155	12	#Max	QPSK	23.00	-2.41	18.44	34.77	PASS
Band12	5	23155	25	#0	QPSK	22.92	-2.41	18.36	34.77	PASS
Band12	5	23155	1	#0	16QAM	22.95	-2.41	18.39	34.77	PASS

Band12	5	23155	1	#Mid	16QAM	23.07	-2.41	18.51	34.77	PASS
Band12	5	23155	1	#Max	16QAM	23.02	-2.41	18.46	34.77	PASS
Band12	5	23155	12	#0	16QAM	21.89	-2.41	17.33	34.77	PASS
Band12	5	23155	12	#Mid	16QAM	21.90	-2.41	17.34	34.77	PASS
Band12	5	23155	12	#Max	16QAM	21.85	-2.41	17.29	34.77	PASS
Band12	5	23155	25	#0	16QAM	21.88	-2.41	17.32	34.77	PASS
Band12	10	23060	1	#0	QPSK	24.55	-2.41	19.99	34.77	PASS
Band12	10	23060	1	#Mid	QPSK	24.42	-2.41	19.86	34.77	PASS
Band12	10	23060	1	#Max	QPSK	24.60	-2.41	20.04	34.77	PASS
Band12	10	23060	25	#0	QPSK	23.56	-2.41	19.00	34.77	PASS
Band12	10	23060	25	#Mid	QPSK	23.49	-2.41	18.93	34.77	PASS
Band12	10	23060	25	#Max	QPSK	23.67	-2.41	19.11	34.77	PASS
Band12	10	23060	50	#0	QPSK	23.59	-2.41	19.03	34.77	PASS
Band12	10	23060	1	#0	16QAM	23.98	-2.41	19.42	34.77	PASS
Band12	10	23060	1	#Mid	16QAM	24.02	-2.41	19.46	34.77	PASS
Band12	10	23060	1	#Max	16QAM	23.85	-2.41	19.29	34.77	PASS
Band12	10	23060	25	#0	16QAM	22.60	-2.41	18.04	34.77	PASS
Band12	10	23060	25	#Mid	16QAM	22.54	-2.41	17.98	34.77	PASS
Band12	10	23060	25	#Max	16QAM	22.60	-2.41	18.04	34.77	PASS
Band12	10	23060	50	#0	16QAM	22.54	-2.41	17.98	34.77	PASS
Band12	10	23095	1	#0	QPSK	24.19	-2.41	19.63	34.77	PASS
Band12	10	23095	1	#Mid	QPSK	24.11	-2.41	19.55	34.77	PASS
Band12	10	23095	1	#Max	QPSK	24.37	-2.41	19.81	34.77	PASS
Band12	10	23095	25	#0	QPSK	23.52	-2.41	18.96	34.77	PASS
Band12	10	23095	25	#Mid	QPSK	23.49	-2.41	18.93	34.77	PASS
Band12	10	23095	25	#Max	QPSK	23.46	-2.41	18.90	34.77	PASS
Band12	10	23095	50	#0	QPSK	23.49	-2.41	18.93	34.77	PASS
Band12	10	23095	1	#0	16QAM	22.96	-2.41	18.40	34.77	PASS
Band12	10	23095	1	#Mid	16QAM	23.14	-2.41	18.58	34.77	PASS
Band12	10	23095	1	#Max	16QAM	22.74	-2.41	18.18	34.77	PASS
Band12	10	23095	25	#0	16QAM	22.44	-2.41	17.88	34.77	PASS
Band12	10	23095	25	#Mid	16QAM	22.43	-2.41	17.87	34.77	PASS
Band12	10	23095	25	#Max	16QAM	22.38	-2.41	17.82	34.77	PASS
Band12	10	23095	50	#0	16QAM	22.59	-2.41	18.03	34.77	PASS
Band12	10	23130	1	#0	QPSK	24.37	-2.41	19.81	34.77	PASS
Band12	10	23130	1	#Mid	QPSK	24.20	-2.41	19.64	34.77	PASS
Band12	10	23130	1	#Max	QPSK	24.28	-2.41	19.72	34.77	PASS
Band12	10	23130	25	#0	QPSK	23.56	-2.41	19.00	34.77	PASS
Band12	10	23130	25	#Mid	QPSK	23.41	-2.41	18.85	34.77	PASS
Band12	10	23130	25	#Max	QPSK	23.52	-2.41	18.96	34.77	PASS
Band12	10	23130	50	#0	QPSK	23.58	-2.41	19.02	34.77	PASS
Band12	10	23130	1	#0	16QAM	23.35	-2.41	18.79	34.77	PASS
Band12	10	23130	1	#Mid	16QAM	23.49	-2.41	18.93	34.77	PASS
Band12	10	23130	1	#Max	16QAM	23.39	-2.41	18.83	34.77	PASS
Band12	10	23130	25	#0	16QAM	22.58	-2.41	18.02	34.77	PASS
Band12	10	23130	25	#Mid	16QAM	22.38	-2.41	17.82	34.77	PASS
Band12	10	23130	25	#Max	16QAM	22.60	-2.41	18.04	34.77	PASS
Band12	10	23130	50	#0	16QAM	22.51	-2.41	17.95	34.77	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	ERP (dBm)	ERP Limit (dBm)	Verdict
Band17	5	23755	1	#0	QPSK	22.61	-2.41	18.05	34.77	PASS
Band17	5	23755	1	#Mid	QPSK	22.80	-2.41	18.24	34.77	PASS
Band17	5	23755	1	#Max	QPSK	22.76	-2.41	18.20	34.77	PASS
Band17	5	23755	12	#0	QPSK	21.54	-2.41	16.98	34.77	PASS
Band17	5	23755	12	#Mid	QPSK	21.54	-2.41	16.98	34.77	PASS
Band17	5	23755	12	#Max	QPSK	21.63	-2.41	17.07	34.77	PASS
Band17	5	23755	25	#0	QPSK	21.63	-2.41	17.07	34.77	PASS
Band17	5	23755	1	#0	16QAM	21.49	-2.41	16.93	34.77	PASS
Band17	5	23755	1	#Mid	16QAM	21.42	-2.41	16.86	34.77	PASS
Band17	5	23755	1	#Max	16QAM	21.42	-2.41	16.86	34.77	PASS
Band17	5	23755	12	#0	16QAM	20.64	-2.41	16.08	34.77	PASS
Band17	5	23755	12	#Mid	16QAM	20.55	-2.41	15.99	34.77	PASS
Band17	5	23755	12	#Max	16QAM	20.63	-2.41	16.07	34.77	PASS
Band17	5	23755	25	#0	16QAM	20.59	-2.41	16.03	34.77	PASS
Band17	5	23790	1	#0	QPSK	22.17	-2.41	17.61	34.77	PASS
Band17	5	23790	1	#Mid	QPSK	22.53	-2.41	17.97	34.77	PASS
Band17	5	23790	1	#Max	QPSK	22.52	-2.41	17.96	34.77	PASS
Band17	5	23790	12	#0	QPSK	21.54	-2.41	16.98	34.77	PASS
Band17	5	23790	12	#Mid	QPSK	21.50	-2.41	16.94	34.77	PASS
Band17	5	23790	12	#Max	QPSK	21.51	-2.41	16.95	34.77	PASS
Band17	5	23790	25	#0	QPSK	21.51	-2.41	16.95	34.77	PASS
Band17	5	23790	1	#0	16QAM	21.20	-2.41	16.64	34.77	PASS
Band17	5	23790	1	#Mid	16QAM	20.99	-2.41	16.43	34.77	PASS
Band17	5	23790	1	#Max	16QAM	21.22	-2.41	16.66	34.77	PASS
Band17	5	23790	12	#0	16QAM	20.21	-2.41	15.65	34.77	PASS
Band17	5	23790	12	#Mid	16QAM	20.20	-2.41	15.64	34.77	PASS
Band17	5	23790	12	#Max	16QAM	20.32	-2.41	15.76	34.77	PASS
Band17	5	23790	25	#0	16QAM	20.64	-2.41	16.08	34.77	PASS
Band17	5	23825	1	#0	QPSK	22.35	-2.41	17.79	34.77	PASS
Band17	5	23825	1	#Mid	QPSK	22.34	-2.41	17.78	34.77	PASS
Band17	5	23825	1	#Max	QPSK	22.41	-2.41	17.85	34.77	PASS
Band17	5	23825	12	#0	QPSK	21.46	-2.41	16.90	34.77	PASS
Band17	5	23825	12	#Mid	QPSK	21.48	-2.41	16.92	34.77	PASS
Band17	5	23825	12	#Max	QPSK	21.51	-2.41	16.95	34.77	PASS
Band17	5	23825	25	#0	QPSK	21.50	-2.41	16.94	34.77	PASS
Band17	5	23825	1	#0	16QAM	21.53	-2.41	16.97	34.77	PASS
Band17	5	23825	1	#Mid	16QAM	21.54	-2.41	16.98	34.77	PASS
Band17	5	23825	1	#Max	16QAM	21.40	-2.41	16.84	34.77	PASS
Band17	5	23825	12	#0	16QAM	20.23	-2.41	15.67	34.77	PASS
Band17	5	23825	12	#Mid	16QAM	20.51	-2.41	15.95	34.77	PASS
Band17	5	23825	12	#Max	16QAM	20.67	-2.41	16.11	34.77	PASS
Band17	5	23825	25	#0	16QAM	20.51	-2.41	15.95	34.77	PASS
Band17	10	23780	1	#0	QPSK	23.10	-2.41	18.54	34.77	PASS
Band17	10	23780	1	#Mid	QPSK	23.06	-2.41	18.50	34.77	PASS
Band17	10	23780	1	#Max	QPSK	22.75	-2.41	18.19	34.77	PASS
Band17	10	23780	25	#0	QPSK	22.20	-2.41	17.64	34.77	PASS
Band17	10	23780	25	#Mid	QPSK	22.15	-2.41	17.59	34.77	PASS
Band17	10	23780	25	#Max	QPSK	22.02	-2.41	17.46	34.77	PASS
Band17	10	23780	50	#0	QPSK	22.17	-2.41	17.61	34.77	PASS
Band17	10	23780	1	#0	16QAM	22.54	-2.41	17.98	34.77	PASS
Band17	10	23780	1	#Mid	16QAM	22.32	-2.41	17.76	34.77	PASS
Band17	10	23780	1	#Max	16QAM	22.02	-2.41	17.46	34.77	PASS
Band17	10	23780	25	#0	16QAM	21.13	-2.41	16.57	34.77	PASS
Band17	10	23780	25	#Mid	16QAM	21.18	-2.41	16.62	34.77	PASS
Band17	10	23780	25	#Max	16QAM	21.05	-2.41	16.49	34.77	PASS
Band17	10	23780	50	#0	16QAM	21.18	-2.41	16.62	34.77	PASS
Band17	10	23790	1	#0	QPSK	22.86	-2.41	18.30	34.77	PASS
Band17	10	23790	1	#Mid	QPSK	22.84	-2.41	18.28	34.77	PASS
Band17	10	23790	1	#Max	QPSK	22.81	-2.41	18.25	34.77	PASS

Band17	10	23790	25	#0	QPSK	22.12	-2.41	17.56	34.77	PASS
Band17	10	23790	25	#Mid	QPSK	21.90	-2.41	17.34	34.77	PASS
Band17	10	23790	25	#Max	QPSK	21.93	-2.41	17.37	34.77	PASS
Band17	10	23790	50	#0	QPSK	22.11	-2.41	17.55	34.77	PASS
Band17	10	23790	1	#0	16QAM	21.54	-2.41	16.98	34.77	PASS
Band17	10	23790	1	#Mid	16QAM	21.65	-2.41	17.09	34.77	PASS
Band17	10	23790	1	#Max	16QAM	21.55	-2.41	16.99	34.77	PASS
Band17	10	23790	25	#0	16QAM	21.13	-2.41	16.57	34.77	PASS
Band17	10	23790	25	#Mid	16QAM	20.91	-2.41	16.35	34.77	PASS
Band17	10	23790	25	#Max	16QAM	20.95	-2.41	16.39	34.77	PASS
Band17	10	23790	50	#0	16QAM	21.15	-2.41	16.59	34.77	PASS
Band17	10	23800	1	#0	QPSK	23.19	-2.41	18.63	34.77	PASS
Band17	10	23800	1	#Mid	QPSK	23.03	-2.41	18.47	34.77	PASS
Band17	10	23800	1	#Max	QPSK	22.89	-2.41	18.33	34.77	PASS
Band17	10	23800	25	#0	QPSK	22.00	-2.41	17.44	34.77	PASS
Band17	10	23800	25	#Mid	QPSK	21.91	-2.41	17.35	34.77	PASS
Band17	10	23800	25	#Max	QPSK	21.99	-2.41	17.43	34.77	PASS
Band17	10	23800	50	#0	QPSK	22.10	-2.41	17.54	34.77	PASS
Band17	10	23800	1	#0	16QAM	21.98	-2.41	17.42	34.77	PASS
Band17	10	23800	1	#Mid	16QAM	21.98	-2.41	17.42	34.77	PASS
Band17	10	23800	1	#Max	16QAM	21.83	-2.41	17.27	34.77	PASS
Band17	10	23800	25	#0	16QAM	21.23	-2.41	16.67	34.77	PASS
Band17	10	23800	25	#Mid	16QAM	20.93	-2.41	16.37	34.77	PASS
Band17	10	23800	25	#Max	16QAM	21.04	-2.41	16.48	34.77	PASS
Band17	10	23800	50	#0	16QAM	21.09	-2.41	16.53	34.77	PASS

Band	Band width (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	ERP (dBm)	ERP Limit (dBm)	Verdict
Band26(824-849)	1.4	26797	1	#0	QPSK	24.07	-0.72	21.20	38.45	PASS
Band26(824-849)	1.4	26797	1	#Mid	QPSK	24.56	-0.72	21.69	38.45	PASS
Band26(824-849)	1.4	26797	1	#Max	QPSK	23.99	-0.72	21.12	38.45	PASS
Band26(824-849)	1.4	26797	3	#0	QPSK	23.97	-0.72	21.10	38.45	PASS
Band26(824-849)	1.4	26797	3	#Mid	QPSK	24.01	-0.72	21.14	38.45	PASS
Band26(824-849)	1.4	26797	3	#Max	QPSK	23.95	-0.72	21.08	38.45	PASS
Band26(824-849)	1.4	26797	6	#0	QPSK	23.11	-0.72	20.24	38.45	PASS
Band26(824-849)	1.4	26797	1	#0	16QAM	23.48	-0.72	20.61	38.45	PASS
Band26(824-849)	1.4	26797	1	#Mid	16QAM	23.09	-0.72	20.22	38.45	PASS
Band26(824-849)	1.4	26797	1	#Max	16QAM	23.12	-0.72	20.25	38.45	PASS
Band26(824-849)	1.4	26797	3	#0	16QAM	23.27	-0.72	20.40	38.45	PASS
Band26(824-849)	1.4	26797	3	#Mid	16QAM	23.22	-0.72	20.35	38.45	PASS
Band26(824-849)	1.4	26797	3	#Max	16QAM	23.21	-0.72	20.34	38.45	PASS
Band26(824-849)	1.4	26797	6	#0	16QAM	22.48	-0.72	19.61	38.45	PASS
Band26(824-849)	1.4	26915	1	#0	QPSK	23.78	-0.72	20.91	38.45	PASS
Band26(824-849)	1.4	26915	1	#Mid	QPSK	24.10	-0.72	21.23	38.45	PASS
Band26(824-849)	1.4	26915	1	#Max	QPSK	23.90	-0.72	21.03	38.45	PASS
Band26(824-849)	1.4	26915	3	#0	QPSK	24.08	-0.72	21.21	38.45	PASS
Band26(824-849)	1.4	26915	3	#Mid	QPSK	24.06	-0.72	21.19	38.45	PASS
Band26(824-849)	1.4	26915	3	#Max	QPSK	24.08	-0.72	21.21	38.45	PASS
Band26(824-849)	1.4	26915	6	#0	QPSK	23.14	-0.72	20.27	38.45	PASS
Band26(824-849)	1.4	26915	1	#0	16QAM	22.81	-0.72	19.94	38.45	PASS
Band26(824-849)	1.4	26915	1	#Mid	16QAM	22.86	-0.72	19.99	38.45	PASS
Band26(824-849)	1.4	26915	1	#Max	16QAM	22.79	-0.72	19.92	38.45	PASS
Band26(824-849)	1.4	26915	3	#0	16QAM	22.75	-0.72	19.88	38.45	PASS
Band26(824-849)	1.4	26915	3	#Mid	16QAM	22.75	-0.72	19.88	38.45	PASS
Band26(824-849)	1.4	26915	3	#Max	16QAM	22.66	-0.72	19.79	38.45	PASS
Band26(824-849)	1.4	26915	6	#0	16QAM	22.14	-0.72	19.27	38.45	PASS
Band26(824-849)	1.4	27033	1	#0	QPSK	24.04	-0.72	21.17	38.45	PASS
Band26(824-849)	1.4	27033	1	#Mid	QPSK	24.22	-0.72	21.35	38.45	PASS
Band26(824-849)	1.4	27033	1	#Max	QPSK	24.06	-0.72	21.19	38.45	PASS
Band26(824-849)	1.4	27033	3	#0	QPSK	24.23	-0.72	21.36	38.45	PASS
Band26(824-849)	1.4	27033	3	#Mid	QPSK	24.26	-0.72	21.39	38.45	PASS
Band26(824-849)	1.4	27033	3	#Max	QPSK	24.27	-0.72	21.40	38.45	PASS
Band26(824-849)	1.4	27033	6	#0	QPSK	23.32	-0.72	20.45	38.45	PASS
Band26(824-849)	1.4	27033	1	#0	16QAM	23.12	-0.72	20.25	38.45	PASS
Band26(824-849)	1.4	27033	1	#Mid	16QAM	23.22	-0.72	20.35	38.45	PASS
Band26(824-849)	1.4	27033	1	#Max	16QAM	23.11	-0.72	20.24	38.45	PASS
Band26(824-849)	1.4	27033	3	#0	16QAM	23.04	-0.72	20.17	38.45	PASS
Band26(824-849)	1.4	27033	3	#Mid	16QAM	23.09	-0.72	20.22	38.45	PASS
Band26(824-849)	1.4	27033	3	#Max	16QAM	23.12	-0.72	20.25	38.45	PASS
Band26(824-849)	1.4	27033	6	#0	16QAM	22.20	-0.72	19.33	38.45	PASS
Band26(824-849)	3	26805	1	#0	QPSK	24.04	-0.72	21.17	38.45	PASS
Band26(824-849)	3	26805	1	#Mid	QPSK	23.89	-0.72	21.02	38.45	PASS
Band26(824-849)	3	26805	1	#Max	QPSK	23.99	-0.72	21.12	38.45	PASS
Band26(824-849)	3	26805	8	#0	QPSK	23.12	-0.72	20.25	38.45	PASS
Band26(824-849)	3	26805	8	#Mid	QPSK	23.15	-0.72	20.28	38.45	PASS
Band26(824-849)	3	26805	8	#Max	QPSK	23.07	-0.72	20.20	38.45	PASS
Band26(824-849)	3	26805	15	#0	QPSK	23.09	-0.72	20.22	38.45	PASS
Band26(824-849)	3	26805	1	#0	16QAM	23.58	-0.72	20.71	38.45	PASS
Band26(824-849)	3	26805	1	#Mid	16QAM	23.38	-0.72	20.51	38.45	PASS
Band26(824-849)	3	26805	1	#Max	16QAM	23.63	-0.72	20.76	38.45	PASS
Band26(824-849)	3	26805	8	#0	16QAM	22.10	-0.72	19.23	38.45	PASS
Band26(824-849)	3	26805	8	#Mid	16QAM	22.05	-0.72	19.18	38.45	PASS
Band26(824-849)	3	26805	8	#Max	16QAM	22.08	-0.72	19.21	38.45	PASS
Band26(824-849)	3	26805	15	#0	16QAM	22.09	-0.72	19.22	38.45	PASS
Band26(824-849)	3	26915	1	#0	QPSK	23.67	-0.72	20.80	38.45	PASS
Band26(824-849)	3	26915	1	#Mid	QPSK	24.21	-0.72	21.34	38.45	PASS

Band26(824-849)	3	26915	1	#Max	QPSK	24.15	-0.72	21.28	38.45	PASS
Band26(824-849)	3	26915	8	#0	QPSK	23.10	-0.72	20.23	38.45	PASS
Band26(824-849)	3	26915	8	#Mid	QPSK	23.10	-0.72	20.23	38.45	PASS
Band26(824-849)	3	26915	8	#Max	QPSK	23.08	-0.72	20.21	38.45	PASS
Band26(824-849)	3	26915	15	#0	QPSK	23.16	-0.72	20.29	38.45	PASS
Band26(824-849)	3	26915	1	#0	16QAM	22.71	-0.72	19.84	38.45	PASS
Band26(824-849)	3	26915	1	#Mid	16QAM	22.65	-0.72	19.78	38.45	PASS
Band26(824-849)	3	26915	1	#Max	16QAM	22.80	-0.72	19.93	38.45	PASS
Band26(824-849)	3	26915	8	#0	16QAM	21.94	-0.72	19.07	38.45	PASS
Band26(824-849)	3	26915	8	#Mid	16QAM	21.82	-0.72	18.95	38.45	PASS
Band26(824-849)	3	26915	8	#Max	16QAM	21.82	-0.72	18.95	38.45	PASS
Band26(824-849)	3	26915	15	#0	16QAM	22.10	-0.72	19.23	38.45	PASS
Band26(824-849)	3	27025	1	#0	QPSK	24.13	-0.72	21.26	38.45	PASS
Band26(824-849)	3	27025	1	#Mid	QPSK	24.18	-0.72	21.31	38.45	PASS
Band26(824-849)	3	27025	1	#Max	QPSK	24.08	-0.72	21.21	38.45	PASS
Band26(824-849)	3	27025	8	#0	QPSK	23.16	-0.72	20.29	38.45	PASS
Band26(824-849)	3	27025	8	#Mid	QPSK	23.20	-0.72	20.33	38.45	PASS
Band26(824-849)	3	27025	8	#Max	QPSK	23.22	-0.72	20.35	38.45	PASS
Band26(824-849)	3	27025	15	#0	QPSK	23.16	-0.72	20.29	38.45	PASS
Band26(824-849)	3	27025	1	#0	16QAM	22.84	-0.72	19.97	38.45	PASS
Band26(824-849)	3	27025	1	#Mid	16QAM	23.04	-0.72	20.17	38.45	PASS
Band26(824-849)	3	27025	1	#Max	16QAM	22.78	-0.72	19.91	38.45	PASS
Band26(824-849)	3	27025	8	#0	16QAM	21.91	-0.72	19.04	38.45	PASS
Band26(824-849)	3	27025	8	#Mid	16QAM	21.96	-0.72	19.09	38.45	PASS
Band26(824-849)	3	27025	8	#Max	16QAM	22.00	-0.72	19.13	38.45	PASS
Band26(824-849)	3	27025	15	#0	16QAM	22.08	-0.72	19.21	38.45	PASS
Band26(824-849)	5	26815	1	#0	QPSK	23.89	-0.72	21.02	38.45	PASS
Band26(824-849)	5	26815	1	#Mid	QPSK	24.45	-0.72	21.58	38.45	PASS
Band26(824-849)	5	26815	1	#Max	QPSK	24.02	-0.72	21.15	38.45	PASS
Band26(824-849)	5	26815	12	#0	QPSK	23.06	-0.72	20.19	38.45	PASS
Band26(824-849)	5	26815	12	#Mid	QPSK	23.10	-0.72	20.23	38.45	PASS
Band26(824-849)	5	26815	12	#Max	QPSK	23.08	-0.72	20.21	38.45	PASS
Band26(824-849)	5	26815	25	#0	QPSK	23.02	-0.72	20.15	38.45	PASS
Band26(824-849)	5	26815	1	#0	16QAM	23.00	-0.72	20.13	38.45	PASS
Band26(824-849)	5	26815	1	#Mid	16QAM	22.92	-0.72	20.05	38.45	PASS
Band26(824-849)	5	26815	1	#Max	16QAM	23.11	-0.72	20.24	38.45	PASS
Band26(824-849)	5	26815	12	#0	16QAM	21.86	-0.72	18.99	38.45	PASS
Band26(824-849)	5	26815	12	#Mid	16QAM	22.06	-0.72	19.19	38.45	PASS
Band26(824-849)	5	26815	12	#Max	16QAM	22.08	-0.72	19.21	38.45	PASS
Band26(824-849)	5	26815	25	#0	16QAM	22.13	-0.72	19.26	38.45	PASS
Band26(824-849)	5	26915	1	#0	QPSK	23.77	-0.72	20.90	38.45	PASS
Band26(824-849)	5	26915	1	#Mid	QPSK	24.28	-0.72	21.41	38.45	PASS
Band26(824-849)	5	26915	1	#Max	QPSK	24.02	-0.72	21.15	38.45	PASS
Band26(824-849)	5	26915	12	#0	QPSK	23.03	-0.72	20.16	38.45	PASS
Band26(824-849)	5	26915	12	#Mid	QPSK	23.08	-0.72	20.21	38.45	PASS
Band26(824-849)	5	26915	12	#Max	QPSK	23.10	-0.72	20.23	38.45	PASS
Band26(824-849)	5	26915	25	#0	QPSK	23.22	-0.72	20.35	38.45	PASS
Band26(824-849)	5	26915	1	#0	16QAM	22.83	-0.72	19.96	38.45	PASS
Band26(824-849)	5	26915	1	#Mid	16QAM	22.74	-0.72	19.87	38.45	PASS
Band26(824-849)	5	26915	1	#Max	16QAM	22.61	-0.72	19.74	38.45	PASS
Band26(824-849)	5	26915	12	#0	16QAM	21.78	-0.72	18.91	38.45	PASS
Band26(824-849)	5	26915	12	#Mid	16QAM	21.76	-0.72	18.89	38.45	PASS
Band26(824-849)	5	26915	12	#Max	16QAM	21.90	-0.72	19.03	38.45	PASS
Band26(824-849)	5	26915	25	#0	16QAM	22.28	-0.72	19.41	38.45	PASS
Band26(824-849)	5	27015	1	#0	QPSK	24.04	-0.72	21.17	38.45	PASS
Band26(824-849)	5	27015	1	#Mid	QPSK	24.34	-0.72	21.47	38.45	PASS
Band26(824-849)	5	27015	1	#Max	QPSK	24.20	-0.72	21.33	38.45	PASS
Band26(824-849)	5	27015	12	#0	QPSK	23.14	-0.72	20.27	38.45	PASS
Band26(824-849)	5	27015	12	#Mid	QPSK	23.29	-0.72	20.42	38.45	PASS
Band26(824-849)	5	27015	12	#Max	QPSK	23.30	-0.72	20.43	38.45	PASS
Band26(824-849)	5	27015	25	#0	QPSK	23.19	-0.72	20.32	38.45	PASS

Band26(824-849)	5	27015	1	#0	16QAM	23.23	-0.72	20.36	38.45	PASS
Band26(824-849)	5	27015	1	#Mid	16QAM	23.09	-0.72	20.22	38.45	PASS
Band26(824-849)	5	27015	1	#Max	16QAM	23.21	-0.72	20.34	38.45	PASS
Band26(824-849)	5	27015	12	#0	16QAM	22.01	-0.72	19.14	38.45	PASS
Band26(824-849)	5	27015	12	#Mid	16QAM	22.07	-0.72	19.20	38.45	PASS
Band26(824-849)	5	27015	12	#Max	16QAM	22.18	-0.72	19.31	38.45	PASS
Band26(824-849)	5	27015	25	#0	16QAM	21.99	-0.72	19.12	38.45	PASS
Band26(824-849)	10	26840	1	#0	QPSK	23.94	-0.72	21.07	38.45	PASS
Band26(824-849)	10	26840	1	#Mid	QPSK	24.02	-0.72	21.15	38.45	PASS
Band26(824-849)	10	26840	1	#Max	QPSK	24.21	-0.72	21.34	38.45	PASS
Band26(824-849)	10	26840	25	#0	QPSK	23.27	-0.72	20.40	38.45	PASS
Band26(824-849)	10	26840	25	#Mid	QPSK	23.06	-0.72	20.19	38.45	PASS
Band26(824-849)	10	26840	25	#Max	QPSK	23.20	-0.72	20.33	38.45	PASS
Band26(824-849)	10	26840	50	#0	QPSK	23.09	-0.72	20.22	38.45	PASS
Band26(824-849)	10	26840	1	#0	16QAM	24.02	-0.72	21.15	38.45	PASS
Band26(824-849)	10	26840	1	#Mid	16QAM	23.47	-0.72	20.60	38.45	PASS
Band26(824-849)	10	26840	1	#Max	16QAM	23.19	-0.72	20.32	38.45	PASS
Band26(824-849)	10	26840	25	#0	16QAM	22.33	-0.72	19.46	38.45	PASS
Band26(824-849)	10	26840	25	#Mid	16QAM	22.11	-0.72	19.24	38.45	PASS
Band26(824-849)	10	26840	25	#Max	16QAM	22.13	-0.72	19.26	38.45	PASS
Band26(824-849)	10	26840	50	#0	16QAM	22.04	-0.72	19.17	38.45	PASS
Band26(824-849)	10	26915	1	#0	QPSK	24.10	-0.72	21.23	38.45	PASS
Band26(824-849)	10	26915	1	#Mid	QPSK	23.93	-0.72	21.06	38.45	PASS
Band26(824-849)	10	26915	1	#Max	QPSK	23.93	-0.72	21.06	38.45	PASS
Band26(824-849)	10	26915	25	#0	QPSK	23.17	-0.72	20.30	38.45	PASS
Band26(824-849)	10	26915	25	#Mid	QPSK	23.10	-0.72	20.23	38.45	PASS
Band26(824-849)	10	26915	25	#Max	QPSK	23.11	-0.72	20.24	38.45	PASS
Band26(824-849)	10	26915	50	#0	QPSK	23.17	-0.72	20.30	38.45	PASS
Band26(824-849)	10	26915	1	#0	16QAM	22.76	-0.72	19.89	38.45	PASS
Band26(824-849)	10	26915	1	#Mid	16QAM	22.79	-0.72	19.92	38.45	PASS
Band26(824-849)	10	26915	1	#Max	16QAM	22.39	-0.72	19.52	38.45	PASS
Band26(824-849)	10	26915	25	#0	16QAM	22.22	-0.72	19.35	38.45	PASS
Band26(824-849)	10	26915	25	#Mid	16QAM	22.16	-0.72	19.29	38.45	PASS
Band26(824-849)	10	26915	25	#Max	16QAM	22.26	-0.72	19.39	38.45	PASS
Band26(824-849)	10	26915	50	#0	16QAM	22.10	-0.72	19.23	38.45	PASS
Band26(824-849)	10	26990	1	#0	QPSK	24.13	-0.72	21.26	38.45	PASS
Band26(824-849)	10	26990	1	#Mid	QPSK	24.24	-0.72	21.37	38.45	PASS
Band26(824-849)	10	26990	1	#Max	QPSK	24.55	-0.72	21.68	38.45	PASS
Band26(824-849)	10	26990	25	#0	QPSK	23.13	-0.72	20.26	38.45	PASS
Band26(824-849)	10	26990	25	#Mid	QPSK	23.21	-0.72	20.34	38.45	PASS
Band26(824-849)	10	26990	25	#Max	QPSK	23.36	-0.72	20.49	38.45	PASS
Band26(824-849)	10	26990	50	#0	QPSK	23.19	-0.72	20.32	38.45	PASS
Band26(824-849)	10	26990	1	#0	16QAM	22.85	-0.72	19.98	38.45	PASS
Band26(824-849)	10	26990	1	#Mid	16QAM	23.32	-0.72	20.45	38.45	PASS
Band26(824-849)	10	26990	1	#Max	16QAM	23.29	-0.72	20.42	38.45	PASS
Band26(824-849)	10	26990	25	#0	16QAM	22.08	-0.72	19.21	38.45	PASS
Band26(824-849)	10	26990	25	#Mid	16QAM	22.07	-0.72	19.20	38.45	PASS
Band26(824-849)	10	26990	25	#Max	16QAM	22.41	-0.72	19.54	38.45	PASS
Band26(824-849)	10	26990	50	#0	16QAM	22.14	-0.72	19.27	38.45	PASS
Band26(824-849)	15	26865	1	#0	QPSK	24.49	-0.72	21.62	38.45	PASS
Band26(824-849)	15	26865	1	#Mid	QPSK	24.59	-0.72	21.72	38.45	PASS
Band26(824-849)	15	26865	1	#Max	QPSK	24.57	-0.72	21.70	38.45	PASS
Band26(824-849)	15	26865	36	#0	QPSK	23.51	-0.72	20.64	38.45	PASS
Band26(824-849)	15	26865	36	#Mid	QPSK	23.63	-0.72	20.76	38.45	PASS
Band26(824-849)	15	26865	36	#Max	QPSK	23.70	-0.72	20.83	38.45	PASS
Band26(824-849)	15	26865	75	#0	QPSK	23.65	-0.72	20.78	38.45	PASS
Band26(824-849)	15	26865	1	#0	16QAM	24.64	-0.72	21.77	38.45	PASS
Band26(824-849)	15	26865	1	#Mid	16QAM	24.04	-0.72	21.17	38.45	PASS
Band26(824-849)	15	26865	1	#Max	16QAM	24.28	-0.72	21.41	38.45	PASS
Band26(824-849)	15	26865	36	#0	16QAM	22.38	-0.72	19.51	38.45	PASS
Band26(824-849)	15	26865	36	#Mid	16QAM	22.62	-0.72	19.75	38.45	PASS

Band26(824-849)	15	26865	36	#Max	16QAM	22.67	-0.72	19.80	38.45	PASS
Band26(824-849)	15	26865	75	#0	16QAM	22.60	-0.72	19.73	38.45	PASS
Band26(824-849)	15	26915	1	#0	QPSK	24.21	-0.72	21.34	38.45	PASS
Band26(824-849)	15	26915	1	#Mid	QPSK	24.71	-0.72	21.84	38.45	PASS
Band26(824-849)	15	26915	1	#Max	QPSK	24.81	-0.72	21.94	38.45	PASS
Band26(824-849)	15	26915	36	#0	QPSK	23.64	-0.72	20.77	38.45	PASS
Band26(824-849)	15	26915	36	#Mid	QPSK	23.55	-0.72	20.68	38.45	PASS
Band26(824-849)	15	26915	36	#Max	QPSK	23.60	-0.72	20.73	38.45	PASS
Band26(824-849)	15	26915	75	#0	QPSK	23.65	-0.72	20.78	38.45	PASS
Band26(824-849)	15	26915	1	#0	16QAM	22.96	-0.72	20.09	38.45	PASS
Band26(824-849)	15	26915	1	#Mid	16QAM	23.65	-0.72	20.78	38.45	PASS
Band26(824-849)	15	26915	1	#Max	16QAM	23.38	-0.72	20.51	38.45	PASS
Band26(824-849)	15	26915	36	#0	16QAM	22.75	-0.72	19.88	38.45	PASS
Band26(824-849)	15	26915	36	#Mid	16QAM	22.68	-0.72	19.81	38.45	PASS
Band26(824-849)	15	26915	36	#Max	16QAM	22.74	-0.72	19.87	38.45	PASS
Band26(824-849)	15	26915	75	#0	16QAM	22.64	-0.72	19.77	38.45	PASS
Band26(824-849)	15	26965	1	#0	QPSK	24.41	-0.72	21.54	38.45	PASS
Band26(824-849)	15	26965	1	#Mid	QPSK	24.66	-0.72	21.79	38.45	PASS
Band26(824-849)	15	26965	1	#Max	QPSK	24.78	-0.72	21.91	38.45	PASS
Band26(824-849)	15	26965	36	#0	QPSK	23.62	-0.72	20.75	38.45	PASS
Band26(824-849)	15	26965	36	#Mid	QPSK	23.65	-0.72	20.78	38.45	PASS
Band26(824-849)	15	26965	36	#Max	QPSK	23.82	-0.72	20.95	38.45	PASS
Band26(824-849)	15	26965	75	#0	QPSK	23.71	-0.72	20.84	38.45	PASS
Band26(824-849)	15	26965	1	#0	16QAM	23.69	-0.72	20.82	38.45	PASS
Band26(824-849)	15	26965	1	#Mid	16QAM	23.75	-0.72	20.88	38.45	PASS
Band26(824-849)	15	26965	1	#Max	16QAM	24.37	-0.72	21.50	38.45	PASS
Band26(824-849)	15	26965	36	#0	16QAM	22.46	-0.72	19.59	38.45	PASS
Band26(824-849)	15	26965	36	#Mid	16QAM	22.58	-0.72	19.71	38.45	PASS
Band26(824-849)	15	26965	36	#Max	16QAM	22.66	-0.72	19.79	38.45	PASS
Band26(824-849)	15	26965	75	#0	16QAM	22.70	-0.72	19.83	38.45	PASS

Band	Band width (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	ERP (dBm)	ERP Limit (dBm)	Verdict
Band26(814-824)	1.4	26697	1	#0	QPSK	24.24	-0.72	21.37	50	PASS
Band26(814-824)	1.4	26697	1	#Mid	QPSK	24.31	-0.72	21.44	50	PASS
Band26(814-824)	1.4	26697	1	#Max	QPSK	24.28	-0.72	21.41	50	PASS
Band26(814-824)	1.4	26697	3	#0	QPSK	23.99	-0.72	21.12	50	PASS
Band26(814-824)	1.4	26697	3	#Mid	QPSK	24.16	-0.72	21.29	50	PASS
Band26(814-824)	1.4	26697	3	#Max	QPSK	24.01	-0.72	21.14	50	PASS
Band26(814-824)	1.4	26697	6	#0	QPSK	23.05	-0.72	20.18	50	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	23.20	-0.72	20.33	50	PASS
Band26(814-824)	1.4	26697	1	#Mid	16QAM	23.24	-0.72	20.37	50	PASS
Band26(814-824)	1.4	26697	1	#Max	16QAM	23.13	-0.72	20.26	50	PASS
Band26(814-824)	1.4	26697	3	#0	16QAM	22.98	-0.72	20.11	50	PASS
Band26(814-824)	1.4	26697	3	#Mid	16QAM	23.13	-0.72	20.26	50	PASS
Band26(814-824)	1.4	26697	3	#Max	16QAM	23.08	-0.72	20.21	50	PASS
Band26(814-824)	1.4	26697	6	#0	16QAM	22.00	-0.72	19.13	50	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	24.10	-0.72	21.23	50	PASS
Band26(814-824)	1.4	26740	1	#Mid	QPSK	24.05	-0.72	21.18	50	PASS
Band26(814-824)	1.4	26740	1	#Max	QPSK	23.81	-0.72	20.94	50	PASS
Band26(814-824)	1.4	26740	3	#0	QPSK	24.00	-0.72	21.13	50	PASS
Band26(814-824)	1.4	26740	3	#Mid	QPSK	24.03	-0.72	21.16	50	PASS
Band26(814-824)	1.4	26740	3	#Max	QPSK	23.97	-0.72	21.10	50	PASS
Band26(814-824)	1.4	26740	6	#0	QPSK	23.14	-0.72	20.27	50	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	22.91	-0.72	20.04	50	PASS
Band26(814-824)	1.4	26740	1	#Mid	16QAM	22.94	-0.72	20.07	50	PASS
Band26(814-824)	1.4	26740	1	#Max	16QAM	22.81	-0.72	19.94	50	PASS
Band26(814-824)	1.4	26740	3	#0	16QAM	22.85	-0.72	19.98	50	PASS
Band26(814-824)	1.4	26740	3	#Mid	16QAM	22.79	-0.72	19.92	50	PASS
Band26(814-824)	1.4	26740	3	#Max	16QAM	22.74	-0.72	19.87	50	PASS
Band26(814-824)	1.4	26740	6	#0	16QAM	22.12	-0.72	19.25	50	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	23.95	-0.72	21.08	50	PASS
Band26(814-824)	1.4	26783	1	#Mid	QPSK	23.96	-0.72	21.09	50	PASS
Band26(814-824)	1.4	26783	1	#Max	QPSK	23.74	-0.72	20.87	50	PASS
Band26(814-824)	1.4	26783	3	#0	QPSK	23.91	-0.72	21.04	50	PASS
Band26(814-824)	1.4	26783	3	#Mid	QPSK	24.01	-0.72	21.14	50	PASS
Band26(814-824)	1.4	26783	3	#Max	QPSK	23.90	-0.72	21.03	50	PASS
Band26(814-824)	1.4	26783	6	#0	QPSK	22.94	-0.72	20.07	50	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	22.76	-0.72	19.89	50	PASS
Band26(814-824)	1.4	26783	1	#Mid	16QAM	23.05	-0.72	20.18	50	PASS
Band26(814-824)	1.4	26783	1	#Max	16QAM	22.88	-0.72	20.01	50	PASS
Band26(814-824)	1.4	26783	3	#0	16QAM	23.08	-0.72	20.21	50	PASS
Band26(814-824)	1.4	26783	3	#Mid	16QAM	23.09	-0.72	20.22	50	PASS
Band26(814-824)	1.4	26783	3	#Max	16QAM	23.09	-0.72	20.22	50	PASS
Band26(814-824)	1.4	26783	6	#0	16QAM	22.13	-0.72	19.26	50	PASS
Band26(814-824)	3	26705	1	#0	QPSK	24.06	-0.72	21.19	50	PASS
Band26(814-824)	3	26705	1	#Mid	QPSK	24.12	-0.72	21.25	50	PASS
Band26(814-824)	3	26705	1	#Max	QPSK	24.19	-0.72	21.32	50	PASS
Band26(814-824)	3	26705	8	#0	QPSK	23.01	-0.72	20.14	50	PASS
Band26(814-824)	3	26705	8	#Mid	QPSK	23.11	-0.72	20.24	50	PASS
Band26(814-824)	3	26705	8	#Max	QPSK	23.15	-0.72	20.28	50	PASS
Band26(814-824)	3	26705	15	#0	QPSK	23.08	-0.72	20.21	50	PASS
Band26(814-824)	3	26705	1	#0	16QAM	23.48	-0.72	20.61	50	PASS
Band26(814-824)	3	26705	1	#Mid	16QAM	23.20	-0.72	20.33	50	PASS
Band26(814-824)	3	26705	1	#Max	16QAM	23.25	-0.72	20.38	50	PASS
Band26(814-824)	3	26705	8	#0	16QAM	21.89	-0.72	19.02	50	PASS
Band26(814-824)	3	26705	8	#Mid	16QAM	21.98	-0.72	19.11	50	PASS
Band26(814-824)	3	26705	8	#Max	16QAM	22.00	-0.72	19.13	50	PASS
Band26(814-824)	3	26705	15	#0	16QAM	22.06	-0.72	19.19	50	PASS
Band26(814-824)	3	26740	1	#0	QPSK	24.20	-0.72	21.33	50	PASS
Band26(814-824)	3	26740	1	#Mid	QPSK	24.21	-0.72	21.34	50	PASS

Band26(814-824)	3	26740	1	#Max	QPSK	24.31	-0.72	21.44	50	PASS
Band26(814-824)	3	26740	8	#0	QPSK	23.19	-0.72	20.32	50	PASS
Band26(814-824)	3	26740	8	#Mid	QPSK	23.16	-0.72	20.29	50	PASS
Band26(814-824)	3	26740	8	#Max	QPSK	23.14	-0.72	20.27	50	PASS
Band26(814-824)	3	26740	15	#0	QPSK	23.13	-0.72	20.26	50	PASS
Band26(814-824)	3	26740	1	#0	16QAM	23.00	-0.72	20.13	50	PASS
Band26(814-824)	3	26740	1	#Mid	16QAM	23.05	-0.72	20.18	50	PASS
Band26(814-824)	3	26740	1	#Max	16QAM	22.94	-0.72	20.07	50	PASS
Band26(814-824)	3	26740	8	#0	16QAM	21.98	-0.72	19.11	50	PASS
Band26(814-824)	3	26740	8	#Mid	16QAM	22.05	-0.72	19.18	50	PASS
Band26(814-824)	3	26740	8	#Max	16QAM	22.02	-0.72	19.15	50	PASS
Band26(814-824)	3	26740	15	#0	16QAM	21.96	-0.72	19.09	50	PASS
Band26(814-824)	3	26775	1	#0	QPSK	24.26	-0.72	21.39	50	PASS
Band26(814-824)	3	26775	1	#Mid	QPSK	24.10	-0.72	21.23	50	PASS
Band26(814-824)	3	26775	1	#Max	QPSK	23.97	-0.72	21.10	50	PASS
Band26(814-824)	3	26775	8	#0	QPSK	23.14	-0.72	20.27	50	PASS
Band26(814-824)	3	26775	8	#Mid	QPSK	23.09	-0.72	20.22	50	PASS
Band26(814-824)	3	26775	8	#Max	QPSK	23.02	-0.72	20.15	50	PASS
Band26(814-824)	3	26775	15	#0	QPSK	23.04	-0.72	20.17	50	PASS
Band26(814-824)	3	26775	1	#0	16QAM	23.15	-0.72	20.28	50	PASS
Band26(814-824)	3	26775	1	#Mid	16QAM	22.85	-0.72	19.98	50	PASS
Band26(814-824)	3	26775	1	#Max	16QAM	22.92	-0.72	20.05	50	PASS
Band26(814-824)	3	26775	8	#0	16QAM	21.71	-0.72	18.84	50	PASS
Band26(814-824)	3	26775	8	#Mid	16QAM	21.66	-0.72	18.79	50	PASS
Band26(814-824)	3	26775	8	#Max	16QAM	21.58	-0.72	18.71	50	PASS
Band26(814-824)	3	26775	15	#0	16QAM	22.03	-0.72	19.16	50	PASS
Band26(814-824)	5	26715	1	#0	QPSK	23.96	-0.72	21.09	50	PASS
Band26(814-824)	5	26715	1	#Mid	QPSK	24.24	-0.72	21.37	50	PASS
Band26(814-824)	5	26715	1	#Max	QPSK	24.23	-0.72	21.36	50	PASS
Band26(814-824)	5	26715	12	#0	QPSK	23.00	-0.72	20.13	50	PASS
Band26(814-824)	5	26715	12	#Mid	QPSK	23.16	-0.72	20.29	50	PASS
Band26(814-824)	5	26715	12	#Max	QPSK	23.20	-0.72	20.33	50	PASS
Band26(814-824)	5	26715	25	#0	QPSK	23.15	-0.72	20.28	50	PASS
Band26(814-824)	5	26715	1	#0	16QAM	23.15	-0.72	20.28	50	PASS
Band26(814-824)	5	26715	1	#Mid	16QAM	23.13	-0.72	20.26	50	PASS
Band26(814-824)	5	26715	1	#Max	16QAM	23.09	-0.72	20.22	50	PASS
Band26(814-824)	5	26715	12	#0	16QAM	21.80	-0.72	18.93	50	PASS
Band26(814-824)	5	26715	12	#Mid	16QAM	21.99	-0.72	19.12	50	PASS
Band26(814-824)	5	26715	12	#Max	16QAM	22.05	-0.72	19.18	50	PASS
Band26(814-824)	5	26715	25	#0	16QAM	22.25	-0.72	19.38	50	PASS
Band26(814-824)	5	26740	1	#0	QPSK	24.04	-0.72	21.17	50	PASS
Band26(814-824)	5	26740	1	#Mid	QPSK	24.29	-0.72	21.42	50	PASS
Band26(814-824)	5	26740	1	#Max	QPSK	23.79	-0.72	20.92	50	PASS
Band26(814-824)	5	26740	12	#0	QPSK	23.15	-0.72	20.28	50	PASS
Band26(814-824)	5	26740	12	#Mid	QPSK	23.17	-0.72	20.30	50	PASS
Band26(814-824)	5	26740	12	#Max	QPSK	23.14	-0.72	20.27	50	PASS
Band26(814-824)	5	26740	25	#0	QPSK	23.13	-0.72	20.26	50	PASS
Band26(814-824)	5	26740	1	#0	16QAM	22.88	-0.72	20.01	50	PASS
Band26(814-824)	5	26740	1	#Mid	16QAM	22.79	-0.72	19.92	50	PASS
Band26(814-824)	5	26740	1	#Max	16QAM	22.88	-0.72	20.01	50	PASS
Band26(814-824)	5	26740	12	#0	16QAM	21.90	-0.72	19.03	50	PASS
Band26(814-824)	5	26740	12	#Mid	16QAM	21.81	-0.72	18.94	50	PASS
Band26(814-824)	5	26740	12	#Max	16QAM	21.98	-0.72	19.11	50	PASS
Band26(814-824)	5	26740	25	#0	16QAM	22.09	-0.72	19.22	50	PASS
Band26(814-824)	5	26765	1	#0	QPSK	24.10	-0.72	21.23	50	PASS
Band26(814-824)	5	26765	1	#Mid	QPSK	24.17	-0.72	21.30	50	PASS
Band26(814-824)	5	26765	1	#Max	QPSK	23.98	-0.72	21.11	50	PASS
Band26(814-824)	5	26765	12	#0	QPSK	23.18	-0.72	20.31	50	PASS
Band26(814-824)	5	26765	12	#Mid	QPSK	23.09	-0.72	20.22	50	PASS
Band26(814-824)	5	26765	12	#Max	QPSK	23.06	-0.72	20.19	50	PASS
Band26(814-824)	5	26765	25	#0	QPSK	23.13	-0.72	20.26	50	PASS

Band26(814-824)	5	26765	1	#0	16QAM	23.15	-0.72	20.28	50	PASS
Band26(814-824)	5	26765	1	#Mid	16QAM	23.21	-0.72	20.34	50	PASS
Band26(814-824)	5	26765	1	#Max	16QAM	23.11	-0.72	20.24	50	PASS
Band26(814-824)	5	26765	12	#0	16QAM	22.16	-0.72	19.29	50	PASS
Band26(814-824)	5	26765	12	#Mid	16QAM	22.08	-0.72	19.21	50	PASS
Band26(814-824)	5	26765	12	#Max	16QAM	22.04	-0.72	19.17	50	PASS
Band26(814-824)	5	26765	25	#0	16QAM	22.14	-0.72	19.27	50	PASS
Band26(814-824)	10	26740	1	#0	QPSK	24.49	-0.72	21.62	50	PASS
Band26(814-824)	10	26740	1	#Mid	QPSK	24.59	-0.72	21.72	50	PASS
Band26(814-824)	10	26740	1	#Max	QPSK	24.42	-0.72	21.55	50	PASS
Band26(814-824)	10	26740	25	#0	QPSK	23.67	-0.72	20.80	50	PASS
Band26(814-824)	10	26740	25	#Mid	QPSK	23.68	-0.72	20.81	50	PASS
Band26(814-824)	10	26740	25	#Max	QPSK	23.74	-0.72	20.87	50	PASS
Band26(814-824)	10	26740	50	#0	QPSK	23.65	-0.72	20.78	50	PASS
Band26(814-824)	10	26740	1	#0	16QAM	23.93	-0.72	21.06	50	PASS
Band26(814-824)	10	26740	1	#Mid	16QAM	24.13	-0.72	21.26	50	PASS
Band26(814-824)	10	26740	1	#Max	16QAM	23.89	-0.72	21.02	50	PASS
Band26(814-824)	10	26740	25	#0	16QAM	22.71	-0.72	19.84	50	PASS
Band26(814-824)	10	26740	25	#Mid	16QAM	22.72	-0.72	19.85	50	PASS
Band26(814-824)	10	26740	25	#Max	16QAM	22.58	-0.72	19.71	50	PASS
Band26(814-824)	10	26740	50	#0	16QAM	22.58	-0.72	19.71	50	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
Band38	5	37775	1	#0	QPSK	23.65	2.52	26.17	33.01	PASS
Band38	5	37775	1	#Mid	QPSK	24.04	2.52	26.56	33.01	PASS
Band38	5	37775	1	#Max	QPSK	23.75	2.52	26.27	33.01	PASS
Band38	5	37775	12	#0	QPSK	22.67	2.52	25.19	33.01	PASS
Band38	5	37775	12	#Mid	QPSK	22.71	2.52	25.23	33.01	PASS
Band38	5	37775	12	#Max	QPSK	22.79	2.52	25.31	33.01	PASS
Band38	5	37775	25	#0	QPSK	22.87	2.52	25.39	33.01	PASS
Band38	5	37775	1	#0	16QAM	22.46	2.52	24.98	33.01	PASS
Band38	5	37775	1	#Mid	16QAM	22.63	2.52	25.15	33.01	PASS
Band38	5	37775	1	#Max	16QAM	22.65	2.52	25.17	33.01	PASS
Band38	5	37775	12	#0	16QAM	21.76	2.52	24.28	33.01	PASS
Band38	5	37775	12	#Mid	16QAM	21.81	2.52	24.33	33.01	PASS
Band38	5	37775	12	#Max	16QAM	21.79	2.52	24.31	33.01	PASS
Band38	5	37775	25	#0	16QAM	21.83	2.52	24.35	33.01	PASS
Band38	5	38000	1	#0	QPSK	23.61	2.52	26.13	33.01	PASS
Band38	5	38000	1	#Mid	QPSK	23.99	2.52	26.51	33.01	PASS
Band38	5	38000	1	#Max	QPSK	23.57	2.52	26.09	33.01	PASS
Band38	5	38000	12	#0	QPSK	22.65	2.52	25.17	33.01	PASS
Band38	5	38000	12	#Mid	QPSK	22.68	2.52	25.20	33.01	PASS
Band38	5	38000	12	#Max	QPSK	22.69	2.52	25.21	33.01	PASS
Band38	5	38000	25	#0	QPSK	22.70	2.52	25.22	33.01	PASS
Band38	5	38000	1	#0	16QAM	22.66	2.52	25.18	33.01	PASS
Band38	5	38000	1	#Mid	16QAM	22.75	2.52	25.27	33.01	PASS
Band38	5	38000	1	#Max	16QAM	22.63	2.52	25.15	33.01	PASS
Band38	5	38000	12	#0	16QAM	21.71	2.52	24.23	33.01	PASS
Band38	5	38000	12	#Mid	16QAM	21.75	2.52	24.27	33.01	PASS
Band38	5	38000	12	#Max	16QAM	21.74	2.52	24.26	33.01	PASS
Band38	5	38000	25	#0	16QAM	21.68	2.52	24.20	33.01	PASS
Band38	5	38225	1	#0	QPSK	23.82	2.52	26.34	33.01	PASS
Band38	5	38225	1	#Mid	QPSK	24.19	2.52	26.71	33.01	PASS
Band38	5	38225	1	#Max	QPSK	23.84	2.52	26.36	33.01	PASS
Band38	5	38225	12	#0	QPSK	23.03	2.52	25.55	33.01	PASS
Band38	5	38225	12	#Mid	QPSK	23.04	2.52	25.56	33.01	PASS
Band38	5	38225	12	#Max	QPSK	23.08	2.52	25.60	33.01	PASS
Band38	5	38225	25	#0	QPSK	23.01	2.52	25.53	33.01	PASS
Band38	5	38225	1	#0	16QAM	22.70	2.52	25.22	33.01	PASS
Band38	5	38225	1	#Mid	16QAM	22.64	2.52	25.16	33.01	PASS
Band38	5	38225	1	#Max	16QAM	22.72	2.52	25.24	33.01	PASS
Band38	5	38225	12	#0	16QAM	22.03	2.52	24.55	33.01	PASS
Band38	5	38225	12	#Mid	16QAM	22.04	2.52	24.56	33.01	PASS
Band38	5	38225	12	#Max	16QAM	22.08	2.52	24.60	33.01	PASS
Band38	5	38225	25	#0	16QAM	22.04	2.52	24.56	33.01	PASS
Band38	10	37800	1	#0	QPSK	23.58	2.52	26.10	33.01	PASS
Band38	10	37800	1	#Mid	QPSK	23.80	2.52	26.32	33.01	PASS
Band38	10	37800	1	#Max	QPSK	23.61	2.52	26.13	33.01	PASS
Band38	10	37800	25	#0	QPSK	22.82	2.52	25.34	33.01	PASS
Band38	10	37800	25	#Mid	QPSK	22.82	2.52	25.34	33.01	PASS
Band38	10	37800	25	#Max	QPSK	22.66	2.52	25.18	33.01	PASS
Band38	10	37800	50	#0	QPSK	22.72	2.52	25.24	33.01	PASS
Band38	10	37800	1	#0	16QAM	23.14	2.52	25.66	33.01	PASS
Band38	10	37800	1	#Mid	16QAM	23.28	2.52	25.80	33.01	PASS
Band38	10	37800	1	#Max	16QAM	23.20	2.52	25.72	33.01	PASS
Band38	10	37800	25	#0	16QAM	21.98	2.52	24.50	33.01	PASS
Band38	10	37800	25	#Mid	16QAM	21.80	2.52	24.32	33.01	PASS
Band38	10	37800	25	#Max	16QAM	21.57	2.52	24.09	33.01	PASS
Band38	10	37800	50	#0	16QAM	21.63	2.52	24.15	33.01	PASS
Band38	10	38000	1	#0	QPSK	23.64	2.52	26.16	33.01	PASS
Band38	10	38000	1	#Mid	QPSK	23.95	2.52	26.47	33.01	PASS
Band38	10	38000	1	#Max	QPSK	23.81	2.52	26.33	33.01	PASS

Band38	10	38000	25	#0	QPSK	22.82	2.52	25.34	33.01	PASS
Band38	10	38000	25	#Mid	QPSK	22.83	2.52	25.35	33.01	PASS
Band38	10	38000	25	#Max	QPSK	22.78	2.52	25.30	33.01	PASS
Band38	10	38000	50	#0	QPSK	22.76	2.52	25.28	33.01	PASS
Band38	10	38000	1	#0	16QAM	21.84	2.52	24.36	33.01	PASS
Band38	10	38000	1	#Mid	16QAM	21.92	2.52	24.44	33.01	PASS
Band38	10	38000	1	#Max	16QAM	21.92	2.52	24.44	33.01	PASS
Band38	10	38000	25	#0	16QAM	21.71	2.52	24.23	33.01	PASS
Band38	10	38000	25	#Mid	16QAM	21.82	2.52	24.34	33.01	PASS
Band38	10	38000	25	#Max	16QAM	21.76	2.52	24.28	33.01	PASS
Band38	10	38000	50	#0	16QAM	21.77	2.52	24.29	33.01	PASS
Band38	10	38200	1	#0	QPSK	23.85	2.52	26.37	33.01	PASS
Band38	10	38200	1	#Mid	QPSK	24.02	2.52	26.54	33.01	PASS
Band38	10	38200	1	#Max	QPSK	23.85	2.52	26.37	33.01	PASS
Band38	10	38200	25	#0	QPSK	22.94	2.52	25.46	33.01	PASS
Band38	10	38200	25	#Mid	QPSK	23.01	2.52	25.53	33.01	PASS
Band38	10	38200	25	#Max	QPSK	22.97	2.52	25.49	33.01	PASS
Band38	10	38200	50	#0	QPSK	22.92	2.52	25.44	33.01	PASS
Band38	10	38200	1	#0	16QAM	23.33	2.52	25.85	33.01	PASS
Band38	10	38200	1	#Mid	16QAM	23.46	2.52	25.98	33.01	PASS
Band38	10	38200	1	#Max	16QAM	23.48	2.52	26.00	33.01	PASS
Band38	10	38200	25	#0	16QAM	21.90	2.52	24.42	33.01	PASS
Band38	10	38200	25	#Mid	16QAM	21.97	2.52	24.49	33.01	PASS
Band38	10	38200	25	#Max	16QAM	21.95	2.52	24.47	33.01	PASS
Band38	10	38200	50	#0	16QAM	21.86	2.52	24.38	33.01	PASS
Band38	15	37825	1	#0	QPSK	23.67	2.52	26.19	33.01	PASS
Band38	15	37825	1	#Mid	QPSK	23.59	2.52	26.11	33.01	PASS
Band38	15	37825	1	#Max	QPSK	23.68	2.52	26.20	33.01	PASS
Band38	15	37825	36	#0	QPSK	22.82	2.52	25.34	33.01	PASS
Band38	15	37825	36	#Mid	QPSK	22.65	2.52	25.17	33.01	PASS
Band38	15	37825	36	#Max	QPSK	22.69	2.52	25.21	33.01	PASS
Band38	15	37825	75	#0	QPSK	22.67	2.52	25.19	33.01	PASS
Band38	15	37825	1	#0	16QAM	23.25	2.52	25.77	33.01	PASS
Band38	15	37825	1	#Mid	16QAM	23.24	2.52	25.76	33.01	PASS
Band38	15	37825	1	#Max	16QAM	23.26	2.52	25.78	33.01	PASS
Band38	15	37825	36	#0	16QAM	21.75	2.52	24.27	33.01	PASS
Band38	15	37825	36	#Mid	16QAM	21.69	2.52	24.21	33.01	PASS
Band38	15	37825	36	#Max	16QAM	21.63	2.52	24.15	33.01	PASS
Band38	15	37825	75	#0	16QAM	21.67	2.52	24.19	33.01	PASS
Band38	15	38000	1	#0	QPSK	23.64	2.52	26.16	33.01	PASS
Band38	15	38000	1	#Mid	QPSK	23.70	2.52	26.22	33.01	PASS
Band38	15	38000	1	#Max	QPSK	23.84	2.52	26.36	33.01	PASS
Band38	15	38000	36	#0	QPSK	22.72	2.52	25.24	33.01	PASS
Band38	15	38000	36	#Mid	QPSK	22.84	2.52	25.36	33.01	PASS
Band38	15	38000	36	#Max	QPSK	22.80	2.52	25.32	33.01	PASS
Band38	15	38000	75	#0	QPSK	22.76	2.52	25.28	33.01	PASS
Band38	15	38000	1	#0	16QAM	22.04	2.52	24.56	33.01	PASS
Band38	15	38000	1	#Mid	16QAM	22.27	2.52	24.79	33.01	PASS
Band38	15	38000	1	#Max	16QAM	22.07	2.52	24.59	33.01	PASS
Band38	15	38000	36	#0	16QAM	21.79	2.52	24.31	33.01	PASS
Band38	15	38000	36	#Mid	16QAM	21.88	2.52	24.40	33.01	PASS
Band38	15	38000	36	#Max	16QAM	21.86	2.52	24.38	33.01	PASS
Band38	15	38000	75	#0	16QAM	21.76	2.52	24.28	33.01	PASS
Band38	15	38175	1	#0	QPSK	23.81	2.52	26.33	33.01	PASS
Band38	15	38175	1	#Mid	QPSK	24.00	2.52	26.52	33.01	PASS
Band38	15	38175	1	#Max	QPSK	24.05	2.52	26.57	33.01	PASS
Band38	15	38175	36	#0	QPSK	22.81	2.52	25.33	33.01	PASS
Band38	15	38175	36	#Mid	QPSK	22.97	2.52	25.49	33.01	PASS
Band38	15	38175	36	#Max	QPSK	22.93	2.52	25.45	33.01	PASS
Band38	15	38175	75	#0	QPSK	22.88	2.52	25.40	33.01	PASS
Band38	15	38175	1	#0	16QAM	22.75	2.52	25.27	33.01	PASS

Band38	15	38175	1	#Mid	16QAM	22.83	2.52	25.35	33.01	PASS
Band38	15	38175	1	#Max	16QAM	22.87	2.52	25.39	33.01	PASS
Band38	15	38175	36	#0	16QAM	21.74	2.52	24.26	33.01	PASS
Band38	15	38175	36	#Mid	16QAM	21.92	2.52	24.44	33.01	PASS
Band38	15	38175	36	#Max	16QAM	21.87	2.52	24.39	33.01	PASS
Band38	15	38175	75	#0	16QAM	21.88	2.52	24.40	33.01	PASS
Band38	20	37850	1	#0	QPSK	23.46	2.52	25.98	33.01	PASS
Band38	20	37850	1	#Mid	QPSK	23.57	2.52	26.09	33.01	PASS
Band38	20	37850	1	#Max	QPSK	23.51	2.52	26.03	33.01	PASS
Band38	20	37850	50	#0	QPSK	22.78	2.52	25.30	33.01	PASS
Band38	20	37850	50	#Mid	QPSK	22.73	2.52	25.25	33.01	PASS
Band38	20	37850	50	#Max	QPSK	22.67	2.52	25.19	33.01	PASS
Band38	20	37850	100	#0	QPSK	22.70	2.52	25.22	33.01	PASS
Band38	20	37850	1	#0	16QAM	22.35	2.52	24.87	33.01	PASS
Band38	20	37850	1	#Mid	16QAM	22.45	2.52	24.97	33.01	PASS
Band38	20	37850	1	#Max	16QAM	22.19	2.52	24.71	33.01	PASS
Band38	20	37850	50	#0	16QAM	21.83	2.52	24.35	33.01	PASS
Band38	20	37850	50	#Mid	16QAM	21.86	2.52	24.38	33.01	PASS
Band38	20	37850	50	#Max	16QAM	21.70	2.52	24.22	33.01	PASS
Band38	20	37850	100	#0	16QAM	21.71	2.52	24.23	33.01	PASS
Band38	20	38000	1	#0	QPSK	23.57	2.52	26.09	33.01	PASS
Band38	20	38000	1	#Mid	QPSK	23.75	2.52	26.27	33.01	PASS
Band38	20	38000	1	#Max	QPSK	23.65	2.52	26.17	33.01	PASS
Band38	20	38000	50	#0	QPSK	22.73	2.52	25.25	33.01	PASS
Band38	20	38000	50	#Mid	QPSK	22.80	2.52	25.32	33.01	PASS
Band38	20	38000	50	#Max	QPSK	22.73	2.52	25.25	33.01	PASS
Band38	20	38000	100	#0	QPSK	22.78	2.52	25.30	33.01	PASS
Band38	20	38000	1	#0	16QAM	21.82	2.52	24.34	33.01	PASS
Band38	20	38000	1	#Mid	16QAM	21.95	2.52	24.47	33.01	PASS
Band38	20	38000	1	#Max	16QAM	21.93	2.52	24.45	33.01	PASS
Band38	20	38000	50	#0	16QAM	21.71	2.52	24.23	33.01	PASS
Band38	20	38000	50	#Mid	16QAM	21.88	2.52	24.40	33.01	PASS
Band38	20	38000	50	#Max	16QAM	21.79	2.52	24.31	33.01	PASS
Band38	20	38000	100	#0	16QAM	21.76	2.52	24.28	33.01	PASS
Band38	20	38150	1	#0	QPSK	23.96	2.52	26.48	33.01	PASS
Band38	20	38150	1	#Mid	QPSK	23.83	2.52	26.35	33.01	PASS
Band38	20	38150	1	#Max	QPSK	24.23	2.52	26.75	33.01	PASS
Band38	20	38150	50	#0	QPSK	22.80	2.52	25.32	33.01	PASS
Band38	20	38150	50	#Mid	QPSK	22.92	2.52	25.44	33.01	PASS
Band38	20	38150	50	#Max	QPSK	22.98	2.52	25.50	33.01	PASS
Band38	20	38150	100	#0	QPSK	22.87	2.52	25.39	33.01	PASS
Band38	20	38150	1	#0	16QAM	23.11	2.52	25.63	33.01	PASS
Band38	20	38150	1	#Mid	16QAM	22.89	2.52	25.41	33.01	PASS
Band38	20	38150	1	#Max	16QAM	22.93	2.52	25.45	33.01	PASS
Band38	20	38150	50	#0	16QAM	21.82	2.52	24.34	33.01	PASS
Band38	20	38150	50	#Mid	16QAM	22.03	2.52	24.55	33.01	PASS
Band38	20	38150	50	#Max	16QAM	22.01	2.52	24.53	33.01	PASS
Band38	20	38150	100	#0	16QAM	21.86	2.52	24.38	33.01	PASS

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Gain (dB)	EIRP (dBm)	EIRP Limit (dBm)	Verdict
Band41	5	39675	1	#0	QPSK	24.45	2.52	26.97	33.01	PASS
Band41	5	39675	1	#Mid	QPSK	24.79	2.52	27.31	33.01	PASS
Band41	5	39675	1	#Max	QPSK	24.54	2.52	27.06	33.01	PASS
Band41	5	39675	12	#0	QPSK	23.44	2.52	25.96	33.01	PASS
Band41	5	39675	12	#Mid	QPSK	23.48	2.52	26.00	33.01	PASS
Band41	5	39675	12	#Max	QPSK	23.52	2.52	26.04	33.01	PASS
Band41	5	39675	25	#0	QPSK	23.48	2.52	26.00	33.01	PASS
Band41	5	39675	1	#0	16QAM	23.18	2.52	25.70	33.01	PASS
Band41	5	39675	1	#Mid	16QAM	23.31	2.52	25.83	33.01	PASS
Band41	5	39675	1	#Max	16QAM	23.24	2.52	25.76	33.01	PASS
Band41	5	39675	12	#0	16QAM	22.53	2.52	25.05	33.01	PASS
Band41	5	39675	12	#Mid	16QAM	22.55	2.52	25.07	33.01	PASS
Band41	5	39675	12	#Max	16QAM	22.48	2.52	25.00	33.01	PASS
Band41	5	39675	25	#0	16QAM	22.40	2.52	24.92	33.01	PASS
Band41	5	40620	1	#0	QPSK	23.62	2.52	26.14	33.01	PASS
Band41	5	40620	1	#Mid	QPSK	23.79	2.52	26.31	33.01	PASS
Band41	5	40620	1	#Max	QPSK	23.44	2.52	25.96	33.01	PASS
Band41	5	40620	12	#0	QPSK	22.78	2.52	25.30	33.01	PASS
Band41	5	40620	12	#Mid	QPSK	22.64	2.52	25.16	33.01	PASS
Band41	5	40620	12	#Max	QPSK	22.63	2.52	25.15	33.01	PASS
Band41	5	40620	25	#0	QPSK	22.70	2.52	25.22	33.01	PASS
Band41	5	40620	1	#0	16QAM	22.47	2.52	24.99	33.01	PASS
Band41	5	40620	1	#Mid	16QAM	22.68	2.52	25.20	33.01	PASS
Band41	5	40620	1	#Max	16QAM	22.51	2.52	25.03	33.01	PASS
Band41	5	40620	12	#0	16QAM	21.78	2.52	24.30	33.01	PASS
Band41	5	40620	12	#Mid	16QAM	21.74	2.52	24.26	33.01	PASS
Band41	5	40620	12	#Max	16QAM	21.80	2.52	24.32	33.01	PASS
Band41	5	40620	25	#0	16QAM	21.84	2.52	24.36	33.01	PASS
Band41	5	41565	1	#0	QPSK	24.62	2.52	27.14	33.01	PASS
Band41	5	41565	1	#Mid	QPSK	24.79	2.52	27.31	33.01	PASS
Band41	5	41565	1	#Max	QPSK	24.49	2.52	27.01	33.01	PASS
Band41	5	41565	12	#0	QPSK	24.02	2.52	26.54	33.01	PASS
Band41	5	41565	12	#Mid	QPSK	23.80	2.52	26.32	33.01	PASS
Band41	5	41565	12	#Max	QPSK	23.64	2.52	26.16	33.01	PASS
Band41	5	41565	25	#0	QPSK	24.05	2.52	26.57	33.01	PASS
Band41	5	41565	1	#0	16QAM	23.47	2.52	25.99	33.01	PASS
Band41	5	41565	1	#Mid	16QAM	23.78	2.52	26.30	33.01	PASS
Band41	5	41565	1	#Max	16QAM	23.65	2.52	26.17	33.01	PASS
Band41	5	41565	12	#0	16QAM	22.98	2.52	25.50	33.01	PASS
Band41	5	41565	12	#Mid	16QAM	22.90	2.52	25.42	33.01	PASS
Band41	5	41565	12	#Max	16QAM	22.49	2.52	25.01	33.01	PASS
Band41	5	41565	25	#0	16QAM	22.98	2.52	25.50	33.01	PASS
Band41	10	39700	1	#0	QPSK	24.65	2.52	27.17	33.01	PASS
Band41	10	39700	1	#Mid	QPSK	24.59	2.52	27.11	33.01	PASS
Band41	10	39700	1	#Max	QPSK	24.65	2.52	27.17	33.01	PASS
Band41	10	39700	25	#0	QPSK	23.54	2.52	26.06	33.01	PASS
Band41	10	39700	25	#Mid	QPSK	23.48	2.52	26.00	33.01	PASS
Band41	10	39700	25	#Max	QPSK	23.57	2.52	26.09	33.01	PASS
Band41	10	39700	50	#0	QPSK	23.46	2.52	25.98	33.01	PASS
Band41	10	39700	1	#0	16QAM	24.22	2.52	26.74	33.01	PASS
Band41	10	39700	1	#Mid	16QAM	24.08	2.52	26.60	33.01	PASS
Band41	10	39700	1	#Max	16QAM	24.27	2.52	26.79	33.01	PASS
Band41	10	39700	25	#0	16QAM	22.61	2.52	25.13	33.01	PASS
Band41	10	39700	25	#Mid	16QAM	22.62	2.52	25.14	33.01	PASS
Band41	10	39700	25	#Max	16QAM	22.58	2.52	25.10	33.01	PASS
Band41	10	39700	50	#0	16QAM	22.54	2.52	25.06	33.01	PASS
Band41	10	40620	1	#0	QPSK	23.80	2.52	26.32	33.01	PASS
Band41	10	40620	1	#Mid	QPSK	23.95	2.52	26.47	33.01	PASS
Band41	10	40620	1	#Max	QPSK	23.74	2.52	26.26	33.01	PASS

Band41	10	40620	25	#0	QPSK	22.71	2.52	25.23	33.01	PASS
Band41	10	40620	25	#Mid	QPSK	22.71	2.52	25.23	33.01	PASS
Band41	10	40620	25	#Max	QPSK	22.77	2.52	25.29	33.01	PASS
Band41	10	40620	50	#0	QPSK	22.75	2.52	25.27	33.01	PASS
Band41	10	40620	1	#0	16QAM	21.89	2.52	24.41	33.01	PASS
Band41	10	40620	1	#Mid	16QAM	21.83	2.52	24.35	33.01	PASS
Band41	10	40620	1	#Max	16QAM	21.76	2.52	24.28	33.01	PASS
Band41	10	40620	25	#0	16QAM	21.73	2.52	24.25	33.01	PASS
Band41	10	40620	25	#Mid	16QAM	21.63	2.52	24.15	33.01	PASS
Band41	10	40620	25	#Max	16QAM	21.78	2.52	24.30	33.01	PASS
Band41	10	40620	50	#0	16QAM	21.78	2.52	24.30	33.01	PASS
Band41	10	41540	1	#0	QPSK	24.84	2.52	27.36	33.01	PASS
Band41	10	41540	1	#Mid	QPSK	24.95	2.52	27.47	33.01	PASS
Band41	10	41540	1	#Max	QPSK	24.84	2.52	27.36	33.01	PASS
Band41	10	41540	25	#0	QPSK	23.79	2.52	26.31	33.01	PASS
Band41	10	41540	25	#Mid	QPSK	23.92	2.52	26.44	33.01	PASS
Band41	10	41540	25	#Max	QPSK	23.81	2.52	26.33	33.01	PASS
Band41	10	41540	50	#0	QPSK	24.24	2.52	26.76	33.01	PASS
Band41	10	41540	1	#0	16QAM	24.51	2.52	27.03	33.01	PASS
Band41	10	41540	1	#Mid	16QAM	24.34	2.52	26.86	33.01	PASS
Band41	10	41540	1	#Max	16QAM	24.04	2.52	26.56	33.01	PASS
Band41	10	41540	25	#0	16QAM	22.76	2.52	25.28	33.01	PASS
Band41	10	41540	25	#Mid	16QAM	22.91	2.52	25.43	33.01	PASS
Band41	10	41540	25	#Max	16QAM	22.91	2.52	25.43	33.01	PASS
Band41	10	41540	50	#0	16QAM	23.01	2.52	25.53	33.01	PASS
Band41	15	39725	1	#0	QPSK	24.36	2.52	26.88	33.01	PASS
Band41	15	39725	1	#Mid	QPSK	24.36	2.52	26.88	33.01	PASS
Band41	15	39725	1	#Max	QPSK	24.60	2.52	27.12	33.01	PASS
Band41	15	39725	36	#0	QPSK	23.39	2.52	25.91	33.01	PASS
Band41	15	39725	36	#Mid	QPSK	23.34	2.52	25.86	33.01	PASS
Band41	15	39725	36	#Max	QPSK	23.45	2.52	25.97	33.01	PASS
Band41	15	39725	75	#0	QPSK	23.40	2.52	25.92	33.01	PASS
Band41	15	39725	1	#0	16QAM	24.12	2.52	26.64	33.01	PASS
Band41	15	39725	1	#Mid	16QAM	24.07	2.52	26.59	33.01	PASS
Band41	15	39725	1	#Max	16QAM	23.94	2.52	26.46	33.01	PASS
Band41	15	39725	36	#0	16QAM	22.43	2.52	24.95	33.01	PASS
Band41	15	39725	36	#Mid	16QAM	22.37	2.52	24.89	33.01	PASS
Band41	15	39725	36	#Max	16QAM	22.39	2.52	24.91	33.01	PASS
Band41	15	39725	75	#0	16QAM	22.39	2.52	24.91	33.01	PASS
Band41	15	40620	1	#0	QPSK	23.65	2.52	26.17	33.01	PASS
Band41	15	40620	1	#Mid	QPSK	23.73	2.52	26.25	33.01	PASS
Band41	15	40620	1	#Max	QPSK	23.71	2.52	26.23	33.01	PASS
Band41	15	40620	36	#0	QPSK	22.67	2.52	25.19	33.01	PASS
Band41	15	40620	36	#Mid	QPSK	22.62	2.52	25.14	33.01	PASS
Band41	15	40620	36	#Max	QPSK	22.76	2.52	25.28	33.01	PASS
Band41	15	40620	75	#0	QPSK	22.72	2.52	25.24	33.01	PASS
Band41	15	40620	1	#0	16QAM	22.04	2.52	24.56	33.01	PASS
Band41	15	40620	1	#Mid	16QAM	21.96	2.52	24.48	33.01	PASS
Band41	15	40620	1	#Max	16QAM	22.10	2.52	24.62	33.01	PASS
Band41	15	40620	36	#0	16QAM	21.85	2.52	24.37	33.01	PASS
Band41	15	40620	36	#Mid	16QAM	21.81	2.52	24.33	33.01	PASS
Band41	15	40620	36	#Max	16QAM	21.94	2.52	24.46	33.01	PASS
Band41	15	40620	75	#0	16QAM	21.84	2.52	24.36	33.01	PASS
Band41	15	41515	1	#0	QPSK	24.91	2.52	27.43	33.01	PASS
Band41	15	41515	1	#Mid	QPSK	25.04	2.52	27.56	33.01	PASS
Band41	15	41515	1	#Max	QPSK	24.98	2.52	27.50	33.01	PASS
Band41	15	41515	36	#0	QPSK	23.79	2.52	26.31	33.01	PASS
Band41	15	41515	36	#Mid	QPSK	23.87	2.52	26.39	33.01	PASS
Band41	15	41515	36	#Max	QPSK	23.97	2.52	26.49	33.01	PASS
Band41	15	41515	75	#0	QPSK	23.82	2.52	26.34	33.01	PASS
Band41	15	41515	1	#0	16QAM	24.07	2.52	26.59	33.01	PASS

Band41	15	41515	1	#Mid	16QAM	23.78	2.52	26.30	33.01	PASS
Band41	15	41515	1	#Max	16QAM	23.90	2.52	26.42	33.01	PASS
Band41	15	41515	36	#0	16QAM	22.64	2.52	25.16	33.01	PASS
Band41	15	41515	36	#Mid	16QAM	22.80	2.52	25.32	33.01	PASS
Band41	15	41515	36	#Max	16QAM	23.04	2.52	25.56	33.01	PASS
Band41	15	41515	75	#0	16QAM	22.91	2.52	25.43	33.01	PASS
Band41	20	39750	1	#0	QPSK	24.28	2.52	26.80	33.01	PASS
Band41	20	39750	1	#Mid	QPSK	24.32	2.52	26.84	33.01	PASS
Band41	20	39750	1	#Max	QPSK	23.95	2.52	26.47	33.01	PASS
Band41	20	39750	50	#0	QPSK	23.29	2.52	25.81	33.01	PASS
Band41	20	39750	50	#Mid	QPSK	23.38	2.52	25.90	33.01	PASS
Band41	20	39750	50	#Max	QPSK	23.38	2.52	25.90	33.01	PASS
Band41	20	39750	100	#0	QPSK	23.32	2.52	25.84	33.01	PASS
Band41	20	39750	1	#0	16QAM	23.10	2.52	25.62	33.01	PASS
Band41	20	39750	1	#Mid	16QAM	23.27	2.52	25.79	33.01	PASS
Band41	20	39750	1	#Max	16QAM	22.98	2.52	25.50	33.01	PASS
Band41	20	39750	50	#0	16QAM	22.40	2.52	24.92	33.01	PASS
Band41	20	39750	50	#Mid	16QAM	22.48	2.52	25.00	33.01	PASS
Band41	20	39750	50	#Max	16QAM	22.47	2.52	24.99	33.01	PASS
Band41	20	39750	100	#0	16QAM	22.40	2.52	24.92	33.01	PASS
Band41	20	40620	1	#0	QPSK	23.69	2.52	26.21	33.01	PASS
Band41	20	40620	1	#Mid	QPSK	23.69	2.52	26.21	33.01	PASS
Band41	20	40620	1	#Max	QPSK	23.61	2.52	26.13	33.01	PASS
Band41	20	40620	50	#0	QPSK	22.68	2.52	25.20	33.01	PASS
Band41	20	40620	50	#Mid	QPSK	22.69	2.52	25.21	33.01	PASS
Band41	20	40620	50	#Max	QPSK	22.70	2.52	25.22	33.01	PASS
Band41	20	40620	100	#0	QPSK	22.74	2.52	25.26	33.01	PASS
Band41	20	40620	1	#0	16QAM	21.93	2.52	24.45	33.01	PASS
Band41	20	40620	1	#Mid	16QAM	21.95	2.52	24.47	33.01	PASS
Band41	20	40620	1	#Max	16QAM	21.99	2.52	24.51	33.01	PASS
Band41	20	40620	50	#0	16QAM	21.69	2.52	24.21	33.01	PASS
Band41	20	40620	50	#Mid	16QAM	21.78	2.52	24.30	33.01	PASS
Band41	20	40620	50	#Max	16QAM	21.80	2.52	24.32	33.01	PASS
Band41	20	40620	100	#0	16QAM	21.67	2.52	24.19	33.01	PASS
Band41	20	41490	1	#0	QPSK	24.96	2.52	27.48	33.01	PASS
Band41	20	41490	1	#Mid	QPSK	25.07	2.52	27.59	33.01	PASS
Band41	20	41490	1	#Max	QPSK	25.10	2.52	27.62	33.01	PASS
Band41	20	41490	50	#0	QPSK	23.79	2.52	26.31	33.01	PASS
Band41	20	41490	50	#Mid	QPSK	23.87	2.52	26.39	33.01	PASS
Band41	20	41490	50	#Max	QPSK	24.04	2.52	26.56	33.01	PASS
Band41	20	41490	100	#0	QPSK	23.86	2.52	26.38	33.01	PASS
Band41	20	41490	1	#0	16QAM	24.05	2.52	26.57	33.01	PASS
Band41	20	41490	1	#Mid	16QAM	23.82	2.52	26.34	33.01	PASS
Band41	20	41490	1	#Max	16QAM	23.94	2.52	26.46	33.01	PASS
Band41	20	41490	50	#0	16QAM	22.87	2.52	25.39	33.01	PASS
Band41	20	41490	50	#Mid	16QAM	22.97	2.52	25.49	33.01	PASS
Band41	20	41490	50	#Max	16QAM	23.26	2.52	25.78	33.01	PASS
Band41	20	41490	100	#0	16QAM	22.88	2.52	25.40	33.01	PASS

Frequency stability

LTE Band 2 (QPSK) / 1880MHz / BW20M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	-1.60	-0.001	2.5ppm	PASS
40		-1.63	-0.001		
30		-1.78	-0.001		
20		-4.92	-0.003		
10		1.50	0.001		
0		-1.49	-0.001		
-10		1.63	0.001		
-20		1.77	0.001		
-30		-1.53	-0.001		
20	Maximum Voltage	0.93	0.000		
20	BEP	-2.63	-0.001		

LTE Band 2 (16QAM) / 1880MHz / BW20M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	1.79	0.001	2.5ppm	PASS
40		1.94	0.001		
30		1.63	0.001		
20		-5.31	-0.003		
10		-2.06	-0.001		
0		1.75	0.001		
-10		1.54	0.001		
-20		-1.95	-0.001		
-30		-1.84	-0.001		
20	Maximum Voltage	-2.49	-0.001		
20	BEP	-3.13	-0.002		

LTE Band 4 (QPSK) / 1733MHz / BW20M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	0.36	0.000	2.5ppm	PASS
40		-0.61	0.000		
30		-0.73	0.000		
20		-0.60	0.000		
10		0.30	0.000		
0		0.34	0.000		
-10		0.51	0.000		
-20		-0.52	0.000		
-30		0.39	0.000		
20	Maximum Voltage	0.41	0.000	2.5ppm	PASS
20	BEP	-0.37	0.000		

LTE Band 4 (16QAM) / 1733MHz / BW20M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	0.43	0.000	2.5ppm	PASS
40		-0.81	0.000		
30		0.67	0.000		
20		-0.54	0.000		
10		-0.31	0.000		
0		0.50	0.000		
-10		0.61	0.000		
-20		0.63	0.000		
-30		0.79	0.000		
20	Maximum Voltage	-0.28	0.000	2.5ppm	PASS
20	BEP	0.55	0.000		

LTE Band 5 (QPSK) / 836.5MHz / BW10M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	-0.29	0.000	2.5ppm	PASS
40		0.13	0.000		
30		0.19	0.000		
20		-1.82	-0.002		
10		-0.10	0.000		
0		-0.35	0.000		
-10		0.15	0.000		
-20		0.32	0.000		
-30		0.05	0.000		
20	Maximum Voltage	0.11	0.000	2.5ppm	PASS
20	BEP	0.22	0.000		

LTE Band 5 (16QAM) / 836.5MHz / BW10M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	0.43	0.001	2.5ppm	PASS
40		0.67	0.001		
30		-0.77	-0.001		
20		-2.88	-0.003		
10		-0.36	0.000		
0		0.37	0.000		
-10		-0.58	-0.001		
-20		-0.69	-0.001		
-30		-0.38	0.000		
20	Maximum Voltage	0.40	0.000	2.5ppm	PASS
20	BEP	0.40	0.000		

LTE Band 12 (QPSK) / 707.5MHz / BW10M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	-0.14	0.000	2.5ppm	PASS
40		0.20	0.000		
30		0.18	0.000		
20		-1.65	-0.002		
10		-0.15	0.000		
0		0.20	0.000		
-10		-0.21	0.000		
-20		-0.28	0.000		
-30		-0.17	0.000		
20	Maximum Voltage	-0.32	0.000	2.5ppm	PASS
20	BEP	0.05	0.000		

LTE Band 12 (16QAM) / 707.5MHz / BW10M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	0.29	0.000	2.5ppm	PASS
40		-0.05	0.000		
30		0.46	0.001		
20		-1.23	-0.002		
10		-0.26	0.000		
0		0.38	0.001		
-10		0.22	0.000		
-20		0.05	0.000		
-30		-0.33	0.000		
20	Maximum Voltage	-0.04	0.000	2.5ppm	PASS
20	BEP	-0.21	0.000		

LTE Band 17 (QPSK) / 710MHz / BW10M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	0.93	0.001	2.5ppm	PASS
40		1.24	0.002		
30		-1.17	-0.002		
20		0.49	0.001		
10		0.85	0.001		
0		-1.20	-0.002		
-10		1.26	0.002		
-20		-0.97	-0.001		
-30		-1.24	-0.002		
20	Maximum Voltage	-0.68	-0.001		
20	BEP	-0.65	-0.001		

LTE Band 17 (16QAM) / 710MHz / BW10M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	-0.49	-0.001	2.5ppm	PASS
40		-0.56	-0.001		
30		-0.17	0.000		
20		-1.12	-0.002		
10		-0.02	0.000		
0		-0.48	-0.001		
-10		0.10	0.000		
-20		0.31	0.000		
-30		0.43	0.001		
20	Maximum Voltage	0.47	0.001		
20	BEP	-0.27	0.000		

LTE Band 26 (QPSK) / 819MHz / BW10M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	-0.50	-0.001	2.5ppm	PASS
40		-0.69	-0.001		
30		0.41	0.000		
20		-2.76	-0.003		
10		0.76	0.001		
0		-0.72	-0.001		
-10		0.75	0.001		
-20		-0.49	-0.001		
-30		0.53	0.001		
20	Maximum Voltage	-1.21	-0.001	2.5ppm	PASS
20	BEP	-1.01	-0.001		

LTE Band 26 (16QAM) / 819MHz / BW10M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	0.03	0.000	2.5ppm	PASS
40		0.00	0.000		
30		0.57	0.001		
20		-2.22	-0.003		
10		0.56	0.001		
0		-0.57	-0.001		
-10		0.26	0.000		
-20		-0.53	-0.001		
-30		-0.01	0.000		
20	Maximum Voltage	-0.06	0.000	2.5ppm	PASS
20	BEP	-0.09	0.000		

LTE Band 26 (QPSK) / 836.5MHz / BW15M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	0.39	0.000	2.5ppm	PASS
40		-0.46	-0.001		
30		-0.23	0.000		
20		-1.24	-0.001		
10		0.07	0.000		
0		0.09	0.000		
-10		0.03	0.000		
-20		-0.05	0.000		
-30		0.35	0.000		
20	Maximum Voltage	0.54	0.001		
20	BEP	-0.09	0.000		

LTE Band 26 (16QAM) / 836.5MHz / BW15M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	-0.07	0.000	2.5ppm	PASS
40		-0.39	0.000		
30		-0.33	0.000		
20		-1.13	-0.001		
10		0.47	0.001		
0		-0.14	0.000		
-10		-0.28	0.000		
-20		0.10	0.000		
-30		-0.47	-0.001		
20	Maximum Voltage	-0.02	0.000		
20	BEP	0.27	0.000		

LTE Band 38 (QPSK) / 2595MHz / BW20M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	2.18	0.001	2.5ppm	PASS
40		2.16	0.001		
30		2.04	0.001		
20		-5.48	-0.002		
10		1.95	0.001		
0		1.91	0.001		
-10		1.87	0.001		
-20		-2.01	-0.001		
-30		-2.06	-0.001		
20	Maximum Voltage	-3.03	-0.001	2.5ppm	PASS
20	BEP	-2.77	-0.001		

LTE Band 38 (16QAM) / 2595MHz / BW20M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	-0.96	0.000	2.5ppm	PASS
40		-0.89	0.000		
30		1.11	0.000		
20		-3.29	-0.001		
10		0.99	0.000		
0		-0.61	0.000		
-10		-0.90	0.000		
-20		0.82	0.000		
-30		0.60	0.000		
20	Maximum Voltage	0.45	0.000	2.5ppm	PASS
20	BEP	-0.91	0.000		

LTE Band 41 (QPSK) / 2593MHz / BW20M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	0.89	0.000	2.5ppm	PASS
40		-0.91	0.000		
30		1.35	0.001		
20		0.64	0.000		
10		1.23	0.000		
0		0.94	0.000		
-10		-0.86	0.000		
-20		0.98	0.000		
-30		-1.10	0.000		
20	Maximum Voltage	1.31	0.001	2.5ppm	PASS
20	BEP	2.03	0.001		

LTE Band 41 (16QAM) / 2593MHz / BW20M					
Temperature (°C)	Voltage	Freq. Dev.	Freq. Dev.	Limit	Result
	(Volt)	(Hz)	(ppm)		
50	Normal Voltage	1.40	0.001	2.5ppm	PASS
40		0.97	0.000		
30		1.15	0.000		
20		0.76	0.000		
10		-1.35	-0.001		
0		-0.93	0.000		
-10		-1.11	0.000		
-20		-1.40	-0.001		
-30		1.45	0.001		
20	Maximum Voltage	-0.52	0.000	2.5ppm	PASS
20	BEP	-0.66	0.000		

Peak-to-Average Ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band2	1.4	18607	1	#0	QPSK	3.23	13	PASS
Band2	1.4	18607	1	#0	16QAM	4.09	13	PASS
Band2	1.4	18900	1	#0	QPSK	3.50	13	PASS
Band2	1.4	18900	1	#0	16QAM	4.43	13	PASS
Band2	1.4	19193	1	#0	QPSK	3.24	13	PASS
Band2	1.4	19193	1	#0	16QAM	4.22	13	PASS
Band2	3	18615	1	#0	QPSK	3.31	13	PASS
Band2	3	18615	1	#0	16QAM	4.12	13	PASS
Band2	3	18900	1	#0	QPSK	3.51	13	PASS
Band2	3	18900	1	#0	16QAM	4.50	13	PASS
Band2	3	19185	1	#0	QPSK	3.41	13	PASS
Band2	3	19185	1	#0	16QAM	4.27	13	PASS
Band2	5	18625	1	#0	QPSK	3.27	13	PASS
Band2	5	18625	1	#0	16QAM	4.14	13	PASS
Band2	5	18900	1	#0	QPSK	3.51	13	PASS
Band2	5	18900	1	#0	16QAM	4.32	13	PASS
Band2	5	19175	1	#0	QPSK	3.37	13	PASS
Band2	5	19175	1	#0	16QAM	4.07	13	PASS
Band2	10	18650	1	#0	QPSK	3.25	13	PASS
Band2	10	18650	1	#0	16QAM	4.22	13	PASS
Band2	10	18900	1	#0	QPSK	3.20	13	PASS
Band2	10	18900	1	#0	16QAM	4.10	13	PASS
Band2	10	19150	1	#0	QPSK	2.78	13	PASS
Band2	10	19150	1	#0	16QAM	3.62	13	PASS
Band2	15	18675	1	#0	QPSK	3.15	13	PASS
Band2	15	18675	1	#0	16QAM	4.16	13	PASS
Band2	15	18900	1	#0	QPSK	2.94	13	PASS
Band2	15	18900	1	#0	16QAM	3.72	13	PASS
Band2	15	19125	1	#0	QPSK	3.24	13	PASS
Band2	15	19125	1	#0	16QAM	4.08	13	PASS
Band2	20	18700	1	#0	QPSK	3.25	13	PASS
Band2	20	18700	1	#0	16QAM	3.99	13	PASS
Band2	20	18900	1	#0	QPSK	2.82	13	PASS
Band2	20	18900	1	#0	16QAM	3.69	13	PASS
Band2	20	19100	1	#0	QPSK	3.27	13	PASS
Band2	20	19100	1	#0	16QAM	4.21	13	PASS
Band4	1.4	19957	1	#0	QPSK	4.78	13	PASS
Band4	1.4	19957	1	#0	16QAM	5.74	13	PASS
Band4	1.4	20175	1	#0	QPSK	3.56	13	PASS
Band4	1.4	20175	1	#0	16QAM	4.48	13	PASS
Band4	1.4	20393	1	#0	QPSK	4.12	13	PASS
Band4	1.4	20393	1	#0	16QAM	5.03	13	PASS
Band4	3	19965	1	#0	QPSK	4.77	13	PASS
Band4	3	19965	1	#0	16QAM	5.64	13	PASS
Band4	3	20175	1	#0	QPSK	3.61	13	PASS
Band4	3	20175	1	#0	16QAM	4.46	13	PASS
Band4	3	20385	1	#0	QPSK	4.24	13	PASS
Band4	3	20385	1	#0	16QAM	4.99	13	PASS
Band4	5	19975	1	#0	QPSK	4.77	13	PASS
Band4	5	19975	1	#0	16QAM	5.79	13	PASS
Band4	5	20175	1	#0	QPSK	3.82	13	PASS
Band4	5	20175	1	#0	16QAM	4.50	13	PASS
Band4	5	20375	1	#0	QPSK	4.21	13	PASS
Band4	5	20375	1	#0	16QAM	5.14	13	PASS
Band4	10	20000	1	#0	QPSK	4.72	13	PASS
Band4	10	20000	1	#0	16QAM	5.63	13	PASS
Band4	10	20175	1	#0	QPSK	3.94	13	PASS

Band4	10	20175	1	#0	16QAM	4.85	13	PASS
Band4	10	20350	1	#0	QPSK	4.61	13	PASS
Band4	10	20350	1	#0	16QAM	5.80	13	PASS
Band4	15	20025	1	#0	QPSK	5.03	13	PASS
Band4	15	20025	1	#0	16QAM	5.90	13	PASS
Band4	15	20175	1	#0	QPSK	4.22	13	PASS
Band4	15	20175	1	#0	16QAM	5.19	13	PASS
Band4	15	20325	1	#0	QPSK	4.47	13	PASS
Band4	15	20325	1	#0	16QAM	5.30	13	PASS
Band4	20	20050	1	#0	QPSK	5.12	13	PASS
Band4	20	20050	1	#0	16QAM	5.47	13	PASS
Band4	20	20175	1	#0	QPSK	4.32	13	PASS
Band4	20	20175	1	#0	16QAM	5.32	13	PASS
Band4	20	20300	1	#0	QPSK	3.78	13	PASS
Band4	20	20300	1	#0	16QAM	4.68	13	PASS
Band5	1.4	20407	1	#0	QPSK	4.00	13	PASS
Band5	1.4	20407	1	#0	16QAM	4.99	13	PASS
Band5	1.4	20525	1	#0	QPSK	3.70	13	PASS
Band5	1.4	20525	1	#0	16QAM	4.56	13	PASS
Band5	1.4	20643	1	#0	QPSK	3.64	13	PASS
Band5	1.4	20643	1	#0	16QAM	4.58	13	PASS
Band5	3	20415	1	#0	QPSK	4.03	13	PASS
Band5	3	20415	1	#0	16QAM	5.06	13	PASS
Band5	3	20525	1	#0	QPSK	3.84	13	PASS
Band5	3	20525	1	#0	16QAM	4.81	13	PASS
Band5	3	20635	1	#0	QPSK	3.95	13	PASS
Band5	3	20635	1	#0	16QAM	4.81	13	PASS
Band5	5	20425	1	#0	QPSK	4.07	13	PASS
Band5	5	20425	1	#0	16QAM	4.95	13	PASS
Band5	5	20525	1	#0	QPSK	3.91	13	PASS
Band5	5	20525	1	#0	16QAM	4.80	13	PASS
Band5	5	20625	1	#0	QPSK	4.23	13	PASS
Band5	5	20625	1	#0	16QAM	4.97	13	PASS
Band5	10	20450	1	#0	QPSK	4.02	13	PASS
Band5	10	20450	1	#0	16QAM	4.91	13	PASS
Band5	10	20525	1	#0	QPSK	4.26	13	PASS
Band5	10	20525	1	#0	16QAM	5.02	13	PASS
Band5	10	20600	1	#0	QPSK	3.92	13	PASS
Band5	10	20600	1	#0	16QAM	4.89	13	PASS
Band12	1.4	23017	1	#0	QPSK	3.82	13	PASS
Band12	1.4	23017	1	#0	16QAM	4.57	13	PASS
Band12	1.4	23095	1	#0	QPSK	3.90	13	PASS
Band12	1.4	23095	1	#0	16QAM	4.80	13	PASS
Band12	1.4	23173	1	#0	QPSK	3.25	13	PASS
Band12	1.4	23173	1	#0	16QAM	4.11	13	PASS
Band12	3	23025	1	#0	QPSK	3.77	13	PASS
Band12	3	23025	1	#0	16QAM	4.61	13	PASS
Band12	3	23095	1	#0	QPSK	3.72	13	PASS
Band12	3	23095	1	#0	16QAM	4.59	13	PASS
Band12	3	23165	1	#0	QPSK	2.91	13	PASS
Band12	3	23165	1	#0	16QAM	3.79	13	PASS
Band12	5	23035	1	#0	QPSK	3.81	13	PASS
Band12	5	23035	1	#0	16QAM	4.65	13	PASS
Band12	5	23095	1	#0	QPSK	3.53	13	PASS
Band12	5	23095	1	#0	16QAM	4.29	13	PASS
Band12	5	23155	1	#0	QPSK	3.50	13	PASS
Band12	5	23155	1	#0	16QAM	4.24	13	PASS
Band12	10	23060	1	#0	QPSK	3.74	13	PASS
Band12	10	23060	1	#0	16QAM	4.56	13	PASS
Band12	10	23095	1	#0	QPSK	3.48	13	PASS
Band12	10	23095	1	#0	16QAM	4.09	13	PASS

Band12	10	23130	1	#0	QPSK	3.89	13	PASS
Band12	10	23130	1	#0	16QAM	4.64	13	PASS
Band17	5	23755	1	#0	QPSK	3.96	13	PASS
Band17	5	23755	1	#0	16QAM	4.68	13	PASS
Band17	5	23790	1	#0	QPSK	4.44	13	PASS
Band17	5	23790	1	#0	16QAM	5.22	13	PASS
Band17	5	23825	1	#0	QPSK	4.05	13	PASS
Band17	5	23825	1	#0	16QAM	4.86	13	PASS
Band17	10	23780	1	#0	QPSK	3.84	13	PASS
Band17	10	23780	1	#0	16QAM	4.77	13	PASS
Band17	10	23790	1	#0	QPSK	4.03	13	PASS
Band17	10	23790	1	#0	16QAM	4.87	13	PASS
Band17	10	23800	1	#0	QPSK	4.22	13	PASS
Band17	10	23800	1	#0	16QAM	5.05	13	PASS
Band26(824-849)	1.4	26797	1	#0	QPSK	3.69	13	PASS
Band26(824-849)	1.4	26797	1	#0	16QAM	4.58	13	PASS
Band26(824-849)	1.4	26915	1	#0	QPSK	3.46	13	PASS
Band26(824-849)	1.4	26915	1	#0	16QAM	4.20	13	PASS
Band26(824-849)	1.4	27033	1	#0	QPSK	3.47	13	PASS
Band26(824-849)	1.4	27033	1	#0	16QAM	4.30	13	PASS
Band26(824-849)	3	26805	1	#0	QPSK	3.67	13	PASS
Band26(824-849)	3	26805	1	#0	16QAM	4.50	13	PASS
Band26(824-849)	3	26915	1	#0	QPSK	3.50	13	PASS
Band26(824-849)	3	26915	1	#0	16QAM	4.26	13	PASS
Band26(824-849)	3	27025	1	#0	QPSK	3.68	13	PASS
Band26(824-849)	3	27025	1	#0	16QAM	4.50	13	PASS
Band26(824-849)	5	26815	1	#0	QPSK	3.77	13	PASS
Band26(824-849)	5	26815	1	#0	16QAM	4.61	13	PASS
Band26(824-849)	5	26915	1	#0	QPSK	3.67	13	PASS
Band26(824-849)	5	26915	1	#0	16QAM	4.42	13	PASS
Band26(824-849)	5	27015	1	#0	QPSK	3.91	13	PASS
Band26(824-849)	5	27015	1	#0	16QAM	4.77	13	PASS
Band26(824-849)	10	26840	1	#0	QPSK	3.67	13	PASS
Band26(824-849)	10	26840	1	#0	16QAM	4.51	13	PASS
Band26(824-849)	10	26915	1	#0	QPSK	3.98	13	PASS
Band26(824-849)	10	26915	1	#0	16QAM	4.90	13	PASS
Band26(824-849)	10	26990	1	#0	QPSK	3.55	13	PASS
Band26(824-849)	10	26990	1	#0	16QAM	4.32	13	PASS
Band26(824-849)	15	26865	1	#0	QPSK	3.78	13	PASS
Band26(824-849)	15	26865	1	#0	16QAM	4.60	13	PASS
Band26(824-849)	15	26915	1	#0	QPSK	4.16	13	PASS
Band26(824-849)	15	26915	1	#0	16QAM	5.06	13	PASS
Band26(824-849)	15	26965	1	#0	QPSK	3.57	13	PASS
Band26(824-849)	15	26965	1	#0	16QAM	4.41	13	PASS
Band26(814-824)	1.4	26697	1	#0	QPSK	3.30	13	PASS
Band26(814-824)	1.4	26697	1	#0	16QAM	4.18	13	PASS
Band26(814-824)	1.4	26740	1	#0	QPSK	3.96	13	PASS
Band26(814-824)	1.4	26740	1	#0	16QAM	4.85	13	PASS
Band26(814-824)	1.4	26783	1	#0	QPSK	3.70	13	PASS
Band26(814-824)	1.4	26783	1	#0	16QAM	4.70	13	PASS
Band26(814-824)	3	26705	1	#0	QPSK	3.30	13	PASS
Band26(814-824)	3	26705	1	#0	16QAM	4.16	13	PASS
Band26(814-824)	3	26740	1	#0	QPSK	3.83	13	PASS
Band26(814-824)	3	26740	1	#0	16QAM	4.69	13	PASS
Band26(814-824)	3	26775	1	#0	QPSK	3.79	13	PASS
Band26(814-824)	3	26775	1	#0	16QAM	4.63	13	PASS
Band26(814-824)	5	26715	1	#0	QPSK	3.35	13	PASS
Band26(814-824)	5	26715	1	#0	16QAM	4.37	13	PASS
Band26(814-824)	5	26740	1	#0	QPSK	3.92	13	PASS
Band26(814-824)	5	26740	1	#0	16QAM	4.66	13	PASS
Band26(814-824)	5	26765	1	#0	QPSK	3.90	13	PASS

Band26(814-824)	5	26765	1	#0	16QAM	4.52	13	PASS
Band26(814-824)	10	26740	1	#0	QPSK	3.45	13	PASS
Band26(814-824)	10	26740	1	#0	16QAM	4.18	13	PASS
Band38	5	37775	1	#0	QPSK	7.88	13	PASS
Band38	5	37775	1	#0	16QAM	9.64	13	PASS
Band38	5	38000	1	#0	QPSK	7.50	13	PASS
Band38	5	38000	1	#0	16QAM	8.10	13	PASS
Band38	5	38225	1	#0	QPSK	9.06	13	PASS
Band38	5	38225	1	#0	16QAM	8.24	13	PASS
Band38	10	37800	1	#0	QPSK	7.77	13	PASS
Band38	10	37800	1	#0	16QAM	9.74	13	PASS
Band38	10	38000	1	#0	QPSK	8.17	13	PASS
Band38	10	38000	1	#0	16QAM	8.04	13	PASS
Band38	10	38200	1	#0	QPSK	7.86	13	PASS
Band38	10	38200	1	#0	16QAM	8.21	13	PASS
Band38	15	37825	1	#0	QPSK	7.59	13	PASS
Band38	15	37825	1	#0	16QAM	9.58	13	PASS
Band38	15	38000	1	#0	QPSK	8.04	13	PASS
Band38	15	38000	1	#0	16QAM	8.15	13	PASS
Band38	15	38175	1	#0	QPSK	7.53	13	PASS
Band38	15	38175	1	#0	16QAM	8.74	13	PASS
Band38	20	37850	1	#0	QPSK	7.78	13	PASS
Band38	20	37850	1	#0	16QAM	8.04	13	PASS
Band38	20	38000	1	#0	QPSK	7.70	13	PASS
Band38	20	38000	1	#0	16QAM	8.51	13	PASS
Band38	20	38150	1	#0	QPSK	7.21	13	PASS
Band38	20	38150	1	#0	16QAM	8.04	13	PASS
Band41	5	39675	1	#0	QPSK	7.57	13	PASS
Band41	5	39675	1	#0	16QAM	7.82	13	PASS
Band41	5	40620	1	#0	QPSK	8.13	13	PASS
Band41	5	40620	1	#0	16QAM	9.64	13	PASS
Band41	5	41565	1	#0	QPSK	6.90	13	PASS
Band41	5	41565	1	#0	16QAM	7.66	13	PASS
Band41	10	39700	1	#0	QPSK	7.22	13	PASS
Band41	10	39700	1	#0	16QAM	8.16	13	PASS
Band41	10	40620	1	#0	QPSK	7.62	13	PASS
Band41	10	40620	1	#0	16QAM	9.68	13	PASS
Band41	10	41540	1	#0	QPSK	6.52	13	PASS
Band41	10	41540	1	#0	16QAM	8.55	13	PASS
Band41	15	39725	1	#0	QPSK	7.19	13	PASS
Band41	15	39725	1	#0	16QAM	7.53	13	PASS
Band41	15	40620	1	#0	QPSK	6.37	13	PASS
Band41	15	40620	1	#0	16QAM	8.12	13	PASS
Band41	15	41515	1	#0	QPSK	7.67	13	PASS
Band41	15	41515	1	#0	16QAM	8.37	13	PASS
Band41	20	39750	1	#0	QPSK	6.68	13	PASS
Band41	20	39750	1	#0	16QAM	7.90	13	PASS
Band41	20	40620	1	#0	QPSK	7.61	13	PASS
Band41	20	40620	1	#0	16QAM	9.65	13	PASS
Band41	20	41490	1	#0	QPSK	7.50	13	PASS
Band41	20	41490	1	#0	16QAM	9.63	13	PASS


Band2 16QAM BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 16QAM BW=1.4MHz Channel=18900 RB Size=1 Position=#0



Band2 16QAM BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 16QAM BW=10MHz Channel=18650 RB Size=1 Position=#0



Band2 16QAM BW=10MHz Channel=18900 RB Size=1 Position=#0



Band2 16QAM BW=10MHz Channel=19150 RB Size=1 Position=#0



Band2 16QAM BW=15MHz Channel=18675 RB Size=1 Position=#0



Band2 16QAM BW=15MHz Channel=18900 RB Size=1 Position=#0



Band2 16QAM BW=15MHz Channel=19125 RB Size=1 Position=#0



Band2 16QAM BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 16QAM BW=20MHz Channel=18900 RB Size=1 Position=#0



Band2 16QAM BW=20MHz Channel=19100 RB Size=1 Position=#0



Band2 16QAM BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 16QAM BW=3MHz Channel=18900 RB Size=1 Position=#0



Band2 16QAM BW=3MHz Channel=19185 RB Size=1 Position=#0



Band2 16QAM BW=5MHz Channel=18625 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=18900 RB Size=1 Position=#0




Band2 16QAM BW=5MHz Channel=19175 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18607 RB Size=1 Position=#0




Band2 QPSK BW=1.4MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=1.4MHz Channel=19193 RB Size=1 Position=#0



Band2 QPSK BW=10MHz Channel=18650 RB Size=1 Position=#0




Band2 QPSK BW=10MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=10MHz Channel=19150 RB Size=1 Position=#0



Band2 QPSK BW=15MHz Channel=18675 RB Size=1 Position=#0




Band2 QPSK BW=15MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=15MHz Channel=19125 RB Size=1 Position=#0



Band2 QPSK BW=20MHz Channel=18700 RB Size=1 Position=#0




Band2 QPSK BW=20MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=20MHz Channel=19100 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=18615 RB Size=1 Position=#0




Band2 QPSK BW=3MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=3MHz Channel=19185 RB Size=1 Position=#0



Band2 QPSK BW=5MHz Channel=18625 RB Size=1 Position=#0



Band2 QPSK BW=5MHz Channel=18900 RB Size=1 Position=#0



Band2 QPSK BW=5MHz Channel=19175 RB Size=1 Position=#0



Band4 16QAM BW=1.4MHz Channel=19957 RB Size=1 Position=#0




Band4 16QAM BW=1.4MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=1.4MHz Channel=20393 RB Size=1 Position=#0




Band4 16QAM BW=10MHz Channel=20000 RB Size=1 Position=#0




Band4 16QAM BW=10MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=10MHz Channel=20350 RB Size=1 Position=#0



Band4 16QAM BW=15MHz Channel=20025 RB Size=1 Position=#0




Band4 16QAM BW=15MHz Channel=20175 RB Size=1 Position=#0



Band4 16QAM BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 16QAM BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 16QAM BW=20MHz Channel=20175 RB Size=1 Position=#0



Band4 16QAM BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 16QAM BW=3MHz Channel=19965 RB Size=1 Position=#0




Band4 16QAM BW=3MHz Channel=20175 RB Size=1 Position=#0



Band4 16QAM BW=3MHz Channel=20385 RB Size=1 Position=#0



Band4 16QAM BW=5MHz Channel=19975 RB Size=1 Position=#0




Band4 16QAM BW=5MHz Channel=20175 RB Size=1 Position=#0




Band4 16QAM BW=5MHz Channel=20375 RB Size=1 Position=#0




Band4 QPSK BW=1.4MHz Channel=19957 RB Size=1 Position=#0



Band4 QPSK BW=1.4MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20000 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 QPSK BW=3MHz Channel=19965 RB Size=1 Position=#0



Band4 QPSK BW=3MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=3MHz Channel=20385 RB Size=1 Position=#0



Band4 QPSK BW=5MHz Channel=19975 RB Size=1 Position=#0



Band4 QPSK BW=5MHz Channel=20175 RB Size=1 Position=#0



Band4 QPSK BW=5MHz Channel=20375 RB Size=1 Position=#0



Band5 16QAM BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 16QAM BW=1.4MHz Channel=20525 RB Size=1 Position=#0



Band5 16QAM BW=1.4MHz Channel=20643 RB Size=1 Position=#0



Band5 16QAM BW=10MHz Channel=20450 RB Size=1 Position=#0




Band5 16QAM BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 16QAM BW=10MHz Channel=20600 RB Size=1 Position=#0



Band5 16QAM BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 16QAM BW=3MHz Channel=20525 RB Size=1 Position=#0



Band5 16QAM BW=3MHz Channel=20635 RB Size=1 Position=#0

