



**8.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	957.672	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1680	-53.69	-13	40.69	Pass	701
1700	1765	1	RMS	1753.78 8	22.21	60	37.79	Pass	401
1765	3000	1	RMS	3000	-50.66	-13	37.66	Pass	1236
3000	12000	1	RMS	11999	-42.53	-13	29.53	Pass	9002
12000	20000	1	RMS	19394	-35.89	-13	22.89	Pass	8001




**8.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.38	-13	59.38	Pass	401
0.15	30	0.01	RMS	0.2	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	874.017	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1700	-51.9	-13	38.9	Pass	701
1700	1765	1	RMS	1710.23 8	22.96	60	37.04	Pass	401
1765	3000	1	RMS	2997	-50.61	-13	37.61	Pass	1236
3000	12000	1	RMS	11999	-42.54	-13	29.54	Pass	9002
12000	20000	1	RMS	19334	-35.92	-13	22.92	Pass	8001




8.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	998.299	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-52.11	-13	39.11	Pass	701
1700	1765	1	RMS	1710.238	22.18	60	37.82	Pass	401
1765	3000	1	RMS	2975	-50.66	-13	37.66	Pass	1236
3000	12000	1	RMS	11995	-42.42	-13	29.42	Pass	9002
12000	20000	1	RMS	19405	-35.97	-13	22.97	Pass	8001




8.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.08	-13	59.08	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	59.06	Pass	2986
30	1000	0.1	RMS	969.38	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1680	-53.73	-13	40.73	Pass	701
1700	1765	1	RMS	1731.2	23.2	60	36.8	Pass	401
1765	3000	1	RMS	2996	-50.61	-13	37.61	Pass	1236
3000	12000	1	RMS	11999	-42.45	-13	29.45	Pass	9002
12000	20000	1	RMS	19354	-35.9	-13	22.9	Pass	8001




8.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	854.904	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1682	-53.72	-13	40.72	Pass	701
1700	1765	1	RMS	1731.2	22.13	60	37.87	Pass	401
1765	3000	1	RMS	2999	-50.62	-13	37.62	Pass	1236
3000	12000	1	RMS	11991	-42.52	-13	29.52	Pass	9002
12000	20000	1	RMS	19415	-35.94	-13	22.94	Pass	8001




8.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	953.369	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1683	-53.75	-13	40.75	Pass	701
1700	1765	1	RMS	1752.163	23.19	60	36.81	Pass	401
1765	3000	1	RMS	2996	-50.6	-13	37.6	Pass	1236
3000	12000	1	RMS	11998	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	19301	-35.89	-13	22.89	Pass	8001




8.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.23	-13	59.23	Pass	401
0.15	30	0.01	RMS	0.16	-72.82	-13	59.82	Pass	2986
30	1000	0.1	RMS	889.227	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1680	-53.72	-13	40.72	Pass	701
1700	1765	1	RMS	1752.163	22.22	60	37.78	Pass	401
1765	3000	1	RMS	2994	-50.62	-13	37.62	Pass	1236
3000	12000	1	RMS	11995	-42.54	-13	29.54	Pass	9002
12000	20000	1	RMS	19362	-35.88	-13	22.88	Pass	8001




8.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.16	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	911.842	-65.06	-13	52.06	Pass	9701
1000	1700	1	RMS	1700	-52.17	-13	39.17	Pass	701
1700	1765	1	RMS	1710.238	23.13	60	36.87	Pass	401
1765	3000	1	RMS	2999	-50.65	-13	37.65	Pass	1236
3000	12000	1	RMS	11998	-42.5	-13	29.5	Pass	9002
12000	20000	1	RMS	19335	-35.92	-13	22.92	Pass	8001




8.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.61	-13	59.61	Pass	401
0.15	30	0.01	RMS	0.15	-70.81	-13	57.81	Pass	2986
30	1000	0.1	RMS	969.68	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1700	-52.6	-13	39.6	Pass	701
1700	1765	1	RMS	1710.238	22.3	60	37.7	Pass	401
1765	3000	1	RMS	2998	-50.53	-13	37.53	Pass	1236
3000	12000	1	RMS	12000	-42.48	-13	29.48	Pass	9002
12000	20000	1	RMS	19291	-35.94	-13	22.94	Pass	8001




8.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	934.757	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1680	-53.73	-13	40.73	Pass	701
1700	1765	1	RMS	1730.225	23.27	60	36.73	Pass	401
1765	3000	1	RMS	3000	-50.6	-13	37.6	Pass	1236
3000	12000	1	RMS	11991	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19332	-35.94	-13	22.94	Pass	8001




8.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	857.506	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-53.75	-13	40.75	Pass	701
1700	1765	1	RMS	1730.225	22.43	60	37.57	Pass	401
1765	3000	1	RMS	2956	-50.67	-13	37.67	Pass	1236
3000	12000	1	RMS	11994	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19403	-35.94	-13	22.94	Pass	8001




8.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.36	-13	59.36	Pass	401
0.15	30	0.01	RMS	0.16	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	895.03	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1682	-53.75	-13	40.75	Pass	701
1700	1765	1	RMS	1750.213	23.22	60	36.78	Pass	401
1765	3000	1	RMS	2998	-50.64	-13	37.64	Pass	1236
3000	12000	1	RMS	11970	-42.58	-13	29.58	Pass	9002
12000	20000	1	RMS	19393	-35.92	-13	22.92	Pass	8001




8.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.05	-13	59.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	1000	0.1	RMS	865.311	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1686	-53.75	-13	40.75	Pass	701
1700	1765	1	RMS	1750.213	22.43	60	37.57	Pass	401
1765	3000	1	RMS	3000	-50.65	-13	37.65	Pass	1236
3000	12000	1	RMS	11997	-42.55	-13	29.55	Pass	9002
12000	20000	1	RMS	19345	-35.94	-13	22.94	Pass	8001




8.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.64	-13	59.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	58.77	Pass	2986
30	1000	0.1	RMS	971.981	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1700	-51.82	-13	38.82	Pass	701
1700	1765	1	RMS	1710.563	23.15	60	36.85	Pass	401
1765	3000	1	RMS	2994	-50.64	-13	37.64	Pass	1236
3000	12000	1	RMS	11997	-42.54	-13	29.54	Pass	9002
12000	20000	1	RMS	19424	-35.93	-13	22.93	Pass	8001




8.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	960.274	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1697	-52	-13	39	Pass	701
1700	1765	1	RMS	1710.563	22.3	60	37.7	Pass	401
1765	3000	1	RMS	2999	-50.62	-13	37.62	Pass	1236
3000	12000	1	RMS	11997	-42.45	-13	29.45	Pass	9002
12000	20000	1	RMS	19365	-35.89	-13	22.89	Pass	8001




8.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	879.32	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-53.69	-13	40.69	Pass	701
1700	1765	1	RMS	1727.95	23.2	60	36.8	Pass	401
1765	3000	1	RMS	2982	-50.66	-13	37.66	Pass	1236
3000	12000	1	RMS	11990	-42.54	-13	29.54	Pass	9002
12000	20000	1	RMS	19403	-35.9	-13	22.9	Pass	8001




8.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	922.449	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1681	-53.71	-13	40.71	Pass	701
1700	1765	1	RMS	1727.95	22.22	60	37.78	Pass	401
1765	3000	1	RMS	2995	-50.65	-13	37.65	Pass	1236
3000	12000	1	RMS	11999	-42.51	-13	29.51	Pass	9002
12000	20000	1	RMS	19407	-35.94	-13	22.94	Pass	8001




8.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-13	58.4	Pass	2986
30	1000	0.1	RMS	974.483	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1679	-53.72	-13	40.72	Pass	701
1700	1765	1	RMS	1745.5	23.26	60	36.74	Pass	401
1765	3000	1	RMS	2998	-50.66	-13	37.66	Pass	1236
3000	12000	1	RMS	11992	-42.48	-13	29.48	Pass	9002
12000	20000	1	RMS	19341	-35.96	-13	22.96	Pass	8001




8.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.16	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	945.964	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1682	-53.75	-13	40.75	Pass	701
1700	1765	1	RMS	1745.5	22.37	60	37.63	Pass	401
1765	3000	1	RMS	2994	-50.67	-13	37.67	Pass	1236
3000	12000	1	RMS	11999	-42.56	-13	29.56	Pass	9002
12000	20000	1	RMS	19293	-35.93	-13	22.93	Pass	8001




8.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	972.682	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-51.05	-13	38.05	Pass	701
1700	1765	1	RMS	1710.725	23.15	60	36.85	Pass	401
1765	3000	1	RMS	2997	-50.6	-13	37.6	Pass	1236
3000	12000	1	RMS	11999	-42.54	-13	29.54	Pass	9002
12000	20000	1	RMS	19396	-35.95	-13	22.95	Pass	8001




8.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	853.603	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1698	-51.45	-13	38.45	Pass	701
1700	1765	1	RMS	1710.725	22.33	60	37.67	Pass	401
1765	3000	1	RMS	2966	-50.68	-13	37.68	Pass	1236
3000	12000	1	RMS	12000	-42.47	-13	29.47	Pass	9002
12000	20000	1	RMS	19336	-35.92	-13	22.92	Pass	8001




**8.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27,
Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	1000	0.1	RMS	831.1	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1699	-49.35	-13	36.35	Pass	701
1700	1765	1	RMS	1725.83 8	23.21	60	36.79	Pass	401
1765	3000	1	RMS	3000	-50.58	-13	37.58	Pass	1236
3000	12000	1	RMS	11993	-42.59	-13	29.59	Pass	9002
12000	20000	1	RMS	19413	-35.95	-13	22.95	Pass	8001




8.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.22	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	995.697	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1699	-48.47	-13	35.47	Pass	701
1700	1765	1	RMS	1725.838	22.25	60	37.75	Pass	401
1765	3000	1	RMS	2969	-50.66	-13	37.66	Pass	1236
3000	12000	1	RMS	11997	-42.45	-13	29.45	Pass	9002
12000	20000	1	RMS	19341	-35.9	-13	22.9	Pass	8001




**8.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29,
Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.23	-72.53	-13	59.53	Pass	2986
30	1000	0.1	RMS	946.565	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1680	-53.72	-13	40.72	Pass	701
1700	1765	1	RMS	1740.78 8	23.08	60	36.92	Pass	401
1765	3000	1	RMS	1767	-31.77	-13	18.77	Pass	1236
3000	12000	1	RMS	11997	-42.47	-13	29.47	Pass	9002
12000	20000	1	RMS	19484	-35.95	-13	22.95	Pass	8001




8.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-13	59.68	Pass	2986
30	1000	0.1	RMS	854.804	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1680	-53.73	-13	40.73	Pass	701
1700	1765	1	RMS	1740.788	22.28	60	37.72	Pass	401
1765	3000	1	RMS	1767	-32.06	-13	19.06	Pass	1236
3000	12000	1	RMS	12000	-42.5	-13	29.5	Pass	9002
12000	20000	1	RMS	19444	-35.93	-13	22.93	Pass	8001




8.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.36	-13	58.36	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	976.985	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-51.89	-13	38.89	Pass	701
1700	1765	1	RMS	1711.05	23.09	60	36.91	Pass	401
1765	3000	1	RMS	3000	-50.63	-13	37.63	Pass	1236
3000	12000	1	RMS	11999	-42.45	-13	29.45	Pass	9002
12000	20000	1	RMS	19310	-35.94	-13	22.94	Pass	8001




8.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.17	-72.73	-13	59.73	Pass	2986
30	1000	0.1	RMS	858.206	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-52.26	-13	39.26	Pass	701
1700	1765	1	RMS	1711.05	22.27	60	37.73	Pass	401
1765	3000	1	RMS	3000	-50.64	-13	37.64	Pass	1236
3000	12000	1	RMS	11996	-42.58	-13	29.58	Pass	9002
12000	20000	1	RMS	19347	-35.95	-13	22.95	Pass	8001




8.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	957.172	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1697	-53.46	-13	40.46	Pass	701
1700	1765	1	RMS	1723.563	23.14	60	36.86	Pass	401
1765	3000	1	RMS	2999	-50.64	-13	37.64	Pass	1236
3000	12000	1	RMS	11994	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	19460	-35.94	-13	22.94	Pass	8001




8.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	980.487	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1688	-53.39	-13	40.39	Pass	701
1700	1765	1	RMS	1723.563	22.23	60	37.77	Pass	401
1765	3000	1	RMS	2999	-50.65	-13	37.65	Pass	1236
3000	12000	1	RMS	11997	-42.5	-13	29.5	Pass	9002
12000	20000	1	RMS	19388	-35.95	-13	22.95	Pass	8001




**8.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35,
Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	851.201	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1700	-50.13	-13	37.13	Pass	701
1700	1765	1	RMS	1736.07 5	23.09	60	36.91	Pass	401
1765	3000	1	RMS	1772	-30.85	-13	17.85	Pass	1236
3000	12000	1	RMS	11998	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19405	-35.94	-13	22.94	Pass	8001



8.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	969.08	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1700	-48.47	-13	35.47	Pass	701
1700	1765	1	RMS	1735.913	22.15	60	37.85	Pass	401
1765	3000	1	RMS	1772	-31.35	-13	18.35	Pass	1236
3000	12000	1	RMS	12000	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19429	-35.98	-13	22.98	Pass	8001



9. LTE_Band5


9.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	813.5	-65.08	-13	52.08	Pass	7841
814	860	0.1	RMS	824.2	19.88	60	40.12	Pass	461
860	1000	0.1	RMS	988.5	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1648	-46.6	-13	33.6	Pass	2001
3000	10000	1	RMS	8749	-44.39	-13	31.39	Pass	7001




9.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-13	59.58	Pass	401
0.15	30	0.01	RMS	0.18	-72.94	-13	59.94	Pass	2986
30	814	0.1	RMS	813.6	-65.24	-13	52.24	Pass	7841
814	860	0.1	RMS	824.3	18.97	60	41.03	Pass	461
860	1000	0.1	RMS	971.8	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1648	-47.6	-13	34.6	Pass	2001
3000	10000	1	RMS	8746	-44.34	-13	31.34	Pass	7001




9.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.1	-13	59.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	804.1	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	836.1	20.11	60	39.89	Pass	461
860	1000	0.1	RMS	974	-65.02	-13	52.02	Pass	1401
1000	3000	1	RMS	1672	-47.24	-13	34.24	Pass	2001
3000	10000	1	RMS	8731	-44.35	-13	31.35	Pass	7001




9.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.9	-13	59.9	Pass	401
0.15	30	0.01	RMS	0.37	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	814	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	836	19.08	60	40.92	Pass	461
860	1000	0.1	RMS	959.7	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1672	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	8743	-44.37	-13	31.37	Pass	7001




9.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.18	-72.24	-13	59.24	Pass	2986
30	814	0.1	RMS	813.4	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	847.9	20.1	60	39.9	Pass	461
860	1000	0.1	RMS	997	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1695	-47.66	-13	34.66	Pass	2001
3000	10000	1	RMS	8747	-44.39	-13	31.39	Pass	7001




**9.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.96	-13	59.96	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	813	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	847.8	19.11	60	40.89	Pass	461
860	1000	0.1	RMS	945.5	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1695	-48.72	-13	35.72	Pass	2001
3000	10000	1	RMS	8746	-44.22	-13	31.22	Pass	7001




**9.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.76	-13	58.76	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-13	58.6	Pass	2986
30	814	0.1	RMS	813.5	-64.76	-13	51.76	Pass	7841
814	860	0.1	RMS	824.2	20.1	60	39.9	Pass	461
860	1000	0.1	RMS	976.5	-65.04	-13	52.04	Pass	1401
1000	3000	1	RMS	1648	-46.63	-13	33.63	Pass	2001
3000	10000	1	RMS	8749	-44.31	-13	31.31	Pass	7001




**9.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8,
Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.21	-71.94	-13	58.94	Pass	2986
30	814	0.1	RMS	813.5	-65.11	-13	52.11	Pass	7841
814	860	0.1	RMS	824.2	19.17	60	40.83	Pass	461
860	1000	0.1	RMS	970.1	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1648	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	8743	-44.31	-13	31.31	Pass	7001




9.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	57.83	Pass	2986
30	814	0.1	RMS	810.3	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	835.2	20.29	60	39.71	Pass	461
860	1000	0.1	RMS	863.1	-65.06	-13	52.06	Pass	1401
1000	3000	1	RMS	1670	-46.63	-13	33.63	Pass	2001
3000	10000	1	RMS	8746	-44.37	-13	31.37	Pass	7001




9.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	809.4	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	835.2	19.32	60	40.68	Pass	461
860	1000	0.1	RMS	993.1	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1670	-47.86	-13	34.86	Pass	2001
3000	10000	1	RMS	8746	-44.28	-13	31.28	Pass	7001




9.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.22	-71.95	-13	58.95	Pass	2986
30	814	0.1	RMS	753	-65.47	-13	52.47	Pass	7841
814	860	0.1	RMS	846.2	20.21	60	39.79	Pass	461
860	1000	0.1	RMS	953.1	-65.06	-13	52.06	Pass	1401
1000	3000	1	RMS	1692	-47.13	-13	34.13	Pass	2001
3000	10000	1	RMS	8744	-44.34	-13	31.34	Pass	7001




9.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	814	0.1	RMS	800.2	-65.52	-13	52.52	Pass	7841
814	860	0.1	RMS	846.2	19.21	60	40.79	Pass	461
860	1000	0.1	RMS	978.3	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1692	-48.19	-13	35.19	Pass	2001
3000	10000	1	RMS	8745	-44.25	-13	31.25	Pass	7001




9.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	814	0.1	RMS	813.6	-64.89	-13	51.89	Pass	7841
814	860	0.1	RMS	824.3	20.24	60	39.76	Pass	461
860	1000	0.1	RMS	872.3	-65.07	-13	52.07	Pass	1401
1000	3000	1	RMS	1648	-46.62	-13	33.62	Pass	2001
3000	10000	1	RMS	8743	-44.32	-13	31.32	Pass	7001




9.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	813.6	-65.26	-13	52.26	Pass	7841
814	860	0.1	RMS	824.3	19.18	60	40.82	Pass	461
860	1000	0.1	RMS	960.2	-65.06	-13	52.06	Pass	1401
1000	3000	1	RMS	1648	-47.71	-13	34.71	Pass	2001
3000	10000	1	RMS	8743	-44.32	-13	31.32	Pass	7001




9.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.18	-13	59.18	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	814	0.1	RMS	811.2	-65.33	-13	52.33	Pass	7841
814	860	0.1	RMS	834.3	20.32	60	39.68	Pass	461
860	1000	0.1	RMS	860.4	-65.05	-13	52.05	Pass	1401
1000	3000	1	RMS	1668	-46.72	-13	33.72	Pass	2001
3000	10000	1	RMS	8746	-44.27	-13	31.27	Pass	7001




9.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.48	-13	59.48	Pass	401
0.15	30	0.01	RMS	0.18	-72.64	-13	59.64	Pass	2986
30	814	0.1	RMS	741.1	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	834.3	19.57	60	40.43	Pass	461
860	1000	0.1	RMS	862.8	-65.07	-13	52.07	Pass	1401
1000	3000	1	RMS	1668	-47.68	-13	34.68	Pass	2001
3000	10000	1	RMS	8744	-44.32	-13	31.32	Pass	7001




9.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.83	-13	59.83	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	740.4	-65.5	-13	52.5	Pass	7841
814	860	0.1	RMS	844.3	20.25	60	39.75	Pass	461
860	1000	0.1	RMS	997.6	-65.2	-13	52.2	Pass	1401
1000	3000	1	RMS	1688	-46.15	-13	33.15	Pass	2001
3000	10000	1	RMS	8744	-44.32	-13	31.32	Pass	7001




9.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.82	-13	58.82	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	814	0.1	RMS	812.9	-65.36	-13	52.36	Pass	7841
814	860	0.1	RMS	844.3	19.44	60	40.56	Pass	461
860	1000	0.1	RMS	983.8	-64.95	-13	51.95	Pass	1401
1000	3000	1	RMS	1688	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	8746	-44.34	-13	31.34	Pass	7001




**9.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19,
Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	814	0.1	RMS	813.9	-64.47	-13	51.47	Pass	7841
814	860	0.1	RMS	824.6	20.81	60	39.19	Pass	461
860	1000	0.1	RMS	873.9	-65.04	-13	52.04	Pass	1401
1000	3000	1	RMS	1649	-46.9	-13	33.9	Pass	2001
3000	10000	1	RMS	8748	-44.29	-13	31.29	Pass	7001




9.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.18	-71.95	-13	58.95	Pass	2986
30	814	0.1	RMS	813.9	-65.05	-13	52.05	Pass	7841
814	860	0.1	RMS	824.6	19.79	60	40.21	Pass	461
860	1000	0.1	RMS	874.1	-65.01	-13	52.01	Pass	1401
1000	3000	1	RMS	1649	-48.2	-13	35.2	Pass	2001
3000	10000	1	RMS	8738	-44.32	-13	31.32	Pass	7001




9.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.2	-72.08	-13	59.08	Pass	2986
30	814	0.1	RMS	811.9	-65.43	-13	52.43	Pass	7841
814	860	0.1	RMS	832.1	20.92	60	39.08	Pass	461
860	1000	0.1	RMS	885.9	-64.94	-13	51.94	Pass	1401
1000	3000	1	RMS	1664	-47.81	-13	34.81	Pass	2001
3000	10000	1	RMS	8754	-44.34	-13	31.34	Pass	7001




9.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.63	-13	59.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	58.93	Pass	2986
30	814	0.1	RMS	809.7	-65.51	-13	52.51	Pass	7841
814	860	0.1	RMS	832.1	19.95	60	40.05	Pass	461
860	1000	0.1	RMS	883.9	-65.05	-13	52.05	Pass	1401
1000	3000	1	RMS	1664	-48.77	-13	35.77	Pass	2001
3000	10000	1	RMS	8740	-44.35	-13	31.35	Pass	7001




9.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.97	-13	58.97	Pass	401
0.15	30	0.01	RMS	0.26	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	808.4	-65.37	-13	52.37	Pass	7841
814	860	0.1	RMS	839.6	20.63	60	39.37	Pass	461
860	1000	0.1	RMS	978.4	-65.12	-13	52.12	Pass	1401
1000	3000	1	RMS	1679	-46.29	-13	33.29	Pass	2001
3000	10000	1	RMS	8745	-44.33	-13	31.33	Pass	7001



9.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	814	0.1	RMS	799	-65.47	-13	52.47	Pass	7841
814	860	0.1	RMS	839.6	19.78	60	40.22	Pass	461
860	1000	0.1	RMS	986.5	-65.16	-13	52.16	Pass	1401
1000	3000	1	RMS	1679	-47.26	-13	34.26	Pass	2001
3000	10000	1	RMS	8744	-44.28	-13	31.28	Pass	7001



10. LTE_Band7


10.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.98	-25	46.98	Pass	401
0.15	30	0.01	RMS	0.18	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	539.6	-63.55	-25	38.55	Pass	9701
1000	2490	1	RMS	2490	-47.75	-25	22.75	Pass	1491
2490	2580	1	RMS	2500.125	23.39	60	36.61	Pass	401
2580	3000	1	RMS	3000	-50.64	-25	25.64	Pass	421
3000	12000	1	RMS	7501	-58.43	-25	33.43	Pass	9002
12000	26000	1	RMS	25500	-47.8	-25	22.8	Pass	14002




10.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.67	-25	47.67	Pass	401
0.15	30	0.01	RMS	0.18	-71.87	-25	46.87	Pass	2986
30	1000	0.1	RMS	539.6	-64.25	-25	39.25	Pass	9701
1000	2490	1	RMS	2490	-48.28	-25	23.28	Pass	1491
2490	2580	1	RMS	2500.125	22.42	60	37.58	Pass	401
2580	3000	1	RMS	2999	-50.64	-25	25.64	Pass	421
3000	12000	1	RMS	7501	-60.06	-25	35.06	Pass	9002
12000	26000	1	RMS	25502	-51.34	-25	26.34	Pass	14002




10.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.28	-25	47.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	572.1	-64.72	-25	39.72	Pass	9701
1000	2490	1	RMS	2483	-51.76	-25	26.76	Pass	1491
2490	2580	1	RMS	2532.75	23.25	60	36.75	Pass	401
2580	3000	1	RMS	3000	-50.61	-25	25.61	Pass	421
3000	12000	1	RMS	5066	-58.82	-25	33.82	Pass	9002
12000	26000	1	RMS	25500	-51.28	-25	26.28	Pass	14002



10.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.62	-25	47.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-25	46.95	Pass	2986
30	1000	0.1	RMS	572.1	-65.09	-25	40.09	Pass	9701
1000	2490	1	RMS	2490	-51.7	-25	26.7	Pass	1491
2490	2580	1	RMS	2532.75	22.52	60	37.48	Pass	401
2580	3000	1	RMS	2998	-50.67	-25	25.67	Pass	421
3000	12000	1	RMS	5066	-59.28	-25	34.28	Pass	9002
12000	26000	1	RMS	25497	-51.3	-25	26.3	Pass	14002



10.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.93	-25	47.93	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	604.6	-64.91	-25	39.91	Pass	9701
1000	2490	1	RMS	2486	-51.78	-25	26.78	Pass	1491
2490	2580	1	RMS	2565.15	23.26	60	36.74	Pass	401
2580	3000	1	RMS	2997	-50.63	-25	25.63	Pass	421
3000	12000	1	RMS	7696	-58.91	-25	33.91	Pass	9002
12000	26000	1	RMS	25504	-51.34	-25	26.34	Pass	14002

