



**10.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.12	-25	48.12	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-25	47.04	Pass	2986
30	1000	0.1	RMS	604.6	-64.46	-25	39.46	Pass	9701
1000	2490	1	RMS	2487	-51.75	-25	26.75	Pass	1491
2490	2580	1	RMS	2565.15	22.57	60	37.43	Pass	401
2580	3000	1	RMS	2998	-50.62	-25	25.62	Pass	421
3000	12000	1	RMS	7696	-59.36	-25	34.36	Pass	9002
12000	26000	1	RMS	25505	-51.32	-25	26.32	Pass	14002




**10.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.12	-25	48.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-25	46.89	Pass	2986
30	1000	0.1	RMS	539.9	-62.82	-25	37.82	Pass	9701
1000	2490	1	RMS	2483	-42.06	-25	17.06	Pass	1491
2490	2580	1	RMS	2500.57 5	23.41	60	36.59	Pass	401
2580	3000	1	RMS	3000	-50.62	-25	25.62	Pass	421
3000	12000	1	RMS	7502	-58.81	-25	33.81	Pass	9002
12000	26000	1	RMS	25501	-51.28	-25	26.28	Pass	14002




10.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-25	47.49	Pass	401
0.15	30	0.01	RMS	0.19	-71.74	-25	46.74	Pass	2986
30	1000	0.1	RMS	539.9	-63.66	-25	38.66	Pass	9701
1000	2490	1	RMS	2483	-43.84	-25	18.84	Pass	1491
2490	2580	1	RMS	2500.575	22.59	60	37.41	Pass	401
2580	3000	1	RMS	2998	-50.62	-25	25.62	Pass	421
3000	12000	1	RMS	7502	-60.03	-25	35.03	Pass	9002
12000	26000	1	RMS	25490	-51.39	-25	26.39	Pass	14002



**10.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9,
Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.47	-25	47.47	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-25	47.52	Pass	2986
30	1000	0.1	RMS	569.9	-64.15	-25	39.15	Pass	9701
1000	2490	1	RMS	2487	-51.78	-25	26.78	Pass	1491
2490	2580	1	RMS	2530.5	23.5	60	36.5	Pass	401
2580	3000	1	RMS	2996	-50.65	-25	25.65	Pass	421
3000	12000	1	RMS	5061	-58.28	-25	33.28	Pass	9002
12000	26000	1	RMS	25502	-51.3	-25	26.3	Pass	14002



10.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.65	-25	46.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-25	46.47	Pass	2986
30	1000	0.1	RMS	569.9	-64.83	-25	39.83	Pass	9701
1000	2490	1	RMS	2481	-51.78	-25	26.78	Pass	1491
2490	2580	1	RMS	2530.5	22.53	60	37.47	Pass	401
2580	3000	1	RMS	2998	-50.65	-25	25.65	Pass	421
3000	12000	1	RMS	5061	-59.28	-25	34.28	Pass	9002
12000	26000	1	RMS	25498	-51.35	-25	26.35	Pass	14002



10.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.24	-25	47.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-25	47.38	Pass	2986
30	1000	0.1	RMS	599.9	-63.79	-25	38.79	Pass	9701
1000	2490	1	RMS	2485	-51.77	-25	26.77	Pass	1491
2490	2580	1	RMS	2560.425	23.5	60	36.5	Pass	401
2580	3000	1	RMS	2586	-50.53	-25	25.53	Pass	421
3000	12000	1	RMS	7682	-58.58	-25	33.58	Pass	9002
12000	26000	1	RMS	25508	-51.37	-25	26.37	Pass	14002



10.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.09	-25	47.09	Pass	401
0.15	30	0.01	RMS	0.19	-72.44	-25	47.44	Pass	2986
30	1000	0.1	RMS	599.9	-64.32	-25	39.32	Pass	9701
1000	2490	1	RMS	2489	-51.79	-25	26.79	Pass	1491
2490	2580	1	RMS	2560.425	22.58	60	37.42	Pass	401
2580	3000	1	RMS	3000	-50.63	-25	25.63	Pass	421
3000	12000	1	RMS	7682	-60.01	-25	35.01	Pass	9002
12000	26000	1	RMS	25502	-51.3	-25	26.3	Pass	14002



10.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-25	47.73	Pass	401
0.15	30	0.01	RMS	0.17	-71.77	-25	46.77	Pass	2986
30	1000	0.1	RMS	540.1	-63.53	-25	38.53	Pass	9701
1000	2490	1	RMS	2488	-32.89	-25	7.89	Pass	1491
2490	2580	1	RMS	2500.8	23.42	60	36.58	Pass	401
2580	3000	1	RMS	2998	-50.63	-25	25.63	Pass	421
3000	12000	1	RMS	7502	-59.86	-25	34.86	Pass	9002
12000	26000	1	RMS	25500	-51.4	-25	26.4	Pass	14002



10.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.06	-25	47.06	Pass	401
0.15	30	0.01	RMS	0.16	-71.87	-25	46.87	Pass	2986
30	1000	0.1	RMS	540.1	-64.35	-25	39.35	Pass	9701
1000	2490	1	RMS	2487	-34.58	-25	9.58	Pass	1491
2490	2580	1	RMS	2500.8	22.59	60	37.41	Pass	401
2580	3000	1	RMS	2996	-50.62	-25	25.62	Pass	421
3000	12000	1	RMS	7503	-60.85	-25	35.85	Pass	9002
12000	26000	1	RMS	25499	-51.28	-25	26.28	Pass	14002



10.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.05	-25	47.05	Pass	401
0.15	30	0.01	RMS	0.2	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	567.6	-64.41	-25	39.41	Pass	9701
1000	2490	1	RMS	2490	-51.71	-25	26.71	Pass	1491
2490	2580	1	RMS	2528.25	23.54	60	36.46	Pass	401
2580	3000	1	RMS	3000	-50.58	-25	25.58	Pass	421
3000	12000	1	RMS	5057	-59.41	-25	34.41	Pass	9002
12000	26000	1	RMS	25501	-51.29	-25	26.29	Pass	14002



10.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.44	-25	47.44	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-25	46.47	Pass	2986
30	1000	0.1	RMS	567.6	-65	-25	40	Pass	9701
1000	2490	1	RMS	2489	-51.69	-25	26.69	Pass	1491
2490	2580	1	RMS	2528.25	22.6	60	37.4	Pass	401
2580	3000	1	RMS	3000	-50.62	-25	25.62	Pass	421
3000	12000	1	RMS	5057	-60.15	-25	35.15	Pass	9002
12000	26000	1	RMS	25504	-51.38	-25	26.38	Pass	14002



10.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-73.05	-25	48.05	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-25	46.94	Pass	2986
30	1000	0.1	RMS	595.2	-64.7	-25	39.7	Pass	9701
1000	2490	1	RMS	2483	-51.71	-25	26.71	Pass	1491
2490	2580	1	RMS	2555.7	23.3	60	36.7	Pass	401
2580	3000	1	RMS	2582	-30.69	-25	5.69	Pass*	421
3000	12000	1	RMS	7668	-59.92	-25	34.92	Pass	9002
12000	26000	1	RMS	25501	-51.33	-25	26.33	Pass	14002



10.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.77	-25	46.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-25	46.5	Pass	2986
30	1000	0.1	RMS	989.193	-65.04	-25	40.04	Pass	9701
1000	2490	1	RMS	2488	-51.74	-25	26.74	Pass	1491
2490	2580	1	RMS	2555.7	22.45	60	37.55	Pass	401
2580	3000	1	RMS	2582	-30.86	-25	5.86	Pass*	421
3000	12000	1	RMS	7668	-60.79	-25	35.79	Pass	9002
12000	26000	1	RMS	25501	-51.22	-25	26.22	Pass	14002



10.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.14	-25	47.14	Pass	401
0.15	30	0.01	RMS	0.21	-72.3	-25	47.3	Pass	2986
30	1000	0.1	RMS	540.4	-63.29	-25	38.29	Pass	9701
1000	2490	1	RMS	2483	-35.89	-25	10.89	Pass	1491
2490	2580	1	RMS	2501.025	23.43	60	36.57	Pass	401
2580	3000	1	RMS	2999	-50.63	-25	25.63	Pass	421
3000	12000	1	RMS	7503	-59.09	-25	34.09	Pass	9002
12000	26000	1	RMS	25498	-51.36	-25	26.36	Pass	14002



10.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73	-25	48	Pass	401
0.15	30	0.01	RMS	0.16	-72.42	-25	47.42	Pass	2986
30	1000	0.1	RMS	540.4	-63.71	-25	38.71	Pass	9701
1000	2490	1	RMS	2483	-36.08	-25	11.08	Pass	1491
2490	2580	1	RMS	2501.025	22.57	60	37.43	Pass	401
2580	3000	1	RMS	3000	-50.61	-25	25.61	Pass	421
3000	12000	1	RMS	7503	-60.1	-25	35.1	Pass	9002
12000	26000	1	RMS	25504	-51.37	-25	26.37	Pass	14002



10.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-25	47.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-25	46.58	Pass	2986
30	1000	0.1	RMS	565.4	-64.18	-25	39.18	Pass	9701
1000	2490	1	RMS	2490	-43.64	-25	18.64	Pass	1491
2490	2580	1	RMS	2526	23.43	60	36.57	Pass	401
2580	3000	1	RMS	3000	-50.61	-25	25.61	Pass	421
3000	12000	1	RMS	5052	-59	-25	34	Pass	9002
12000	26000	1	RMS	25514	-51.39	-25	26.39	Pass	14002



10.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.4	-25	47.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-25	47.2	Pass	2986
30	1000	0.1	RMS	565.4	-64.71	-25	39.71	Pass	9701
1000	2490	1	RMS	2490	-44.5	-25	19.5	Pass	1491
2490	2580	1	RMS	2526	22.48	60	37.52	Pass	401
2580	3000	1	RMS	2999	-50.62	-25	25.62	Pass	421
3000	12000	1	RMS	5052	-59.82	-25	34.82	Pass	9002
12000	26000	1	RMS	25499	-51.36	-25	26.36	Pass	14002



10.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.62	-25	47.62	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-25	45.97	Pass	2986
30	1000	0.1	RMS	590.4	-64.12	-25	39.12	Pass	9701
1000	2490	1	RMS	2489	-51.77	-25	26.77	Pass	1491
2490	2580	1	RMS	2550.975	23.31	60	36.69	Pass	401
2580	3000	1	RMS	2586	-32.34	-25	7.34	Pass	421
3000	12000	1	RMS	7653	-58.35	-25	33.35	Pass	9002
12000	26000	1	RMS	25508	-51.33	-25	26.33	Pass	14002



10.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.29	-25	48.29	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-25	47.41	Pass	2986
30	1000	0.1	RMS	590.4	-64.75	-25	39.75	Pass	9701
1000	2490	1	RMS	2486	-51.72	-25	26.72	Pass	1491
2490	2580	1	RMS	2550.975	22.43	60	37.57	Pass	401
2580	3000	1	RMS	2586	-32.41	-25	7.41	Pass	421
3000	12000	1	RMS	7653	-59.48	-25	34.48	Pass	9002
12000	26000	1	RMS	25514	-51.42	-25	26.42	Pass	14002



11. LTE_Band66


11.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.54	-13	59.54	Pass	401
0.15	30	0.01	RMS	0.2	-71.84	-13	58.84	Pass	2986
30	1000	0.1	RMS	938.359	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-51.92	-13	38.92	Pass	701
1700	1790	1	RMS	1710.125	23.12	60	36.88	Pass	401
1790	3000	1	RMS	2973	-50.65	-13	37.65	Pass	1211
3000	12000	1	RMS	11996	-42.55	-13	29.55	Pass	9002
12000	20000	1	RMS	19409	-35.94	-13	22.94	Pass	8001




11.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	965.177	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-52.18	-13	39.18	Pass	701
1700	1790	1	RMS	1710.125	22.17	60	37.83	Pass	401
1790	3000	1	RMS	2994	-50.64	-13	37.64	Pass	1211
3000	12000	1	RMS	11991	-42.55	-13	29.55	Pass	9002
12000	20000	1	RMS	19389	-35.96	-13	22.96	Pass	8001




11.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.75	-13	59.75	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	59	Pass	2986
30	1000	0.1	RMS	991.594	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1696	-53.72	-13	40.72	Pass	701
1700	1790	1	RMS	1744.325	23.1	60	36.9	Pass	401
1790	3000	1	RMS	2959	-50.63	-13	37.63	Pass	1211
3000	12000	1	RMS	11998	-42.51	-13	29.51	Pass	9002
12000	20000	1	RMS	19322	-35.92	-13	22.92	Pass	8001




**11.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-13	59.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	962.775	-65	-13	52	Pass	9701
1000	1700	1	RMS	1674	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1744.325	22.09	60	37.91	Pass	401
1790	3000	1	RMS	2973	-50.62	-13	37.62	Pass	1211
3000	12000	1	RMS	11995	-42.53	-13	29.53	Pass	9002
12000	20000	1	RMS	19320	-35.94	-13	22.94	Pass	8001




**11.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5,
Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.16	-73.08	-13	60.08	Pass	2986
30	1000	0.1	RMS	978.286	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1684	-53.78	-13	40.78	Pass	701
1700	1790	1	RMS	1778.75	23	60	37	Pass	401
1790	3000	1	RMS	2972	-50.66	-13	37.66	Pass	1211
3000	12000	1	RMS	12000	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19385	-35.94	-13	22.94	Pass	8001




**11.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	982.388	-65.04	-13	52.04	Pass	9701
1000	1700	1	RMS	1680	-53.71	-13	40.71	Pass	701
1700	1790	1	RMS	1778.75	22.04	60	37.96	Pass	401
1790	3000	1	RMS	2967	-50.66	-13	37.66	Pass	1211
3000	12000	1	RMS	11997	-42.52	-13	29.52	Pass	9002
12000	20000	1	RMS	19383	-35.98	-13	22.98	Pass	8001




**11.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.15	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	853.403	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-51.99	-13	38.99	Pass	701
1700	1790	1	RMS	1710.125	23.03	60	36.97	Pass	401
1790	3000	1	RMS	2978	-50.67	-13	37.67	Pass	1211
3000	12000	1	RMS	11996	-42.51	-13	29.51	Pass	9002
12000	20000	1	RMS	19355	-35.91	-13	22.91	Pass	8001




11.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	58.59	Pass	2986
30	1000	0.1	RMS	943.362	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1700	-52.34	-13	39.34	Pass	701
1700	1790	1	RMS	1710.125	22.19	60	37.81	Pass	401
1790	3000	1	RMS	2961	-50.57	-13	37.57	Pass	1211
3000	12000	1	RMS	11998	-42.42	-13	29.42	Pass	9002
12000	20000	1	RMS	19387	-35.87	-13	22.87	Pass	8001



**11.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	58.06	Pass	2986
30	1000	0.1	RMS	942.562	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1678	-53.73	-13	40.73	Pass	701
1700	1790	1	RMS	1743.65	23.15	60	36.85	Pass	401
1790	3000	1	RMS	2843	-50.62	-13	37.62	Pass	1211
3000	12000	1	RMS	11995	-42.5	-13	29.5	Pass	9002
12000	20000	1	RMS	19321	-35.91	-13	22.91	Pass	8001



11.10 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	869.313	-65.25	-13	52.25	Pass	9701
1000	1700	1	RMS	1682	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1743.65	22.11	60	37.89	Pass	401
1790	3000	1	RMS	3000	-50.64	-13	37.64	Pass	1211
3000	12000	1	RMS	11998	-42.54	-13	29.54	Pass	9002
12000	20000	1	RMS	19305	-35.85	-13	22.85	Pass	8001



11.11 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.67	-13	58.67	Pass	401
0.15	30	0.01	RMS	0.2	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	963.276	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1680	-53.74	-13	40.74	Pass	701
1700	1790	1	RMS	1777.175	22.96	60	37.04	Pass	401
1790	3000	1	RMS	2996	-50.59	-13	37.59	Pass	1211
3000	12000	1	RMS	11999	-42.46	-13	29.46	Pass	9002
12000	20000	1	RMS	19322	-35.89	-13	22.89	Pass	8001



11.12 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.39	-13	59.39	Pass	401
0.15	30	0.01	RMS	0.16	-72.83	-13	59.83	Pass	2986
30	1000	0.1	RMS	976.384	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1681	-53.74	-13	40.74	Pass	701
1700	1790	1	RMS	1777.175	22.08	60	37.92	Pass	401
1790	3000	1	RMS	2999	-50.6	-13	37.6	Pass	1211
3000	12000	1	RMS	11990	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19375	-35.89	-13	22.89	Pass	8001



11.13 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	978.886	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-51.68	-13	38.68	Pass	701
1700	1790	1	RMS	1710.125	22.99	60	37.01	Pass	401
1790	3000	1	RMS	2979	-50.6	-13	37.6	Pass	1211
3000	12000	1	RMS	11994	-42.48	-13	29.48	Pass	9002
12000	20000	1	RMS	19392	-35.95	-13	22.95	Pass	8001



11.14 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.19	-13	59.19	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	1000	0.1	RMS	979.386	-64.88	-13	51.88	Pass	9701
1000	1700	1	RMS	1700	-52.1	-13	39.1	Pass	701
1700	1790	1	RMS	1710.125	22.15	60	37.85	Pass	401
1790	3000	1	RMS	3000	-50.62	-13	37.62	Pass	1211
3000	12000	1	RMS	11998	-42.48	-13	29.48	Pass	9002
12000	20000	1	RMS	19457	-35.9	-13	22.9	Pass	8001



11.15 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	1000	0.1	RMS	986.791	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1681	-53.74	-13	40.74	Pass	701
1700	1790	1	RMS	1742.75	23.2	60	36.8	Pass	401
1790	3000	1	RMS	2998	-50.66	-13	37.66	Pass	1211
3000	12000	1	RMS	11997	-42.52	-13	29.52	Pass	9002
12000	20000	1	RMS	19405	-35.92	-13	22.92	Pass	8001



11.16 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.74	-13	58.74	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	934.356	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1680	-53.76	-13	40.76	Pass	701
1700	1790	1	RMS	1742.75	22.37	60	37.63	Pass	401
1790	3000	1	RMS	2986	-50.67	-13	37.67	Pass	1211
3000	12000	1	RMS	12000	-42.43	-13	29.43	Pass	9002
12000	20000	1	RMS	19334	-35.92	-13	22.92	Pass	8001



11.17 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	973.382	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1692	-53.74	-13	40.74	Pass	701
1700	1790	1	RMS	1775.15	23.15	60	36.85	Pass	401
1790	3000	1	RMS	2999	-50.66	-13	37.66	Pass	1211
3000	12000	1	RMS	11990	-42.56	-13	29.56	Pass	9002
12000	20000	1	RMS	19299	-35.95	-13	22.95	Pass	8001



11.18 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.18	-72.57	-13	59.57	Pass	2986
30	1000	0.1	RMS	931.755	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1685	-53.8	-13	40.8	Pass	701
1700	1790	1	RMS	1775.15	22.33	60	37.67	Pass	401
1790	3000	1	RMS	2995	-50.6	-13	37.6	Pass	1211
3000	12000	1	RMS	11986	-42.56	-13	29.56	Pass	9002
12000	20000	1	RMS	19339	-35.88	-13	22.88	Pass	8001



11.19 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-13	59.04	Pass	2986
30	1000	0.1	RMS	854.203	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1697	-51.82	-13	38.82	Pass	701
1700	1790	1	RMS	1710.575	23.06	60	36.94	Pass	401
1790	3000	1	RMS	2997	-50.65	-13	37.65	Pass	1211
3000	12000	1	RMS	11999	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19435	-35.97	-13	22.97	Pass	8001



11.20 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	58.04	Pass	2986
30	1000	0.1	RMS	986.891	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1697	-52.16	-13	39.16	Pass	701
1700	1790	1	RMS	1710.575	22.22	60	37.78	Pass	401
1790	3000	1	RMS	3000	-50.61	-13	37.61	Pass	1211
3000	12000	1	RMS	11997	-42.49	-13	29.49	Pass	9002
12000	20000	1	RMS	19325	-35.98	-13	22.98	Pass	8001



11.21 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	808.5	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1682	-53.73	-13	40.73	Pass	701
1700	1790	1	RMS	1740.5	23.23	60	36.77	Pass	401
1790	3000	1	RMS	2991	-50.64	-13	37.64	Pass	1211
3000	12000	1	RMS	11995	-42.53	-13	29.53	Pass	9002
12000	20000	1	RMS	19419	-35.94	-13	22.94	Pass	8001



11.22 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.8	-13	58.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	59.26	Pass	2986
30	1000	0.1	RMS	877.519	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1678	-53.73	-13	40.73	Pass	701
1700	1790	1	RMS	1740.5	22.31	60	37.69	Pass	401
1790	3000	1	RMS	3000	-50.68	-13	37.68	Pass	1211
3000	12000	1	RMS	11994	-42.53	-13	29.53	Pass	9002
12000	20000	1	RMS	19404	-35.95	-13	22.95	Pass	8001



11.23 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.04	-13	59.04	Pass	401
0.15	30	0.01	RMS	0.18	-72.35	-13	59.35	Pass	2986
30	1000	0.1	RMS	968.779	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1683	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1770.425	23.14	60	36.86	Pass	401
1790	3000	1	RMS	2996	-50.66	-13	37.66	Pass	1211
3000	12000	1	RMS	12000	-42.48	-13	29.48	Pass	9002
12000	20000	1	RMS	19320	-35.99	-13	22.99	Pass	8001



11.24 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.98	-13	58.98	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	947.165	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1680	-53.72	-13	40.72	Pass	701
1700	1790	1	RMS	1770.425	22.18	60	37.82	Pass	401
1790	3000	1	RMS	2963	-50.69	-13	37.69	Pass	1211
3000	12000	1	RMS	11997	-42.52	-13	29.52	Pass	9002
12000	20000	1	RMS	19391	-35.98	-13	22.98	Pass	8001



11.25 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	59.33	Pass	2986
30	1000	0.1	RMS	977.285	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1700	-51.1	-13	38.1	Pass	701
1700	1790	1	RMS	1710.8	23.1	60	36.9	Pass	401
1790	3000	1	RMS	2994	-50.69	-13	37.69	Pass	1211
3000	12000	1	RMS	11999	-42.51	-13	29.51	Pass	9002
12000	20000	1	RMS	19386	-35.98	-13	22.98	Pass	8001



11.26 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.53	-13	59.53	Pass	401
0.15	30	0.01	RMS	0.16	-72.59	-13	59.59	Pass	2986
30	1000	0.1	RMS	872.916	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1698	-51.64	-13	38.64	Pass	701
1700	1790	1	RMS	1710.8	22.23	60	37.77	Pass	401
1790	3000	1	RMS	3000	-50.68	-13	37.68	Pass	1211
3000	12000	1	RMS	12000	-42.53	-13	29.53	Pass	9002
12000	20000	1	RMS	19443	-35.92	-13	22.92	Pass	8001



11.27 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-13	58.86	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	958.573	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1698	-53.78	-13	40.78	Pass	701
1700	1790	1	RMS	1738.25	23.22	60	36.78	Pass	401
1790	3000	1	RMS	2998	-50.63	-13	37.63	Pass	1211
3000	12000	1	RMS	11995	-42.52	-13	29.52	Pass	9002
12000	20000	1	RMS	19320	-35.97	-13	22.97	Pass	8001



11.28 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.21	-13	59.21	Pass	401
0.15	30	0.01	RMS	0.15	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	935.257	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1680	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1738.25	22.31	60	37.69	Pass	401
1790	3000	1	RMS	2996	-50.72	-13	37.72	Pass	1211
3000	12000	1	RMS	11998	-42.55	-13	29.55	Pass	9002
12000	20000	1	RMS	19406	-35.96	-13	22.96	Pass	8001



11.29 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	938.159	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1680	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1765.7	23.12	60	36.88	Pass	401
1790	3000	1	RMS	1792	-33.65	-13	20.65	Pass	1211
3000	12000	1	RMS	11993	-42.5	-13	29.5	Pass	9002
12000	20000	1	RMS	19444	-35.93	-13	22.93	Pass	8001



11.30 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.16	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	852.202	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1684	-53.81	-13	40.81	Pass	701
1700	1790	1	RMS	1765.7	22.17	60	37.83	Pass	401
1790	3000	1	RMS	1792	-33.57	-13	20.57	Pass	1211
3000	12000	1	RMS	11995	-42.54	-13	29.54	Pass	9002
12000	20000	1	RMS	19322	-35.98	-13	22.98	Pass	8001



11.31 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72	-13	59	Pass	401
0.15	30	0.01	RMS	0.16	-72.55	-13	59.55	Pass	2986
30	1000	0.1	RMS	877.619	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1700	-51.73	-13	38.73	Pass	701
1700	1790	1	RMS	1711.025	23.07	60	36.93	Pass	401
1790	3000	1	RMS	2997	-50.69	-13	37.69	Pass	1211
3000	12000	1	RMS	11997	-42.54	-13	29.54	Pass	9002
12000	20000	1	RMS	19355	-35.97	-13	22.97	Pass	8001



11.32 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	0.18	-72.02	-13	59.02	Pass	2986
30	1000	0.1	RMS	925.851	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-52.07	-13	39.07	Pass	701
1700	1790	1	RMS	1711.025	22.21	60	37.79	Pass	401
1790	3000	1	RMS	3000	-50.7	-13	37.7	Pass	1211
3000	12000	1	RMS	11998	-42.55	-13	29.55	Pass	9002
12000	20000	1	RMS	19472	-35.96	-13	22.96	Pass	8001



11.33 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.18	-72.67	-13	59.67	Pass	2986
30	1000	0.1	RMS	857.205	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-49.37	-13	36.37	Pass	701
1700	1790	1	RMS	1736	23.23	60	36.77	Pass	401
1790	3000	1	RMS	2980	-50.68	-13	37.68	Pass	1211
3000	12000	1	RMS	11995	-42.5	-13	29.5	Pass	9002
12000	20000	1	RMS	19408	-35.94	-13	22.94	Pass	8001



11.34 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.57	-13	59.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	59.6	Pass	2986
30	1000	0.1	RMS	984.79	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1700	-48.75	-13	35.75	Pass	701
1700	1790	1	RMS	1736	22.21	60	37.79	Pass	401
1790	3000	1	RMS	2966	-50.67	-13	37.67	Pass	1211
3000	12000	1	RMS	11993	-42.55	-13	29.55	Pass	9002
12000	20000	1	RMS	19368	-35.96	-13	22.96	Pass	8001



11.35 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.35	-13	59.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	59.65	Pass	2986
30	1000	0.1	RMS	973.582	-65.17	-13	52.17	Pass	9701
1000	1700	1	RMS	1680	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1760.975	23.04	60	36.96	Pass	401
1790	3000	1	RMS	1797	-34.72	-13	21.72	Pass	1211
3000	12000	1	RMS	11999	-42.54	-13	29.54	Pass	9002
12000	20000	1	RMS	19367	-35.95	-13	22.95	Pass	8001



11.36 LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.81	-13	59.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	988.392	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1680	-53.77	-13	40.77	Pass	701
1700	1790	1	RMS	1760.975	22.04	60	37.96	Pass	401
1790	3000	1	RMS	1797	-35.06	-13	22.06	Pass	1211
3000	12000	1	RMS	12000	-42.56	-13	29.56	Pass	9002
12000	20000	1	RMS	19305	-35.96	-13	22.96	Pass	8001

